

| | | | | |
|------------|-----------|-----------|-----------|-----|
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFF | 111111 | 111111 | 111111 | XXX |
| FFF | 111111 | 111111 | 111111 | XXX |
| FFF | 111111 | 111111 | 111111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFFFFFFFFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111 | 111 | 111 | XXX |
| FFF | 111111111 | 111111111 | 111111111 | XXX |
| FFF | 111111111 | 111111111 | 111111111 | XXX |
| FFF | 111111111 | 111111111 | 111111111 | XXX |

| | | | | | |
|-----------|---------|----------|----------|-----------|-----------|
| FFFFFFFFF | CCCCCCC | PPPPPPP | DDDDDDDD | EEEEEEEEE | FFFFFFFFF |
| FFFFFFFFF | CC | PP PP | DD DD | EE EE | FF FF |
| FF | CC | PP PP | DD DD | EE EE | FF FF |
| FF | CC | PP PP | DD DD | EE EE | FF FF |
| FF | CC | PP PP | DD DD | EE EE | FF FF |
| FF | CC | PPPPPPPP | DD DD | EEEEEEEEE | FFFFFFF |
| FF | CC | PPPPPPPP | DD DD | EEEEEEEEE | FFFFFFF |
| FF | CC | PP | DD | EE | FF |
| FF | CC | PP | DD | EE | FF |
| FF | CC | PP | DD | EE | FF |
| FF | CC | PP | DD | EE | FF |
| FF | CC | PP | DD | EE | FF |
| FF | CC | PP | DD | EE | FF |
| FF | CCCCCCC | PP | DDDDDDDD | EEEEEEEEE | FF |
| FF | CCCCCCC | PP | DDDDDDDD | EEEEEEEEE | FF |

| | | |
|-----------|--------|------------|
| BBBBBBBBB | 333333 | 222222 |
| BBBBBBBBB | 333333 | 222222 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 33 33 | 22 22 |
| BB BB | 333333 | 2222222222 |
| BB BB | 333333 | 2222222222 |

FCP
! M
! b
MAC! S
! MAC

LIT

! V
FIE

FIE

FIE

DEFINITION FILE FOR FCP COMPIRATION

Version: 'V04-000'

* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.

* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.

* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.

* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

++
FACILITY: F11ACP Structure Level 2

ABSTRACT:

These are the data stucture definitions and random macros
used to compile FCP.

ENVIRONMENT:

STARLET operating system, including privileged system calls
and internal system subroutines.

--
AUTHOR: Andrew C. Goldstein, CREATION DATE: 9-Dec-1976 10:53

MODIFIED BY:

V03-033 CDS0020 Christian D. Saether 30-Aug-1984
Add flag to disable updating of FILE_HEADER by READ_HEADER.
Add cleanup flag to note refcnt up on primary fcb from
fid_to_spec routine.

V03-032 LMP0303 L. Mark Pilant, 21-Aug-1984 13:21

W
t
W
LIT
F
i
MAC
T
i
A
h
t
t
t
b
T
b

Up the storage for the full file spec to accomodate a 16 level directory tree.

- V03-031 CDS0019 Christian D. Saether 13-Aug-1984
Add CLF MARKFCBSTALE flag.
Remove AV_MARKDEL flag.
- V03-030 CDS0018 Christian D. Saether 6-Aug-1984
Add STS_HAD_LOCK and STS_KEEP_LOCK flags.
- V03-029 CDS0017 Christian D. Saether 4-Aug-1984
Add SWITCHES NOSAFE because bliss generates cse's for values that cross routine calls that are modified.
Add DIRINDX TYPE buffer type.
Add CACHE_HDR cell. Remove obsolete cell.
Modify base constant so that CLEANUP FLAGS are at 0.
Remove L_JSB_C linkage (same as L_JSB now).
Add L_MAP_POINTER linkage. Declare registers not used in the jsb linkages.
- V03-028 CDS0016 Christian D. Saether 15-July-1984
Reflect the addition of another buffer pool.
Add another level of BIND to BIND_COMMON. This lets bliss realize that the contents of the base register is a constant.
- V03-027 CDS0015 Christian D. Saether 2-July-1984
Add STS_DISKREAD flag and STSFLGS bitvector to indicate last buffer read from disk.
- V03-026 CDS0014 Christian D. Saether 9-May-1984
Remove definition for VC_NOALLOC.
- V03-025 ACG0427 Andrew C. Goldstein, 8-May-1984 11:08
Restructure saved audit info to save space
- V03-024 ACG0424 Andrew C. Goldstein, 1-May-1984 20:13
Add flags to identify implicit SYSPRV to volume owner
- V03-023 CDS0013 Christian D. Saether 20-Apr-1984
Rework various fields, linkages, and impure storage for file access arbitration changes.
Eliminate intermediate BIND declaration in BIND_COMMON.
Try word-relative references once again.
- V03-022 ACG0415 Andrew C. Goldstein, 12-Apr-1984 13:31
Remove ACL handling cells
- V03-021 RSH0135 R. Scott Hanna 06-Mar-1984
Add AUDIT_COUNT and AUDIT_ARGLIST to global storage.
- V03-020 ACG0408 Andrew C. Goldstein, 20-Mar-1984 16:06
Reduce size of LOCAL_ARB; make APPLY_RVN and DEFAULT_RVN macros; add SURFACE_ERROR macro; redesign global storage macro
- V03-019 ACG0402 Andrew C. Goldstein, 14-Mar-1984 15:02

Go back to default longword addressing - it's too big

- V03-018 CDS0012 Christian D. Saether 13-Feb-1984
Add ACB_ADDR to COMMON BIND statement.
Add BFR_LIST, BFR_CREDITS, and BFRE_USED to COMMON BIND.
Add VC_SEQNUM field.
Add L_JSB_C and L_RELEASE_CACHE linkages.
Replace NO_LCKCHK with CACHELOCK.
- V03-017 LMP0186 L. Mark Pilant, 3-Feb-1984 11:53
Add a new block type CHIP_TYPE for CHIP blocks.
- V03-016 CDS0011 Christian D. Saether 19-Dec-1983
Define BCR11 linkage to base common off register 11.
Create a BIND definition of popular COMMON cells
to minimize the number of external references in
the modules that reference them.
Remove ADDRESSING_MODE switch forcing longword
references on all EXTERNAL declarations.
- V03-015 CDS0010 Christian D. Saether 14-Oct-1983
Add JSB_LINK linkage definition.
- V03-014 CDS0009 Christian D. Saether 28-Sep-1983
Add VC_FLAGS fields to include status flags.
Increase number of lock blocks to 5.
- V03-013 CDS0008 Christian D. Saether 21-Sep-1983
Add definition for number of serial lock blocks.
- V03-012 CDS0007 Christian D. Saether 14-Sep-1983
Add file lock value block context fields.
- V03-011 CDS0006 Christian D. Saether 12-Sep-1983
Add volume lock value block fields.
- V03-010 ACG0334 Andrew C. Goldstein, 6-May-1983 14:33
Fix consistency in declaration of USER_STATUS
- V03-009 CDS0005 Christian D. Saether 21-Apr-1983
Add access lock value block flag DELAY_TRUNC and
value TRUNC_VBN.
Add linkage for TRUNC_CHECKS.
- V03-008 CDS0004 Christian D. Saether 6-Apr-1983
Define linkage for LOCK_MODE routine.
Define access lock value block flag MARKDEL.
Define ERRCHK macro.
- V03-007 STJ3068 Steven T. Jeffreys, 23-Mar-1983
Defined literal values for erase on delete support.
- V03-006 LMP0059 L. Mark Pilant, 27-Dec-1982 9:03
Always create a FCB for a file header. This eliminates a
lot of special case FCB handling.

V03-005 CDS0003 Christian D. Saether 15-Dec-1982
Create PIC_DESC macro for runtime init of
string descriptor (so it's pic).

V03-004 CDS0002 C Saether 15-Oct-1982
Define all event flags to use 30.

V03-003 CDS0001 C Saether 6-Oct-1982
Redefine kernel_call macro to normal call.

V03-002 LMP0036 L. Mark Pilant, 30-Jun-1982 14:50
Add an additional block type ACL_TYPE for ACL data block.

V03-001 LMP0037 L. Mark Pilant, 28-Jun-1982 14:56
Change all external symbol referencing to be longword relative.

V02-013 ACG0230 Andrew C. Goldstein, 29-Dec-1981 14:42
Add expiration date maintenance

V02-012 ACG0245 Andrew C. Goldstein, 23-Dec-1981 20:09
Clean up handling of implicitly spooled files

V02-011 LMP0003 L. Mark Pilant, 8-Dce-1981 11:30
Add cleanup flag CLF_REMAP to force a rebuild of the files
windows. (This is necessary if an extend fails due to the
user's byte limit quota being exceeded.)

V02-010 ACG0208 Andrew C. Goldstein, 30-Oct-1981 19:12
Add segmented directory record support

V02-009 ACG0167 Andrew C. Goldstein, 16-Apr-1980 19:26
Previous revision history moved to F11B.REV

SWITCHES NOSAFE;

| Declare PSECT usage to minimize page breakage.

PSECT

OWN = \$LOCKED1\$,
GLOBAL = \$LOCKED1\$,
PLIT = \$CODE\$ (EXECUTE);

| Declare VAX built in functions.

BUILTIN

TESTBITSS,
TESTBITSC,
TESTBITCS,
TESTBITCC,
FFS,
FFC,
EMUL,
EDIV,
ROT,
REMQUE,
INSQUE,
CHMU,
MTPR,
HALT;

| Structure declarations used for system defined structures to
| save typing.

STRUCTURE

BBLOCK [0, P, S, E; N] =
[N]
(BBLOCK+0)<P,S,E>.

BBLOCKVECTOR [I, 0, P, S, E; N, BS] =
[N*BS]
((BBLOCKVECTOR+I*BS)+0)<P,S,E>;

| Assorted macros used in FCP code

MACRO

SET_IPL (LEVEL) = MTPR (%REF (LEVEL), PR\$_IPL)%;

| Declare code that must be locked into the working set.

MACRO

LOCK_CODE
PSECT CODE = \$LOCKEDC1\$,
PLIT = \$LOCKEDC1\$;

D
t
a
a
MAC

M
T
9
MAC

MAC

M
AC

MAC

```
OWN      = $LOCKEDD1$,
GLOBAL   = $LOCKEDD1$;
%;
```

***** Note: The following two macros violate the Bliss language definition
***** in that they make use of the value of SP while building the arg list.
***** It is the opinion of the Bliss maintainers that this usage is safe
***** from planned future optimizations.

Macro to call the change mode to kernel system service.
Macro call format is 'KERNEL_CALL (ROUTINE, ARG1, ARG2, ...)'.

MACRO

```
KERNEL_CALL (R) =
BEGIN
EXTERNAL ROUTINE SYSSCMKRL : ADDRESSING_MODE (ABSOLUTE);
BUILTIN SP;
SYSSCMKRL (R, .SP, %LENGTH-1
            %IF %LENGTH GTR 1 %THEN ,%REMAINING %FI)
END%;
```

Macro to redefine the old kernel_call macro to a normal call.

MACRO

```
KERNEL_CALL (R) =
BEGIN
R (%REMAINING )
END%;
```

Macro to call the change mode to exec system service.
Macro call format is 'EXEC_CALL (ROUTINE, ARG1, ARG2, ...)'.

MACRO

```
EXEC_CALL (R) =
BEGIN
EXTERNAL ROUTINE SYSSCMEXEC : ADDRESSING_MODE (ABSOLUTE);
BUILTIN SP;
SYSSCMEXEC (R, .SP, %LENGTH-1
            %IF %LENGTH GTR 1 %THEN ,%REMAINING %FI)
END%;
```

Macro used to signal fatal errors (internal consistency checks).

MACRO

```
BUG_CHECK (CODE, TYPE, MESSAGE) =
BEGIN
BUILTIN BUGW;
EXTERNAL LITERAL %NAME('BUGS_',CODE);
BUGW (%NAME('BUGS_',CODE) OR -4)
END
%;
```

Macro to signal an error status and continue.

MACRO

```
ERR_STATUS [CODE] =
```

```
BEGIN
  %IF NOT %DECLARED (USER_STATUS)
  %THEN EXTERNAL USER_STATUS : WORD
  %ELSE MAP USER_STATUS : WORD
  %FI;
  IF .USER_STATUS
  THEN USER_STATUS = CODE;
END%;
```

Macro to signal an error status and exit.
Implemented as a change mode to user instruction followed by a RET.

MACRO

```
ERR_EXIT (CODE) =
  (CHMU (%REF (%IF %NULL (CODE) %THEN 0 %ELSE CODE %FI)));
  RETURN (BUILTIN R0; .R0)
%;
```

Macro to exit with error if value of block is failure.

MACRO

```
ERRCHK (CALL) =
  (LOCAL STS;
  STS = (CALL);
  IF NOT .STS
  THEN ERR EXIT (.STS)
  ELSE .STS) %;
```

Macro to generate a string with a descriptor.

MACRO

```
_DESCRIPTOR (STRING) =
  UPLIT (%CHARCOUNT (STRING), UPLIT BYTE (STRING))%;
```

Macro to dynamically init a given descriptor for a given string.
This avoids the non-pic code generated by the DESCRIPTOR macro above.

MACRO

```
PIC_DESC (STRING, DESC) =
  DESC [0] = %CHARCOUNT (STRING);
  DESC [1] = UPLIT (STRING); %;
```

Macro to generate a bitmask from a list of bit numbers.

MACRO

```
BITLIST (ITEM) [] =
  %IF %COUNT NEQ 0 %THEN OR %FI 1^ITEM BITLIST (%REMAINING)
%;
```

Macro to return the number of actual parameters supplied to a routine
call.

MACRO

```
ACTUALCOUNT =
  BEGIN
    BUILTIN AP;
```

```
.(AP)<0,8>
END
%;
```

Macro to check assumed values.

MACRO

```
ASSUME (Q) =
%IF NOT (Q)
%THEN %WARN ('Assumption ', Q, ' is not true')
%FI
%;
```

Macros to do quadword arithmetic. The bizarre coding of compare
is used because evidently CASE is the only construct that the compiler
flows correctly in conditionals.

MACRO

```
SUBQ (SOURCE, DEST, DEST2) =
BEGIN
BUILTIN SUBM;
SUBM (2,
      SOURCE,
      DEST,
      %IF %NULL (DEST2) %THEN DEST %ELSE DEST2 %FI
    )
END
%;
```

MACRO

```
ADDQ (SOURCE, DEST, DEST2) =
BEGIN
BUILTIN ADDM;
ADDM (2,
      SOURCE,
      DEST,
      %IF %NULL (DEST2) %THEN DEST %ELSE DEST2 %FI
    )
END
%;
```

MACRO

```
CMPQ (SOURCE, REL, DEST) =
BEGIN
BUILTIN CMPM;
CASE CMPM (2, SOURCE, DEST)
FROM -1 TO 1 OF
  SET
  [-1]: %STRING (REL) EQL 'LSS'
        OR %STRING (REL) EQL 'LEQ'
        OR %STRING (REL) EQL 'NEQ';
  [0]:  %STRING (REL) EQL 'GEQ'
        OR %STRING (REL) EQL 'LEQ'
        OR %STRING (REL) EQL 'EQL';
  [1]:  %STRING (REL) EQL 'GTR'
        OR %STRING (REL) EQL 'GEQ'
        OR %STRING (REL) EQL 'NEQ';
  TES
```

```
END  
%;
```

Macros to apply the current RVN to a file ID from the file structure,
and default the RVN to zero when it is the current one.

MACRO

```
APPLY_RVN (RVN, CURRENT_RVN) =  
BEGIN  
IF .(RVN)<0,8> EQL 0  
THEN (RVN)<0,8> = CURRENT_RVN;  
IF .(RVN)<0,8> EQL 1  
AND CURRENT_RVN EQL 0  
THEN (RVN)<0,8> = 0;  
END  
%.  
  
DEFAULT_RVN (RVN, CURRENT_RVN) =  
BEGIN  
IF .(RVN)<0,8> EQL CURRENT_RVN  
THEN (RVN)<0,8> = 0;  
END  
%;
```

Macro to evaluate a disk error status code as being a surface error
(i.e., caused by the disk medium as opposed to the controller).

MACRO

```
SURFACE_ERROR (CODE) =  
CODE EQL SSS_PARITY  
OR CODE EQL SSS_DATACHECK  
OR CODE EQL SSS_FORMAT  
OR CODE EQL SSS_FORCEDERROR  
%;
```

File ID's that are known constants

LITERAL

| | | |
|------------|------|----------------------|
| INDEX_FID | = 1, | index file |
| BITMAP_FID | = 2, | storage map file |
| BADBLK_FID | = 3, | bad block file |
| MFD_FID | = 4, | MFD |
| CORIMG_FID | = 5, | core image file |
| VOLSET_FID | = 6, | volume set list file |
| CONTIN_FID | = 7, | continuation file |
| BACKUP_FID | = 8, | backup journal file |
| BADLOG_FID | = 9; | bad block log file |

Constants used in protection checking

LITERAL

| | | |
|--------------|------|-----------------------------------|
| SYSTEM_UIC | = 8, | highest UIC group of system UIC's |
| READ_ACCESS | = 0, | file access modes |
| WRITE_ACCESS | = 1, | |

```
DELETE_ACCESS = 2;
CREATE_ACCESS = 3;
RDATT_ACCESS = 4;
WRATT_ACCESS = 5;
EXEC_ACCESS = 6;
```

Type codes used to identify blocks being read by READ_BLOCK.
 Note that READ_BLOCK contains a table indexed by these codes.

LITERAL

| | | |
|----------------|------|-----------------------------|
| HEADER_TYPE | = 0, | file header |
| BITMAP_TYPE | = 1, | storage bitmap |
| DIRECTORY_TYPE | = 2, | directory block |
| INDEX_TYPE | = 3, | other index file blocks |
| DATA_TYPE | = 4, | random data file blocks |
| QUOTA_TYPE | = 5, | disk quota file blocks |
| DIRINDX_TYPE | = 6; | directory index type blocks |

Type codes used to identify blocks of memory requested from the allocator. Note that these codes index into a table in ALLOCATE.

LITERAL

| | | |
|------------|------|-----------------------------------|
| FCB_TYPE | = 0, | file control block |
| WCB_TYPE | = 1, | window block |
| VCB_TYPE | = 2, | volume control block |
| RVT_TYPE | = 3, | relative volume table |
| MVL_TYPE | = 4, | magtape volume list |
| AQB_TYPE | = 5, | ACP queue control block |
| CACHE_TYPE | = 6, | cache data block |
| ACL_TYPE | = 7, | Access Control List block |
| CHIP_TYPE | = 8; | \$CHKPRO internal interface block |

Mode codes for the bad block log file scan routine

LITERAL

| | | |
|-----------------|------|------------------|
| REMOVE_BADBLOCK | = 0, | remove log entry |
| ENTER_READERR | = 1, | log read error |
| ENTER_WRITEERR | = 2; | log write error |

Mode flags for the routine CHARGE_QUOTA.

LITERAL

| | | |
|--------------|------|-------------------------------------|
| QUOTA_CHECK | = 0, | check space requested against quota |
| QUOTA_CHARGE | = 1; | charge the space to the quota file |

Index codes for the subfunctions in the performance measurement data base.

LITERAL

| | | |
|-----------|------|---|
| PMS_FIND | = 6, | directory searches |
| PMS_ENTER | = 7, | directory entries |
| PMS_ALLOC | = 8, | storage map allocation and deallocation |
| PMS_RWATT | = 9; | read/write attributes |

Random constants.

LITERAL

| | | |
|-----------------|--------|---|
| LB_NUM | = 5, | number of serial lock blocks. |
| EFN | = 30, | event flag for I/O |
| MBX_EFN | = 30, | event flag for asynchronous mailbox I/O |
| TIMER_EFN | = 30, | EFN for timers |
| MAILBOX_EFN | = 4, | EFN for job controller reply mailbox |
| FILENAME_LENGTH | = 80, | maximum file name length |
| MIN_WINDOW | = 1, | minimum window size |
| MAX_WINDOW | = 80, | maximum window size (in pointers) |
| MAX_ACL_SIZE | = 512; | Maximum size of an (in core) ACL |

Modes to call TRUNCATE routine.

LITERAL

| | | |
|----------------|------|----------------------------------|
| ERASE_POINTERS | = 1, | erase retrieval pointers removed |
| DEALLOC_BLOCKS | = 1; | deallocate the blocks |

Normal termination cleanup flags

LITERAL

| | | |
|------------------|-------|---|
| CLF_FIXFCB | = 1, | update FCB from header |
| CLF_DOSPOOL | = 2, | send file to print queue |
| CLF_INVWINDOW | = 4, | invalidate all windows |
| CLF_SUPERSEDE | = 5, | supersede old file |
| CLF_DIRECTORY | = 6, | directory operation enabled |
| CLF_SPOOLFILE | = 7, | operation is on spool file |
| CLF_SYSPRV | = 8, | user has SYSTEM privilege or equivalent |
| CLF_CLEANUP | = 9, | cleanup is in progress |
| CLF_INCOMPLETE | = 10, | file is not completely mapped |
| CLF_NOBUILD | = 11, | don't get ACL info from header |
| CLF_VOLOWNER | = 12, | SYSPRV implied by volume ownership |
| CLF_GRPOWNER | = 13, | SYSPRV implied by GRPPRV and above |
| CLF_MARKFCBSTALE | = 14, | Mark primary fcb stale clusterwide. |
| CLF_PFCB_REF_UP | = 15, | Primary_fcb Refcnt is up. |

Error termination cleanup flags

| | | |
|----------------|-------|--------------------------------------|
| CLF_DEACCESS | = 16, | deaccess file |
| CLF_ZCHANNEL | = 17, | clean out user's channel |
| CLF_TRUNCATE | = 18, | undo extend operation |
| CLF_FLUSHFID | = 19, | flush file ID cache |
| CLF_DELFID | = 20, | delete file ID |
| CLF_DELFILE | = 21, | delete complete file |
| CLF_REMOVE | = 22, | remove directory entry |
| CLF_REENTER | = 23, | put directory entry back |
| CLF_CLOSEFILE | = 24, | close internal file |
| CLF_DEACCQFILE | = 25, | deaccess quota file |
| CLF_DELWINDOW | = 26, | deallocate window |
| CLF_HDRNOTCHG | = 27, | file header not charged to user |
| CLF_DELEXTFID | = 28, | delete extension header |
| CLF_NOTCHARGED | = 29, | disk blocks not charged to user yet |
| CLF_FIXLINK | = 30, | restore old file back link |
| CLF_REMAP | = 31; | remap the file to fix up the windows |

Cleanup actions that modify the disk, and are to be turned off in case
of a write error.

! LITERAL

```
CLF_M_WRITEDISK =
  1^CLF_SUPERSEDE      ! supersede old file
  OR 1^CLF_TRUNCATE    ! undo extend operation
  OR 1^CLF_DELFID      ! delete file ID
  OR 1^CLF_DELFILE     ! delete complete file
  OR 1^CLF_REMOVE      ! remove directory entry
  OR 1^CLF_REENTER     ! put directory entry back
  OR 1^CLF_DELEXTFID;  ! delete extension header
```

! Various internal status flags for the STSFLGS bitvector.

! LITERAL

```
STS_DISKREAD = 0,          ! last buffer read was from disk, not cache
STS_HAD_LOCK = 1,          ! already held lock.
STS_KEEP_LOCK = 2,          ! keep open_file lock
STS_LEAVE_FILEHDR = 3;     ! Don't update FILE_HEADER cell.
```

! Structure definitions for the file name descriptor block.

! MACRO

| | | |
|---------------|--|-----------------------|
| FND_FLAGS | = 0, 0, 16, 0%; | ! file name flag bits |
| FND_WILD_NAME | = 0, \$BITPOSITION (FIB\$V_ALLNAM); 1, 0%; | ! wild card name |
| FND_WILD_TYPE | = 0, \$BITPOSITION (FIB\$V_ALLTYP); 1, 0%; | ! wild card type |
| FND_WILD_VER | = 0, \$BITPOSITION (FIB\$V_ALLVER); 1, 0%; | ! wild card version |
| FND_WILD | = 0, \$BITPOSITION (FIB\$V_WILD), 1, 0%; | ! wild card in name |
| FND_MAX_VER | = 0, \$BITPOSITION (FIB\$V_NEWVER), 1, 0%; | maximize version |
| FND_FIND_FID | = 0, \$BITPOSITION (FIB\$V_FINDFIDS), 1, 0%; | search for file ID |
| FND_COUNT | = 4, 0, 32, 0%; | name string length |
| FND_STRING | = 8, 0, 32, 0%; | name string address |
| FND_VERSION | = 12, 0, 16, 1%; | version number |

! LITERAL

```
FND_LENGTH = 16;           ! length of filename descriptor
```

! Structure of directory scan context block.

! MACRO

| | | |
|--------------|------------------|-------------------------------|
| DCX_VBN | = 0, 0, 32, 0%; | ! directory VBN |
| DCX_BUFFER | = 4, 0, 32, 0%; | address of current buffer |
| DCX_ENTRY | = 8, 0, 32, 0%; | address of current record |
| DCX_VERSION | = 12, 0, 32, 0%; | address of current version |
| DCX_END | = 16, 0, 32, 0%; | address of end of data |
| DCX_PRED | = 20, 0, 32, 0%; | address of predecessor record |
| DCX_VERLIMIT | = 24, 0, 16, 0%; | version limit of current name |
| DCX_VERCOUNT | = 26, 0, 16, 0%; | number of versions traversed |
| DCX_NAME | = 28, 0, 00, 0%; | name string of prev. entry |

! LITERAL

```
DCX_LENGTH = 28+FILENAME_LENGTH+1+3 AND NOT 3;
```

! length of context block

! Macro to define direct access names for the standard directory context block.

MACRO

```
DIR_CONTEXT_DEF =
  BIND
    DIR_VBN      = DIR_CONTEXT[DCX_VBN]
    DIR_BUFFER   = DIR_CONTEXT[DCX_BUFFER]      : REF BBLOCK,
    DIR_ENTRY    = DIR_CONTEXT[DCX_ENTRY]       : REF BBLOCK,
    DIR_VERSION  = DIR_CONTEXT[DCX_VERSION]     : REF BBLOCK,
    DIR_END      = DIR_CONTEXT[DCX_END]         : REF BBLOCK,
    DIR_PRED     = DIR_CONTEXT[DCX_PRED]        : REF BBLOCK,
    VERSION_LIMIT = DIR_CONTEXT[DCX_VERLIMIT]   : WORD,
    VERSION_COUNT = DIR_CONTEXT[DCX_VERCOUNT]   : WORD,
    LAST_ENTRY   = DIR_CONTEXT[DCX_NAME]        : VECTOR [,BYTE]
  %;
```

! Structure of the saved audit block (in AUDIT_ARGLIST).

MACRO

```
AUDIT_TYPE    = 0, 0, 8, 0 %; audit record flags
AUDIT_SUCCESS = 1, 0, 1, 0 %; successful file access
AUDIT_FID     = 2, 0, 0, 0 %; file ID of file
AUDIT_ACCESS   = 8, 0, 32, 0 %; access mask
AUDIT_PRIVS   = 12, 0, 32, 0 %; privileges used
```

LITERAL

```
AUDIT_LENGTH  = 16,           ! length of audit block
MAX_AUDIT_COUNT = 4;          ! max number of auditable entries
```

! Various field definitions.

FIELD

```
AV =
  SET
  AV_DELAYTRNC   = [0,1,1,0],    ! Delay truncation operation
  AV_TRUNCVBN   = [4,0,32,0]     ! VBN to truncate.
  TES;
```

FIELD

```
FC =
  SET
  FC_HDRSEQ     = [0,0,32,0],
  FC_DATABASEQ  = [4,0,32,0],
  FC_FILESIZEx = [8,0,32,0]
  TES;
```

FIELD

```
VC =
  SET
  VC_FLAGS      = [0,0,16,0].
```

VC_NOTFIRST_MNT = [0,0,1,0],
VC_IBMAPVBN = [2,0,8,0],
VC_SBMAPVBN = [3,0,8,0],
VC_VOLFREE = [4,0,32,0],
VC_IDXFEOF = [8,0,32,0],
VC_SEQNUM = [12,0,32,0]
TES;

FIELD
DIRC =
SET
DIRC\$W_INUSE = [0,0,16,0],
DIRC\$W_TOTALCELLS = [2,0,16,0],
DIRC\$W_CELLSIZE = [4,0,16,0],
DIRC\$W_BLKSPERCELL = [6,0,16,0],
DIRC\$L_DATABASEQ = [8,0,32,0],
DIRC\$T_FIRSTCELL = [12,0,0,0]
TES;

! Define linkages here.
!

LINKAGE
L_NORM = CALL : GLOBAL (BASE = 10),
L_MAP_POINTER = JSB :
GLOBAL (COUNT = 6, LBN = 7, MAP_POINTER = 8)
NOTUSED (2,3,4,5,9,10,11);
L_JSB = JSB : GLOBAL (BASE = 10)
NOTUSED (4,5,6,7,8,9,11).
L_JSB_1ARG = JSB (REGISTER = 0)
: GLOBAL (BASE = 10)
NOTUSED (4,5,6,7,8,9,11).
L_JSB_2ARGS = JSB (REGISTER=0, REGISTER=1)
: GLOBAL (BASE = 10)
NOTUSED (4,5,6,7,8,9,11).
L_R1OUT = CALL (:REGISTER=1)
: GLOBAL (BASE = 10) ;

! Boolean literals for erase on delete support. They are used to make
the code more readable.
!

LITERAL
ERASE_THE_DATA = 1, ! Erase the extent
DO_NOT_ERASE = 0; ! Do not erase the extent

We haven't figured out yet how to get the length of CONTEXT_SAVE to track automatically yet in the local compile. The value below is checked with an assume in COMMON.B32.

LITERAL CONTEXT_SIZE = 54;

File system global storage. The following macro defines the cells in the global storage region.

MACRO GLOBAL_STORAGE =

 STORAGE_START, VECTOR [0], ! start of global storage

The cells bracketed by L_DATA_START and L_DATA_END delimit the data in pages that are locked in the working set.

Also note that any changes in the number and/or size of cells between here and the CONTEXT_START (aka CLEANUP FLAGS) cell should adjust the internal ptr defined by the INIT_BASE macro below such that the value of CONTEXT_START computes to zero (compile COMMON.B32 and look in the listing to see whether it is correct, and if not, what the correct adjustment is).

| | | |
|-----------------|-----------------------|---------------------------------|
| L_DATA_START, | VECTOR [0], | ! beginning of locked down data |
| XQP_STACK, | VECTOR [5*512, BYTE], | ! 5 page xqp kernel stack |
| XQP_QUEUE, | VECTOR [2], | XQP queue head. |
| XQP_DISPATCHER, | LONG, | address of XQP dispatch routine |
| CODE_SIZE, | LONG, | length of code |
| CODE_ADDRESS, | LONG, | base address of code |
| DATA_SIZE, | LONG, | length of data area |
| DATA_ADDRESS, | LONG, | base address of data area |
| PREV_FP, | LONG, | saved frame pointer |
| PREV_STKLIMIT, | VECTOR [2], | saved kernel stack limits |
| XQP_STKLIMIT, | VECTOR [2], | XQP kernel stack limits |
| XQP_SAVFP, | LONG, | saved XQP frame pointer |
| IO_CCB, | REF BBLOCK, | CCB of IO_CHANNEL. |
| IO_CHANNEL, | LONG, | channel number for I/O |
| BLOCK_LOCKID, | LONG, | activity block lock held. |

The remaining locations are initialized to known values (mainly zero) by the per request initialization routine.

| | | |
|----------------|-------------|---------------------------------------|
| IMPURE_START, | VECTOR [0], | |
| USER_STATUS, | VECTOR [2], | I/O status to be returned to user |
| IO_STATUS, | VECTOR [2], | status block for FCP I/O |
| IO_PACKET, | REF BBLOCK, | address of current I/O request packet |
| CURRENT_UCB, | REF BBLOCK, | address of UCB of current request |
| CURRENT_VCB, | REF BBLOCK, | address of VCB of current request |
| CURRENT_RVT, | REF BBLOCK, | RYT of current volume set, or UCB |
| CURRENT_RVN, | LONG, | RVN of current volume |
| SAVE_VC_FLAGS, | WORD, | save volume context flags. |

| | | |
|----------------|-------------------------|--|
| STSFLGS, | BITVECTOR [8], | various internal status flags |
| BLOCK_CHECK, | BYTE, | make operation blocking check |
| NEW_FID, | LONG, | file number of unrecorded file ID |
| NEW_FID_RVN, | LONG, | RVN of above |
| HEADER_LBN, | LONG, | LBN of last file header read |
| BITMAP_VBN, | LONG, | VBN of current storage map block |
| BITMAP_RVN, | LONG, | RVN of current storage map block |
| BITMAP_BUFFER, | REF BBLOCK, | address of current storage map block |
| SAVE_STATUS, | LONG, | saved status during DELETE's header read |
| PRIVS_USED, | BBLOCK [4], | Privileges used to gain access |
| ACB_ADDR, | REF BBLOCK, | address of ACB for cross process asts |
| BFR_LIST, | BLOCKVECTOR [4,8 BYTE], | listheads for in-process buffers |
| BFR_CREDITS, | VECTOR [4,WORD], | buffers credited to this process |
| BFRS_USED, | VECTOR [4,WORD], | buffers actually in-process |
| CACHE_HDR, | REF BBLOCK, | Address of buffer cache header |

! See the comment above at the L_DATA_START cell regarding the compiletime pointer in INIT_BASE if any cells to this point are added, deleted, or change size.

| | | |
|---|-------------------------------------|--|
| The following locations are the re-enterable context area and must be saved when an secondary operation is performed. | | |
| ***** | The next item must be CLEANUP_FLAGS | |
| CLEANUP_FLAGS, | BITVECTOR [32], | cleanup action flags |
| FILE_HEADER, | REF BBLOCK, | address of current file header |
| PRIMARY_FCB, | REF BBLOCK, | address of primary file FCB |
| CURRENT_WINDOW, | REF BBLOCK, | address of file window |
| CURRENT_FIB, | REF BBLOCK, | pointer to FIB currently in use |
| CURR_LCKINDX, | LONG, | Current file header lock index. |
| PRIM_LCKINDX, | LONG, | Primary file lock basis index. |
| LOC_RVN, | LONG, | RVN specified by placement data |
| LOC_LBN, | LONG, | LBN specified by placement data |
| UNREC_LBN, | LONG, | start LBN of unrecorded blocks |
| UNREC_COUNT, | LONG, | count of unrecorded blocks |
| UNREC_RVN, | LONG, | RVN containing unrecorded blocks |
| PREV_LINK, | BBLOCK [FID\$C_LENGTH], | ! old back link of file |
| CONTEXT_END, | VECTOR [0], | |
| CONTEXT_SAVE, | VECTOR [CONTEXT_SIZE, BYTE], | area to save primary context |
| CONTEXT_SAVE_END, | VECTOR [0], | end of above |
| LB_LOCKID, | VECTOR [LB_NUM], | serial lock ids. |
| LB_BASIS, | VECTOR [LB_NUM], | lock name bases. |
| LB_HDRSEQ, | VECTOR [LB_NUM], | file header cache sequence numbers. |
| LB_DATABASEQ, | VECTOR [LB_NUM], | file data block cache sequence number. |
| LB_FILESIZÉ, | VECTOR [LB_NUM], | value block file size. |
| DIR_FCB, | REF BBLOCK, | FCB of directory file |
| DIR_LCKINDX, | LONG, | Directory lock basis index. |
| DIR_RECORD, | LONG, | record number of found directory entry |
| DIR_CONTEXT, | BBLOCK [DCX_LENGTH], | ! current directory context |
| OLD_VERSION_FID, | BBLOCK [FID\$C_LENGTH], | ! Old version's FID |
| PREV_VERSION, | LONG, | version number of previous directory entry |
| PREV_NAME, | VECTOR [FILENAME_LENGTH+1, BYTE], | ! name of previous entry |

| | | |
|---------------|-----------------------------------|---|
| PADDING_0, | VECTOR [1, BYTE], | |
| PREV_INAME, | VECTOR [FILENAME_LENGTH+6, BYTE], | ! previous internal file name |
| SUPER_FID, | BBLOCK [FIDSC_LENGTH], | ! file ID of superseded file |
| LOCAL_FIB, | BBLOCK [FIBSC_LENGTH], | ! primary FIB of this operation |
| SECOND_FIB, | BBLOCK [FIBSC_LENGTH], | ! FIB for secondary file operation |
| LOCAL_ARB, | BBLOCK [ARBSC_HEADER], | ! local copy of caller's ARB |
| L_DATA_END, | VECTOR [0], | ! end of locked down data area. |
| QUOTA_RECORD, | LONG, | ! record number of quota file entry |
| FREE_QUOTA, | LONG, | ! record number of free quota file entry |
| REAL_Q_REC, | REF BBLOCK, | buffer address of quota record read |
| QUOTA_INDEX, | LONG, | cache index of cache entry found |
| DUMMY_REC, | BBLOCK [DQFSC_LENGTH], | ! dummy quota record for cache contents |
| AUDIT_COUNT, | LONG, | ! number of argument lists in AUDIT_ARGLIST |
| IMPURE_END, | VECTOR [0], | ! end of initialized impure area |
| MATCHING_ACE, | BBLOCK [ATR\$S_READACL], | ! Matching ACE storage |

The following two items must be adjacent.

FILE_SPEC_LEN, VECTOR [1, WORD], ! Full file spec length

Note that the size of the full file specification storage must track the definition in the routine FID_TO_SPEC.

FULL_FILE_SPEC, VECTOR [1022, BYTE], ! Full spec storage

The preceding two items must be adjacent.

The following cells are used by PMS.

| | | |
|----------------|-------|---------------------|
| PMS_TOT_READ, | LONG, | ! total disk reads |
| PMS_TOT_WRITE, | LONG, | ! total disk writes |
| PMS_TOT_CACHE, | LONG, | ! total cache reads |
| PMS_FNC_READ, | LONG, | |
| PMS_FNC_WRITE, | LONG, | |
| PMS_FNC_CACHE, | LONG, | |
| PMS_FNC_CPU, | LONG, | |
| PMS_FNC_PFA, | LONG, | |

Base values of parameters at start of current subfunction.

PMS_SUB_NEST, LONG, ! nested subfunction flag

PMS_SUB_FUNC, LONG, ! subfunction code

PMS_SUB_READ, LONG,

PMS_SUB_WRITE, LONG,

PMS_SUB_CACHE, LONG,

PMS_SUB_CPU, LONG,

PMS_SUB_PFA, LONG,

AUDIT_ARGLIST, BBLOCK [AUDIT_LENGTH*MAX_AUDIT_COUNT], ! security auditing argument lists

```
STORAGE_END, VECTOR [0], ! end of global storage
%;
```

```
Define the base offset for the global common area. This is set up so
that CONTEXT_START (CLEANUP_FLAGS) is at offset zero. When storage is
added or removed before this cell, the base offset should be adjusted
accordingly.
```

```
MACRO
```

```
INIT_BASE =
  COMPILETIME $PTR = -2752
%;
```

```
Macro to declare global storage locally for the current compilation.
This macro is invoked by most file system routines to link to the
global common area.
```

```
MACRO BIND_COMMON =
```

```
  INIT BASE;
  EXTERNAL REGISTER BASE = 10;
  BIND BR = .BASE;
  DEFINE_LOCAL (GLOBAL_STORAGE)
%;
```

```
MACRO DEFINE_LOCAL [A, B] =
```

```
  BIND A = BR + $PTR : B
  %ASSIGN ($PTR, $PTR + %SIZE (%IF %IDENTICAL (B, LONG)
    OR %IDENTICAL (B, WORD)
    OR %IDENTICAL (B, BYTE)
    %THEN VECTOR [1, B]
    %ELSE B
    %FI))
%;
```

```
Macro to declare global storage globally for the entire file system.
```

```
MACRO GLOBAL_COMMON =
```

```
  INIT BASE;
  DEFINE_GLOBAL (GLOBAL_STORAGE)
%;
```

```
MACRO DEFINE_GLOBAL [A, B] =
```

```
  GLOBAL LITERAL A = $PTR
  %ASSIGN ($PTR, $PTR + %SIZE (%IF %IDENTICAL (B, LONG)
    OR %IDENTICAL (B, WORD)
    OR %IDENTICAL (B, BYTE)
    %THEN VECTOR [1, B]
    %ELSE B
    %FI))
%;
```

Macro to declare common base register external when full bind is not necessary.

```
MACRO BASE_REGISTER =  
EXTERNAL REGISTER  
BASE = 10; %;
```

0167 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

FCPDEF
B32

ACLCNTRL
LIS

ACLSUBR
LIS

SNDERL
LIS

ACPCTRL
LIS

F11X

F11BXQP
MAP

ACCESS
LIS

FILESERU
MAP

TRUNC
LIS

WITURN
15

SNDSMB
LIS