

MMM		MMM	000000000		MMM	MMM
MMM		MMM	000000000		MMM	MMM
MMM		MMM	000000000		MMM	MMM
MMMMMM	MMMMMM	000		000	MMMMMM	MMMMMM
MMMMMM	MMMMMM	000		000	MMMMMM	MMMMMM
MMMMMM	MMMMMM	000		000	MMMMMM	MMMMMM
MMM	MMM	MMM	000	000	MMM	MMM
MMM	MMM	MMM	000	000	MMM	MMM
MMM	MMM	MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000	000	MMM	MMM
MMM		MMM	000000000		MMM	MMM
MMM		MMM	000000000		MMM	MMM
MMM		MMM	000000000		MMM	MMM

B
C
D
E
F
G
H
I
J
K
L
M
N
B
C
D
E
F
G
H
I
J
K
L
M
N
B
C
D
E
F
G
H
I
J
K
L
M
N
B
C
D
E
F
G
H
I

```
MM      MM      000000      MM      MM      FFFFFFFFFF      IIIIII      LL      IIIIII      000000
MM      MM      000000      MM      MM      FFFFFFFFFF      IIIIII      LL      IIIIII      000000
MMMM    MMMM    00          00    MMMM    MMMM    FF          II      LL      II      00          00
MMMM    MMMM    00          00    MMMM    MMMM    FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FFFFFFFF       II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FFFFFFFF       II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      00      00    MM      MM      MM      FF          II      LL      II      00          00
MM      MM      MM      000000    MM      MM      MM      FF          IIIIII     LLLLLLLLLL     IIIIII     000000
MM      MM      000000    MM      MM      MM      FF          IIIIII     LLLLLLLLLL     IIIIII     000000
```

```

LL          IIIIII          SSSSSSSS
LL          IIIIII          SSSSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SSSSSS
LL          II             SSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LLLLLLLLLLLL IIIIII          SSSSSSSS
LLLLLLLLLLLL IIIIII          SSSSSSSS

```



```
0001 0 %TITLE 'MOM Service file I/O modules'
0002 0 MODULE MOMFILEIO (
0003 0     LANGUAGE (BLISS32),
0004 0     ADDRESSING_MODE (NONEXTERNAL=LONG RELATIVE,
0005 0                     EXTERNAL = GENERAC),
0006 0     IDENT = 'V04-000'
0007 0 ) =
0008 1 BEGIN
0009 1
0010 1 *****
0011 1 *
0012 1 *   COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0013 1 *   DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0014 1 *   ALL RIGHTS RESERVED.
0015 1 *
0016 1 *   THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0017 1 *   ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0018 1 *   INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0019 1 *   COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0020 1 *   OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0021 1 *   TRANSFERRED.
0022 1 *
0023 1 *   THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0024 1 *   AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0025 1 *   CORPORATION.
0026 1 *
0027 1 *   DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0028 1 *   SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0029 1 *
0030 1 *
0031 1 *****
0032 1
0033 1
0034 1 ++
0035 1 FACILITY: DECnet-VAX Network Management Maintenance Operations Module (MOM)
0036 1
0037 1 ABSTRACT:
0038 1     This module contains general purpose file access routines
0039 1     necessary for manipulating the Load and Dump files for NML.
0040 1
0041 1 ENVIRONMENT: VAX/VMS Operating System
0042 1
0043 1 AUTHOR: Kathy Perko
0044 1
0045 1 CREATION DATE: 11-Jan-1983
0046 1
0047 1 MODIFIED BY:
0048 1     V03-001 MKP0001      Kathy Perko      12-April-1984
0049 1     Open load files for shared read so more than one MOM can
0050 1     load the file at a time.
0051 1 --
0052 1
```

```
54 0053 1 %SBTTL 'Declarations'
55 0054 1
56 0055 1
57 0056 1 || TABLE OF CONTENTS:
58 0057 1 ||
59 0058 1
60 0059 1 FORWARD ROUTINE
61 0060 1 MOM$SRVCLOSE,
62 0061 1 MOM$SRVOPEN,
63 0062 1 MOM$SRVREAD,
64 0063 1 MOM$SRVWRITE,
65 0064 1 MOM$SRVREWIND;
66 0065 1
67 0066 1 ||
68 0067 1 || INCLUDE FILES:
69 0068 1 ||
70 0069 1
71 0070 1 LIBRARY 'LIB$:MOMLIB.L32';
72 0071 1 LIBRARY 'SHRLIB$:NMALIBRY.L32';
73 0072 1 LIBRARY 'SYSS$LIBRARY:STARLET.L32';
74 0073 1
75 0074 1 ||
76 0075 1 || OWN STORAGE:
77 0076 1 ||
78 0077 1
79 0078 1 OWN
80 0079 1 MOM$T_FAB : $FAB_DECL, ! Image file FAB
81 0080 1 MOM$T_RAB : $RAB_DECL; ! Image file RAB
82 0081 1
83 0082 1 ||
84 0083 1 || EXTERNAL REFERENCES:
85 0084 1 ||
86 0085 1
87 0086 1 $MOM_EXTERNALS;
88 0087 1
89 0088 1 EXTERNAL ROUTINE
90 0089 1 MOM$DEBUG_TXT,
91 0090 1 MOM$BLD_REPLY;
92 0091 1
```



```

94 0092 1 %SBTTL 'MOM$SRVCLOSE Close currently opened file'
95 0093 1 GLOBAL ROUTINE MOM$SRVCLOSE =
96 0094 1 ++
97 0095 1 FUNCTIONAL DESCRIPTION:
98 0096 1
99 0097 1 This routine closes the currently opened file.
100 0098 1
101 0099 1 ROUTINE VALUE:
102 0100 1 COMPLETION CODE:
103 0101 1
104 0102 1 Signals errors.
105 0103 1
106 0104 1 --
107 0105 2 BEGIN
108 0106 2
109 0107 2 LOCAL
110 0108 2 STATUS; ! Temporary return status
111 0109 2
112 0110 2 Close the file.
113 0111 2
114 0112 2 STATUS = $CLOSE (FAB = MOM$T_FAB);
115 0113 2
116 0114 2 If the operation was successful then log it.
117 0115 2
118 0116 2 IF .STATUS THEN
119 0117 2 MOM$DEBUG_TXT (DBG$C_SRVTRC,
120 0118 2 $ASCII ('Image file closed.))
121 0119 2 );
122 0120 2
123 0121 2 RETURN .STATUS
124 0122 2
125 0123 1 END; ! End of MOM$SRVCLOSE
```

```

.TITLE MOMFILEIO MOM Service file I/O modules
.IDENT \V04-000\
.PSECT $PLITS$,NOWRT,NOEXE,2
73 6F 6C 63 20 65 6C 69 66 20 65 67 61 6D 49 00000 P.AAB: .ASCII \Image file closed.\
2E 64 65 0000F
00012
00000012 00014 P.AAA: .BLKB 2
00000000 00018 .LONG 18
00000000 00018 .ADDRESS P.AAB
.PSECT $OWNS$,NOEXE,2
00000 MOM$T_FAB:
.BLKB 80
00050 MOM$T_RAB:
.BLKB 68
.EXTRN MOM$GL_LOGMASK, MOM$GL_SVD_INDEX
.EXTRN MOM$AB_SERVICE_DATA
.EXTRN MOM$GB_FUNCTION
.EXTRN MOM$GB_OPTION_BYTE
.EXTRN MOM$GB_ENTITY_CODE
```

MOMFILE10
V04-000

MOM Service file I/O modules
MOM\$SRVCLOSE Close currently opened file

E 10
16-Sep-1984 02:02:19
14-Sep-1984 12:44:32

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[MOM.SRC]MOMFILE10.B32;1 Page 4
(3)

.EXTRN MOM\$AB_ENTITY_BUF
.EXTRN MOM\$GQ_ENTITY_BUF_DSC
.EXTRN MOM\$GL_SERVICE_FLAGS
.EXTRN MOM\$AB_NPARSE_BLK
.EXTRN MOM\$AB_NICE_RCV_BUF
.EXTRN MOM\$AB_NICE_XMIT_BUF
.EXTRN MOM\$GQ_NICE_RCV_BUF_DSC
.EXTRN MOM\$GL_NICE_RCV_MSG_LEN
.EXTRN MOM\$GQ_NICE_XMIT_BUF_DSC
.EXTRN MOM\$AB_MSGBLOCK
.EXTRN MOM\$AB_ACPQIO_BUFFER
.EXTRN MOM\$GQ_ACPQIO_BUF_DSC
.EXTRN MOM\$AB_CIB, MOM\$AB_LOOP_CIB
.EXTRN MOM\$AB_TRIGGER_CIB
.EXTRN MOM\$AB_MOP_XMIT_BUF
.EXTRN MOM\$GQ_MOP_XMIT_BUF_DSC
.EXTRN MOM\$AB_MOP_RCV_BUF
.EXTRN MOM\$GQ_MOP_RCV_BUF_DSC
.EXTRN MOM\$AB_MOP_MSG, MOM\$GQ_MOP_MSG_DSC
.EXTRN MOM\$GW_EVT_CODE
.EXTRN MOM\$GB_EVT_POPR
.EXTRN MOM\$GB_EVT_PRSN
.EXTRN MOM\$GB_EVT_PSER
.EXTRN SVD\$GK_PCNO_ADD
.EXTRN SVD\$GK_PCNO_SDV
.EXTRN SVD\$GK_PCNO_CPU
.EXTRN SVD\$GK_PCNO_STY
.EXTRN SVD\$GK_PCNO_DAD
.EXTRN SVD\$GK_PCNO_DCT
.EXTRN SVD\$GK_PCNO_IHO
.EXTRN SVD\$GK_PCNO_NNA
.EXTRN SVD\$GK_PCNO_SLI
.EXTRN SVD\$GK_PCNO_SPA
.EXTRN SVD\$GK_PCNO_HWA
.EXTRN SVD\$GK_PCNO_SNV
.EXTRN SVD\$GK_PCNO_LOA
.EXTRN SVD\$GK_PCNO_SLO
.EXTRN SVD\$GK_PCNO_TLO
.EXTRN SVD\$GK_PCNO_DFL
.EXTRN SVD\$GK_PCNO_SID
.EXTRN SVD\$GK_PCNO_DUM
.EXTRN SVD\$GK_PCNO_SDU
.EXTRN SVD\$GK_PCNO_\$HNA
.EXTRN SVD\$GK_PCNO_\$HHW
.EXTRN SVD\$GK_PCNO_\$FTY
.EXTRN SVD\$GK_PCNO_PHA
.EXTRN SVD\$GK_PCNO_\$DA
.EXTRN SVD\$GK_PCNO_LPC
.EXTRN SVD\$GK_PCNO_LPL
.EXTRN SVD\$GK_PCNO_LPD
.EXTRN SVD\$GK_PCNO_LPH
.EXTRN SVD\$GK_PCNO_LPA
.EXTRN SVD\$GK_PCNO_LPN
.EXTRN SVD\$GK_PCNO_\$LNA
.EXTRN SVD\$GK_PCNO_\$LNH
.EXTRN SVD\$GK_PCNO_LAN
.EXTRN SVD\$GK_PCNO_\$LNN

MOMFILEIO
V04-000

MOM Service file I/O modules
MOM\$SRVCLOSE Close currently opened file

F 10
16-Sep-1984 02:02:19
14-Sep-1984 12:44:32

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[MOM.SRC]MOMFILIO.B32;1 Page 5
(3)

```
00000000G 00 00000000' 0004 00000
52          01 9F 00002
OF          50 FB 00008
          52 D0 0000F
          52 E9 00012
00000000G 00 00000000' EF 9F 00015
50          06 DD 0001B
          02 FB 0001D
          52 D0 00024 1$:
          04 00027
```

```
.EXTRN SVD$GK_PCNO_$LAH
.EXTRN SVD$GK_PCLI-STI
.EXTRN SVD$C_ENTRY-COUNT
.EXTRN MOM$DEBUG_TXT, MOM$BLD_REPLY
.EXTRN SYSS$CLOSE
```

.PSECT \$CODE\$,NOWRT,2

```
.ENTRY MOM$SRVCLOSE, Save R2
PUSHAB MOM$T_FAB
CALLS #1, SYSS$CLOSE
MOVL R0, STATUS
BLBC STATUS, 1$
PUSHAB P.AAA
PUSHL #6
CALLS #2, MOM$DEBUG_TXT
MOVL STATUS, R0
RET
```

```
: 0093
: 0112
:
: 0116
: 0118
: 0117
:
: 0121
: 0123
```

; Routine Size: 40 bytes, Routine Base: \$CODE\$ + 0000

; 126 0124 1

```
128 0125 1 %SBTTL 'MOMSSRVOPEN      Open requested file'
129 0126 1 GLOBAL ROUTINE MOMSSRVOPEN (FILNAMDSC, ACCESS) =
130 0127 1
131 0128 1 ++
132 0129 1 FUNCTIONAL DESCRIPTION:
133 0130 1     This routine opens the specified file (if read access) or
134 0131 1     creates the file (if read/write access).
135 0132 1
136 0133 1 FORMAL PARAMETERS:
137 0134 1     FILNAMDSC      Descriptor of the filename to be opened.
138 0135 1     ACCESS         File access code (read or read/write).
139 0136 1
140 0137 1 SIDE EFFECTS:
141 0138 1
142 0139 1     Returns the status of the operation.
143 0140 1
144 0141 1 --
145 0142 1
146 0143 2 BEGIN
147 0144 2
148 0145 2 MAP
149 0146 2     FILNAMDSC : REF VECTOR,
150 0147 2     ACCESS    : BYTE;
151 0148 2
152 0149 2 LOCAL
153 0150 2     STV,                      ! To save Status Value field.
154 0151 2     MOM_L_STATUS;
155 0152 2
156 0153 2 !
157 0154 2 ! Fill in FAB and CREATE/OPEN the file depending on desired access
158 0155 2 !
159 0156 2 IF .ACCESS EQLU NMASC_OPN_AC_RW THEN          ! Read/write=create file
160 0157 2     BEGIN
161 0158 2         $FAB_INIT
162 0159 2         ?
163 0160 2         FAB = MOMST_FAB,                      ! Pointer to FAB
164 0161 2         DNM = 'SYSS$SYSTEM:.SYS',              ! Default file name string
165 0162 2         FNA = .FILNAMDSC [1],                  ! Ptr to filename string
166 0163 2         FNS = .FILNAMDSC [0],                  ! Length of filnam string
167 0164 2         FAC = PUT,                             ! Write access record I/O
168 0165 2         FOP = (CBT,MXV,SQO,SUP,TEF),          ! File open options
169 0166 2         MRS = 512,                             ! Maximum record size
170 0167 2         ORG = SEQ,                             ! Sequential file (create)
171 0168 2         RFM = FIX,                             ! Fixed length records
172 0169 2         );
173 0170 2
174 0171 2     MOM_L_STATUS = $CREATE (FAB = MOMST_FAB); ! Create the file
175 0172 2     STV = .MOMST_FAB [FAB$SL_STV];
176 0173 2     END
177 0174 2 ELSE                                          ! Assume R0 (open not create)
178 0175 2     BEGIN
179 0176 2         $FAB_INIT
180 0177 2         ?
181 0178 2         FAB = MOMST_FAB,                      ! FAB address
182 0179 2         DNM = 'SYSS$SYSTEM:.SYS',              ! Default file name string
183 0180 2         FNA = .FILNAMDSC [1],                  ! Ptr to filename string
184 0181 2         FNS = .FILNAMDSC [0],                  ! Length of filnam string
```



```

185 P 0182 3 FAC = GET,
186 P 0183 3 SHR = GET,
187 P 0184 3 FOP = SQO
188 0185 3 );
189 0186 3
190 0187 3 MOM_L_STATUS = $OPEN (FAB = MOMST_FAB);
191 0188 3 STV = .MOMST_FAB [FAB$L_STV];
192 0189 3 END;
193 0190 3
194 0191 3 IF .MOM_L_STATUS THEN
195 0192 3 BEGIN
196 0193 3 ! Build the RAB.
197 0194 3
198 0195 3 ! RAB INIT
199 P 0196 3 RAB = MOMST_RAB, ! Associated RAB
200 P 0197 3 FAB = MOMST_FAB ! Associated FAB
201 P 0198 3 );
202 P 0199 3
203 0200 3
204 0201 3 MOM_L_STATUS = $CONNECT (RAB = MOMST_RAB);
205 0202 3 STV = .MOMST_RAB [RAB$L_STV];
206 0203 3 END;
207 0204 3
208 0205 3 ! If the operation was successful then log it.
209 0206 3
210 0207 3 IF .MOM_L_STATUS THEN
211 0208 3 MOM$DEBUG_TXT (DBG$C_SrvTRC,
212 0209 3 $ASCII ('Image file opened.'))
213 0210 3 ELSE
214 0211 3 ! If the create, open, or connect failed, set up the message block to
215 0212 3 ! log an error.
216 0213 3
217 0214 3 BEGIN
218 0215 3 MOM$AB_MSGBLOCK [MSB$L_FLAGS] = MSB$M_DET_FLD OR
219 0216 3 MSB$M_MSG_FLD OR
220 0217 3 MSB$M_MSG2_FLD;
221 0218 3 MOM$AB_MSGBLOCK [MSB$B_CODE] = NMASC_STS_FOP;
222 0219 3 MOM$AB_MSGBLOCK [MSB$L_TEXT] = .MOM [C_STATUS];
223 0220 3 MOM$AB_MSGBLOCK [MSB$L_TEXT2] = .STV;
224 0221 3 END;
225 0222 3
226 0223 3 RETURN .MOM_L_STATUS;
227 0224 3
228 0225 3 ! End of MOM$SRVOPEN
229 0226 3
230 0227 1 END;
```

.PSECT \$PLITS,NOWRT,NOEXE,2

```

53 59 53 2E 3A 4D 45 54 53 59 53 24 53 59 53 0001C P.AAC: .ASCII \SYS$SYSTEM:.SYS\
53 59 53 2E 3A 4D 45 54 53 59 53 24 53 59 53 0002B P.AAD: .ASCII \SYS$SYSTEM:.SYS\
6E 65 70 6F 20 65 6C 69 66 20 65 67 61 6D 49 0003A P.AAF: .ASCII \Image file opened.\
2E 64 65 00049
00000012 0004C P.AAE: .LONG 18
00000000 00050 .ADDRESS P.AAF
```


MOMFILE10
V04-000

MOM Service file I/O modules
MOMSSRVOPEN Open requested file

J 10
16-Sep-1984 02:02:19
14-Sep-1984 12:44:32

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[MOM.SRC]MOMFILE10.B32;1 Page 9 (4)

00000000G	00	06	DD	000D1	PUSHL	#6	:	0209
		02	FB	000D3	CALLS	#2, MOM\$DEBUG_TXT	:	
		0B	11	000DA	BRB	4\$	:	
	6A	0E	D0	000DC	3\$:	MOVL	#14, MOM\$AB_MSGBLOCK	0218
04	AA	0D	8E	000DF	MNEGB	#13, MOM\$AB_MSGBLOCK+4	:	0220
0C	AA	56	7D	000E3	MOVQ	MOM_L_STATUS, MOM\$AB_MSGBLOCK+12	:	0221
	50	56	D0	000E7	4\$:	MOVL	MOM_L_STATUS, R0	0225
		04	00	000EA	RET		:	0227

; Routine Size: 235 bytes, Routine Base: \$CODE\$ + 0028

```
232 0228 1 %SBTTL 'MOMSSRVREAD Read a record from the opened file'
233 0229 1 GLOBAL ROUTINE MOMSSRVREAD (BUFFERDSC, BYTES_IN_BUF, LOAD_FILE) =
234 0230 1
235 0231 1 ++
236 0232 1 FUNCTIONAL DESCRIPTION:
237 0233 1
238 0234 1 This routine is called while doing down line load to get the
239 0235 1 contents of the load file (from disk or another node) to send
240 0236 1 to the node being loaded. It reads records from the currently
241 0237 1 opened load file into the specified buffer and return in the
242 0238 1 BYTES_IN_BUF parameter the number of bytes actually read.
243 0239 1
244 0240 1 FORMAL PARAMETERS:
245 0241 1
246 0242 1 BUFFERDSC Descriptor of the receive buffer.
247 0243 1 BYTES_IN_BUF Word to receive the actual number of bytes read.
248 0244 1 LOAD_FILE Identification of which load file is being loaded
249 0245 1 (secondary, tertiary, or operating system). Used
250 0246 1 for signalling errors.
251 0247 1
252 0248 1 ROUTINE VALUE:
253 0249 1 COMPLETION CODES:
254 0250 1
255 0251 1 Returns the status of the operation.
256 0252 1
257 0253 1 SIDE EFFECTS:
258 0254 1
259 0255 1 Fills in the formal parameter BYTES_IN_BUF with the size of data
260 0256 1 actually received.
261 0257 1
262 0258 1 --
263 0259 1
264 0260 2 BEGIN
265 0261 2
266 0262 2 MAP
267 0263 2 BUFFERDSC : REF VECTOR;
268 0264 2
269 0265 2 LOCAL
270 0266 2 MOM_L_STATUS,
271 0267 2 BUF_PTR, ! Pointer into read buffer to place to put next record.
272 0268 2 BUF_LEFT, ! Bytes left in read buffer.
273 0269 2 BYTES_IN_REC, ! Size of last record read into buffer.
274 0270 2 MSGSIZE; ! For signalled error message.
275 0271 2
276 0272 2
277 0273 2
278 0274 2 Read in as many complete records as will fit into the buffer. The
279 0275 2 file has fixed length records.
280 0276 2
281 0277 2 Set up RAB fields for the beginning of the read buffer, the read
282 0278 2 buffer size, and the size of the record just read (zero to begin
283 0279 2 with).
284 0280 2
285 0281 2 BUF_PTR = .BUFFERDSC [1]; ! Read buffer address
286 0282 2 BUF_LEFT = .BUFFERDSC [0]; ! Read buffer size
287 0283 2 BYTES_IN_REC = 0;
288 0284 2
```



```
289 0285 2 ! If there is room in the buffer for another complete record, then
290 0286 2 read it in.
291 0287 2
292 0288 2 WHILE .BUF_LEFT GEQ .BYTES_IN_REC DO
293 0289 2 BEGIN
294 0290 2 MOM$T_RAB [RAB$U-UBF] = .BUF_PTR; ! Read buffer address
295 0291 2 MOM$T_RAB [RAB$U-USZ] = .BUF_LEFT; ! Read buffer size
296 0292 2 MOM_L_STATUS = $GET (RAB = MOM$T_RAB);
297 0293 2 IF .MOM_L_STATUS
298 0294 2 THEN
299 0295 2 BEGIN
300 0296 2 BYTES_IN_REC = .MOM$T_RAB [RAB$U-RSZ];
301 0297 2 BUF_LEFT = .BUF_LEFT - .BYTES_IN_REC;
302 0298 2 BUF_PTR = .BUF_PTR + .BYTES_IN_REC;
303 0299 2 END
304 0300 2 ELSE
305 0301 2
306 0302 2 ! If there was an error check to see if it was EOF. If it was,
307 0303 2 ! and there is data in the read buffer, return the data to the
308 0304 2 ! caller. Otherwise, signal an error and quit the load.
309 0305 2
310 0306 2 BEGIN
311 0307 2 IF (.MOM_L_STATUS EQL RMSS_EOF) AND
312 0308 2 (.BUF_PTR GTR .BUFFERDSC [1]) THEN
313 0309 2 BEGIN
314 0310 2 MOM_L_STATUS = SUCCESS;
315 0311 2 EXITLOOP;
316 0312 2 END
317 0313 2 ELSE
318 0314 2 BEGIN
319 0315 2 MOM$AB_MSGBLOCK [MSB$U-FLAGS] = MSB$M_DET_FLD OR
320 0316 2 MSB$M_MSG_FLD;
321 0317 2 MOM$AB_MSGBLOCK [MSB$U-CODE] = NMASC_STS_FIO;
322 0318 2 MOM$AB_MSGBLOCK [MSB$U-DETAIL] = .LOAD_FILE;
323 0319 2 MOM$AB_MSGBLOCK [MSB$U-TEXT] = .MOM_L_STATUS;
324 0320 2 MOM$AB_MSGBLOCK [MSB$U-TEXT2] = .MOM$T_RAB [RAB$U-STV];
325 0321 2 MOM$BLD_REPLY (MOM$AB_MSGBLOCK, MSGSIZE);
326 0322 2 $SIGNAL_MSG (MOM$AB_NICE_XMIT_BUF, .MSGSIZE);
327 0323 2 END;
328 0324 2 END;
329 0325 2 END;
330 0326 2
331 0327 2 ! Set up actual number of bytes read into read buffer.
332 0328 2
333 0329 2 (.BYTES_IN_BUF) < 0, 16 > = .BUF_PTR - .BUFFERDSC [1];
334 0330 2 RETURN .MOM_L_STATUS
335 0331 1 END; ! End of MOM$SRVREAD
```

.EXTRN SYSSGET

```
58 00000000' 01FC 00000
57 00000000G EF 9E 00002
5E 04 C2 00010
52 04 AC D0 00013
```

```
.ENTRY MOM$SRVREAD, Save R2,R3,R4,R5,R6,R7,R8
MOVAB MOM$T_RAB+36, R8
MOVAB MOM$AB_MSGBLOCK, R7
SUBL2 #4, SP
MOVL BUFFERDSC, R2
```

```
: 0229
:
:
: 0281
```

	54	04	A2	D0	00017	MOVL	4(R2), BUF_PTR	:	
	56		62	D0	0001B	MOVL	(R2), BUF_LEFT	:	0282
			53	D4	0001E	CLRL	BYTES_IN_REC	:	0283
	53		56	D1	00020	CMPL	BUF_LEFT, BYTES_IN_REC	:	0288
			6E	19	00023	BLSS	4\$	:	
	68		54	D0	00025	MOVL	BUF_PTR, MOM\$T_RAB+36	:	0290
FC	A8		56	B0	00028	MOVW	BUF_LEFT, MOM\$T_RAB+32	:	0291
		DC	A8	9F	0002C	PUSHAB	MOM\$T_RAB	:	0292
00000000G	00		01	FB	0002F	CALLS	#1, SYS\$GET	:	
	55		50	D0	00036	MOVL	R0, MOM_L_STATUS	:	
	0C		55	E9	00039	BLBC	MOM_L_STATUS, 2\$	:	0293
	53	FE	A8	3C	0003C	MOVZWL	MOM\$T_RAB+34, BYTES_IN_REC	:	0296
	56		53	C2	00040	SUBL2	BYTES_IN_REC, BUF_LEFT	:	0297
	54		53	C0	00043	ADDL2	BYTES_IN_REC, BUF_PTR	:	0298
			D8	11	00046	BRB	1\$	:	0293
0001827A	8F		55	D1	00048	CMPL	MOM_L_STATUS, #98938	:	0307
			0B	12	0004F	BNEQ	3\$	:	
04	A2		54	D1	00051	CMPL	BUF_PTR, 4(R2)	:	0308
			05	15	00055	BLEQ	3\$	:	
	55		01	D0	00057	MOVL	#1, MOM_L_STATUS	:	0310
			37	11	0005A	BRB	4\$	:	0309
	67		06	D0	0005C	MOVL	#6, MOM\$AB_MSGBLOCK	:	0315
04	A7		12	8E	0005F	MNEGB	#18, MOM\$AB_MSGBLOCK+4	:	0317
08	A7	0C	AC	B0	00063	MOVW	LOAD FILE, MOM\$AB_MSGBLOCK+8	:	0318
0C	A7		55	D0	00068	MOVL	MOM_L_STATUS, MOM\$AB_MSGBLOCK+12	:	0319
10	A7	E8	A8	D0	0006C	MOVL	MOM\$T_RAB+12, MOM\$AB_MSGBLOCK+16	:	0320
		4080	8F	BB	00071	PUSHR	#^M<R7, SP>	:	0321
00000000G	00		02	FB	00075	CALLS	#2, MOM\$BLD_REPLY	:	
			6E	DD	0007C	PUSHL	MSGSIZE	:	0322
		00000000G	00	9F	0007E	PUSHAB	MOM\$AB_NICE_XMIT_BUF	:	
		02070000	8F	DD	00084	PUSHL	#34013T84	:	
00000000G	00		03	FB	0008A	CALLS	#3, LIB\$SIGNAL	:	
			8D	11	00091	BRB	1\$	:	0288
08	BC		54	A2	A3 00093	SUBW3	4(R2), BUF_PTR, @BYTES_IN_BUF	:	0329
		04	50	D0	00099	MOVL	MOM_L_STATUS, R0	:	0330
				04	0009C	RET		:	0331

; Routine Size: 157 bytes, Routine Base: \$CODE\$ + 0113


```

337 0332 1 XSBTTL 'MOM$SRVWRITE Write record in currently opened file'
338 0333 1 GLOBAL ROUTINE MOM$SRVWRITE (BUFADR, BUFLen) =
339 0334 1
340 0335 1 ++
341 0336 1 FUNCTIONAL DESCRIPTION:
342 0337 1
343 0338 1 This routine writes out the buffer specified to the currently
344 0339 1 opened file.
345 0340 1
346 0341 1 FORMAL PARAMETERS:
347 0342 1
348 0343 1 BUFADR The address of buffer to be written
349 0344 1 BUFLen The length of buffer to be written
350 0345 1
351 0346 1 SIDE EFFECTS:
352 0347 1
353 0348 1 Returns the status of the operation.
354 0349 1
355 0350 1 --
356 0351 1
357 0352 2 BEGIN
358 0353 2
359 0354 2 MAP
360 0355 2 BUFLen : WORD;
361 0356 2
362 0357 2 LOCAL
363 0358 2 STATUS,
364 0359 2 MSGSIZE;
365 0360 2
366 0361 2 Fill in the user buffer address and size
367 0362 2
368 0363 2 MOM$T_RAB [RAB$L_RBF] = .BUFADR;
369 0364 2 MOM$T_RAB [RAB$W_RSZ] = .BUFLen;
370 0365 2
371 0366 2 Write the record and return the status.
372 0367 2
373 0368 2 STATUS = $PUT (RAB = MOM$T_RAB);
374 0369 2 IF NOT .STATUS THEN
375 0370 2
376 0371 2 If there was an error, then signal it and quit the load.
377 0372 2
378 0373 2 BEGIN
379 0374 3 MOM$AB_MSGBLOCK [MSB$L_FLAGS] = MSB$M_DET_FLD OR
380 0375 3 MSB$M_MSG_FLD;
381 0376 3 MOM$AB_MSGBLOCK [MSB$B_CODE] = NMA$C_STS_FIO;
382 0377 3 MOM$AB_MSGBLOCK [MSB$L_TEXT] = .STATUS;
383 0378 3 MOM$AB_MSGBLOCK [MSB$L_TEXT2] = .MOM$T_RAB [RAB$L_STV];
384 0379 3 MOM$BLD_REPLY (MOM$AB_MSGBLOCK, MSGSIZE);
385 0380 3 $SIGNAL_MSG (MOM$AB_NICE_XMIT_BUF, .MSGSIZE);
386 0381 2 END;
387 0382 2 RETURN .STATUS;
388 0383 1 END;
! End of MOM$SRVWRITE
```

.EXTRN SYSSPUT

			001C 00000	.ENTRY	MOM\$SRVWRITE, Save R2,R3,R4	: 0333
	54	00000000'	EF 9E 00002	MOVAB	MOM\$T_RAB+40, R4	:
	53	00000000G	00 9E 00009	MOVAB	MOM\$AB_MSGBLOCK, R3	:
	5E		04 C2 00010	SUBL2	#4, SP	:
	64	04	AC D0 00013	MOVL	BUFADR, MOM\$T_RAB+40	: 0363
FA	A4	08	AC B0 00017	MOVW	BUFLN, MOM\$T_RAB+34	: 0364
		D8	A4 9F 0001C	PUSHAB	MOM\$T_RAB	: 0368
00000000G	00		01 FB 0001F	CALLS	#1, SY\$SPUT	:
	52		50 D0 00026	MOVL	R0, STATUS	:
	30		52 E8 00029	BLBS	STATUS, 1\$	: 0369
	63		06 D0 0002C	MOVL	#6, MOM\$AB_MSGBLOCK	: 0374
04	A3		12 8E 0002F	MNEGB	#18, MOM\$AB_MSGBLOCK+4	: 0376
OC	A3		52 D0 00033	MOVL	STATUS, MOM\$AB_MSGBLOCK+12	: 0377
10	A3	E4	A4 D0 00037	MOVL	MOM\$T_RAB+12, MOM\$AB_MSGBLOCK+16	: 0378
		4008	8F BB 0003C	PUSHR	#^M<R3, SP>	: 0379
00000000G	00		02 FB 00040	CALLS	#2, MOM\$BLD_REPLY	:
			6E DD 00047	PUSHL	MSGSIZE	: 0380
		00000000G	00 9F 00049	PUSHAB	MOM\$AB_NICE_XMIT_BUF	:
		02070000	8F DD 0004F	PUSHL	#34013T84	:
00000000G	00		03 FB 00055	CALLS	#3, LIB\$SIGNAL	:
	50		52 D0 0005C 1\$:	MOVL	STATUS, R0	: 0382
			04 0005F	RET		: 0383

; Routine Size: 96 bytes, Routine Base: \$CODE\$ + 01B0

MOMFILE10
V04-000

MOM Service file I/O modules
MOM\$SRVREWIND Rewind currently open file

C 11
16-Sep-1984 02:02:19
14-Sep-1984 12:44:32

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[MOM.SRC]MOMFIL10.B32;1 Page 15 (7)

```
: 390      0384 1 %SBTTL 'MOM$SRVREWIND Rewind currently open file'
: 391      0385 1 GLOBAL ROUTINE MOM$SRVREWIND =
: 392      0386 1
: 393      0387 1 !++
: 394      0388 1 FUNCTIONAL DESCRIPTION:
: 395      0389 1
: 396      0390 1 This routine rewinds the currently open file.
: 397      0391 1
: 398      0392 1 SIDE EFFECTS:
: 399      0393 1
: 400      0394 1 Returns the status of the operation.
: 401      0395 1
: 402      0396 1 --
: 403      0397 1
: 404      0398 2 BEGIN
: 405      0399 2
: 406      0400 2
: 407      0401 2 Rewind the file
: 408      0402 2
: 409      0403 3 RETURN $REWIND (RAB = MOM$T_RAB)
: 410      0404 3
: 411      0405 1 END;
```

! End of MOM\$SRVREWIND

.EXTRN SYSSREWIND

```
00000000G 00 00000000' 0000 0000
EF 9F 00002
01 FB 00008
04 0000F
```

```
.ENTRY MOM$SRVREWIND, Save nothing
PUSHAB MOM$T_RAB
CALLS #1, SYSSREWIND
RET
```

```
: 0385
: 0403
: 0405
```

; Routine Size: 16 bytes, Routine Base: \$CODE\$ + 0210

MOMFILEIO
V04-000

MOM Service file I/O modules
MOM\$SRVREWIND Rewind currently open file

D 11
16-Sep-1984 02:02:19
14-Sep-1984 12:44:32

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[MOM.SRC]MOMFILIO.B32;1 Page 16 (8)

: 413 0406 1 END
: 414 0407 1
: 415 0408 0 ELUDOM

! End of module

.EXTRN LIB\$SIGNAL

PSECT SUMMARY

Name	Bytes	Attributes
\$OWNS	148	NOVEC, WRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$SPLITS	84	NOVEC, NOWRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$CODES	544	NOVEC, NOWRT, RD, EXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
-\$255\$DUA28:[MOM.OBJ]MOMLIB.L32;1	194	19	9	21	00:00.1
-\$255\$DUA28:[SHRLIB]NMALIBRY.L32;1	887	3	0	47	00:00.2
-\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	81	0	581	00:02.1

COMMAND QUALIFIERS

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:MOMFILIO/OBJ=OBJ\$:MOMFILIO MSRC\$:MOMFILIO/UPDATE=(ENHS:MOMFILIO)

: Size: 544 code + 232 data bytes
: Run Time: 00:16.7
: Elapsed Time: 00:43.6
: Lines/CPU Min: 1466
: Lexemes/CPU-Min: 29227
: Memory Used: 153 pages
: Compilation Complete

0237 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

