

# DOCUMENT TRANSMITTAL

PAGE \_\_\_\_\_ OF \_\_\_\_\_

CONTROL DOC.  
*None*

SYSTEM B1800/B1700

PL FILE NO. \_\_\_\_\_

PROJ. NO. \_\_\_\_\_ COORD. \_\_\_\_\_ CHKR. J. Hale TO RECORDS 5-30-78 DISTRIBUTION 5-30-78

DOC PFX	DOCUMENT NUMBER	REV	UNIT NUMBER	DL NO.	PL FILE NO.	ENG. RECORDS ONLY						REMARKS
						QTY REV PAGE	COPIES EACH PAGE	SERIALS	MT REQD	CD OR REQD		
IPS	2222 2764	A				8	24					
DOCUMENT TRANSMITTAL												

Burroughs Corporation


 COMPUTER SYSTEMS GROUP  
 SANTA BARBARA PLANT

B1800/B1700 SETTABS

## PRODUCT SPECIFICATION

REV LTR	REVISION ISSUE DATE	APPROVED BY	REVISIONS
A	5/26/78	<i>J. Hale</i>	Original issue - Software Release Level Mark 7.0.

"THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY TO BURROUGHS CORPORATION AND IS NOT TO BE DISCLOSED TO ANYONE OUTSIDE OF BURROUGHS CORPORATION WITHOUT THE PRIOR WRITTEN RELEASE FROM THE PATENT DIVISION OF BURROUGHS CORPORATION!"

BURROUGHS CORPORATION  
COMPUTER SYSTEMS GROUP  
SANTA BARBARA PLANT

COMPANY CONFIDENTIAL  
B1800/B1700 SETTABS  
I.P.S. 2222 2764 (A)

TABLE OF CONTENTS

GENERAL DESCRIPTION . . . . .	1-1
RELATED DOCUMENTATION	1-1
OPERATING INSTRUCTIONS . . . . .	2-1
ERROR MESSAGES	3-1

BURROUGHS CORPORATION  
COMPUTER SYSTEMS GROUP  
SANTA BARBARA PLANT

COMPANY CONFIDENTIAL  
B1800/B1700 SETTABS  
I.P.S. 2222 2764 (A)

### GENERAL DESCRIPTION

B1800/B1700 SETTABS is designed to programmatically set tabstops on a TD82X or TD83X terminal. A set of default tabstops is provided or the user may specify the tabstops desired.

### RELATED DOCUMENTATION

Name ----	Number -----
B1800/B1700 Supervisory MCS	P. S. 2219 0482

BURROUGHS CORPORATION  
COMPUTER SYSTEMS GROUP  
SANTA BARBARA PLANT

COMPANY CONFIDENTIAL  
B1800/B1700 SETTABS  
I.P.S. 2222 2764 (A)

### OPERATING INSTRUCTIONS

The program is executed via the SMCS "PASS" mechanism. Default or specified tabstops are input at execution time.

"PASS SETTABS D" sets tabstops at the default columns shown below:

Screen columns: 9, 13, 18, 23, 28, 33, 38, 43, 75

CANDE columns: 1, 5, 10, 15, 20, 25, 30, 35, 70

Any alpha character may be substituted for "D" with no change in the results; default tabstops will be used.

"PASS SETTABS <integer> <integer> <integer> ... <integer>" sets tabstops at the indicated screen columns. The maximum string for user-specified tabstops is 80 characters. Any non-numeric character or a blank can be used as a separator between column numbers.

Tabstops may be cleared by the control command mechanism with the terminal.

TC82X - Control #  
TC83X - Control 0

BURROUGHS CORPORATION  
COMPUTER SYSTEMS GROUP  
SANTA BARBARA PLANT

COMPANY CONFIDENTIAL  
B1800/B1700 SETTABS  
I.P.S. 2222 2764 (A)

**ERROR MESSAGES**

The program generates no error messages.

BURROUGHS CORPORATION  
COMPUTER SYSTEMS GROUP  
SANTA BARBARA PLANT

COMPANY CONFIDENTIAL  
B1800/B1700 SETTABS  
I.P.S. 2222 2764 (A)

**INDEX**

ERROR MESSAGES 3-1  
GENERAL DESCRIPTION 1-1  
OPERATING INSTRUCTIONS 2-1  
RELATED DOCUMENTATION 1-1