



**NOS VERSION 2
DIAGNOSTIC INDEX**

**CDC® COMPUTER SYSTEMS:
CYBER 170
CYBER 70
MODELS 71,72,73,74
6000**

LIST OF EFFECTIVE PAGES

New features, as well as changes, deletions, and additions to information in this manual, are indicated by bars in the margins or by a dot near the page number if the entire page is affected. A bar by the page number indicates pagination rather than content has changed.

PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV
Front Cover	-	1-52	B	1-111	B	1-170	B	1-229	B
Title Page	-	1-53	B	1-112	B	1-171	B	1-230	B
2	B	1-54	B	1-113	B	1-172	B	1-231	B
3	B	1-55	B	1-114	B	1-173	B	1-232	B
4	B	1-56	B	1-115	B	1-174	B	1-233	B
5	B	1-57	B	1-116	B	1-175	B	1-234	B
6	B	1-58	B	1-117	B	1-176	B	1-235	B
1-1/1-ii	B	1-59	B	1-118	B	1-177	B	1-236	B
1-1	B	1-60	B	1-119	B	1-178	B	1-237	B
1-2	B	1-61	B	1-120	B	1-179	B	1-238	B
1-3	B	1-62	B	1-121	B	1-180	B	1-239	B
1-4	B	1-63	B	1-122	B	1-181	B	1-240	B
1-5	B	1-64	B	1-123	B	1-182	B	1-241	B
1-6	B	1-65	B	1-124	B	1-183	B	1-242	B
1-7	B	1-66	B	1-125	B	1-184	B	1-243	B
1-8	B	1-67	B	1-126	B	1-185	B	1-244	B
1-9	B	1-68	B	1-127	B	1-186	B	1-245	B
1-10	B	1-69	B	1-128	B	1-187	B	1-246	B
1-11	B	1-70	B	1-129	B	1-188	B	1-247	B
1-12	B	1-71	B	1-130	B	1-189	B	1-248	B
1-13	B	1-72	B	1-131	B	1-190	B	1-249	B
1-14	B	1-73	B	1-132	B	1-191	B	1-250	B
1-15	B	1-74	B	1-133	B	1-192	B	1-251	B
1-16	B	1-75	B	1-134	B	1-193	B	1-252	B
1-17	B	1-76	B	1-135	B	1-194	B	1-253	B
1-18	B	1-77	B	1-136	B	1-195	B	1-254	B
1-19	B	1-78	B	1-137	B	1-196	B	1-255	B
1-20	B	1-79	B	1-138	B	1-197	B	1-256	B
1-21	B	1-80	B	1-139	B	1-198	B	1-257	B
1-22	B	1-81	B	1-140	B	1-199	B	1-258	B
1-23	B	1-82	B	1-141	B	1-200	B	1-259	B
1-24	B	1-83	B	1-142	B	1-201	B	1-260	B
1-25	B	1-84	B	1-143	B	1-202	B	1-261	B
1-26	B	1-85	B	1-144	B	1-203	B	1-262	B
1-27	B	1-86	B	1-145	B	1-204	B	1-263	B
1-28	B	1-87	B	1-146	B	1-205	B	1-264	B
1-29	B	1-88	B	1-147	B	1-206	B	1-265	B
1-30	B	1-89	B	1-148	B	1-207	B	1-266	B
1-31	B	1-90	B	1-149	B	1-208	B	1-267	B
1-32	B	1-91	B	1-150	B	1-209	B	1-268	B
1-33	B	1-92	B	1-151	B	1-210	B	1-269	B
1-34	B	1-93	B	1-152	B	1-211	B	1-270	B
1-35	B	1-94	B	1-153	B	1-212	B	1-271	B
1-36	B	1-95	B	1-154	B	1-213	B	1-272	B
1-37	B	1-96	B	1-155	B	1-214	B	1-273	B
1-38	B	1-97	B	1-156	B	1-215	B	1-274	B
1-39	B	1-98	B	1-157	B	1-216	B	1-275	B
1-40	B	1-99	B	1-158	B	1-217	B	1-276	B
1-41	B	1-100	B	1-159	B	1-218	B	1-277	B
1-42	B	1-101	B	1-160	B	1-219	B	1-278	B
1-43	B	1-102	B	1-161	B	1-220	B	1-279	B
1-44	B	1-103	B	1-162	B	1-221	B	1-280	B
1-45	B	1-104	B	1-163	B	1-222	B	1-281	B
1-46	B	1-105	B	1-164	B	1-223	B	1-282	B
1-47	B	1-106	B	1-165	B	1-224	B	1-283	B
1-48	B	1-107	B	1-166	B	1-225	B	1-284	B
1-49	B	1-108	B	1-167	B	1-226	B	1-285	B
1-50	B	1-109	B	1-168	B	1-227	B	1-286	B
1-51	B	1-110	B	1-169	B	1-228	B	1-287	B

PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV
1-288	B								
1-289	B								
1-290	B								
1-291	B								
1-292	B								
1-293	B								
1-294	B								
1-295	B								
1-296	B								
1-297	B								
1-298	B								
1-299	B								
1-300	B								
1-301	B								
1-302	B								
1-303	B								
1-304	B								
1-305	B								
1-306	B								
1-307	B								
1-308	B								
1-309	B								
1-310	B								
1-311	B								
1-312	B								
Comment									
Sheet	B								
Back Cover	-								

PREFACE

The CDC® Network Operating System (NOS) Version 2.2 Diagnostic Index provides a sorted listing of diagnostic messages issued by the operating system and its product set. NOS provides network capabilities for time-sharing and transaction processing, in addition to local and remote batch processing, on CDC CYBER 170 Computer Systems; CYBER 70, Models 71, 72, 73, and 74; and 6000 Computer Systems.

AUDIENCE

This index is intended for the user of NOS and its product set. It directs the user to manuals containing complete documentation of the diagnostic messages received from job processing.

NOTE

Diagnostic messages listed in the COBOL Version 5 Diagnostic Handbook are self-explanatory messages. No further description is provided in that manual.

ORGANIZATION

All operating system and product set messages have been merged and sorted in section 1. After each message, the manual and publication number in which the message appears is listed. Messages contained in this manual reflect PSR level 596 unless a different PSR level is indicated under the title of the manual where the message can be found. Complete documentation of the diagnostic messages is included in the following manuals:

<u>Control Data Publication</u>	<u>Publication Number</u>
BASIC Version 3 Reference Manual (PSR Level 528)	19983900
PL/I Version 1 Reference Manual	60388100
CYBER Loader Version 1 Reference Manual (PSR Level 528)	60429800
Update Version 1 Reference Manual (PSR Level 528)	60449900
Modify Version 1 Reference Manual	60450100

<u>Control Data Publication</u>	<u>Publication Number</u>
APL Version 2 Reference Manual	60454000
XEDIT Version 3 Reference Manual	60455730
NOS Version 2 System Maintenance Reference Manual	60459300
NOS Version 2 Operator/Analyst Handbook	60459310
NOS Version 2 Installation Handbook	60459320
NOS Version 2 Reference Set, Volume 3, System Commands	60459680
NOS Version 2 Reference Set, Volume 4, Program Interface	60459690
Network Access Method Version 1 Network Definition Language Reference Manual	60480000
Message Control System Version 1 Reference Manual	60480300
Network Products Stimulator Reference Manual	60480500
FORTRAN Version 5 Reference Manual (PSR Level 528)	60481300
CYBER Interactive Debug Version 1 Reference Manual	60481400
Query Update CRM Data Administration Reference Manual (PSR Level 436)	60482100
FORTRAN Data Base Facility Version 1 Reference Manual	60482200
COBOL Version 5 Diagnostic Handbook	60482500
FORTRAN Extended Version 4 To FORTRAN Version 5 Conversion Aid Program Version 1 Reference Manual	60483000
Data Catalog Version 2 Reference Manual	60483200
Data Catalog Version 2 Data Administrator's Reference Manual	60483300
IMF Schema Definition Reference Manual (PSR Level 575)	60484400

<u>Control Data Publication</u>	<u>Publication Number</u>	<u>Control Data Publication</u>	<u>Publication Number</u>
IMF Version 1 Application Programing (PSR Level 575)	60484500	QUERY UPDATE Version 3 Reference Manual (PSR Level 528)	60498300
Sort/Merge Version 5 Reference Manual (PSR Level 552)	60484800	Data Base Utilities Version 1 Reference Manual (PSR Level 528)	60498800
COMPASS Version 3 Reference Manual (PSR Level 528)	60492600	Common Memory Manager Version 1 Reference Manual (PSR Level 528)	60499200
8-Bit Subroutines Reference Manual Version 1	60495500	CYBER Record Manager Advanced Access Methods Version 2 Reference Manual (PSR Level 528)	60499300
CYBER Common Utilities Reference Manual	60495600	Network Access Method Version 1 Reference Manual (PSR Level 528)	60499500
CYBER Record Manager Basic Access Methods Version 1.5 Reference Manual (PSR Level 528)	60495700	Remote Batch Facility Version 1 Reference Manual (PSR Level 528)	60499600
FORM Version 1 Reference Manual (PSR Level 528)	60496200	CYBER Database Control System Version 2 Database Administrator Reference Manual (PSR level 564)	60485200
SYMPL Version 1 Reference Manual	60496400	CYBER Database Control System Version 2 Application Programming Reference Manual (PSR Level 564)	60485300
COBOL Version 5 Reference Manual (PSR Level 528)	60497100	NOS Version 2 Application Installation Handbook	84002760
FORTRAN Extended Version 4 Reference Manual	60497800		

This section is a sorted listing of diagnostic messages issued by NOS and its product set. A diagnostic or diagnostic message is any message that the cause or nature of a condition, situation, or problem encountered during use of the system.

An example of an entry in the index is shown in figure 1-1.

The MESSAGE field lists the diagnostic message that the user has received on a dayfile, output file, or console screen. The format of the message actually received may not be identical to that listed in this index. In some cases, leading and trailing special characters have been omitted when they do not add to the meaning of the message. Words or characters in messages that are variable (filenam in the example) are listed in lowercase characters.

The MANUAL field lists an abbreviated name for the manual in which complete documentation of the message can be found.† To determine the full name of the manual, use the publication number (PUB. NO.) field to look up the name in the list of publications in the preface.

When a message has more than one publication listed, then each manual has a description of the same message. When the descriptions differ, the message is listed separately for each description.

Messages have been sorted in the following order:

1. Messages beginning with an alphabetical character (that is, A through Z), sorted alphabetically. Messages beginning with a variable character or word sorted alphabetically according to the first nonvariable character or word.
2. Messages beginning with a numeral (that is, 0 through 9), but also containing alphabetical characters (for example, 1CJ) or more than four leading numerals, sorted alphabetically.
3. Messages beginning with a 1- to 4-digit number (that is, 1 through 9999), sorted sequentially.

In all messages, leading and trailing special characters and blanks have been ignored for sorting purposes. Embedded slashes, hyphens, periods, and commas are equated to blanks. All other special characters are ignored.

If you encounter a diagnostic or informative message that does not appear in this index, contact your site analyst. If the message was not produced by site-supplied software, the analyst should submit a Programming Systems Report to have the message documented.

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
filenam NOT ON MASS STORAGE.	NOS 2 RM VOL 3 NOS 2 RS VOL 4	60459680 60459690

Figure 1-1. Sample Index Entry

†An exception is the COBOL Version 5 Diagnostic Handbook. It contains self-explanatory messages for which no further description is provided.

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
A C/-LIST DIRECTIVE CANNOT BE FOLLOWED BY A CONTINUATION LINE	FORTRAN EXT 4	60497800
A C/ LIST DIRECTIVE MAY NOT BE FOLLOWED BY A CONTINUATION LINE	FORTRAN EXT 4	60497800
A COMMENT LINE WITHIN A CONTINUED STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
A COMPLEX BASE MAY ONLY BE RAISED TO AN INTEGER POWER	FORTRAN EXT 4	60497800
A CONSTANT ARITHMETIC OPERATION WILL GIVE AN INDEFINITE OR OUT-OF-RANGE RESULT	FORTRAN EXT 4	60497800
A CONSTANT CANNOT BE CONVERTED. CHECK CONSTANT FOR PROPER CONSTRUCT	FORTRAN EXT 4	60497800
A CONSTANT DO PARAMETER MUST BE GREATER THAN OR EQUAL TO 1 AND LESS THAN OR EQUAL TO 131071	FORTRAN EXT 4	60497800
A CONSTANT MAY NOT BE FOLLOWED BY AN EQUAL SIGN, NAME, OR ANOTHER CONSTANT	FORTRAN EXT 4	60497800
A CONSTANT OPERAND OF A REAL OPERATION IS OUT OF RANGE OR INDEFINITE	FORTRAN EXT 4	60497800
A DO LOOP MAY NOT TERMINATE ON A FORMAT STATEMENT	FORTRAN EXT 4	60497800
A DO LOOP MAY NOT TERMINATE ON THIS TYPE OF STATEMENT	FORTRAN EXT 4	60497800
A DO PARAMETER MUST BE A POSITIVE INTEGER CONSTANT OR AN INTEGER VARIABLE	FORTRAN EXT 4	60497800
A FUNCTION REFERENCE REQUIRES AN ARGUMENT LIST	FORTRAN EXT 4	60497800
A HOLLERITH CONSTANT IS AN OPERAND OF AN ARITHMETIC OPERATOR	FORTRAN EXT 4	60497800
A LEGAL TYPE DOES NOT PRECEDE SEQ NAME, name	COBOL 5 RM	60497100
A NAME MAY NOT BE FOLLOWED BY A CONSTANT	FORTRAN EXT 4	60497800
A OPTION INVALID WITH RANDOM OLDPL OR SEQUENTIAL NEWPL	UPDATE RM	60449900
A PREVIOUS STATEMENT MAKES AN ILLEGAL TRANSFER TO THIS LABEL	FORTRAN EXT 4	60497800
A PREVIOUSLY MENTIONED ADJUSTABLE SUBSCRIPT IS NOT TYPE INTEGER	FORTRAN EXT 4	60497800
A REFERENCE TO THIS ARITHMETIC STATEMENT FUNCTION HAS UNBALANCED PARENTHESIS WITHIN THE PARAMETER LIST	FORTRAN EXT 4	60497800
A REFERENCE TO THIS ASF HAS A PARAMETER MISSING	FORTRAN EXT 4	60497800
A RELATIONAL HAS A COMPLEX OPERAND	FORTRAN EXT 4	60497800
A TERM IN SUBSCRIPT mmmmm ON nnnnn IS NOT INTEGER	FORTRAN EXT 4	60497800
A TYPE ERROR ADDRESS FIELD BAD. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
A TYPE WAS DECLARED FOR THIS VARIABLE OR FUNCTION. THIS DECLARATION IGNORED	FORTRAN EXT 4	60497800
A VARIABLE DIMENSION OR THE ARRAY NAME WITH A VARIABLE DIMENSION IS NOT A FORMAL PARAMETER	FORTRAN EXT 4	60497800
ABORT OF CDCS DETECTED.	NOS 2 OP/ANL HB	60459310
ABORT RUN DUE TO ERRORS.	NOS 2 SYS MAINT	60459300
ABORTED.	XEDIT 3 RM	60455730
jsn ABORTED - message.	NOS 2 SYS MAINT	60459300
jsn ABORTED - UTILITY CONFLICT.	NOS 2 SYS MAINT	60459300
ABOVE PROGRAM UNIT ALREADY PROCESSED BY F45...WILL BE SKIPPED	FTN 4-5 CONV RM	60483000
ABSOLUTE VALUE OF INTEGER CONSTANT GREATER THAN 2**59-1	FORTRAN EXT 4	60497800
cmd ACCEPTED..	NOS 2 RS VOL 3 TAF 1 RM	60459680 60459500
ACCESS CATEGORIES NOT VALID FOR JOB.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ACCESS LEVEL LIMITS OUT OF RANGE.	NOS 2 SYS MAINT	60459300
ACCESS LEVEL NOT VALID FOR FILE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ACCESS LEVEL NOT VALID FOR JOB.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ACCESS LEVEL NOT VALID ON PF DEVICE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ACCESS LEVEL OUT OF RANGE.	NOS 2 SYS MAINT	60459300

MESSAGE

****ACCESS LEVEL OUT OF RANGE.
 ACCESSED AFTER yy/mm/dd. hh.mm.ss.
 ACCESSED AFTER yy/mm/dd.hh.mm.ss. BEFORE
 yy/mm/dd.hh.mm.ss.
 ACCESSED BEFORE yy/mm/dd. hh.mm.ss.
 d ACCESSES, d HITS, d IO-S
 ACCOUNT BLOCK LIMIT.
 ACCOUNT DAYFILE PROCESSED.
 ACN LOST - NVFCPUT.
 ACPD ARGUMENT - xx.
 ACPD COMPLETE.
 ACPD CONTROL STATEMENT ERROR.
 ACPD/CPD VERSION MISMATCH.
 ACTIVE FILES ON DEVICE.
 ACTIVE FILES ON EQest CANNOT INITIALIZE.
 ACTIVE LOAD NOT ALLOWED.
 ADD SPECIFIED TWICE
 ADDCUBE - ONLY 100 LOCATIONS PROCESSED.
 ADDFILE CARD INVALID ON REMOTE FILE
 ADDFILE FIRST CARD MUST BE DECK OR COMDECK
 ADDRESS IN ECS/LQM
 ADDRESS IN UNLOADED OVERLAY
 ADDRESS OUT OF RANGE.
 ADDRESS address OUT OF RANGE.
 ADDRESS OUT OF RANGE.
 ADDRESS OUT OF RANGE address.
 ADDRESS OUT OF RANGE
 ADDRESS OUTSIDE USER AREA
 ADDRESS RANGE WILL BE TRUNCATED
 ADJUSTABLE BOUND nnnnn MUST BE DUMMY-ARG OR IN COMMON
 ADJUSTABLE DIMENSION BOUND mnnnn IS NOT INTEGER
 ADL ASSIGNED PFN= filename UN= usernam.
 ADL ASSIGNED PFN= xxxxxx UN=xxxxxx
 ADL CREATED yy/mm/dd. hh.mm.ss.
 ADL CREATED YY/MM/DD. HH.MM.SS
 ADL NOT AVAILABLE PFN=filename, UN=username.
 ADL NOT AVAILABLE PFN=xxxxxx, UN=xxxxxx
 ADLP ABORTED
 AFD - ARGUMENT ERROR.
 AFD - BUFFER TOO SMALL.
 AFD - DATA LOST.
 AFD - FR INVALID FOR THIS OPTION.
 AFD - ILLEGAL PAGE SIZE FORMAT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORM RM	60496200
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
UPDATE RM	60449900
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
MCS 1 RM	60480300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
AFD - ILLEGAL PRINT DENSITY.	NOS 2 SYS MAINT	60459300
AFD - ILLEGAL PRINT DENSITY FORMAT.	NOS 2 SYS MAINT	60459300
AFD - INPUT FILE NOT FOUND.	NOS 2 RS VOL 3	60459680
AFD - LOCAL DAYFILE PROCESSED.	NOS 2 OP/ANL HB	60459310
AFD - RESERVED FILE NAME.	NOS 2 SYS MAINT	60459300
AFD - UNABLE TO ACCESS DAYFILE.	NOS 2 SYS MAINT	60459300
AFD - UNEXPECTED EOF/EOI ENCOUNTERED.	NOS 2 SYS MAINT	60459300
AFD - UNKNOWN *OP* FIELD.	NOS 2 SYS MAINT	60459300
AFTER IMAGE ACCUMULATOR TABLE OVERFLOW.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
AFTER IMAGE NOT FOUND ON LOG FILE	QU/CRM DA RM	60482100
AFTER IMAGE RECOVERY FILE IS FULL.	TAF 1 RM	60459500
db AFTER IMAGE RECOVERY FILES UNAVAILABLE.	TAF 1 RM	60459500
AIP DEBUG OPTION TURNED OFF.	TAF 1 RM	60459500
AIP DEBUG OPTION TURNED ON.	TAF 1 RM	60459500
AIP LOAD ERROR.	NOS 2 OP/ANL HB	60459310
AIP TOO LARGE FOR LOADING.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ALARM ON PORT nn LCN=numb FKID=id CAUSE=cc DIAG=dd.	NOS 2 OP/ANL HB	60459310
ALL AREAS WERE DOWN, SCHEMA DOWN	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
ALL CPUS OFF, OS LOAD IMPOSSIBLE	NOS 2 OP/ANL HB	60459310
ALL EQ-S CHECKPOINTED, RECOVERY ABORTED.	NOS 2 OP/ANL HB	60459310
ALL FILES FOR USER INDEX userindex.	NOS 2 SYS MAINT	60459300
ALL LEVEL 2 OR 3 ITEMS MUST BE FORMAL PARAMETERS OR IN COMMON	FORTRAN EXT 4	60497800
ALL NPUS ARE BEING CONTROLLED BY OTHER NOPS	NOS 2 OP/ANL HB	60459310
ALL WILL BE CLEARED	INTER DEBUG RM	60481400
ALL YANK, SELYANK, YANKDECK, AND CALL CARDS AFFECTED HAVE BEEN CHANGED	UPDATE RM	60449900
ALLOCATE DIRECTIVE EXECUTION COMPLETE	CDCS 2 DA RM	60485200
filename ALLOCATED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ALLOW FL AND DU COMMAND ONLY	NOS 2 OP/ANL HB	60459310
ALREADY IN DESIRED STATE.	NOS 2 OP/ANL HB	60459310
filename ALREADY PERMANENT.	XEDIT 3 RM	60455730
filename ALREADY PERMANENT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ALTERING FLAW MAP S/N=serialn.	NOS 2 SYS MAINT	60459300
ALTERNATE FILE ACTIVE.	NOS 2 SYS MAINT	60459300
ALTERNATE IMAGE OBSOLETE.	NOS 2 SYS MAINT	60459300
ALTERNATE OUTPUT TO TERMINAL ILLEGAL.	NOS 2 SYS MAINT	60459300
ALTERNATE RETURN IS ILLEGAL IN A FUNCTION	FORTRAN 5 RM	60481300
ALTERNATE STORAGE ERROR.	NOS 2 SYS MAINT	60459300
AN ARRAY REFERENCE HAS TOO MANY SUBSCRIPTS	FORTRAN EXT 4	60497800
AN EXPRESSION IN AN OUTPUT STATEMENT I/O LIST IS NON-ANSI USAGE	FORTRAN EXT 4	60497800
AN EXPRESSION OF THE FORM A**B**C IS NON-ANSI, AND IS EVALUATED FROM LEFT TO RIGHT	FORTRAN EXT 4	60497800

MESSAGE

MANUAL

PUB. NO.

AN IF STATEMENT MAY BE MORE EFFICIENT THAN A 2 OR 3 BRANCH COMPUTED GO TO STATEMENT
ANOTHER REF ALREADY NETTED ON.
ANSI REQUIRES AN I/O LIST
ANSI REQUIRES THE WORD PRECISION
ANSWER Y OR N -
APL SYSTEM ERROR (or EXCHANGE PACKAGE)
APP SENT BLK ON BROKEN CONNECTION.
APP WORK LIST ADDR=0
APPEARED WHERE A VARIABLE WAS EXPECTED
* ccc * APPEARS MORE THAN ONCE
xx APPEARS MORE THAN ONCE
* eee * APPEARS MORE THAN ONCE AS A VALUE
OF A PARAMETER
APPENDED - type/name
APPENDED - type/name
APPL: applnam, st, ccnt
APPL - xxxxxxxx prog yyyyyyy DISCONNECT
APPL - applnam INITIALIZED.
APPL - xxxxxxxx INITIALIZED
APPL - applnam JOURNAL journal DISABLED.
APPL - xxxxxxxx JOURNAL yyyyyyy DISABLED
APPL - applnam MONITOR monitor DISABLED.
APPL - xxxxxxxx MONITOR yyyyyyy DISABLED
APPL - applnam PROG prognam CONNECTED.
APPL - applnam PROG prognam DISCONNECT.
APPL - applnam PROG prognam REVOKED.
APPL - xxxxxxxx PROG yyyyyyy REVOKED
APPL - applnam Q queuenam FLUSHED.
APPL - xxxxxxxx Q yyyyyyyyyyy FLUSHED
APPL - applnam Q queuenam PURGED.
APPL - xxxxxxxx Q yyyyyyyyyyy PURGED
APPL - applnam QUEUE queuenam IN CM.
APPL - xxxxxxxx QUEUE yyyyyyyyyyy IN CM
APPL - applnam RECOVERED FILE filename.
APPL - xxxxxxxx RECOVERED FILE yyyyyyy
APPL - applnam SHUTDOWN
APPL - xxxxxxxx SHUTDOWN
APPL - applnam START FAILED, FILE BUSY.
APPL - xxxxxxxx START FAILED, FILE BUSY
APPL - applnam START FAILED, I/O ERROR.
APPL - xxxxxxxx START FAILED, I/O MEMORY
APPL - applnam START FAILED, NO MEMORY.
APPL - xxxxxxxx START FAILED, NO MEMORY
xxxxxxx - APPLICATION:

FORTRAN EXT 4 60497800
NOS 2 OP/ANL HB 60459310
FORTRAN EXT 4 60497800
FORTRAN EXT 4 60497800
QUERY UPDT 3 RM 60498300
APL 2 RM 60454000
NOS 2 OP/ANL HB 60459310
NAM 1 RM 60499500
FORTRAN EXT 4 60497800
COBOL 5 RM 60497100
COBOL 5 DH 60482500
COBOL 5 RM 60497100
NOS 2 RS VOL 3 60459680
CYBER COM UTIL 60495600
MCS 1 RM 60480300
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
NOS 2 OP/ANL HB 60459310
MCS 1 RM 60480300
RBF 1 RM 60499600

MESSAGE

MANUAL

PUB. NO.

xxxxxxx-APPLICATION:	MCS 1 RM	60480300
APPLICATION ALREADY RUNNING.	NOS 2 OP/ANL HB	60459310
APPLICATION ALREADY RUNNING	MCS 1 RM	60480300
APPLICATION ERROR - NO TERMINAL OUTPUT.	TAF 1 RM	60459500
APPLICATION FAILED - applnam	TAF 1 RM	60459500
APPLICATION FAILED. aaaaaaa CONNECT TIME hh:mm:ss. xxxxxxxx - APPLICATION:	RBF 1 RM	60499600
APPLICATION FAILED. aaaaaaa CONNECT TIME hh.mm.ss xxxxxxxx - APPLICATION	MCS 1 RM	60480300
APPLICATION FAILED. MCS CONNECT TIME hh.mm.ss xxxxxxxx - APPLICATION	MCS 1 RM	60480300
APPLICATION FAILED. RBF CONNECT TIME hh:mm:ss. xxxxxxxx - APPLICATION:	RBF 1 RM	60499600
APPLICATION HAS NO DUMP FILE DEFINED	MCS 1 RM	60480300
APPLICATION IDLE	MCS 1 RM	60480300
APPLICATION INITIATED	MCS 1 RM	60480300
APPLICATION NAME MUST BE SPECIFIED	NOS 2 OP/ANL HB	60459310
APPLICATION NETTED OFF - applnam	TAF 1 RM	60459500
APPLICATION NETTED ON - applnam	TAF 1 RM	60459500
APPLICATION NOT ALLOWED TO USE K-DISPLAY	NOS 2 OP/ANL HB	60459310
APPLICATION NOT PRESENT xxxxxxxx - APPLICATION:	MCS 1 RM	60480300
APPLICATION NOT PRESENT. xxxxxxxx - APPLICATION:	RBF 1 RM	60499600
APPLICATION NOT RUNNING	MCS 1 RM	60480300
APPLICATION NOT SUPPORTING NAM K-DISPLAY	NOS 2 OP/ANL HB	60459310
APPLICATION OPERATOR ACTIVE	MCS 1 RM	60480300
APPLICATION RESUMED	MCS 1 RM	60480300
APPLICATION RETRY ENTRY	MCS 1 RM	60480300
APPLICATION RETRY LIMIT	RBF 1 RM	60499600
APPLICATION SHUTDOWN	MCS 1 RM	60480300
APPLICATION START FAILED	MCS 1 RM	60480300
APPLICATION UNKNOWN	NOS 2 OP/ANL HB	60459310
APRDECK NOT ON TAPE.	NOS 2 OP/ANL HB	60459310
*APRDOO MUST BE EMPTY.	NOS 2 OP/ANL HB	60459310
ARA BURST DEFECTIVE.	NOS 2 RS VOL 3	60459680
AREA an CANNOT BE RESTORED	CDCS 2 DA RM	60485200
AREA id VERSION vn NOT UP. SCHEMA sn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
ARF BLOCK SIZE IS LARGER THAN BUFFER.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ARF DUMP TAPE HEADER ERROR.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ARF ENTRY TABLE OVERFLOW	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ARF FILE HEADER ERROR.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ARF HEADER ERROR.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ARF HEADER STATUS (3) POSSIBLE ERROR.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ARF ORDINAL MUST BE 01 OR 02.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ARG. ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ARG TO LOCF MAY NOT BE AN EXPRESSION	FORTRAN EXT 4	60497800
ARGUMENT COUNT INCONSISTENT WITH PRIOR USAGE	FORTRAN EXT 4	60497800
ARGUMENT COUNT NOT EQUAL TO THAT DEFINED FOR INTRINSIC nnnnn	FORTRAN EXT 4	60497800
ARGUMENT COUNT ON nnnnn EXCEEDS 500	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON nnnnn EXCEEDS 500	FORTRAN EXT 4	60497800
ARGUMENT COUNT ON INTRINSIC nnnnn IS WRONG	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON nnnnn MUST BE MORE THAN ONE	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON nnnnn MUST BE MORE THAN ONE	FORTRAN EXT 4	60497800
ARGUMENT ERROR	XEDIT 3 RM	60455730
ARGUMENT ERROR.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
ARGUMENT ERROR.	NOS 2 OP/ANL HB	60459310
ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
ARGUMENT ERROR.	NOS 2 OP/ANL HB	60459310
ARGUMENT ERRORS.	NOS 2 RS VOL 3	60459680
ARGUMENT nnnnn IS NOT USED IN FUNCTION mmmmm	FORTRAN EXT 4	60497800
ARGUMENT aaaaa IS NOT USED IN STATEMENT FUNCTION fffff	FORTRAN 5 RM	60481300
ARGUMENT IS POLE IN COT	BASIC 3 RM	19983900
ARGUMENT IS POLE IN TAN	BASIC 3 RM	19983900
ARGUMENT IS ZERO IN LOG	BASIC 3 RM	19983900
ARGUMENT LENGTHS DISAGREE - SUBROUTINES WILL BE USED	INTER DEBUG RM	60481400
ARGUMENT LEVEL MISMATCH	INTER DEBUG RM	60481400
ARGUMENT MODE ILLEGAL FOR GENERIC FUNCTION nnnnn	FORTRAN 5 RM	60481300
ARGUMENT MODE MUST AGREE WITH TYPE DEFINED FOR LIBRARY FUNCTION nnnnn	FORTRAN 5 RM	60481300
ARGUMENT MODE MUST AGREE WITH TYPE DEFINED FOR LIBRARY FUNCTION nnnnn	FORTRAN EXT 4	60497800
ARGUMENT NEGATIVE IN LOG	BASIC 3 RM	19983900
ARGUMENT NEGATIVE IN SQR	BASIC 3 RM	19983900
ARGUMENT NOT FOLLOWED BY COMMA OR RIGHT PARENTHESIS	FORTRAN EXT 4	60497800
ARGUMENT TO MASK BE BETWEEN 0 AND 60	FORTRAN 5 RM	60481300
ARGUMENT TOO LARGE IN COS	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN COT	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN EXP	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN SIN	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN TAN	BASIC 3 RM	19983900
ARITHMETIC IF HAS STATEMENT AS OBJECT	FORTRAN EXT 4	60497800
ARITHMETIC INDEFINITE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARITHMETIC OR OTHER SOFTWARE ERROR IN TASK.	TAF 1 RM	60459500
ARITHMETIC OVERFLOW.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARITHMETIC STATEMENT FUNCTION REDEFINED	FORTRAN EXT 4	60497800
ARITHMETIC UNDERFLOW.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARRAY DECLARATION FOR nnnnn MISSING RIGHT PAREN	FORTRAN 5 RM	60481300
ARRAY DECLARATION FOR nnnnn MISSING RIGHT PAREN	FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ARRAY nnnnn DIMENSION BOUND ddddd NOT INTEGER	FORTRAN 5 RM	60481300
ARRAY nnnnn DIMENSION ddddd -- DIMENSION BOUND EXPRESSION CONTAINS ARRAY REFERENCE	FORTRAN 5 RM	60481300
ARRAY nnnnn DIMENSION ddddd -- DIMENSION BOUND EXPRESSION CONTAINS ILLEGAL OPERATION	FORTRAN 5 RM	60481300
ARRAY nnnnn DIMENSION ddddd -- DIMENSION BOUND EXPRESSION CONTAINS NON-VARIABLE	FORTRAN 5 RM	60481300
ARRAY nnnnn DIMENSION ddddd -- EXCEEDS 2**23-1	FORTRAN 5 RM	60481300
ARRAY nnnnn DIMENSION INDICATOR mmmmm EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
ARRAY nnnnn DIMENSION INDICATOR NOT INTEGER	FORTRAN EXT 4	60497800
ARRAY nnnnn DIMENSION ddddd -- LOWER BOUND EXCEEDS UPPER BOUND	FORTRAN 5 RM	60481300
ARRAY nnnnn EXCEEDS 3 DIMENSIONS	FORTRAN EXT 4	60497800
ARRAY nnnnn EXCEEDS 7 DIMENSIONS	FORTRAN 5 RM	60481300
ARRAY nnnnn HAS A VARIABLE SUBSCRIPT WITH NO IMPLIED LOOP	FORTRAN EXT 4	60497800
ARRAY HAS MORE THAN THREE SUBSCRIPTS	FORTRAN EXT 4	60497800
ARRAY nnnnn MISSING SUBSCRIPT	FORTRAN 5 RM	60481300
ARRAY nnnnn MISSING SUBSCRIPT -- FIRST ELEMENT ASSUMED	FORTRAN EXT 4	60497800
ARRAY nnnnn MUST HAVE IMPLIED LOOP	FORTRAN EXT 4	60497800
ARRAY NAME OPERAND NOT SUBSCRIPTED. FIRST ELEMENT WILL BE USED	FORTRAN EXT 4	60497800
ARRAY NAME REFERENCED WITH FEWER SUBSCRIPTS THAN DIMENSIONALITY OF ARRAY	FORTRAN EXT 4	60497800
ARRAY nnnnn NULL OR ZERO DIMENSION INDICATOR	FORTRAN EXT 4	60497800
ARRAY OR COMMON VARIABLE MAY NOT BE DECLARED EXTERNAL	FORTRAN EXT 4	60497800
ARRAY REFERENCE OUTSIDE DIMENSION BOUNDS	FORTRAN EXT 4	60497800
ARRAY nnnnn SIZE EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
ARRAY nnnnn SIZE EXCEEDS 2**23-2	FORTRAN 5 RM	60481300
ARRAY nnnnn SUBSCRIPT COUNT DOES NOT MATCH DIMENSION COUNT	FORTRAN 5 RM	60481300
ARRAY TOO SMALL IN CHANGE	BASIC 3 RM	19983900
ARRAY WITH ILLEGAL SUBSCRIPTS	FORTRAN EXT 4	60497800
ASCII MODE MISMATCH BETWEEN PROGRAM AND TERMINAL	INTER DEBUG RM	60481400
ASDEBUG ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASDEBUG COMPLETE.	NOS 2 SYS MAINT	60459300
ASDEBUG ERROR xxx. DIRECTIVE yyy.	NOS 2 SYS MAINT	60459300
ASDEBUG, NO DIRECTIVES.	NOS 2 SYS MAINT	60459300
ASDEF ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASDEF ABORT - ILLEGAL CS VALUE.	NOS 2 SYS MAINT	60459300
ASDEF ABORT - NO PARAMETER SPECIFIED.	NOS 2 SYS MAINT	60459300
ASDEF ABORT - SYNTAX ERROR.	NOS 2 SYS MAINT	60459300
ASDEF COMPLETE.	NOS 2 SYS MAINT	60459300
ASDEF ERRORS.	NOS 2 SYS MAINT	60459300
ASF EXPRESSION TYPE CONFLICTS WITH FUNCTION TYPE	FORTRAN EXT 4	60497800
ASF HAS MORE DUMMY PARAMETERS THAN ALLOWED	FORTRAN EXT 4	60497800
ASF MODELESS EXPRESSION ASSIGNED TO LOGICAL FUNCTION	FORTRAN EXT 4	60497800
ASLABEL ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASLABEL COMPLETE.	NOS 2 SYS MAINT	60459300
ASLABEL ERROR xxx. DIRECTIVE yyy.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ASLABEL - NO DIRECTIVES.	NOS 2 SYS MAINT	60459300
ASMOVE ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASMOVE COMPLETE.	NOS 2 SYS MAINT	60459300
ASMOVE - SYNTAX ERROR.	NOS 2 SYS MAINT	60459300
ASSEMBLING xxxxxxxx	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - ECS READ ERROR.	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - ECS WRITE ERROR.	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - PASS n TABLE OVERFLOW ASSEMBLING xxxxxxxx	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB CM USED. xxxx.xxx CPU SEC. nnnnnnB ECS USED.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB CM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB SCM USED. xxxx.xxx CPU SEC. nnnnnnB LCM USED.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB SCM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB CM USED. xxxx.xxx CPU SEC. nnnnnnB ECS USED.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB CM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB SCM USED. xxxx.xxx CPU SEC. nnnnnnB LCM USED.	COMPASS 3 RM	60492600
nnnn ASSEMBLY ERRORS IN program	FORTRAN EXT 4	60497800
ASSIGNED FILE CONFLICT - SDF.	NOS 2 SYS MAINT	60459300
ASSIGNED FOR DIAGNOSTICS, FILE filename AT address.	NOS 2 OP/ANL HB	60459310
est, ASSIGNED TO filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ttest, ASSIGNED TO filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ASSIGNED TTYS GREATER THAN (NT).	NOS 2 SYS MAINT	60459300
jsn ASSIGNS EXCEED DEMANDS.	NOS 2 RS VOL 4	60459690
jsn ASSIGNS EXCEED DEMANDS.	NOS 2 RS VOL 3	60459680
ASSUMED CHARACTER LENGTH ILLEGAL FOR IMPLICIT	FORTRAN 5 RM	60481300
ASSUMED COMMA AFTER UNIT OR FORMAT -- FOUND nnnnn	FORTRAN EXT 4	60497800
ASSUMED SIZE ARRAY nnnnn NOT ALLOWED IN I/O LIST	FORTRAN 5 RM	60481300
ASSUMED SIZE ARRAY NOT PERMITTED IN NAMELIST	FORTRAN 5 RM	60481300
ASSUMED SIZE CAN ONLY BE ON LAST UPPER BOUND	FORTRAN 5 RM	60481300
ASSUMED SIZE OR ADJUSTABLE ARRAY nnnnn MUST BE DUMMY-ARG	FORTRAN 5 RM	60481300
AST CORRECTION. DESTAGE DELAYED, FM=familyname, SF=subfamily, CSU=id.	NOS 2 SYS MAINT	60459300
AST SUBSTITUTED. PFN=filename, FAMILY=familyname, UI=userindex. SUBCATALOG CSU ID=id.	NOS 2 SYS MAINT	60459300
ASUSE ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASUSE COMPLETE.	NOS 2 SYS MAINT	60459300
ASUSE - SYNTAX ERROR.	NOS 2 SYS MAINT	60459300
ASVAL ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
ASVAL COMPLETED.	NOS 2 SYS MAINT	60459300
-AT END- NOT ON ROOT AREA	COBOL 5 DH	60482500
-AT END- NOT ON ROOT AREA	COBOL 5 RM	60497100
AT END WHILE TRYING TO ACCEPT FROM FILE	COBOL 5 DH	60482500

MESSAGE

AT END WHILE TRYING TO ACCEPT FROM FILE
AT PARAM REQUIRED ON FRAME DIRECTIVE
ATTACH ERROR ON filename.
ATTACH ERROR ON - filename.
ATTACH ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn
ATTACH ERROR nnn ON CDCS file
ATTACH ERROR ON MSF CSUMAP.
PFN=filename, FAMILY=familyname,
UI=userindex.
ATTACH ERROR ON MSF SUBFAMILY CATALOG.
PFN=filename, FAMILY=familyname,
UI=userindex.
ATTACH ERROR ON PF xxxxxxxx.
ATTACH MODE MUST BE W, M, R, OR RM.
ATTEMPT TO BACK UP BEFORE COLUMN ONE CAUSES POSITIONING TO BE SET AT COLUMN ONE
ATTEMPT TO OPEN A LOCKED FILE
ATTEMPT TO OPEN A LOCKED FILE
ATTEMPT TO OPEN FILE OPENED BY ACCEPT OR DISPLAY AND PROCESSING DIRECTION DIFFERS
ATTEMPT TO OPEN FILE OPENED BY ACCEPT OR DISPLAY AND PROCESSING DIRECTION DIFFERS
ATTEMPT TO OPEN FILE WITH SAME NAME AS AN OPEN FILE
ATTEMPT TO OPEN FILE WITH SAME NAME AS AN OPEN FILE
AUTHORIZE NPS xx, xx, xx, xx,
AUTO MODE.
AUTO RECALL STATUS MISSING
AUTOLINK COMPLETED
AUTOLINK OUTPUT DIRECTIVES LIST
AUTOMATIC NAME ASSIGNMENT IMPOSSIBLE.
AUTORCL
n.nnn AVERAGE ACTIVE SUBCONTROL POINTS.
n.nnn AVERAGE OUTSTANDING CDCS REQUESTS.
A01 ADDITIONAL MESSAGES SUPPRESSED
A04 STATEMENT IGNORED
A05 CALL TO -READEC- OR -WRITEC- CHANGED TO -MOVLEV-
A06 HOLLERITH CONSTANT TRUNCATED TO 10 CHARACTERS
A07 CONTINUE GENERATED FOR F45 INVENTED LABEL
A08 CONTINUE GENERATED FOR LABELED END STATEMENT
A09 F45 GENERATED STATEMENT (VARIABLES REPLACE HOLLERITH LITERAL CONSTANTS)
A10 LONG HOLLERITH CONSTANT SPLIT INTO 10 CHARACTER PIECES
A11 ACTUAL ARGUMENT USED CONFLICTS WITH FTN5 INTRINSIC FUNCTION NAME
A12 COMMENT SPECIFIED BY § CONVERTED TO * OR C
A13 MULTIPLE STATEMENTS PER LINE CONVERTED TO ONE STATEMENT PER LINE
A14 GARBAGE IN COLUMNS 1-5 REPLACED WITH BLANKS

	<u>MANUAL</u>	<u>PUB. NO.</u>
COBOL 5 RM		60497100
LOADER 1 RM		60429800
NOS 2 SYS MAINT		60459300
TAF 1 RM		60459500
NOS 2 OP/ANL HB		60459310
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
NOS 2 SYS MAINT		60459300
NOS 2 SYS MAINT		60459300
TAF 1 RM		60459500
NOS 2 OP/ANL HB		60459310
TAF 1 RM		60459500
NOS 2 OP/ANL HB		60459310
FORTRAN EXT 4		60497800
COBOL 5 DH		60482500
COBOL 5 RM		60497100
COBOL 5 RM		60497100
COBOL 5 DH		60482500
COBOL 5 RM		60497100
COBOL 5 DH		60482500
NPS RM		60480500
NOS 2 OP/ANL HB		60459310
BASIC 3 RM		19983900
NOS 2 INSTAL HB		60459320
NOS 2 INSTAL HB		60459320
NOS 2 SYS MAINT		60459300
FORTRAN EXT 4		60497800
TAF 1 RM		60459500
NOS 2 OP/ANL HB		60459310
TAF 1 RM		60459500
NOS 2 OP/ANL HB		60459310
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000
FTN 4-5 CONV RM		60483000

MESSAGE

MANUAL PUB. NO.

A15 OCTAL NN B CONVERTED TO O=NN=	FTN 4-5 CONV RM	60483000
A16 NEGATIVE OCTAL CONVERTED TO BOOLEAN OCTAL	FTN 4-5 CONV RM	60483000
A17 NEGATIVE HOLLERITH CONVERTED TO BOOLEAN	FTN 4-5 CONV RM	60483000
A18 NEGATED SHIFT CONVERTED TO BOOLEAN SHIFT	FTN 4-5 CONV RM	60483000
A19 IRREGULAR INITIALIZATION IN DATA STATEMENT	FTN 4-5 CONV RM	60483000
A20 IRREGULAR INITIALIZATION OF DOUBLE PRECISION VARIABLE/ARRAY IN DATA STATEMENT	FTN 4-5 CONV RM	60483000
A21 UNSUBSCRIPTED ARRAY NAME GIVEN SUBSCRIPTS	FTN 4-5 CONV RM	60483000
A23 ALTERNATE FORM OF DATA STATEMENT CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A24 NON-ANSI FORMS OF DATA CONSTANT LIST CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A25 KEYWORD TYPE DELETED	FTN 4-5 CONV RM	60483000
A26 LEVEL STATEMENT CONVERTED TO CONTAIN COMMON BLOCK NAME	FTN 4-5 CONV RM	60483000
A28 FTN4 - */=/H/ - DELIMITERS CONVERTED TO APOSTROPHES	FTN 4-5 CONV RM	60483000
A29 COMPLEX EXPRESSIONS IN IF CONVERTED TO REAL	FTN 4-5 CONV RM	60483000
A30 TWO BRANCH ARITHMETIC IF CONVERTED TO 3 BRANCH IF	FTN 4-5 CONV RM	60483000
A31 ALTERNATE RETURNS IN CALL CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A32 ALTERNATE RETURNS IN SUBPROGRAM CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A33 ALTERNATE RETURNS IN RETURN CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A34 CALL GOTOER INSERTED AFTER COMPUTED GOTO TO ENSURE AGAINST FAILURE OF GOTO	FTN 4-5 CONV RM	60483000
A35 LOGICAL IF AND COMPUTED GOTO CONVERTED TO IF-THEN-ELSE FORM	FTN 4-5 CONV RM	60483000
A36 CONTINUED END CONVERTED TO END ON ONE LINE	FTN 4-5 CONV RM	60483000
A38 SPECIFICATION OX DELETED FROM FORMAT	FTN 4-5 CONV RM	60483000
A39 SPECIFICATION -NX CONVERTED TO TLN SPECIFICATION IN FORMAT	FTN 4-5 CONV RM	60483000
A40 REDUNDANT PARENTHESES IN I/O LIST DELETED	FTN 4-5 CONV RM	60483000
A41 SPECIFICATION TO CONVERTED TO T1	FTN 4-5 CONV RM	60483000
A42 FTN4 C\$ DEBUG FACILITY NO LONGER PROVIDED	FTN 4-5 CONV RM	60483000
A43 PUNCTUATION PLACED AFTER DATA CONVERSION DESCRIPTORS	FTN 4-5 CONV RM	60483000
A44 LOGICAL 2-BRANCH IF CONVERTED TO IF() GOTO	FTN 4-5 CONV RM	60483000
A45 BLANK LINE INTERPRETED AS COMMENT IN FTN5	FTN 4-5 CONV RM	60483000
A46 COMPILER LISTING CONTROL DIRECTIVES CONVERTED TO NEW FORM	FTN 4-5 CONV RM	60483000
A47 C\$ COMMENT DELETED OR \$ PORTION REMOVED PER F45 CONTROL CARD OPTION DD	FTN 4-5 CONV RM	60483000
A48 END STATEMENT INSERTED	FTN 4-5 CONV RM	60483000
A49 HOLLERITH IN OUTPUT STATEMENT CONVERTED TO APOSTROPHE DELIMITED HOLLERITH	FTN 4-5 CONV RM	60483000
A50 ABBREVIATIONS OF OPERATORS EXPANDED TO FULL OPERATORS	FTN 4-5 CONV RM	60483000
A51 NUMBERED COMMON BLOCK CONVERTED TO LABELED	FTN 4-5 CONV RM	60483000
A52 ABBREVIATION DOUBLE EXPANDED TO FULL KEYWORD	FTN 4-5 CONV RM	60483000
A53 REDUNDANT FORM OF OUTPUT STATEMENT CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A54 EXPONENT LENGTH SPECIFIER D IN E DESCRIPTOR CONVERTED TO E	FTN 4-5 CONV RM	60483000
A55 DUMMY ARGUMENT DELETED	FTN 4-5 CONV RM	60483000
A56 ELEMENT OF LEVEL NOT IN COMMON NOR AN FP - DELETED	FTN 4-5 CONV RM	60483000
A57 INPUT STATEMENT SYNTAX CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A58 LEVEL DELETED - ELEMENT IN PREVIOUS NEW LEVEL, LCC AFTER IDENT	FTN 4-5 CONV RM	60483000
A59 OVERLAY BEFORE IDENT CONVERTED TO LCC AFTER IDENT	FTN 4-5 CONV RM	60483000
A60 EXTERNAL GENERATED TO AVOID FTN4 NAME / FTN5 FUNCTION CONFLICT	FTN 4-5 CONV RM	60483000

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
A61 TEMPORARY NAME SUBSTITUTED FOR OVERSUBSCRIPTED ARRAY	FTN 4-5 CONV RM	60483000
A62 ZERO-FILLED TYPE HOLLERITH CONSTANTS CONVERTED TO FTN5 FORM	FTN 4-5 CONV RM	60483000
A63 FLOATING-POINT DESCRIPTOR GIVEN FIELD OF ZERO	FTN 4-5 CONV RM	60483000
nnnnnnnnB C M REQUIRED	MCS 1 RM	60480300
nnnnnnB CM sss.sss CPS, eeeeeB ECS	COBOL 5 RM	60497100
nnnnnnB CM REQUIRED, mmm.mmm SECS COMPILE TIME	COBOL 5 DH	60482500
B OPTION INVALID WITH SEQUENTIAL OLDPL	UPDATE RM	60449900
nnnnnnnnB TOTAL TABLES SIZE	MCS 1 RM	60480300
BACKING UP WITH X SPECIFICATION IS NON-ANSI	FORTRAN EXT 4	60497800
BACKUP DIRECTORY - xxxxxxxx HAS BEEN RECONSTRUCTED.	TAF 1 RM	60459500
BAD ADDRESS	NOS 2 OP/ANL HB	60459310
BAD AIP OPCODE	FORTRAN EXT 4	60497800
BAD AN NET/ON SM RESPONSE FROM NVF.	NAM 1 RM	60499500
BAD CATALOG/PERMIT SECTOR.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
BAD CC PARAMETER = p	CDCS 2 DA RM	60485200
BAD CONTROL CARD ARGUMENT-parm	BASIC 3 RM	19983900
BAD CONTROL CARD PARAMETER = p	CDCS 2 DA RM	60485200
BAD CONTROL STATEMENT ARGUMENT - xx	COMPASS 3 RM	60492600
BAD DATA IN READ	BASIC 3 RM	19983900
BAD DEBUG LOG FILE	NAM 1 RM	60499500
BAD DIRECTIVE TABLE ENTRY	NAM 1 RM	60499500
BAD DIRECTORY ON ADL.	NOS 2 OP/ANL HB	60459310
BAD DIRECTORY ON ADL	MCS 1 RM	60480300
BAD DUMP FILE.	NOS 2 SYS MAINT	60459300
BAD FCOFY CONVERSION TABLE.	NOS 2 RS VOL 3	60459680
BAD FILE NAME	XEDIT 3 RM	60455730
n BAD FORMAT BLOCKS.	NOS 2 RS VOL 3	60459680
BAD FORMAT FIELD	BASIC 3 RM	19983900
BAD LCF.	NOS 2 OP/ANL HB	60459310
BAD LCF/TERM RECORD POSITION	NPS RM	60480500
BAD MINACN/MAXACN VALUE. JOBID = jobid.	NOS 2 OP/ANL HB	60459310
BAD NCF.	NOS 2 OP/ANL HB	60459310
BAD NCF READ.	NOS 2 OP/ANL HB	60459310
BAD NETWORK BLOCK DISCARDED.	NOS 2 OP/ANL HB	60459310
BAD NLF FILE FORMAT	NOS 2 OP/ANL HB	60459310
BAD OFFSET IN PARAMETER DESCRIPTOR	8-BIT SUBR RM	60495500
BAD OFFSET IN PARAMETER DESCRIPTOR	FORM RM	60496200
BAD OLD LIBRARY HEADER	MCS 1 RM	60480300
BAD OLD MASTER DIRECTORY FILE	CDCS 2 DA RM	60485200
BAD OR MISSING NUMERIC FIELD	NPS RM	60480500
BAD ORDER ON YANK DIRECTIVE	UPDATE RM	60449900
BAD PARAMETER = p	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
BAD PP	FORTRAN EXT 4	60497800
BAD RESULT	FORTRAN EXT 4	60497800
BAD SCRIPT LIBRARY FILE	NPS RM	60480500
BAD SEGLOAD BINARY	LOADER 1 RM	60429800
BAD SUBSCRIPT IN EQUIV STMT	FORTRAN EXT 4	60497800
BAD SYNTAX ENCOUNTERED	FORTRAN EXT 4	60497800
BAD SYNTAX IN Z, S, N, OR P FIELD	8-BIT SUBR RM	60495500
BAD SYNTAX IN Z, S, N, OR P FIELD	FORM RM	60496200
BAD SYSTEM POINTER.	NOS 2 SYS MAINT	60459300
BAD TAB ARG- 1 USED	BASIC 3 RM	19983900
BAD TEXT LINE ENCOUNTERED.	XEDIT 3 RM	60455730
BAD VERIFICATION RECORD FILE LF=lfm	NDL 1 RM	60480000
BAD VERIFICATION RECORD FILE NF=lfm	NDL 1 RM	60480000
BAD VERIFICATION RECORD ON ADL.	NOS 2 OP/ANL HB	60459310
BAD VERIFICATION RECORD ON ADL	MCS 1 RM	60480300
BAD WORD ENTRY COUNT	NAM 1 RM	60499500
BADLY NESTED REPEAT	NPS RM	60480500
BASIC COMPILATION ERRORS	BASIC 3 RM	19983900
BASIC EXECUTION ERROR	BASIC 3 RM	19983900
BASIC EXTERNAL OR INTRINSIC FUNCTION CALLED WITH WRONG TYPE ARGUMENT	FORTRAN EXT 4	60497800
BASIC OR INTRINSIC FUNCTION WITH AN INCORRECT ARGUMENT COUNT	FORTRAN EXT 4	60497800
BATCH ABORT - COMMAND ERROR.	XEDIT 3 RM	60455730
BATCH COMMAND ILLEGAL IN ASYNC SCRIPT	NPS RM	60480500
BATCH CONCURRENCY DISABLED.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
BEFORE IMAGE NOT FOUND ON LOG FILE	QU/CRM DA RM	60482100
BEG SPECIFIED TWICE	FORM RM	60496200
BEGIN CRM TASK RECOVERY.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
BEGIN PROCESSING DIRECTIVES FOR SCHEMA sn	CDCS 2 DA RM	60485200
BEGIN TEXT EDITING.	TEXT EDITOR RM	60436100
BGD SPECIFIED TWICE	FORM RM	60496200
BIF001 WRONG NUMBER OF ARGUMENTS TO -identifier- BUILTIN FUNCTION	PL/I RM	60388100
BIF003 IMPROPER ARGUMENT -identifier- TO -identifier- BUILTIN FUNCTION	PL/I RM	60388100
BIF005 ARGUMENT -identifier- TO -identifier- MATH BUILTIN FUNCTION MUST BE SCALAR	PL/I RM	60388100
BIF006 ARGUMENT -identifier- TO -identifier- MATH BUILTIN FUNCTION MUST BE OF BIF006 COMPUTATIONAL TYPE	PL/I RM	60388100
BIF009 ARGUMENT -identifier- TO VALID BUILTIN FUNCTION MUST BE PICTURED	PL/I RM	60388100
BIF011 PRECISION P IN -identifier- BUILTIN FUNCTION CANNOT BE SIGNED OR ZERO	PL/I RM	60388100
BIF012 PRECISION P OR SCALE FACTOR Q IN -identifier- BUILTIN FUNCTION MUST BE AN BIF012 INTEGER	PL/I RM	60388100
BIF015 -identifier- BUILTIN FUNCTION CANNOT BE USED AS SUBROUTINE-REFERENCE IN BIF015 CALL STATEMENT	PL/I RM	60388100
BINARY RECORD WAS LESS THAN 64D WORDS LONG.	TAF 1 RM	60459500
BINARY RECORD WAS NEITHER ABSOLUTE NOR OVERLAY FORMAT.	TAF 1 RM	60459500

MESSAGE

BINARY SEQ. ERROR, RECxxxx CDyyyy.
BIT NUMBER > 6
BIT POSITION ONLY VALID WITH TYPE -B-
BIT SPECIFICATION ILLEGAL FOR NON-BIT FIELD
BIT SPECIFICATION ILLEGAL FOR NON-BIT FIELD
BIT SPECIFIER NON-NUMERIC
BKF est, nn.
BKP est, nn.
BKR eq, nn.
BLANK CLOSE STATEMENT
BLANK FILE STATEMENT
BLANK LABELS DO NOT VERIFY.
BLANK LABELS DO NOT VERIFY.
nnnnn BLANK STATEMENTS WERE IGNORED
BLANK TAPE, filename AT address.

BLK NOT SPECIFIED
BLK OUT OF RANGE
BLK SPECIFIED TWICE
BLKSIZE EXCEEDS 32760 BYTES
BLKSIZE EXCEEDS 32760 BYTES
BLKSIZE NOT SPECIFIED
BLKSIZE NOT SPECIFIED
BLOCK BUFFER OVERFLOW.

BLOCK BUFFER TOO SMALL.

BLOCK FWA ERROR
nnnnn BLOCK IF(S) NOT TERMINATED
BLOCK LOAD ERROR.

BLOCK LOST - tn.
BLOCK POINTERS MESSED UP - SEE (B2)
BLOCK SEQUENCE ERROR.
BLOCK SEQUENCE ERROR, filename AT address.

BLOCK SEQUENCE MISMATCH.
filename STAGING ERROR, JSN=jsn,
FM=familyname, UI=userindex, CSU=id, MST=n,
VSN=vsu, ASA=addr, STRM=s.

BLOCK SHORTER THAN V-HEADER
BLOCK SHORTER THAN V-HEADER
BLOCK SIZE ERROR ON ALLOCATE
BLOCK SIZE NOT APPLICABLE.
BLOCK SIZE TOO LARGE ON filename.
BLOCK SIZE TOO SMALL ON filename.
BLOCK TOO LARGE, filename AT address.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
8-BIT SUBR RM	60495500
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
COM MEM MGMT 1	60499200
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
COM MEM MGMT 1	60499200
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
8-BIT SUBR RM	60495500
FORM RM	60496200
COM MEM MGMT 1	60499200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
BUFFER I/O PARITY SPECIFIER MUST BE INTEGER CONSTANT OR VARIABLE	FORTRAN 5 RM	60481300
BUFFER LENGTH FOR FILE mnnnn EXCEEDS 360000B -- DEFINITION IGNORED	FORTRAN 5 RM	60481300
BUFFER LENGTH FOR FILE nnnnn EXCEEDS 360000B -- 360000B USED	FORTRAN EXT 4	60497800
BUFFER LENGTH TOO SHORT.	NOS 2 SYS MAINT	60459300
BUFFER OVERFLOW - ALL FILES LISTED BUT NOT SORTED.	NOS 2 RS VOL 3	60459680
BUFFER SIZE TOO SMALL FOR DUMP FILE RECORD x.	NOS 2 SYS MAINT	60459300
BUFFER SPACE ERROR (TOV)	NOS 2 RS VOL 3	60459680
nn BUFFERS ACTIVE.	NOS 2 OP/ANL HB	60459310
pfn BUSY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
B=0 AND GO IS INCONSISTENT	PL/I RM	60388100
C. B. NOT AVAILABLE TO SCHEDULE CTASK.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
Ccc DOWNED.	NOS 2 OP/ANL HB	60459310
C.DTCMP - PARAMETER NOT ALPHANUMERIC OR LESS THAN 8 CHARACTERS IN LENGTH	COBOL 5 RM	60497100
C.DTCMP - PARAMETER NOT ALPHANUMERIC OR LESS THAN 8 CHARACTERS IN LENGTH	COBOL 5 DH	60482500
C.FILE CALL - COMMA REQUIRED HERE IN CHAR nn	COBOL 5 RM	60497100
C.FILE CALL - COMMA REQUIRED HERE IN CHAR nn	COBOL 5 DH	60482500
C.FILE CALL - FILE ORG NOT DIRECT AND TRC SPECIFIED	COBOL 5 RM	60497100
C.FILE CALL - FILE ORG NOT DIRECT AND TRC SPECIFIED	COBOL 5 DH	60482500
C.FILE CALL - ILLEGAL PARAMETER STARTING IN CHAR nn	COBOL 5 RM	60497100
C.FILE CALL - ILLEGAL PARAMETER STARTING IN CHAR nn	COBOL 5 DH	60482500
C.FILE CALL - LFN NOT LEGAL FILE NAME - NAME IS xxxxxxxx	COBOL 5 RM	60497100
C.FILE CALL - LFN NOT LEGAL FILE NAME - NAME IS xxxxxxxx	COBOL 5 DH	60482500
C.FILE CALL - PARAMETER DATA ITEM NOT ALPHANUMERIC	COBOL 5 RM	60497100
C.FILE CALL - PARAMETER DATA ITEM NOT ALPHANUMERIC	COBOL 5 DH	60482500
C.FILE CALL - = SIGN REQUIRED HERE IN CHAR nn	COBOL 5 DH	60482500
C.FILE CALL - = SIGN REQUIRED HERE IN CHAR nn	COBOL 5 RM	60497100
C.GETBK GIVEN ILLEGAL BLOCK TYPE	COBOL 5 DH	60482500
C.GETBK GIVEN ILLEGAL BLOCK TYPE	COBOL 5 RM	60497100
nnnnn C\$ IF(S) NOT TERMINATED	FORTRAN 5 RM	60481300
Ccc, MTS FIRMWARE LOAD ERRORS. or Ccc, FSC FIRMWARE ERRORS.	NOS 2 OP/ANL HB	60459310
C\$ PARAMETER VALUE FOR mnnnn ON mmmmm MUST BE 0 OR 1	FORTRAN 5 RM	60481300
Ccc, Tt ATS CONVERSION TABLE LOAD ERROR. or Ccc, Tt MTS CONVERSION TABLE LOAD ERROR. or Ccc, Tt FSC CONVERSION TABLE LOAD ERROR.	NOS 2 OP/ANL HB	60459310
CALL CAUSED OVERFLOW, NO ON OVERFLOW SPECIFIED	COBOL 5 DH	60482500
CALL CAUSED OVERFLOW, NO ON OVERFLOW SPECIFIED	COBOL 5 RM	60497100
CALL STATEMENT ERROR	MCS 1 RM	60480300
CALL STATEMENT MISSING ROUTINE NAME	FORTRAN 5 RM	60481300
CALL STATEMENT MISSING ROUTINE NAME	FORTRAN EXT 4	60497800
CALLED FROM xxxxxx AT SOURCE LINE yyyyyy	COBOL 5 RM	60497100

MESSAGE

CALLED FROM xxxxxx AT SOURCE LINE yyyyy
CALLED PROGRAM NOT IN FDL FILE
CALLING JOB MAY NOT DROP ITSELF.
CALLRIN NESTED CALL LIMIT EXCEEDED.
CALLS NESTED TOO DEEP TAF TASK
CANCEL FOR ROUTINE WHICH HAS NOT TAKEN EXIT
CANCEL FOR STATIC ROUTINE IGNORED
CANCEL FOR STATIC ROUTINE IGNORED
CANCELLED PROGRAM NOT IN FDL FILE
CANCELLED PROGRAM NOT IN FDL FILE
CANNOT ACCESS L-DISPLAY.
CANNOT ALLOCATE DEVICE.
**** CANNOT ALTER XD/XT OF *CSAP*.
CANNOT ATTACH *IQFT* FILE.
filename CANNOT BE ACCESSED.
filename CANNOT BE ASSIGNED TO THE TERMINAL.
nnnnn CANNOT BE DUMMY ARGUMENT
* fff * CANNOT BE USED ALONG WITH OTHER VALUES
* ggg * CANNOT BE USED WITHOUT VALUES
CANNOT BROADCAST TO HOST-HOST LOGICAL LINK.
CANNOT CATLIST FAMILY/PACK-fampck.
CANNOT DEFINE REFORMATTED FILE - filename.
**** CANNOT DELETE *CSAP* PRIVILEGE.
**** CANNOT DELETE USER RUNNING MODVAL.
CANNOT EDIT EXECUTE ONLY FILES.
CANNOT FIND FOLLOWING PFN ENTRY IN PFN TABLE pfn
CANNOT FIND SCHEMA IN MASTER DIRECTORY
CANNOT FIX VSN FOR GOOD LABEL.
CANNOT GET num WORDS QM FOR jn
nnnnn CANNOT HAVE ASSUMED CHARACTER LENGTH
CANNOT LOCATE START ADDRESS.
CANNOT -QUIT- TEST
CANNOT READ LOG FILE
CANNOT RESTORE LOG TO INPUT TAPE LOGFILE
CANT DUMP TO IEM FORMAT
CANT GET -a- SHALL WE TRY AGAIN
CANT LOAD CAPSULE
CANT LOAD COMP3§
CANT SEARCH WITH BIT OFFSET
CANT SORT SYMBOL TABLE INCREASE FL BY ffffB
CANT UNLOAD CAPSULE
xxxxxxx CARD ERROR

<u>MANUAL</u>	<u>PUB. NO.</u>
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
COBOL 5 RM	60497100
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 RM	60497100
COBOL 5 DH	60482500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
XEDIT 3 RM	60455730
XEDIT 3 RM	60455730
FORTRAN 5 RM	60481300
COBOL 5 RM	60497100
COBOL 5 RM	60497100
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
XEDIT 3 RM	60455730
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN 5 RM	60481300
NOS 2 SYS MAINT	60459300
FORM RM	60496200
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
FORM RM	60496200
QUERY UPDT 3 RM	60498300
FORM RM	60496200
COMPASS 3 RM	60492600
FORM RM	60496200
FORTRAN EXT 4	60497800
FORM RM	60496200
NPS RM	60480500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CARD NOT FOUND.	MODIFY RM	60450100
CARD NOT REACHED.	MODIFY RM	60450100
CARD NUMBER ZERO OR INVALID CHARACTER IN NUMERIC FIELD	UPDATE RM	60449900
CARD READER ERROR.	NOS 2 RS VOL 3	60459680
xxxxxx CARD SEQUENCE ERROR	NPS RM	60480500
CARTRIDGE CONFLICT, X=x, Y=y. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
CARTRIDGE NOT ASSIGNED AS EXPECTED.	NOS 2 SYS MAINT	60459300
CARTRIDGE NOT EMPTY, vsn.	NOS 2 SYS MAINT	60459300
CARTRIDGE NOT FOUND.	NOS 2 SYS MAINT	60459300
CARTRIDGE PRESENT - LOST BIT SET.	NOS 2 SYS MAINT	60459300
CARTRIDGE WEAR NOTED, X=x, Y=y. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
CATALOG ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
CATALOG COMPLETE.	NOS 2 SYS MAINT	60459300
CATALOG FILE NAME CONFLICT.	NOS 2 RS VOL 3	60459680
CATALOG FORMAT ERROR.	NOS 2 SYS MAINT	60459300
CATALOG INDEX OUT OF RANGE.	NOS 2 SYS MAINT	60459300
CATALOG LOST BIT MUST BE SET.	NOS 2 SYS MAINT	60459300
CATALOG/MAP FILE INTERLOCKED.	NOS 2 SYS MAINT	60459300
CATALOG/MAP INTERLOCKED.	NOS 2 SYS MAINT	60459300
CATALOG/MAP NOT OPEN.	NOS 2 SYS MAINT	60459300
CATALOG/MAP NOT OPENED.	NOS 2 SYS MAINT	60459300
CATALOG MISSING FOR FAMILY familyname. UNABLE TO PROCESS MOVE REQUEST FILE.	NOS 2 SYS MAINT	60459300
CATALOGING filename userindex.	NOS 2 SYS MAINT	60459300
CATALOGING COMPLETED.	NOS 2 SYS MAINT	60459300
CATALOGS MODIFIED.	NOS 2 SYS MAINT	60459300
CATALOGS NOT MODIFIED.	NOS 2 SYS MAINT	60459300
CATLIST COMPLETE.	NOS 2 RS VOL 3	60459680
nnnnn CAUSES CHARACTER DECLARATION CONFLICT IN EQUIVALENCE GROUP	FORTRAN 5 RM	60481300
CCL100-SEPARATOR FOLLOWING VERB MUST BE COMMA OR LEFT PARENTHESIS	NOS 2 RS VOL 3	60459680
CCL101-LAST NON-BLANK CHARACTER MUST BE SEPARATOR	NOS 2 RS VOL 3	60459680
CCL102-EQUAL SIGN MUST FOLLOW FIRST SYMBOLIC NAME	NOS 2 RS VOL 3	60459680
CCL103-STATEMENT INCOMPLETE	NOS 2 RS VOL 3	60459680
CCL104-EXPRESSION AND STATEMENT TERMINATED BY terminator	NOS 2 RS VOL 3	60459680
CCL105-TERMINATOR MUST FOLLOW SUBSYSTEM NAME	NOS 2 RS VOL 3	60459680
CCL120-ALL CARDS SKIPPED - xxxxxx	NOS 2 RS VOL 3	60459680
CCL121-LABEL STRING MUST BEGIN WITH ALPHA CHARACTER	NOS 2 RS VOL 3	60459680
CCL123-ALPHANUMERIC LABEL STRING REQUIRED	NOS 2 RS VOL 3	60459680
CCL124-PRECEDING ERR MSG. APPLIES TO FOLLOWING	NOS 2 RS VOL 3	60459680
CCL125-NUMBER OF CARDS SUPPRESSED=x	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL126-STATEMENT TERMINATOR MUST FOLLOW LABEL	NOS 2 RS VOL 3	60459680
CCL127-LABEL STRING EXCEEDS xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL150-EXPRESSION CONTAINS INVALID OPERATOR x	NOS 2 RS VOL 3	60459680
CCL151-EXPRESSION FORMAT ERROR (IN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL152-POORLY FORMED FUNCTION (NUM, DT, SS)	NOS 2 RS VOL 3	60459680
CCL153-ILLEGAL FUNCTION CALL (WITHIN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL154-ILLEGAL EXPONENT	NOS 2 RS VOL 3	60459680
CCL155-OPERATOR OR OPERAND SEQUENCE ERROR	NOS 2 RS VOL 3	60459680
CCL156-STRING TOO LONG -strng	NOS 2 RS VOL 3	60459680
CCL157-UNKNOWN NAME -strng	NOS 2 RS VOL 3	60459680
CCL158-OPERATOR/TERMINATOR MUST FOLLOW FUNCTION (DT, FILE, NUM)	NOS 2 RS VOL 3	60459680
CCL159-FIRST PARAMETER INVALID IN SET STATEMENT	NOS 2 RS VOL 3	60459680
CCL160-NUMERIC OR LITERAL ILLEGAL (IN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL161-STACK OVERFLOW	NOS 2 RS VOL 3	60459680
CCL162 - PERIOD BRACKETED OPERATORS PREFERRED	NOS 2 RS VOL 3	60459680
CCL163-SUBSYSTEM REFERENCE ERROR	NOS 2 RS VOL 3	60459680
CCL164 - PAGE PARAMETER ERROR	NOS 2 RS VOL 3	60459680
CCL200-PROCEDURE NESTING LEVEL xx EXCEEDED	NOS 2 RS VOL 3	60459680
CCL201-PROCEDURE NAME MORE THAN 7 CHARACTERS	NOS 2 RS VOL 3	60459680
CCL202 - PROCEDURE FILE IS EXECUTE ONLY MODE	NOS 2 RS VOL 3	60459680
CCL203-PROCEDURE FILE NAME NOT SPECIFIED OR INVALID	NOS 2 RS VOL 3	60459680
CCL204-MULTIPLE EQUIVALENCE SPECIFICATIONS FOR xx	NOS 2 RS VOL 3	60459680
CCL205-FORMAL PARAMETER LIST DOES NOT INCLUDE -x	NOS 2 RS VOL 3	60459680
CCL206-SYMBOLIC SPECIFICATION INVALID xxx	NOS 2 RS VOL 3	60459680
CCL207-PROCEDURE NAMED BEGIN IS INVALID	NOS 2 RS VOL 3	60459680
CCL211-SPECIFICATION EXCEEDS xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL212-SEPARATOR INVALID strng s	NOS 2 RS VOL 3	60459680
CCL230-PROCEDURE FILE NOT FOUND	NOS 2 RS VOL 3	60459680
CCL231-PROCEDURE NOT FOUND	NOS 2 RS VOL 3	60459680
CCL233 - PROC HEADER MUST LEAD LIBRARY PARTITION/PNAME MUST EQ PARTITION NAME	NOS 2 RS VOL 3	60459680
CCL234-UNABLE TO LOCATE LIBRARY PARTITION - xxx	NOS 2 RS VOL 3	60459680
CCL235-FORMAL PARAMETER GT xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL236-SPECIAL DEFAULT SPECIFICATION UNKNOWN	NOS 2 RS VOL 3	60459680
CCL237-SEPARATOR FOLLOWING SECOND DEFAULT IS */*	NOS 2 RS VOL 3	60459680
CCL238-FORMAL PARAMETER LIMIT xx EXCEEDED	NOS 2 RS VOL 3	60459680
CCL239-PROCEDURE HEADER MUST BE TERMINATED BY A PERIOD	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL249 - DATA FILE LFN EXCEEDS 7 CHARACTERS - filename	NOS 2 RS VOL 3	60459680
CCL250-CONCATENATED STRING EXCEEDS xx	NOS 2 RS VOL 3	60459680
CCL251-DATA COMMAND SPECIFIED CCL FILE - filename	NOS 2 RS VOL 3	60459680
CCL252-PROCEDURE CONTAINS NO CONTROL STATEMENTS	NOS 2 RS VOL 3	60459680
CCL253 - PROC BODY STRING EXPANDS .GT. xx.	NOS 2 RS VOL 3	60459680
CCL261-ENDW WITH MATCHING LABEL FOUND	NOS 2 RS VOL 3	60459680
CCL262-CONTINUING SEARCH, PRINT SKIPPED CARDS	NOS 2 RS VOL 3	60459680
CCL263 EXTERNAL ABORT DURING BEGIN.	NOS 2 RS VOL 3	60459680
CCL263 EXTERNAL ABORT DURING ENDW.	NOS 2 RS VOL 3	60459680
CCL270-ERR IN CCL WORK FILES, REVERT TO JOB FILE	NOS 2 RS VOL 3	60459680
CCL271-REVERT NOT ALLOWED WITHIN JOB FILE	NOS 2 RS VOL 3	60459680
CCL272-INVALID REVERT PARAMETER - param	NOS 2 RS VOL 3	60459680
CCL273 - EXPECTING . OR) AFTER REVERT,EX	NOS 2 RS VOL 3	60459680
CCL300-NON-NUMERIC CHARACTER WITHIN NUMERIC TERM	NOS 2 RS VOL 3	60459680
CCL302-8/9 DIGIT CONFLICTS WITH POST RADIX OF B	NOS 2 RS VOL 3	60459680
CCL303-LITERAL NOT TERMINATED	NOS 2 RS VOL 3	60459680
CCL304-STRCCL - SCATTER BUFFER HEADER INVALID	NOS 2 RS VOL 3	60459680
CCL320 - CORRECT CCL320 - ENTER	NOS 2 RS VOL 3	60459680
CCL321 - EXPECTING (AFTER PARAMETER= ON HEADER	NOS 2 RS VOL 3	60459680
CCL322 - END HEADER WITH . OR USE ,/ BEFORE PARAM	NOS 2 RS VOL 3	60459680
CCL323 - EXCESS PATTERNS/VALUES - PROC HEADER	NOS 2 RS VOL 3	60459680
CCL324 - CHECKLIST PATTERN MUST BE *N *K *F *A *S	NOS 2 RS VOL 3	60459680
CCL325 - *SN(SET) N MUST BE .LE. 40 and .GE. 1	NOS 2 RS VOL 3	60459680
CCL326 - I OR M MUST FOLLOW PNAME* ON HEADER.	NOS 2 RS VOL 3	60459680
CCL327 - EXPECTING VALUE AFTER PATTERN = ON HEADER	NOS 2 RS VOL 3	60459680
CCL328 - HEADER PARAMETER DESCRIPTION TOO LARGE.	NOS 2 RS VOL 3	60459680
CCL329 - MISC. AFTER HEADER PARAMETER DESCRIPTION	NOS 2 RS VOL 3	60459680
CCL330 - EXPECTED , = OR) AFTER CHECKLIST PATTERN	NOS 2 RS VOL 3	60459680
CCL331 - EXPECTED , OR) AFTER PATTERN VALUE	NOS 2 RS VOL 3	60459680
CCL332 - WRITE SET AS *SN(SET) ON PROC HEADER	NOS 2 RS VOL 3	60459680
CCL333 - DUPLICATE *K *N - PROC HEADER	NOS 2 RS VOL 3	60459680
CCL334 - MISSING QUOTE - PROMPT/TITLE/ DESCRIPTION	NOS 2 RS VOL 3	60459680
CCL335 - DESCRIPTION MISSING] BRACKET.	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL336 - PATTERN OR VALUE ON PROC HEADER .GT. 40	NOS 2 RS VOL 3	60459680
CCL337 - EXPECTING , / AFTER * HEADER PATTERN.	NOS 2 RS VOL 3	60459680
CCL352 - HELP PARAMETER NAME NOT FOUND	NOS 2 RS VOL 3	60459680
CCL353 - ONLY COMMA ALLOWED AFTER .HELP	NOS 2 RS VOL 3	60459680
CCL354 - .HELP STATEMENT INCORRECTLY WRITTEN	NOS 2 RS VOL 3	60459680
CCL355 - NO .ENDHELP FOR .HELP	NOS 2 RS VOL 3	60459680
CCL357 - DUPLICATE HELP STATEMENTS IN PROC BODY	NOS 2 RS VOL 3	60459680
CCL373 - EXPECTING (OR , AFTER .IF .ELSE .ENDIF.	NOS 2 RS VOL 3	60459680
CCL374 - EXPECTING PERIOD AFTER .EX	NOS 2 RS VOL 3	60459680
CCL375 - COMMAND IS NULL ON .EX DIRECTIVE.	NOS 2 RS VOL 3	60459680
CCL376 - .IF DIRECTIVE HAS INCOMPLETE EXPRESSION	NOS 2 RS VOL 3	60459680
CCL377 - EXPECTING ,) OR . AFTER .IF EXPRESSION	NOS 2 RS VOL 3	60459680
CCL378 - , OR C MUST FOLLOW .DIRECTIVE NAME	NOS 2 RS VOL 3	60459680
CCL380 - EXPECTING TITLE OR , AFTER *M ON HEADER	NOS 2 RS VOL 3	60459680
CCL381 - KEYWORD MISSING ON MENU HEADER	NOS 2 RS VOL 3	60459680
CCL382 - PROMPT ON PROC HEADER IS TOO LARGE	NOS 2 RS VOL 3	60459680
CCL383 - MISSING SELECTION ON MENU HEADER	NOS 2 RS VOL 3	60459680
CCL384 - TITLE ON PROC HEADER IS TOO LARGE	NOS 2 RS VOL 3	60459680
CCL385 - EXPECTING = AFTER KEYWORD ON HEADER	NOS 2 RS VOL 3	60459680
CCL386 - EXPECTING COMMA AFTER HEADER TITLE	NOS 2 RS VOL 3	60459680
CCL387 - BEGINNING OF HEADER CHECKLIST NOT FOUND	NOS 2 RS VOL 3	60459680
CCL388 - EXPECTING INTEGER HEADER SELECTION OPTION	NOS 2 RS VOL 3	60459680
CCL390 - EXPECTING , OR) AFTER CHECKLIST SELECTION	NOS 2 RS VOL 3	60459680
CCL392 - EXPECTING , OR) AFTER HEADER PROMPT	NOS 2 RS VOL 3	60459680
CCL393 - EXPECTING PERIOD AFTER HEADER CHECKLIST	NOS 2 RS VOL 3	60459680
CCL394 - TOO MANY HEADER SELECTIONS SPECIFIED	NOS 2 RS VOL 3	60459680
CCL395 - HEADER SELECTION EXCEEDS 10 CHARACTERS	NOS 2 RS VOL 3	60459680
CCL421 - EXPECTING , OR (AFTER .DIRECTIVE	NOS 2 RS VOL 3	60459680
CCL422 - A .DIRECTIVE WAS FOUND IN THE PROC BODY	NOS 2 RS VOL 3	60459680
CDCS ABORT	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ABORT, INVALID MASTER DIRECTORY	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ABORT, NO SCHEMA ENTRIES IN MASTER DIRECTORY	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ABORTED PLEASE WAIT.	TAF 1 RM	60459500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS ABORTED--RECOVERY FOR ALL SCHEMAS IMPOSSIBLE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS CHARGED xxxxxx.xxx CP yyyyyy.yyy IO	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS CONNECTION ESTABLISHED.	TAF 1 RM	60459500
CDCS DETECTED A FATAL ERROR ON JOURNAL LOG FILE fn	CDCS 2 DA RM	60485200
CDCS DOWN COMPLETE	CDCS 2 AP RM	60485300
CDCS DOWN COMPLETE CDCS ERRORS	CDCS 2 DA RM	60485200
CDCS ERRORS	CDCS 2 AP RM	60485300
CDCS EXIT SCP MODE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS FUNCTION CODE UNKNOWN DB\$\$SIM 1	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS IDLE COMPLETE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ILLEGAL REQUEST, DOUBLE INVOKE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ILLEGAL REQUEST, ILLEGAL FUNCTION CODE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ILLEGAL REQUEST, NOT INVOKED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS ILLEGAL REQUEST, TWO OUTSTANDING REQUESTS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS INITIALIZATION COMPLETE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS INTERFACE TERMINATED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS INTERNAL ERROR -- mdn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS INVOKE FAILURE.	TAF 1 RM	60459500
CDCS INVOKED BY user-id	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS JOB ABORT OR ENDED BY SYSTEM	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS JOURNAL LOG FILE NOT AVAILABLE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS NOT ACTIVE AT SYSTEM CONTROL POINT	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS NOT AVAILABLE.	TAF 1 RM	60459500
CDCS xx.yy PERCENT CPU USAGE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS RECOVERY COMPLETED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS RECOVERY STARTED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS REPRIEVE PROCESSING DONE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS REQUEST NOT IN FL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS REQUESTED ABORT.	TAF 1 RM	60459500
CDCS SCP STATUS TERMINATED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCS USED aaaaaa.aaa CP SECONDS bbbbbb.bbb IO SECONDS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCSBTF DEADLOCK, JOB ABORTED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CDCSBTF TERMINATED, LOADER ERROR nnnnn ON USER LOAD FILE fn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CDCSBTF TERMINATED, NO PROGRAMS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CE DIAG TEST IN PROGRESS.	NOS 2 OP/ANL HB	60459310
CEJ/MEJ NOT PRESENT OR DISABLED.	NOS 2 OP/ANL HB	60459310
CEZ NOT FOUND ON TAPE DEADSTART ABORTED	NOS 2 OP/ANL HB	60459310
CFO FROM JOB jsn	NOS 2 RS VOL 3	60459680
CFO FROM OPERATOR	NOS 2 RS VOL 3	60459680
CGABORT	COBOL 5 RM	60497100
CGABORT	COBOL 5 DH	60482500
CHcc,ABORT,ALL DATA NOT TAKEN.	NOS 2 SYS MAINT	60459300
CHcc,ABORT,Fffff.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
CHcc,ABORT,NO GENERAL STATUS.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
CHcc,ABORT,Snnnn.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
CHcc, EQest DOWNED BY SYSTEM.	NOS 2 OP/ANL HB	60459310
CHcc MAaaa - Ann.	NOS 2 OP/ANL HB	60459310
CHcc,MAttt,Avv,LOAD COMPLETE.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
CHcc, PARITY/CONTROLLER ERR.	NOS 2 OP/ANL HB	60459310
CHcc, Unuu - Szzzz.	NOS 2 OP/ANL HB	60459310
CHAIN FILE NOT FOUND	BASIC 3 RM	19983900
CHANGE TO READ-ONLY FILE	APL 2 RM	60454000
CHANGED TLD DETECTED - filename, username.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
CHANNEL ACTIVE ERROR.	NOS 2 OP/ANL HB	60459310
CHANNEL MALFUNCTION, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CHANNEL NUMBER ARGUMENT ERROR.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
CHANNEL cc PARITY ERROR.	NOS 2 OP/ANL HB	60459310
CHANNEL 36 NOT ACTIVE.	NOS 2 SYS MAINT	60459300
CHARACTER AND OTHER TYPE OPERANDS MAY NOT BE MIXED	FORTRAN 5 RM	60481300
CHARACTER ARRAY REQUIRED FOR FORMAT SPECIFIER	FORTRAN 5 RM	60481300
CHARACTER BOUNDS REVERSED IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
CHARACTER DECLARATION CONFLICT EXISTS IN COMMON BLOCK nnnnn	FORTRAN 5 RM	60481300
CHARACTER nnnnn FOUND AFTER TERMINAL RIGHT PAREN	FORTRAN EXT 4	60497800
CHARACTER LENGTH GREATER THAN 2*15-1	FORTRAN 5 RM	60481300
CHARACTER LENGTH MUST BE POSITIVE INTEGER CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
CHARACTER LENGTH NOT POSITIVE CONSTANT,(POSITIVE CONSTANT EXPRESSION) OR (*)	FORTRAN 5 RM	60481300
CHARACTER LENGTH ZERO ILLEGAL	FORTRAN 5 RM	60481300
CHARACTER LENGTHS OF ENTRY nnnnn AND FUNCTION CANNOT DISAGREE	FORTRAN 5 RM	60481300
= CHARACTER MISSING	NPS RM	60480500
CHARACTER nnnnn NOT DEFINED IN STANDARD FORTRAN--CARD SCAN STOPPED	FORTRAN EXT 4	60497800
CHARACTER OPERAND xxxxx USED WITH OPERATOR yyyyy	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CHARACTERISTICS OF THE LAST LOG RECORD DUMPED - USER ID OF RECORD id - PROGRAM ID OF RECORD id TYPE OF RECORD type DATE OF ENTRY date TIME OF ENTRY time	CDCS 2 DA RM	60485200
* CHARGE(charge,project)	NOS 2 RS VOL 3	60459680
CHARGE ABORTED.	NOS 2 RS VOL 3	60459680
CHARGE CARD REQUIRED.	NOS 2 RS VOL 3	60459680
CHARGE FILE BUSY.	NOS 2 RS VOL 3	60459680
CHARGE INVALID AT THIS HOUR.	NOS 2 RS VOL 3 NOS 2 RS VOL 3	60459680 60459680
**** CHARGE NUMBER ACTIVE.	NOS 2 SYS MAINT	60459300
**** CHARGE NUMBER DOES NOT EXIST.	NOS 2 SYS MAINT	60459300
CHARGE NUMBER EXPIRED.	NOS 2 RS VOL 3	60459680
**** CHARGE NUMBER INACTIVE.	NOS 2 SYS MAINT	60459300
CHARGE REQUIRED.	NOS 2 RS VOL 3	60459680
CHECK DAYFILE FOR ERRORS.	NOS 2 SYS MAINT NOS 2 RS VOL 3	60459300 60459680
CHECK *E,P* DISPLAY.	NOS 2 OP/ANL HB	60459310
CHECK E,P DISPLAY.	NOS 2 OP/ANL HB	60459310
CHECK OUTPUT FOR WARNING MESSAGES.	NOS 2 SYS MAINT	60459300
CHECKPOINT ABORTED.	NOS 2 OP/ANL HB	60459310
CHECKPOINT COMPLETE.	NOS 2 OP/ANL HB	60459310
CHECKPOINT nnnn COMPLETE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CHECKPOINT nnnn COMPLETED TO filename.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CHECKPOINT FILE ERROR.	NOS 2 RS VOL 3	60459680
CHECKPOINT NOT FOUND.	NOS 2 RS VOL 3	60459680
CHECKPOINT NOT FOUND ON LOG FILE	QU/CRM DA RM	60482100
CHKPT UNABLE TO READ TAPE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CIO ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CIO ERROR.	NOS 2 SYS MAINT	60459300
CIO ERROR nnn DURING ROLLOUT	CDCS 2 DA RM	60485200
CIO ERROR nnn ON CDCS JOURNAL LOG FILE SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CIO ERROR ON MSF CSUMAP. PFN=filename, FAMILY=familyname, UI=userindex.	NOS 2 SYS MAINT	60459300
CIO ERROR ON QRF	CDCS 2 DA RM	60485200
CIO ERROR ON QRF FILE	CDCS 2 DA RM	60485200
CIO ERROR nnn ON QUICK RECOVERY FILE SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CIO ERROR nnn ON TRANSACTION RECOVERY FILE-SCHEMA sn	CDCS 2 AP RM	60485300
CIO ERROR nnn WHILE RESTORING FILE	CDCS 2 DA RM	60485200
CKLAB - ABNORMAL TERMINATION.	NOS 2 SYS MAINT	60459300
CKP REQUEST.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CLASS NUMBER NOT WITHIN LEGAL RANGE	NPS RM	60480500
CLEAN READ/WRITE HEAD ASSEMBLY. RESPOND GO AFTER CLEANING.	NOS 2 OP/ANL HB	60459310

MESSAGE

MANUAL PUB. NO.

CLEAR ALTERNATE STORAGE INFORMATION.	NOS 2 SYS MAINT	60459300
CLEARING PF ACTIVITY COUNT.	NOS 2 SYS MAINT	60459300
CLEARING UTILITY INTERLOCK.	NOS 2 SYS MAINT	60459300
CLOSE DOOR ON UNIT.	NOS 2 OP/ANL HB	60459310
CLOSE www DRAWER.	NOS 2 OP/ANL HB	60459310
CLTC ERROR	CDCS 2 DA RM	60485200
CLTC ERROR CONTROL CARD PARAMETER xxxxx	CDCS 2 AP RM	60485300
CM BLOCK OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM FATAL ERROR.	NOS 2 OP/ANL HB	60459310
CM FL TOO SMALL	LOADER 1 RM	60429800
CM OR EC REQUEST EXCEEDS MAXIMUM.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM PARITY ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM RANGE EXIT MODE NOT DESELECTABLE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM RECORD NOT FOUND.	NOS 2 SYS MAINT	60459300
CM REQUIRED FOR LOAD EXCEEDS 131K	FORTRAN EXT 4	60497800
CM SHUTDOWN IMMINENT.	NOS 2 OP/ANL HB	60459310
CMC PARITY ERROR.	NOS 2 OP/ANL HB	60459310
CMC PARITY ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CMDFILE ERROR.	NOS 2 RS VOL 3	60459680
CMM ERROR.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
num CMM OVERFLOW CALLS MADE	CDCS 2 DA RM	60485200
CMM PARAM MISSING FROM LOADER USER CALL	LOADER 1 RM	60429800
CMFnnn Any message text	PL/I RM	60388100
CMR LENGTH CHANGED.	NOS 2 OP/ANL HB	60459310
CMR OVERFLOW.	NOS 2 OP/ANL HB	60459310
CMRDECK NOT ON TAPE.	NOS 2 OP/ANL HB	60459310
CNV001 OPERAND -identifier- MUST BE COMPUTATIONAL TYPE	PL/I RM	60388100
CNV002 VALUE ASSIGNED TO PICTURED VARIABLE -identifier- MUST BE OF COMPUTATIONAL CNV002 TYPE	PL/I RM	60388100
CNV003 VALUE ASSIGNED TO ARITHMETIC VARIABLE -identifier- MUST BE OF COMPUTATIONAL CNV003 TYPE	PL/I RM	60388100
CNV004 VALUE ASSIGNED TO BIT VARIABLE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV005 VALUE ASSIGNED TO CHARACTER VARIABLE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV006 VALUE ASSIGNED TO AREA VARIABLE -identifier- MUST BE AN AREA VALUE	PL/I RM	60388100
CNV007 VALUE ASSIGNED TO LOCATOR VARIABLE -identifier- MUST BE A LOCATOR VALUE	PL/I RM	60388100
CNV008 VALUE ASSIGNED TO LABEL VARIABLE -identifier- MUST BE A LABEL VALUE	PL/I RM	60388100
CNV009 SUBSCRIPT OR EXTENT -identifier- MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV010 DECLARATION OF -identifier-: REFER OPTION VARIABLE -identifier- MUST BE OF CNV010 COMPUTATIONAL TYPE	PL/I RM	60388100
CNV011 WHILE-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
CNV012 TO-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV013 BY-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV014 EXPRESSION IN IF STATEMENT MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV015 ARGUMENT -identifier- PASSED TO ENTRY PARAMETER MUST BE AN ENTRY VALUE	PL/I RM	60388100
CNV016 ARGUMENT -identifier- PASSED TO ARITHMETIC PARAMETER MUST BE OF CNV016 COMPUTATIONAL TYPE	PL/I RM	60388100
CNV017 ARGUMENT -identifier- PASSED TO CHARACTER PARAMETER MUST BE OF CNV017 COMPUTATIONAL TYPE	PL/I RM	60388100
CNV018 ARGUMENT -identifier- PASSED TO BIT PARAMETER MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV019 ARGUMENT -identifier- PASSED TO LABEL PARAMETER MUST BE A LABEL VALUE	PL/I RM	60388100
CNV020 ARGUMENT -identifier- PASSED TO LOCATOR PARAMETER MUST BE A LOCATOR VALUE	PL/I RM	60388100
CNV021 ARGUMENT -identifier- PASSED TO AREA PARAMETER MUST BE AN AREA VALUE	PL/I RM	60388100
CNV022 STRUCTURE OF ARGUMENT -identifier- MUST MATCH STRUCTURE OF PARAMETER	PL/I RM	60388100
CNV023 ARGUMENT -identifier- PASSED TO SCALAR PARAMETER MUST BE SCALAR	PL/I RM	60388100
CNV024 RETURN-VALUE CANNOT BE CONVERTED TO TYPE SPECIFIED BY ANY RETURNS- CNV024 DESCRIPTOR	PL/I RM	60388100
CNV025 RETURN-VALUE CANNOT BE CONVERTED TO TYPE SPECIFIED BY RETURNS-DESCRIPTOR CNV025 OF AT LEAST ONE ENTRY	PL/I RM	60388100
CNV026 CONSTANT IS COMPILED AS ZERO	PL/I RM	60388100
CNV027 CONSTANT IS COMPILED AS INFINITE	PL/I RM	60388100
CNV028 I/O EXPRESSION OR REFERENCE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV029 ARGUMENT -identifier- PASSED TO FILE PARAMETER MUST BE A FILE VALUE	PL/I RM	60388100
CNV030 DECLARATION OF -identifier-: EXTENT -identifier- MUST BE SCALAR AND CNV030 OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV031 VALUE OF LOCATOR MUST BE SCALAR AND LOCATOR	PL/I RM	60388100
CNV032 ARITHMETIC OPERATION OR CONVERSION GENERATES ILLEGAL PRECISION	PL/I RM	60388100
CNV033 ARGUMENT -identifier- PASSED TO PICTURED PARAMETER MUST BE OF CNV033 COMPUTATIONAL TYPE	PL/I RM	60388100
CNV034 EXPRESSION IN KEY OR KEYFROM OPTION MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNV035 EXPRESSION IN IGNORE OPTION MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
COBOL SYSTEM ERROR - IO STACK OVERFLOW	COBOL 5 DH	60482500
COBOL SYSTEM ERROR - IO STACK OVERFLOW	COBOL 5 RM	60497100
COBOL SYSTEM ERROR - IO STACK UNDERFLOW	COBOL 5 RM	60497100
COBOL SYSTEM ERROR - IO STACK UNDERFLOW	COBOL 5 DH	60482500
COBOL 5 COMPILER ABORT	COBOL 5 RM	60497100
COBOL 5 COMPILER ABORT	COBOL 5 DH	60482500
COD SPECIFIED TWICE	FORM RM	60496200
COL MUST BE COL=NN/MMM	PL/I RM	60388100
COLON NOT VALID	FORM RM	60496200
COLUMN NUMBER OUT OF RANGE.	MODIFY RM	60450100
COLUMN OUT OF RANGE.	MODIFY RM	60450100
COMMA AFTER DO LABEL IGNORED	FORTRAN EXT 4	60497800
COMMA AFTER STATEMENT LABEL IGNORED	FORTRAN 5 RM	60481300
COMMA AFTER STATEMENT LABEL IGNORED	FORTRAN EXT 4	60497800
COMMA AFTER VARIABLE NAME IN ASSIGNED GO TO IS REQUIRED	FORTRAN EXT 4	60497800
COMMA BEFORE AN I/O LIST IS ALLOWED ONLY ON SHORT READ OR PRINT STATEMENT	FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
COMMA BEFORE VARIABLE NAME IN COMPUTED GO TO IS REQUIRED	FORTRAN EXT 4	60497800
COMMA MISSING BEFORE VARIABLE INDICATED	FORTRAN EXT 4	60497800
COMMA MUST FOLLOW LEVEL NUMBER	FORTRAN 5 RM	60481300
COMMA MUST FOLLOW LEVEL NUMBER	FORTRAN EXT 4	60497800
COMMA NOT PERMITTED AFTER DO LABEL	FORTRAN EXT 4	60497800
COMMA OR E.O.S. MUST FOLLOW LEVEL LIST NAME	FORTRAN 5 RM	60481300
COMMA OR E.O.S. MUST FOLLOW LEVEL LIST NAME	FORTRAN EXT 4	60497800
COMMAND ABORTED.	NOS 2 OP/ANL HB	60459310
COMMAND CONTINUE?	TEXT EDITOR RM	60436100
COMMAND/EXPRESSION TOO COMPLEX	INTER DEBUG RM	60481400
COMMAND IGNORED, SHUTDOWN IN PROGRESS	RBF 1 RM	60499600
COMMAND ILLEGAL AFTER GO.	NOS 2 OP/ANL HB	60459310
COMMAND ILLEGAL AFTER GO	MCS 1 RM	60480300
COMMAND INVALID FROM PROGRAM	MCS 1 RM	60480300
COMMAND LINE TOO LONG	RBF 1 RM	60499600
COMMAND LINE TOO LONG - EXCESS CHARACTERS DISCARDED	INTER DEBUG RM	60481400
COMMAND MISSING PARAMETER.	NOS 2 OP/ANL HB	60459310
COMMAND MODE	MCS 1 RM	60480300
COMMAND NOT PROCESSED DUE TO OVERLAP	NOS 2 RS VOL 3	60459680
COMMAND NOT UNIQUE.	NOS 2 RS VOL 3	60459680
COMMAND NOT VALID	XEDIT 3 RM	60455730
COMMAND PROCESSED.	NOS 2 OP/ANL HB	60459310
COMMAND RESTRICTED TO NPU OPERATORS.	NOS 2 OP/ANL HB	60459310
COMMAND STACKING ERROR	XEDIT 3 RM	60455730
COMMAND TOO LONG.	NOS 2 RS VOL 3	60459680
COMMENT FROM JOB jsn	NOS 2 RS VOL 3	60459680
COMMENT FROM OPERATOR	NOS 2 RS VOL 3	60459680
COMMON BLOCK nnnnn CANNOT BE DECLARED LEVEL 0	FORTRAN 5 RM	60481300
COMMON BLOCK mnnnn EXCEEDS MAX BLOCK LENGTH 131071	FORTRAN 5 RM	60481300
COMMON BLOCK nnnnn EXCEEDS MAX LCM=G BLOCK LENGTH 1048568	FORTRAN 5 RM	60481300
COMMON BLOCK LENGTH EXCEEDS 131071 WORDS	FORTRAN EXT 4	60497800
COMMON BLOCK NAME....CANNOT BE....	FORTRAN 5 RM	60481300
COMMON CAN PRESET IN BLOCK DATA ONLY	FORTRAN 5 RM	60481300
COMMON ELEMENT nnnnn MAY NOT APPEAR IN SAVE	FORTRAN 5 RM	60481300
COMMON STATEMENT WITH NO LIST IS IGNORED	FORTRAN EXT 4	60497800
COMMON VARIABLE IS FORMAL PARAMETER OR PREVIOUSLY DECLARED IN COMMON OR ILLEGAL NAME	FORTRAN EXT 4	60497800
COMMUNICATION FILE BUSY.	NOS 2 SYS MAINT	60459300
COMMUNICATION FILE NOT PROCESSED.	NOS 2 SYS MAINT	60459300
COMPASS NEEDS AT LEAST mnnnnB SCH.	COMPASS 3 RM	60492600
COMPILATION ERROR	BASIC 3 RM	19983900
COMPILER ERROR - STD STACK OVERFLOW	MCS 1 RM	60480300
COMPILER ERROR - STD STACK UNDERFLOW	MCS 1 RM	60480300
COMPILING program, LAST STATEMENT BEGAN AT LINE nnnnn	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
COMPILING program, LAST STATEMENT BEGAN AT LINE nnnnn, ERROR AT aaaaa IN ddddddd, LAST OVERLAY LOADED - (p,s)	FORTRAN EXT 4	60497800
COMPLEX EXPRESSION IN AN IF STATEMENT	FORTRAN EXT 4	60497800
COMPLEX MUST ONLY BE RAISED TO INTEGER POWER	FORTRAN EXT 4	60497800
COMPUTED GO TO INDEX MUST BE INTEGER	FORTRAN 5 RM	60481300
COMPUTED GO TO INDEX MUST BE INTEGER	FORTRAN EXT 4	60497800
COMPUTED GO TO INDEX MUST BE VARIABLE	FORTRAN EXT 4	60497800
COMPUTED GO TO INDEX MUST NOT BE LOGICAL	FORTRAN EXT 4	60497800
CON est.	NOS 2 OP/ANL HB	60459310
CON AND PAG NOT VALID IF FT NOT SQ	FORM RM	60496200
CON SPECIFIED TWICE	FORM RM	60496200
CONFIG UTILITY COMPLETE.	NOS 2 OP/ANL HB	60459310
CONFLICT IN EQUIVALENCE SPECIFICATION FOR nnnnn	FORTRAN EXT 4	60497800
CONFLICT IN RANGE INDICATOR -- FIRST RETAINED	FORTRAN EXT 4	60497800
CONFLICT IN RANGE INDICATOR -- FIRST RETAINED	FORTRAN 5 RM	60481300
CONFLICTING FORM OF IS CARD DETECTED	NFS RM	60480500
CONFLICTING LEVEL DECLARATIONS EXIST IN THIS COMMON BLOCK	FORTRAN EXT 4	60497800
CONFLICTING LIBTASK OPTIONS - p1,p2.	TAF 1 RM	60459500
CONFLICTING PARAMETERS.	NOS 2 RS VOL 3	60459680
CONFLICTING RESOURCE TYPES.	NOS 2 RS VOL 3	60459680
CONNECT REJECT, filename AT address.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459680 60459310 60459690
aaaaaaa CONNECT TIME hh.mm.ss xxxxxxxx-APPLICATION:	MCS 1 RM	60480300
aaaaaaa CONNECT TIME hh:mm:ss. xxxxxxxx - APPLICATION:	RBF 1 RM	60499600
CONNECT TO EXEC FAILED.	NOS 2 SYS MAINT	60459300
CONNECTION PROHIBITED, TRY AGAIN LATER. xxxxxxxx - APPLICATION:	RBF 1 RM	60499600
CONNECTION PROHIBITED, TRY AGAIN LATER xxxxxxxx - APPLICATION	MCS 1 RM	60480300
CONNECTION REJECTED. xxxxxxxx - APPLICATION	MCS 1 RM	60480300
CONSTANT CANNOT BE CONVERTED	FORTRAN EXT 4	60497800
CONSTANT ** CONSTANT CANNOT BE EVALUATED	FORTRAN 5 RM	60481300
CONSTANT DATA ITEM MUST BE FOLLOWED BY A , / OR RIGHT PAREN	FORTRAN EXT 4	60497800
CONSTANT DIVIDE BY ZERO -- RESULTS SET TO INFINITE	FORTRAN EXT 4	60497800
CONSTANT EXCEEDS 5 DIGITS -- TRUNCATED	FORTRAN 5 RM	60481300
CONSTANT EXCEEDS 5 DIGITS -- TRUNCATED	FORTRAN EXT 4	60497800
CONSTANT IN INPUT LIST IS ILLEGAL	FORTRAN EXT 4	60497800
CONSTANT MISSING EXPONENT FIELD -- ZERO ASSUMED	FORTRAN 5 RM	60481300
CONSTANT MISSING EXPONENT FIELD -- ZERO ASSUMED	FORTRAN EXT 4	60497800
CONSTANT MULTIPLY BY ZERO -- RESULTS SET TO ZERO	FORTRAN EXT 4	60497800
CONSTANT SUBSCRIPT VALUE EXCEEDS ARRAY DIMENSIONS	FORTRAN EXT 4	60497800
CONSTANT TERM OF ZERO -- IGNORED	FORTRAN EXT 4	60497800
CONSTANT TOO LONG, EXCESS DIGITS TRUNCATED	FORTRAN 5 RM	60481300
CONSTANT TOO LONG. HIGH ORDER DIGITS RETAINED, BUT SOME PRECISION LOST	FORTRAN EXT 4	60497800
CONSTANT TOO LONG - TRUNCATED	FORTRAN EXT 4	60497800
nnnnn CONSTANT TOO LONG -- TRUNCATED	FORTRAN EXT 4	60497800

MESSAGE

CONTENTS NOT CHECKPOINTED FOR FILE xxxxxxxx
CONTINUE nnn SYNTAX ERROR IN IMPLIED DO ON ARRAY...
CONTINUE WITH NO STATEMENT LABEL — IGNORED
CONTINUE WITH NO STATEMENT LABEL — IGNORED
CONTROL CARD ARGUMENT ERROR.
CONTROL CARD ARGUMENT ERRORS.
CONTROL CARD ERROR.

CONTROL CARD ERRORS - RUN ABORTED
CONTROL CARD INVALID OR MISSING
CONTROL CARD OPTION MISMATCH.
CONTROL CARD PARAMETER xxxxx
CONTROL CARD SYNTAX ERROR.
CONTROL CARDS ON FILE.
CONTROL FLOW INTO END LINE NOT PERMITTED
CONTROL INDEX xxxx DOUBLY DEFINED
CONTROL *QAC* ERROR nnn.
CONTROL STATEMENT ARGUMENT ERROR
CONTROL STATEMENT LIMIT.
CONTROL STATEMENT PARAMETER SYNTAX ERROR.
CONTROL TRANSFERRED INTO REPEAT LOOP n
CONTROL VARIABLE IN COMMON OR EQUIVALENCED, OPTIMIZATION MAY BE INHIBITED
CONTROLLED BACKSPACE ERROR, filename AT
address.
CONTROLLER DID NOT TAKE ALL THE CONTROLWARE.

CONTROLLER RESERVED.
CONTROLWARE LOAD ABORT, C=cc.

CONTROLWARE LOAD COMPLETE.
yyyFIRMWARE MAtt~vvv,C=cc.
CONTROLWARE NOT FOUND.
nnnnn CONVERSION CODE FIELD WIDTH IS LESS THAN MINIMUM REQUIRED
CONVERSION ERROR.
CONVERSION ERROR
CONVERSION NOT ALLOWED HERE
CONVERSION STRINGS NESTED TOO DEEPLY
CONVERSION STRINGS NESTED TOO DEEPLY
CONVERSION TO SOURCE COMPLETE.
COPY COMPLETE.
COPY COMPLETED
COPY ERR
name
COPY FILE EMPTY.
COPY FL ABOVE USER LIMIT.
COPY INDETERMINATE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 4	60459690
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
NPS RM	60480500
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 INSTAL HB	60459320
NOS 2 INSTAL HB	60459320
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680

MESSAGE

COPY TO EXTERNAL FILE NOT ALLOWED WHEN READING FROM ALTERNATE INPUT UNIT

COPYING filename userindex.

COPYING - type/name

COPYING - type/name

COPYING DUMP TO RANDOM FILE.

COPYING INPUT TO TEMPORARY NEWPL

COPYING OLDPL TO A RANDOM FILE

COPYING SESSION DATA TO OUTPUT

COPYL COMPLETE.

COPYL COMPLETE

COPYL DID NOT FIND type/name

COPYL DID NOT FIND type/name

COULD NOT FIND BLOCK name

COUNT FOR H CODE ZERO OR MISSING -- SCAN STOPPED

COUNTER NAME MUST BE LQ 7 CHARS

CPest, CHcn count INCOMPLETE TRANSFER.

CPest, CHcn CONTROLLER HUNG BUSY.

CPest, CHcn Fcode FUNCTION TIMEOUT.

CPest, CHch Fcode REJ Pdnver,Convert,Eequip

CPest, CHcn RESERVED.

CPest, CHcn TURNED OFF.

CPest, COMPARE ERROR.

CPest, FEED FAILURE.

CPn - DATA ERROR, TYPE GO OR ABT OR RET

CPn - DISK PAR ERR, ABORTED FILE aaaaaa

CPn - INAPPROPRIATE COMMAND

CPn - NOT READY

CPcp RA/MOVING/ROLLING.

CP SECONDS CHARGED BY CDCS xxxxxx.xxx

CPn - TERMINAL FAILURE

CPA SPECIFIED TWICE

CPD/ACPD VERSIONS MISMATCH.

CPD - ALREADY ACTIVE.

CPD - FILE NOT FOUND.

CPD - FILE STATUS ERROR.

CPD - ILLEGAL USER ACCESS.

CPD - INITIATED.

CPD NOT ACTIVE.

CPD NOT ACTIVE.

CPD - PARAMETER ERROR.

CPD - TERMINATED.

CPD - TRACK LIMIT.

CPLER: coupler,status,node,npuname/xyy

CPM - ARGUMENT ERROR.

CPM - ILLEGAL PACK NAME.

MANUAL	PUB. NO.
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
RBF 1 RM	60499600
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CPM - ILLEGAL REQUEST.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - ILLEGAL USER ACCESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - INVALID JOB ACCESS LEVEL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - INVALID PAGE VALUE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - LIBRARY NOT FOUND = library.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - MISSING *SHELL* LOAD OPTION.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPM - SECONDARY USER COMMANDS DISABLED.	NOS 2 RS VOL 4	60459690
CPM - SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPU ERROR EXIT AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPU ERROR EXIT 00	BASIC 3 RM	19983900
CPU ERROR EXIT 01	BASIC 3 RM	19983900
CPU ERROR EXIT 03	BASIC 3 RM	19983900
CPU ERROR EXIT 04	BASIC 3 RM	19983900
CPU ERROR EXIT 05	BASIC 3 RM	19983900
CPU ERROR EXIT 06	BASIC 3 RM	19983900
CPU ERROR EXIT 07	BASIC 3 RM	19983900
.CPU FATAL ERROR.	NOS 2 OP/ANL HB	60459310
CPU x P REGISTER PARITY ERROR.	NOS 2 OP/ANL HB	60459310
CPU POWER FAILURE.	NOS 2 OP/ANL HB	60459310
CPU SECONDS = xxx.	NOS 2 SYS MAINT	60459300
CPU PERCENT = xx.x.		
FL CHANGES = xxx.		
MAXIMUM FL = xxx.		
OVERLAY LOADS = xxx.		
FILES STAGED = xxx.		
CPU SHUTDOWN IMMINENT.	NOS 2 OP/ANL HB	60459310
CPUMTR ERROR EXIT.	NOS 2 OP/ANL HB	60459310
CRn - CARD READER ERROR	RBF 1 RM	60499600
CRest, CHcn Acount INCOMPLETE TRANSFER.	NOS 2 OP/ANL HB	60459310
CRest, CHcn CONTROLLER HUNG BUSY.	NOS 2 RS VOL 3	60459680
CRest, CHcn Fcode FUNCTION TIMEOUT.		
CRest, CHcn Fcode REJ driver,Convert,Equip.		
CRest, CHcn TURNED OFF.		
CRest, CHcc RESERVED.	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
CRest, COMPARE ERROR.	NOS 2 OP/ANL HB	60459310
CRn - DISK FULL, ABORTED JOB aaaaaaa	RBF 1 RM	60499600
CRn - DISK PAR ERR, ABORTED FILE aaaaaa	RBF 1 RM	60499600
CRn - DISK PAR ERR, ABORTED JOB aaaaaaa	RBF 1 RM	60499600
CRn - aaaaaaa ENTERED INPUT QUEUE	RBF 1 RM	60499600
CRn - INAPPROPRIATE COMMAND	RBF 1 RM	60499600
CRn - INPUT QUEUE FULL, ABORTED aaaaaaa	RBF 1 RM	60499600
CRn - JOB CARD ERROR - aaaaaaaaa	RBF 1 RM	60499600
CRn - NOT READY	RBF 1 RM	60499600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CRn - TERMINAL FAILURE	RBF 1 RM	60499600
CRn - USED CARD ERROR	RBF 1 RM	60499600
CRC ERROR.	NOS 2 RS VOL 3	60459680
CREATED AFTER yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
CREATED AFTER yy/mm/dd. hh.mm.ss BEFORE yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
CREATED BEFORE yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
CREATING username.	NOS 2 SYS MAINT	60459300
CREATING CATALOG IMAGE RECORD.	NOS 2 SYS MAINT	60459300
CREATING NEW PROGRAM LIBRARY	UPDATE RM	60449900
CREATION COMPLETE.	NOS 2 SYS MAINT	60459300
CREATION DATE MISMATCH. filename STAGING ERROR, JSN=jsn, FM=familyname, UL=userindex, CSU=id, MST=n, VSN=vsn, ASA=addr, STRM=s.	NOS 2 SYS MAINT	60459300
CREATION FILE EMPTY.	MODIFY RM	60450100
CRF HEADER ERROR - filename.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRF RECOVERY/INITIALIZATION ABORTED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRF RECOVERY/INITIALIZATION COMPLETE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRF RECOVERY UNIT ERROR - filename.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRM(...parameter-list...)	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRM DATA MANAGER NOT LOADED.	TAF 1 RM	60459500
CRM DATA MANAGER SUCCESSFULLY LOADED.	NOS 2 OP/ANL HB	60459310
CRM ERR ON NEW MD, ERR CODE nnn	CDCS 2 DA RM	60485200
CRM ERR ON SCHEMA, ERR CODE nnn	CDCS 2 DA RM	60485200
CRM ERROR nnnB IGNORED ON OPEN OF filenam.	TAF 1 RM	60459500
CRM ERROR ENCOUNTERED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRM ERROR xxx IN UPDATE PROCESSING.	TAF/CRM 1 DM RM	60459510
CRM ERROR xxx IN UPDATE PROCESSOR.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRM ERROR IN ZZdbDIR (GET).	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
CRM ERROR NUMBER nnn	COBOL 5 DH	60482500
CRM ERROR NUMBER nnn	COBOL 5 RM	60497100
CRM ERROR nnn ON CDCS RESTART IDENTIFIER FILE-SCHEMA sn	CDCS 2 AP RM	60485300
CRM ERROR nnn ON CDCS RESTART IDENTIFIER FILE-SCHEMA sn	CDCS 2 DA RM	60485200
CRM ERROR nnn ON JOURNAL LOG FILE	CDCS 2 DA RM	60485200
CRM ERROR nnn ON OLD LOG FILE	CDCS 2 DA RM	60485200
CRM ERROR ON OPEN OF OLD LOG FILE	CDCS 2 DA RM	60485200
CRM ERROR ON OPEN OF SELECT FILE	CDCS 2 DA RM	60485200
CRM ERROR nnn ON PROCESSING fn	CDCS 2 DA RM	60485200
CRM ERROR ON SELECT FILE	CDCS 2 DA RM	60485200
CRM ERROR nnn ON SELECTION FILE	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CRM ERROR OPENING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
CRM ERROR OPENING RESTORE LOGFILE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING DELETE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING REWRITE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING WRITE	QU/CRM DA RM	60482100
CRM ERROR nnn WHILE ACCESSING MASTER DIRECTORY	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
CRM ERROR WRITING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
CRM ERROR WRITING TO LOGFILE	QU/CRM DA RM	60482100
CRM TASK RECOVERY IMPOSSIBLE.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - DATA BASE DOWNED BY OPERATOR.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - DATA BASE/FILE BEING IDLED.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - DATA BASE/FILE CANNOT BE UPPED.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - DATA BASE/FILE NAME UNKNOWN.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - INVALID REQUEST.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - INVALID REQUEST FORMAT.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - INVALID TT SEQUENCE NUMBER.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK - NOT ALL DATA BASE FILES UPPED.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRMTASK TIMEOUT.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CRT - CIO ERROR.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
CS=sss.	NOS 2 OP/ANL HB	60459310
CS ATTEMPTING NETON.	NOS 2 OP/ANL HB	60459310
CS/CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OP/ANL HB	60459310
CS DISABLED.	NOS 2 OP/ANL HB	60459310
CS/DUPLICATE CONTROL STATEMENT PARAMETER.	NOS 2 OP/ANL HB	60459310
CS DUPLICATE NETON.	NOS 2 OP/ANL HB	60459310
CS/ILLEGAL CONTROL STATEMENT PARAM VALUE.	NOS 2 OP/ANL HB	60459310
CSest,MSID id.	NOS 2 OP/ANL HB	60459310
CS/NCF yy/mm/dd, hh.mm.ss.	NOS 2 OP/ANL HB	60459310
CS/NCF title.	NOS 2 OP/ANL HB	60459310
CS NETON SUCCESSFUL.	NOS 2 OP/ANL HB	60459310
CS/NIN IS NOT SPECIFIED.	NOS 2 OP/ANL HB	60459310
CS SHUTDOWN INITIATED, PLEASE TERMINATE CONNECT.	NOS 2 OP/ANL HB	60459310
CS/UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OP/ANL HB	60459310
CS/VER nnn- nnn .	NOS 2 OP/ANL HB	60459310
CSDDNT - SM NOT ROUTED.	NOS 2 OP/ANL HB	60459310
CSM - ILLEGAL COMMUNICATION FUNCTION.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DATA MANAGER USAGE NOT SELECTED.	TAF 1 RM	60459500
DATA MODE	MCS 1 RM	6048030C
DATA/PERMIT ERRORS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DATA SUBSCRIPT LIST SYNTAX ERROR	FORTRAN EXT 4	60497800
DATA TRANSFER ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DATA VARIABLE DOES NOT MATCH CONSTANT	FORTRAN EXT 4	60497800
DATA VARIABLE mnnnn DOES NOT MATCH CONSTANT TYPE	FORTRAN EXT 4	60497800
DATA VARIABLE LIST EXCEEDS ITEM LIST, EXCESS VARIABLES NOT INITIALIZED	FORTRAN EXT 4	60497800
DATA VARIABLE LIST SYNTAX ERROR	FORTRAN EXT 4	60497800
DATA VARIABLE TYPE DOES NOT MATCH CONSTANT	FORTRAN EXT 4	60497800
DAYFILE - ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
DAYFILE - BUFFER TOO SMALL.	NOS 2 RS VOL 3	60459680
DAYFILE BUSY.	NOS 2 SYS MAINT	60459300
DAYFILE - DATA LOST.	NOS 2 RS VOL 3	60459680
DAYFILE - FR INVALID FOR THIS OPTION.	NOS 2 RS VOL 3	60459680
DAYFILE - ILLEGAL PAGE SIZE FORMAT.	NOS 2 RS VOL 3	60459680
DAYFILE - ILLEGAL PRINT DENSITY.	NOS 2 RS VOL 3	60459680
DAYFILE - ILLEGAL PRINT DENSITY FORMAT.	NOS 2 RS VOL 3	60459680
DAYFILE - INPUT FILE CANNOT BE EXECUTE ONLY.	NOS 2 RS VOL 3	60459680
DAYFILE - INVALID JOB TERMINATION OPTION.	NOS 2 RS VOL 3	60459680
DAYFILE - JOB FIELD DISALLOWED ON USER DAYFILE.	NOS 2 RS VOL 3	60459680
DAYFILE - LOCAL DAYFILE PROCESSED.	NOS 2 RS VOL 3	60459680
DAYFILE - RESERVED FILE NAME.	NOS 2 RS VOL 3	60459680
DAYFILE STATUS INDEFINITE.	NOS 2 SYS MAINT	60459300
DAYFILE TERMINATED.	NOS 2 SYS MAINT	60459300
DAYFILE - TTY INPUT FILE NOT ALLOWED.	NOS 2 RS VOL 3	60459680
DAYFILE - UNEXPECTED EOF/EOI ENCOUNTERED.	NOS 2 RS VOL 3	60459680
DAYFILE - UNKNOWN *OP* FIELD.	NOS 2 RS VOL 3	60459680
DBest,DNdn,message.	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DBest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DB - NAME MUST NOT START WITH THE LETTER Z.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
DBest,TK=track,SC=sector.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DBQRFA COMPLETE	CDCS 2 DA RM	60485200
DBREC INTERNAL ERROR -- mnl	CDCS 2 DA RM	60485200
DBREC INTERNAL ERROR VARIABLE RANGE ERR/TBL ERR - TN	CDCS 2 DA RM	60485200
DBREC JOB REQUEST	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DBREC JOB SUBMITTED JOBNAME = jn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DC REQUIRED IF JSN/UJN NOT SPECIFIED.	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DCA SPECIFIED TWICE	FORM RM	60496200
DCL001 ENVIRONMENT ATTRIBUTE IN DECLARATION OF -identifier- MUST CONTAIN A DCL001 CHARACTER CONSTANT	PL/I RM	60388100
DCL002 DECLARATION OF -identifier-: VARIABLE -identifier- IN REFER OPTION MUST BE A DCL002 PRECEDING MEMBER OF SAME STRUCTURE	PL/I RM	60388100
DCL003 DECLARATION OF -identifier-: REFER OPTION IS ALLOWED ONLY IN EXTENT OF MEMBER OF BASED DCL003 STRUCTURE	PL/I RM	60388100
DCL004 DECLARATION OF -identifier-: VARIABLE -identifier- IN REFER OPTION MUST BE DCL004 SCALAR	PL/I RM	60388100
DCL005 DECLARATION OF -identifier-: ASTERISK SUBSCRIPT ILLEGAL IN ISUB DEFINING	PL/I RM	60388100
DCL006 DECLARATION OF -identifier-: CONTAINS AN ILLEGAL USE OF ISUB	PL/I RM	60388100
DCL007 DECLARATION OF -identifier-: I IN ISUB EXCEEDS NUMBER OF DIMENSIONS OF DEFINED DCL007 VARIABLE	PL/I RM	60388100
DCL008 DECLARATION OF -identifier-: POSITION AND ISUB ARE INCOMPATIBLE	PL/I RM	60388100
DCL009 HOST AND DEFINED VARIABLES ARE NOT COMPATIBLE FOR ISUB DEFINING	PL/I RM	60388100
DCL010 DECLARATION OF -identifier-: HOST VARIABLE -identifier- HAS ILLEGAL TYPE FOR DCL010 DEFINING	PL/I RM	60388100
DCL011 DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE BASED OR DCL011 DEFINED	PL/I RM	60388100
DCL012 DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE OR CONTAIN A DCL012 VARYING STRING	PL/I RM	60388100
DCL014 DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE A MEMBER OF AN DCL014 ARRAY OF STRUCTURES	PL/I RM	60388100
DCL015 DECLARATION OF -identifier-: HOST REFERENCE -identifier- HAS WRONG NUMBER OF DCL015 DIMENSIONS	PL/I RM	60388100
DCL016 DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND DATATYPE IS DCL016 ILLEGAL FOR STRING OVERLAY DEFINING	PL/I RM	60388100
DCL018 DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND ALIGNED ITEMS DCL018 CANNOT BE STRING OVERLAY DEFINED	PL/I RM	60388100
DCL019 DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND THIS DCL019 COMBINATION OF DATATYPES IS ILLEGAL IN STRING OVERLAY DEFINING	PL/I RM	60388100
DCL020 ASTERISK CANNOT BE USED IN EXTENTS OF BASED VARIABLE -identifier-	PL/I RM	60388100
DCL021 DECLARATION OF -identifier-: DEFINED VARIABLE CANNOT BE OR CONTAIN A VARYING STRING	PL/I RM	60388100
DCL022 DECLARATION OF -identifier-: ASTERISK EXTENT IS PERMITTED ONLY FOR PARAMETERS	PL/I RM	60388100
DCL023 STATIC LABEL VARIABLE -identifier- CANNOT BE INITIALIZED	PL/I RM	60388100
DCL024 SCALAR VARIABLE -identifier- CANNOT HAVE MULTIPLE INITIAL VALUES	PL/I RM	60388100
DCL025 DECLARATION OF -identifier-: INITIAL CANNOT BE USED WITH DEFINED OR PARAMETER	PL/I RM	60388100
DCL026 ATTRIBUTE CONFLICT IN DECLARATION OF -identifier-	PL/I RM	60388100
DCL027 IDENTIFIER -identifier- HAS MULTIPLE DECLARATIONS IN THE SAME BLOCK	PL/I RM	60388100
DCL028 EXTERNAL FILE CONSTANT -identifier- HAS MULTIPLE DECLARATIONS IN THE SAME EXTERNAL PROCEDURE	PL/I RM	60388100
DCL029 DECLARATION OF -identifier-: ITERATION FACTOR IN INITIAL ATTRIBUTE MUST BE OF DCL029 COMPUTATIONAL TYPE	PL/I RM	60388100
DCL030 DECLARATION OF -identifier-: ITERATION FACTOR IN INITIAL ATTRIBUTE MUST BE SCALAR	PL/I RM	60388100
DCL031 DECLARATION OF -identifier-: REFERENCE OR EXPRESSION IN INITIAL ATTRIBUTE MUST DCL031 BE SCALAR	PL/I RM	60388100
DCL032 DECLARATION OF -identifier-: REFERENCE OR EXPRESSION IN INITIAL ATTRIBUTE CANNOT DCL032 BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
DCL033 PRECISION OF -identifier- EXCEEDS FIXED BINARY MAXIMUM OF 48	PL/I RM	60388100
DCL034 PRECISION OF -identifier- EXCEEDS FLOAT BINARY MAXIMUM OF 48	PL/I RM	60388100
DCL035 PRECISION OF -identifier- EXCEEDS FIXED DECIMAL MAXIMUM OF 14	PL/I RM	60388100
DCL036 PRECISION OF -identifier- EXCEEDS FLOAT DECIMAL MAXIMUM OF 14	PL/I RM	60388100

MESSAGE

MANUAL PUB. NO.

n DECLARE ERRORS	UPDATE RM	60449900
DEDICATED TERMINAL APPLICATION=xxxxxxx SYMBOLIC NAME=xxxxxxxxxxxxx STATUS=xxxxxx xxxxxxxxMODE	MCS 1 RM	60480300
DEF WITHIN DEF	BASIC 3 RM	19983900
DEFAULT CHARGE ABORTED.	NOS 2 SYS MAINT	60459300
DEFAULT CHARGE NULL.	NOS 2 SYS MAINT	60459300
DEFAULT FAMILY USED.	NOS 2 OP/ANL HB	60459310
DEFAULT FAMILY USED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DEFECTIVE HOLLERITH CONSTANT. CHECK FOR CHARACTER COUNT ERROR, MISSING " DELIMITER OR LOST CONTIN CARD	FORTRAN EXT 4	60497800
DEFERRED BATCH VALIDATION EXCEEDED - filename.	NOS 2 RS VOL 3	60459680
DEFINE ERROR ON FILE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
DEFINED DEVICE ALREADY EXISTS.	NOS 2 OP/ANL HB	60459310
DEFN ERROR	APL 2 RM	60454000
DEL	NOS 2 RS VOL 3	60459680
	TAF 1 RM	60459500
DELETE FILE ON OPEN FILE - IGNORED	COBOL 5 RM	60497100
DELETE FILE ON OPEN FILE - IGNORED	COBOL 5 DH	60482500
**** DELETE NON-EXISTENT USER NUMBER.	NOS 2 SYS MAINT	60459300
DELETE OR REWRITE ON SEQ ACCESS FILE WITH NO VALID READ PRECEDING	COBOL 5 DH	60482500
DELETE OR REWRITE ON SEQ ACCESS FILE WITH NO VALID READ PRECEDING	COBOL 5 RM	60497100
DELETE WITHOUT OLD AND NEW LIES	MCS 1 RM	60480300
DELETED TOPHAT MODULE LIST	NOS 2 INSTAL HB	60459320
DELETING username.	NOS 2 SYS MAINT	60459300
DELIMITER	XEDIT 3 RM	60455730
DELIMITER OVERFLOW	BASIC 3 RM	19983900
DELIMITER WAS NOT RECOGNIZED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
DEMAND EXCEEDED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DEMAND FILE ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DEMAND VALIDATION ERROR.	NOS 2 RS VOL 3	60459680
DEMUX ARGUMENT ERROR.	NOS 2 SYS MAINT	60459300
DEMUX COMPLETE.	NOS 2 SYS MAINT	60459300
DEMUX MEMORY OVERFLOW.	NOS 2 SYS MAINT	60459300
DEMUX NT VALUE TOO LARGE.	NOS 2 SYS MAINT	60459300
DEMUX NUMERIC ARGUMENT CONVERSION ERROR.	NOS 2 SYS MAINT	60459300
DEMUX SL VALUE TOO LARGE.	NOS 2 SYS MAINT	60459300
DESTINATION ALREADY IN USE	MCS 1 RM	60480300
DESTINATION DEVICE ERROR.	NOS 2 SYS MAINT	60459300
DESTINATION DEVICE REQUIRED.	NOS 2 SYS MAINT	60459300
DESTINATION FAMILY NOT SPECIFIED.	NOS 2 SYS MAINT	60459300
DESTINATION HOST IN BUFFER REGULATION LEVEL 0	NOS 2 OP/ANL HB	60459310
DET USED BEFORE INV	BASIC 3 RM	19983900

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DETACH LIMIT EXCEEDED.	NOS 2 RS VOL 3	60459680
DETACHING, JSN=jsn.	NOS 2 OP/ANL HB	60459310
DEVICE DOES NOT EXIST. REPLY GO TO RETRY - DROP TO OFF DEVICE.	NOS 2 OP/ANL HB	60459310
DEVICE DOWN.	NOS 2 OP/ANL HB	60459310
DEVICE ERROR.	NOS 2 SYS MAINT	60459300
DEVICE ERROR ON FILE filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DEVICE FULL FOR COMMUNICATION FILE.	NOS 2 SYS MAINT	60459300
DEVICE NOT FIRST IN CHAIN.	NOS 2 OP/ANL HB	60459310
DEVICE NOT FOUND.	NOS 2 SYS MAINT	60459300
DEVICE NOT READY. REPLY GO TO RETRY - DROP TO OFF DEVICE.	NOS 2 OP/ANL HB	60459310
DEVICE NOT REMOVABLE.	NOS 2 OP/ANL HB	60459310
DEVICE SET OFF - DEVICE UNAVAILABLE. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
DEVICE TURNED OFF. ERROR=nnn. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
DEVICE UNAVAILABLE.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DEVICE UNAVAILABLE ON MSF CATALOG ACCESS.	NOS 2 SYS MAINT	60459300
DFD - message.	NOS 2 SYS MAINT	60459300
DFTERM ABORTED.	NOS 2 SYS MAINT	60459300
DIest,Ccc,link,sec,ann,Stttt,FNqqqq. or DIest,Ccc,link,sec,ann,Stttt,Uunit,Cylinder, Ssector.	NOS 2 OP/ANL HB	60459310
DIest,lsss.....sss. DIest,Lsss.....sss. DIest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DIest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DIest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DIest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
nnnnnnnnnn DIAGNOSTIC MESSAGES	MCS 1 RM	60480300
DID NOT LOCATE aaaaaa.....--PURGE NOT POSSIBLE	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
DID NOT LOCATE parm, PURGE NOT POSSIBLE	CDCS 2 DA RM	60485200
DID NOT LOCATE parm, PURGE NOT POSSIBLE	FORTRAN DBF RM	60482200
DID NOT LOCATE SUB-SCHEMA TO BE REPLACED---NEW SUB-SCHEMA HAS BEEN ADDED	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
DID NOT LOCATE SUB-SCHEMA TO BE REPLACED --- NEW SUB-SCHEMA HAS BEEN ADDED	FORTRAN DBF RM	60482200
DIGIT DOES NOT FOLLOW +/-	FORM RM	60496200
DIMENSION OF nnnnn IGNORED; PRIOR DIMENSION RETAINED	FORTRAN EXT 4	60497800
DIMENSION ON nnnnn IGNORED -- PRIOR DIMENSION RETAINED	FORTRAN 5 RM	60481300
DIMENSIONAL RANGE IS EXTENDED FOR EQUIVALENCING PURPOSES	FORTRAN EXT 4	60497800
DIR FILE PARAMETER xxxxxx	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
DIRECT ACCESS DEVICE ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690

MESSAGE

DIRECT ACCESS FILE ERROR.

MANUAL PUB. NO.
NOS 2 SYS MAINT 60459300
NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

FORTRAN 5 RM 60481300

FORTRAN 5 RM 60481300

FORTRAN 5 RM 60481300

NOS 2 OP/ANL HB 60459310

NOS 2 SYS MAINT 60459300

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

NOS 2 SYS MAINT 60459300

NOS 2 RS VOL 3 60459680

NOS 2 RS VOL 3 60459680

NOS 2 SYS MAINT 60459300

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

NOS 2 OP/ANL HB 60459310

NOS 2 SYS MAINT 60459300

NOS 2 SYS MAINT 60459300

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

LOADER 1 RM 60429800

NOS 2 SYS MAINT 60459300

NOS 2 SYS MAINT 60459300

NOS 2 SYS MAINT 60459300

NOS 2 SYS MAINT 60459300

NOS 2 INSTAL HB 60459320

NOS 2 INSTAL HB 60459320

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

TAF 1 RM 60459500

NOS 2 RS VOL 3 60459680

NOS 2 SYS MAINT 60459300

TAF 1 RM 60459500

NOS 2 OP/ANL HB 60459310

NOS 2 OP/ANL HB 60459310

NOS 2 OP/ANL HB 60459310

NOS 2 INSTAL HB 60459320

NOS 2 INSTAL HB 60459320

NOS 2 SYS MAINT 60459300

NOS 2 SYS MAINT 60459300

NOS 2 RS VOL 3 60459680

DIRECT ACCESS I/O CANNOT BE FREE FORMAT

DIRECT ACCESS I/O CANNOT BE NAMELIST

DIRECT ACCESS I/O CANNOT SPECIFY END

DIRECT CPU INPUT.

number DIRECT FILES SKIPPED WITH ERRORS.

number FILES WITH LENGTH ERRORS.

number DIRECT ACCESS FILES DUMPED.

number INDIRECT ACCESS FILES DUMPED.

number DUMPED FILES PURGED.

number DUMPED FILES NOT PURGED.

DIRECTIVE CONTAINS AN ILLEGAL DATE/TIME.

DIRECTIVE ERRORS.

DIRECTIVE ERRORS.

n DIRECTIVE ERRORS.

DIRECTIVE FILE xxxxxxxx EMPTY.

DIRECTIVE FORMAT ERROR.

DIRECTIVE KEYWORD NOT VALID.

DIRECTIVE NOT ALLOWED.

**** DIRECTIVE NOT AUTHORIZED.

DIRECTIVE NOT MEANINGFUL.

DIRECTIVE NOT PRECEDED BY EDIT DIRECTIVE.

DIRECTIVE NOT PROCESSED - ID=name

DIRECTIVE PARAMETER ERROR.

DIRECTIVE RESTRICTED TO PRINTER OUTPUT.

DIRECTIVE RESTRICTED TO TERMINAL OUTPUT.

DIRECTIVE SHOULD HAVE NO PARAMETERS.

DIRECTIVE TRUNCATED

DIRECTORY FULL

DIRECTORY HEADER FROM THE COPY.

DIRECTORY IS FULL-NO MORE ADDITIONS ALLOWED.

DIRECTORY OVERFLOW.

DIRECTORY TABLE BAD.

DIRECTORY UNUSABLE.

nnnn DISABLED ROLLOUT FILES RECOVERED.

DISK BUSY.

DISK BUSY.

DISK CPLR RSVD.

DISK FILE ERROR.

DISK FULL.

STAGING DELAY, FM=familyname, UI=userindex.

DISK FULL.

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DISK FUNCTION REJ name function.	NOS 2 INSTAL HB	60459320
DISK FUNCTION REJECT. FUNCTION = xx	NOS 2 INSTAL HB	60459320
DISK RESERVED	NOS 2 INSTAL HB	60459320
DISK RETRY COUNT ERROR	NOS 2 OP/ANL HB	60459310
DISK STATUS ERROR STATUS = xxxx	NOS 2 INSTAL HB	60459320
DISK UNIT RESERVED.	NOS 2 OP/ANL HB	60459310
DISK UNIT RSVD.	NOS 2 INSTAL HB	60459320
DISPLAY DUMP NOT ALLOWED TO TERMINAL.	TAF 1 RM	60459500
DISREGARD PREVIOUS TEXT?	TEXT EDITOR RM	60436100
DIVIDE BY 1 — IGNORED	FORTRAN EXT 4	60497800
DIVIDE INTO ZERO — RESULTS SET TO ZERO	FORTRAN EXT 4	60497800
DIVISION BY CONSTANT ZERO	FORTRAN EXT 4	60497800
DIVISION BY ZERO	BASIC 3 RM	19983900
DJest,Ccc,link,sec,ann,Stttt, FNqqqq. or DJest,Ccc,link,sec,ann,Stttt,Unit,Cylinder, Sector.	NOS 2 OP/ANL HB	60459310
DJest,lsss.....sss. DJest,Lsss.....sss. DJest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DJest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DJest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DJest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DKest,Ccc,link,sec,ann,Stttt, FNqqqq. or DKest,Ccc,link,sec,ann,Stttt,Unit,Cylinder, Sector.	NOS 2 OP/ANL HB	60459310
DKest,lsss.....sss. DKest,Lsss.....sss. DKest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DKest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DKest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DKest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DLest,Ccc,link,sec,ann,Stttt, FNqqqq. or DLest,Ccc,link,sec,ann,Stttt,Unit,Cylinder, Sector.	NOS 2 OP/ANL HB	60459310
DLest,lsss.....sss. DLest,Lsss.....sss. DLest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DLest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DLest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DLest, NO FT CONTROLLER.	NOS 2 OP/ANL HB	60459310
DLest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DLFP COMPLETE	NAM 1 RM	60499500
DMest,Ccc,link,sec,ann,Stttt,FNqqqq. or DMest,Ccc,link,sec,ann,Stttt,Uunit,Ccylinder, Sector.	NOS 2 OP/ANL HB	60459310
DMest,lsss.....sss. DMest,Lsss.....sss. DMest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DMest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DMest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DM* TOO SHORT.	NOS 2 RS VOL 3	60459680
DMPNAD ABORTED - CHANNEL NUMBER INVLAID OR MISSING	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - CVL ERROR CODE = nnB.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - EQUIVALENCE MISSING.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - FILE NAME CONFLICT.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - ILLEGAL CHANNEL NUMBER.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - ILLEGAL DIRECTIVE NAME.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - INVALID ACCESS CODE.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - INVALID NAD ADDRESS.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - INVALID TRUNK ENABLES.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - MORE THAN 10 CHARACTERS IN NAME.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - NAD ADDRESS INVALID OR MISSING	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - NLD ERROR CODE = nnB.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - NUMERIC FIELD MUST NOT BE BLANK.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - TRUNK ENABLES INVAID OR MISSING	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD ABORTED - 8/9 NOT ALLOWED IN OCTAL FIELD.	NOS 2 SYS MAINT	60459300
DMPNAD COMPLETE.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMPNAD DUMPING REMOTE NAD xx - GO/DROP.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DMREC COMPLETE.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
DMREC FAILED - xxxxxxxx zz.	TAF 1 RM	60459500
DMREC FAILED - xxxxxxxx ZZ.	NOS 2 OP/ANL HB	60459310
DMREC TAPE LABEL ERROR.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
DN CANNOT BE ZERO.	NOS 2 OP/ANL HB	60459310
DNdn FM familyname FNT/QFT FULL.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DNdn, FM familyname IGNORED - ERROR IDLE.	NOS 2 SYS MAINT	60459300
DNdn FM familyname IGNORED - REMOVABLE.	NOS 2 SYS MAINT	60459300
DNdn FM familyname IQFT INTERLOCKED.	NOS 2 SYS MAINT	60459300
DNdn FM familyname MS ERROR.	NOS 2 SYS MAINT	60459300
DNdn FM familyname NO IQFT FILE.	NOS 2 SYS MAINT	60459300
DNdn FM familyname UNDEFINED ERROR.	NOS 2 SYS MAINT	60459300
DO CONCLUSION NOT COMPILED — DO DEFINITION ERROR	FORTRAN 5 RM	60481300
DO CONCLUSION NOT COMPILED — DO DEFINITION ERROR	FORTRAN EXT 4	60497800
DO CONTROL INDEX MUST BE SIMPLE INTEGER VARIABLE	FORTRAN EXT 4	60497800
DO/DONT IDENT idname IS NOT YANKED/YANKED NULL DO/DONT	UPDATE RM	60449900
DO-IMPLIED LOOPS IN DATA MUST BE INTEGER	FORTRAN 5 RM	60481300
DO INDEX CANNOT BE nnnnn	FORTRAN 5 RM	60481300
DO INDEX nnnnn MUST BE SIMPLE VARIABLE	FORTRAN 5 RM	60481300
DO LIMIT OR REP FACTOR MUST BE AN INTEGER OR OCTAL CONSTANT BETWEEN 1 AND 131K	FORTRAN EXT 4	60497800
DO LOOP nnnnn CONTAINS UNCLOSED IF BLOCK	FORTRAN 5 RM	60481300
DO LOOP INCREMENT MAY NOT BE ZERO	FORTRAN 5 RM	60481300
DO LOOP nnnnn MUST TERMINATE WITHIN IF BLOCK	FORTRAN 5 RM	60481300
DO LOOP nnnnn NOT TERMINATED BEFORE END OF PROGRAM	FORTRAN 5 RM	60481300
DO LOOP nnnnn NOT TERMINATED BEFORE END OF PROGRAM	FORTRAN EXT 4	60497800
DO LOOP nnnnn PREVIOUSLY DEFINED — ILLEGAL NESTING	FORTRAN 5 RM	60481300
DO LOOP nnnnn PREVIOUSLY DEFINED — ILLEGAL NESTING	FORTRAN EXT 4	60497800
DO LOOPS TERMINATING ON THIS LABEL ARE IMPROPERLY NESTED	FORTRAN EXT 4	60497800
DO nnnnn PARAMETER CANNOT BE yyyyy	FORTRAN 5 RM	60481300
DO STATEMENT SYNTAX — EXPECTED CONTROL INDEX — FOUND E.O.S.	FORTRAN EXT 4	60497800
DOLLAR SIGN STATEMENT SEPARATOR IS NON-ANSI USAGE	FORTRAN EXT 4	60497800
DOMAIN ERROR	APL 2 RM	60454000
DOUBLE PRECISION AND COMPLEX OPERANDS ARE MIXED	FORTRAN 5 RM	60481300
DOUBLY DEFINED FORMAL PARAMETER	FORTRAN EXT 4	60497800
DOUBLY SPECIFIED PARAMETER IN FILE STRING	FORM RM	60496200
DOUBLY SPECIFIED PARAMETER IN FILE STRING	8-BIT SUBR RM	60495500
DOWN.	NOS 2 OP/ANL HB	60459310
DOWN,CDCS	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DOWN COMPLETE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DOWN IN PROGRESS	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DOWNED BRF TABLE OVERFLOW.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
DPest,Ccc,link,sec,ann,Stttt,Fqqqq.	NOS 2 OP/ANL HB	60459310
or	NOS 2 RS VOL 3	60459680
DPest,Ccc,link,sec,ann,Stttt,Aaddress,Wwww	NOS 2 RS VOL 4	60459690
DPest,Ccc,link,Gggg...g.		
DPest,Ccc,link,Bbbb...b.		
or		
DPest,Ccc,link,sec,ann,Stttt,Aaddress,Wwww		
DPest,Ccc,link, dd...d.		

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DQest,Ccc,link,sec,ann,Stttt,Fnqqq. or DQest,Ccc,link,sec,ann,Stttt,Unit,Cylinder, Ssector.	NOS 2 OP/ANL HB	60459310
DQest,DNdn,message.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
DQest,lsss.....sss. DQest,Lsss.....sss. DQest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
DQest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DQest,TK=track,SC=sector.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
DQest, 2X PPU REQUIRED.	NOS 2 OP/ANL HB	60459310
DRIVER STACK OVERFLOW. .	NOS 2 OP/ANL HB	60459310
DROP COMPLETE.	NOS 2 RS VOL 3	60459680
DROP FROM JOB jsn	NOS 2 RS VOL 3	60459680
DROP FROM OPERATOR	NOS 2 RS VOL 3	60459680
DROP IGNORED.	NOS 2 OP/ANL HB	60459310
DROP PROCESSED.	NOS 2 OP/ANL HB	60459310
DROPPED	FORTRAN EXT 4	60497800
DROPPING SUPPORT OF SUMMARY, USE ENQUIRE.	NOS 2 RS VOL 3	60459680
DSDI ARGUMENT ERROR.	NOS 2 SYS MAINT	60459300
DSDI ERROR LIMIT EXCEEDED.	NOS 2 SYS MAINT	60459300
DSFB USED = n.	NOS 2 SYS MAINT	60459300
DSP - CANNOT ROUTE JOB INPUT FILE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - COMPLETE BIT ALREADY SET.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - DEFERRED ROUTING NOT ALLOWED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - DEVICE FULL.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - DEVICE UNAVAILABLE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP ERROR ec RETURNED ON JOB ROUTE.	TAF 1 RM	60459500
DSP ERROR ec RETURNED ON TASK SUBMIT.	TAF 1 RM	60459500
DSP - FILE NAME ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - FILE NOT ON MASS STORAGE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - FILE ON REMOVABLE DEVICE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - FORMS CODE NOT ALPHANUMERIC.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - I/O SEQUENCE ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - IMMEDIATE ROUTING - NO FILE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INVALID CREATOR USER/FAMILY.	NOS 2 RS VOL 3	60459680
DSP - INVALID DATA DECLARATION.	NOS 2 RS VOL 3	60459680
DSP - INVALID DISPOSITION CODE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DSP - INVALID EXTERNAL CHARACTERISTICS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID FILE MODE.	NOS 2 RS VOL 4	60459690
DSP - INVALID FILE MODE.	NOS 2 RS VOL 3	60459680
DSP - INVALID FILE TYPE.	NOS 2 RS VOL 4	60459690
DSP - INVALID FILE TYPE.	NOS 2 RS VOL 3	60459680
DSP - INVALID INTERNAL CHARACTERISTICS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID JOB ABORT CODE.	NOS 2 RS VOL 4	60459690
DSP - INVALID LID.	NOS 2 RS VOL 3	60459680
DSP - INVALID ORIGIN TYPE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID OWNER USER/FAMILY.	NOS 2 RS VOL 3	60459680
DSP - INVALID REQUEST.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID SERVICE CLASS	NOS 2 RS VOL 4	60459690
DSP - INVALID SPACING CODE.	NOS 2 RS VOL 4	60459690
DSP - INVALID TID.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID USER ACCESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - INVALID USER CARD.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - MASS STORAGE ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - QFT FULL.	NOS 2 RS VOL 3	60459680
DSP - QUEUED FILE READ ERROR.	NOS 2 RS VOL 4	60459690
DSP - QUEUED FILE READ ERROR.	NOS 2 RS VOL 3	60459680
DSP - ROUTE TO INPUT NOT IMMEDIATE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - THIS ROUTING NOT ALLOWED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - TOO MANY DEFERRED BATCH JOBS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DSP - UNDEFINED SERVICE CLASS.	NOS 2 RS VOL 4	60459690
DUAL RECORDED FILE filenam NOT ATTACHED.	NOS 2 OP/ANL HB	60459310
*** DUE TO THE MANY ERRORS NOTED, ONLY THOSE WHICH ARE FATAL WILL BE LISTED HEREAFTER	FORTRAN EXT 4	60497800
DUMMY-ARG FUNCTION nnnnn CANNOT HAVE ASSUMED CHARACTER LENGTH	FORTRAN 5 RM	60481300
DUMMY ARGUMENT ddddd CAN OCCUR ONLY ONCE IN nnnnn DEFINITION	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn CAN OCCUR ONLY ONCE IN ddddd DEFINITION	FORTRAN EXT 4	60497800
DUMMY ARGUMENT nnnnn CANNOT BE EQUIVALENCED	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn MAY NOT APPEAR IN SAVE	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn MUST BEGIN WITH LETTER	FORTRAN EXT 4	60497800
DUMMY ARGUMENT nnnnn MUST BEGIN WITH LETTER OR STAR	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn PREVIOUSLY DEFINED	FORTRAN EXT 4	60497800
DUMMY PARAMETER IN ASF DEFINITION OCCURED TWICE	FORTRAN EXT 4	60497800
DUMP CDCS JOURNAL LOG NAME = pfn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DUMP DIRECTIVE EXECUTION COMPLETE	CDCS 2 DA RM	60485200

MESSAGE

DUMP FILE dumpfile EMPTY.
DUMP NN COMPLETE.
DUMP NN STOPPED.
DUMP TAPE ON CHII EQ JJ UN KK
NOT READY (CR WHEN READY).
DUMP TAPE SPECIFIES NON-STANDARD
COMPRESSION.
DUMP WILL START OVER
DUMPING filename userindex.
DUMPING - DIRECT ACCESS FILES ONLY.
DUMPING - INDIRECT ACCESS FILES ONLY.
DUMPS LOST
DUPLICATE BITS IN MASK.
cmd DUPLICATE CHARACTER

**** DUPLICATE CHARGE NUMBER.
DUPLICATE CLA ADDRESS.
DUPLICATE CONTROL STATEMENT PARAMETER.
**DUPLICATE CS PARAMETER.
DUPLICATE DATA BASE IN TCF - xx.

DUPLICATE DECK dname NEWPL ILLEGAL
DUPLICATE DN.
DUPLICATE DUMP ENTRY ON ADD.
DUPLICATE ENTRY ON ADD.

DUPLICATE FILE NAME.

DUPLICATE FILE NAME.
DUPLICATE FILE NAME
DUPLICATE FILE NAME
DUPLICATE FILE NAME ERROR.
DUPLICATE FILE NAME - FILE IGNORED.
DUPLICATE FILE NAME OF file, JOB ABORTED
DUPLICATE FILENAME
DUPLICATE IDENT CHANGED TO ident
DUPLICATE IDENT NAME
DUPLICATE IDENT NAME IN ADDFILE
DUPLICATE LABEL NAME
DUPLICATE LFN lfn
DUPLICATE LINE' NO
DUPLICATE LOOP INDEX OR DOESNT MATCH ANY SUBSCRIPT VARIABLE
DUPLICATE MESSAGE NAME
DUPLICATE MODIFIER NAME.
DUPLICATE PARAMETER.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
UPDATE RM	60449900
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
FORM RM	60496200
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
NPS RM	60480500
NOS 2 INSTAL HB	60459320
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
NPS RM	60480500
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DUPLICATE PARAMETER xxxx	NOS 2 INSTAL HB	60459320
DUPLICATE PARAMETER	QU/CRM DA RM	60482100
	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
DUPLICATE PN.	NOS 2 OP/ANL HB	60459310
**** DUPLICATE PROJECT NUMBER.	NOS 2 SYS MAINT	60459300
**DUPLICATE SB PARAMETER.	NOS 2 SYS MAINT	60459300
DUPLICATE SCRIPT NAME	NFS RM	60480500
DUPLICATE SECONDARY OLDPL IGNORED	UPDATE RM	60449900
DUPLICATE STATEMENT LABEL	FORTRAN EXT 4	60497800
DUPLICATE UJN - MUST SPECIFY JSN.	NOS 2 RS VOL 3	60459680
**** DUPLICATE USER NAME.	NOS 2 SYS MAINT	60459300
DUPLICATE VSN ENTRY ON ADD.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
DUPLICATED LINES.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DUPLICATED VCB REQUEST - NVFVRVF.	NOS 2 OP/ANL HB	60459310
DURATION TIME TERMINATE.	NOS 2 OP/ANL HB	60459310
DURING PROCESSING OF DATABASE PROCEDURE a....	QUERY UPDT 3 RM	60498300
DURING ROLLOUT	CDCS 2 AP RM	60485300
DWest,DNdn,message.	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DWest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DWest,TK=track,SC=sector.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DWest,DNdn,message.	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
DWest,FM=familyname,PF=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DWest,TK=track,SC=sector.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
DXB CONVERSION ERROR ON TRANSACTION SEQUENCE NUMBER.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
E.O.S. BEFORE END OF HOLLERITH COUNT	FORTRAN 5 RM	60481300
E.O.S. BEFORE END OF HOLLERITH COUNT	FORTRAN EXT 4	60497800
E TYPE ERROR ECHO, DUP, RMT, OR MACRO ILLEGALLY NESTED. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
ECeeee,ann,s,address,Ccccccc,Wwwwww.	NOS 2 OP/ANL HB	60459310
ECeeee,ann,s,Bbbb...b.		
ECeeee,ann,s,Gggg...g.		
EC NOT VALIDATED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ECS BLOCK OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ECS ERROR.	NOS 2 OP/ANL HB	60459310
ECS ERROR - STORAGE MOVE.	NOS 2 OP/ANL HB	60459310
ECS FL TOO SMALL	LOADER 1 RM	60429800
ECS FLAG REGISTER PARITY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ECS LABEL TRACK NOT FOUND.	NOS 2 OP/ANL HB	60459310

MESSAGE

ECS/LCM REFERENCE MUST BE A STAND-ALONE ARGUMENT TO AN EXTERNAL ROUTINE
ECS LIMITS ERROR ON USER CALL
ECS LOAD ERROR.
ECS OR CY 170 PARITY ERROR
ECS OUT OF RANGE.
ECS PAR
ECS PARITY ERROR.
ECS READ ERROR.
ECS READ ERROR.
ECS READ ERROR
ECS READ/WRITE PARITY ERRORS.
ECS RECORD NOT FOUND.
ECS ROLLIN ERROR.
ECS STORAGE NOT AVAILABLE.
ECS TASK taskname NOW MS RESIDENT.
ECS TRANSFER ERROR
ECS TRANSFER ERROR
ECS WRITE ABORT
ECS WRITE ERROR
ECS WRITE PARITY ERROR ENCOUNTERED.
EDIT
EDIT DESCRIPTOR MISSING AT mnnn
nnnn EDIT DESCRIPTOR REQUIRES COUNT
EDIT FILE NOT IN WRITE MODE.
DO YOU WISH TO CONTINUE?
EDITING COMPLETE.
EDITING COMPLETE.
EI, nm yymmdd.
EI MISMATCH, nn
EJT RA+1 ERROR xxxx, JSN=jsn, TN=nn.
ELBP OUT OF RANGE
ELD - message.
ELSEIF EXPRESSION MUST BE LOGICAL
ELSEIF REQUIRES THEN
EL=O ILLEGAL — IGNORED
filename EMPTY.
EMPTY BLOCK IN VS-RECORD
EMPTY BLOCK IN VS-RECORD
EMPTY COMMON BLOCK nnnnn
EMPTY DEBUG LOG FILE

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
LOADER 1 RM	60429800
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
XEDIT 3 RM	60455730
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
TEXT EDITOR RM	60436100
TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
PL/I RM	60388100
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN 5 RM	60481300
NAM 1 RM	60499500

MESSAGE

EMPTY drawer DRAWER.
EMPTY FILE filename.
EMPTY FILE/ CREATION MODE ASSUMED.
EMPTY FILE (SSF)
EMPTY INPUT FILE
EMPTY INPUT FILE
EMPTY INPUT FILE. NO COMPILATION
EMPTY INPUT FILE. NO COMPILATION.
EMPTY INPUT FILE---PURGE NOT POSSIBLE

EMPTY INPUT FILE -- PURGE NOT POSSIBLE
EMPTY MACRO CALL FILE
EMPTY NEWSL
EMPTY SESSION FILE.
EMPTY SORT INPUT FILE.
EMPTY SOURCE FILE
EMPTY SOURCE FILE
EMPTY SUB-SCHEMA FILE, DDL ABORTED recompile.
EMPTY SUB-SCHEMA FILE, DDL ABORTED
EMPTY SUB-SCHEMA FILE, DDLF ABORTED
EMPTY SUB-SCHEMA FILE, DDLF ABORTED
ENCODE/DECODE ARE MACHINE DEPENDENT
END eq, nn.

END BEFORE TERMINATE IN USER PROGRAM FORCED END OF CDCSBTF RUN

END CDCSBTF RUN

END COBOL MERGE
END COBOL MERGE
END COBOL SORT
END COBOL SORT
END COLLECT
END LINE ABSENT
END LINE ABSENT
END NOT LAST
END OF COPY.
END OF DAT TRACK CHAIN.
END OF DATA
END OF DATA ON FILE
END OF DUMP FILE ENCOUNTERED WHILE
SEARCHING FOR RECORD x.
END OF FILE.
-END OF FILE-
END OF FILE REACHED.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
NPS RM	60480500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
NOS 2 INSTAL HB	60459320
NPS RM	60480500
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
COBOL 5 RM	60497100
COBOL 5 DH	60482500
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
FORTRAN 5 RM	60481300
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
XEDIT 3 RM	60455730
TEXT EDITOR RM	60436100
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
END OF INPUT ENCOUNTERED - ABORTED.	XEDIT 3 RM	60455730
END OF SESSION a	QUERY UPDT 3 RM	60498300
END OF SET ILLEGAL REQUEST, filename AT address.	NOS 2 RS VOL 4	60459690
END OF SET ILLEGAL REQUEST, filename AT address.	NOS 2 RS VOL 3	60459680
END OF TAPE, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
END OF VSN TABLE.	TAF 1 RM	60459500
END OR ERR REQUIRES STATEMENT LABEL	FORTRAN 5 RM	60481300
END PROCESSED.	NOS 2 OP/ANL HB	60459310
END PROGM xxx.	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
END SIMULATOR.	NOS 2 SYS MAINT	60459300
END STATEMENT ACTING AS A RETURN IS NON-ANSI	FORTRAN EXT 4	60497800
END TEXT EDITING.	TEXT EDITOR RM	60436100
ENDCPD COMPLETE.	NOS 2 SYS MAINT	60459300
**** ENDING SUPPORT OF STS FUNCTION 01 ***.	NOS 2 RS VOL 3	60459680
ENDSCRIPT MISSING AT END OF INPUT	NPS RM	60480500
ENDSCRIPT NOT ALLOWED BEFORE SCRIPT	NPS RM	60480500
ENQUIRE ABORTED.	NOS 2 RS VOL 3	60459680
ENQUIRY COMPLETE.	NOS 2 RS VOL 3	60459680
ENTER CFO COMMAND	NOS 2 OP/ANL HB	60459310
ENTER E TO TERMINATE LOADING. L TO LIST REMAINING FILES. GO TO RESUME INCREMENTAL LOAD.	NOS 2 SYS MAINT	60459300
ENTER GO TO CONTINUE CURRENT JOB. RELIST TO LIST RECOVERABLE JOBS, OR DESIRED JSN:	NOS 2 RS VOL 3	60459680
ENTER NEXT TRANSACTION.	TAF 1 RM	60459500
ENTER TEXT.	TEXT EDITOR RM	60436100
ENTER TEXT FILE NAME.	TEXT EDITOR RM	60436100
ENTER *YES* OR *NO*.	TEXT EDITOR RM	60436100
ENTERED PARAMETER IS ILLEGAL.	NOS 2 SYS MAINT	60459300
ENTERING RECOVERY MODE ... WAIT	NOS 2 RS VOL 3	60459680
ENTRY FOUND IN EST.	NOS 2 OP/ANL HB	60459310
ENTRY IGNORED - TABLE FULL.	NOS 2 OP/ANL HB	60459310
ENTRY INSIDE DO LOOP IS IGNORED	FORTRAN EXT 4	60497800
ENTRY INSIDE DO LOOP OR IF BLOCK IS ILLEGAL	FORTRAN 5 RM	60481300
ENTRY nnnnn MUST NOT BE DECLARED EXTERNAL -- IGNORED	FORTRAN EXT 4	60497800
ENTRY nnnnn MUST NOT BE DECLARED EXTERNAL -- IGNORED	FORTRAN 5 RM	60481300
ENTRY NAME EXPECTED	FORM RM	60496200
ENTRY NOT IN EST.	NOS 2 OP/ANL HB	60459310
ENTRY POINT NAMES MUST BE UNIQUE - THIS ONE HAS BEEN PREVIOUSLY USED IN THIS SUBPROGRAM	FORTRAN EXT 4	60497800
ENTRY POINT xxxxx NOT CALLED	INTER DEBUG RM	60481400
ENTRY POINT NOT FOUND.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ENTRY POINT xxxxx NOT LOADED	INTER DEBUG RM	60481400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ENTRY POINT TABLE OVERFLOW.	NOS 2 RS VOL 3	60459680
ENTRY STATEMENT IGNORED IN MAIN PROGRAM	FORTRAN 5 RM	60481300
ENTRY STATEMENT IGNORED IN MAIN PROGRAM	FORTRAN EXT 4	60497800
ENTRY STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
ENTRY STATEMENT MAY NOT APPEAR IN A PROGRAM	FORTRAN EXT 4	60497800
ENTRY STATEMENT MAY NOT BE LABELED	FORTRAN EXT 4	60497800
ENTRY STATEMENTS MAY NOT OCCUR WITHIN THE RANGE OF A DO STATEMENT	FORTRAN EXT 4	60497800
--EOF--	XEDIT 3 RM	60455730
EOF ENCOUNTERED.	NOS 2 RS VOL 3	60459680
EOI CHANGED BY RECOVERY.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
EOI ENCOUNTERED.	NOS 2 RS VOL 3	60459680
--EOR--	XEDIT 3 RM	60455730
EQest Atrack PF RECOVERY ERROR.	NOS 2 OP/ANL HB	60459310
EQest Atrack1 Ttrack2 Ssector LINKAGE ERROR.	NOS 2 OP/ANL HB	60459310
EQest BUSY ON ID=id.	NOS 2 OP/ANL HB	60459310
EQest,Ccc,link,sec,ann,Stttt,Fqqqq. or EQest,Ccc,link,sec,ann,Stttt,Uunit Cylinder, Strack, sector.	NOS 2 OP/ANL HB	60459310
EQest, CHcc Account INCOMPLETE TRANSFER.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest, CHcc CONTROLLER HUNG BUSY.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest,CHcc, CONTROLLER RESERVED.	NOS 2 OP/ANL HB	60459310
EQest, CHcc Fcode FUNCTION TIMEOUT.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest, CHcc Fcode REJ Pdriver,Cconvert,Eequip.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest, CHcc RESERVED.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest, CHcc TURNED OFF.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
EQest, CLEARING MST INTERLOCKS.	NOS 2 OP/ANL HB	60459310
EQest, COMPARE ERROR.	NOS 2 OP/ANL HB	60459310
EQest,DAF INTERLOCKS NOT CLEARED.	NOS 2 OP/ANL HB	60459310
EQest - DEVICE ACCESS ERROR.	NOS 2 OP/ANL HB	60459310
EQest nnnn DIRECT ACCESS FILE ERRORS.	NOS 2 OP/ANL HB	60459310
EQest nnnn DIRECT ACCESS FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
EQest,DNdn,message.	NOS 2 SYS MAINT	60459300
EQest DOWNED BY SYSTEM.	NOS 2 OP/ANL HB	60459310
EQest, FEED FAILURE.	NOS 2 OP/ANL HB	60459310
EQest FLAWING INCOMPLETE.	NOS 2 OP/ANL HB	60459310
EQest nn FLAWS NOT PROCESSED, list.	NOS 2 OP/ANL HB	60459310
EQest,Lsss.....sss. EQest,Lsss.....sss. EQest,Lsss...sss.	NOS 2 OP/ANL HB	60459310
EQest LOCAL AREA OVERFLOW.	NOS 2 OP/ANL HB	60459310
EQest LOCAL AREA SECTOR ERROR.	NOS 2 OP/ANL HB	60459310
EQest LOCAL AREA SECTOR RESET.	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
EQest LOCAL AREAS INITIALIZED.	NOS 2 OP/ANL HB	60459310
EQest,MRT PROCESSED BUT NOT REWRITTEN.	NOS 2 OP/ANL HB	60459310
EQ OR DN ILLEGAL.	NOS 2 OP/ANL HB	60459310
EQest, PF CATALOG SIZE ERROR.	NOS 2 OP/ANL HB	60459310
EQest PF INITIALIZE COMPLETE.	NOS 2 OP/ANL HB	60459310
EQest nnnn PRESERVED FILE ERRORS.	NOS 2 OP/ANL HB	60459310
EQest nnnn QUEUED FILE ERRORS.	NOS 2 OP/ANL HB	60459310
EQest nnnn QUEUED FILES IGNORED.	NOS 2 OP/ANL HB	60459310
EQest nnnn QUEUED FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
EQest REDEFINITION COMPLETE.	NOS 2 OP/ANL HB	60459310
EQest - SECURED DEVICE.	NOS 2 OP/ANL HB	60459310
EQest, SECURED DEVICE RECOVERED.	NOS 2 OP/ANL HB	60459310
EQest, SSER, Ttrack, **, filename.	NOS 2 OP/ANL HB	60459310
EQest SYSTEM USAGE OF DEVICE SUSPENDED.	NOS 2 OP/ANL HB	60459310
EQest,TKtrac, INVALID LOCAL FILE.	NOS 2 OP/ANL HB	60459310
EQest TRACK LIMIT.	NOS 2 OP/ANL HB	60459310
EQest TRACK LIMIT.	NOS 2 SYS MAINT	60459300
EQest, TRACK LIMIT.	NOS 2 OP/ANL HB	60459310
EQxx TRACK LIMIT ON IQFT.	NOS 2 OP/ANL HB	60459310
EQest mn TRACKS FLAWED.	NOS 2 OP/ANL HB	60459310
EQest, Uunit, PS=serialn.	NOS 2 OP/ANL HB	60459310
EQest,UNuu, CHECKING RESERVE.	NOS 2 OP/ANL HB	60459310
EQest,UNuu, UNIT RESERVED.	NOS 2 OP/ANL HB	60459310
EQest, VALIDATION ERROR ec.	NOS 2 OP/ANL HB	60459310
EQPDECK NOT ON TAPE.	NOS 2 OP/ANL HB	60459310
EQUAL SIGN = IS SPECIFIED FOR A DIGIT	FORTRAN EXT 4	60497800
EQUAL SIGN MUST BE FOLLOWED BY NAME, NUMBER OR SLASH	FORTRAN EXT 4	60497800
EQUAL SIGN MUST BE FOLLOWED BY NAME, NUMBER OR SLASH	FORTRAN 5 RM	60481300
EQUAL SIGN MUST BE PRESENT	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
EQUAL SIGN NOT ALLOWED	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
EQUATED FILENAME NOT PREVIOUSLY DEFINED	FORTRAN EXT 4	60497800
EQUIPMENT NOT AVAILABLE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
	NOS 2 RS VOL 4	60459690
EQUIPMENT SIZE ERROR.	NOS 2 OP/ANL HB	60459310
EQUIPMENT STATUS INCORRECT.	NOS 2 OP/ANL HB	60459310
EQUIVALENCED ARRAY nnnnn HAS SUBSCRIPT LESS THAN DIMENSION LOWER BOUND	FORTRAN 5 RM	60481300
EQUIVALENCED ARRAY nnnnn HAS SUBSCRIPT WHICH EXCEEDS DIMENSION BOUND	FORTRAN 5 RM	60481300
EQUIVALENCED COMMON BLOCK EXCEEDS 131071 WORDS	FORTRAN EXT 4	60497800
EQest1 EQest2 CONFLICTING DN.	NOS 2 OP/ANL HB	60459310
EQest1 EQest2 CONFLICTING PN.	NOS 2 OP/ANL HB	60459310
EQest1 EQest2 CONFLICTING UM.	NOS 2 OP/ANL HB	60459310
ERASE LIMIT, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ERR..	MCS 1 RM	60480300
ERR field ERROR IN BRD PARAMETER	NAM 1 RM	60499500
ERR field ERROR IN FIELD MNEMONICS	NAM 1 RM	60499500
ERR field ERROR IN 1ST PARAMETER	NAM 1 RM	60499500
ERR FIRST PARAMETER MISSING	NAM 1 RM	60499500
ERR HEADER AREA ADDRESS MISSING	NAM 1 RM	60499500
ERR field ILLEGAL REGISTER NAME	NAM 1 RM	60499500
ERR MAXACN ADDRESS MISSING	NAM 1 RM	60499500
ERR MINACN ADDRESS MISSING	NAM 1 RM	60499500
ERR MSG WHICH FOLLOWS HAS TYPE/CODE nn	CDCS 2 DA RM	60485200
ERR MUST BE LIST =	NAM 1 RM	60499500
ERR NSUP ADDRESS MISSING	NAM 1 RM	60499500
ERR PARAMETER MISSING	NAM 1 RM	60499500
ERR SECOND PARAMETER MISSING	NAM 1 RM	60499500
ERR STATUS ADDRESS MISSING	NAM 1 RM	60499500
ERR TEXT AREA ADDRESS MISSING	NAM 1 RM	60499500
ERR TEXT LIMIT IS MISSING	NAM 1 RM	60499500
ERR THIRD PARAMETER MISSING	NAM 1 RM	60499500
divname-mmm ERROR AND nn WARNING MESSAGES ISSUED.	NOS 2 OP/ANL HB	60459310
divname - mmm ERROR AND nn WARNING MESSAGES ISSUED	NDL 1 RM	60480000
ERROR AT aaaaa IN ddddddd LAST OVERLAY LOADED - (p,s)	FORTRAN 5 RM	60481300
ERROR AT LINE nn CARD NO. mnn COLUMN kkk SYNTAX ERROR	FTN 4-5 CONV RM	60483000
ERROR CODE nnn	FORTRAN EXT 4	60497800
ERROR CODE ec, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
++++ ERROR CONDITION RAISED WITH ONCODE=nnnn	PL/I RM	60388100
ERROR DETECTED BY xname - cause - message	8-BIT SUBR RM	60495500
ERROR DETECTED BY TRAPPER	LOADER 1 RM	60429800
ERROR DURING ROLL IN--CDCS ABORTED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
ERROR DURING ROLL OUT--CDCS ABORTED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
(-ERROR-)ERROR nnn ON TRANSACTION RECOVERY FILE-SCHEMA sn	CDCS 2 DA RM	60485200
ERROR EXTENDING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
ERROR EXTENDING RESTORE LOGFILE	QU/CRM DA RM	60482100
ERROR FILE LIMIT.	NOS 2 SYS MAINT	60459300
ERROR - FILES(S) NOT PROCESSED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR FLAG n	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
ERROR FLAG NOT SET IN CSUMAP.	NOS 2 SYS MAINT	60459300
ERROR FLAG TERMINATION, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR FLAG TERMINATION, FILE filename AT address	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR - ILLEGAL RECORD TYPE ON SELECT FILE	CDCS 2 DA RM	60485200

MESSAGE

ERROR IN libdeck.
****ERROR IN ACCESS LEVEL.
ERROR IN ACCOUNT/USER CARD ARGUMENT.

ERROR IN ADD/DELETE VSN.

ERROR IN ALPHANUMERIC DATA.
**** ERROR IN ALPHANUMERIC DATA.
ERROR IN ARGUMENT.
ERROR IN ARGUMENTS.
ERROR IN ARGUMENTS.
ERROR IN ARGUMENTS
ERROR IN ATTRIBUTE.
ERROR IN B DIRECTIVE
ERROR IN BACKUP REQUIREMENT.
ERROR IN BD= DIRECTIVE
ERROR IN BRF PARAMETER IN xcxJ FILE.
ERROR IN BT= DIRECTIVE
ERROR IN BUILDING DIRECTORY ENTRIES.

ERROR IN BUILDING RECOVERY TABLES.

ERROR IN BUILDING *RMKDEF* FILE.
ERROR IN C DIRECTIVE
ERROR IN C.GETEP CALL - FATAL
ERROR IN C.GETEP CALL - FATAL
ERROR IN CHANGE
ERROR IN CHANNEL NUMBER.
ERROR IN CHVAL ARGUMENTS.
ERROR IN CN= DIRECTIVE
ERROR IN COL LIMITS -- IGNORED
ERROR IN CONTROL ARGUMENTS.
ERROR IN CRM CARD ARGUMENTS.

ERROR IN CRM -PUT- (RECORD LOAD).

ERROR IN DATE.
ERROR IN DATE.
ERROR IN DEVICE NUMBER.
ERROR IN DEVICE NUMBER.
ERROR IN DIRECTORY.
ERROR IN DN= DIRECTIVE
ERROR IN DOCUMENT ARGUMENTS.
ERROR IN E DIRECTIVE
ERROR IN ED= DIRECTIVE
ERROR IN EDIT PROCESSING.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 OP/ANL HB	60459310
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
TAF 1 RM	60459500
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NAM 1 RM	60499500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
PL/I RM	60388100
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ERROR IN ENTRY, NUMBER TOO LARGE	NOS 2 OP/ANL HB	60459310
ERROR IN ENTRY, ONLY A SINGLE DIGIT ALLOWED	NOS 2 OP/ANL HB	60459310
ERROR IN EQUIPMENT NUMBER.	NOS 2 OP/ANL HB	60459310
ERROR IN ET= DIRECTIVE	NAM 1 RM	60499500
ERROR IN EXPIRATION DATE.	NOS 2 RS VOL 3	60459680
ERROR IN F DIRECTIVE	NAM 1 RM	60499500
ERROR IN FAMILY NAME.	NOS 2 SYS MAINT	60459300
ERROR IN FCOPY ARGUMENTS.	NOS 2 RS VOL 3	60459680
ERROR IN FILE CATEGORY.	NOS 2 RS VOL 3	60459680
ERROR IN FILE DATA.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ERROR IN FILE SIZE RANGE.	NOS 2 SYS MAINT	60459300
ERROR IN FILE TYPE.	NOS 2 RS VOL 3	60459680
ERROR IN IAFEX ARGUMENTS.	NOS 2 SYS MAINT	60459300
ERROR IN IAFEX PARAMETER - T.	NOS 2 SYS MAINT	60459300
ERROR IN ID RANGE.	NOS 2 SYS MAINT	60459300
ERROR IN IDENTIFIER.	NOS 2 SYS MAINT	60459300
**** ERROR IN IDENTIFIER.	NOS 2 SYS MAINT	60459300
ERROR IN IXN CARD ARGUMENTS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN KRONREF ARGUMENTS.	NOS 2 RS VOL 3	60459680
ERROR IN LCF -- SUMMARY SUPPRESSED.	NOS 2 OP/ANL HB	60459310
ERROR IN LE= DIRECTIVE	NAM 1 RM	60499500
ERROR IN LIBRARY ARGUMENTS.	NOS 2 RS VOL 3	60459680
ERROR IN LIMITS ARGUMENT.	NOS 2 RS VOL 3	60459680
ERROR IN LIST PROCESSING.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN *LO* SPECIFICATION.	NOS 2 SYS MAINT	60459300
ERROR IN LOADING AAMI.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN LOADING HASH CODE filename.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN LOADING NAM.	TAF 1 RM	60459500
ERROR IN LOADING OVL n,0	CDCS 2 DA RM	60485200
ERROR IN LOADING TOTAL.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN MACRO CALL FILE	NOS 2 INSTAL HB	60459320
ERROR IN MACRO TEXT FILE	NOS 2 INSTAL HB	60459320
ERROR IN MODE.	NOS 2 RS VOL 3	60459680
ERROR IN MODIFY ARGUMENTS.	MODIFY RM	60450100
ERROR IN NCF -- SUMMARY SUPPRESSED.	NOS 2 OP/ANL HB	60459310
ERROR IN NM= DIRECTIVE	NAM 1 RM	60499500
ERROR IN NUMERIC DATA.	NOS 2 SYS MAINT	60459300
**** ERROR IN NUMERIC DATA.	NOS 2 SYS MAINT	60459300
ERROR IN *OP* SPECIFICATIONS.	NOS 2 SYS MAINT	60459300
ERROR IN P DIRECTIVE	NAM 1 RM	60499500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ERROR IN PARAMETERS.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
ERROR IN PASSWOR ARGUMENTS.	NOS 2 RS VOL 3	60459680
ERROR IN PERFORMING SERVO CHECK ON UNIT _{xxx} .	NOS 2 OP/ANL HB	60459310
ERROR IN PERMIT DATA.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ERROR IN PF= DIRECTIVE	NAM 1 RM	60499500
ERROR IN PREFERRED RESIDENCE.	NOS 2 RS VOL 3	60459680
ERROR IN PROFILE ARGUMENTS.	NOS 2 SYS MAINT	60459300
ERROR IN PS= DIRECTIVE	NAM 1 RM	60499500
ERROR IN R DIRECTIVE	NAM 1 RM	60499500
ERROR IN RATE PARAMETER.	NOS 2 OP/ANL HB	60459310
ERROR IN READING TASKLIB-filename.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ERROR IN RECORD DUMP.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN RESIDENCE.	NOS 2 RS VOL 3	60459680
ERROR IN RETRIEVING VSN.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ERROR IN ROUTE FCN. EC=error	NOS 2 OP/ANL HB	60459310
ERROR IN ROUTE FUNCTION, LFN=filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ERROR IN ROUTE, PROGRAM NOT INVOKED	MCS 1 RM	60480300
ERROR IN SECOND PPS.	NOS 2 OP/ANL HB	60459310
ERROR IN SELECTED QUEUE TYPE.	NOS 2 SYS MAINT	60459300
ERROR IN SM= DIRECTIVE	NAM 1 RM	60499500
ERROR IN SN= DIRECTIVE	NAM 1 RM	60499500
ERROR IN STIMULATOR ARGUMENTS.	NOS 2 SYS MAINT	60459300
ERROR IN SUBMITTED FILE.	TAF 1 RM	60459500
ERROR IN SUBSYSTEM.	NOS 2 RS VOL 3	60459680
ERROR IN SYSTEM TEXT.	NOS 2 RS VOL 3	60459680
ERROR IN T DIRECTIVE	NAM 1 RM	60499500
ERROR IN TIME.	NOS 2 RS VOL 3	60459680
ERROR IN TRMDEF ARGUMENT.	NOS 2 RS VOL 3	60459680
ERROR IN U DIRECTIVE	NAM 1 RM	60499500
ERROR IN UNIT LIST.	NOS 2 OP/ANL HB	60459310
ERROR IN UPROC ARGUMENTS.	NOS 2 RS VOL 3	60459680
ERROR IN USER INDEX RANGE.	NOS 2 SYS MAINT	60459300
**** ERROR IN USER NAME.	NOS 2 SYS MAINT	60459300
ERROR IN USERBPS FILE	NOS 2 INSTAL HB	60459320
ERROR IN X DIRECTIVE	NAM 1 RM	60499500
ERROR IN XEDIT ARGUMENTS.	XEDIT 3 RM	60455730
ERROR IN 5TH COPYL PARAMETER.	NOS 2 RS VOL 3	60459680
ERROR IN 5TH COPYL PARAMETER	CYBER COM UTIL	60495600
ERROR - INCORRECT RECORD LENGTH DATA IN LOG RECORD	CDCS 2 DA RM	60485200
ERROR LIMIT. integer ADDITIONAL ERRORS FOUND.	NOS 2 RS VOL 3	60459680

MESSAGE

ERROR LIMIT EXCEEDED.
ERROR LIMIT EXCEEDED- num ERRORS
ERROR LOADING -DIO-.
ERROR LOG PROCESSED.
ERROR MESSAGES MAY NOT BE SUPPRESSED
**** ERROR **** NO OBJECT TEXT FOR THESE
REQUIRED MODS
ERROR. NO PERMISSION TO WRITE NEWPL
ERROR NUMBER nnn IN DBQRFA
ERROR NUMBER nnn IN DB\$RSEL
ERROR ON ACTIVE DEVICES.
ERROR ON DETACH.
ERROR ON DEVICE WITH ACTIVE FILES.
ERROR ON FILE - PROFILa.
ERROR ON xxJ FILE ARGUMENTS.
ERROR ON LINK DEVICE.
ERROR ON OUTPUT FILE.
ERROR ON ROLLFILE - EXEC RESTARTING.
ERROR ON SYSTEM DEVICE.
ERROR ON TRAP FILE ZZZZZ28
ERROR OPENING DATA FILE
ERROR OPENING LOG FILE
ERROR OR AREA id VERSION sn
ERROR READING THE PFC.
ERROR, SCAN INCOMPLETE
ERROR STATUS nnnB ON BACKUP DIRECTORY.
ERROR TABLE OVERFLOW
ERROR-TERMINATED DAYFILE ON LOCAL FILE.
ERROR. WIDTH EXCEEDS 256 CHARACTERS
ERROR WRITING TITLE
ERRORED FILE PARTIALLY DUMPED - filename.
ERRORNOT ALL MODS WERE PROCESSED***
filename - xxx ERRORS AND yy WARNINGS.
ERRORS DETECTED DURING SELECTION
ERROR(S) ENCOUNTERED IN DMREC PROCESSING.
nnnnnnnn ERRORS IN xxxxxxxx
ERRORS IN BINARY - RUN ABORTED
n ERRORS IN INPUT
n ERRORS IN INPUT, NEWPL, COMPILE, SOURCE SUPPRESSED
ERRORS IN INPUT - RUN ABORTED
ERRORS IN INSTALL (CR) TO PROCESS DIFFERENT
DEVICE

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
NOS 2 INSTAL HB	60459320
UPDATE RM	60449900
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
LOADER 1 RM	60429800
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 SYS MAINT	60459300
FTN 4-5 CONV RM	60483000
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
FORTAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
FORM RM	60496200
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
COMPASS 3 RM	60492600
NPS RM	60480500
UPDATE RM	60449900
UPDATE RM	60449900
NPS RM	60480500
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
n ERRORS IN UPDATE INPUT	UPDATE RM	60449900
n ERRORS LISTED	COBOL 5 DH	60482500
ESM ERROR - BUFFERED I/O.	NOS 2 OP/ANL HB	60459310
EVENT NAME MUST BE LQ 6 CHARS	NPS RM	60480500
EX SPECIFIED TWICE	FORM RM	60496200
EXCESS CARDS IN SOURCE STATEMENT	FTN 4-5 CONV RM	60483000
EXCESS CONSTANTS IGNORED	FORTRAN EXT 4	60497800
EXCESS CONSTANTS IGNORED	FORTRAN 5 RM	60481300
EXCESS LEFT PAREN IN I/O LIST	FORTRAN 5 RM	60481300
EXCESS LEFT PAREN IN I/O LIST	FORTRAN EXT 4	60497800
EXCESS LEFT PAREN IN I/O LIST ITEM SUBSCRIPT	FORTRAN 5 RM	60481300
EXCESS LEFT PAREN IN I/O SUBSCRIPT	FORTRAN EXT 4	60497800
EXCESS PARAMETERS.	NOS 2 OP/ANL HB	60459310
EXCESS RIGHT PAREN IN I/O LIST	FORTRAN 5 RM	60481300
EXCESS RIGHT PAREN IN I/O LIST	FORTRAN EXT 4	60497800
EXCESS SUBSCRIPTS ON EQUIVALENCE VARIABLE nnnnn	FORTRAN 5 RM	60481300
EXCESS SUBSCRIPTS ON EQUIVALENCE VARIABLE nnnnn	FORTRAN EXT 4	60497800
EXCESSIVE PARITY ERRORS.	NOS 2 SYS MAINT	60459300
EXCESSIVE WRITE ERRORS.	NOS 2 SYS MAINT	60459300
DESTAGE RESTARTED.		
EXCHANGE PACKAGE/MEMORY DUMP ON FILE ZZZDUMP.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
	NOS 2 RS VOL 3	60459680
EXEC ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
EXEC ABORT - SYNTAX ERRORS.	NOS 2 SYS MAINT	60459300
EXEC IN SINGLE MAINFRAME MODE.		
EXEC MMF INITIALIZATION FAILED - - message.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
EXEC MMF INITIALIZATION OK.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
EXEC - SLAVE 1 xxxx.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
EXEC - SLAVE 1 OMITTED - message.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
EXEC - SLAVE 1 OMITTED - message - STOM FILE ERROR.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
EXEC SMF MODE - ALL SLAVES OMITTED.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
EXECUTABLE STATEMENT ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN 5 RM	60481300
EXECUTABLE STATEMENT ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN EXT 4	60497800
EXECUTE	NOS 2 RS VOL 3	60459680
EXECUTE ONLY FILE.	NOS 2 RS VOL 3	60459680
nnnn EXECUTING JOB FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
EXISTING BREAKPOINT WILL BE REDEFINED	INTER DEBUG RM	60481400
EXISTING SUSPEND FILE WILL BE OVERWRITTEN	INTER DEBUG RM	60481400
EXITING AUXILIARY FILE WILL BE CLOSED	INTER DEBUG RM	60481400
EXPECTED C\$ DIRECTIVE LABEL -- FOUND nnnnn	FORTRAN 5 RM	60481300

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
EXPECTED C\$ PARAMETER -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER COUNT -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA AFTER COUNT -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER FORMAT INDICATOR -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA AFTER FORMAT SPECIFIER -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER I/O CONTROL -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA OR RIGHT PAREN -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA OR SLASH FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED COMMA OR SLASH FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED DO CONTROL INDEX -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND AND IGNORED	nnnnn	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND AND IGNORED	nnnnn	FORTRAN EXT 4	60497800
EXPECTED E.O.S. OR RETURNS PARAMETER FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED EQUAL SIGN -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED FILENAME, FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED FORMAT SPECIFIER -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED INTRINSIC FUNCTION NAME -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN BEFORE COUNT -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN BEFORE COUNT -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN FOR AN ARGUMENT LIST -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN FOR AN ARGUMENT LIST, FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN OR COMMA AFTER ROUTINE NAME FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN OR COMMA FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED NAME -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED NAME -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED RANGE INDICATOR -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED RETURNS FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN AFTER STRING ADDRESS -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN AFTER STRING ADDRESS -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN OR COMMA -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN OR COMMA -- FOUND	nnnnn	FORTRAN EXT 4	60497800
EXPECTED SLASH -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTED SYMBOL BUT FOUND	nnnnn -- SCAN OF CARD STOPPED	FORTRAN 5 RM	60481300
EXPECTED SYMBOL BUT FOUND	nnnnn -- SCAN OF CARD STOPPED	FORTRAN EXT 4	60497800
EXPECTED VARIABLE OR COMMON BLOCK NAME -- FOUND	nnnnn	FORTRAN 5 RM	60481300
EXPECTING MONITOR FILE		MCS 1 RM	60480300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
EXPECTING PERIOD.	NOS 2 OP/ANL HB	60459310
EXPECTING PERIOD OR COMMA.	NOS 2 OP/ANL HB	60459310
EXPONENT EXCEEDS 512	FORTRAN EXT 4	60497800
EXPONENT FIELD ON EDIT DESCRIPTOR AT nnnnn IS ZERO OR NOT SPECIFIED	FORTRAN 5 RM	60481300
EXPONENT LENGTH IS SPECIFIED FOR THE CONVERSION CODE nnnnn	FORTRAN EXT 4	60497800
EXPRESS DUMP COMPLETE (FL USED xxxxxxB).	NOS 2 SYS MAINT	60459300
EXPRESSION IN INPUT LIST IS ILLEGAL	FORTRAN EXT 4	60497800
nnnnn EXPRESSION NOT CONTSANT, OR NOT EVALUATABLE	FORTRAN 5 RM	60481300
EXPRESSION TOO COMPLICATED — SCAN STOPPED AT nnnnn	FORTRAN 5 RM	60481300
EXP001 AGGREGATE VALUE CANNOT BE ASSIGNED TO SCALAR VARIABLE	PL/I RM	60388100
EXP002 RETURN-VALUE CANNOT BE OF TYPE LABEL, ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
EXP003 START-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXP004 BY-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXP005 TO-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXP006 WHILE-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXP007 EXPRESSION IN IF STATEMENT MUST BE SCALAR	PL/I RM	60388100
EXP008 PRECISION P FOR CONSTANT HAS BEEN REDUCED TO LEGAL MAXIMUM	PL/I RM	60388100
EXP009 I/O EXPRESSION OR REFERENCE MUST BE SCALAR	PL/I RM	60388100
EXP010 SCALE FACTOR Q OUT OF RANGE	PL/I RM	60388100
EXP011 PRECISION P FOR FIXED POINT CONSTANT EXCEEDS LEGAL MAXIMUM	PL/I RM	60388100
EXTERNAL ARGUMENT nnnnn MUST BE DEFINED AS EXTERNAL	FORTRAN EXT 4	60497800
EXTERNAL NAME IN ARGUMENT LIST MUST APPEAR IN EXTERNAL STATEMENT	FORTRAN EXT 4	60497800
EXTERNAL UNIT SPECIFIER NOT INTEGER EXPRESSION	FORTRAN 5 RM	60481300
EXTRA CHARACTER nnnnn AFTER FILE NAME IGNORED	FORTRAN EXT 4	60497800
EXTRA CHARACTERS nnnnn AFTER UNIT SPECIFIER IGNORED	FORTRAN 5 RM	60481300
EXTRA WORKLIST	NAM 1 RM	60499500
EXTRANEIOUS COMMA IGNORED	FORTRAN EXT 4	60497800
EXTRANEIOUS COMMA IGNORED	FORTRAN 5 RM	60481300
EXTRANEIOUS NUMERIC FIELD IN EDIT DESCRIPTOR AT nnnnn	FORTRAN 5 RM	60481300
E01 INPUT NOT COMPILE FILE, UPDATE/MODIFY OUTPUT SPECIFIED...NO OUTPUT GENERATED	FTN 4-5 CONV RM	60483000
E02 INPUT NOT SEQUENCED AS SPECIFIED ON CONTROL CARD...NO CONVERSION DONE	FTN 4-5 CONV RM	60483000
E04 MANUAL CONVERSION MESSAGES ENCOUNTERED	FTN 4-5 CONV RM	60483000
E05 FATAL ERROR - NO FURTHER UNIQUE 5 DIGIT LABELS COULD BE GENERATED	FTN 4-5 CONV RM	60483000
F.P. WITH VARIABLE DIMENSIONS NOT ALLOWED IN A NAMELIST STATEMENT	FORTRAN EXT 4	60497800
F TYPE ERROR NUMBER OF ENTRIES EXCEEDS PERMISSIBLE AMOUNT. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
FAMILY:	RBF 1 RM	60499600
FAMILY:	MCS 1 RM	60480300
FAMILY FILES ACTIVE.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
FAMILY FOR TERMINAL MUST BE ENTERED.	NOS 2 SYS MAINT	60459300
FAMILY MASK NOT EQUAL TO 377.	NOS 2 OP/ANL HB	60459310
FAMILY NAME MUST BE ENTERED.	NOS 2 SYS MAINT	60459300
FAMILY NOT FOUND.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FAMILY NOT FOUND.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FAMILY NOT FOUND IN SYSTEM.	NOS 2 SYS MAINT	60459300
FAMILY/PACK NOT FOUND.	NOS 2 SYS MAINT	60459300
FAST-ATTACH ALTERNATE FILE NOT ALLOWED.	NOS 2 SYS MAINT	60459300
.FAST ATTACH FILES ON DEVICE.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
nnnn FAST ATTACH FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
FAST-ATTACH PROFILE FILE ILLEGAL.	NOS 2 SYS MAINT	60459300
FATAL CDCS ERROR — RUN-UNIT ABORTED	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
FATAL CIO ERROR STATUS.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
d FATAL DIAGNOSTIC(S) ENCOUNTERED	QUERY UPDT 3 RM	60498300
FATAL ERROR ISSUED BY THE CST BLD	CDCS 2 DA RM	60485200
n FATAL ERRORS	UPDATE RM	60449900
FATAL ERRORS, NO MD CREATED	CDCS 2 DA RM	60485200
* FATAL ERRORS - NO TABLES *	MCS 1 RM	60480300
FATAL INITIALIZATION ERROR.	NOS 2 OP/ANL HB	60459310
FATAL MAINFRAME ERROR.	NOS 2 OP/ANL HB	60459310
FATAL MAINTENANCE REGISTER ERROR.	NOS 2 OP/ANL HB	60459310
FAULTY PUNCTUATION	RBF 1 RM	60499600
FC COMPLETE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
FCOPY COMPLETE.	NOS 2 RS VOL 3	60459680
FCT ORDINAL OUT OF RANGE.	NOS 2 SYS MAINT	60459300
FDL LOAD ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
FDP ABORT - USER VALIDATION ERROR.	NOS 2 SYS MAINT	60459300
FET ADDRESS OUT OF RANGE AT address.	NOS 2 RS VOL 4	60459690
FET PARAMETER ERROR ON filename AT address.	NOS 2 RS VOL 4	60459690
FET TOO SHORT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FETCHING FLAW DATA S/N=serialn.	NOS 2 SYS MAINT	60459300
FEX SPECIFIED TWICE	FORM RM	60496200
FIELD BEGINNING AT nn NO COMPARE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FIELD BEYOND RECORD ON LEFT	FORM RM	60496200
FIELD BEYOND RECORD ON RIGHT	FORM RM	60496200
FIELD LENGTH EXCEEDED FOR CMM.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FIELD LENGTH EXCEEDED FOR LOCKS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FIELD LENGTH EXCEEDED FOR RECORD.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FIELD LENGTH EXCEEDED FOR USERS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FIELD LENGTH TOO SHORT FOR BASIC	BASIC 3 RM	19983900
FIELD NOT IN RECORD ON LEFT	FORM RM	60496200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FIELD NOT IN RECORD ON RIGHT	FORM RM	60496200
FIELD WIDTH IS GREATER THAN 131,071. SCANNING STOPS	FORTRAN EXT 4	60497800
FIELD WIDTH IS GREATER THAN 137 CHARACTERS. IT MAY EXCEED THE I/O DEVICE CAPACITY	FORTRAN EXT 4	60497800
FIELD WIDTH IS LESS THAN MINIMUM REQUIRED ON EDIT DESCRIPTOR AT nnnnn	FORTRAN 5 RM	60481300
FIELD WIDTH NOT SPECIFIED FOR EDIT DESCRIPTOR AT nnnnn	FORTRAN 5 RM	60481300
FIELD WIDTH OF A CONVERSION DESCRIPTOR SHOULD BE AS LARGE AS THE MINIMUM SPECIFIED FOR THAT DESCRIPTOR	FORTRAN EXT 4	60497800
FIELD WIDTH OF CONVERSION CODE nnnnn IS ZERO OR NOT SPECIFIED	FORTRAN EXT 4	60497800
FIELD WIDTH OF EDIT DESCRIPTOR AT mnnnn IS ZERO OR NOT SPECIFIED	FORTRAN 5 RM	60481300
FILE ALREADY DESTAGED. DESTAGE ABANDONED.	NOS 2 SYS MAINT	60459300
FILE ALREADY INTERLOCKED.	NOS 2 SYS MAINT	60459300
FILE ALREADY OPEN	BASIC 3 RM	19983900
FILE ALREADY SPECIFIED	FORM RM	60496200
FILE AT LINE NUMBER n.	TEXT EDITOR RM	60436100
FILE BOI/EOI/UI MISMATCH.	NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459690 60459680
FILE BUSY PFN= filename UN= username.	NOS 2 OP/ANL HB	60459310
FILE BUSY PFN = xxxxxxxx UN = xxxxxxxx	MCS 1 RM	60480300
FILE CANNOT BE RESTORED	CDCS 2 DA RM	60485200
FILE CLOSED/UNDEFINED	BASIC 3 RM	19983900
FILE DAMAGE	APL 2 RM	60454000
FILE DECLARATION LIST NON-ANSI	FORTRAN 5 RM	60481300
FILE EMPTY.	NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459690 60459680
FILE EQUIVALENCE MAY NOT BE 0.	NOS 2 SYS MAINT	60459300
FILE ERROR.	NOS 2 SYS MAINT	60459300
FILE ERROR filename.	NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459690 60459680
xxfilen - FILE, ERROR ON LOCK FUNCTION.	TAF 1 RM	60459500
xxfilen - FILE, ERROR ON OPEN FUNCTION.	TAF 1 RM	60459500
FILE FUNCTION ILLEGAL	XEDIT 3 RM	60455730
FILE IDENTIFIER NOT FOUND.	NOS 2 RS VOL 3	60459680
FILE xxJ NOT FOUND.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
FILE/JOB NOT FOUND.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
FILE LENGTH ERROR.	NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
FILE LENGTH REQUESTED IS TOO LARGE. STANDARD LENGTH OF 2000B SUBSTITUTED	FORTRAN EXT 4	60497800
FILE MSTRDIR NOT AT CONTROL POINT -- RUN ABORTED	CDCS 2 DA RM	60485200
FILE NAME CONFLICT	XEDIT 3 RM	60455730
FILE NAME CONFLICT.	NOS 2 SYS MAINT	60459300
FILE NAME CONFLICT.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
FILE NAME CONFLICT.	NOS 2 SYS MAINT	60459300
FILE NAME CONFLICT.	MODIFY RM	60450100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FILE NAME CONFLICT - filename.	NOS 2 SYS MAINT	60459300
FILE NAME CONFLICT.	NOS 2 RS VOL 3	60459680
.FILE NAME CONFLICT.	NOS 2 RS VOL 3	60459680
FILE NAME CONFLICT.	NOS 2 SYS MAINT NOS 2 RS VOL 3	60459300 60459680
FILE NAME CONFLICT.	NOS 2 RS VOL 3	60459680
FILE NAME CONFLICT - filename.	NOS 2 SYS MAINT	60459300
FILE NAME CONFLICT	CYBER COM UTIL	60495600
FILE NAME CONFLICT - FILE filename.	NOS 2 SYS MAINT	60459300
FILE NAME ERROR	NOS 2 RS VOL 3	60459680
FILE NAME ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FILE NAME MISMATCH ON TAPE HEADER RECORD.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
FILE NAME MISSING.	NOS 2 RS VOL 3	60459680
FILE NAME MUST BE 2-7 CHARACTERS.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
FILE NAME NOT SET.	NOS 2 SYS MAINT	60459300
FILE NAME TOO LONG.	NOS 2 RS VOL 3	60459680
FILE fn NOT AT CONTROL POINT	CDCS 2 DA RM	60485200
FILE NOT ATTACHED - filename.	TAF 1 RM	60459500
FILE NOT DECLARED	8-BIT SUBR RM	60495500
FILE NOT DECLARED	FORM RM	60496200
FILE NOT DEFINED	FORM RM	60496200
FILE nnnnn NOT DEFINED -- DEFINITION IGNORED	FORTRAN 5 RM	60481300
FILE nnnnn NOT DEFINED -- EQUIVALENCE IGNORED	FORTRAN EXT 4	60497800
FILE NOT DISK RESIDENT.	NOS 2 RS VOL 4	60459690
FILE hash NOT FOUND.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
FILE NOT FOUND.	NOS 2 OP/ANL HB	60459310
FILE NOT FOUND.	NOS 2 SYS MAINT	60459300
FILE NOT FOUND - filename.	NOS 2 RS VOL 3	60459680
FILE ifn NOT FOUND.	NOS 2 OP/ANL HB	60459310
FILE NOT FOUND, MUST BE A LOCAL FILE	NPS RM	60480500
FILE NOT IN ALTERNATE FAMILY.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
FILE NOT ON MASS STORAGE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FILE NOT OVERLAY FORMAT.	NOS 2 RS VOL 3	60459680
FILE NOT SPECIFIED AS READ MODE	8-BIT SUBR RM	60495500
FILE NOT SPECIFIED AS READ MODE	FORM RM	60496200
FILE NOT SPECIFIED AS WRITE MODE	8-BIT SUBR RM	60495500
FILE NOT SPECIFIED AS WRITE MODE	FORM RM	60496200
FILE NOT XEDIT-ABLE.	XEDIT 3 RM	60455730
FILE NUMBER ALREADY IN USE	BASIC 3 RM	19983900
FILE OPENED INPUT OR I-O DOES NOT EXIST	COBOL 5 DH	60482500
FILE OPENED INPUT OR I-O DOES NOT EXIST	COBOL 5 RM	60497100

MESSAGE

FILE ORGANIZATION IS NOT IS, DA OR AK.

FILE PARAMETER IS NOT A FILE NAME

FILE PARAMETER IS NOT A FILE NAME

FILE nnnnn PREVIOUSLY DEFINED -- IGNORED

FILE nnnnn PREVIOUSLY DEFINED -- IGNORED

FILE READ ERROR.
DESTAGE ABANDONED.

FILE STATUS NOT SPECIFIED.

FILE STRING DOES NOT BEGIN WITH --(-

FILE STRING DOES NOT BEGIN WITH --(-

FILE STRING DOES NOT TERMINATE WITH -)-

FILE STRING DOES NOT TERMINATE WITH -)-

FILE STRUCTURES NOT COMPATIBLE.

FILE TCF EMPTY.

FILE TCF NOT FOUND.

FILE TIE ERROR

FILE TOO LONG.

FILE TOO LONG, FILE filename AT address.

FILE TYPE MUST BE AK, DA, OR IS.

FILE TYPE NOT ARF OR BRF.

FILE TYPE NOT SPECIFIED

FILE TYPE NOT SPECIFIED

FILE USAGE NOT SPECIFIED

FILE USAGE NOT SPECIFIED

FILE USE CONTRADICTION

FILE WAS ACCEPTED AND PROCESSING WILL CONTINUE

FILE WRITE ERROR.
STAGING DELAY, FM=familyname, UI=userindex.

FILENAME CONFLICT.

FILENAME IS GREATER THAN 6 CHARACTERS

FILENAME OF file IS TOO LONG, UPDATE ABORTED

FILENAME ON ABOVE CARD GREATER THAN SEVEN CHARACTERS

FILENAME ON UPDATE CARD GR 7 CHARACTERS

FILENAME PREVIOUSLY DEFINED

FILENAME filename USER INDEX userindex.

nnnn FILES ACTIVATED DNdn FM familyname.

nnnn FILES DEQUEUED DNdn FM familyname.

nnnn FILES DUMPED (A) DNdn FM familyname.

nnnn FILES DUMPED (I) DNdn FM familyname.

nnnn FILES IGNORED DNdn FM familyname.

nnnn FILES MOVED (A) DNdn FM familyname.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
APL 2 RM	60454000
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
COMPASS 3 RM	60492600
QUERY UPDT 3 RM	60498300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
nnnn FILES MOVED (I) DNdn FM familyname.	NOS 2 SYS MAINT	60459300
nnn FILE(S) PROCESSED.	NOS 2 RS VOL 3	60459680
nnnn FILES PURGED DNdn FM familyname.	NOS 2 SYS MAINT	60459300
number FILES WITH ERRORS. number DIRECT ACCESS FILES LOADED. number INDIRECT ACCESS FILES LOADED.	NOS 2 SYS MAINT	60459300
FINAL PF SPACE = n.	NOS 2 SYS MAINT	60459300
FIP - ABN MISCOMPARE ON filename.	NOS 2 OP/ANL HB RHF SUBSYST. RM NOS 2 RS VOL 3	60459310 60459990 60459680
FIP - ACN acn NOT WITHIN RANGE.	NOS 2 OP/ANL HB RHF SUBSYST. RM NOS 2 RS VOL 3	60459310 60459990 60459680
FIP - CIO ERROR code.	NOS 2 OP/ANL HB RHF SUBSYST. RM NOS 2 RS VOL 3	60459310 60459990 60459680
FIP - CONNECTION BROKEN ON ACN acn.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - CTRL WORD FORMAT ERROR ON filename.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - DISABLE WARNING RECEIVED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - GT 4 FILE TRANSFERS INITIATED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - filename HAD RHF FET PARAMETER ERR.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - INITIATING XFR OF filename.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - filename IS AN EMPTY FILE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - LAST BLOCK TOO BIG ON filename.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - LOGIC ERROR IN routine.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - NETOFF DURING FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - filename ON INVALID DEVICE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - OUTPUT BLOCK NOT DEL ON ACN acn.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - PREMATURE TERMINATION RCVD ON acn.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - PROTOCOL ERROR DETECTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
FIP - SECOND FILE XFR ON ACN acn.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - TIMED OUT WAITING FOR NETWORK.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FIP - TRANSFER OF filename COMPLETE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - TRANSFER OF filename IN PROGRESS.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - UNDEFINED ERROR.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - XFR COMPLETE, NO ERR, IDLEDOWN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
FIP - XFR TERM WITH ERR, IDLEDOWN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIRST ADDRESS OF RANGE GREATER THAN SECOND	INTER DEBUG RM	60481400
FIRST CARD IS AFTER SECOND CARD.	MODIFY RM	60450100
FIRST CHARACTER OF CONVERSION STRING IS NOT -(-	8-BIT SUBR RM	60495500
FIRST CHARACTER OF CONVERSION STRING IS NOT -(-	FORM RM	60496200
FIRST ITEM IN SELECTOR-EXPRESSION NOT RECOGNIZED	8-BIT SUBR RM	60495500
FIRST ITEM IN SELECTOR-EXPRESSION NOT RECOGNIZED	FORM RM	60496200
FIRST NUM MUST BE LESS THAN 2ND NUM	NPS RM	60480500
FIRST TWO CHARACTERS MUST BE LETTERS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
FIRST WORD AND LAST WORD ADDRESSES OF DATA TRANSMISSION BLOCK MUST BE IN THE SAME LEVEL	FORTRAN EXT 4	60497800
FIXED-POS, LWA-END GROWTH BLOCK PRESENT	COM MEM MGMT 1	60499200
FL BEYOND MFL.	NOS 2 RS VOL 3	60459680
FL OPTION VIOLATED.	NOS 2 SYS MAINT	60459300
FL REQUEST BEYOND MFL (CM).	NOS 2 RS VOL 3 NOS 2 RS VOL 4 TAF 1 RM	60459680 60459690 60459500
FL REQUEST BEYOND MFL (ECS).	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FL REQUEST EXCEEDS MAX ALLOWED	NPS RM	60480500
FL REQUEST IGNORED	NPS RM	60480500
FL TOO LARGE- nnnnnnB,taskname,tasklibrary.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
FL TOO SHORT FOR PROGRAM.	NOS 2 RS VOL 3 NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459680 60459690
FL TOO SHORT FOR SAMPLES.	NOS 2 OP/ANL HB	60459310
FL TOO SMALL FOR COMPILATION	BASIC 3 RM	19983900
FL TOO SMALL FOR EXECUTION	BASIC 3 RM	19983900
FLAW CYL cyl TRK trk SEC sec.	NOS 2 INSTAL HB	60459320
FLE TOO SHORT FOR LOAD.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FLOATING POINT DESCRIPTOR EXPECTED AFTER SCALE FACTOR DESIGNATOR	FORTRAN EXT 4	60497800
FM NOT LEGAL FAMILY.	NOS 2 SYS MAINT	60459300
FM OR PN MUST BE SPECIFIED.	NOS 2 OP/ANL HB	60459310
FMT SPECIFIED TWICE	FORM RM	60496200
FNEND MISSING	BASIC 3 RM	19983900
FNIO01 RETURN-VALUE MUST BE SCALAR	PL/I RM	60388100
FNIO02 DATA DIRECTED I/O NOT SUPPORTED	PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
FNI003 BY NAME ASSIGNMENT NOT SUPPORTED	PL/I RM	60388100
FNI004 AOGREGATE ARGUMENT -identifier- CANNOT BE PASSED TO UNLIKE PARAMETER	PL/I RM	60388100
FNI005 SCALAR ARGUMENT -identifier- CANNOT BE PASSED TO ARRAY PARAMETER	PL/I RM	60388100
FNI006 DECLARATION OF -identifier-: UNALIGNED ATTRIBUTE DOES NOT CAUSE PACKING OF VALUES FNI006 FOR THIS DATATYPE	PL/I RM	60388100
FNI007 MEMBER OF ARRAY OF STRUCTURES CANNOT BE INITIALIZED	PL/I RM	60388100
FNI008 INPUT-TARGET VARIABLE OR OUTPUT-SOURCE EXPRESSION MUST BE SCALAR	PL/I RM	60388100
FNT FULL.	NOS 2 RS VOL 4	60459690
FNT IF FULL.	NOS 2 SYS MAINT	60459300
FO NOT SPECIFIED CORRECTLY.	NOS 2 SYS MAINT	60459300
FOLLOWED BY AN ILLEGAL ITEM	FORTRAN EXT 4	60497800
FOR NESTED TOO DEEP	BASIC 3 RM	19983900
FOR PARAM MUST BE USED IF FROM IS IN ECS	LOADER 1 RM	60429800
FOR WITHOUT NEXT	BASIC 3 RM	19983900
d FORCED d REJECTED	QUERY UPDT 3 RM	60498300
FORCED SHUTDOWN REQUESTED.	NOS 2 OP/ANL HB	60459310
FORM OF SUBSCRIPT mmmmm ON nnnnn NOT DEFINED IN ANSI	FORTRAN EXT 4	60497800
FORMAL PARAMETERS MAY NOT APPEAR IN COMMON OR EQUIV STMTS	FORTRAN EXT 4	60497800
FORMAT CODE MUST BE A, C, D, I, F OR O	INTER DEBUG RM	60481400
FORMAT DESIGNATOR MISSING	FORTRAN EXT 4	60497800
FORMAT ERROR.	NOS 2 SYS MAINT	60459300
**** FORMAT ERROR.	NOS 2 RS VOL 3	60459680
FORMAT ERROR xxxx.	NOS 2 SYS MAINT	60459300
FORMAT ERROR	NOS 2 INSTAL HB	60459320
FORMAT ERROR.	NOS 2 RS VOL 3	60459680
FORMAT ERROR IN DIRECTIVE.	MODIFY RM	60450100
FORMAT ERROR IN TERMINAL DESCRIPTION FILE.	NOS 2 OP/ANL HB	60459310
FORMAT ERROR IN THE NETWORK DESCRIPTION FILE.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
FORMAT ERROR IN TIME PARAMETER.	NOS 2 SYS MAINT	60459300
FORMAT ERROR ON CONTROL CARD.	NOS 2 RS VOL 3	60459680
FORMAT ERROR ON CONTROL CARD.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FORMAT INDICATOR nnnnn IS NAMELIST NAME	FORTRAN EXT 4	60497800
FORMAT INDICATOR nnnnn MUST BE ARRAY	FORTRAN EXT 4	60497800
FORMAT INDICATOR MUST NOT BE EXPRESSION	FORTRAN EXT 4	60497800
FORMAT LABEL PREVIOUSLY REFERENCED AS CONTOL STATEMENT LABEL	FORTRAN EXT 4	60497800
FORMAT LABEL PREVIOUSLY REFERENCED AS CONTROL STATEMENT LABEL	FORTRAN 5 RM	60481300
FORMAT LABEL PREVIOUSLY REFERENCED AS DO STATEMENT LABEL	FORTRAN EXT 4	60497800
FORMAT LABEL PREVIOUSLY REFERENCED AS DO STATEMENT LABEL	FORTRAN 5 RM	60481300
FORMAT MUST HAVE STATEMENT LABEL	FORTRAN 5 RM	60481300
FORMAT MUST HAVE STATEMENT LABEL	FORTRAN EXT 4	60497800
FORMAT REFERENCE ILLEGAL	FORTRAN EXT 4	60497800
FORMAT REQUIRES UNLABELED TAPE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690

MESSAGE

MANUAL PUB. NO.

FORMAT SPECIFIER nnnnn IS NAMELIST NAME	FORTRAN 5 RM	60481300
FORMAT STATEMENT ENDS BEFORE END OF HOLLERITH STRING. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
FORMAT STATEMENT ENDS BEFORE LAST HOLLERITH COUNT IS COMPLETE. ERROR SCAN FOR THIS FORMAT STOPS AT H	FORTRAN EXT 4	60497800
FORMAT UNIT FUNCTION REJECTED.	NOS 2 OP/ANL HB	60459310
FOT FULL.	NOS 2 OP/ANL HB	60459310
FOT FULL - FILES IGNORED.	NOS 2 RS VOL 3	60459680
FOT IS FULL.	NOS 2 SYS MAINT	60459300
pf _n FOUND. or un FOUND.	NOS 2 RS VOL 3	60459680
FOUND nnnnn AFTER FORMAT -- ASSUMED RIGHT PAREN	FORTRAN EXT 4	60497800
FOUND SECTION section.	NOS 2 RS VOL 3	60459680
FR COMMAND STACKING ERROR.	XEDIT 3 RM	60455730
FR NOT FOUND.	NOS 2 RS VOL 3	60459680
FRACTIONAL DIGIT COUNT MISSING FROM CONVERSION DECRYPTOR. DEPENDING ON DESCRIPTOR, ONE OR ZERO ASSUMED.	FORTRAN EXT 4	60497800
FRAME AT OR TRACK FROM OR TO IS IN ECS	LOADER 1 RM	60429800
FREE CHAIN ERROR.	NOS 2 OP/ANL HB	60459310
FREE FILES NOT RELEASED.	NOS 2 SYS MAINT	60459300
FREE FILES RELEASED.	NOS 2 SYS MAINT	60459300
FROM—npuname: BUFFER THRESHOLD EXCEEDED	NOS 2 OP/ANL HB	60459310
FROM npuname ALARM ON PORT pn LCN = lcn PKID = pkid CAUSE = cc DIAG = dc	NOS 2 OP/ANL HB	60459310
FROM EVENT TABLE - string	MCS 1 RM	60480300
FROM npuname LINK RESET ON PORT = pn	NOS 2 OP/ANL HB	60459310
FROM LOP . . . (string)	RBF 1 RM	60499600
FROM LOP...(string)	MCS 1 RM	60480300
FROM npuname MAINTENANCE ALARM COUPLER cn, ERROR=ec	NOS 2 OP/ANL HB	60459310
FROM npuname MAINTENANCE ALARM DUPLICATE CLA DETECTED PORT=pn	NOS 2 OP/ANL HB	60459310
FROM npuname MAINTENANCE ALARM MLIA, ERROR=ec	NOS 2 OP/ANL HB	60459310
FROM npuname MAINTENANCE ALARM MUST ENABLE TERM TO PREVENT LINE DISC/DISABLE	NOS 2 OP/ANL HB	60459310
FROM npuname MAINTENANCE ALARM OUT OF RANGE CLA TURNED ON PORT=pn	NOS 2 OP/ANL HB	60459310
FROM npuname MAINTENANCE ALARM PORT=pn, ERROR=ec	NOS 2 OP/ANL HB	60459310
FROM NOP...message.	NOS 2 RS VOL 3	60459680
FROM NOP..	NOS 2 OP/ANL HB	60459310
FROM OPERATOR: termam	NOS 2 OP/ANL HB	60459310
FROM PROG xxxxxxxx - string	MCS 1 RM	60480300
FROM TERMINAL UNKNOWN	MCS 1 RM	60480300
FROM THE AOP - string	MCS 1 RM	60480300
FROM npuname UNKNOWN VALUE OF LCN = lcn, PACKET IGNORED	NOS 2 OP/ANL HB	60459310
FROM npuname X.25 NETWORK (PSN) DOWN ON PORT = pn	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FROZEN CHAIN.	NOS 2 SYS MAINT	60459300
FSIT READ ERROR.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FTN/FBV - BLOCK READ ERROR	FORTRAN EXT 4	60497800
FULL INITIALIZE REQUIRED.	NOS 2 OP/ANL HB	60459310
FUNCTION ENTRY nnnnn MAY NOT BE TYPE CHARACTER	FORTRAN 5 RM	60481300
FUNCTION ENTRY nnnnn MUST BE TYPE CHARACTER	FORTRAN 5 RM	60481300
FUNCTION MUST HAVE AT LEAST 1 DUMMY ARGUMENT	FORTRAN EXT 4	60497800
FUNCTION NAME DOES NOT APPEAR AS A VARIABLE IN THIS SUBPROGRAM	FORTRAN EXT 4	60497800
FUNCTION NAME IS NOT ASSIGNED A VALUE	FORTRAN EXT 4	60497800
FUNCTION NAME OR ENTRY OF TYPE nnnnn WAS NOT ASSIGNED A VALUE	FORTRAN 5 RM	60481300
FUNCTION REFERENCE IN CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
FUNCTION nnnnn REFERENCED AS SUBROUTINE	FORTRAN 5 RM	60481300
FUNCTION REJECT, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 4	60459690
FUNCTION REQUIRES EXPLICIT NULL ARGUMENT LIST	FORTRAN 5 RM	60481300
FUNCTION TIMED OUT = nnnn.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
FURTHER JCL WILL GO UNDETECTED—INCORRECT OUTPUT MAY RESULT	FTN 4-5 CONV RM	60483000
FWA AND LWA NOT IN SAME ARRAY, EQUIVALENCE CLASS, OR COMMON BLOCK	FORTRAN 5 RM	60481300
FWA AND LWA NOT IN SAME ARRAY, EQUIVALENCE CLASS, OR COMMON BLOCK	FORTRAN EXT 4	60497800
FWA .GE. LWA+1.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FWA .GE. LWA+1.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
FWA-LWA ERROR ON LOADER USER CALL	LOADER 1 RM	60429800
FWA/LWA .GE. FL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FWA OR LWA GT HHA	COM MEM MGMT 1	60499200
G AND O FILES CANNOT HAVE SAME FILENAME	UPDATE RM	60449900
GARBAGE IN OLDPL HEADER, UPDATE ABORTED	UPDATE RM	60449900
GENERAL STATUS = nnnn.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
GENERATING CATALOG IMAGE.	NOS 2 SYS MAINT	60459300
GENERIC ONLY ILNTRINSIC...TYPED= TYPING IGNORED	FORTRAN 5 RM	60481300
GENLAB - ABNORMAL TERMINATION.	NOS 2 SYS MAINT	60459300
GET ERROR ON PF xxxxxxxx.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
GETFNT TABLE TOO LARGE.	NOS 2 RS VOL 4	60459690
GIVING MRL LESS THAN SORT FILE MRL	COBOL 5 RM	60497100
GIVING MRL LESS THAN SORT FILE MRL	COBOL 5 DH	60482500
GLOBAL LIBRARY DIRECTORY DEFECTIVE.	NOS 2 RS VOL 3	60459680
GLOBAL LIBRARY DIRECTORY NOT FOUND.	NOS 2 RS VOL 3	60459680
GLOBAL LIBRARY SET CLEARED.	NOS 2 RS VOL 3	60459680
GLOBAL TASK DUMP LIMIT EXHAUSTED.	NOS 2 OP/ANL HB	60459310
GO ALREADY RECEIVED.	NOS 2 OP/ANL HB	60459310
GO ALREADY RECEIVED	MCS 1 RM	60480300

MESSAGE

GO FROM JOB jsn
GO FROM OPERATOR
GO RECEIVED.
GO RECEIVED
GO TO STATEMENT CONTAINS NON-ANSI USAGES
GO TO STATEMENT - SYNTAX ERROR
GOSUB NESTED TOO DEEP
GROUP NAME NOT SURROUNDED BY SLASHES
GROUP NAME nnnnn PREVIOUSLY DEFINED
GROUP NAME nnnnn PREVIOUSLY DEFINED
GROUP NAME PREVIOUSLY REFERENCED IN ANOTHER CONTEXT
GROUP-TYPE 1 BLOCKS ILLEGALLY ACTIVE
GROUP xxx WILL BE REDEFINED
GROW REQUEST ON FIXED SIZE BLOCK
GROW REQUEST ON FIXED SIZE BLOCK
GS=ssss.
GTR ERRORS.
.H VALUE INVALID.
HARDWARE MALFUNCTION
HARDWARE PROBLEM.
filename FOR jsn NOT STAGED.
HARDWARE PROBLEM.
DESTAGE RESTARTED.
HARDWARE REGISTERS NOT FOUND.
termnam HAS AUTO CONTROL STATUS
HASH ROUTINE NOT FOUND
HASH ROUTINE PARAMETER REQUIRES LIBRARY NAME
HEAD MOTION ERROR.
DESTAGE RESTARTED.
HEADER CARD NOT FIRST STATEMENT
HEADER CARD NOT FIRST STATEMENT -- IGNORED
HEADER CARD NOT FIRST STATEMENT -- IGNORED
HEADER CARD SYNTAX ERROR
HEADS CLEANED, MST ID = id.
HELLO/LOGIN DO NOT RESET TERMINAL CHARACTERISTICS
HELLO, YOU ARE NOW A DIAGNOSTIC OPERATOR.
HELLO, YOU ARE NOW AN NPU OPERATOR.
HELLO - YOU'RE THE AOP
HELP AVAILABLE ONLY TO TIMESHARING JOB.
HELP NOT AVAILABLE.
HFM ARGUMENT ERROR.
HFM ILLEGAL REQUEST.
HIP NOT PRESENT.
HLD est
HN hnn COUPLER ERROR cec

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COM MEM MGMT 1	60499200
INTER DEBUG RM	60481400
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310

MESSAGE

MANUAL

PUB. NO.

HOLLERITH ARGUMENT IS NON-ANSI	FORTRAN EXT 4	60497800
HOLLERITH ARGUMENT MUST NOT EXCEED 70 CHARACTERS	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT APPEARS OTHER THAN IN AN ARGUMENT LIST OF A CALL STATEMENT OR IN A DATA STATEMENT	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT EXCEEDS 10 CHARACTERS	FORTRAN 5 RM	60481300
HOLLERITH CONSTANT .GT. 10 CHARACTERS, EXCESS CHARACTERS INITIALIZED INTO SUCCEEDING WORDS	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT IN EXPRESSION EXCEEDS 10 CHARACTERS	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT IN EXPRESSION NON-ANSI	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT LONGER THAN 1 WORD	FORTRAN EXT 4	60497800
HOLLERITH CONSTANT NON-ANSI	FORTRAN 5 RM	60481300
HOLLERITH DIMENSION FOR nnnnn	FORTRAN EXT 4	60497800
HOLLERITH STRING DELIMITED BY SYMBOLS IS NON-ANSI	FORTRAN EXT 4	60497800
HOME BLOCK COUNT NOT SPECIFIED FOR NEW DA FILE	COBOL 5 DH	60482500
HOME BLOCK COUNT NOT SPECIFIED FOR NEW DA FILE	COBOL 5 RM	60497100
HOST AVAILABLE	RBF 1 RM	60499600
HOST AVAILABLE CONTROL CHARACTER=character display ENTER INPUT TO CONNECT TO HOST	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST AVAILABLE CONTROL CHARACTER=character display ENTER INPUT TO CONNECT TO HOST	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST BUSY CONTROL CHARACTER=character display ENTER character HD TO SEE HOST STATUS	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST CONNECTED CONTROL CHARACTER= char display READY FOR INPUT	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST CONNECTED CONTROL CHARACTER=character display TERMINAL DISABLED BY NOP	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST CONNECTED CONTROL CHARACTER= char display READY FOR INPUT	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST DISCONNECTED CONTROL CHARACTER=char display ENTER INPUT TO CONNECT TO HOST	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST DISCONNECTED CONTROL CHARACTER=char display TERMINAL DISABLED BY NOP	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HOST IDLE DOWN IN PROGRESS.	NOS 2 OP/ANL HB	60459310
HOST NODE nnn MISMATCH BETWEEN EST AND NCF.	NOS 2 OP/ANL HB	60459310
HOST NOT AVAILABLE.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
xxx/HOST RECORD READ ERROR nn	NFS RM	60480500
HOST SHUTDOWN COMPLETE.	NOS 2 OP/ANL HB	60459310
HOST UNAVAILABLE	RBF 1 RM	60499600
HOST UNAVAILABLE	MCS 1 RM	60480300
HOST UNAVAILABLE CONTROL CHARACTER=char display ENTER character HD to SEE HOST STATUS	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
HRL SPECIFIED TWICE	FORM RM	60496200
HTIME xxxxxxxxxxxxxx.xxx KCYCLES.	NOS 2 RS VOL 3	60459680
HTIME NOT AVAILABLE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690

MESSAGE

MANUAL

PUB. NO.

HUNG IN AUTO RECALL	BASIC 3 RM	19983900
HUNG PP.	NOS 2 OP/ANL HB	60459310
nnnn I/A ROLLOUT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
I= ALREADY SPECIFIED	FORM RM	60496200
I/O BUFFER LENGTH SPECIFICATION IS NOT MEANINGFUL—VALUE IGNORED	FORTRAN EXT 4	60497800
I/O (CIO) ERROR nnn ON CDCS file	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
nnnnn mmmmm I/O CONTROL ALREADY SPECIFIED FOR THIS STATEMENT	FORTRAN 5 RM	60481300
I/O CONTROL KEYWORD nnnnn mmmmm MUST BE POSITIVE INTEGER EXPRESSION	FORTRAN 5 RM	60481300
I/O CONTROL KEYWORD PARAMETER nnnnn mmmmm CANNOT BE ppppp	FORTRAN 5 RM	60481300
I/O CONTROL KEYWORD PARAMETER nnnnn mmmmm MUST BE TYPE ppppp	FORTRAN 5 RM	60481300
I/O (CRM) ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
I/O (CRM) ERROR nnn ON CDCS RESTART IDENTIFIER FILE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
I/O ERROR xxxx IN FFFFFFFF.	NOS 2 SYS MAINT	60459300
I/O ERROR ON MSFCATn, CATALOG CLOSED. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
I/O FILE NOT DEFINED	FORTRAN EXT 4	60497800
I/O FILE nnnnn NOT DEFINED	FORTRAN EXT 4	60497800
I/O KEYWORD BUFL IS NON-ANSI	FORTRAN 5 RM	60481300
I/O LIMIT EXCEEDED	FORTRAN EXT 4	60497800
I/O LIST IGNORED WHEN USING NAMELIST	FORTRAN EXT 4	60497800
I/O LIST IGNORED WHEN USING NAMELIST	FORTRAN 5 RM	60481300
I/O ON EXECUTE-ONLY FILE.	NOS 2 RS VOL 3	60459680
I/O ON EXECUTE-ONLY FILE filename AT address.	NOS 2 RS VOL 4	60459690
I/O ON EXECUTE-ONLY FILE filename AT address.	NOS 2 RS VOL 3	60459680
I/O SEQUENCE ERROR.	NOS 2 OP/ANL HB	60459310
I/O SEQUENCE ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
I/O SEQUENCE ERROR ON FILE filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
I/O TIME LIMIT	BASIC 3 RM	19983900
I/O UNIT DESIGNATOR MUST BE INTEGER	FORTRAN EXT 4	60497800
I/O UNIT DESIGNATOR MUST BE SIMPLE VARIABLE	FORTRAN EXT 4	60497800
IAF CLOSED.	NOS 2 RS VOL 3	60459680
IAF NOT ACTIVE.	NOS 2 SYS MAINT	60459300
IAF NOT ACTIVE.	NOS 2 OP/ANL HB	60459310
IAFEX ABNORMAL - xxx,nnnnn.	NOS 2 OP/ANL HB	60459310
IAFEX INITIALIZATION ABORT.	NOS 2 OP/ANL HB	60459310
ICPD COMPLETE.	NOS 2 SYS MAINT	60459300
IDENT CARD MISSING, NO NEWPL REQUESTED, DEFAULT IDENTIFIER OF .NO.ID. USED	UPDATE RM	60449900
IDENT LONGER THAN NINE CHARACTERS	UPDATE RM	60449900
IDENT NAME PREVIOUSLY REFERENCED.	MODIFY RM	60450100
IDENT STATEMENT MISSING.	COMPASS 3 RM	60492600

MESSAGE

IDENT xxxxx WILL NOT BE PROCESSED
IDENTIFIERS SEPARATED BY PERIOD IN WRONG ORDER
IDLE
IDLE.
IDLE,CDCS
IDLE COMPLETE
IDLE IN PROGRESS
IF RESULTS IN A SIMPLE TRANSFER
IF RESULTS IN A SIMPLE TRANSFER
IF RESULTS IN A TRANSFER TO THE NEXT LINE
IF RESULTS IN A TRANSFER TO THE NEXT LINE
IGNORE TABLE OVERFLOW.
IGNORING EXTRA LOAD FILE
ILL-FORMATTED LIBRARY--NOT UPDATABLE, DDL ABORTED
ILL-FORMATTED LIBRARY -- NOT UPDATABLE, DDL ABORTED
ILL-FORMED COMPLEX CONSTANT
ILLEGAL ACCESS LEVEL FOR EQUIPMENT.
ILLEGAL ACTION ON BINARY FILE
ILLEGAL ACTION ON CODED FILE
ILLEGAL APPLICATION.
ILLEGAL APPLICATION ACCOUNTING REQUEST.
ILLEGAL APPLICATION, TRY AGAIN xxxxxxxx-APPLICATION:
ILLEGAL APPLICATION, TRY AGAIN. xxxxxxxx - APPLICATION:
ILLEGAL ARGUMENT IN ASC
ILLEGAL BIT NUMBER.
ILLEGAL BLOCK IF STRUCTURE
ILLEGAL BLOCK NAME
ILLEGAL BLOCK NAME IN COMMON STATEMENT
ILLEGAL BLOCK NAME IN COMMON STATEMENT
ILLEGAL BOUND
ILLEGAL BUFFER LENGTH FOR FILE nnnnn -- DEFINITION IGNORED
ILLEGAL BUFFER LENGTH FOR FILE nnnnn -- 2003B USED
ILLEGAL BYTE NUMBER.
ILLEGAL CALL TO DB\$MABT FROM numb
ILLEGAL CHAIN PARAMETER
ILLEGAL CHARACTER.
ILLEGAL CHARACTER.
ILLEGAL CHARACTER
ILLEGAL CHARACTER
ILLEGAL CHARACTER AFTER RIGHT PAREN

<u>MANUAL</u>	<u>PUR. NO.</u>
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
LOADER 1 RM	60429800
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 4	60459690
MCS 1 RM	60480300
RBF 1 RM	60499600
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NAM 1 RM	60499500
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL CHARACTER COUNT	FORTRAN 5 RM	60481300
ILLEGAL CHARACTER COUNT	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING A, I, L, O, R OR Z DESCRIPTOR. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING FLOATING POINT DESCRIPTOR. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING SIGN CHARACTER. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOUND IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER NUMBER.	NOS 2 RS VOL 3	60459680
ILLEGAL CHARACTER. THE REMAINDER OF THIS STATEMENT WILL NOT BE COMPLETED	FORTRAN EXT 4	60497800
ILLEGAL CHARACTERS AFTER TERMINATING RIGHT PARENTHESIS	FORTRAN EXT 4	60497800
ILLEGAL CHECKPOINT NUMBER	QU/CRM DA RM	60482100
ILLEGAL CHR\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL CMS CALL.	NOS 2 OP/ANL HB	60459310
ILLEGAL CODE ccc, FILE filename, RECORD recordnumber, LINE linenumbr.	NOS 2 RS VOL 3	60459680
ILLEGAL COMBINATION OF QN/SI.	NOS 2 RS VOL 3	60459680
ILLEGAL COMMAND	NOS 2 OP/ANL HB	60459310
ILLEGAL COMMAND.	NOS 2 SYS MAINT	60459300
ILLEGAL COMMAND.	TEXT EDITOR RM	60436100
ILLEGAL COMMAND.	NOS 2 RS VOL 3	60459680
xx ILLEGAL COMMAND.	TAF 1 RM	60459500
	NOS 2 RS VOL 3	60459680
ILLEGAL COMMAND.	NOS 2 SYS MAINT	60459300
ILLEGAL COMMAND	MCS 1 RM	60480300
ILLEGAL COMMON MEMORY MANAGER REQUEST.	TAF 1 RM	60459500
ILLEGAL COMMON MEMORY MANAGER REQUEST.	NOS 2 RS VOL 4	60459690
ILLEGAL COMPARISON	BASIC 3 RM	19983900
ILLEGAL CONSTANT FOLLOWING + OR -	FORTRAN EXT 4	60497800
ILLEGAL CONSTANT FOLLOWING + OR -	FORTRAN 5 RM	60481300
ILLEGAL CONTROL CARD.	NOS 2 OP/ANL HB	60459310
ILLEGAL CONTROL CARD.	NOS 2 RS VOL 3	60459680
ILLEGAL CONTROL CARD	NOS 2 OP/ANL HB	60459310
ILLEGAL CONTROL CARD.	NOS 2 OP/ANL HB	60459310
ILLEGAL CONTROL CARD IN ADDFILE	UPDATE RM	60449900
ILLEGAL CONTROL POINT NUMBER.	NOS 2 SYS MAINT	60459300
ILLEGAL CONTROL STATEMENT PARAMETER VALUE.	NOS 2 OP/ANL HB	60459310
ILLEGAL COPY.	NOS 2 RS VOL 3	60459680
ILLEGAL COUNT.	NOS 2 RS VOL 3	60459680
ILLEGAL CSU.	NOS 2 SYS MAINT	60459300
ILLEGAL CSU NUMBER.	NOS 2 SYS MAINT	60459300
ILLEGAL D.	NOS 2 SYS MAINT	60459300
ILLEGAL DATA.	NOS 2 SYS MAINT	60459300
ILLEGAL DATA BASE IN xxJ FILE.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
ILLEGAL DATA ON FILE	BASIC 3 RM	19983900

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL DATA, RETYPE INPUT	BASIC 3 RM	19983900
ILLEGAL DATE	QU/CRM DA RM	60482100
ILLEGAL DB OPTION -- IGNORED	PL/I RM	60388100
ILLEGAL DELIMITER.	TEXT EDITOR RM	60436100
ILLEGAL DELIMITER ON ABOVE TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL DELIMITER/PARAMETER	QU/CRM DA RM	60482100
ILLEGAL DELIMITER - REENTER TEXT.	TEXT EDITOR RM	60436100
ILLEGAL DESTINATION NODE NUMBER	NOS 2 OP/ANL HB	60459310
ILLEGAL DEVICE REQUEST.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL DEVICE TYPE - filename.	NOS 2 RS VOL 3	60459680
ILLEGAL DEVICE TYPE, DT NOT EQUAL TO 0	NPS RM	60480500
ILLEGAL DIRECTIVE.	MODIFY RM	60450100
ILLEGAL DIRECTIVE.	NOS 2 SYS MAINT	60459300
**** ILLEGAL DIRECTIVE.	NOS 2 SYS MAINT	60459300
ILLEGAL DIRECTIVE CODE ON LOG FILE	QU/CRM DA RM	60482100
ILLEGAL DRAWER NUMBER.	NOS 2 SYS MAINT	60459300
ILLEGAL DUMP REQUESTED.	NOS 2 SYS MAINT	60459300
ILLEGAL ECS REQUEST.	NOS 2 OP/ANL HB	60459310
ILLEGAL EL LEVEL -- IGNORED	PL/I RM	60388100
ILLEGAL ENTRY.	NOS 2 OP/ANL HB	60459310
ILLEGAL ENTRY.	NOS 2 INSTAL HB	60459320
ILLEGAL ENTRY.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
ILLEGAL ENTRY.	NOS 2 INSTAL HB	60459320
ILLEGAL EQUIPMENT.	NOS 2 OP/ANL HB	60459310
ILLEGAL EQUIPMENT.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL EQUIPMENT ON FILE filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL ERROR EXIT ADDRESS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL ET LEVEL -- IGNORED	PL/I RM	60388100
ILLEGAL EXIT FROM PERFORM	COBOL 5 RM	60497100
ILLEGAL EXIT FROM PERFORM	COBOL 5 DH	60482500
ILLEGAL EXPLICIT LEVEL DECLARATION FOR COMMON MEMBER NAME nnnnn	FORTRAN 5 RM	60481300
ILLEGAL EXTENSION OF COMMON BLOCK ORIGIN	FORTRAN EXT 4	60497800
nnnnn ILLEGAL EXTENSION OF COMMON BLOCK ORIGIN	FORTRAN 5 RM	60481300
nnnnn ILLEGAL EXTENSION OF XOMMON BLOCK ORIGIN	FORTRAN EXT 4	60497800
ILLEGAL EXTERNAL CALL.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL EXTERNAL NAME	BASIC 3 RM	19983900
ILLEGAL FAMILY NAME.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
ILLEGAL FILE COUNT.	NOS 2 RS VOL 3	60459680
ILLEGAL FILE COUNT	CYBER COM UTIL	60495600
ILLEGAL FILE MODE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690

MESSAGE

ILLEGAL FILE NAME - filename.
ILLEGAL FILE NAME.

ILLEGAL FILE NAME.
ILLEGAL FILE NAME
ILLEGAL FILE NAME
ILLEGAL FILE NAME
ILLEGAL FILE NAME filename AT address.

ILLEGAL FILE NUMBER.
ILLEGAL FILE NUMBER
ILLEGAL FILE STATUS.

ILLEGAL FILE TYPE.

pfn ILLEGAL FILE TYPE.

ILLEGAL FILE TYPE ENCOUNTERED
nnnn ILLEGAL FIRST ELEMENT OF EXPRESSION
nnnn ILLEGAL FIRST ELEMENT OF STATEMENT
ILLEGAL FIRST ITEM TYPE
ILLEGAL FIRST ITEM TYPE
ILLEGAL FL REDUCTION.
ILLEGAL FL REQUEST.
ILLEGAL FL VALUE
ILLEGAL FN NAME
ILLEGAL FORM INVOLVING THE USE OF A COMMA
ILLEGAL FORM INVOLVING THE USE OF A COMMA
ILLEGAL FORM OF EXPONENT nnnn
ILLEGAL FORM OF EXPONENT nnnn
ILLEGAL FORMAT INDICATOR nnnn
ILLEGAL FORMAT SPECIFIER
ILLEGAL FORMAT SPECIFIER nnnn
ILLEGAL FWA FOR LOAD.
ILLEGAL GROW-SHRINK AMOUNT
ILLEGAL HOLL. CODE, RECxxx CDyyyy.
ILLEGAL I/O REQUEST ON FILE filename AT
address.
ILLEGAL IF BLOCK NESTING WITH DO LOOP nnnn
ILLEGAL IF STATEMENT -- OBJECT MISSING
ILLEGAL IF STATEMENT -- OBJECT MISSING
ILLEGAL IMS REQUEST.
ILLEGAL INPUT FILE.
ILLEGAL INPUT ON FILE
ILLEGAL JOB ORIGIN TYPE FOR TRMDEF.
ILLEGAL JOURNAL FILE REQUEST.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
TEXT EDITOR RM	60436100
NPS RM	60480500
NAM 1 RM	60499500
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
CDCS 2 DA RM	60485200
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORM RM	60496200
8-BIT SUBR RM	60495500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
COM MEM MGMT 1	60499200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL KEY BEGINNING CHARACTER.	TAF 1 RM	60459500
ILLEGAL KEY ORDINAL.	TAF 1 RM	60459500
ILLEGAL KEY-WORD	NOS 2 OP/ANL HB	60459310
ILLEGAL - L AND RF PARAMETERS.	NOS 2 SYS MAINT	60459300
ILLEGAL LABEL	BASIC 3 RM	19983900
ILLEGAL LABEL FIELD	FORTRAN EXT 4	60497800
ILLEGAL LABEL TYPE, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL LABELS IN IF STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL LENGTH PARAMETER DESCRIPTION	8-BIT SUBR RM	60495500
ILLEGAL LIBTASK ATTEMPT - filename, username.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
ILLEGAL LINE NO	BASIC 3 RM	19983900
ILLEGAL LINE NUMBER.	NOS 2 SYS MAINT	60459300
ILLEGAL LINE REF	BASIC 3 RM	19983900
ILLEGAL LIST ITEM ENCOUNTERED IN AN I/O LIST SEQUENCE	FORTRAN EXT 4	60497800
ILLEGAL LIST OPTION.	NOS 2 RS VOL 3	60459680
ILLEGAL LO OPTION -- IGNORED	PL/I RM	60388100
ILLEGAL LOAD ADDRESS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL LPAD\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL MARGIN	BASIC 3 RM	19983900
ILLEGAL MASKING OR LOGICAL OPERAND	INTER DEBUG RM	60481400
ILLEGAL MODIFICATION OF filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL MOVE REQUESTED.	NOS 2 SYS MAINT	60459300
ILLEGAL N.	NOS 2 SYS MAINT	60459300
ILLEGAL NAME -- ENTRY STATEMENT IGNORED	FORTRAN 5 RM	60481300
ILLEGAL NAME -- ENTRY STATEMENT IGNORED	FORTRAN EXT 4	60497800
ILLEGAL NAMELIST VARIABLE	FORTRAN EXT 4	60497800
ILLEGAL NDA CALL PARAMETER xxxxxxxx PARAMETER VALUE ILLEGAL FOR xxxxxxxx VALUE NEEDED FOR PARAMETER xxxxxxxx INVALID CHARACTER AFTER ITEM xxxxxxxx.	NOS 2 SYS MAINT	60459300
ILLEGAL NESTING OF DO LOOPS	FORTRAN 5 RM	60481300
ILLEGAL NESTING OF DO LOOPS	FORTRAN EXT 4	60497800
ILLEGAL NUMBER	BASIC 3 RM	19983900
ILLEGAL NUMBER FOR LOCKS.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
ILLEGAL NUMBER FOR USERS.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
ILLEGAL NUMBER OF ALTERNATE KEYS.	TAF 1 RM	60459500
ILLEGAL NUMBER OF CONTROL CARD PARAMETERS	CDCS 2 DA RM	60485200
ILLEGAL NUMBER ON TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL NUMERIC FIELD.	MODIFY RM	60450100
**** ILLEGAL NUMERIC VALUE.	NOS 2 SYS MAINT	60459300
ILLEGAL OBJECT OF IF -- TROUBLE STARTED AT nnnnn	FORTRAN 5 RM	60481300
ILLEGAL OBJECT OF IF -- TROUBLE STARTED AT nnnnn	FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL OBJECT OF LOGICAL IF	FORTRAN 5 RM	60481300
ILLEGAL OBJECT OF LOGICAL IF	FORTRAN EXT 4	60497800
ILLEGAL OPERAND	BASIC 3 RM	19983900
ILLEGAL OPTION.	NOS 2 SYS MAINT	60459300
ILLEGAL OPTION - REENTER.	NOS 2 SYS MAINT	60459300
ILLEGAL OR UNKNOWN DEVICE aaaaaaa	RBF 1 RM	60499600
ILLEGAL ORD ARGUMENT	BASIC 3 RM	19983900
ILLEGAL ORIGIN TYPE.	NOS 2 OP/ANL HB	60459310
ILLEGAL OUTPUT ON FILE	BASIC 3 RM	19983900
ILLEGAL OVL REQUESTED AT numb	CDCS 2 DA RM	60485200
ILLEGAL PARAM ON ABOVE TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL PARAMETER	XEDIT 3 RM	60455730
ILLEGAL PARAMETER.	NOS 2 RS VOL 3	60459680
ILLEGAL PARAMETER	NOS 2 OP/ANL HB	60459310
ILLEGAL PARAMETER	NAM 1 RM	60499500
ILLEGAL PARAMETER IN RA+1 CALL.	TAF 1 RM	60459500
ILLEGAL PASSWORD. or **** ILLEGAL PASSWORD.	NOS 2 SYS MAINT	60459300
**** ILLEGAL PASSWORD IGNORED.	NOS 2 SYS MAINT	60459300
ILLEGAL PRINT DENSITY SELECTION.	NOS 2 SYS MAINT	60459300
ILLEGAL PRINT OPTION SELECTION.	NOS 2 SYS MAINT	60459300
ILLEGAL PRIORITY.	NOS 2 OP/ANL HB	60459310
ILLEGAL PRU SIZE CONTROL CARD PARAMETER	CDCS 2 DA RM	60485200
ILLEGAL QUEUE SPECIFIED.	NOS 2 RS VOL 3	60459680
ILLEGAL RANDOM ADDRESS.	NOS 2 RS VOL 4	60459690
ILLEGAL RANGE -- mmmmm NOT LESS THAN nnnnn -- TRUNCATED	FORTRAN EXT 4	60497800
ILLEGAL RANGE -- nnnnn NOT LESS THAN mmmmm -- TRUNCATED	FORTRAN 5 RM	60481300
ILLEGAL REASON CODE	NPS RM	60480500
ILLEGAL RECORD LENGTH FOR FILE nnnnn -- DEFAULT USED	FORTRAN EXT 4	60497800
ILLEGAL RECORD LENGTH FOR FILE nnnnn -- DEFINITION IGNORED	FORTRAN 5 RM	60481300
ILLEGAL RECORD TYPE FOR REWRITE	COBOL 5 DH	60482500
ILLEGAL RECORD TYPE FOR REWRITE	COBOL 5 RM	60497100
ILLEGAL REDIMENSIONS	BASIC 3 RM	19983900
ILLEGAL REFERENCE MODIFICATION	COBOL 5 RM	60497100
ILLEGAL REFERENCE MODIFICATION	COBOL 5 DH	60482500
ILLEGAL REFERENCE TO FORMAT STATEMENT LABEL nnnnn	FORTRAN EXT 4	60497800
ILLEGAL REFERENCE TO LABEL nnnnn DEFINED ON NON-EXECUTABLE STATEMENT	FORTRAN 5 RM	60481300
ILLEGAL REFERENCE TO STATEMENT LABEL nnnnn AS A FORMAT	FORTRAN 5 RM	60481300
ILLEGAL REFERENCE TO STATEMENT LABEL nnnnn AS A FORMAT	FORTRAN EXT 4	60497800
ILLEGAL REPEAT CONSTANT	FORTRAN 5 RM	60481300
ILLEGAL REPEAT CONSTANT	FORTRAN EXT 4	60497800
ILLEGAL REPORT OPTION.	NOS 2 SYS MAINT	60459300
ILLEGAL REQUEST.	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL REQUEST TABLE	LOADER 1 RM	60429800
ILLEGAL RESOURCE COUNT.	NOS 2 RS VOL 3	60459680
ILLEGAL RETURNS PARAMETER	FORTRAN EXT 4	60497800
ILLEGAL - RF AND AM PARAMETERS.	NOS 2 SYS MAINT	60459300
ILLEGAL - RF AND FM PARAMETERS.	NOS 2 SYS MAINT	60459300
ILLEGAL - RL AND NO RF PARAMETER.	NOS 2 SYS MAINT	60459300
ILLEGAL ROLLOUT REQUEST.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
ILLEGAL RPAD\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL RPT\$ PARAMETER	BASIC 3 RM	19983900
ILLEGAL SAMPLE RATE.	NOS 2 OP/ANL HB	60459310
ILLEGAL SCHEMA ID CONTROL CARD PARAMETER	CDCS 2 DA RM	60485200
ILLEGAL SCRIPT NAME ON LIST	NPS RM	60480500
ILLEGAL SDF DEVICE.	NOS 2 SYS MAINT	60459300
ILLEGAL SECOND ITEM TYPE	FORM RM	60496200
ILLEGAL SECOND ITEM TYPE	8-BIT SUBR RM	60495500
ILLEGAL SEPARATOR.	NOS 2 OP/ANL HB	60459310
ILLEGAL SEPARATOR AFTER nnnnn	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR ENCOUNTERED	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR FOLLOWING DATA CONSTANT	FORTRAN 5 RM	60481300
ILLEGAL SEPARATOR FOLLOWING DATA CONSTANT	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR IN EXTERNAL STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SET VALUE	BASIC 3 RM	19983900
ILLEGAL SL.	NOS 2 SYS MAINT	60459300
ILLEGAL SLL REQUEST.	NOS 2 OP/ANL HB	60459310
ILLEGAL SMP REQUEST.	NOS 2 OP/ANL HB	60459310
ILLEGAL SORT PARAMETER.	NOS 2 RS VOL 3	60459680
ILLEGAL STATEMENT	BASIC 3 RM	19983900
ILLEGAL STATEMENT WITHIN A SCRIPT	NPS RM	60480500
ILLEGAL STATEMENT WITHIN IF	BASIC 3 RM	19983900
ILLEGAL STRING	BASIC 3 RM	19983900
ILLEGAL SU.	NOS 2 SYS MAINT	60459300
ILLEGAL SUBFAMILY.	NOS 2 SYS MAINT	60459300
ILLEGAL SUBSTR PARAMETER	BASIC 3 RM	19983900
ILLEGAL SUBTRANSACTION CODE - INITIAL TASK.	TAF 1 RM	60459500
ILLEGAL SYNTAX AFTER INITIAL KEYWORD OR NAME	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN CALL STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN COMMON DECLARATION	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IF STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IMPLIED DO SPECIFICATION	FORTRAN EXT 4	60497800
ILLEGAL TASK NAME REQUESTED FOR SCHEDULING.	TAF 1 RM	60459500
ILLEGAL TASK PERCENTAGE.	NOS 2 SYS MAINT	60459300
ILLEGAL TERMINAL.	NOS 2 RS VOL 3	60459680

MESSAGE

cmd ILLEGAL TERMINAL CLASS.

ILLEGAL TERMINAL INPUT REQUEST.

ILLEGAL TERMINAL NAME.

ILLEGAL TERMINAL REQUEST.

ILLEGAL TERMINAL TYPE FOR TRMDEF.

ILLEGAL TIME

ILLEGAL TIME ENTRY HOURS: 00 TO 99, MINUTES:
00 TO 59

ILLEGAL TIME ENTRY PERIOD REQUIRED

ILLEGAL TIP TYPE, NOT A HASP

ILLEGAL TOTAL INTERLOCK REQUEST.

ILLEGAL TRANSFER INTO RANGE OF DO

ILLEGAL TRANSFER INTO RANGE OF DO

ILLEGAL TRANSFER TO DO nnnnn TERMINATOR

ILLEGAL TRANSFER TO nnnnn FORMAT

ILLEGAL TRANSFER TO nnnnn FORMAT

nnnnn — ILLEGAL TRANSFER TO INSIDE A CLOSED DO LOOP

nnnnn — ILLEGAL TRANSFER TO INSIDE A CLOSED DO LOOP OR IF BLOCK

ILLEGAL TYPE FOR INDEX xxxx yyyy VALUE

ILLEGAL TYPE SPECIFIED IN IMPLICIT STATEMENT

ILLEGAL USE OF A FUNCTION NAME

ILLEGAL USE OF ASSIGNMENT OPERATOR

ILLEGAL USE OF ASSIGNMENT OPERATOR

ILLEGAL USE OF ENTRY nnnnn

ILLEGAL USE OF ENTRY nnnnn

ILLEGAL USE OF LEFT PAREN

ILLEGAL USE OF NAMELIST GROUP NAME nnnnn

ILLEGAL USE OF OPERATOR / OPERAND -- mmmmm nnnnn

ILLEGAL USE OF OPERATOR/OPERAND -- xxxxxx yyyy

ILLEGAL USE OF PARAMETER nnnnn

ILLEGAL USE OF THE EQUAL SIGN

ILLEGAL USER

ILLEGAL USER

ILLEGAL USER ACCESS.

ILLEGAL USER ACCESS.

ILLEGAL USER ACCESS.

ILLEGAL USER ACCESS.

ILLEGAL USER ACCESS.

ILLEGAL USER ACCESS. CONTACT SITE OPERATOR

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
QU/CRM DA RM	60482100
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NFS RM	60480500
TAF 1 RM	60459500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
RBF 1 RM	60499600
MCS 1 RM	60480300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
RBF 1 RM	60499600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL USER ACCESS - CONTACT SITE OPR.	NOS 2 RS VOL 3	60459680
ILLEGAL USER CARD.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ILLEGAL USER/FAMILY.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
ILLEGAL USER INDEX.	NOS 2 SYS MAINT	60459300
ILLEGAL USING	BASIC 3 RM	19983900
cmd ILLEGAL VALUE	NOS 2 RS VOL 3 TAF 1 RM	60459680 60459500
ILLEGAL VARIABLE NAME FIELD IN ASSIGN OR ASSIGNED GOTO	FORTRAN EXT 4	60497800
ILLEGAL VCB ORDINAL = vcb NVFUFVD.	NOS 2 OP/ANL HB	60459310
ILLEGAL VCB ORDINAL = vcb NVFUMVD.	NOS 2 OP/ANL HB	60459310
ILLEGAL VCB ORDINAL = vcb NVFURDS.	NOS 2 OP/ANL HB	60459310
ILLEGAL VCB ORDINAL = vcb NVFUROS.	NOS 2 OP/ANL HB	60459310
ILLEGAL VERB IN ABOVE TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL WORD COUNT ON TERMINAL OUTPUT.	TAF 1 RM	60459500
ILLEGAL IMR FUNCTION.	NOS 2 OP/ANL HB	60459310
ILLEGAL 1ST CALL TO CMM	COM MEM MGMT 1	60499200
ILLOGICAL WORKLIST	NAM 1 RM	60499500
IMPLICIT ERROR	APL 2 RM	60454000
IMPLICIT MUST BE FOLLOWED BY A TYPE INDICATOR	FORTRAN 5 RM	60481300
IMPLICIT STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
IMPLICIT STATEMENT MUST OCCUR BEFORE DECLARATIVE STATEMENTS	FORTRAN 5 RM	60481300
IMPLICIT STATEMENT MUST OCCUR BEFORE DECLARATIVES	FORTRAN EXT 4	60497800
IMPLIED DO INCREMENT MUST BE NUMERIC	FORTRAN EXT 4	60497800
IMPLIED DO INDEX MUST BE FOLLOWED BY EQUAL	FORTRAN EXT 4	60497800
IMPLIED DO LOWER LIMIT MUST BE NUMERIC	FORTRAN EXT 4	60497800
IMPLIED DO NOT TERMINATED	FORTRAN EXT 4	60497800
IMPLIED DO UPPER LIMIT MUST BE NUMERIC	FORTRAN EXT 4	60497800
IMPLIED I/O UNIT SPECIFIER NOT ALLOWED FOR THIS STATEMENT	FORTRAN 5 RM	60481300
IMPLIED LOOP IS REDUCED	FORTRAN EXT 4	60497800
IMPLIED LOOP NOT TERMINATED	FORTRAN 5 RM	60481300
IMPROPER ACCESSIBILITY.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
IMPROPER FORM OF ENTRY STATEMENT. ONLY ALLOWABLE FORM IS (ENTRY NAME)	FORTRAN EXT 4	60497800
IMPROPER LOGIN, TRY AGAIN.	NOS 2 RS VOL 3	60459680
IMPROPER LOGIN, TRY AGAIN FAMILY:	MCS 1 RM	60480300
IMPROPER LOGIN, TRY AGAIN. FAMILY:	RBF 1 RM	60499600
IMPROPER MASTER CHARACTER CHANGED TO char	UPDATE RM	60449900
IMPROPER NUMERIC PARAMETER.	NOS 2 SYS MAINT	60459300
IMPROPER SYSTEM TEXT FORMAT. BAD SYSTEM TEXT - x=yyyyyy/zzzzzz	COMPASS 3 RM	60492600
IMPROPER TRUNCATION.	TEXT EDITOR RM	60436100
IMPROPER VALIDATION.	NOS 2 RS VOL 3	60459680
IMPROPER VALUE TYPE aaa	RBF 1 RM	60499600
IMPROPERLY SPECIFIED GROUP-ID	COM MEM MGMT 1	60499200

MESSAGE

IMPROPERLY SPECIFIED GROUP--TYPE
IMPROPERLY SPECIFIED SIZE-CODE
IMS - TRACK FLAWED,EQest,TKtttt.
IN COLLECT MODE (, LEVEL n)
nnnnn IN INPUT LIST IS ILLEGAL
IN LESS THAN FILE WRITE TIME.
INACTIVE DAYFILE NOT FOUND ON DEVICE.
INACTIVE DAYFILE ON DEVICE.
INACTIVE TASK REQUESTED.
INAPPROPRIATE COMMAND
INAPPROPRIATE KEYWORD
INCOMPATIBLE OPERAND TYPES
INCOMPLETE DESTINATION FAMILY/USER.
INCOMPLETE LCF/TERM. REC READ
INCOMPLETE PARAMETER.

INCOMPLETE SYMBOL
INCOMPLETE VS-RECORD AT END-OF-DATA
INCOMPLETE VS-RECORD AT END-OF-DATA
INCONSISTENT PARAMETERS IN FILE STRING
INCONSISTENT PARAMETERS IN FILE STRING
INCORRECT ARGUMENT.
INCORRECT COMMAND
INCORRECT DC PARAMETER - dc
INCORRECT DEVICE TYPE.
INCORRECT ENTRY.
INCORRECT ENTRY - EQest.
INCORRECT FORMAT FOR EQ ENTRY.
INCORRECT FORMAT FOR MID.
INCORRECT LOCAL FILE NAME.
INCORRECT OP PARAMETER - op
INCORRECT PAGING REQUEST.

INCORRECT PARAMETER.
INCORRECT PARAMETER LENGTH OR SEPARATOR.
INCORRECT POSITION IN THE DIRECTORY.

INCORRECT SCHEMA ID ON QRF HEADER
INCORRECT SYMBOLIC NAME
INCORRECT SYNTAX FOLLOWING INDICATED ELEMENT
INCORRECT USER ACCESS.
INCORRECT USER ACCESS.
INCORRECT USER ACCESS.
INCORRECTLY FORMATTED DATA
INCORRECTLY-FORMATTED LIBRARY, lname.

<u>MANUAL</u>	<u>PUB. NO.</u>
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
RBF 1 RM	60499600
RBF 1 RM	60499600
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
NPS RM	60480500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680

MESSAGEMANUALPUB. NO.

INCORRECTLY FORMATTED TRMDEF data.	NOS 2 RS VOL 3	60459680
INDEFINITE OPERAND	BASIC 3 RM	19983900
INDEFINITE SOURCE VALUE NOT REPRESENTABLE	8-BIT SUBR RM	60495500
INDEFINITE SOURCE VALUE NOT REPRESENTABLE	FORM RM	60496200
INDEFINITE VALUE	FORTRAN EXT 4	60497800
INDEFINITE VALUE FOR INTEGER DESTINATION FIELD	8-BIT SUBR RM	60495500
INDEFINITE VALUE FOR INTEGER DESTINATION FIELD	FORM RM	60496200
INDEX ADDRESS OUT OF RANGE FOR filename AT address.	NOS 2 RS VOL 4	60459690
num INDEX BLOCKS REWRITTEN	CDCS 2 DA RM	60485200
INDEX BUFFER LIMIT.	NOS 2 SYS MAINT	60459300
INDEX ERROR	APL 2 RM	60454000
INDEX FILE NOT SPECIFIED	QUERY UPDT 3 RM	60498300
INDEX OF OUTER DO REDEFINED BY CURRENT DO	FORTRAN EXT 4	60497800
nnnn INDEX PARAMETER IS TOO LARGE	FORTRAN EXT 4	60497800
nnnn INDEX PARAMETER MUST BE INTEGER OR OCTAL	FORTRAN EXT 4	60497800
nnnn INDEX PARAMETER MUST BE POSITIVE	FORTRAN EXT 4	60497800
nnnn INDEX PARAMETER MUST BE SIMPLE VARIABLE	FORTRAN EXT 4	60497800
nnnn INDEX PARAMETER NOT SIMPLE INTEGER VARIABLE OR CONSTANT	FORTRAN EXT 4	60497800
INDEX TOO LARGE ON OPEN, FILE filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INFINITE LS FOR TERMINAL xxxxxxxx	NPS RM	60480500
INFINITE OPERAND	BASIC 3 RM	19983900
INFINITE SOURCE VALUE NOT REPRESENTABLE	8-BIT SUBR RM	60495500
INFINITE SOURCE VALUE NOT REPRESENTABLE	FORM RM	60496200
INFINITE VALUE	FORTRAN EXT 4	60497800
INFINITE VALUE FOR INTEGER DESTINATION FIELD	8-BIT SUBR RM	60495500
INFINITE VALUE FOR INTEGER DESTINATION FIELD	FORM RM	60496200
INITIAL CONTROL STATEMENT LIMIT.	NOS 2 RS VOL 3	60459680
INITIAL LEFT PAREN MISSING	FORTRAN 5 RM	60481300
INITIAL LINE IS CONTINUATION	FORTRAN EXT 4	60497800
INITIAL MESSAGE LIMIT.	NOS 2 RS VOL 3	60459680
INITIAL PF SPACE = n.	NOS 2 SYS MAINT	60459300
INITIAL TASK NOT IN TASK LIBRARY DIRECTORY.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
INITIALIZATION DIRECTIVE OUT OF ORDER.	MODIFY RM	60450100
INITIALIZATION OPTIONS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
INITIALIZATION PROBLEMS - NO FAMILIES WITH 8 CATALOGS FOUND.	NOS 2 SYS MAINT	60459300
INITIALIZE BIT NOT SET ON EQest.	NOS 2 OP/ANL HB	60459310
INITIALIZE OF LINK DEVICE REQUIRES PRESET.	NOS 2 OP/ANL HB	60459310
INITIALIZE PENDING.	NOS 2 OP/ANL HB	60459310
INPUT	XEDIT 3 RM	60455730
INPUT DISCARDED .	NOS 2 RS VOL 3	60459680
INPUT ERROR(S) - PROGRAM ABORTED	CDCS 2 DA RM	60485200

MESSAGE

INPUT FILE EMPTY.
INPUT FILE EMPTY
INPUT FILE EMPTY OR MISPOSITIONED
INPUT FILE EMPTY OR MISPOSITIONED
INPUT FILE EMPTY OR MISPOSITIONED.
INPUT FILE EMPTY - RUN ABORTED
.INPUT FILE ERROR.
INPUT FILE IN NO RERUN STATUS.
INPUT FILE IN RERUN STATUS.
INPUT FILE MAY NOT BE SUPPRESSED -- IGNORED
INPUT FILE NOT FOUND.
nnnn INPUT FILES RECOVERED.
INPUT MESSAGE TOO LONG.
INPUT TYPE CONFLICTS WITH OUTPUT DESIRED
INPUT TYPE NOT SAME AS SPECIFIED ON CC
INPUT WITHIN INPUT
INQUIRE CANNOT SPECIFY BOTH UNIT AND FILE
INQUIRE MUST SPECIFY UNIT OR FILE
INQUIRING username.
INQUIRY COMPLETE.
INSERTED LINES OVERLAP EXISTING LINES, AT
nnnnn. ENTER Y TO CONTINUE OR N TO STOP.
INSTALL ABORTED.
INSTALL - ARGUMENT ERROR.
INSTALL FILE NOT FOUND.
INSTALL FILE NOT MASS STORAGE.
INSUFFICIENT BUFFER SIZE
INSUFFICIENT CUBES. NUMBER PROCESSED = n.
INSUFFICIENT FIELD LENGTH.
INSUFFICIENT FIELD LENGTH
INSUFFICIENT FIELD LENGTH FOR THIS COMMAND.
INSUFFICIENT FIELD LENGTH, UPDATE ABORT
INSUFFICIENT FL FOR DATA MANAGER.
INSUFFICIENT FL FOR EXECUTION
INSUFFICIENT FL FOR LOAD
INSUFFICIENT LOGICALLY ON PPS DEADSTART
ABORTED
INSUFFICIENT MEMORY FOR CDCS type
INSUFFICIENT MEMORY FOR CM RECOVERY.
INSUFFICIENT NFL SPACE.
INSUFFICIENT RESOURCES ON SYSTEM.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NDL 1 RM	60480000
BASIC 3 RM	19983900
PL/I RM	60388100
COMPASS 3 RM	60492600
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
PL/I RM	60388100
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
LOADER 1 RM	60429800
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NDL 1 RM	60480000
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
UPDATE RM	60449900
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
QU/CRM DA RM	60482100
LOADER 1 RM	60429800
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
INSUFFICIENT RESOURCES ... RE-ENTER	NOS 2 RS VOL 3	60459680
INSUFFICIENT STORAGE FOR LIBRARY GENERATION.	NOS 2 RS VOL 3	60459680
INSUFFICIENT STORAGE FOR SYSTEM TEXT. BAD SYSTEM TEXT - x=yyyyyyy/zzzzzz	COMPASS 3 RM	60492600
INTEGER CONSTANT FOR MULTIPLICATION OR DIVISION EXCEEDS 2**48-1	FORTRAN EXT 4	60497800
INTEGER DIVIDE BY ZERO -- RESULTS SET TO ZERO	FORTRAN EXT 4	60497800
INTEGER GREATER THAN 2**48-1 IN MULTIPLY OR DIVIDE	FORTRAN EXT 4	60497800
INTEGER GREATER THAN 2**48-1 IN REAL EXPRESSION	FORTRAN EXT 4	60497800
INTEGER ** NEGATIVE CONSTANT -- RESULTS ZERO	FORTRAN 5 RM	60481300
INTEGER ** NEGATIVE CONSTANT -- RESULTS ZERO	FORTRAN EXT 4	60497800
INTEGER OPERATION RESULTS IN OVERFLOW	FORTRAN EXT 4	60497800
INTEGER VALUE TOO LARGE FOR FIELD	8-BIT SUBR RM	60495500
INTEGER VALUE TOO LARGE FOR FIELD	FORM RM	60496200
INTEGER 0, 1, 2 OR 3 MUST FOLLOW LEVEL	FORTRAN 5 RM	60481300
INTEGER 1, 2 OR 3 MUST FOLLOW LEVEL	FORTRAN EXT 4	60497800
INTERACTIVE JOB STEP, DUMP DISABLED.	NOS 2 RS VOL 3	60459680
INTERLOCK NOT AVAILABLE.	NOS 2 RS VOL 4	60459690
pfm INTERLOCKED.	NOS 2 RS VOL 4	60459690
INTERMEDIATE IGNORE TABLE OVERFLOW.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
INTERNAL DEMSTRD ERROR	CDCS 2 DA RM	60485200
INTERNAL DEMSTRD ERROR ILLEGAL CALL TO DB\$MABT FROM numB	CDCS 2 DA RM	60485200
INTERNAL DOWN COMPLETE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
INTERNAL ERROR - DB\$MABT	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
INTERNAL ERROR IN MSI.	NOS 2 OP/ANL HB	60459310
INTERNAL FILE I/O CANNOT BE NAMELIST	FORTRAN 5 RM	60481300
INTERNAL FILE NAME = lfn	COBOL 5 RM	60497100
INTERNAL FILE NAME = lfn	COBOL 5 DH	60482500
INTERNAL FILE REQUIRES A FORMAT	FORTRAN 5 RM	60481300
INTERNAL FILE WITHOUT FORMAT OR MISSING COMMA BEFORE I/O LIST	FORTRAN 5 RM	60481300
INTERNAL RECOVER/RESTORE ERROR	QU/CRM DA RM	60482100
INTERNAL UNIT SPECIFIER CANNOT BE nnnnn	FORTRAN 5 RM	60481300
INTERNAL UNIT SPECIFIER CANNOT BE ASSUMED SIZE ARRAY	FORTRAN 5 RM	60481300
INTERNAL UNIT SPECIFIER NOT ALLOWED FOR THIS STATEMENT	FORTRAN 5 RM	60481300
INTERPRET MODE TURNED OFF	INTER DEBUG RM	60481400
INTERPRET MODE TURNED ON	INTER DEBUG RM	60481400
INTERRUPT	APL 2 RM	60454000
INTERRUPT AT LINE n.	TEXT EDITOR RM	60436100
INTERRUPT IGNORED	INTER DEBUG RM	60481400
INTERRUPTED	INTER DEBUG RM	60481400

MESSAGE

INTRINSIC FUNCTION nnnnn NOT ALLOWED AS ACTUAL ARGUMENT
INTRINSIC FUNCTION REFERENCE MAY NOT USE A FUNCTION NAME AS AN ARGUMENT
INTRINSIC LEN MUST NOT APPEAR IN PARAMETER CONSTANT EXPRESSION
INTRINSIC nnnnn TYPED NON-CONFORMING -- TYPE IGNORED
INTRODUCED UNIT IN USE.
INVALID APPLICATION NAME ON NETON
INVALID AREA IDENTIFIER 1d ON CDCS QUICK RECOVERY FILE

INVALID ATTRIBUTE.
INVALID ATTRIBUTE.
INVALID BASE STATEMENT
INVALID BASE VALUE
INVALID BGD OPTION
INVALID CATALOG UPDATE.
INVALID CEVAL REQUEST PARAMETERS.
INVALID CHANGE
INVALID CHANNEL NUMBER.

INVALID CHARACTER
INVALID CHARACTERS IN FILE NAME.
INVALID CHARGE.

INVALID CN ON ICN/TE/R.
INVALID COD OPTION
INVALID COMBINATION OF PARAMETERS.
INVALID COMMAND.

INVALID COMMAND.
INVALID COMMAND
INVALID COMMAND aaa
INVALID CONTROL CARD OPTION
INVALID CONTROL STATEMENT.
INVALID CONTROL STATEMENT
INVALID CONTROL STATEMENT OPTION.
INVALID CS ON INPUT.
INVALID CS PARAMETER.
deckname - INVALID CS, 63 ASSUMED.
INVALID DATA BASE NAME ON DMS STATEMENT.

INVALID DATA IN INPUT STREAM.
INVALID DATA MANAGER PARAMETER
INVALID DATA ON CDCS TRANSACTION FILE

INVALID DATA TYPE
INVALID DATA TYPE
INVALID DC CODE.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OP/ANL HB	60459310
NAM 1 RM	60499500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
MODIFY RM	60450100
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
BASIC 3 RM	19983900
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
XEDIT 3 RM	60455730
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
NDL 1 RM	60480000
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
MODIFY RM	60450100
NOS 2 SYS MAINT	60459300
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORM RM	60496200
8-BIT SUBR RM	60495500
NOS 2 RS VOL 3	60459680

MESSAGE

INVALID DEFAULT CHARGE.
INVALID DEVICE SPECIFIED.
INVALID DIRECTIVE
INVALID DISPLAY DATA FROM SCOPE 2
INVALID DIVERT DESTINATION
INVALID END OF JOB OPTION SPECIFIED.

INVALID ENTRY.
INVALID ENTRY, TRY AGAIN
INVALID FILE ACCESS LEVEL.
INVALID FILE STATUS.
INVALID FILENAME
INVALID FIRST, LAST OR STEP VALUE
INVALID FMT OPTION
INVALID FX PARAMETER.
INVALID ID CODE.

INVALID INPUT FILE SYSTEM SECTOR.
INVALID INSTRUCTION.

INVALID JOB FILE
INVALID JOB NAME aaaaaaa
INVALID JOB START INFORMATION.
INVALID JSN.
INVALID KEYWORD
INVALID KEYWORD aaa
INVALID LEVEL NUMBER SPECIFIED
INVALID LID.
INVALID LINE LENGTH.
INVALID LOGICAL TERM
INVALID MINACN/MAXACN ON NETON
INVALID NEW SECURITY ACCESS LEVEL.
INVALID NOISE SIZE ON filenam.
INVALID -NR- PARAMETER.
INVALID NUMERIC FIELD
INVALID NUMERIC FIELD IN PS ARGUMENT -- IGNORED
+/- INVALID ON REPEAT COUNT
+/- INVALID ON SIZE SPECIFIER
INVALID OPTION.
INVALID */* OPTION.
INVALID OPTION X.
INVALID PAGING ATTEMPT.
.INVALID PARAMETER.
INVALID PARAMETER xxxxx
INVALID PARAMETER

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
FORM RM	60496200
INTER DEBUG RM	60481400
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
MCS 1 RM	60480300
RBF 1 RM	60499600
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
FORM RM	60496200
NAM 1 RM	60499500
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
UPDATE RM	60449900
PL/I RM	60388100
FORM RM	60496200
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 INSTAL HB	60459320
MCS 1 RM	60480300

MESSAGE

INVALID PARAMETER xxxxx
INVALID PARAMETER COMBINATION.
INVALID PARAMETER ON PROGRAM CALL CARD.
INVALID PARAMETER TO -C.IOST-
INVALID PARAMETER TO -C.IOST-
INVALID PARAMETER TYPE xxxxx
INVALID PARAMETER VALUE
INVALID PARAMETER VALUE IN FILE STRING
INVALID PARAMETER VALUE IN FILE STRING
INVALID PASSWORD
INVALID PFC ADDRESS.
INVALID PROGRAM NUMBER.
INVALID QUALIFIER FOR OVERLAY TRAPS
INVALID QUEUE TYPE.
INVALID RECORD LENGTH FOR LOG RECORD
INVALID RELATION-NAME
INVALID RELATION-NAME
INVALID REPLY LIMIT REACHED.
INVALID RETRIEVE COUNT
INVALID REW OPTION
INVALID RFM OPTION
INVALID SB PARAMETER.
INVALID SELECTION
INVALID SERVICE CLASS.
INVALID SKIP COUNT.
INVALID ST PARAMETER.
INVALID STATEMENT LABEL
INVALID SYMBOLIC NAME
INVALID SYNTAX.
INVALID SYNTAX
INVALID SYNTAX xxxxx
INVALID SYSTEM SECTOR.
INVALID TASK NAME.
INVALID TCF ENTRY.
INVALID TDAM REQUEST.
INVALID TERMINAL NAME
xxxxxxx - INVALID TEST MODE SOURCE
INVALID TRANSACTION DIRECTORY HEADER -
filename.
INVALID TRAP TYPE xxxxx
INVALID x TREATED AS ;
INVALID TRIGGER NUMBER - xxSTTP.
INVALID USE OF A CHARACTER STRING
INVALID USER ACCESS.

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
COBOL 5 DH	60482500
COBOL 5 RM	60497100
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
MCS 1 RM	60480300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
FORM RM	60496200
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NPS RM	60480500
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
INVALID USER ACCESS.	NOS 2 OP/ANL HB	60459310
INVALID USER ACCESS.	NOS 2 RS VOL 3	60459680
INVALID USER ACCESS.	NOS 2 OP/ANL HB	60459310
INVALID USER ACCESS.	NOS 2 RS VOL 3	60459680
INVALID USER/FAMILY NAME aaa	RBF 1 RM	60499600
INVALID VERSION NAME vn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
INVALID VSN.	NOS 2 SYS MAINT	60459300
INVOCATION FILE NOT FOUND	MCS 1 RM	60480300
INVOLVED IN CONTRADICTION EQUIVALENCING	FORTRAN EXT 4	60497800
INVOLVING IN REDUNDANT EQUIVALENCING	FORTRAN EXT 4	60497800
IO ERROR ec ON filename.	NOS 2 OP/ANL HB	60459310
IO ERROR xxxx ON yyyyyy	MCS 1 RM	60480300
IO ERROR ec ON ROLLOUT.	NOS 2 OP/ANL HB	60459310
IO ERROR xxxx ON ROLLOUT	MCS 1 RM	60480300
IO SECONDS CHARGED BY CDCS yyyyyy.yyy	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
IOU FATAL ERROR.	NOS 2 OP/ANL HB	60459310
IOU MARGINS SELECTED DEADSTART ABORTED	NOS 2 OP/ANL HB	60459310
IOU SHUTDOWN IMMINENT.	NOS 2 OP/ANL HB	60459310
IPL NOT FOUND	NOS 2 OP/ANL HB	60459310
IPRDECK NOT ON TAPE.	NOS 2 OP/ANL HB	60459310
IQFT FILE ERROR DN dn FAMILY familyname.	NOS 2 SYS MAINT	60459300
IQFT NOT FOUND.	NOS 2 SYS MAINT	60459300
IRL OUT OF RANGE	FORM RM	60496200
IRL SPECIFIED TWICE	FORM RM	60496200
filename IS A LOCAL FILE.	XEDIT 3 RM	60455730
ifn IS AN ILLEGAL FILE NAME	PL/I RM	60388100
npuname IS CONTROLLING NOP.	NOS 2 OP/ANL HB	60459310
nnnnn IS DEFINED TO BE A BASIC EXTERNAL FUNCTION	FORTRAN EXT 4	60497800
nnnnn IS DEFINED TO BE INTRINSIC	FORTRAN 5 RM	60481300
nnnnn IS DEFINED TO BE INTRINSIC	FORTRAN EXT 4	60497800
pfn IS DIRECT ACCESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
filename IS EXECUTE ONLY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
* aaa * IS FOLLOWED BY AN INVALID SEPARATOR	COBOL 5 RM	60497100
nnnnn IS IN BLANK COMMON -- DATA IGNORED	FORTRAN 5 RM	60481300
nnnnn IS IN BLANK COMMON -- DATA IGNORED	FORTRAN EXT 4	60497800
filenam IS INCONSISTENT.	TAF 1 RM	60459500
pfn IS INDIRECT ACCESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
ifn IS MORE THAN 7 CHARACTERS -- EXCESS IGNORED	PL/I RM	60388100
nnnnn IS NON-ANSI EDIT DESCRIPTOR	FORTRAN 5 RM	60481300
nnnnn IS NOT A LEGAL KEYWORD	FORTRAN EXT 4	60497800
nnnnn IS NOT A LEGAL TYPE	FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ITF, NAM INPUT BLOCK ERROR DETECTED. ITF, REASON CODE = nn - xxxx.	NOS 2 OP/ANL HB	60459310
ITF, NAM NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, NAM NETWORK SHUTDOWN.	NOS 2 OP/ANL HB	60459310
ITF, REPRIEVED FROM ERROR CODE nn.	NOS 2 OP/ANL HB	60459310
ITF, RHF DETECTED LOGICAL ERROR. ITF, REASON CODE = nn.	NOS 2 OP/ANL HB	60459310
ITF, RHF INPUT BLOCK ERROR DETECTED. ITF, REASON CODE = nn - xxxx.	NOS 2 OP/ANL HB	60459310
ITF, RHF NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, RHF NETWORK SHUTDOWN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, ASSIGNED TO ACN c/TCN yy.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, CONNECTION BROKEN.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, CONNECTION FROM xxxxxxxx ACCEPTED.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, CONNECTION FROM xxxxxxxx ENDED.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, SECURITY CONFLICT ON HOST pid.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, TERMINAL CONNECTION ABORTED BY HOST pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ABORTED TO HOST pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ACCEPTED BY HOST pid.	NOS 2 OP/ANL HB	60459310
ITF, Tnnnn, TERMINAL CONNECTION ENDED BY HOST pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ENDED TO HOST pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION REJECTED BY HOST pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL TIMEOUT.	NOS 2 OP/ANL HB	60459310
ITF, TERMINAL TIMEOUT.	NOS 2 RS VOL 3	60459680
ITF, TERMINAL WILL DISCONNECT IN ONE MINUTE.	NOS 2 RS VOL 3	60459680
ITF, TERMINATED.	NOS 2 OP/ANL HB	60459310
ITF, UNDEFINED DEFAULT LID (DL=xxx).	NOS 2 OP/ANL HB	60459310
ITF, UNDEFINED MANDATORY LID (ML=xxx).	NOS 2 OP/ANL HB	60459310
ITF, WAITING FOR HOST pid TO RESPOND.	NOS 2 RS VOL 3	60459680
.IX OR OX NOT DEFINED.	NOS 2 RS VOL 3	60459680
xxJ FILE ERROR - CRM DM NOT LOADED.	TAF 1 RM	60459500
xxJ FILE ERROR - TAF DM NOT LOADED.	TAF 1 RM	60459500
xxJ FILE ERROR - TOTAL DM NOT LOADED.	TAF 1 RM	60459500
xxJ FILE NOT FOUND.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
JOB ABORTED	COBOL 5 DH	60482500
JOB ABORTED	COBOL 5 RM	60497100
JOB aaaaaaa ABORTED BY TERMINAL OPERATOR	RBF 1 RM	60499600
JOB ACTIVE.	NOS 2 RS VOL 3	60459680
JOB ACTIVE.	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
JOB CANNOT ACCESS FILE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB CARD ERROR (jobcmmnd)	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB CARD ERROR.	NOS 2 RS VOL 3	60459680
JOB DETACHED, JSN=oldjsn JSN: newjsn, NAMI AF.	NOS 2 RS VOL 3	60459680
JOB DROP IN PROCESS	NOS 2 RS VOL 3	60459680
JOB IN NORERUN STATE ON RECOVERY.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB NOT DETACHED.	NOS 2 RS VOL 3	60459680
JOB NOT FOUND.	NOS 2 RS VOL 3	60459680
JOB NOT RECOVERABLE.	NOS 2 RS VOL 3	60459680
JOB NOT RERUN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
JOB/PARAM RECORD COUNT EXCEEDS 200	NOS 2 OP/ANL HB	60459310
JOB REPRIEVED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB RERUN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
JOB STATEMENTS IN PARAM RECORD EXCEED 200	NOS 2 OP/ANL HB	60459310
JOB STEP EXCEEDS ACCOUNT BLOCK.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB STEP LIMIT.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
JOB UNKNOWN TO SYSTEM	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
JOBNAME IS jsn	NOS 2 RS VOL 3	60459680
JOURNAL LOG CLOSED FOR SCHEMA sn	CDCS 2 DA RM	60485200
JOURNAL LOG FILE pfname FULL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
JOURNAL LOG FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
JOURNAL LOG FILE fn HAS BEEN DUMPED TO TAPE	CDCS 2 DA RM	60485200
JOURNAL LOG FILE HAS BEEN REINITIALIZED	CDCS 2 DA RM	60485200
JOURNAL TYPE DOES NOT MATCH xxJ FILE.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
JSN EQest TRACK tttt LENGTH ERROR.	NOS 2 SYS MAINT	60459300
JSN LIST FULL.	NOS 2 SYS MAINT	60459300
JSN MORE THAN FOUR CHARACTERS	NOS 2 RS VOL 3	60459680
JSN xxxx NOT FOUND.	NOS 2 OP/ANL HB	60459310
JSN OR UJN MUST BE SPECIFIED.	NOS 2 RS VOL 3	60459680
K.BFL=n.	TAF 1 RM	60459500
K.CMB=nn.	NOS 2 OP/ANL HB	60459310
K.ECS=nnnK.		
K.ERO=a.		
K.ERO=CRF,xxx.		
K.INT=1.		
K.INT=CRF,xxxxxxxx.		
K.INT=CRM,xxxx.		
K.MDM=n.		
K.MFL=nnnnnnB.		
K.REC=a.		
K.SCF=nn.		
K.TLF=a.		

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
K. COMMAND NOT VALID.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
K-DISPLAY COMMAND UNSUCCESSFUL, DROP IGNORED--command.	TAF 1 RM	60459500
K-DISPLAY COMMAND UNSUCCESSFUL, FORMAT ERROR--command.	TAF 1 RM	60459500
K-DISPLAY COMMAND UNSUCCESSFUL, ILLEGAL COMMAND--command.	TAF 1 RM	60459500
K DISPLAY COMMAND UNSUCCESSFUL, SYSTEM BUSY--command.	TAF 1 RM	60459500
K IS NOT A VALID PARAMETER	COBOL 5 DH	60482500
K.MAXFL,nnnnnB.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
K.MAXFL REJECTED.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
K--NOT KEY OR KEYA	FORM RM	60496200
KEY LOCATION MISSING	FORM RM	60496200
KEY SPECIFIED TWICE	FORM RM	60496200
KEYA NOT DEFINED AT THIS POINT	FORM RM	60496200
KEYTYPE MUST BE *I, F, X*	FORM RM	60496200
KEYWORD IS ILLEGAL FOR THIS FUNCTION.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
KEYWORD NOT FOLLOWED BY = IN FILE STRING	8-BIT SUBR RM	60495500
KEYWORD NOT FOLLOWED BY = IN FILE STRING	FORM RM	60496200
KEYWORD/VALUE COUNT IN PARAM RECORD EXCEEDS 200	NOS 2 OP/ANL HB	60459310
KILL	FORTRAN EXT 4	60497800
n.nnn KILO CDCS REQUEST REJECTS FOR BUSY.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
n.nnn KILO CDCS REQUEST REJECTS FOR MAXR.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
n.nnn KILO CDCS REQUESTS FROM TASKS.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
n.nnn KILO ITASK RELOADS.	TAF 1 RM	60459500
n.nnn KILO LOCK REJECTS-filename.	TAF 1 RM	60459500
n.nnn KILO LOCKS-filename.	TAF 1 RM	60459500
n.nnn KILO NO COMMUNICATION BLOCKS.	TAF 1 RM	60459500
n.nnn KILO NO FL FOR TASK LOAD.	TAF 1 RM	60459500
n.nnn KILO NO SUBCONTROL POINTS.	TAF 1 RM	60459500
n.nnn KILO OPEN REJECTS-filename.	TAF 1 RM	60459500
n.nnn KILO OPENS-filename.	TAF 1 RM	60459500
n.nnn KILO STORAGE MOVES OF TASKS.	TAF 1 RM	60459500
n.nnn KILO TAF FL INCREASES.	TAF 1 RM	60459500
n.nnn KILO TASK RECALLS.	TAF 1 RM	60459500
n.nnn KILO TASK RECALLS FOR OUTPUT.	TAF 1 RM	60459500
n.nnn KILO TASK RELOADS.	TAF 1 RM	60459500
n.nnn KILO TASK ROLLOUT COMPLETES.	TAF 1 RM	60459500
n.nnn KILO TASK ROLLOUT STARTS.	TAF 1 RM	60459500
n.nnn KILO TRANSACTION ABORTS.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500

MESSAGE

n.nnn KILO TRANSACTIONS PROCESSED.

KL PARAMETER OR CRM CARD NOT SPECIFIED PROPERLY.

KTSDMP COMPLETE.

L= ALREADY SPECIFIED

L-DISPLAY NOT ACTIVE.

L-DISPLAY NOT ASSIGNED.

L-DISPLAY NOT AVAILABLE.

L TYPE ERROR LOCATION FIELD BAD.
OCCURRED ON PAGES p1, p2, p3, ..., pn

LA AND UA BOTH REQUIRED.

***LA AND UA BOTH REQUIRED.

LA GREATER THAN UA.

LA NOT WITHIN LIMIT.

LA VALUE LARGER THAN UA.

***LA VALUE LARGER THAN UA.

LABEL CONTENT ERROR, filename AT address.

LABEL ERROR, xxx.
DESTAGE RESTARTED.

LABEL LONGER THAN 7 CHARACTERS xxxxx

LABEL xxx MISMATCH.
filename STAGING ERROR, JSN=jsn,
FM=familyname, UI=userindex, CSU=id, MST=n,
VSN=vsn, ASA=addr, STRM=s.

LABEL MISSING, filename AT address.

LABEL NAME MUST BE LQ 7 CHARS

LABEL NOT EXPIRED.

LABEL PARAMETER ERROR ON OPEN, filename
AT address.

LABEL READ ERROR Cnnnnn.

LABEL TRACK CONFLICT.

LABELED TAPE WAS PREASSIGNED.

LACKING MEMORY FOR CM RECOVERY.

LAST IF RESULTS IN A NULL TRANSFER TO THIS STATEMENT

LAST IF RESULTS IN A NULL TRANSFER TO THIS STATEMENT

LAST RECOVERY POINT IS num

LAST RECOVERY POINT NOT FOUND

LAST RESPONSE LINE IS DISCARDED

LBL - CIO ERROR.

LCF DOES NOT EXIST.

LCF/TERM NODE MISMATCH

LCF/TERMINAL xxxxxxxx NOT FOUND

LCM FL EXCEEDS 131071 WORDS (LCM=I REQUIRED)

LCM LIMIT EXCEEDED

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
COMPASS 3 RM	60492600
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
TAF/CRM 1 DM RM	60459510
TAF/CRM 1 DM RM	60459510
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
INTER DEBUG RM	60481400
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NPS RM	60480500
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
LCM SECEDED BIT ERROR - QUADRANT q, CSU x.	NOS 2 OP/ANL HB	60459310
LDD - ARGUMENT ERROR - address.	NOS 2 RS VOL 3	60459680
LDD - DEVICE ERROR - FILENAM AT address.	NOS 2 RS VOL 3	60459680
LDD - I/O SEQUENCE ERROR.	NOS 2 RS VOL 3	60459680
LDI ID AND FM/UN CONFLICT.	NOS 2 RS VOL 3	60459680
LDLIST OPERATION COMPLETE.	NOS 2 SYS MAINT	60459300
LDQ - ARGUMENT ERROR - address.	NOS 2 RS VOL 3	60459680
LDQ - DEVICE ERROR - FILENAM AT address.	NOS 2 RS VOL 3	60459680
LDQ - I/O SEQUENCE ERROR.	NOS 2 RS VOL 3	60459680
LDR-ENTRY POINT NOT FOUND.	LOADER 1 RM	60429800
LDR ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
LDR ERROR	LOADER 1 RM	60429800
LDREQ BEGIN MISSING	LOADER 1 RM	60429800
LDREQ END MISSING	LOADER 1 RM	60429800
LDV ERROR LOADING LOADU	LOADER 1 RM	60429800
LDV ERROR 0004 CANT LOAD PLIIn	PL/I RM	60388100
LEFT SIDE OF EQUAL SIGN IS ILLEGAL	FORTRAN 5 RM	60481300
LEFT SIDE OF EQUAL SIGN IS ILLEGAL	FORTRAN EXT 4	60497800
LEFT SIDE OF REPLACEMENT STATEMENT IS ILLEGAL	FORTRAN EXT 4	60497800
LEFT TERMINATOR MISSING	NPS RM	60480500
ttt LENGTH CONFLICT.	NOS 2 OP/ANL HB	60459310
LENGTH ERROR	APL 2 RM	60454000
LENGTH ERROR ON OLDPL. UNUSABLE OLDPL OR HARDWARE ERROR	UPDATE RM	60449900
LENGTH IN 52 TABLE .NE. FET.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
LENGTH OF CHARACTER FORMAT SPECIFIER MUST BE GREATER THAN 1	FORTRAN 5 RM	60481300
LEVEL CONFLICT IN COMMON BLOCK nnnnn	FORTRAN EXT 4	60497800
LEVEL CONFLICTS WITH PREVIOUS DECLARATION. ORIGINAL LEVEL RETAINED	FORTRAN EXT 4	60497800
LEVEL OF REPEAT NESTING MUST BE LE 3	NPS RM	60480500
LEVEL-0 DATA BASE ERROR.	NOS 2 SYS MAINT	60459300
LEVEL-1 INDEX BLOCKS LINKED.	NOS 2 SYS MAINT	60459300
LEVEL-2 DATA BASE ERROR.	NOS 2 SYS MAINT	60459300
LEVEL 3 NAME nnnnn MAY NOT OCCUR IN THIS STATEMENT	FORTRAN 5 RM	60481300
LEVEL 3 NAME nnnnn MAY NOT OCCUR IN THIS STATEMENT	FORTRAN EXT 4	60497800
LFG COMPLETE.	NOS 2 SYS MAINT	60459300
LFG ERRORS.	NOS 2 SYS MAINT	60459300
LFM DETECTED ERROR.	NOS 2 RS VOL 3	60459680
LFM DETECTED ERROR.	NOS 2 RS VOL 4	60459690
LFM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
LFM ILLEGAL REQUEST.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
LFN IS REQUIRED	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
LIBEDIT ARGUMENT ERROR(S).	NOS 2 RS VOL 3	60459680

MESSAGE

LIBGEN ARGUMENT ERROR.
LIBGEN FILE NAME CONFLICT.
LIBRARY DIRECTORY EMPTY - filename.
LIBRARY DIRECTORY ERROR - filename.
LIBRARY DIRECTORY TOO LONG - filename.
LIBRARY FILE NOT ON MASS STORAGE.
LIBRARY FILE TIME OUT.
LIBRARY FUNCTIONS DATE, TIME AND CLOCK ARE MACHINE DEPENDENT
LIBRARY GENERATION COMPLETE.
LIBRARY GENERATION FILE EMPTY.
LIBRARY NOT FOUND, lname.
LIBRARY TABLE ERROR.
LIBTASK ERROR CONDITION UNKNOWN.
LIBTASK PFM ERROR DETECTED.
LID NOT CHANGED.
LID NOT FOUND.
LID NOT IN TABLE.
LID TABLE FULL.
LIDOU UTILITY COMPLETE.
LIMIT ERROR
LIMIT LESS THAN INITIAL -- 1 TRIP LOOP
LINE: linenam, st, lt, npuname, port.
LINE FAILED, TERMINAL xxxxxxxx
LINE LIMIT EXCEEDED.
LINE n NOT EXECUTABLE - LINE m WILL BE USED
LINE NUMBER INCREMENT ERROR
LINE NUMBER LIMIT EXCEEDED.
LINE NUMBER LIMIT EXCEEDED
LINE NUMBER NOT FOUND, COMMAND NOT EXECUTED
LINE NUMBER OVERLAP ERROR
LINE NUMBER TOO LARGE
LINE NUMBERS NOT AVAILABLE
LINE RANGE ERROR
LINE RECOVERED, TERM xxxxxxxx
LINE TOO LONG.
LINE lineno TRUNCATED
LINES OUT OF ORDER
n LINES TO EOF.
n LINES TO INTERRUPT.
nnnn LINE(S) TRUNCATED.
nnn LINES TRUNCATED.
LINES TRUNCATED AT 150 CHARACTERS

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
APL 2 RM	60454000
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900

MESSAGE

nnnnn LINES TRUNCATED ON FILE filename
LINK DEVICE CANNOT BE ALTERED.
LINK DEVICE LABEL TRACK ERROR.
LINK DEVICE READ ERROR.
LINK DEVICE TABLE ERROR.
LINK DEVICE WRITE ERROR.
LINK RESET ON PORT nn.
LIST COMPLETE.

LIST COMPLETE.
LIST DIRECTED I/O IS NON-ANSI
LIST OF FILES LENGTH TOO LONG OR ZERO.
LIST OPTION ERROR.
LIST SIMT WITHIN A SCRIPT
LISTED BELOW ARE ALL IDENT NAMES WHICH WERE CHANGED DURING THE MERGE
LISTING REMAINING FILES.
LISTLB ABORT.
LISTLB COMPLETE.
LISTPPM - ARGUMENT ERROR.
LISTPPM COMPLETE.
LISTPPM - INVALID DUMP FILE.
LITERAL FOLLOWED BY -T- CODE
LITERAL REPLACEMENT > 80 CHARACTERS
LITERAL STRING IS TOO LONG
LITERAL STRING IS TOO LONG
LLINK: linknumber, MESSAGE NOT SENT.
LLINK: l1name,RL-r,typ,nn1/tn1,nn2/tn2.
LLT LINKAGE ERROR
-LO-ERROR, MUST BE in -ECTMWDZIA-.
LO OPTION NOT RECOGNIZED.
LOAD ERROR DEADSTART ABORTED
LOAD ERROR IN HASHING ROUTINE.

LOAD FILE MISPOSITIONED.
LOAD FILE POSITION LOST.
LOADBC ABORT - BAD INITIATION PARAMETERS.
LOADBC ABORT - xxx ERROR CODE = yyy.
LOADBC REMOTE NAD LOAD - GO OR DROP.

LOADED RECORD name
LOADER DIRECTIVE MUST BE CONTAINED ON 1 CARD
LOADER DIRECTIVE MUST BEGIN WITH LEFT PAREN
LOADER DIRECTIVE MUST BEGIN WITH LEFT PAREN
LOADER DIRECTIVE OUT OF SEQUENCE. MUST PRECEDE PROGRAM UNIT HEADER LINE

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NPS RM	60480500
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
MODIFY RM	60450100
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

MESSAGE

LOADER ERROR LOADING COBOL SEGMENT
LOADER ERROR LOADING COBOL SEGMENT
LOADER I/O ERROR nn
---LOADER I/O ERROR xx FILE--- lfn
LOADER MISSING.

LOADING filename userindex.
LOADING filename
LOADING Ccc,xxxx AUTOLOAD FAILURE, STyyyy.
LOADING Ccn, cwrecord CONTROLLER RESERVED.
LOADING Ccc,xxxx TO CENTRAL MEMORY.
LOADING Ccc,xxxx TO CONTROLLER.
LOADING - DIRECT ACCESS FILES ONLY.
LOADING ECS taskname.

LOADING FROM xxx TO yyy.
LOADING - INDIRECT ACCESS FILES ONLY.
LOCAL AREA SECTOR ERROR.
LOCAL FILE ERROR.
LOCAL FILE LIMIT.

LOCAL nnnnn IN BLOCK DATA — IGNORED
LOCF ARGUMENT MUST NOT BE nnnnn
LOCF ARGUMENT MUST NOT BE CONSTANT OR EXPRESSION
LOCKED OBJECT
LOG,nn.
LOG ENTRY TABLE OVERFLOW.

LOG FILE HAS NOT BEEN OPENED LOG FILE=xxxxxxx
LOG FILE LFN MISSING
LOG FILE NOT A PERMANENT FILE LOG FILE=xxxxxxx
LOG FILE NOT CLOSED
LOG FILES OPENED FOR SCHEMA sn
LOG - PPU BUSY

LOGGED OUT
LOGGING MAINTENANCE REGISTERS
LOGICAL AND NON-LOGICAL OPERANDS MAY NOT BE MIXED
LOGICAL ERROR - xxxx.
LOGICAL EXPRESSION IN 3-BRANCH IF STATEMENT
LOGICAL IF EXPRESSION MUST BE LOGICAL
LOGICAL IF MUST NOT BE OBJECT OF LOGICAL IF
LOGICAL IF MUST NOT BE OBJECT OF LOGICAL IF
LOGICAL OPERAND USED WITH NON-LOGICAL OPERATOR
LOGICAL OPERATOR OR CONSTANT USAGE IS NON-ANSI
LOGIN ABORTED, TRY LATER

<u>MANUAL</u>	<u>PUB. NO.</u>
COBOL 5 DH	60482500
COBOL 5 RM	60497100
LOADER 1 RM	60429800
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
APL 2 RM	60454000
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
NAM 1 RM	60499500
CDCS 2 DA RM	60485200
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
RBF 1 RM	60499600

MESSAGE

MANUAL

PUB. NO.

LOGIN ABORTED, TRY LATER	MCS 1 RM	60480300
xxxxxxx LOGON ERROR	NPS RM	60480500
LOOP BEGINNING AT THIS CARD NO IS ENTERED FROM OUTSIDE ITS RANGE AND HAS NO EXITS	FORTRAN EXT 4	60497800
LOOPS ARE NESTED MORE THAN 50 DEEP	FORTRAN EXT 4	60497800
nnnnnnnnn LOST REFERENCES IN xxxxxxxx	COMPASS 3 RM	60492600
LOST STIMOUT DATA.	NOS 2 SYS MAINT	60459300
LOST 7000 COMMUNICATIONS	NOS 2 RS VOL 3	60459680
LOWER LIMIT .GE. UPPER LIMIT, ONE TRIP LOOP	FORTRAN EXT 4	60497800
.LO72 COMPLETE.	NOS 2 RS VOL 3	60459680
LPest, CHcc Account INCOMPLETE TRANSFER.	NOS 2 RS VOL 3	60459680
mPest, CHcc CONTROLLER HUNG BUSY.	NOS 2 OP/ANL HB	60459310
LPest, CHcc Fcode FUNCTION TIMEOUT.		
LPest, CHcc Fcode REJ driver,convert,equip.		
LPest, CHcc TURNED OFF.		
LPest, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
LPeq, CHcc RESERVED.	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
LPn - DATA ERROR, TYPE GO OR ABT OR RET	RBF 1 RM	60499600
LPn - DISK PAR ERR, ABORTED FILE aaaaaa	RBF 1 RM	60499600
LPn - NOT READY	RBF 1 RM	60499600
LPest, nnnn PRINT ERRORS.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
LPn - TERMINAL FAILURE	RBF 1 RM	60499600
LRest, CHcc Account INCOMPLETE TRANSFER.	NOS 2 OP/ANL HB	60459310
LRest, CHcc CONTROLLER HUNG BUSY.	NOS 2 RS VOL 3	60459680
LRest, CHcc Fcode FUNCTION TIMEOUT.		
LRest, CHcc Fcode REJ		
Pdriver,Cconvert,Equip.		
LRest, CHcc TURNED OFF.		
LRest, CHcc Emmm PFC ERROR	NOS 2 OP/ANL HB	60459310
LRest, CHcc Emmm PFC ERROR.	NOS 2 OP/ANL HB	60459310
LRest, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
LRest, CHcc RESERVED.	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
LRest, nnnn PRINT ERRORS.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
LRC ERROR.	NOS 2 RS VOL 3	60459680
LRCL NOT SPECIFIED	8-BIT SUBR RM	60495500
LRCL NOT SPECIFIED	FORM RM	60496200
LRCL TOO LARGE FOR BLKSIZE	8-BIT SUBR RM	60495500
LRCL TOO LARGE FOR BLKSIZE	FORM RM	60496200
LRCL TOO SMALL FOR V-RECORD HEADER	8-BIT SUBR RM	60495500
LRCL TOO SMALL FOR V-RECORD HEADER	FORM RM	60496200
LRL OUT OF RANGE	FORM RM	60496200
LRL SPECIFIED TWICE	FORM RM	60496200
LSest, CHcc Account INCOMPLETE TRANSFER.	NOS 2 OP/ANL HB	60459310
LSest, CHcc CONTROLLER HUNG BUSY.	NOS 2 RS VOL 3	60459680
LSest, CHcc Fcode FUNCTION TIMEOUT.		

MESSAGE

MANUAL PUB. NO.

LSest, CHcc Fcode REJ Pdriver,Cconvert,Eequip.	
LSest, CHcc TURNED OFF.	
LSest, CHcc Emmm PFC ERROR.	NOS 2 RS VOL 3 60459680 NOS 2 OP/ANL HB 60459310
LSest, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 RS VOL 3 60459680 NOS 2 OP/ANL HB 60459310
LSest, CHcc RESERVED.	NOS 2 RS VOL 3 60459680 NOS 2 OP/ANL HB 60459310
LS FOR TERMINAL xxxxxxxx DIFFERS FROM LCF VALUE	NPS RM 60480500
LS FOR TERMINAL xxxxxxxx EXCEEDS AUTO-SPEED MAX	NPS RM 60480500
LSest, nnnn PRINT ERRORS.	NOS 2 OP/ANL HB 60459310 NOS 2 RS VOL 3 60459680
LTest, CHcc Account INCOMPLETE TRANSFER. LTest, CHcc CONTROLLER HUNG BUSY. LTest, CHcc Fcode FUNCTION TIMEOUT.	NOS 2 OP/ANL HB 60459310 NOS 2 RS VOL 3 60459680
LTest, CHcc Fcode REJ Pdriver,Cconvert,Eequip.	
LTest, CHcc TURNED OFF.	
LTest, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 RS VOL 3 60459680 NOS 2 OP/ANL HB 60459310
LTest, CHcc RESERVED.	NOS 2 RS VOL 3 60459680 NOS 2 OP/ANL HB 60459310
LT OPTION NOT SPECIFIED CORRECTLY.	NOS 2 SYS MAINT 60459300
LTest, mnnn PRINT ERRORS.	NOS 2 OP/ANL HB 60459310 NOS 2 RS VOL 3 60459680
LX SPECIFIED TWICE	FORM RM 60496200
M SPECIFICATION ILLEGAL FOR DATA TYPE	FORM RM 60496200
M SPECIFICATION ILLEGAL FOR DATA TYPE	8-BIT SUBR RM 60495500
M.T. NOT AVAILABLE ON FILE filename AT address.	NOS 2 RS VOL 3 60459680 NOS 2 RS VOL 4 60459690
MACHINE ALREADY IN DIT.	NOS 2 OP/ANL HB 60459310
MAGNET DROPPED DURING RECOVERY.	NOS 2 OP/ANL HB 60459310
MAGNET NOT ACTIVE.	NOS 2 RS VOL 3 60459680 NOS 2 RS VOL 4 60459690
MAGNET TERMINATION/NO TAPE JOBS.	NOS 2 OP/ANL HB 60459310
MAGNITUDE OF SUBSCRIPT sssss OF nnnnn EXCEEDS 2**23-1	FORTRAN 5 RM 60481300
MAINFRAME-	NOS 2 RS VOL 3 60459680
MAINFRAME ID NOT IN ID TABLE	NOS 2 RS VOL 3 60459680
MAINFRAME UNAVAILABLE	NOS 2 RS VOL 3 60459680
MAINLOG - message.	NOS 2 SYS MAINT 60459300
MAINLOG - FR TIME VALUE ILLEGAL.	NOS 2 SYS MAINT 60459300
MAINLOG - OP OPTION ILLEGAL.	NOS 2 SYS MAINT 60459300
MAINLOG - RECOVERY SECTOR ENCOUNTERED.	NOS 2 SYS MAINT 60459300
MAINLOG - TTY BINARY OUT-FILE NOT ALLOWED.	NOS 2 SYS MAINT 60459300
MAINS POWER FAILURE.	NOS 2 OP/ANL HB 60459310
MAINTENANCE CHANNEL TIMEOUT DEADSTART ABORTED	NOS 2 OP/ANL HB 60459310
MAINTENANCE LOG PROCESSED.	NOS 2 SYS MAINT 60459300
MAINTENANCE REGISTER ERROR.	NOS 2 OP/ANL HB 60459310
MAJPTR FOUND BAD BLK ID	NOS 2 OP/ANL HB 60459310

MESSAGE

MANAGED MEMORY OVERFLOW, PROC pn
MANUFACTURING DATA INVALID.
MASK ARGUMENT MUST BE NONNEGATIVE AND LESS THAN 61
MASK EXPRESSION NON-ANSI
MASK EXPRESSION NON-ANSI
MASKING EXPRESSION IS NON-ANSI
MASS STORAGE DIRECTORY NOT WRITTEN.
MASS STORAGE ERROR.

MASS STORAGE ERROR.
MASS STORAGE LIMIT
MASS STORAGE TABLE OVERFLOW.
MASTER DIRECTORY ALREADY ATTACHED

MASTER DIRECTORY MUST BE A PERMANENT FILE

MASTER DIRECTORY NOT AVAILABLE

MASTER FILE NOT PRESENT
MASTER USER NUMBER REQUIRED.
MATRIX DIMENSION ERROR
MAX FL REACHED.
MAX NO. OF AREAS EXCEEDED LOG FILE=xxxxxxx
MAX OUT OF RANGE
MAX SPECIFIED TWICE
MAXFL LT HHA + 100, CMM CANNOT FUNCTION
MAXIMUM FL ENCOUNTERED - JOB LIST INCOMPLETE.
MAXIMUM NUMBER MIDS ACTIVE.
MAXIMUM NUMBER OF ARGUMENTS.
MAXIMUM PARENTHESIS NESTING LEVEL EXCEEDED. ERROR SCAN FOR THIS FORMAT STOPS HERE
num MAXIMUM SCM WORDS USED
MAXIMUM TERMINALS EXCEEDED.

MAY NOT ADD LWA GROWTH TO FIXED BLOCK
parameter MAY NOT BE EQUIVALENCED
MAY NOT BE FUNCTION, EXTERNAL, F.P. OR IN BLANK COMMON
MAY NOT BE USED IN A DEBUG STATEMENT
MAY NOT INCREASE DABA CT HHA
MAY NOT REDUCE HHA LT DABA
MAY NOT UP HHA IF FIXED BLOCKS PRESENT
parameter MAY ONLY BE EQUIVALENCED TO 0 -- IGNORED
MCH FATAL ERROR.
MCS APPLICATION ?
MCS DISABLED BY NETWORK.
MCS DISABLED BY NETWORK

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
QU/CRM DA RM	60482100
FORM RM	60496200
FORM RM	60496200
COM MEM MGMT 1	60499200
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
COM MEM MGMT 1	60499200
PL/I RM	60388100
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
PL/I RM	60388100
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300

MESSAGE

MCS ENDED dd/mm/yy hh.mm.ss
MCS IDLE DOWN STARTED.
MCS IDLE DOWN STARTED
MCS INITIATED INCORRECTLY - TRY N.MCS.
MCS INITIATED INCORRECTLY - TRY N.MCS
MCS NETON COMPLETE.
MCS NETON COMPLETE
MCS REPRIEVE.
MCS REPRIEVE
MCS SHUTDOWN COMPLETE.
MCS SHUTDOWN COMPLETE
MCS l.x date time
MEMORY ADDRESS BEYOND CM BOUNDARY.
MEMORY FILE REPLACED
MEMORY MARGINS SELECTED DEADSTART ABORTED
MEMORY OVERFLOW.
MEMORY OVERFLOW.
MEMORY OVERFLOW.
MEMORY OVERFLOW
MEMORY OVERFLOW DURING ASF EXPANSION
MEMORY OVERFLOW DURING INITIALIZATION.
MEMORY OVERFLOW IN CODE TRANSFORMER
MEMORY OVERFLOW IN END PROCESSOR
*** MEMORY OVERFLOW IN -FAX-
MEMORY OVERFLOW IN INTERNAL ASSEMBLER
MEMORY PARITY
MEMORY REQUEST ERROR.
MEMORY REQUEST FOR ECS NOT ALLOWED.
MEMORY REQUEST WITH D.M.
REQUEST OUTSTANDING.
MERGE ERROR, SECONDARY FILE EMPTY.
MERGING STIMOUT DATA.
MESSAGE FOR AREA id VERSION vn
MESSAGE FOR USER nn =
MESSAGE LEVEL CODE MUST BE L, P, OR S
MESSAGE LIMIT.
MESSAGE NAME MUST BE LQ 7 CHARS
MESSAGE NOT ALLOWED FOR THIS APPLICATION
MESSAGE NOT DEFINED OR WRONG TYPE
npuname MESSAGE SENT.
MESSAGE STATUS TABLE OVERFLOW.
MFL LESS THAN ECS MINIMUM CM FL.

<u>MANUAL</u>	<u>PUB. NO.</u>
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
PL/I RM	60388100
PL/I RM	60388100
FORTRAN EXT 4	60497800
PL/I RM	60388100
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
TAF 1 RM	60459500
TEXT EDITOR RM	60436100
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MFL MUST BE GREATER THAN BL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
MFL REQUEST TOO SMALL, MINIMUM USED.	NOS 2 RS VOL 3	60459680
MFL TOO LARGE - nnnnnnB,taskname,tasklibrary.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
MFLINK-APPLICATION CONNECTION BROKEN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-APPLICATION CONNECTION REJECTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-APPLICATION CONNECTION TIMEOUT.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-APPLICATION DISABLED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK- BLOCK NOT ACKNOWLEDGED.	NOS 2 OP/ANL HB	60459310
MFLINK-BLOCK NOT DELIVERED DURING FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - BLOCK TOO LARGE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CANNOT READ FROM filename.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CANNOT WRITE ON filename.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-CIO ERROR DURING FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-CONNECTING TO lid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-CONNECTION BROKEN DURING FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-CONNECTION REJECTED BY REMOTE HOST.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CONTINUATION BLOCK-DID NOT FOLLOW.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - ERR/LGL RECEIVED FROM RHF.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-FC/BRK RECEIVED RC=rc.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-FILE RETRANSMIT REQUESTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - FILE TRANSFER IN PROGRESS.	NOS 2 OP/ANL HB	60459310
MFLINK-IDLEDDOWN ERROR DURING FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-ILLEGAL NETON.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID ACCESS VALIDATION.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID COMMAND cmd.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID CONNECTION REQUEST STATUS.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID CONTROL STATEMENT.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID DATA DECLARATION.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
MFLINK-INVALID DIRECTIVE FILE NAME.	NOS 2 RS VOL 3	60459680
MFLINK-INVALID FILE NAME.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

MANUAL PUB. NO.

MFLINK-INVALID FILE TYPE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-INVALID LID.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-INVALID NETON STATUS.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-INVALID NETXFR STATUS.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-INVALID PARAMETER xx FOR yy.	NOS 2 RS VOL 3	60459680
MFLINK - INVALID SUPERVISORY MESSAGE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - LID CURRENTLY UNAVAILABLE	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-LID DISABLED, lid.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - LID UNKNOWN TO SUBSYSTEM.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - MAXIMUM CONNECTS EXCEEDED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETON STATUS = 4.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETON STATUS = 6.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETON STATUS = 7.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETWORK RESOURCE LIMIT.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - NETWORK SEQUENCE ERROR.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETWORK SHUTDOWN.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETXFR STATUS = 0.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETXFR STATUS = 2.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETXFR STATUS = 7.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETXFR STATUS = 8.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NETXFR STATUS = 9.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NO LID SPECIFIED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-NO REMOTE DIRECTIVES FOUND.	NOS 2 RS VOL 3	60459680
MFLINK-PROTOCOL ERROR DURING FILE TRANSFER.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-PROTOCOL ERROR IN xx.	NOS 2 RS VOL 3	60459680
MFLINK-RECOVERING ST lid.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-REMOTE NOT RESPONDING.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-REMOTE SHUTDOWN.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-SERVICER UNAVAILABLE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK-SUBSYSTEM FULL.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MFLINK - SUBSYSTEM UNAVAILABLE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - TERMINATING CONNECTION.	NOS 2 OP/ANL HB	60459310
MFLINK-TIMED OUT DURING FILE TRANSFER.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFLINK - USER REQUEST SENT.	NOS 2 OP/ANL HB	60459310
MFLINK-USER TEXT TOO LONG.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - COMPLETE. jsn = ROUTED FILE NAME.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - CONTROL STATEMENT ERROR.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - DUPLICATE PARAMETER.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - FIRST PARAMETER NOT VALID LFN.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - ILLEGAL DC VALUE SPECIFIED.	NOS 2 RS VOL 3	60459680
MFQUEUE - ILLEGAL DD VALUE SPECIFIED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - ILLEGAL ST VALUE SPECIFIED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - INVALID DIRECTIVE NAME.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - INVALID PARAMETER.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - NO REMOTE DIRECTIVES FOUND.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFQUEUE - ROUTING TEXT ILLEGAL WHEN DC SPECIFIED.	NOS 2 RS VOL 3	60459680
MFQUEUE - ST PARAMETER MUST BE SPECIFIED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
MFSTAT REJECTED REQUEST	NOS 2 RS VOL 3	60459680
MCETC/MAXFL REACHED.	NOS 2 OP/ANL HB	60459310
MICROCODE/EI MISMATCH - MAY CAUSE SYSTEM HANG.	NOS 2 OP/ANL HB	60459310
MICROCODE INITIALIZATION ERROR DEADSTART ABORTED	NOS 2 OP/ANL HB	60459310
MICROCODE MISMATCH microname	NOS 2 OP/ANL HB	60459310
MICROCODE, microname, yymmdd NL.	NOS 2 OP/ANL HB	60459310
MID CURRENTLY ACTIVE.	NOS 2 OP/ANL HB	60459310
MID NOT ACTIVE	NOS 2 OP/ANL HB	60459310
MID NOT SPECIFIED.	NOS 2 OP/ANL HB	60459310
MID SPECIFIED NOT DOWN.	NOS 2 OP/ANL HB	60459310
MID SPECIFIED NOT FOUND.	NOS 2 OP/ANL HB	60459310
MID UNDEFINED IN ECS.	NOS 2 OP/ANL HB	60459310
MINIMUM DIGITS IS SPECIFIED FOR THE CONVERSION CODE nnnnn	FORTRAN EXT 4	60497800
MINIMUM TAF MFL NEEDED = nnnnnnB.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
MISSING AIP ENTRY POINT.	NOS 2 OP/ANL HB	60459310
MISSING AKY CARD.	TAF 1 RM	60459500
MISSING, BAD, OR OUT OF RANGE LABEL ON DO STATEMENT	FORTRAN EXT 4	60497800
MISSING CARTRIDGE. DESTAGE RESTARTED.	NOS 2 SYS MAINT	60459300

MESSAGE

MANUAL

PUB. NO.

MISSING CARTRIDGE.
filename FOR jsn NOT STAGED.

MISSING COMMA AT nnnnn

MISSING COMMA AT nnnnn

MISSING DEMAND FILE ENTRY.

MISSING DEMAND FILE ENTRY.

MISSING EXECUTE

MISSING FILENAME

MISSING HEADER WORD ON xxJ FILE.

MISSING HEADER WORD ON XKJ FILE.

MISSING LABEL IN ARITHMETIC IF

MISSING LEFT PAREN AT nnnnn

MISSING LEFT PAREN AT nnnnn

MISSING LEFT STRING DELIMITER

MISSING LEFT STRING DELIMITER

MISSING LENGTH PARAMETER

MISSING LINE NO

MISSING LOAD

MISSING -N- SPECIFIER IN OLN

MISSING NAME -- ENTRY STATEMENT IGNORED

MISSING NAME -- ENTRY STATEMENT IGNORED

MISSING NAME IN LEVEL LIST

MISSING NCF RECORD.

MISSING NUMERIC FIELD IN PS ARGUMENT -- IGNORED

MISSING OPERATOR

MISSING OR SYNTAX ERROR IN LIST OF TRANSFER LABELS

MISSING PARAMETER LIST

MISSING PARAMETER LIST

MISSING PROGRAM STATEMENT -- PROGRAM START ASSUMED

MISSING PROGRAM STATEMENT -- PROGRAM START. ASSUMED

MISSING RELATIONAL OPERATOR IN SELECTOR-EXPRESSION

MISSING RELATIONAL OPERATOR IN SELECTOR-EXPRESSION

jsn MISSING RESOURCE.

jsn MISSING RESOURCE.

MISSING RIGHT PAREN AFTER FORMAT IS ASSUMED

MISSING RIGHT PAREN AFTER IMPLIED DO

MISSING RIGHT PAREN AFTER UNIT IS ASSUMED

MISSING RIGHT PARENTHESIS

MISSING RIGHT PARENTHESIS

MISSING RIGHT PARENTHESIS OR SEMICOLON

MISSING RIGHT PARENTHESIS OR SEMICOLON

MISSING RIGHT-SIDE OF SPECIFICATION

MISSING RIGHT STRING DELIMITER

NOS 2 OP/ANL HB 60459310
NOS 2 SYS MAINT 60459300

FORTRAN EXT 4 60497800

FORTRAN 5 RM 60481300

NOS 2 RS VOL 4 60459690

NOS 2 RS VOL 3 60459680

LOADER 1 RM 60429800

FORM RM 60496200

NOS 2 OP/ANL HB 60459310
TAF 1 RM 60459500

TAF 1 RM 60459500
NOS 2 OP/ANL HB 60459310

FORTRAN EXT 4 60497800

FORTRAN EXT 4 60497800

FORTRAN 5 RM 60481300

8-BIT SUBR RM 60495500

FORM RM 60496200

8-BIT SUBR RM 60495500

BASIC 3 RM 19983900

LOADER 1 RM 60429800

FORM RM 60496200

FORTRAN 5 RM 60481300

FORTRAN EXT 4 60497800

FORTRAN 5 RM 60481300

NOS 2 OP/ANL HB 60459310

PL/I RM 60388100

FORM RM 60496200

FORTRAN EXT 4 60497800

8-BIT SUBR RM 60495500

FORM RM 60496200

FORTRAN EXT 4 60497800

FORTRAN 5 RM 60481300

8-BIT SUBR RM 60495500

FORM RM 60496200

NOS 2 RS VOL 4 60459690

NOS 2 RS VOL 3 60459680

FORTRAN EXT 4 60497800

FORTRAN EXT 4 60497800

FORTRAN EXT 4 60497800

8-BIT SUBR RM 60495500

FORM RM 60496200

8-BIT SUBR RM 60495500

FORM RM 60496200

FORM RM 60496200

8-BIT SUBR RM 60495500

MESSAGEMANUALPUB. NO.

MISSING RIGHT STRING DELIMITER	FORM RM	60496200
MISSING SEPARATOR	FORM RM	60496200
MISSING SEPARATOR AFTER CONVERSION ITEM	8-BIT SUBR RM	60495500
MISSING SEPARATOR AFTER CONVERSION ITEM	FORM RM	60496200
MISSING SLASH ON GROUP NAME	FORTRAN EXT 4	60497800
MISSING SLASH ON GROUP NAME	FORTRAN 5 RM	60481300
MISSING SOURCE-1 PARAMETER	8-BIT SUBR RM	60495500
MISSING SOURCE-1 PARAMETER	FORM RM	60496200
MISSING SOURCE-2 OR DESTINATION PARAMETER	8-BIT SUBR RM	60495500
MISSING SOURCE-2 OR DESTINATION PARAMETER	FORM RM	60496200
MISSING SUBSCRIPTS ON nnnnn ARE ASSIGNED VALUE OF ONE	FORTRAN EXT 4	60497800
MISSING SUBSCRIPTS SET TO LOWER BOUND FOR EQUIVALENCE VARIABLE nnnnn	FORTRAN 5 RM	60481300
MISSING SUBSCRIPTS SET TO 1 FOR EQUIVALENCE VARIABLE nnnnn	FORTRAN EXT 4	60497800
MISSING TERMINATOR	FORM RM	60496200
MISSING UNIT DESIGNATOR IN I/O STATEMENT	FORTRAN EXT 4	60497800
**** MISSING VALUE.	NOS 2 SYS MAINT	60459300
MISSING VARIABLE OR ARRAY NAME IN LEVEL LIST	FORTRAN EXT 4	60497800
MISSING VSN OR EQUIPMENT ASSIGNMENT.	NOS 2 RS VOL 4	60459690
MISSING VSN OR EQUIPMENT ASSIGNMENT.	NOS 2 RS VOL 3	60459680
MISPELLED KEYWORD -- mmmmm nnnnn ASSUMED	FORTRAN EXT 4	60497800
MISPELLED KEYWORD -- nnnnn RETURNS ASSUMED	FORTRAN EXT 4	60497800
deckname - MIXED CHARACTER SET DETECTED.	MODIFY RM	60450100
MIXED CHARACTER SET OPL.	MODIFY RM	60450100
MIXED FUNCTION	APL 2 RM	60454000
MLF REQUEST TOO SMALL, MINIMUM USED.	NOS 2 RS VOL 4	60459690
MLTF, ERROR - BUFFER FOR NLD TOO SMALL.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - CALLER NOT AUTHORIZED.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - CHANNEL NUMBER INVALID.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - DEVICE ENABLE SWITCH OFF.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - EST/CHAN UNAVAILABLE.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - INVALID NLD RETURN CODE.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - NO MORE NADS IN EST.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, ERROR - REMOTE NAD UNAVAILABLE.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, LOG RN=nadid, LT=trunk, AC=nadaddr, CH=cc.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, LOGGING LOCAL NAD ON CHANNEL ch.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, NON FATAL ERRORS ENCOUNTERED.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, NORMAL TERMINATION.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MLTF, RHF MUST BE STARTED, NO NDT FILE.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300

MESSAGE

MLTFPROC ABORT - DELAY OUT OF RANGE (nnnn).
MLTFPROC ABORT - INVALID DELAY (nnnn).
MLTFPROC ENDED - JOB NOT SYSTEM ORIGIN.
MM BLOCK HANDLER ERR, PNTR AT numb
MMF DEVICE ACCESS ERROR.
MNEMONIC/DEVICE CODE INCOMPATIBLE.
MODE=nn
MODE ERROR.
MODE STMT IN ASYNC SCRIPT
MODIFICATION COMPLETE.
MODIFICATION/DIRECTIVE ERRORS.
MODIFICATION DIRECTIVE EXPECTED
MODIFICATION ERRORS.
MODIFIED AFTER yy/mm/dd. hh.mm.ss.
MODIFIED AFTER yy/mm/dd.hh.mm.ss. BEFORE
yy/mm/dd.hh.mm.ss.
MODIFIED BEFORE yy/mm/dd. hh.mm.ss.
MODULE NOT ON LIBRARY DEADSTART ABORTED
MODVAL ABORTED.
MONITOR CALL ERROR, xxxx nnnnnnnn.
MONITOR CONDITION REGISTER =xxxx
MORE DATA AFTER RECORD IN V-UNBLOCKED FILE
MORE DATA AFTER RECORD IN V-UNBLOCKED FILE
MORE DATA AFTER VS-RECORD SEGMENT
MORE DATA AFTER VS-RECORD SEGMENT
MORE STORAGE REQUIRED BY DO STATEMENT PROCESSOR FOR OPTIMIZATION
MORE THAN FIVE TASKS IN TASK CHAIN.
MORE THAN ONE ARF SPECIFIED.
MORE THAN ONE ENTRY POINT ON A *54* TABLE.
MORE THAN ONE RELATION EXISTS FOR THIS QUERY. PLEASE SPECIFY WHICH OF THE FOLLOWING SHOULD BE USED
MORE THAN ONE RELATIONAL OPERATOR IN A RELATIONAL EXPRESSION
MORE THAN 100 WHEN CONDITIONS USED
MORE THAN 3 SUBSCRIPT
MORE THAN 4 xxxx CARDS
MORE THAN 4 CHANNELS.
MORE THAN 49 FILES ON PROGRAM CARD OR 63 PARAMETERS ON A SUBROUTINE OR FUNCTION CARD
MORE THAN 63 ARGUMENTS IN ARGUMENT LIST
MORE THAN 7 SUBSCRIPTS
MORE THAN 7 SYSTEM TEXTS SPECIFIED.
MOVE PACK FROM UNIT xx TO UNIT yy AND SPIN
UP.
MR hh.mm.ss. CPU POWER FAILURE.
MR POWER/ENVIRONMENT NORMAL.
MR hh.mm.ss nnn SHUTDOWN IMMINENT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NPS RM	60480500
MODIFY RM	60450100
MODIFY RM	60450100
NOS 2 INSTAL HB	60459320
MODIFY RM	60450100
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
FORM RM	60496200
8-BIT SUBR RM	60495500
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
QUERY UPDT 3 RM	60498300
FORTRAN EXT 4	60497800
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
COMPASS 3 RM	60492600
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MREC ABNORMAL TERMINATION.	NOS 2 OP/ANL HB	60459310
MRF PROCESSING COMPLETE, FM=familyname.	NOS 2 SYS MAINT	60459300
MRL OR FL SET IN FILE STATEMENT IS LARGER THAN RECORD AREA--TRUNCATED TO RECORD AREA SIZE	COBOL 5 RM	60497100
MRL PARAMETER ON CRM CARD NOT SPECIFIED PROPERLY.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
MS ERROR ON DEADSTART FILE.	NOS 2 SYS MAINT	60459300
MS LIMIT EXCEEDED.	NOS 2 OP/ANL HB	60459310
MS LIMIT EXCEEDED	FORTRAN EXT 4	60497800
MS REDUCTION INVALID - filename.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
MSA DEFINED ON TWO CHANNELS. EST ORDINAL = est.	NOS 2 OP/ANL HB	60459310
MSABT CALL ERROR.	TAF 1 RM	60459500
MSC001 ASSIGNMENT-TARGET CANNOT BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION, AND CANNOT BE MSC001 NAMED CONSTANT	PL/I RM	60388100
MSC002 EXPRESSION IN ASSIGNMENT STATEMENT CANNOT BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
MSC003 OPERATOR IN COMPARISON OF LOCATOR VALUES MUST BE = OR ~=	PL/I RM	60388100
MSC004 I/O OPERATION INCOMPATIBLE WITH ATTRIBUTES DECLARED FOR FILE	PL/I RM	60388100
MSC005 REFERENCE -identifier- IN REMOTE FORMAT ITEM MUST BE A LOCAL REFERENCE TO A FORMAT MSC005 CONSTANT	PL/I RM	60388100
MSC006 INVALID USE OF OPTIONS(MAIN)	PL/I RM	60388100
MSC007 CONDITION -identifier- CANNOT BE PASSED AS ARGUMENT	PL/I RM	60388100
MSC010 TOO MANY IDENTIFIERS IN PROGRAM - IDENTIFIER TABLE OVERFLOW	PL/I RM	60388100
MSC011 BAD LABEL OR FORMAT PREFIX -identifier-	PL/I RM	60388100
MSC012 UNDECLARED ARRAY OR EXTERNAL FUNCTION -identifier-	PL/I RM	60388100
MSC013 SUBROUTINE-REFERENCE -identifier- IN CALL STATEMENT MUST BE OF TYPE ENTRY	PL/I RM	60388100
MSC014 PRECISION P OF VARIABLE -identifier- MUST BE UNSIGNED NON-ZERO INTEGER	PL/I RM	60388100
MSC016 ARGUMENT IN FUNCTION REFERENCE -identifier- CANNOT BE AN ASTERISK	PL/I RM	60388100
MSC020 DECLARATION OF LABEL CONSTANT ARRAY -identifier-: EXTENTS MUST BE INTEGER CONSTANTS	PL/I RM	60388100
MSC021 ILLEGAL I/O OPTION COMBINATION	PL/I RM	60388100
MSC022 RECORD I/O STATEMENT MUST HAVE FILE-OPTION	PL/I RM	60388100
MSC023 ILLEGAL FILE-DESCRIPTION ATTRIBUTE COMBINATION IN OPEN STATEMENT	PL/I RM	60388100
MSC024 CHARACTER CONFLICT IN PICTURE	PL/I RM	60388100
MSC025 NUMBER OF DIGITS IN PICTURE EXPONENT MUST BE ONE, TWO, OR THREE	PL/I RM	60388100
MSC026 NO DIGITS IN PICTURE MANTISSA	PL/I RM	60388100
MSC027 CONFLICTING CONDITION PREFIXES	PL/I RM	60388100
MSC028 DIVISION BY ZERO ILLEGAL	PL/I RM	60388100
MSC030 CONSTANT EXTENTS REQUIRED	PL/I RM	60388100
MSC031 SUBSCRIPT OF REFERENCE -identifier- IS OUT OF RANGE	PL/I RM	60388100
MSC032 ARRAY -identifier- UPPER BOUND LESS THAN LOWER BOUND	PL/I RM	60388100
MSC033 AREA -identifier- SIZE MUST BE BETWEEN 0 AND 131071	PL/I RM	60388100
MSC034 STRING -identifier- LENGTH MUST BE BETWEEN 0 AND 131071	PL/I RM	60388100
MSC035 ILLEGAL FLOATING POINT CONSTANT	PL/I RM	60388100
MSC036 THIS STATEMENT CANNOT BE COMPILED BECAUSE OF UNRELATED ERROR IN SOME PREVIOUS SOURCE MSC036 STATEMENT	PL/I RM	60388100
MSC037 PROCEDURE CONTAINS TOO MANY AUTOMATIC VARIABLES	PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
MSC038 ENTRY CONSTANT OR PARAMETER -identifier- CAN ONLY BE USED FOR PROCEDURE INVOCATION MSC038 AND AS ARGUMENT PASSED TO ENTRY PARAMETER	PL/I RM	60388100
MSC039 SUBROUTINE-REFERENCE -identifier- IN CALL STATEMENT CANNOT BE AN ENTRY POINT WITH MSC039 A RETURNS-DESCRIPTOR	PL/I RM	60388100
MSC040 FUNCTION-REFERENCE -identifier- MUST BE AN ENTRY POINT WITH A RETURNS-DESCRIPTOR	PL/I RM	60388100
MSC041 FORM OF RETURN STATEMENT IS INCOMPATIBLE WITH ALL ENTRY POINTS	PL/I RM	60388100
MSC042 FORM OF RETURN STATEMENT IS INCOMPATIBLE WITH AT LEAST ONE ENTRY	PL/I RM	60388100
MSC043 FUNCTION -identifier- DOES NOT CONTAIN SCALAR RETURN STATEMENT	PL/I RM	60388100
MSC044 PROCEDURE WITH OPTIONS(MAIN) CANNOT HAVE PARAMETERS OR RETURNS DESCRIPTOR	PL/I RM	60388100
MSC045 THE MAXIMUM NUMBER OF CHARACTERS IN A PICTURE EXPONENT IS 510	PL/I RM	60388100
MSC046 EXTERNAL NAMES -identifier- -identifier- TRUNCATE TO SAME NAME	PL/I RM	60388100
MSC047 EXTERNAL NAME -identifier- CONTAINS SPECIAL CHARACTER	PL/I RM	60388100
MSC048 LEADING SPECIAL CHARACTER IN EXTERNAL NAME -identifier- CHANGED TO A -3-	PL/I RM	60388100
MSC049 RETURN FROM AN ON-UNIT MUST NOT HAVE A RETURN VALUE	PL/I RM	60388100
MSC050 LENGTH OF THE PICTURE-SPECIFICATION IN P FORMAT ITEM CANNOT EXCEED 1000 CHARACTERS	PL/I RM	60388100
MSC052 COMPILATION ABORTED BECAUSE OF COMPILER ERROR	PL/I RM	60388100
MSER, EQest, CATALOG CHAIN.	NOS 2 OP/ANL HB	60459310
MSER, EQest, INDIRECT CHAIN.	NOS 2 OP/ANL HB	60459310
MSER, EQest, PERMITS CHAIN.	NOS 2 OP/ANL HB	60459310
MSER, EQest PF COUNT.	NOS 2 OP/ANL HB	60459310
MSER, EQest, TRACK COUNT.	NOS 2 OP/ANL HB	60459310
MSF CATALOG CHAIN LINKAGE BAD. filename STAGING ERROR, JSN=jsn, FM=familyname, UI=userindex, CSU=id, MST=n, VSN=vsn, ASA=addr, STRM=s.	NOS 2 SYS MAINT NOS 2 OP/ANL HB	60459300 60459310
MSF CATALOG ERROR FLAGS SET. filename FOR jsn.	NOS 2 SYS MAINT	60459300
MSF CATALOG INTERLOCKED. DESTAGE DELAYED, FM=familyname, SF=subfamily.	NOS 2 SYS MAINT	60459300
MSF CATALOG NOT ONLINE. DESTAGE ABANDONED, FM=familyname, SF=subfamily.	NOS 2 SYS MAINT	60459300
MSF CATALOG NOT ONLINE. filename FOR jsn NOT STAGED.	NOS 2 OP/ANL HB NOS 2 SYS MAINT	60459310 60459300
MSF CATALOG OPEN ERROR.	NOS 2 SYS MAINT	60459300
MSF CATALOG PARITY ERROR.	NOS 2 SYS MAINT	60459300
MSF CATALOG READ ERROR. DESTAGE ABANDONED, FM=familyname, SF=subfamily.	NOS 2 SYS MAINT	60459300
MSF CATALOG REPLACE ERROR.	NOS 2 SYS MAINT	60459300
MSF HARDWARE PROBLEM.	NOS 2 SYS MAINT	60459300
MSF SYSTEM ERROR.	NOS 2 SYS MAINT	60459300
MSFCATn FOR FAMILY familyname CLOSED.	NOS 2 SYS MAINT	60459300
MSI ABORTED INITIALIZE MAY NOT BE COMPLETE.	NOS 2 OP/ANL HB	60459310
MSID CONFLICT WITH SENSE DATA. EST ORDINAL = est. MSA MSID = yy. UNIT MSID = zzz.	NOS 2 OP/ANL HB	60459310
MSS FILE STAGING SUPPRESSED.	NOS 2 SYS MAINT	60459300
MSSDRVR ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
MSSEXEC ACTIVE.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MSSEXEC SEEKING FL INCREASE.	NOS 2 SYS MAINT	60459300
MSSEXEC TERMINATING.	NOS 2 OP/ANL HB	60459310
MST ERROR - GO/DROP.	NOS 2 OP/ANL HB	60459310
MST INITIALIZATION ABANDONED. CSU x, MST y, EST ORDINAL=est.	NOS 2 OP/ANL HB	60459310
MST INITIALIZATION COMPLETE. CSU x, MST y, EST ORDINAL=est.	NOS 2 OP/ANL HB	60459310
MT,Ccc,Eec,Hhhhhhhh,B.C. RESTART.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,BAD ERASE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,BID RECOVERY-x.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,BLOCK TOO LARGE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,BUSY.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,CHANNEL ILL.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,CON. REJ.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459680 60459310 60459690
MT,Ccc,Eec,Hhhhhhhh,CON. REJ. MDI.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,CON. REJ. OFF.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,Fnffff,Pyyyy.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,Lbbbb,Bnnnnn.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,LOAD CHECK.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,MARGINAL, DOWN.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459680 60459310 60459690
MT,Ccc,Eec,Hhhhhhhh,MARGINAL, OFF.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459680 60459310 60459690
MT,Ccc,Eec,Hhhhhhhh,NO EOP.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,NOISE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,NOT READY.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,ON THE FLY.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MT,Ccc,Eec,Hhhhhhhh,POSITION LOST.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690

MESSAGE

MANUAL PUB. NO.

MT,Ccc,Eec,Hhhhhhhh,RECOVERED.

NOS 2 OP/ANL HB 60459310
 NOS 2 RS VOL 3 60459680
 NOS 2 RS VOL 4 60459690

MT,Ccc,Eec,Hhhhhhhh,STATUS.

NOS 2 OP/ANL HB 60459310
 NOS 2 RS VOL 3 60459680
 NOS 2 RS VOL 4 60459690

MT,Ccc,Eec,Hhhhhhhh,WRONG PARITY.

NOS 2 OP/ANL HB 60459310
 NOS 2 RS VOL 3 60459680
 NOS 2 RS VOL 4 60459690

MT,Ccc-e-uu,vsn,rw,est,Ss,GSgggggggg
 MT,Ccc,Dddd...d.
 MT,Ccc,Uuu...u,Ttttt.
 MT,Ccc,Aaaaaaaaa.
 MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Ppppppppp.
 MT,Ccc,Eec,Hhhhhhhh,type.

NOS 2 RS VOL 3 60459680
 NOS 2 OP/ANL HB 60459310
 NOS 2 RS VOL 4 60459690

or

MT,Ccc-e-uu,vsn,rw,est,Ss,GSgggggggg.
 MT,Ccc,Dddd...d.
 MT,Ccc,Aaaaaaaaa.
 MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Ppppppppp.
 MT,Ccc,Eec,Hhhhhhhh,type.

or

MT,Ccc,-e-uu,vsn,rw,est,Ss,GSgggggggg.
 MT,Ccc,Dddd...d.
 MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Ppppppppp.
 MT,Ccc,Eec,Hhhhhhhh,type.

or

MT,Ccc-e-uu,vsn,rw,est,Ss,GSgggggggg.
 MT,Ccc,Dddd...d.
 MT,Ccc,Uuu...u,Ttttt.
 MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Ppppppppp.
 MT,Ccc,Eed,Hhhhhhhh,type.

MTest,Ccc, TURNED OFF.

NOS 2 OP/ANL HB 60459310

MTest, CAN'T ACCESS DATA

NOS 2 OP/ANL HB 60459310

MTest, ILLEGAL ACC. LVL.

NOS 2 OP/ANL HB 60459310

MTest, NEEDS LABEL

NOS 2 OP/ANL HB 60459310

MT/NT CONFLICT.

NOS 2 RS VOL 3 60459680
 NOS 2 RS VOL 4 60459690

MTest, RING CONFLICT

NOS 2 OP/ANL HB 60459310

MTest, WRONG VSN

NOS 2 OP/ANL HB 60459310

MTR BUSY.

NOS 2 OP/ANL HB 60459310

MTS FIRMWARE LOAD, PART NO.- 12345678.

NOS 2 OP/ANL HB 60459310

or

FSC FIRMWARE LOAD, PART NO.- 12345678.

MTS FIRMWARE NOT FOUND.

NOS 2 OP/ANL HB 60459310

or

FSC FIRMWARE NOT FOUND.

MULTI-FILE NOT ASSIGNED TO MAGNETIC TAPE

COBOL 5 RM 60497100

MULTI-FILE NOT ASSIGNED TO MAGNETIC TAPE

COBOL 5 DH 60482500

MULTI-FILE NOT FOUND, filename AT address.

NOS 2 RS VOL 3 60459680
 NOS 2 RS VOL 4 60459690

MULTI-TRACK PHASE ERROR.

NOS 2 RS VOL 3 60459680

MULTI-VOLUME VERSION 4 RELATIVE FILE ILLEGAL

COBOL 5 RM 60497100

MULTI-VOLUME VERSION 4 RELATIVE FILE ILLEGAL

COBOL 5 DH 60482500

MULTIPLE ASSIGNMENT IS NON-ANSI

FORTRAN EXT 4 60497800

MULTIPLE ASSIGNMENT IS NON-ANSI

FORTRAN 5 RM 60481300

MULTIPLE COMMAS BETWEEN DIRECTIVES

NAM 1 RM 60499500

MULTIPLE DECIMAL POINT IN EDIT DESCRIPTOR AT nnnnn

FORTRAN 5 RM 60481300

MULTIPLE DEFINITION OF CURRENT FORMAT LABEL

FORTRAN 5 RM 60481300

MULTIPLE DEFINITION OF CURRENT FORMAT NUMBER

FORTRAN EXT 4 60497800

MULTIPLE IMPLICIT STATEMENTS NOT PERMITTED - IGNORED

FORTRAN EXT 4 60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MULTIPLE OCCURENCES OF DUMMY ARGUMENT nnnnn	FORTRAN 5 RM	60481300
MULTIPLE REPLACEMENT STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
MULTIPLE STATEMENT IGNORED AFTER END	FORTRAN EXT 4	60497800
MULTIPLE STATEMENT IGNORED AFTER LOADER DIRECTIVE	FORTRAN EXT 4	60497800
MULTIPLE STATEMENT PER CARD NOT PERMITTED	FORTRAN EXT 4	60497800
MULTIPLE 7000 JOBS NOT ALLOWED	NOS 2 RS VOL 3	60459680
MULTIPLY BY 1 -- IGNORED	FORTRAN EXT 4	60497800
MULTIPLY DEFINED LEVEL FOR COMMON BLOCK NAME nnnnn -- IGNORED	FORTRAN 5 RM	60481300
MULTIPLY DEFINED LEVEL FOR NAME nnnnn -- IGNORED	FORTRAN 5 RM	60481300
MULTIPLY DEFINED LEVEL FOR NAME nnnnn -- IGNORED	FORTRAN EXT 4	60497800
MULTIPLY DEFINED STATEMENT LABEL nnnnn	FORTRAN 5 RM	60481300
MULTIPLY DEFINED STATEMENT LABEL nnnnn	FORTRAN EXT 4	60497800
* hhh * MUST APPEAR WITHOUT VALUES	COBOL 5 RM	60497100
nnnnn MUST BE A DUMMY-ARG	FORTRAN 5 RM	60481300
nnnnn MUST BE DO CONTROL VARIABLE	FORTRAN 5 RM	60481300
nnnnn MUST BE INTEGER CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
MUST BEGIN WITH LETTER	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
MUST HAVE SYSTEM ORIGIN PRIVILEGES.	NOS 2 RS VOL 3	60459680
M01 POSSIBLE EXTENDED RANGE DO	FTN 4-5 CONV RM	60483000
M02 DO PARAMETER REDEFINED WITHIN RANGE OF DO	FTN 4-5 CONV RM	60483000
M03 FUNCTIONS -SLITE- AND -SLITET- NOT SUPPORTED IN FTN5	FTN 4-5 CONV RM	60483000
M04 -DATE, JDATE, TIME, CLOCK, SECOND- HAVE NO ARGUMENTS IN FTN5	FTN 4-5 CONV RM	60483000
M05 SYNTAX ERROR IN TWO BRANCH ARITHMETIC IF STATEMENT	FTN 4-5 CONV RM	60483000
M06 SIMPLE VARIABLE USED AS FORMAT SPECIFIER IN I/O STATEMENT	FTN 4-5 CONV RM	60483000
M07 V OR = DESCRIPTOR USED IN FORMAT STATEMENT. CHECK I/O USING THIS FORMAT	FTN 4-5 CONV RM	60483000
M09 FORMAT CONTAINING HOLLERITH DESCRIPTOR USED BY INPUT STATEMENT	FTN 4-5 CONV RM	60483000
M10 NEGATIVE HOLLERITH CONSTANT LARGER THAN 50 CHARS IN DATA STATEMENT	FTN 4-5 CONV RM	60483000
M11 FTN4 INTRINSIC FUNCTION USED AS ACTUAL ARGUMENT	FTN 4-5 CONV RM	60483000
M12 TYPE ECS CONVERTED TO LEVEL 3. CHECK CONVERSION	FTN 4-5 CONV RM	60483000
M13 HOLLERITH PARAMETERS - CHECK DEPENDENCY ON TRAINING ZEROS	FTN 4-5 CONV RM	60483000
M15 IF EXPRESSION NOT TYPED LOGICAL OR NOT ARITHMETIC IF	FTN 4-5 CONV RM	60483000
M16 SECOND PARAMETER OF READDEC NOT IN LEVEL OR IS NUMERIC VALUE	FTN 4-5 CONV RM	60483000
M17 READDEC/WRITEC WITHOUT ECS OR LEVEL STATEMENT - NOT CONVERTED	FTN 4-5 CONV RM	60483000
M18 CHECK USAGE OF ASF	FTN 4-5 CONV RM	60483000
M19 DUMMY ARGUMENT REFERENCE MUST BE SIMPLE VARIABLE	FTN 4-5 CONV RM	60483000
M20 NO CONVERSION OF COMPLEX TO REAL - REAL USED AS VARIABLE	FTN 4-5 CONV RM	60483000
M22 LIST(C=0) IGNORED DUE TO NEW SOURCE - CHECK UPDATE/MODIFY DIRECTIVE CONFLICTS	FTN 4-5 CONV RM	60483000
M23 MACHINE DEPENDENT CODING IN ABOVE STATEMENT	FTN 4-5 CONV RM	60483000
M24 SUBSCRIPT OF ARRAY EXCEEDS DIMENSION	FTN 4-5 CONV RM	60483000
M25 PARTIAL LIST DIRECTED READ TREATED DIFFERENT BY FTN5	FTN 4-5 CONV RM	60483000
M26 IMPLICIT STATEMENT DELETED	FTN 4-5 CONV RM	60483000
N EXCEEDS NUMBER OF FILES.	NOS 2 SYS MAINT	60459300
N TYPE ERROR NEGATIVE RELOCATION ON ENTRY POINT. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600

MESSAGE

NAMY PARAMETER ON THE IXN CARD NOT SPECIFIED PROPERLY.

NAM ERROR - ILLEGAL ABH.

NAM ERROR - ILLOGICAL ABT.

NAM FUNCTION NOT FOUND.

NAM LOGICAL ERROR.

NAM NOT AVAILABLE.

NAM PHYSICAL ERROR EC=ec.

NAM REG LEVEL reglvl.

NAM REJECT.

NAM VER x.x - nnnn.

NAME EDIT FILE?

NAME EXCEEDS 7 CHARACTERS -- TRUNCATED TO nnnnn

NAME EXCEEDS 7 CHARACTERS -- TRUNCATED TO nnnnn

NAME nnnnn IN DATA CONSTANT LIST MUST BE PARAMETER

NAME IN USE

NAME nnnnn IS IN EQUIV. GROUP THAT HAS LEVEL CONFLICT

NAME nnnnn IS IN LEVEL EQUIVALENCE GROUP AND MUST BE COMMON

NAME nnnnn IS LEVEL AND MUST BE COMMON OR DUMMY ARGUMENT

NAME LONGER THAN 7 CHARACTERS xxxx

NAME NOT FOUND

NAME nnnnn NOT IN RETURNS LIST

NAME nnnnn PREVIOUSLY DEFINED -- ENTRY STATEMENT IGNORED

NAME nnnnn PREVIOUSLY DEFINED -- ENTRY STATEMENT IGNORED

NAME TOO LONG aaaaaaaaaa

NAMelist I/O IS NON-ANSI

NAMelist I/O IS NON-ANSI

NAMelist STATEMENT IS NON-ANSI

NAMelist STATEMENT SYNTAX ERROR

NAMES SEPARATED BY *.* IN WRONG ORDER.

NAMI VERSION n.nnnnnn

NC EXCEEDS 200B TRACKS.

NC IS NOT A POWER OF 2.

NDL COMPLETE

NDLP COMPLETE.

NDR - ADDRESS ERROR.

NDR - ILLEGAL CALLER.

NDR - ILLEGAL FUNCTION.

NDR - INVALID CONNECT REQUEST.

	<u>MANUAL</u>	<u>PUB. NO.</u>
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
	XEDIT 3 RM	60455730
	FORTRAN 5 RM	60481300
	FORTRAN EXT 4	60497800
	FORTRAN 5 RM	60481300
	APL 2 RM	60454000
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	INTER DEBUG RM	60481400
	APL 2 RM	60454000
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	FORTRAN 5 RM	60481300
	RBF 1 RM	60499600
	FORTRAN 5 RM	60481300
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	MODIFY RM	60450100
	NOS 2 OP/ANL HB	60459310
	NOS 2 OP/ANL HB	60459310
	NOS 2 OP/ANL HB	60459310
	NDL 1 RM	60480000
	NOS 2 OP/ANL HB	60459310
	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990

MESSAGE

NLD05 - BUFFER ARGUMENT ERROR.

NLD06 - ABORTED BY SYSTEM.

NLF IS NOT AVAILABLE

NLF IS NOT SPECIFIED

NM=filename.

NM REDUCTION INVALID - filename.

NO ACCOUNT/USER CARD IN xxJ FILE.

NO ACCOUNT/USER CARD ON XXJ FILE.

NO ACTIVE CARDS WERE FOUND WITHIN THE COPY RANGE. NULL COPY

NO ACTIVE DAYFILE FOUND.

NO ALTERNATE KEY SPECIFIED ON IXN CARD.

NO APPLICATION ALERT PENDING

NO APPLICATION IN ALERT Q

NO APPLICATIONS DEFINED-CONTACT SITE OPR.

NO ARF DUMP ENTRIES - DUMP IGNORED.

NO ARF DUMP ENTRIES IN DIRECTORY.

NO BC LOAD ON PREASSIGN.

NO BITS SPECIFIED.

NO BREAKPOINT xxxx

NO BREAKPOINT #n

NO BREAKPOINTS

NO BRF CARD FOR CRM DATA BASE.

NO BRF CARD FOUND IN xxJ FILE.

NO CARTRIDGE AVAILABLE IN POOL.

NO CHARACTERS FOUND IN nnnnn DELIMITED HOLLERITH STRING

**** NO CHARGE NUMBER IN EFFECT.

NO CLOSING DELIMITER FOUND

NO COMMA AFTER LOWER LIMIT

NO COMMON BLOCK xxxx

**NO COMPILATION

NO CONTROL STATEMENT TERMINATOR.

NO CONTROLWARE ON CHANNEL.

NO CONVERSION SPEC SEEN

NO CRM CARD FOUND IN xxJ FILE.

NO DATA BASE ID FOR DATA MANAGER.

NO DATA BASE NAME IN xxJ FOR TOTAL.

NO DAYFILE FOUND.

NO DECK NAME ON DECK CARD

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
RBF 1 RM	60499600
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
PL/I RM	60388100
COMPASS 3 RM	60492600
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
UPDATE RM	60449900

MESSAGE

NO DEVICES IN THE FAMILY.
NO DIGIT PRECEDED X-FIELD. 1X ASSUMED
NO DIMENSION FOUND FOR EQUIVALENCE VARIABLE nnnnn
NO DIMENSION FOUND FOR EQUIVALENCE VARIABLE nnnnn
NO DIRECTIVES.
NO DIRECTIVES.
NO DIRECTIVES PROCESSED.
NO DIVERTS IN AFFECT FOR THIS QUEUE.
NO DUMP RECORD WITH SPECIFIED VSN.
NO ECS.
NO EMPTY CARTRIDGES AVAILABLE IN FAMILY.
NO EMPTY CUBE IN FAMILY/POOL.
NO EMPTY CUBES. NUMBER PROCESSED=n.
NO END CARD, END LINE ASSUMED
NO ENTRY POINT xxxx
NO EQUIPMENT AVAILABLE.
divnam-NO ERRORS ENCOUNTERED.
filename - NO ERRORS ENCOUNTERED.
divname - NO ERRORS ENCOUNTERED
NO EXCEPTION PROCESS PROVIDED
NO EXCEPTION PROCESS PROVIDED
NO EXECUTABLE STATEMENT n
NO FILE FOUND - filename.
NO FILE NAME SPECIFIED.
NO FILE NAME SPECIFIED ON CRM CARD.
NO FILE NAME SPECIFIED ON IXN CARD.
NO FILE OR GROUP xxxx
NO FILE SPACE. ADD ANOTHER FILE STMT
NO FILE STRING GIVEN
NO FILE STRING GIVEN
NO FILES FOUND.
NO FILES FOUND
NO FILES PROCESSED.
NO FILES TO DUMP.
NO FORMAT FIELD SPECIFIED
NO GENERAL STATUS RECEIVED.
NO GROUP #n
NO GROUP xxxx
NO GROUPS
NO H-H LOGICAL LINK TO DESTINATION

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
RBF 1 RM	60499600
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NDL 1 RM	60480000
COBOL 5 DH	60482500
COBOL 5 RM	60497100
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
INTER DEBUG RM	60481400
BASIC 3 RM	19983900
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NO HDRI LABEL RETURNED ON OPEN.	NOS 2 RS VOL 3	60459680
NO HOST AVAILABLE CONTROL CHARACTER=char display ENTER character HD TO SEE HOST STATUS	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
NO HOST CONNECTED CONTROL CHARACTER=char display ENTER INPUT TO CONNECT TO HOST	TAF 1 RM	60459500
NO HOST CONNECTED CONTROL CHARACTER=char display TERMINAL DISABLED BY NOP	TAF/CRM 1 DM RM NOS 2 RS VOL 3	60459510 60459680
NO HOST SELECTED CONTROL CHARACTER=char display ENTER character HN=NODE NUMBER or HS=NAME TO SELECT HOST	TAF 1 RM NOS 2 RS VOL 3	60459500 60459680
NO *IF IN PROGRESS.	MODIFY RM	60450100
NO INACTIVE QUEUED FILES PRESENT.	NOS 2 SYS MAINT	60459300
NO INACTIVE QUEUES ON DEVICE.	NOS 2 SYS MAINT	60459300
NO INFORMATION ON LOG FILE	QU/CRM DA RM	60482100
NO INITIALIZE REQUESTS SET FOR MSI.	NOS 2 OP/ANL HB	60459310
NO INPUT FILE FOUND.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NO INPUT FILE, Q MODE, UPDATE ABORT	UPDATE RM	60449900
NO INPUT FILE SPECIFIED	FORM RM	60496200
NO INTERLOCK.	NOS 2 OP/ANL HB	60459310
NO JOB CHARACTERISTICS SPECIFIED.	NOS 2 RS VOL 3	60459680
NO JOBS FOUND.	NOS 2 RS VOL 3	60459680
NO JSN-S RECOVERED.	NOS 2 RS VOL 3	60459680
NO KEY LENGTH SPECIFIED ON CRM CARD.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NO LABEL xxxxx	INTER DEBUG RM	60481400
NO LINE NUMBER ON LINE	NOS 2 RS VOL 3	60459680
NO LINE NUMBER ON SORT FILE.	NOS 2 RS VOL 3	60459680
NO LINE TERMINATOR AT EOR(S).	NOS 2 RS VOL 3	60459680
NO LINES FOUND	NOS 2 RS VOL 3	60459680
NO LINK DEVICE DEFINED.	NOS 2 OP/ANL HB	60459310
NO MANUFACTURER OR SCRATCH LABEL.	NOS 2 SYS MAINT	60459300
NO MASS STORAGE AVAILABLE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NO MATCH OF LOOP INDEX AND SUBSCRIPT	FORTRAN EXT 4	60497800
NO MATCHING FAMILY LABEL.	NOS 2 SYS MAINT	60459300
NO MATCHING LEFT PARENTHESIS	FORTRAN EXT 4	60497800
NO MATCHING RIGHT PARENTHESIS	FORTRAN EXT 4	60497800
NO MATCHING RIGHT PARENTHESIS IN ARGUMENT LIST	FORTRAN EXT 4	60497800
NO MATCHING RIGHT PARENTHESIS IN SUBSCRIPT	FORTRAN EXT 4	60497800
NO MAXIMUM RECORD LENGTH SPECIFIED ON THE CRM CARD.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NO MESSAGES FOUND	NAM 1 RM	60499500
NO MONITOR FILE DEFINED	MCS 1 RM	60480300
NO MONITOR RESPONSE.	NOS 2 OP/ANL HB	60459310
NO MORE RECORDS OF TYPE x TO PROCESS.	NOS 2 SYS MAINT	60459300

MESSAGE

NO MORE TRANSMISSIONS ALLOWED
NO MSF SPACE.
DESTAGE ABANDONED,
FM=familyname, SF=subfamily, CSU=id.
NO NAME DIRECTIVE
NO NEW FILE.
NO NPUS ARE BEING SUPERVISED
NO NPUS UNDER YOUR CONTROL
NO. OF MANUAL CHANGES REQUIRED = nn
NO OFF CARTRIDGE LINK.
DESTAGE RESTARTED.
NO OLDPL, NOT CREATION RUN, UPDATE ABORT
NO ONLINE DIAGNOSTICS PRESENT.
NO OUTPUT FILE EXISTING.
NO OUTPUT FILE EXISTS.
NO OUTPUT FILE PRESENT.
NO OUTPUT FILE SPECIFIED
NO OVERLAY (xxxx)
NO OVERLAYS
NO PARAMETER SUPPLIED (C=cc).

NO PARAMETERS
NO PARAMETERS
NO PARAMETERS SUPPLIED TO SUBROUTINE
NO PARAMETERS SUPPLIED TO SUBROUTINE
NO PATH TO THE ENTIRE RANGE OF DO
NO PATH TO THE ENTIRE RANGE OF DO
NO PATH TO THIS STATEMENT
NO PATH TO THIS STATEMENT
NO PERMANENT DAYFILES.
NO PERMITS.
NO PREVIOUS C\$ IF DIRECTIVE
NO PRIMARY FILE.
NO *PROBE* DATA AVAILABLE.
NO *PROBE* DATA ON FILE.
NO PROGRAM xxxx
NO PROGRAM VARIABLE xxxx
**** NO PROJECT NUMBER IN EFFECT.
NO QUEUED FILES FOUND.
NO READ/DESTINATION FILE SPECIFIED
NO READ FILE FOUND - filename.
NO RECORD FOUND FOR GIVEN VSN - DATE/TIME.

NO RECORD QUALIFIED
NO RECOVERABLE JOBS.
NO RELATION EXISTS

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
NOS 2 SYS MAINT	60459300
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
FTN 4-5 CONV RM	60483000
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
FORM RM	60496200
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
QUERY UPDT 3 RM	60498300

MESSAGE

NO REPLACE DIRECTIVE
NO REPORT GENERATED.
NO RESPONSE FROM OTHER MAINFRAME
NO SCR ON MAINFRAME.
NO SDAL DATA ON FILE.
NO SEQ FORMAT SPECIFIED
NO SEQUENCE NUMBER FOUND ON FOLLOWING STATEMENT -- COMMENT ASSUMED
NO SHARED DEVICES FOR THIS MACHINE.
NO SOURCE FILE SPECIFIED.
NO SOURCE, OLD OR NEW LIBRARY
NO SPACE FOR ARF/BRF BUFFER.

NO SPACE IN DIT.
NO STATUS PARAMETER
NO STATUS PARAMETER
NO SUCH APPLICATION ON HOST NOW
NO SUCH COMMAND
NO SUCH CSUMAP OR SUB-CATALOG.
NO SUCH FILE
NO SUCH SUBCATALOG.
NO SYSTEM DEVICE DEFINED.
NO SYSTEM PRIVILEGES
NO TAPE EQUIPMENT.
filename - NO TEMP DEVICE FOUND.

NO TERM UNDER THIS USER.
NO TERM/USER CONNECTED TO THIS APPLICATION.
NO TERMINALS DEFINED.
NO TERMINALS IN NETWORK FILE - filename.

NO TERMINATOR
NO TERMINATOR IN ABOVE LOAD SEQUENCE
NO TERMINATOR IN CONTROL STATEMENT CALL
NO TERMINATOR ON CONTROL CARD

xxxxxxx - NO TIMEOUT JUMP ADDRESS
NO TRANSACTION NAME IS DEFINED IN TASK LIBRARY.
NO TRANSFER ADDRESS
NO TRAP #n
NO xxxx TRAP yyyy
NO TRAP DIRECTIVES FOUND, NO DEBUG DONE
NO TRAPS
NO TTYS ASSIGNED.
**** NO USER INDICES AVAILABLE.
NO USER STATEMENT EXECUTED.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 INSTAL HB	60459320
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
FORM RM	60496200
FORTRAN EXT 4	60497800
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
XEDIT 3 RM	60455730
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NPS RM	60480500
TAF 1 RM	60459500
LOADER 1 RM	60429800
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
LOADER 1 RM	60429800
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NO VERSION DATA ON FILE.	NOS 2 SYS MAINT	60459300
NO WORKING STORAGE AREA PROVIDED	8-BIT SUBR RM	60495500
NO WORKING STORAGE AREA PROVIDED	FORM RM	60496200
NO WRITE ENABLE	NOS 2 INSTAL HB	60459320
NO WRITE ENABLE, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
NO 52 TABLE IN CONTROLWARE RECORD.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
NO 667x MULTIPLEXER.	NOS 2 OP/ANL HB	60459310
NO 7000 JOB ACTIVE	NOS 2 RS VOL 3	60459680
NO 77 TABLE IN CONTROLWARE RECORD.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
NODE CARD MISSING	NPS RM	60480500
n NOISE BLOCKS DELETED.	NOS 2 RS VOL 3	60459680
n NOISE BLOCKS PADDED.		
NON-ACTIVE GROUP-ID SPECIFIED	COM MEM MGMT 1	60499200
NON-ANSI BLANK LINES OCCURRED IN THIS PROGRAM UNIT	FORTAN EXT 4	60497800
NON-ANSI FORM OF BLOCK DATA STATEMENT	FORTAN EXT 4	60497800
NON-ANSI FORM OF DATA STATEMENT	FORTAN EXT 4	60497800
NON-ANSI FORM OF TYPE DECLARATION	FORTAN EXT 4	60497800
NON-ANSI HOLLERITH FORM	FORTAN EXT 4	60497800
nn NON-ANSI MESSAGES	COBOL 5 RM	60497100
nn NON-ANSI MESSAGES	COBOL 5 DH	60482500
NON-ANSI SYNTAX IN THIS DATA STATEMENT	FORTAN EXT 4	60497800
NON-ANSI TYPE COMBINATIONS WITH nnnnn OPERATOR	FORTAN EXT 4	60497800
NON-BUFFERED EQ-S CHECKPOINTED RECOVERY ABORTED.	NOS 2 OP/ANL HB	60459310
NON DIMENSIONED NAME APPEARS FOLLOWED BY LEFT PAREN	FORTAN EXT 4	60497800
NON-DUMMY ARGUMENT nnnnn CANNOT BE LEVELED	FORTAN 5 RM	60481300
NON-EXISTENT EDIT VERB SPECIFIED	NOS 2 RS VOL 3	60459680
NON-EXISTENT UNLOAD-ID	COM MEM MGMT 1	60499200
NON FROZEN FRAGMENT.	NOS 2 SYS MAINT	60459300
NON IMAGE REFERENCED	BASIC 3 RM	19983900
NON-INNER LOOP BEGINNING AT THIS CARD IS ENTERED	FORTAN EXT 4	60497800
NON-MATCHING CONVERSION.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
NON-MATCHING DENSITY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
NON-NUL LABEL FIELD ON CONTINUATION LINE	FORTAN 5 RM	60481300
NON-OCTAL DIGIT IN OCTAL CONSTANT -- IGNORED	FORTAN 5 RM	60481300
NON-OCTAL DIGIT IN OCTAL CONSTANT -- IGNORED	FORTAN EXT 4	60497800
NON-STANDARD RETURN STATEMENT MAY NOT APPEAR IN A FUNCTION SUBPROGRAM	FORTAN EXT 4	60497800
NON-ZERO EQ. NUMBER FOR RMS DEVICE.	NOS 2 OP/ANL HB	60459310
NON-54 TABLE OVERLAY LOADED	COM MEM MGMT 1	60499200
NONEXECUTABLE WORD LOADING A SEGMENT	LOADER 1 RM	60429800
NONEXISTENT APPLICATION ID	NAM 1 RM	60499500
n NONFATAL ERRORS	UPDATE RM	60449900

MESSAGE

NONFATAL ERRORS IN SCRIPT RUN
NONNUMERIC STRING
NONSHARED DEVICE ACTIVE IN DAT.
NOP: termname, ASSIGNED CONTROL OF npuname.
NOP: termname, CONTROL RELEASED OF npuname.
NORERUN/RERUN IGNORED FROM TTY JOBS.
NOT ALL DATA BASE FILES UPPED.
NOT ALL ITEMS IN THIS COMMON BLOCK OCCUR IN LEVEL STATEMENTS
NOT ALL VARIABLES IN MPAR.
/ NOT ALLOWED IN FORMATTED I/O OR UNFORMATED INPUT LIST
NOT ALLOWED ON FILE
NOT AUXILIARY PACK.
NOT AVAILABLE.
NOT AVAILABLE.
filename NOT DECLARED NRANDOM.
type: element, NOT DEFINED.
NOT ENOUGH ARGUMENTS.
NOT ENOUGH ARGUMENTS
NOT ENOUGH DATA, REENTER OR TYPE IN MORE
NOT ENOUGH MASS STORAGE.
NOT ENOUGH ROOM IN WORKING STORAGE TO HOLD ALL OVERLAY CONTROL CARD INFORMATION
NOT EVERY NAME IN COMMON BLOCK nnnnn IS IN A LEVEL STATEMENT
jsn/uja NOT FOUND.
filename NOT FOUND.
name NOT FOUND
filename NOT FOUND.
filename NOT FOUND.
or
username NOT FOUND.
jsn NOT FOUND.
xxxxxx NOT FOUND IN DIRECTORY.
filename NOT FOUND. NAME EDIT FILE?
xxx NOT FOUND ON DEVICE.
ENTER ALTERNATE DEVICE LOCATION.
nnnnn mmmmm NOT I/O CONTROL KEYWORD
xxxxxx NOT IN DIRECTORY.
xxx NOT IN PP LIB.
xxx NOT IN PP LIB. CALLED BY yyy.
xxx NOT IN PPLIB
xxxxxx NOT INITIALIZED BY TOTAL.
STATUS IS yyyy.
wd NOT LEGAL FIRST INPUT WORD

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
XEDIT 3 RM	60455730
NOS 2 OP/ANL HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200

MESSAGE

MANUAL PUB. NO.

xxx/NPU RECORD READ ERROR nn	NPS RM	60480500
NPU: npuname, nt TERMINALS DISABLED.	NOS 2 OP/ANL HB	60459310
NPU: npuname, nt TERMINALS DISABLED ON LINE: line.	NOS 2 OP/ANL HB	60459310
NPU: npuname, ntr TRUNKS DISABLED.	NOS 2 OP/ANL HB	60459310
NPU: UNKNOWN,status,node SUPERVISION REQUEST FROM UNKNOWN NPU	NOS 2 OP/ANL HB	60459310
NS/ npuname, activity ABORTED - error.	NOS 2 OP/ANL HB	60459310
NS/ BAD NCF DIRECTORY RECORD.	NOS 2 OP/ANL HB	60459310
NS/ BAD NCF NPU XREF RECORD.	NOS 2 OP/ANL HB	60459310
NS/ BAD NCF PHYLINK RECORD.	NOS 2 OP/ANL HB	60459310
NS/ BAD NLF DIRECTORY RECORD.	NOS 2 OP/ANL HB	60459310
NS/ CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OP/ANL HB	60459310
NS DISABLED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, DUMP/LOAD xxxxxx REQUESTED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, DUMP NPyxxx COMPLETED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, DUMP NPyxxx SAVED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, DUMP STARTED.	NOS 2 OP/ANL HB	60459310
NS/ DUPLICATE CONTROL STATEMENT PARAMETER.	NOS 2 OP/ANL HB	60459310
NS DUPLICATE NETON	NOS 2 OP/ANL HB	60459310
NS/ GRADUAL SHUTDOWN REQUESTED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, HALT code AT address.	NOS 2 OP/ANL HB	60459310
NS/ ILLEGAL CONTROL STATEMENT PARAMETER VALUE.	NOS 2 OP/ANL HB	60459310
NS/ npuname, ILLEGAL xpcb DIRECTIVE.	NOS 2 OP/ANL HB	60459310
NS/ ILLEGAL USER ACCESS.	NOS 2 OP/ANL HB	60459310
NS/ IMMEDIATE SHUTDOWN REQUESTED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, LOAD COMPLETED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, LOADING loadname.	NOS 2 OP/ANL HB	60459310
NS/ LOGICAL ERROR RC=rc.	NOS 2 OP/ANL HB	60459310
NS/ NCB ENTRY NOT FOUND IN NCF.	NOS 2 OP/ANL HB	60459310
NS/ NCF - yy/mm/dd, hh.mm.ss.	NOS 2 OP/ANL HB	60459310
NS/ NCF NOT AVAILABLE.	NOS 2 OP/ANL HB	60459310
NS/ NDLP VERSION n.n, LEVEL mln.	NOS 2 OP/ANL HB	60459310
NS/ NIN IS NOT SPECIFIED.	NOS 2 OP/ANL HB	60459310
NS/ NLF - yy/mm/dd, hh.mm.ss.	NOS 2 OP/ANL HB	60459310
NS/ NLF NOT AVAILABLE.	NOS 2 OP/ANL HB	60459310
NS NOT RESPONDING TO NOP INIT REQUEST.	NOS 2 OP/ANL HB	60459310
NS/ PROTOCOL ERROR - NP=xx, NB=yy, SM=hhhh, STATE=pss.	NOS 2 OP/ANL HB	60459310
NS/ npuname, RECEIVED NPU/DI/A code RC=rc.	NOS 2 OP/ANL HB	60459310
NS/ npuname, SAM LOAD COMPLETED.	NOS 2 OP/ANL HB	60459310
NS/ npuname, SAM LOAD STARTED.	NOS 2 OP/ANL HB	60459310
NS/ SHUTDOWN COMPLETED.	NOS 2 OP/ANL HB	60459310
NS/ SM ABH ERROR.	NOS 2 OP/ANL HB	60459310

MESSAGE

47:

	MANUAL	PUB. NO.
NS/ SM NETWORK ABH ERROR.	NOS 2 OP/ANL HB	60459310
NS/ SM NETWORK ADDRESS ERROR.	NOS 2 OP/ANL HB	60459310
NS/SM NETWORK DUMP RESPONSE ERROR.	NOS 2 OP/ANL HB	60459310
NS/ SM NETWORK PFC/SFC/LT/CC ERROR.	NOS 2 OP/ANL HB	60459310
NS/ SM PFC/SFC ERROR.	NOS 2 OP/ANL HB	60459310
NS TRYING NETON.	NOS 2 OP/ANL HB	60459310
NS/ UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OP/ANL HB	60459310
NTest,Ccn, 200 IPS GCR DRIVE ON IX PPS.	NOS 2 OP/ANL HB	60459310
NT DENSITY CONFLICT.	NOS 2 RS VOL 3	60459680
NTest DENSITY MISMATCH.	NOS 2 OP/ANL HB	60459310
NTest DRIVE CONFLICT.	NOS 2 OP/ANL HB	60459310
NT DRIVE CONFLICT.	NOS 2 RS VOL 3	60459680
NULL ADDFILE	UPDATE RM	60449900
NULL DATA STATEMENT IS IGNORED	FORTRAN EXT 4	60497800
NULL DECK NAME	UPDATE RM	60449900
NULL DESCRIPTION FILE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
NULL IDENT	UPDATE RM	60449900
NULL INPUT	FTN 4-5 CONV RM	60483000
NULL LINE - IN CREATION MODE.	XEDIT 3 RM	60455730
NULL LOADER DIRECTIVE IS IGNORED	FORTRAN EXT 4	60497800
NULL PP	FORTRAN EXT 4	60497800
NULL PROGRAM IGNORED AFTER program	FORTRAN EXT 4	60497800
NULL STATEMENT WITH LABEL -- CONTINUE ASSUMED	FORTRAN EXT 4	60497800
NULL TRANSFER STATEMENT -- TRANSFER IGNORED	FORTRAN 5 RM	60481300
NULL TRANSFER STATEMENT -- TRANSFER IGNORED	FORTRAN EXT 4	60497800
NUMBER NOT WITHIN LEGAL RANGE	NPS RM	60480500
NUMBER OF ACTUAL PARAMENTERS PLUS RETURNS EXCEED 63	FORTRAN EXT 4	60497800
NUMBER OF ARGUMENTS IN REFERENCE TO nnnnn IS NOT CONSISTENT	FORTRAN 5 RM	60481300
NUMBER OF ARGUMENTS IN REFERENCE TO nnnnn IS NOT CONSISTENT	FORTRAN EXT 4	60497800
NUMBER OF BITS TOO LARGE.	NOS 2 SYS MAINT	60459300
NUMBER OF CHARACTERS IN AN ENCODE/DECODE STATEMENT MUST BE AN INTEGER CONSTANT OR VARIABLE	FORTRAN EXT 4	60497800
NUMBER OF CYCLES TOO LARGE.	NOS 2 SYS MAINT	60459300
NUMBER OF LINE REGULATIONS = nnnnnnnn	NOS 2 SYS MAINT	60459300
NUMBER OF SUBSCRIPTS IS INCOMPATIBLE WITH THE NUMBER OF DIMENSIONS DURING EQUIVALENCING	FORTRAN EXT 4	60497800
NUMERIC BLOCK NAME NOT PERMITTED	FORTRAN EXT 4	60497800
NUMERIC FIELD EXPECTED	FORM RM	60496200
NUMERIC FIELD FOLLOWING TAB SETTING DESIGNATOR IS EQUAL TO ZERO. COLUMN ONE WILL BE ASSUMED	FORTRAN EXT 4	60497800
NUMERIC FIELD OMITTED FROM PRECEDING SCALE FACTOR. ZERO SCALE FACTOR ASSUMED	FORTRAN EXT 4	60497800
NUMERIC LITERAL EXPONENT .GE. 512	8-BIT SUBR RM	60495500
NUMERIC LITERAL EXPONENT .GE. 512	FORM RM	60496200
NUMERIC LITERAL OUT OF RANGE (INFINITE)	8-BIT SUBR RM	60495500
NUMERIC LITERAL OUT OF RANGE (INFINITE)	FORM RM	60496200
NV/CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OP/ANL HB	60459310

MESSAGE

NV/DUPLICATE CONTROL STATEMENT PARAMETER.
NV/ILLEGAL CONTROL STATEMENT PARAM VALUE.
NV/LCF yy/mm/dd, hh.mm.ss.
NV/LCF title.
NV/NIN IS NOT SPECIFIED.
NV/UNRECOGNIZED CONTROL STATEMENT.
NV/VER nnn-nnn.
NVF ATTEMPTING NETON.
NVF FAILURE.
NVF NETON ATTEMPT FAILED.
NVF NETON SUCCESSFUL.
NVFAPVD - NO AST ENTRY
NVFDDNT - SM NOT ROUTED
NVFOROC - PARAMETER LIST TOO SHORT.
NVFTACC - CANNOT FIND PDCT ENTRY FOR
termname.
NVFTACC - CANNOT FIND PTAC ENTRY FOR
termname.
NVFTETC - CANNOT FIND PDCT ENTRY FOR
termname.
NVFTITE - CANNOT FIND PDCT ENTRY FOR
termnam.
NVFTIPVD - CANNOT FIND AST ENTRY FOR
termname.
NVFTURT - CANNOT FIND PTAC ENTRY.
NVFTURT - CANNOT FIND RAU ENTRY.
NVFTVVD - CANNOT FIND PTAC ENTRY FOR
termnam.
NVFVDCD - ERRONEOUS READLS CALL.
O TYPE ERROR OPERATION FIELD BAD.
OCCURRED ON PAGES p1, p2, p3, ..., pn
OBJECT CODE END LINE MISSING
OBJECT OF GO TO....DID NOT APPEAR IN ASSIGN STATEMENT
OBJECT OF GO TO MISSING
OBJECT OF GO TO MISSING
OBJECT OF GO TO NOT INTEGER VARIABLE
OBJECT OF GO TO NOT INTEGER VARIABLE
OBJECT OF IF IS ILLEGAL DO TERMINATOR
OBJECT OF IF IS ILLEGAL DO TERMINATOR
OBJECT OF LOGICAL IF IS ILLEGAL DO TERMINATOR
**** OBSOLETE DIRECTIVE IGNORED.
OBSOLETE FORM
OBSOLETE MSF CATALOG ONLINE.
filename FOR jsn NOT STAGED.
OCCURRENCES OF ASTERISK OR DOLLAR SIGN NON-ANSI COMMENT LINES
n OCCURRENCES OF PHRASE FOUND.
OCTAL CONSTANT OR R,L FORMS OF HOLLERITH CONSTANT IS NON-ANSI
OCTAL DATA TYPE NOT DEFINED IN ANSI

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
COMPASS 3 RM	60492600
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 SYS MAINT	60459300
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORTRAN EXT 4	60497800
TEXT EDITOR RM	60436100
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

MESSAGE

OCTAL DATA TYPE NOT DEFINED IN ANSI
OCTAL DIGITS REQUIRED
OFF TASK taskname-LIBRARY libraryname.

OFFLINE MAINTENANCE NOT AVAILABLE
OFFSW, x FROM JOB jsn
OFFSW, x FROM OPERATOR
npuname/OLD: ALREADY INITIATED
OLD CHECKSUM MISMATCH
OLD IDENT MISMATCH
OLD LIB-DIRECTORY DO NOT MATCH
OLD LIBRARY NOT FOUND
OLD MASTER FILE EMPTY OR MISPOSITIONED
OLD MASTER FILE EMPTY OR MISPOSITIONED
OLD MD FILE lfn NOT AT CP
OLD MD LFN CANNOT BE THE SAME AS NEW MD LFN
OLD MD lfn SPECIFIED WITH CREATION RUN INPUT
OLD RELATIVE FILE EMPTY - NO HEADER
OLD RELATIVE FILE EMPTY - NO HEADER
npuname/OLD: REQUEST INITIATED
OLD-STYLE SEGMENTATION NOT SUPPORTED
OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO
OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO. DDL ABORTED
OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO. DDLF ABORTED
OLD SUB-SCHEMA FILE BAD, SUBSCHEMA LENGTH IS ZERO. DOLF ABORTED
npuname/OLD: TST - NO PRIOR
REQUEST COMMAND.
***OLDPL READ ERROR - ATTEMPTING RECOVERY ***
OLDPLS HAVE DIFFERENT CHARACTER SETS
OMISSION OF FIELD SEPARATOR AFTER HOLLERITH STRING IS NON-ANSI
ON EXPRESSION OUT OF RANGE
ON, OF OPTION VIOLATED.
ON, OFF NOT SPECIFIED CORRECTLY.
ONE OF THE FOLLOWING NON-ANSI FORMS HAS BEEN USED -- EW.DDE, EW.DEE, IW.Z, OW.Z
ONLY *BLOCK* or *RECORD* CAN FOLLOW FILE
NAME.
ONLY LIST DIRECTED OUTPUT STATEMENTS MAY END WITH A COMMA
ONLY LIST DIRECTED OUTPUT STATEMENTS MAY END WITH A COMMA
ONLY ONE C\$ ELSE ALLOWED IN C\$ IF GROUP
ONLY ONE INPUT FILE ALLOWED
ONLY ONE SYMBOLIC NAME IN EQUIVALENCE GROUP
ONLY 0-9,*NEXT*,*END*, OR *CYB*, ALLOWED
ONLY 1 LABEL IN IF STATEMENT
ONLY 19 CONTINUATION CARDS ARE PERMITTED
ONLY 19 CONTINUATION LINES ARE PERMITTED

	<u>MANUAL</u>	<u>PUB. NO.</u>
	FORTRAN 5 RM	60481300
	FORTRAN EXT 4	60497800
	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 3	60459680
	NOS 2 OP/ANL HB	60459310
	NOS 2 INSTAL HB	60459320
	NOS 2 INSTAL HB	60459320
	MCS 1 RM	60480300
	MCS 1 RM	60480300
	NOS 2 RS VOL 3	60459680
	CYBER COM UTIL	60495600
	CDCS 2 DA RM	60485200
	CDCS 2 DA RM	60485200
	CDCS 2 DA RM	60485200
	COBOL 5 DH	60482500
	COBOL 5 RM	60497100
	NOS 2 OP/ANL HB	60459310
	LOADER 1 RM	60429800
	CDCS 2 DA RM	60485200
	QU/CRM DA RM	60482100
	FORTRAN DBF RM	60482200
	CDCS 2 DA RM	60485200
	NOS 2 OP/ANL HB	60459310
	UPDATE RM	60449900
	UPDATE RM	60449900
	FORTRAN EXT 4	60497800
	BASIC 3 RM	19983900
	NOS 2 SYS MAINT	60459300
	NOS 2 SYS MAINT	60459300
	FORTRAN EXT 4	60497800
	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
	FORTRAN 5 RM	60481300
	FORTRAN EXT 4	60497800
	FORTRAN 5 RM	60481300
	FORM RM	60496200
	FORTRAN EXT 4	60497800
	NOS 2 OP/ANL HB	60459310
	FORTRAN EXT 4	60497800
	FORTRAN EXT 4	60497800
	FORTRAN 5 RM	60481300

MESSAGE

ONLY 49 FILES ARE PERMITTED -- EXCESS IGNORED
 ONLY 50 FILES ARE PERMITTED -- EXCESS IGNORED
 ONLY 500 COMMON BLOCK ARE PERMITTED
 ONLY 500 COMMON BLOCKS ARE PERMITTED
 ONLY 500 DUMMY ARGUMENTS ARE PERMITTED -- EXCESS IGNORED
 ONLY 6 CTRS ALLOWED PER SCRIPT
 ONLY 63 DUMMY ARGUMENTS ARE PERMITTED -- EXCESS IGNORED
 ONLY 9 PAREN LEVELS ALLOWED
 ONLY 9 PAREN LEVELS ALLOWED
 ONSW,x FROM JOB jsn.
 OP OPTION NOT VALID.
 OPEN xxx ERROR nn
 OPEN ERROR ON COPY OF THE DIRECTORY.
 nnnnn OPERAND CANNOT BE CONVERTED TO TYPE nnnnn
 OPERAND HAS MODE NOT ALLOWED IN THIS CONTEXT
 OPERAND OF // OPERATOR MUST BE TYPE CHARACTER
 OPERAND OF ** OPERATOR MUST NOT BE TYPE CHARACTER
 OPERAND TO ** OPERATOR MUST NOT BE LOGICAL
 OPERAND TO ** OPERATOR MUST NOT BE LOGICAL
 OPERATION ILLEGAL FROM ALTERNATE INPUT.
 OPERATOR DROP.
 OPERATOR DROP OR KILL
 OPERATOR IDLE OF EXEC.
 OPERATOR INPUT TERMINATION.
 OPERATOR KILL.
 OPERATOR OVERRIDE.
 OPERATOR OVERRIDE.
 OPERATOR RERUN.
 OPERATOR RERUN
 OPERATOR TERMINATION.
 OPLEDIT COMPLETE.
 OPLEDIT ERRORS.
 OPTION CODE MUST BE B, D, E, I, R, T, OR W
 + OR - SIGN MUST BE FOLLOWED BY A CONSTANT
 OSB FOUND - COPY HALTED
 OSB NOT FOUND ON DEVICE.
 ENTER ALTERNATE DEVICE TYPE - M
 1=66X, 2=67X, 3=DISK
 OUT OF RANGE.
 xxx OUT OF RANGE
 OUTPUT BUSY.
 OUTPUT FILE NAME CONFLICT.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NPS RM	60480500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NPS RM	60480500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MODIFY RM	60450100
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
MODIFY RM	60450100
MODIFY RM	60450100
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
NOS 2 INSTAL HB	60459320
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300

MESSAGE

OUTPUT FILE RELEASED.
OUTPUT INCOMPLETE
OUTPUT LINE LIMIT EXCEEDED. LIST OPTIONS 3 AND 4 DEFEATED
OUTPUT NOT ASSIGNED TO TERMINAL.
OVCAP DIRECTIVE CAN APPEAR ONLY WITH SUBROUTINES HAVING NO ARGUMENTS
OVCAPS ARE MACHINE DEPENDENT
OVER..
OVER . .
OVER-INDEXED ARRAY
OVER 10 VALID CHARS BETWEEN KEYWD SEP
n OVERLAPPING CORRECTIONS
OVERLAPPING INSERT OR DELETE.
OVERLAPPING MODIFICATION.
OVERLAY DIRECTIVE MUST BEGIN WITH LEFT PAREN
OVERLAY FILE EMPTY.
OVERLAY FILE NOT FOUND.
ovlnam OVERLAY LOAD ERROR.
xxxxxxxxxx OVERLAY LOAD ERROR
OVERLAY LOAD INCREASED HHA
OVERLAY LOST.
OVERLAY NOT FOUND.
overlay OVERLAY NOT FOUND.
OVERLAY NOT FOUND IN LIBRARY - ovlnam.
OVERLAY (m,n) NOT LOADED
OVL
OVERLAYS ARE MACHINE DEPENDENT
OWN= ALREADY SPECIFIED
P.F. DEVICE dn DUMPED.
P.F. DEVICE dn LOADED.
P TYPE ERROR CONSULT LISTING FOR REASON BEHIND P-ERROR.
 OCCURRED ON PAGES p1, p2, p3, ..., pn
PACK COMPLETE.
PACK packname LOADED.
PACK PARAMETER ERROR.
PACKED DATE/TIME CONVERSION ERROR.
PACKNAME packname DUMPED.
PAGE DESCRIPTOR NOT FOUND.
PAGE TABLE AREA VERIFY ERROR DEADSTART
ABORTED
PAGING COMPLETE.
PAPER FAULT.

MANUAL	PUB. NO.
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
NAM 1 RM	60499500
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
COM MEM MGMT 1	60499200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
COMPASS 3 RM	60492600
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310

MESSAGE

PARAM STATEMENTS IN
PARAM RECORD EXCEED 40

PARAMETER ADDRESS ERROR.

PARAMETER BLOCK BUSY.

PARAMETER CHARACTER COUNT EXCEEDED.

PARAMETER DOUBLY SPECIFIED

PARAMETER FORMAT ERROR.

PARAMETER FORMAT ERROR

PARAMETER n IN ERROR

PARAMETER IS NOT A DATA ITEM

PARAMETER IS NOT A DATA ITEM

PARAMETER LIST CONFLICT

PARAMETER MISMATCH

PARAMETER MISMATCH

xxxx PARAMETER MISSING

PARAMETER MUST BE NORMAL OR ABNORMAL

PARAMETER MUST BE ON OR OFF

PARAMETER ON NON-STANDARD RETURN STATEMENT IS NOT A RETURNS FORMAL PARAMETER

PARAMETER OPTION COUNT EXCEEDED.

PARAMETER REFERENCED BEFORE FIRST SUBROUTINE CALL

PARAMETER REQUIRES INTEGER EXPONENTIATION

PARAMETER SPECIFIED TWICE

PARAMETER SYMBOL MISSING

PARAMETER TOO LONG.

PARAMETER TRUNCATED xxxx

PARAMETER VALUE MISSING

PARAMETER VALUE NOT SPECIFIED

* 111 jjj * PARAMETERS CANNOT USE THE SAME FILE

PARAM(S) MISSING ON ABOVE TRAP DIRECTIVE

PAREN REPEAT LIST IS NOT PERMITTED

PAREN REPEAT LIST IS NOT PERMITTED

n PARITY/BLOCK TOO LARGE ERRORS.

PARITY ERROR.

PARITY ERROR

PARITY ERROR IN CATALOG IMAGE dm ct.

PARITY ERROR IN MESSAGE

PARITY ERROR IN TAPE WITH VSN=vsn.

PARITY ERROR, JOB HUNG.

PARITY ERROR ON DATA RCVD FROM EXT CHANNEL.

PARITY ERROR ON DATA XMTD FROM EXTERNAL PP.

PARITY ERROR - RESTARTED FROM kk.

PARSE TERMINATED BY NEST STACK OVERFLOW

PARSE TERMINATED BY QUALIFICATION STACK OVERFLOW

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 SYS MAINT	60459300
RBF 1 RM	60499600
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NAM 1 RM	60499500
SYMPL 1 RM	60496400
FORM RM	60496200
8-BIT SUBR RM	60495500
BASIC 3 RM	19983900
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NPS RM	60480500
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
NAM 1 RM	60499500
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
COBOL 5 RM	60497100
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 SYS MAINT	60459300
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000

MESSAGE

PASSn COMPILER ERROR
** PASS 2 MEMORY OVERFLOW **
PASS 2 MEMORY OVERFLOW AT SOURCE LINE nnnn IN compnam
PASSIVE DEVICE ON TERM CARD
PASSWORD:
PASSWORD:
**** PASSWORD REQUIRED.
PASSWORD TOO SHORT.
PAUSE FROM JOB jsn
PAUSE FROM OPERATOR
PAUSE IGNORED FROM TERMINAL
PAUSE MAY NOT BE A DO TERMINAL
PD ARGUMENT NOT 6 or 8 -- IGNORED
nnnn PER CENT CPU USAGE.
nnnnnn.nnn PERCENT CPU UTILIZATION.
PERCENT PARAMETER NOT SPECIFIED PROPERLY.
PERIOD REQUIRED
PERMANENT DAYFILE DEFINED AS filename.
PERMANENT DAYFILE LIST COMPLETE.
pfn PERMANENT ERROR.
PERMANENT FILE PROBLEM.
PERMANENT SUSPEND FILE WILL BE RETURNED
PERMIT LIMIT EXCEEDED.
PERMIT RI RANGE ERR filename userindex.
PF LENGTH ERROR userindex filename.
PF LINKAGE ERROR.
PF xxxxxxx - NOT ON xxJ FILE.
PF PROBLEM.
PF xxxxxxx - READ ONLY.
PF SPACE RELEASED = n.
PF SPECIFIED BUT NOT UI.
PF STAGING DISABLED.
PF UTILITY ACTIVE.
PF WAIT ON AREA an (vn)
PFATC ABORTED.
PFATC COMPLETE.
PFATC - NO FILES PROCESSED.
PFATC - PARITY ERR filename userindex.
PFATC - PREMATURE EOF DETECTED.

MANUAL	PUB. NO.
PL/I RM	60388100
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
MCS 1 RM	60480300
RBF 1 RM	60499600
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
PL/I RM	60388100
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459690 60459680
NOS 2 SYS MAINT	60459300
INTER DEBUG RM	60481400
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT NOS 2 RS VOL 3	60459300 60459680
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFCAT - TAPE PARITY ERROR.	NOS 2 SYS MAINT	60459300
PFC RELOAD ERROR. pfn FOR jsn NOT FOUND ON MSF. REPLY GO TO CONTINUE.	NOS 2 OP/ANL HB	60459310
PFC VERIFICATION ERROR.	NOS 2 SYS MAINT	60459300
PFCAT ABORTED.	NOS 2 SYS MAINT	60459300
PFCAT COMPLETE.	NOS 2 SYS MAINT	60459300
PFCAT - ILLEGAL DEVICE NUMBER filename userindex.	NOS 2 SYS MAINT	60459300
PFCOPY ABORTED.	NOS 2 SYS MAINT	60459300
PFCOPY - CATALOG CONTROL WORD MISSING.	NOS 2 SYS MAINT	60459300
PFCOPY COMPLETE.	NOS 2 SYS MAINT	60459300
PFCOPY - DATA CONTROL WORD ERROR.	NOS 2 SYS MAINT	60459300
PFCOPY - FILE NAME CHANGED TO ZZZZLF.	NOS 2 SYS MAINT	60459300
PFCOPY - FILE NAME CHANGED TO ZZZZTF.	NOS 2 SYS MAINT	60459300
PFCOPY - NO DEVICE FOR FILE filename userindex.	NOS 2 SYS MAINT	60459300
PFCOPY - NO FILES PROCESSED.	NOS 2 SYS MAINT	60459300
PFCOPY - PARITY ERR filename userindex.	NOS 2 SYS MAINT	60459300
PFCOPY - PREMATURE EOF DETECTED.	NOS 2 SYS MAINT	60459300
PFCOPY - SYSTEM SECTOR TOO LONG.	NOS 2 SYS MAINT	60459300
PFCOPY - SYSTEM SECTOR TRUNCATED.	NOS 2 SYS MAINT	60459300
PFDDUMP yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
PFDDUMP - ABORT REPRIEVE BEGUN.	NOS 2 SYS MAINT	60459300
PFDDUMP - ABORT REPRIEVE COMPLETED.	NOS 2 SYS MAINT	60459300
PFDDUMP ABORTED.	NOS 2 SYS MAINT	60459300
PFDDUMP - ACCESS LEVEL LIMITS OUT OF RANGE.	NOS 2 SYS MAINT	60459300
PFDDUMP - ACCESS LEVELS NOT ALLOWED ON ARCHIVE FILE EQUIPMENT.	NOS 2 SYS MAINT	60459300
PFDDUMP - BAD SYSTEM SECTOR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDDUMP - CATALOG READ ERROR, FM=familyname, DNdn, CTct, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP - CATALOG READ ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDDUMP - CATALOG READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP COMPLETE.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP BUSY, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP READ ERROR, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP TOO LONG, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP TOO LONG, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDDUMP - DAPP TOO LONG, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFDUMP - DAPF TOO SHORT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - DAPF TOO SHORT, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - DAPF TOO SHORT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - DAPF TRUNCATED, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - DEVICE ERROR IDLE SET, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - DEVICE ERROR IDLE SET, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP DEVICE dn FAMILY familyname.	NOS 2 SYS MAINT	60459300
PFDUMP DEVICE MASK dm.	NOS 2 SYS MAINT	60459300
PFDUMP - DEVICE dn NOT FOUND.	NOS 2 SYS MAINT	60459300
PFDUMP - DEVICE NOT FOUND, FN=filename, UI=userindex, DNdn.	NOS 2 SYS MAINT	60459300
PFDUMP DEVICE dn PACK packname.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF READ ERROR, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO LONG, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO LONG, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO LONG, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO SHORT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO SHORT, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TOO SHORT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - IAPF TRUNCATED, FN=filename, UI=userindex, PRU=pru.	NOS 2 SYS MAINT	60459300
PFDUMP - MSS PERMANENT ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDUMP - MSS STAGED FILE RESCAN KILLED, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDUMP - MSS TEMPORARY ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDUMP - NO FILES PROCESSED.	NOS 2 SYS MAINT	60459300
PFDUMP - NO FILES SELECTED.	NOS 2 SYS MAINT	60459300
PFDUMP - OPERATOR DISABLED filename.	NOS 2 SYS MAINT	60459300
PFDUMP - ORPHAN PFC ENCOUNTERED, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDUMP - PERMIT FORMAT ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDUMP - PERMIT READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDUMP - PERMIT READ ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFDDUMP - PERMIT READ ERROR, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFDDUMP - RD/WT ERROR ON UCDDT UPDATE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDDUMP - READ ERROR ON REQS.	NOS 2 SYS MAINT	60459300
PFDDUMP - READ ERROR ON RESS - ABORT.	NOS 2 SYS MAINT	60459300
PFDDUMP - VERIFY ERROR ON UCDDT UPDATE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFDDUMP - ZERO LENGTH FILE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
PFLOAD ABORTED.	NOS 2 SYS MAINT	60459300
PFLOAD - ALTERNATE DEVICE NOT FOUND, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - ARCHIVE FILE FORMAT ERROR.	NOS 2 SYS MAINT	60459300
PFLOAD - ASSIGN TAPE.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG IMAGE FORMAT ERROR.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG READ ERROR, FM=familyname, DNdn, CTct, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG READ ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG READ ERROR, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG WRITE ERROR, FM=familyname, DNdn, CTct, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG WRITE ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - CATALOG WRITE ERROR, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - DAPP WRITE ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - DAPP WRITE ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - DAPP WRITE ERROR, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD DEVICE dn FAMILY familyname.	NOS 2 SYS MAINT	60459300
PFLOAD - DEVICE dn NOT FOUND.	NOS 2 SYS MAINT	60459300
PFLOAD DEVICE dn PACK packname.	NOS 2 SYS MAINT	60459300
PFLOAD - ERROR IDLE DETECTED, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - ERROR IDLE DETECTED, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - ERROR IDLE DETECTED, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - ERROR IDLE SET, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - ERROR IDLE SET, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - EXCESSIVE PARITY ERRORS.	NOS 2 SYS MAINT	60459300
PFLOAD - EXTRACT ILLEGAL WITHOUT CIR.	NOS 2 SYS MAINT	60459300
PFLOAD-FILE TRUNCATED, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - IAPP WRITE ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - IAPP WRITE ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFLOAD - IAPF WRITE ERROR, FN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - ILLEGAL NAME/INDEX, 000000000000000000.	NOS 2 SYS MAINT	60459300
PFLOAD - LABEL BAD, ASSIGN NEW TAPE.	NOS 2 SYS MAINT	60459300
PFLOAD-MISSING EOR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - NO DEVICE FOR FILE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - NO EOI FOR FILE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - NO FILES SELECTED.	NOS 2 SYS MAINT	60459300
PFLOAD - NO SPACE FOR FILE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - PARITY ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - PERMIT WRITE ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - PERMIT WRITE ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - PERMIT WRITE ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - PERMITS MISSING, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - PERMITS PRESENT THAT SHOULD NOT BE, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - PFC INCONSISTENT WITH ARCHIVE CONTENTS, FN=filename, UI=userindex.	NOS 2 OP/ANL HB	60459310
PFLOAD - SELECTED FILES NOT ON ARCHIVE FILE.	NOS 2 SYS MAINT	60459300
PFLOAD - SYSTEM SECTOR TOO LONG, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - SYSTEM SECTOR TRUNCATED, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - TAPE ERROR, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - TAPE PARITY ERROR.	NOS 2 SYS MAINT	60459300
PFLOAD - TRACK LIMIT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFLOAD - TRACK LIMIT, FN=filename, UI=userindex.	NOS 2 SYS MAINT	60459300
PFLOAD - TRACK LIMIT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 SYS MAINT	60459300
PFM ABORTED.	NOS 2 RS VOL 3	60459680
PFM ARGUMENT ERROR.	NOS 2 RS VOL 4	60459690
PFM ERROR nnn ATTACHING pfn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
PFM ERROR ec PFN= filename UN= username.	NOS 2 OP/ANL HB	60459310
PFM ERROR xx PFN = xxxxxxxx UN = xxxxxxxx	MCS 1 RM	60480300
PFM EXCESS ACTIVITY.	NOS 2 RS VOL 4	60459690
PFM ILLEGAL REQUEST.	NOS 2 RS VOL 4	60459690
PFM LENGTH ERROR filename	NOS 2 SYS MAINT	60459300
PFN=filename, FAMILY=familyname UI=userindex - DEFINE ERROR.	NOS 2 SYS MAINT	60459300
PFN=filename, FAMILY=familyname, UI=userindex - ALREADY PERMANENT.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFU - ALTERNATE DEVICE NOT FOUND.	NOS 2 SYS MAINT	60459300
PFU - BUFFER ARGUMENT ERROR ON filename AT address.	NOS 2 SYS MAINT	60459300
PFU - BUFFER CTL WORD ERROR ON filename AT address.	NOS 2 SYS MAINT	60459300
PFU - CATALOG TRACK NOT FOUND.	NOS 2 SYS MAINT	60459300
PFU - CONTROL POINT ERROR FLAG DETECTED ffff.	NOS 2 SYS MAINT	60459300
PFU - DUPLICATE FILE, filename AT address.	NOS 2 SYS MAINT	60459300
PFU - FILE NOT FOUND, filename AT address.	NOS 2 SYS MAINT	60459300
PFU - I/O SEQUENCE ERROR ON filename AT address.	NOS 2 SYS MAINT	60459300
PFU - NO DEVICE SPECIFIED.	NOS 2 SYS MAINT	60459300
PFU - NOT SPECIAL SYSTEM JOB.	NOS 2 SYS MAINT	60459300
PFU - PARAMETER ERROR.	NOS 2 SYS MAINT	60459300
PFU - TRACK FLAWED, EQest, TKtttt.	NOS 2 SYS MAINT	60459300
PFU - TRACK INTERLOCK CLEAR ON filename AT address.	NOS 2 SYS MAINT	60459300
PFU - TRACK INTERLOCK SET ON filename AT address.	NOS 2 SYS MAINT	60459300
PHRASE NOT FOUND.	TEXT EDITOR RM	60436100
PHRASE NOT FOUND	APL 2 RM	60454000
PIP ERROR nec	NOS 2 OP/ANL HB	60459310
PK, PT OPTION VIOLATED.	NOS 2 SYS MAINT	60459300
PLn - DATA ERROR, TYPE GO OR ABT OR RET	RBF 1 RM	60499600
PLn - DISK PAR ERR, ABORTED FILE aaaaaa	RBF 1 RM	60499600
PL ERROR IN DECK deckname.	MODIFY RM	60450100
PL ERROR IN DECK.	NOS 2 RS VOL 4	60459690
PLn - INAPPROPRIATE COMMAND	RBF 1 RM	60499600
PLn - NOT READY	RBF 1 RM	60499600
PLn - TERMINAL FAILURE	RBF 1 RM	60499600
**PLI CONTROL CARD ERRORS	PL/I RM	60388100
PLI NEEDS AT LEAST 56000B CM FL	PL/I RM	60388100
nnnn PLOT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
PLS HAVE DIFFERENT CONTROL CHARACTERS, ABORT	UPDATE RM	60449900
PLT INCREASE NOT POSSIBLE	NOS 2 OP/ANL HB	60459310
PLUS SIGN IS A NON-ANSI CHARACTER	FORTRAN EXT 4	60497800
PM MESSAGE	RBF 1 RM	60499600
PM MESSAGE, WAITING CONTINUE.	NOS 2 OP/ANL HB	60459310
POINTER ERROR - RECOVERY IMPOSSIBLE.	NOS 2 OP/ANL HB	60459310
ttt POINTER WORD ERROR.	NOS 2 OP/ANL HB	60459310
POS OUT OF RANGE	FORM RM	60496200
POS SPECIFIED TWICE	FORM RM	60496200
POSITION ERROR ON-filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
POSITION LOST, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
POSITION OR REPEAT COUNT NOT VALID WITH Q	FORM RM	60496200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PREMATURE E.O.S. -- EXPECTED VARIABLE AT nnnnn	FORTRAN EXT 4	60497800
PREMATURE E.O.S. IN ENCODE OR DECODE	FORTRAN EXT 4	60497800
PREMATURE E.O.S. IN ENCODE OR DECODE	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN I/O CONTROL LIST	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN I/O LIST ITEM SUBSCRIPT	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN I/O SUBSCRIPT	FORTRAN EXT 4	60497800
PREMATURE E.O.S. OR EXTRA TRAILING SEPARATOR nnnnn	FORTRAN EXT 4	60497800
PREMATURE E.O.S. OR EXTRA TRAILING SEPARATOR nnnnn	FORTRAN 5 RM	60481300
PREMATURE E.O.S. OR MISSING RIGHT PAREN	FORTRAN 5 RM	60481300
PREMATURE E.O.S. OR MISSING RIGHT PAREN	FORTRAN EXT 4	60497800
PREMATURE END OF FILE ON dumpfile.	NOS 2 SYS MAINT	60459300
PREMATURE END OF RECORD ON OLD PROGRAM LIBRARY	UPDATE RM	60449900
PREMATURE EOF.	NOS 2 SYS MAINT	60459300
PREMATURE *EOF* ENCOUNTERED.	NOS 2 SYS MAINT	60459300
** PREMATURE EOF ON -REFMAP- FILE	FORTRAN EXT 4	60497800
PRESENT USE IN CONTEXT OF THIS NAME DOES NOT MATCH PREVIOUS OCCURRENCES IN DEBUG SIMTS	FORTRAN EXT 4	60497800
PRESENT USE OF THIS LABEL CONFLICTS WITH PREVIOUS USES	FORTRAN EXT 4	60497800
PRESET NOT ALLOWED.	NOS 2 OP/ANL HB	60459310
PREVIOUS COMMAND INCOMPLETE, TRY AGAIN.	NOS 2 OP/ANL HB	60459310
PREVIOUS DEFINITION OF STATEMENT FUNCTION nnnnn IS OVERRIDDEN	FORTRAN 5 RM	60481300
PREVIOUS DEFINITION OF STATEMENT FUNCTION nnnnn IS OVERRIDDEN	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO DO LABEL nnnnn IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO DO LABEL nnnnn IS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO FORMAT LABEL mnnnn IS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO FORMAT LABEL nnnnn IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO LABEL nnnnn WAS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO THIS DO LABEL IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS TRANSFER TO nnnnn IS FROM OUTSIDE CURRENT DO	FORTRAN EXT 4	60497800
nnnnn PREVIOUSLY DECLARED EXTERNAL -- IGNORED	FORTRAN 5 RM	60481300
nnnnn PREVIOUSLY DECLARED INTRINSIC -- IGNORED	FORTRAN 5 RM	60481300
nnnnn PREVIOUSLY DEFINED AS EXTERNAL	FORTRAN EXT 4	60497800
PREVIOUSLY DIMENSIONED ARRAY. FIRST DIMENSIONS WILL BE RETAINED	FORTRAN EXT 4	60497800
nnnnn PREVIOUSLY TYPED NON-CONFORMING -- PREVIOUS TYPE OVERRIDDEN	FORTRAN 5 RM	60481300
PRINT ERROR, CONTINUE.	NOS 2 OP/ANL HB	60459310
nnnn PRINT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
PRIOR TAPE ASSIGNMENT LOST.	NOS 2 RS VOL 3	60459680
PRIVATE PACK/PERMIT UN CONFLICT.	NOS 2 RS VOL 4	60459690
PRM ERROR ec ATTACHING fn	NOS 2 SYS MAINT	60459300
PROBE CONTROL STATEMENT ERROR.	NOS 2 SYS MAINT	60459300
PROBE DATA DISABLED.	NOS 2 SYS MAINT	60459300
PROBE NOT ENABLED.	NOS 2 SYS MAINT	60459300
PROBE REPORT COMPLETE.	NOS 2 SYS MAINT	60459300
PROBE TABLES NOT AVAILABLE.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PROBE VERSION MISMATCH.	NOS 2 SYS MAINT	60459300
PROCESSING COMPLETE.	NOS 2 OP/ANL HB	60459310
PROCESSING COMPLETE ON NPxxxxx.	NOS 2 SYS MAINT	60459300
PROCESSING DUMP FILE. dmp yy/mm/dd. hh.mm.ss.	NOS 2 SYS MAINT	60459300
PROCESSING INPUT DIRECTIVES.	NOS 2 SYS MAINT	60459300
PROCESSING OPTION NOT APPLICABLE.	NOS 2 RS VOL 3	60459680
PROCESSOR DETECTED MALFUNCTION	NOS 2 RS VOL 3	60459680
PROCESSOR FAULT STATUS ERROR DEADSTART ABORTED	NOS 2 OP/ANL HB	60459310
PROCESSOR NOT RESPONDING FATAL ERROR - DEADSTART ABORT	NOS 2 OP/ANL HB	60459310
PROFILE ABORTED.	NOS 2 SYS MAINT	60459300
PROFILE FILE CREATE COMPLETE.	NOS 2 SYS MAINT	60459300
PROFILE FILE DATA BASE ERROR.	NOS 2 SYS MAINT	60459300
PROFILE FILE INQUIRY COMPLETE.	NOS 2 SYS MAINT	60459300
PROFILE FILE INTERLOCKED	NOS 2 SYS MAINT	60459300
PROFILE FILE LIST COMPLETE.	NOS 2 SYS MAINT	60459300
PROFILE FILE REFORMAT COMPLETE.	NOS 2 SYS MAINT	60459300
PROFILE FILE RELEASED	NOS 2 SYS MAINT	60459300
PROFILE FILE SOURCE COMPLETE.	NOS 2 SYS MAINT	60459300
PROFILE FILE UPDATE COMPLETE.	NOS 2 SYS MAINT	60459300
PROGxxx - CHECKPOINT TAKEN AT hh.mm.ss	MCS 1 RM	60480300
PROGRAM ABNORMAL, xxx.	NOS 2 SYS MAINT	60459300
PROGRAM ABORTED **	CDCS 2 DA RM	60485200
PROGRAM ALREADY RUNNING	MCS 1 RM	60480300
* PROGRAM CONTAINS SEQUENCES THAT ARE TOO LONG. CANNOT BE COMPILED	FORTRAN EXT 4	60497800
PROGRAM FILE EMPTY.	NOS 2 RS VOL 3	60459680
PROGRAM HAS COMPLETED	INTER DEBUG RM	60481400
PROGRAM xxx HAS n ENTRIES - yyy WILL BE TRACED	INTER DEBUG RM	60481400
PROGRAM HAS NO INVOCATION FILE	MCS 1 RM	60480300
PROGRAM LENGTH EXCEEDS 2**17-1	FORTRAN 5 RM	60481300
PROGRAM LENGTH EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
PROGRAM LIBRARY EMPTY.	MODIFY RM	60450100
PROGRAM NAME NOT KNOWN	MCS 1 RM	60480300
PROGRAM NOT ON TAPE - xxxx	NOS 2 INSTAL HB	60459320
PROGRAM xxxx NOT CALLED	INTER DEBUG RM	60481400
PROGRAM xxxx NOT LOADED	INTER DEBUG RM	60481400
PROGRAM OR SUBROUTINE NAME MAY NOT BE REFERENCED IN A DECLARATIVE STATEMENT	FORTRAN EXT 4	60497800
PROGRAM START. (INPUT,OUTPUT) ASSUMED WHEN HEADER STATEMENT IS DEFECTIVE OR OMITTED	FORTRAN EXT 4	60497800
PROGRAM STOP.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
PROGRAM STOP AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
**** PROJECT COUNT LIMIT EXCEEDED.	NOS 2 SYS MAINT	60459300
PROJECT EPILOGUE NOT FOUND.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PTFS - INVALID xxxxxx=NO VALUE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-LID UNAVAILABLE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-MISSING CHARGE/PROJECT.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-MISSING USER NAME.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-MULTIPLE FILE TRANSFERS REQUESTED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-NETON REJECTED BY SUBSYSTEM.	NOS 2 OP/ANL HB	60459310
PTFS-PF NAME REQUIRED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-PF REQUEST COMPLETE.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-RECOVERY DIRECTIVE AFTER FILE TRANSFER.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-SECONDARY USER DIRECTIVES DISABLED.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
PTFS-USER DIRECTIVE REQUIRED FIRST.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
nnnn PUNCH FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
PURGE COMPLETE.	NOS 2 RS VOL 3	60459680
PURGING filename userindex.	NOS 2 SYS MAINT	60459300
PUT DEVICE ON LINE. RESPOND GO TO RETRY - DROP TO OFF DEVICE.	NOS 2 OP/ANL HB	60459310
PUT FAILURE, X=x, Y=y. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OP/ANL HB	60459310
Q PARAMETER TOO LARGE - MAXIMUM ALLOWABLE VALUE SUBSTITUTED.	NOS 2 SYS MAINT	60459300
Q PARAMETER TOO SMALL - MINIMUM ALLOWABLE VALUE SUBSTITUTED.	NOS 2 SYS MAINT	60459300
QAC BUFFER ARGUMENT ERROR.	NOS 2 RS VOL 4	60459690
QAC ERROR ENCOUNTERED.	NOS 2 SYS MAINT	60459300
QAC ERROR ENCOUNTERED.	NOS 2 RS VOL 3	60459680
QAC INCORRECT PARAMETER BLOCK SIZE.	NOS 2 RS VOL 4	60459690
QAC INCORRECT QUEUE ORDINAL.	NOS 2 RS VOL 4	60459690
QAC INVALID ACCESS LEVEL.	NOS 2 RS VOL 4	60459690
QAC INVALID REQUEST.	NOS 2 RS VOL 4	60459690
QAC REQUEST COMPLETION BIT SET.	NOS 2 RS VOL 4	60459690
QAL SPECIFIED TWICE	FORM RM	60496200
QALTER COMPLETE.	NOS 2 SYS MAINT	60459300
QAP - BUFFER ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
QAP - BUFFER ARGUMENT ERROR.	NOS 2 OP/ANL HB	60459310
QAP - ILLEGAL REQUEST.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
QAP - ILLEGAL USER ACCESS.	NOS 2 RS VOL 3	60459680
QDUMP ABORTED.	NOS 2 SYS MAINT	60459300
QDUMP COMPLETE.	NOS 2 SYS MAINT	60459300
QF LENGTH ERROR filename.	NOS 2 SYS MAINT	60459300
QF LENGTH ERROR filename.	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QFF UNABLE TO INTERLOCK MST	NOS 2 SYS MAINT	60459300
QFM ARGUMENT ERROR.	NOS 2 RS VOL 4	60459690
QFM BUFFER ARGUMENT ERROR.	NOS 2 RS VOL 4	60459690
QFM BUFFER TOO SMALL.	NOS 2 SYS MAINT	60459300
QFM EOI BAD ON ATTACHED FILE.	NOS 2 SYS MAINT	60459300
QFM ERROR ON ERRNNN FILE.	NOS 2 SYS MAINT	60459300
QFM FILE ALREADY ATTACHED.	NOS 2 SYS MAINT	60459300
QFM FILE IGNORED filename.	NOS 2 SYS MAINT	60459300
QFM FILE NAME ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
QFM FOT FULL.	NOS 2 SYS MAINT	60459300
QFM I/O SEQUENCE ERROR.	NOS 2 RS VOL 4	60459690
	NOS 2 SYS MAINT	60459300
QFM ILLEGAL EQUIPMENT.	NOS 2 RS VOL 4	60459690
QFM ILLEGAL REQUEST.	NOS 2 RS VOL 4	60459690
	NOS 2 SYS MAINT	60459300
QFM ILLEGAL USER ACCESS.	NOS 2 RS VOL 4	60459690
	NOS 2 SYS MAINT	60459300
QFM INTERLOCK ERROR.	NOS 2 SYS MAINT	60459300
QFM INVALID QUEUE FILE ORDINAL.	NOS 2 RS VOL 4	60459690
QFM IQFT INTERLOCK ABORT.	NOS 2 SYS MAINT	60459300
QFM NO IQFT TRACK AVAILABLE.	NOS 2 SYS MAINT	60459300
QFM RANDOM ADDRESS ERROR	NOS 2 SYS MAINT	60459300
QFM SYSTEM SECTOR ERROR.	NOS 2 SYS MAINT	60459300
QFM TRACK MISMATCH.	NOS 2 SYS MAINT	60459300
QFT FULL.	NOS 2 OP/ANL HB	60459310
QFT FULL DETECTED BY QFM.	NOS 2 SYS MAINT	60459300
QFT LIMIT ON LOAD.	NOS 2 SYS MAINT	60459300
QFT/LOCAL FMT IS FULL.	NOS 2 SYS MAINT	60459300
QFT THRESHOLD LIMIT.	NOS 2 SYS MAINT	60459300
QFTLIST/QALTER ABORTED.	NOS 2 SYS MAINT	60459300
QGET COMPLETE.	NOS 2 RS VOL 3	60459680
QLOAD ABORTED.	NOS 2 SYS MAINT	60459300
QLOAD - nnnn ACTIVE FILES LOADED.	NOS 2 SYS MAINT	60459300
QLOAD - nnnn ERRxxx FILES CREATED.	NOS 2 SYS MAINT	60459300
QLOAD - nnnn FILES IGNORED.	NOS 2 SYS MAINT	60459300
QLOAD - nnnn FILES LISTED.	NOS 2 SYS MAINT	60459300
QLOAD - nnnn INACTIVE FILES LOADED.	NOS 2 SYS MAINT	60459300
QLOAD OPERATION COMPLETE.	NOS 2 SYS MAINT	60459300
QLOAD TERMINATED	NOS 2 SYS MAINT	60459300
QMOVE ABORTED.	NOS 2 SYS MAINT	60459300
QMOVE COMPLETE.	NOS 2 SYS MAINT	60459300
QREC COMPLETE.	NOS 2 SYS MAINT	60459300
QREC/QLIST ABORTED.	NOS 2 SYS MAINT	60459300
QRF BLOCK CONTAINS INVALID AREA ID	CDCS 2 DA RM	60485200
QRF BLOCK CONTAINS INVALID VERSION NAME	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QRF BLOCK READ FOR UNDEFINED INDEX FILE	CDCS 2 DA RM	60485200
QRF EMPTY	CDCS 2 DA RM	60485200
QRF IS NOT A PERMANENT FILE	CDCS 2 DA RM	60485200
QRF IS NOT EMPTY INITIALLY	CDCS 2 DA RM	60485200
QTF, -n- qfn ACQUIRED, DC=dc, ST=did, DO=sid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn ASSIGNED TO CONNECTION NUMBER p.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn CONNECTING TO pid.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn CONNECTION REJECTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn EVICTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, nnnn FILES TRANSFERRED.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn INVALID QUALIFIER OR PARAMETER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn INVALID USER ACCESS.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn LOG FILE NOT SENT - DSP ERROR CODE = nnnB.	NOS 2 OP/ANL HB	60459310
QTF, PLT LENGTH ERROR.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn QUEUED AS xxxxxxxx ON pid.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn xxxx REJECTED BY REMOTE HOST. QTF, -n- qfn VALUE = (yyyy).	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn REQUEUED.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn REQUIRED PARAMETER MISSING.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn SENT TO PID xxx, PID yyy RESPONDING.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn TRANSFER REJECTED BY REMOTE HOST.	NOS 2 OP/ANL HB	60459310
QTF, -n- qfn UNEXPECTED ACQUIRE ERROR CODE = nnnB.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn UNRECOGNIZED DISPOSITION CODE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
*QTFPROC ABORT - DELAY OUT OF RANGE.	NOS 2 OP/ANL HB	60459310
*QTFPROC ABORT - INVALID DELAY.	NOS 2 OP/ANL HB	60459310
QTFPROC ABORT - INVALID SEQ ORDINAL (nn).	NOS 2 OP/ANL HB	60459310
QTFPROC ABORT - SEQ ORD OUT OF RANGE (nn).	NOS 2 OP/ANL HB	60459310
QTFPROC ENDED - JOB NOT BATCH ORIGIN, CANNOT USE SEQUENCER FOR RERUN.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn CONNECTION BROKEN.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), CONNECTION NUMBER NOT IN SUPERVISORY MESSAGE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TIMED OUT.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ESTABLISHED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ABORTED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ENDED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QTF(S), -n- qfn ERROR IN FILE TRANSFER.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), FATAL LFM ERROR = nnB.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn FC/BRK RECEIVED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn FC/NAK RETRY COUNT EXCEEDED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTFS, -n- qfn INVALID ATTRIBUTE IGNORED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn INVALID SEQUENCE RECEIVED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), JOB ORIGIN ERROR.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn MESSAGE FROM REMOTE HOST - QTF(S), -n- qfn xxx.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), NETON REJECT, CODE nn - xxxx.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn NETWORK BLOCKS OUT OF SEQUENCE.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OP/ANL HB	60459310
QTF(S), NETWORK MESSAGE BLOCK SIZE ERROR.	NOS 2 OP/ANL HB	60459310
QTF(S), NETWORK SHUTDOWN.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn NETXFR - xxxx.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTFS, -n- qfn QUEUED AS xxxx FROM pid.	NOS 2 OP/ANL HB	60459310
QTFS, -n- qfn RECEIVING, DC=dc, ST=did, DO=sid.	NOS 2 OP/ANL HB	60459310
QTF(S) -n- qfn ROUTE ERROR nnB-xxxx.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn TRANSFER xxxxxxxxxxxx BY REMOTE HOST.	NOS 2 OP/ANL HB	60459310
QTF(S), -n- qfn REASON CODE = nnnnnn. or QTF(S), -n- qfn REASON CODE = nnnnnn - yyy.		
QTF(S), -n- qfn UNKNOWN STATE-OF-TRANSFER SENT BY REMOTE HOST. QTF(S), -n- qfn REASON CODE = nnnnnn - (CONTACT SITE ANALYST).	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn UNRECOGNIZED COMMAND RECEIVED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn UNRECOGNIZED MESSAGE RECEIVED.	NOS 2 OP/ANL HB NOS 2 RS VOL 3	60459310 60459680
QUEUE DISABLED - MESSAGE DISCARDED	MCS 1 RM	60480300
QUEUE EMPTY	RBF 1 RM	60499600
QUEUE FILE ASSIGN ERROR.	NOS 2 SYS MAINT	60459300
QUEUE FILE UTILITY COMPLETE.	NOS 2 SYS MAINT	60459300
QUEUE STATUS INDEFINITE.	NOS 2 SYS MAINT	60459300
nnnn QUEUED FILES INTERLOCKED.	NOS 2 SYS MAINT	60459300
QUEUES UNRECOVERABLE THIS DEVICE.	NOS 2 SYS MAINT	60459300
QUEUE7 ARGUMENT ERROR	NOS 2 RS VOL 3	60459680
QUICK RECOVERY FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
R TYPE ERROR DATA ORIGIN OUTSIDE BLOCK OR IN BLANK COMMON. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
RA + 65B INCORRECT-ICM CALLED FROM nnnnnn	COM MEM MGMT 1	60499200
RANDOM ACTION BEYOND EOF	BASIC 3 RM	19983900

MESSAGE

RANDOM ADDRESS ERROR.
RANDOM ADDRESS NOT ON FILE filename AT
address.
RANDOM FILE EMPTY
RANDOM INDEX ERROR.

RANGE ADDRESSES IN DIFFERENT MEMORIES
RANGE INDICATOR nnnnn MUST BE A LETTER
RANGE INDICATOR mmmmm NOT 1 LETTER -- TRUNCATED TO nnnnn
RANGE INDICATOR rrrrr NOT 1 LETTER -- TRUNCATED TO nnnnn
RANGE OF DEBUG VARIABLES NOT ALLOWED
RANK ERROR
RA+1 CALL ERROR.
RA+1 CALL PARAMETER ADDRESS OUTSIDE FL.
RA+1 CALL WITH ILLEGAL FUNCTION CODE.
RBF CONNECT TIME hh.mm.ss. LOGGED OUT
RBF DISK ERROR, CANNOT REDUCE SIZE.
RBF ENDED.
RBF ENDED, yy/mm/dd hh:mm:ss
RBF NOT ENABLED.
RBF NOT STARTED PROPERLY.
RBF VER 1.x-STARTED yy/mm/dd. hh:mm:ss
RD AND UI/UN NOT ALLOWED.
RDeee Cxx Pnn Fyyyy REJECT.
RDF CARRIER LOST.
RDF DATE BEFORE PURGE DATE.
RDF FILE ERROR - BAD RECORD LENGTH.
RDF FILE ERROR - MISSING HEADER.
RDF FILE ERROR - UNIDENTIFIED DATA.
RDF INITIATED.
RDF TERMINATED.
RDF TIMEOUT.
RDPFC, ERROR IDLE, DN dv.
RDPFC, PF UTILITY ACTIVE, DN dv.
READ AFTER WRITE, filename AT address.

READ ERROR.
READ ERROR - FILE DUMPED.
READ ERROR - FILE IGNORED.
READ ERROR ON TAPE.

READ FILE BUSY - filename.
READ FILE EMPTY.
READ . . . NEXT WITH UNDEFINED CURRENT REC POINTER
READ nnn NEXT WITH UNDEFINED CURRENT REC POINTER
READ ON FILE OPENED FOR OUTPUT

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
INTER DEBUG RM	60481400
APL 2 RM	60454000
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
RBF 1 RM	60499600
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 INSTAL HB	60459320
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100

MESSAGE

READ ON FILE OPENED FOR OUTPUT
READ PARITY ERROR.
filename STAGING ERROR, JSN=jsn,
FM=familyname, UI=userindex, CSU=id, MST=n,
VSN=vsn, ASA=addr, STRM=s.
READ PYRAMID PARITY ERROR.
READ RECOVERED-DATA LOST BEFORE THE FOLLOWING CARD IMAGE
READ WITHOUT DATA
READ/WRITE ERROR ON TAPE.
READING filename userindex.
READING INPUT
READY.
READY
READY DROP, filename AT address.
REASSIGN ADL.
REASSIGN ADL
RECFM NOT SPECIFIED
RECFM NOT SPECIFIED
RECORD COPIED CHECKSUM=xxxx.
RECORD LENGTH EXCEEDS 131071 COLUMNS
RECORD LENGTH EXCEEDS 137 COLUMNS -- MAY EXCEED I/O DEVICE
RECORD LENGTH EXCEEDS 137 COLUMNS -- MAY EXCEED I/O DEVICE
RECORD LENGTH EXCEEDS 2**17-1 COLUMNS
RECORD LENGTH FOR FILE nnnnn EXCEEDS 2**17-1 -- DEFAULT USED
RECORD LENGTH FOR FILE nnnnn EXCEEDS 377777B -- DEFINITION IGNORED
RECORD LENGTH IS GREATER THAN 131,071
RECORD LENGTH ON OLD RELATIVE FILE DIFF THAN PROGRAM
RECORD LENGTH ON OLD RELATIVE FILE DIFF THAN PROGRAM
RECORD MODIFIED
RECORD NAME MISSING.
RECORD NOT FOUND rtype/rname
RECORD NOT FOUND.
RECORD NOT FOUND.
RECORD NOT FOUND.
RECORD NOT FOUND
RECORD NUMBER ERROR.
RECORD TOO LARGE ON filename.
RECORD TOO LONG.
RECORD TYPE NOT PRINTABLE ON AN ADVANCING FILE
RECORD TYPE NOT PRINTABLE ON AN ADVANCING FILE
RECORDING MODE BINARY ON ADVANCING FILE
RECORDING MODE BINARY ON ADVANCING FILE
n RECORDS NOT REPLACED.

<u>MANUAL</u>	<u>PUB. NO.</u>
COBOL 5 DH	60482500
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
UPDATE RM	60449900
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
TEXT EDITOR RM	60436100
RBF 1 RM	60499600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 INSTAL HB	60459320
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 INSTAL HB	60459320
MODIFY RM	60450100
NOS 2 INSTAL HB	60459320
NOS 2 SYS MAINT	60459300
MODIFY RM	60450100
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
nnnn RECORDS RELEASED	COBOL 5 RM	60497100
nnnn RECORDS RELEASED	COBOL 5 DH	60482500
nnnn RECORDS RETURNED	COBOL 5 RM	60497100
nnnn RECORDS RETURNED	COBOL 5 DH	60482500
n RECORDS SPLITS OCCURRED.	NOS 2 RS VOL 3	60459680
RECOVER/RESTORE ABORT, JOB REPRIEVED	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
xx - RECOVERABLE DATA BASE.	TAF 1 RM	60459500
RECOVERABLE RUN UNIT DELETED - username.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
RECOVERING PF.EQest, TRK track.	NOS 2 OP/ANL HB	60459310
RECOVERY ABORT, INVALID MASTER DIRECTORY	CDCS 2 DA RM	60485200
RECOVERY ABORT - WRITE ERROR	CDCS 2 DA RM	60485200
RECOVERY COMPLETE.	NOS 2 OP/ANL HB	60459310
RECOVERY COMPLETE.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
RECOVERY COMPLETE.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB	60459680 60459310
RECOVERY COMPLETE...CONTINUE	NOS 2 RS VOL 3	60459680
RECOVERY COMPLETED FOR SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
RECOVERY, EQest.	NOS 2 OP/ANL HB	60459310
RECOVERY IMPOSSIBLE.	TAF 1 RM	60459500
RECOVERY IMPOSSIBLE.	NOS 2 OP/ANL HB	60459310
RECOVERY IMPOSSIBLE FOR SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
RECOVERY IN PROGRESS.	NOS 2 OP/ANL HB	60459310
RECOVERY NOT POSSIBLE NOW BECAUSE DATA BASE FILE IS DOWN. SELECT DESIRED OPTION FROM FOLLOWING LIST BY ENTERING LETTER.	TAF 1 RM	60459500
A WAIT 5 MINUTES AND TRY AGAIN. TAF WILL WAIT 5 MINUTES BEFORE ATTEMPTING RERUN OF TRANSACTION.		
B LOG OFF. THE PREVIOUS RECOVERABLE INFORMATION WILL REMAIN INTACT. LOG IN AT A LATER TIME TO ATTEMPT RERUN.		
C ALLOW ENTRY OF NEXT TRANSACTION. THE PREVIOUS RECOVERABLE INFORMATION WILL BE LOST.		
RECOVERY POINT num NOT FOUND	CDCS 2 DA RM	60485200
RECOVERY RERUN.	NOS 2 RS VOL 3	60459680
RECOVERY, RERUNNING TRANSACTION.	TAF 1 RM	60459500
RECOVERY STARTED FOR SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
RECOVERY, TRANSACTION NOT RERUNNABLE, ENTER NEXT TRANSACTION.	TAF 1 RM	60459500
RECOVERY, WAITING MMF DEADSTART IN PROGRESS.	NOS 2 OP/ANL HB	60459310
RECURSION DEPTH EXCEEDED 400.	COMPASS 3 RM	60492600
RECURSIVE CALL ON COMDECK dname IGNORED. FATAL ERROR	UPDATE RM	60449900
RECURSIVE CALL TO ENTRY POINT xxxx	INTER DEBUG RM	60481400
RECURSIVE DEFINITION OF STATEMENT FUNCTION nnnnn	FORTRAN EXT 4	60497800
RECURSIVE DEFINITION OF STATEMENT FUNCTION nnnnn	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RECURSIVE FN	BASIC 3 RM	19983900
RECURSIVE *IF,S ILLEGAL.	MODIFY RM	60450100
RECURSIVE READ OF xxxx	INTER DEBUG RM	60481400
REDEFINITION OF COLLATE	BASIC 3 RM	19983900
REDEFINITION OF PARAMETER nnnnn USED AS DIMENSION INDICATOR IS NON-ANSI	FORTRAN EXT 4	60497800
REDUNDANT CONVERSION IGNORED.	MODIFY RM	60450100
REDUNDANT EQUIVALENCE SPECIFICATION FOR nnnnn	FORTRAN 5 RM	60481300
REDUNDANT EQUIVALENCE SPECIFICATION FOR nnnnn	FORTRAN EXT 4	60497800
nnnnn REDUNDANTLY DECLARED IN SAVE	FORTRAN 5 RM	60481300
REENTRY TABLE OVERFLOW.	NOS 2 OP/ANL HB	60459310
REF SPECIFIED TWICE	FORM RM	60496200
REFERENCE INSIDE TRAPPER	LOADER 1 RM	60429800
REFERENCE MADE TO ILLEGAL TERMINAL NAME.	TAF 1 RM	60459500
REFERENCE TO B.E.F. nnnnn REQUIRES AN ARGUMENT LIST	FORTRAN EXT 4	60497800
REFERENCE TO EXTERNAL nnnnn REQUIRES AN ARGUMENT LIST	FORTRAN 5 RM	60481300
REFERENCE TO FUNCTION nnnnn REQUIRES AN ARGUMENT LIST	FORTRAN EXT 4	60497800
REFERENCE TO INTRINSIC nnnnn REQUIRES AN ARGUMENT LIST	FORTRAN EXT 4	60497800
REFERENCE TO LINKAGE SECTION ITEM NOT IN USING LIST	COBOL 5 DH	60482500
REFERENCE TO LINKAGE SECTION ITEM NOT IN USING LIST	COBOL 5 RM	60497100
REFERENCE TO STATEMENT FUNCTION nnnnn HAS A NULL PARAMETER	FORTRAN EXT 4	60497800
REFERENCE TO VARIABLE nnnnn AS A FUNCTION OR ARRAY	FORTRAN 5 RM	60481300
REFERENCE TO VARIABLE nnnnn AS A FUNCTION OR ARRAY	FORTRAN EXT 4	60497800
REFERENCED LABEL IS MORE THAN FIVE CHARACTERS	FORTRAN EXT 4	60497800
REFERENCES AFTER LINE nnnn LOST INCREASE FL BY ffffB	FORTRAN EXT 4	60497800
REFORMAT COMPLETE.	NOS 2 SYS MAINT	60459300
REF001 ASSIGNMENT-TARGET MUST BE VARIABLE OR PSEUDO VARIABLE	PL/I RM	60388100
REF002 ASSIGNMENT-TARGET MUST BE SCALAR	PL/I RM	60388100
REF003 INDEX -identifier- IN DO MUST BE VARIABLE OR PSEUDO VARIABLE	PL/I RM	60388100
REF004 INDEX -identifier- IN DO MUST BE SCALAR	PL/I RM	60388100
REF006 WRONG NUMBER OF ARGUMENTS IN FUNCTION REFERENCE -identifier-	PL/I RM	60388100
REF007 SUBROUTINE-REFERENCE -identifier- HAS WRONG NUMBER OF ARGUMENTS	PL/I RM	60388100
REF008 ARGUMENT -identifier- AND PARAMETER MUST HAVE SAME NUMBER OF DIMENSIONS	PL/I RM	60388100
REF009 REFERENCE TO VARIABLE -identifier- HAS WRONG NUMBER OF SUBSCRIPTS	PL/I RM	60388100
REF010 BASED REFERENCE -identifier- REQUIRES A LOCATOR-QUALIFIER OR AN IMPLICIT LOCATOR	PL/I RM	60388100
REF011 REFERENCE TO A NON-BASED VARIABLE -identifier- CANNOT BE LOCATOR-QUALIFIED	PL/I RM	60388100
REF012 SCALE-FACTOR Q ILLEGAL IN -identifier- BUILTIN FUNCTION REFERENCE BECAUSE RESULT REF012 IS FLOAT	PL/I RM	60388100
REF013 VARIABLE -identifier- BEING FREED MUST BE UNSUBSCRIBED	PL/I RM	60388100
REF014 VARIABLE -identifier- BEING FREED MUST BE BASED OR CONTROLLED	PL/I RM	60388100
REF015 VARIABLE -identifier- BEING FREED CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF016 VARIABLE -identifier- BEING ALLOCATED CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF017 VARIABLE -identifier- BEING ALLOCATED MUST BE BASED OR CONTROLLED	PL/I RM	60388100
REF018 IN-OPTION IN FREE STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF019 IN-OPTION IN FREE STATEMENT MUST REFERENCE AN AREA VARIABLE	PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
REF020 IN-OPTION IS ILLEGAL IN FREEING A CONTROLLED VARIABLE	PL/I RM	60388100
REF021 IN-OPTION IN ALLOCATE STATEMENT MUST REFERENCE AN AREA VARIABLE	PL/I RM	60388100
REF022 IN-OPTION IN ALLOCATE STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF023 IN-OPTION MUST REFERENCE A VARIABLE	PL/I RM	60388100
REF024 SET-OPTION IN READ OR LOCATE STATEMENT MUST REFERENCE A SCALAR POINTER VARIABLE	PL/I RM	60388100
REF025 SET-OPTION MUST REFERENCE A VARIABLE	PL/I RM	60388100
REF026 SET-OPTION IN ALLOCATE STATEMENT MUST REFERENCE A SCALAR VARIABLE	PL/I RM	60388100
REF027 SET-OPTION IN ALLOCATE STATEMENT MUST REFERENCE A LOCATOR VARIABLE	PL/I RM	60388100
REF028 GOTO STATEMENT MUST REFERENCE A LABEL CONSTANT OR VARIABLE	PL/I RM	60388100
REF029 LABEL-REFERENCE IN GOTO STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF030 IDENTIFIER IN PROGRAMMER-NAMED CONDITION MUST BE OF TYPE CONDITION	PL/I RM	60388100
REF033 OPERAND -identifier- MUST BE SCALAR	PL/I RM	60388100
REF034 REFERENCE IN I/O CONDITION MUST BE A FILE CONSTANT OR VARIABLE	PL/I RM	60388100
REF036 REFERENCE -identifier- IN FILE-OPTION MUST BE A FILE CONSTANT OR VARIABLE	PL/I RM	60388100
REF037 VARIABLE -identifier- IN LOCATE STATEMENT MUST BE BASED	PL/I RM	60388100
REF038 VARIABLE -identifier- IN FROM- OR INTO-OPTION MUST BE UNSUBSCRIPTED AND CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF039 LABEL REFERENCE -identifier- IN GOTO STATEMENT CANNOT BE A FORMAT CONSTANT	PL/I RM	60388100
REF040 REFERENCE -identifier- IN SET- OR KEYTO-OPTION MUST BE SCALAR	PL/I RM	60388100
REF041 REFERENCE IN SET- OR KEYTO-OPTION MUST BE A VARIABLE OR PSEUDO-VARIABLE	PL/I RM	60388100
REF042 ILLEGAL STRING OPTION	PL/I RM	60388100
REF043 VARIABLE IN KEYTO-OPTION MUST BE OF TYPE CHARACTER	PL/I RM	60388100
REF044 VARIABLE IN INTO- OR FROM-OPTION MUST BE STATIC, AUTOMATIC, CONTROLLED, OR BASED	PL/I RM	60388100
REF045 OFFSET -identifier- REQUIRES REFERENCE TO SCALAR AREA	PL/I RM	60388100
REF046 REFERENCE -identifier- TO AN UNDECLARED STRUCTURE	PL/I RM	60388100
REF047 STRUCTURE-QUALIFIED REFERENCE -identifier- MUST BE PROPERLY QUALIFIED	PL/I RM	60388100
REF048 REFERENCE -identifier- MUST BE PROPERLY STRUCTURE-QUALIFIED	PL/I RM	60388100
REF049 BASED ALLOCATION WHICH SETS OFFSET VARIABLE REQUIRES IN-OPTION IN ALLOCATION OR AREA-REFERENCE IN OFFSET ATTRIBUTE	PL/I RM	60388100
REF050 ALLOCATION OF BASED VARIABLE REQUIRES SET-OPTION OR ASSUMED SET-OPTION	PL/I RM	60388100
REF051 REMOTE FORMAT -identifier- IS NONLOCAL	PL/I RM	60388100
RELATION CODE MUST BE EQ, NE, GT, GE, LT, OR LE	INTER DEBUG RM	60481400
RELATIONAL OPERATOR NOT RECOGNIZED	8-BIT SUBR RM	60495500
RELATIONAL OPERATOR NOT RECOGNIZED	FORM RM	60496200
RELATIVE ADDRESS OUTSIDE BLOCK	INTER DEBUG RM	60481400
RELATIVE FILE CREATED WITH PRUF=YES BUT RE-OPENED AS NCN PRUF	COBOL 5 RM	60497100
RELATIVE FILE HEADER NOT VALID	COBOL 5 DH	60482500
RELATIVE FILE HEADER NOT VALID	COBOL 5 RM	60497100
RELEASE DATE USED = n.	NOS 2 SYS MAINT	60459300
-RELEASE- RECORD-NAME NOT IN CURRENT SD	COBOL 5 DH	60482500
-RELEASE- RECORD-NAME NOT IN CURRENT SD	COBOL 5 RM	60497100
RELEASE TIME USED = n.	NOS 2 SYS MAINT	60459300
-RELEASE- USED IMPROPERLY	COBOL 5 DH	60482500
-RELEASE- USED IMPROPERLY	COBOL 5 RM	60497100
REMOVABLE DEVICE CONFLICT.	NOS 2 OP/ANL HB	60459310

MESSAGE

REMOVABLE DEVICE/NO ACTIVE DAYFILES.
REMOVABLE PACKS OVERCOMMITMENT.
RENAME OF PROC TYPE NOT ALLOWED.
REPEAT..
REPEAT..
REPEAT..
REPEAT COUNT IS NOT ALLOWED BEFORE THE EDIT DESCRIPTOR nnnnn
REPEAT COUNT IS NOT ALLOWED BEFORE THE FIELD DESCRIPTOR nnnnn
REPEAT COUNT NOT VALID
REPEAT ENTRY.
REPEAT LABEL NOT PREVIOUSLY DEFINED
REPLACE ERROR.

filename REPLACED.
REPORTR - BAD DM PARAMETER NO DUMP ASSUMED
REPORTR - BAD INPUT FILE PROGRAM ABORTED
REPORTR - COMPLETED
REPORTR - CONTROL CARD ERROR, PROGRAM ABORTED
REPORTR - DUMP TIME INTERVAL ERROR, PROGRAM ABORTED
REPORTR - EMPTY INPUT FILE, PROGRAM ABORTED
REPORTR - ILLEGAL NUMBER ON CONTROL CARD
REPORTR - INVALID REPORT NUMBER, PROGRAM ABORTED
REPORTR - NO SERVICE MESSAGE TRAFFIC
REPORTR - TIME SLICE INTERVAL ERROR, PROGRAM ABORTED
REPORTR - ZERO TIME RECORD NOT FOUND
REPRIEVE BLOCK ERROR.
REPRIEVE CHECKSUM BAD.

REQUEST filename, eq.
REQUEST COMPLETE.

REQUEST DISPLAY. xxx.
REQUEST *I* DISPLAY.
REQUEST *K* DISPLAY.

REQUEST UNDEFINED ON DEVICE, filename AT
address.
REQUESTED ECS NOT AVAILABLE.

REQUESTED MEMORY NOT FOUND.
REQUESTED RESTORATION NOT FOUND.
REQUESTED SECTION section.
REQUIRED FILE(S) MISSING, PROGRAM ABORTED
REQUIRED FILES NOT AT CONTROL POINT
REQUIRED FL EXCEEDS JOB MAX.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3 TAF 1 RM	60459680 60459500
RBF 1 RM	60499600
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NOS 2 SYS MAINT NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459300 60459680 60459690
XEDIT 3 RM	60455730
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 OP/ANL HB	60459310
TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459310 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
REQUIRED FL EXCEEDS VALIDATED LIMIT.	NOS 2 RS VOL 3	60459680
REQUIRED PARAMETER MISSING	RBF 1 RM	60499600
RERUN	FORTRAN EXT 4	60497800
RESCAN CATALOG TRACK FOR STAGED FILES. ENTER K. GO - CONTINUE RESCAN. K. SKIP - SCAN NEXT CATALOG TRACK.	NOS 2 SYS MAINT	60459300
RESEQ CONTROL CARD ERROR.	NOS 2 RS VOL 3	60459680
RESEQ ERRORS.	NOS 2 RS VOL 3	60459680
RESEQ NUMERIC PARAM ERROR.	NOS 2 RS VOL 3	60459680
RESERVED FILE NAME.	NOS 2 RS VOL 3	60459680
RESERVED FILE NAME.	MODIFY RM	60450100
	NOS 2 RS VOL 3	60459680
RESERVED FILE NAME.	TEXT EDITOR RM	60436100
RESERVED FILE NAME.	XEDIT 3 RM	60455730
RESET DISK SPACE RELEASE INHIBIT DATES.	NOS 2 SYS MAINT	60459300
RESEX ABORT - OPERATOR TERMINATION.	NOS 2 RS VOL 3	60459680
RESEX ABORT - OPERATOR TERMINATION.	NOS 2 RS VOL 4	60459690
RESEX ABORT - SYSTEM RESOURCE LIMIT.	NOS 2 RS VOL 3	60459680
RESEX ABORT - SYSTEM RESOURCE LIMIT.	NOS 2 RS VOL 4	60459690
RESEX ABORT - TERMINAL INTERRUPT.	NOS 2 RS VOL 3	60459680
RESEX ABORT - TERMINAL INTERRUPT.	NOS 2 RS VOL 4	60459690
RESEX FAILURE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RESIDENT CENTRAL LIBRARY EMPTY.	NOS 2 SYS MAINT	60459300
RESOURCE DEMAND ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE ENVIRONMENT ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE ENVIRONMENT ERROR.	NOS 2 RS VOL 4	60459690
RESOURCE NEGATIVE SHARE COUNT.	NOS 2 RS VOL 4	60459690
RESOURCE NEGATIVE SHARE COUNT.	NOS 2 RS VOL 3	60459680
RESOURCE PF ERROR ec filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RESOURCE SCRATCH FILE ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE SCRATCH FILE ERROR.	NOS 2 RS VOL 4	60459690
RESOURCE TYPE ERROR.	NOS 2 RS VOL 3	60459680
RESPONSE QUALIFIER MUST BE LINE OR SEQ	INTER DEBUG RM	60481400
RESTART IDENTIFIER FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
jsn RESTARTED FROM yy/mm/dd. hh.mm.ss.	NOS 2 RS VOL 3	60459680
RESTORE LOGFILE NOT PF WITH EXTEND PERMISSION	QU/CRM DA RM	60482100
RESTORING ADDRESSES S/N=serialn.	NOS 2 SYS MAINT	60459300
RESULT OF CONSTANT EVALUATION WILL BE OUT OF RANGE OR INDEFINITE	FORTRAN EXT 4	60497800
RESULTS OF CONSTANT USED WITH mnnnn OPERATOR INFINITE OR INDEFINITE	FORTRAN EXT 4	60497800
RESUMING 7000 MODE..	NOS 2 RS VOL 3	60459680
RETRY DETACHES.	NOS 2 OP/ANL HB	60459310
RETURN ACTS AS END	FORTRAN EXT 4	60497800
RETURN BEFORE GOSUB	BASIC 3 RM	19983900
RETURN EXECUTED AFTER AT END DETECTED	COBOL 5 DH	60482500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RETURN EXECUTED AFTER AT END DETECTED	COBOL 5 RM	60497100
-RETURN- FILE-NAME NOT CURRENT SD	COBOL 5 RM	60497100
-RETURN- FILE-NAME NOT CURRENT SD	COBOL 5 DH	60482500
RETURN IN MAIN PROGRAM	FORTRAN EXT 4	60497800
RETURN IN MAIN PROGRAM -- ACTS AS END	FORTRAN 5 RM	60481300
RETURN STATEMENT APPEARS IN MAIN PROGRAM	FORTRAN EXT 4	60497800
-RETURN- USED IMPROPERLY	COBOL 5 DH	60482500
-RETURN- USED IMPROPERLY	COBOL 5 RM	60497100
RETURNS LIST ERROR	FORTRAN EXT 4	60497800
RETURNS LIST NOT PERMITTED IN FUNCTION STATEMENT	FORTRAN EXT 4	60497800
RETURNS OR EXTERNAL NAMES MAY NOT APPEAR IN DECLARATIVE STATEMENTS	FORTRAN EXT 4	60497800
RETURNS PARAMETER nnnnn MUST BE NUMERIC LABEL	FORTRAN EXT 4	60497800
RETURNS PARAMETER nnnnn NOT ALLOWED IN THIS STATEMENT	FORTRAN EXT 4	60497800
RETURNS PARAMETERS IN CALL STATEMENT	FORTRAN EXT 4	60497800
REWRITE RL DOES NOT EQUAL OLD RL	COBOL 5 DH	60482500
REWRITE RL DOES NOT EQUAL OLD RL	COBOL 5 RM	60497100
filenam REWRITTEN	XEDIT 3 RM	60455730
RFL BEYOND MFL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RFM NOT SPECIFIED	FORM RM	60496200
RFM SPECIFIED TWICE	FORM RM	60496200
RHF, jobn ACNacn ACCOUNTING OVERFLOW-ADD 32767 TO message	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, jobn ACNacn DISCONNECT BLOCKS SENT=bssss RECEIVED=brrrr RHF, jobn ACKS SENT=kssss, ACKS RECD= krrrr, PATH ID=id, CH=cc	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, APPLICATION DISABLED FOR NETON	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, jobseq APPLICATION IS NOT NETTED ON	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
	RHF SUBSYST. RM	60459990
RHF, jobn APPLICATION IS NOT NETTED ON	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
	RHF SUBSYST. RM	60459990
RHF, APPLICATION NOT VALIDATED FOR CTRL/INFO/R	NOS 2 OP/ANL HB	60459310
RHF, jobn APPLICATION NOT VALIDATED FOR CTRL/INFO/R	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, BAD TCU ON PATH id, PATH TURNED OFF	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, jobn BUFFER ADDRESS ERROR IN CTRL/INFO/R	NOS 2 OP/ANL HB	60459310
	RHF SUBSYST. RM	60459990
RHF, BUFFER ADDRESS ERROR IN CTRL/INFO/R	NOS 2 OP/ANL HB	60459310

MESSAGE

MANUAL PUB. NO.

RHF, jobn CONNECT TO applnam LID=lid
PID=pid REJECTED
RHF, jobn - rejmess

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

DESTINATION DOES NOT RESPOND

LID NOT DEFINED AT SOURCE

LID/PID/NAD UNAVAILABLE AT
DESTINATION

LID/PID/NAD/DISABLED AT SOURCE

NAD RESOURCE LIMIT REACHED
NO NEW CONNECT REQUESTS - MAX REACHED

REMOTE RHF SHUTDOWN IN PROGRESS

REQUESTED APPLICATION NOT AVAILABLE

RHF SHUTDOWN IN PROGRESS
SUBSYSTEM PASSWORD REMOTE REJECT

UNKNOWN REMOTE RHF REJECT CODE xx

RHF, jobn CONNECTED TO applnam LID=lid
PID=pid ACN=acn PATH ID=id CH=cc

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, jsn COULD NOT BE ABORTED.

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, DUPLICATE NETON REQUEST

NOS 2 OP/ANL HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

RHF, FATAL SSF ERROR. FC=fc, RC=rc.

NOS 2 RS VOL 3 60459680

RHF, jsn FATAL SSF ERROR. FC = fc, RC = rc.

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, FATAL SSF ERROR. FC = fc, RC = rc.

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, FET PRAM. FET = address.

NOS 2 OP/ANL HB 60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RHF, INVALID APPLICATION CALL TO RHF	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
RHF, jobn INVALID APPLICATION CALL TO RHF	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, INVALID APPLICATION NAME ON NETON	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
RHF, jobn INVALID APPLICATION TABLE ADDRESS	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, INVALID APPLICATION TABLE ADDRESS	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
RHF, INVALID CONTROL MESSAGE FOR applnam ON ACNacn RECEIVED	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, INVALID FET PRAM. FET= address	NOS 2 RS VOL 3	60459680
RHF, INVALID FET PRAM. FET = address.	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, jsn INVALID FET PRAM. FET= ADDRESS	NOS 2 RS VOL 3	60459680
RHF, INVALID HEADER ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, jsn INVALID HEADER ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, jsn INVALID HEADER ADDRESS address.	NOS 2 OP/ANL HB	60459310
RHF, INVALID HEADER ADDRESS address.	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, INVALID MINACN/MAXACN ON NETON	NOS 2 OP/ANL HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
RHF, jsn INVALID SSF UCP ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, INVALID SSF UCP ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, jsn INVALID SSF UCP ADDRESS address.	NOS 2 OP/ANL HB	60459310
RHF, INVALID SSF UCP ADDRESS address.	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, INVALID TEXT ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, jsn INVALID TEXT ADDRESS address	NOS 2 RS VOL 3	60459680
RHF, jsn INVALID TEXT ADDRESS address.	NOS 2 OP/ANL HB	60459310
RHF, INVALID TEXT ADDRESS address.	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, NAD on ESTest HAS BEEN TURNED OFF	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, jobn NETOFF AS applnam	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHF, jobn NETON AS applnam ACCEPTED ACN=mina/maxa	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990

MESSAGE

MANUAL

PUB. NO.

RHF, jobn NETON AS applnam REJECTED ACN -
mina/maxa
RHF, jobn - rejmess

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

APPLICATION DISABLED FOR NETON

DUPLICATE NETON REQUEST

INVALID APPLICATION NAME ON NETON

INVALID MINACN/MAXACN ON NETON

NETON SECURITY VIOLATION

NO MORE ANAME SPACE FOR NETON

RHF, NETON SECURITY VIOLATION

NOS 2 OP/ANL HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

RHF, NO APPLICATION ADDRESS IN RHF
CALL--EXTRA CHARGE

NOS 2 OP/ANL HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

RHF, jobn NO APPLICATION ADDRESS IN RHF
CALL--EXTRA CHARGE

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, NO MORE aname SPACE FOR NETON

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, NO MORE TABLE SPACE FOR NETON

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, jsn NOT IN RHF*S TABLES.

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, QUEUED MESSAGE LIMIT EXCEEDED

NOS 2 OP/ANL HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

RHF, jobn QUEUED MESSAGE LIMIT EXCEEDED

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, REJECTED CONTROL MESSAGE FOR applnam ON
ACNacn RECEIVED

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, REMOTE CONNECT REQUEST FROM apiname ON
pid TO applnam LID=lid
RHF, NAD=nn, CH=cc, BUFF=b, TCU=nnnn,
DEST=d, PATH ID=id, ACC=cccc
RHF, REQUEST ACCEPTED

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

MESSAGE

MANUAL PUB. NO.
NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF, REMOTE CONNECT REQUEST FROM ap lname ON
pid TO applnam LID=lid
RHF, NAD=nn, CH=cc, BUFF=b, TCU=nnnn,
DEST=d, PATH ID=id, ACC=cccc
RHF, REQUEST REJECTED - rejmess

INVALID PASSWORD ppppppp

PATH OR NAD UNAVAILABLE

PID/LID NOT AVAILABLE

REQUESTED APPLICATION UNAVAILABLE

RHF SHUTDOWN IN PROGRESS

RHF, SSF ERROR, jsn NOT IN SYSTEM.

RHH01 - INVALID FUNCTION CODE

RHH02 - INVALID PARAMETER BUFFER ADDRESS

RHH03 - USER NOT SYSTEM ORIGIN

RHH04 - CALLED FROM CP 0

RHH05 - NOT CALLED BY SUBSYSTEM CONTROL
POINT

RHH06 - NO SUBSYSTEM CONTROL TABLE FOUND

RHH07 - INVALID SUBSYSTEM NUMBER

RHH10 - NO LOCAL NADS

RHH11 - NAD TABLE OUT OF RANGE

RHH12 - CHANNEL NOT FOUND
ERROR IN LNT ORDINAL ord

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

RHF SUBSYST. RM 60459990

RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OP/ANL HB 60459310
RHF SUBSYST. RM 60459990

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RHH13 - CONFIGURATION ERROR	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHH21 - MORE THAN ONE LNT WITH SAME CHANNEL	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHH22 - INVALID EST ORDINAL	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RHH23 - EST IS NOT A NAD	NOS 2 OP/ANL HB RHF SUBSYST. RM	60459310 60459990
RIGHT PARENTHESIS IS FOLLOWED BY A NAME, CONSTANT, OR LEFT PARENTHESIS	FORTRAN EXT 4	60497800
RIGHT TERMINATOR MISSING	NPS RM	60480500
RING OUT STATUS HAS BEEN FORCED.	NOS 2 OP/ANL HB	60459310
RMest Ccn Ppn Fffff.	NOS 2 OP/ANL HB	60459310
RMF CARRIER LOST.	NOS 2 OP/ANL HB	60459310
RMF INITIATED	NOS 2 OP/ANL HB	60459310
RMF TERMINATED.	NOS 2 OP/ANL HB	60459310
RMF TIME-OUT	NOS 2 OP/ANL HB	60459310
nnnn ROLLOUT ERROR FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
ROLLOUT FILE BAD.	NOS 2 OP/ANL HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
nnnn ROLLOUT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
ROUTE COMPLETE.	NOS 2 RS VOL 3	60459680
ROUTE COMPLETE. JSN IS jsn.	NOS 2 RS VOL 3	60459680
ROUTE CONTROL CARD ERROR.	NOS 2 RS VOL 3	60459680
ROUTE *DC* INCOMPATIBLE WITH *EC*.	NOS 2 RS VOL 3	60459680
ROUTE *FID* IGNORED.	NOS 2 RS VOL 3	60459680
ROUTE ILLEGAL KEYWORD.	NOS 2 RS VOL 3	60459680
ROUTE ILLEGAL *OT* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE INCORRECT *EC* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE INCORRECT *IC* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE INVALID *DO* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE INVALID *FC* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE INVALID SPACING CODE.	NOS 2 RS VOL 3	60459680
ROUTE INVALID *ST* PARAMETER.	NOS 2 RS VOL 3	60459680
ROUTE *OT* NOT ALLOWED.	NOS 2 RS VOL 3	60459680
ROUTE *PRI* IGNORED.	NOS 2 RS VOL 3	60459680
ROUTE *REP* GT 31. DEFAULT USED.	NOS 2 RS VOL 3	60459680
ROUTE *ST* IGNORED.	NOS 2 RS VOL 3	60459680
ROUTE *TID* AND *FM/UN* CONFLICT.	NOS 2 RS VOL 3	60459680
ROUTE *TID/FM/UN* and *ID* CONFLICT.	NOS 2 RS VOL 3	60459680
ROUTE *TID=xx - VALUE IGNORED.	NOS 2 RS VOL 3	60459680
ROUTE UNDEFINED SERVICE CLASS.	NOS 2 RS VOL 3	60459680
filename ROUTED, JOB NAME - jobname	NOS 2 OP/ANL HB	60459310
filename ROUTED. JSN IS jsn.	NOS 2 RS VOL 3	60459680
ROUTING FAILURE - MESSAGE DISCARDED	MCS 1 RM	60480300
RPV-ADDRESS OUT OF RANGE.	NOS 2 RS VOL 4	60459690
RPV-CALLED WITHOUT AUTO-RECALL.	NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RPV-ILLEGAL CALL.	NOS 2 RS VOL 4	60459690
RPV-ILLEGAL FUNCTION CODE.	NOS 2 RS VOL 4	60459690
RPV-ILLEGAL PENDING INTERRUPT.	NOS 2 RS VOL 4	60459690
RPV-ILLEGAL PENDING RA+1 REQUEST.	NOS 2 RS VOL 4	60459690
RPV-LWA OF CHECKSUM .LT. FWA.	NOS 2 RS VOL 4	60459690
RPV-PARAMETER BLOCK TOO SHORT.	NOS 2 RS VOL 4	60459690
RPV - PREVIOUS ERROR CONDITIONS RESET.	NOS 2 RS VOL 3	60459680
RPV-UNDEFINED MASK.	NOS 2 RS VOL 4	60459690
RTIME nnnnnn.nnn SECS.	NOS 2 RS VOL 3	60459680
RUN TIME EXCEEDED. NPS TERMINATED	NPS RM	60480500
RUN UNIT ABORT, CDCS CMM OVERFLOW	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
RUN-UNIT TERMINATED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
RWCS ERROR IN BODY-NEXT-GROUP ROUTINE	COBOL 5 DH	60482500
RWCS ERROR IN BODY-NEXT-GROUP ROUTINE	COBOL 5 RM	60497100
RWCS ERROR IN BODY-PAGING ROUTINE	COBOL 5 DH	60482500
RWCS ERROR IN BODY-PAGING ROUTINE	COBOL 5 RM	60497100
RWCS ERROR IN SPACING ROUTINE	COBOL 5 DH	60482500
RWCS ERROR IN SPACING ROUTINE	COBOL 5 RM	60497100
RX SPECIFIED TWICE	FORM RM	60496200
System error.	NOS 2 RS VOL 3	60459680
S CODE IS SPECIFIED	FORTRAN EXT 4	60497800
S/N MISMATCH - serialn JOB ABORTED.	NOS 2 SYS MAINT	60459300
S OPTION ILLEGAL WITH X, Q, OR A.	MODIFY RM	60450100
SAMPLE FWA .GE. LWA.	NOS 2 OP/ANL HB	60459310
filename SAVED.	XEDIT 3 RM	60455730
SCALAR FORMAT SPECIFIER MUST BE INTEGER	FORTRAN 5 RM	60481300
SCANNING RESOURCE DEMAND FILE.	NOS 2 OP/ANL HB	60459310
SCHEMA/AREA ID id TOO LARGE	CDCS 2 DA RM	60485200
SCHEMA sn DBREC JOB REQUEST	CDCS 2 AP RM	60485300
SCHEMA ID MISMATCH ON CDCS file	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
SCHEMA ID MISMATCH ON QRF FOR SCHEMA	CDCS 2 DA RM	60485200
SCHEMA NAME/ID ON LOGFILE DOES NOT MATCH MD	CDCS 2 DA RM	60485200
SCHEMA NOT UP - CDCS TRANSACTION ROLL BACK NOT COMPLETE SCHEMA sn	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
SCLI,node,C1,port,0,blkst.	NOS 2 OP/ANL HB	60459310
SCLI,node,C2,charst.		
SCLI,node,C3,blocksrt.		
SCM COMMON BLOCK LENGTH EXCEEDS 131071	FORTRAN 5 RM	60481300
SCNQ,node,C1,statistics1.	NOS 2 OP/ANL HB	60459310
SCNQ,node,C2,statistics2.		
SCNQ,node,C3,statistics3.		
SCNQ,node,C4,statistics4.		
SCP INVALID TRANSFER ADDRESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SCP PROBLEM - TAKE DEADSTART DUMP.	NOS 2 OP/ANL HB	60459310
nnnn SCP ROLLIN FILES RECOVERED.	NOS 2 OP/ANL HB	60459310

MESSAGE

nnnn SCP ROLLOUT FILES RECOVERED.
SCP TERMINATION PROCESSING.
SCRIPT COMPLETE
xxx SCRIPT EXITED BY TERMINAL xxxxxxxx
SCRIPT LIBRARY TOO LONG
SCRIPT NAME MUST BE LQ 3 CHARS
SCRIPT xxx NOT ON SL
SCRIPT STATEMENT MISSING
SCRIPT — 7 CHAR MASK NEEDED, ISEND LOGIN
SCRIPTS CANNOT FOLLOW TASK DEFINITIONS.
SCTD UTILITY COMPLETE.
SCTU,node,C1,port,0,blkst.
SCTU,node,C2,charst.
SCTU,node,C3,blocksrt.
SDF INSTALLATION COMPLETE.
SEARCH INVALID ON DESTINATION SPEC
SECOND SELECTOR-EXPRESSION ITEM NOT RECOGNIZED
SECOND SELECTOR-EXPRESSION ITEM NOT RECOGNIZED
SECONDARY OLDPL NOT RANDOM
nnnnnn.nnn SECONDS CP TIME
SECURE FILES - CHECKPOINT ABORT.
SECURE MEMORY, DUMP DISABLED.
SECURE MEMORY, DUMP DISABLED.
SECURE MEMORY, DUMP DISABLED.
SECURITY CONFLICT.
SECURITY VIOLATION
SECURITY VIOLATION APP jobid.
SECURITY VIOLATION ON FILE filename AT
address.
SEE I-DISPLAY
SEE JOB DAYFILE.
SEGRES TOO LARGE
SELECTED CUBE NOT ASSIGNED AS EXPECTED.
NUMBER PROCESSED = n.
SELECTED CUBE NOT EMPTY.
NUMBER PROCESSED = n.
SELECTED CUBE NOT UNASSIGNED.
NUMBER PROCESSED = n.
SELECTED DEVICE NOT MASS STORAGE.
SELECTION ERRORS, UPDATE PHASE SUPPRESSED
SELECTOR-EXPRESSION NOT TERMINATED BY COLON
SELECTOR-EXPRESSION NOT TERMINATED BY COLON
SELECTOR MOTION ERROR.
DESTAGE RESTARTED.
SEND TO TERMINAL NOT LOGGED IN.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
UPDATE RM	60449900
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NAM 1 RM	60499500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
LOADER 1 RM	60429800
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500

MESSAGE

/ SEPARATOR MISSING
SEPARATOR MISSING AT nnnnn
SEPARATOR MISSING. SEPARATOR ASSUMED HERE
SEQUENCE NUMBER EXCEEDS 131071
SEQUENCING BAD AFTER ADDRESS nnnnnn IN
RECORD TYPE x.
SERIAL NUMBER = xxxxxxxxxxxx
SERIAL NUMBER FIELD MISSING
SERIAL NUMBER INVALID
SERIAL NUMBER NOT FOUND
SERIAL NUMBER TOO LARGE
SET CODE-SET ON ACTIVE FILE
SET CODE-SET ON ACTIVE FILE
SET EST ORDINAL xx ON /CH yy
SET VALUE ILLEGAL
SETTING PF ACTIVITY COUNT.
SETTING UTILITY INTERLOCK.
SFM ABORTED.
SFM ARGUMENT ERROR.
SFM EML MESSAGE LENGTH ERROR.
SFM CURRENT ATTRIBUTE IS NOT IN LID TABLE.

SFM - DAYFILE BUSY.
SFM DIRECT ACCESS FILE ERROR.
SFM DUPLICATE FILE FOUND.
SFM FAMILY STILL ACTIVE.
SFM FAST ATTACH SYSTEM SECTOR ERROR.
SFM FILE NAME ERROR.
SFM FILE NOT ON MASS STORAGE.
SFM FMT FULL.
SFM GLOBAL FAST ATTACH LIMIT.
SFM I/O SEQUENCE ERROR.

SFM ILLEGAL DAYFILE CODE.
SFM ILLEGAL EQUIPMENT.
SFM ILLEGAL FILE TYPE.
SFM ILLEGAL REQUEST.
SFM - LID NOT LEGAL.

SFM - LID TABLE TOO LARGE FOR BUFFER.

SFM - LID TABLE TOO LONG FOR BUFFER.

SFM LINK FAST ATTACH FILE NOT FOUND.
SFM SYSTEM SECTOR ERROR.
SFM TRACK INTERLOCK ERROR.
SFM UNABLE TO INTERLOCK DEVICE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
MCS 1 RM	60480300
MCS 1 RM	60480300
MCS 1 RM	60480300
MCS 1 RM	60480300
MCS 1 RM	60480300
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NPS RM	60480500
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 OP/ANL HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SFM - UNCORRECTABLE RMS ERROR.	NOS 2 RS VOL 4	60459690
SFM UNRECOVERABLE LINK DEVICE ERROR.	NOS 2 OP/ANL HB	60459310
SFP CALL ERROR.	NOS 2 RS VOL 3	60459680
SFP/DOO BAD ERROR TEXT.	NOS 2 RS VOL 3	60459680
SFP/DOO ERROR TEXT NOT FOUND.	NOS 2 RS VOL 3	60459680
SFP/DOO ERROR TEXT NOT ON MASS STORAGE.	NOS 2 RS VOL 3	60459680
SFP/DOO INVALID MESSAGE NUMBER.	NOS 2 RS VOL 3	60459680
SFP/xxx ILLEGAL FUNCTION CODE.	NOS 2 RS VOL 3	60459680
SFP/xxx ILLEGAL ORIGIN CODE.	NOS 2 RS VOL 3	60459680
SFP/xxx PARAMETER ERROR.	NOS 2 RS VOL 3	60459680
SFP/PFE I/O SEQUENCE ERROR.	NOS 2 RS VOL 3	60459680
SFP/RFV UNABLE TO RESET, NOT REPRIEVED.	NOS 2 RS VOL 3	60459680
SFP/SRP SPECIAL REQUEST PROCESSING ERROR.	NOS 2 RS VOL 3	60459680
SFP/STS UNKNOWN DEVICE TYPE/NAME.	NOS 2 RS VOL 3	60459680
SH/ISD ON NON-EXISTENT AN.	NOS 2 OP/ANL HB	60459310
SHALL WE RETRY THE CDCS REQUEST-ANSWER Y OR N	QUERY UPDT 3 RM	60498300
SHARE TABLE ERROR.	NOS 2 RS VOL 3	60459680
jsn SHARE TABLE MISMATCH.	NOS 2 RS VOL 3	60459680
jsn SHARE TABLE MISMATCH.	NOS 2 RS VOL 4	60459690
SHARED DEVICE ACTIVE IN DAT.	NOS 2 OP/ANL HB	60459310
SHELL PROGRAM NOT FOUND.	RHF SUBSYST. RM	60459990
SHIFT ARGUMENT MUST BE GREATER THAN -61 AND LESS THAN 61	FORTRAN EXT 4	60497800
SHIFT COUNT MUST BE BETWEEN -60 AND 60	FORTRAN 5 RM	60481300
SHORT FORMS OF LOGICAL OPERATORS OR CONSTANTS NOT ALLOWED	FORTRAN EXT 4	60497800
.SHUTDOWN IMMINENT.	NOS 2 OP/ANL HB	60459310
SHUTDOWN IN PROGRESS	RBF 1 RM	60499600
SHUTTLE ERROR.	NOS 2 OP/ANL HB	60459310
REPLY GO TO RETRY - DROP TO OFF DEVICE.		
SI CODED FORMAT ILLEGAL.	NOS 2 RS VOL 4	60459690
SI DAMAGE	APL 2 RM	60454000
SIGNED COUNT ALLOWED ONLY BEFORE P EDIT DESCRIPTOR	FORTRAN 5 RM	60481300
SIGNED COUNT ALLOWED ONLY BEFORE P OR X CODE	FORTRAN EXT 4	60497800
SIMPLE VARIABLE OR CONSTANT FOLLOWED BY LEFT PARENTHESIS	FORTRAN EXT 4	60497800
SINGLE FRAME ERROR.	NOS 2 RS VOL 3	60459680
SINGLE WORD CONSTANT MATCHED WITH DOUBLE OR COMPLEX VARIABLE. PRECISION LOST	FORTRAN EXT 4	60497800
SIP - ADDRESS NOT IN FL xxxxx	NPS RM	60480500
SIP - CH/CONFLICT xx -ABORT-	NPS RM	60480500
SIP - MORE THAN 2-PIPS -ABORT-	NPS RM	60480500
SIP - Nx BAD FCT/CODE xxxxx	NPS RM	60480500
SIP - Nx BAD MSG/LTH STIM xxxxx	NPS RM	60480500
SIP - Nx BAD NPU MEM/ADR xxxxx	NPS RM	60480500
SIP - Nx BAD PPU ORDER xxxxx	NPS RM	60480500
SIP - Nx CH xx ACT/EMPTY NO FCT	NPS RM	60480500
SIP - Nx CH xx ACTIVE AFT/1SEC	NPS RM	60480500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SIP - Nx CHxx FULL ON OUTPUT	NPS RM	60480500
SIP - Nx CHxx IMPROP/CH/RELEASE	NPS RM	60480500
SIP - Nx CHxx INACTIVE TO OUT	NPS RM	60480500
SIP - Nx CHxx IS EMPTY TO INP	NPS RM	60480500
SIP - Nx CHxx NO EQ/NUM xx	NPS RM	60480500
SIP - Nx CHxx NO RESPONSE PIP	NPS RM	60480500
SIP - Nx CH STILL EMPTY AFT/1SEC	NPS RM	60480500
SIP - Nx COUP WRONG FOR NPU STATUS	NPS RM	60480500
SIP - Nx INP/BUF ALREADY EMPTY	NPS RM	60480500
SIP - Nx MXLTH TOO BIG FOR O-BUF	NPS RM	60480500
SIP - NO MATCH NPID=xxxxx -ABORT-	NPS RM	60480500
SIP - NO MSG TERM FROM PIP	NPS RM	60480500
SIP - NPU SIMULATION DROP	NPS RM	60480500
SIP - PARAM/LIST BAD -ABORT-	NPS RM	60480500
SIP - STIM ABORTED NO ACT/NPUS	NPS RM	60480500
SIZE-CODE VIOLATION	COM MEM MGMT 1	60499200
SIZE OF ARRAY nnnnn EXCEEDS 1048568	FORTRAN 5 RM	60481300
SIZE OF ARRAY nnnnn EXCEEDS 131071	FORTRAN 5 RM	60481300
SIZE PARAMETER NOT NUMERIC TYPE	8-BIT SUBR RM	60495500
SKF est,nn.	NOS 2 OP/ANL HB	60459310
SKIP COUNT FOR X CODE IS PRECEDED BY nnnnn	FORTRAN EXT 4	60497800
SKP est,nn.	NOS 2 OP/ANL HB	60459310
SKR est,nn.	NOS 2 OP/ANL HB	60459310
SL LIST TOO BIG - CONSULT UCLOAD IMS	LOADER 1 RM	60429800
SL NOT SPECIFIED CORRECTLY.	NOS 2 SYS MAINT	60459300
SL NOT VALIDATED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SLASH MUST BE FOLLOWED BY AN OCTAL OR INTEGER CONSTANT	FORTRAN 5 RM	60481300
SLAVE MODE - LOADING MSSSLV.	NOS 2 OP/ANL HB	60459310
SLL ARGUMENT ERROR.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SLTC ERROR	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
SLV1 ABNORMAL - xxx.	NOS 2 SYS MAINT	60459300
SLV1 ACTIVE, EXEC xxxxx.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SLV1 - ERROR TERMINATION (1).	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SLV1 - IDLED DOWN.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SLV1, MTOSPFN xxxxx.	NOS 2 SYS MAINT	60459300
SLV1, STOMNO1 xxxxx.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SMP INVALID SM = aabb, ACN = nn.	NOS 2 OP/ANL HB	60459310
SOLICITATION LIMIT EXCEEDED	MCS 1 RM	60480300
SORT/MERGE WITHIN SORT/MERGE	COBOL 5 DH	60482500
SORT/MERGE WITHIN SORT/MERGE	COBOL 5 RM	60497100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SOURCE ALREADY IN USE	MCS 1 RM	60480300
SOURCE CHARACTER NOT 0 OR 1, TO BIT STRING	FORM RM	60496200
SOURCE CHARACTER NOT 0 OR 1, TO BIT STRING	8-BIT SUBR RM	60495500
SOURCE EXPONENT TOO LARGE, NOT REPRESENTABLE	8-BIT SUBR RM	60495500
SOURCE EXPONENT TOO LARGE, NOT REPRESENTABLE	FORM RM	60496200
SOURCE STATEMENT SYNTAX ERROR	COBOL 5 DH	60482500
SOURCE STATEMENT SYNTAX ERROR	COBOL 5 RM	60497100
SPCW CALL ERROR.	NOS 2 RS VOL 3	60459680
nnnn SPECIAL FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
SPECIAL REQUEST PROCESSING ERROR.	NOS 2 RS VOL 3	60459680
SPECIFIED CHANNEL IS IN USE.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SPIN DOWN UNIT xx.	NOS 2 OP/ANL HB	60459310
SPURIOUS CHARACTERS AFTER CONTINUE IGNORED	FORTRAN EXT 4	60497800
SR-m-2 yyyy yyyy yyyy yyyy yyyy.	NOS 2 OP/ANL HB	60459310
SR-m-1 yyyy yyyy yyyy yyyy yyyy.		
SR-m-0 yyyy yyyy yyyy yyyy yyyy.		
SRU LIMIT	NOS 2 RS VOL 3	60459680
ENTER S TO CONTINUE OR CR KEY TO STOP:		
SSF FUNCTION nn RECEIVED ERROR mm FOR zzzzzzz.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
ST NOT SPECIFIED CORRECTLY.	NOS 2 SYS MAINT	60459300
STACK DEPTH EXCEEDED	UPDATE RM	60449900
STACK PURGING NOT DESELECTABLE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
pfn STAGE INITIATED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
STAGING DELAY, FM=famname, UI=userin. DISK FULL. REPLY GO TO CONTINUE.	NOS 2 OP/ANL HB	60459310
STAR DUMMY ARGUMENT ILLEGAL IN FUNCTION	FORTRAN 5 RM	60481300
START COBOL MERGE	COBOL 5 DH	60482500
START COBOL MERGE	COBOL 5 RM	60497100
START COBOL SORT	COBOL 5 DH	60482500
START COBOL SORT	COBOL 5 RM	60497100
STATEMENT BUFFER FULL.	NOS 2 OP/ANL HB	60459310
STATEMENT CAN TRANSFER TO ITSELF	FORTRAN 5 RM	60481300
STATEMENT CAN TRANSFER TO ITSELF	FORTRAN EXT 4	60497800
STATEMENT FUNCTION DEFINITION MUST OCCUR BEFORE FIRST EXECUTABLE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DEFINITION MUST OCCUR BEFORE FIRST EXECUTABLE	FORTRAN EXT 4	60497800
STATEMENT FUNCTION DUMMY ARGUMENT nnn CANNOT BE AN ARRAY	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY PARAMETER nnnnn NOT SIMPLE VARIABLE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY PARAMETER nnnnn NOT SIMPLE VARIABLE	FORTRAN EXT 4	60497800
STATEMENT FUNCTION nnnnn HAS NULL DEFINITION -- IGNORED	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn HAS NULL DEFINITION -- IGNORED	FORTRAN EXT 4	60497800
STATEMENT FUNCTION nnnnn INDIRECTLY REFERENCES ITSELF	FORTRAN 5 RM	60481300
STATEMENT FUNCTION INVALID IN DATA VARIABLE LIST	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn -- MISPLACED EQUAL SIGN	FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
STATEMENT FUNCTION nnnnn — MISPLACED EQUAL SIGN	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn REFERENCE — RIGHT PAREN MISSING	FORTRAN EXT 4	60497800
STATEMENT IS NOT DEFINED IN ANSI	FORTRAN EXT 4	60497800
STATEMENT IS NOT DEFINED IN ANSI	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn CONTAINS NON-DIGIT	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn CONTAINS NON-DIGIT	FORTRAN EXT 4	60497800
STATEMENT LABEL nnnnn EXCEEDS 5 DIGITS	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn EXCEEDS 5 DIGITS	FORTRAN EXT 4	60497800
STATEMENT LABEL EXPECTED BUT NOT FOUND	FORTRAN 5 RM	60481300
STATEMENT LABEL EXPECTED BUT NOT FOUND	FORTRAN EXT 4	60497800
STATEMENT LABEL IGNORED	FORTRAN EXT 4	60497800
STATEMENT LABEL nnnnn MUST BE NUMERIC	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn MUST BE NUMERIC	FORTRAN EXT 4	60497800
STATEMENT LABEL nnnnn REFERENCED BUT NOT DEFINED	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn REFERENCED BUT NOT DEFINED	FORTRAN EXT 4	60497800
STATEMENT LABEL WITH NO STATEMENT	FTN 4-5 CONV RM	60483000
STATEMENT LABEL ZERO IGNORED	FORTRAN EXT 4	60497800
STATEMENT LABEL ZERO IS ILLEGAL	FORTRAN EXT 4	60497800
STATEMENT LABELS NOT AVAILABLE	INTER DEBUG RM	60481400
STATEMENT MISPLACED	FORTRAN 5 RM	60481300
nnnnn STATEMENT MISPLACED	FORTRAN EXT 4	60497800
STATEMENT TOO LONG.	NOS 2 OP/ANL HB	60459310
STATEMENT TOO LONG	FORTRAN EXT 4	60497800
STATEMENT TRANSFERS TO ITSELF	FORTRAN 5 RM	60481300
STATEMENT TRANSFERS TO ITSELF	FORTRAN EXT 4	60497800
STATEMENT WORD TOO LONG	NPS RM	60480500
STATEMENTS BEGINNING AT THE BELOW LINE NUMBERS ARE UNREACHABLE (DEAD CODE), AND WILL NOT BE PROCESSED.	FORTRAN 5 RM	60481300
STATEMENTS BEGINNING AT THE BELOW LINE NUMBERS ARE UNREACHABLE (DEAD CODE), AND WILL NOT BE PROCESSED	FORTRAN EXT 4	60497800
STATION DOWN	NOS 2 RS VOL 3	60459680
STATUS/CONTROL REGISTERS NOT FOUND.	NOS 2 SYS MAINT	60459300
STATUS ERROR, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
STATUS RETURN NOT COMP-2	8-BIT SUBR RM	60495500
STEP CONDITION.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
STIM - EMPTY SCRIPT LIBRARY	NPS RM	60480500
STIM - HASP CR OR LP NOT DEFINED IN LCF	NPS RM	60480500
STIM - ILLEGAL INPUT CARD, xxxxxx	NPS RM	60480500
STIM INITIALIZING NETWORK	NPS RM	60480500
STIM RUN COMPLETE	NPS RM	60480500
STIM - TOO MANY ACTIVE REPEATS	NPS RM	60480500
STIMULATION COMPLETE.	NOS 2 SYS MAINT	60459300
STIMULATOR RUN STARTED	NPS RM	60480500
STOP RUN NOT ENCOUNTERED IN PROGRAM	COBOL 5 DH	60482500
STOP RUN NOT ENCOUNTERED IN PROGRAM	COBOL 5 RM	60497100

MESSAGE

STORAGE NOT AVAILABLE.
STRING ADDRESS CANNOT BE nnnnn
STRING ADDRESS CANNOT BE CHARACTER
STRING ADDRESS MUST BE ARRAY ELEMENT OR SIMPLE VARIABLE
STRING/CONSTANT TOO LONG
STRING DELIMITER MISSING
STRING NOT FOUND
STRING NOT IN NUMERIC SYNTACTIC FORM
STRING NOT IN NUMERIC SYNTACTIC FORM
STRING OVERFLOW
STRING OVERFLOW -- STRING WILL BE TRUNCATED
STRING RELATION IS NOT .EQ. OR .NE.
STRING RELATION IS NOT .EQ. OR .NE.
STRING TERMINATOR MISSING
STRING TOO LONG.
STRING TOO LONG
SU NOT SPECIFIED CORRECTLY.
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY EXISTS—FILE NOT UPDATED
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY EXISTS --- FILE NOT UPDATED
SUBMIT COMPLETE. JSN IS jobseq
SUBMIT ERROR - RETRY
SUBMIT FILE EMPTY.
SUBMIT NOT CALLED FROM HELLO7
SUBROUTINE ENTRY nnnnn MAY NOT APPEAR IN A DECLARATIVE STATEMENT
SUBROUTINE NAME REFERRED TO BY CALL IS USED ELSEWHERE AS A NON-SUBROUTINE NAME
SUBROUTINE nnnnn REFERENCE AS A FUNCTION
SUBROUTINE nnnnn REFERENCED AS A FUNCTION
SUBSCRIPT DOES NOT CONFORM TO ANSI STANDARD
SUBSCRIPT ERROR
nnnnn SUBSCRIPT EXCEEDS 2**17-1
SUBSCRIPT nnnnn EXCEEDS 2**17-1
SUBSCRIPT mmmmm FOR nnnnn NOT INTEGER -- TRUNCATED
nnnnn SUBSCRIPT LESS THAN 1 OR EXCEEDS DIMENSION
SUBSCRIPT nnnnn MUST BE NON-ZERO NUMERIC INTEGER CONSTANT
SUBSCRIPT sssss OF nnnnn IS NOT A NUMERIC TYPE
SUBSCRIPT sssss OF nnnnn IS NOT TYPE INTEGER
SUBSCRIPT sssss OF nnnnn VIOLATES LOWER DIMENSION BOUND
SUBSCRIPT sssss OF nnnnn VIOLATES UPPER DIMENSION BOUND
SUBSCRIPT mmmmm ON nnnnn MUST NOT BE LOGICAL
SUBSCRIPT OUT OF RANGE
SUBSCRIPT OUT OF RANGE
SUBSCRIPT OUT OF RANGE
nnnnn SUBSCRIPT OUTSIDE OF ARRAY BOUNDS
SUBSCRIPTS IN DATA MUST BE INTEGER

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
FORM RM	60496200
XEDIT 3 RM	60455730
8-BIT SUBR RM	60495500
FORM RM	60496200
BASIC 3 RM	19983900
INTER DEBUG RM	60481400
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 SYS MAINT	60459300
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
COBOL 5 DH	60482500
COBOL 5 RM	60497100
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SUBSTRING EXPRESSION NOT INTEGER	FORTRAN 5 RM	60481300
SUBSTRING ILLEGAL FOR OPERAND nnnnn	FORTRAN 5 RM	60481300
SUBSTRING ILLEGAL FOR PARAMETER nnnnn	FORTRAN 5 RM	60481300
SUBSTRINGED VARIABLE nnnnn NOT TYPE CHARACTER	FORTRAN 5 RM	60481300
SUBSYSTEM ABORTED.	NOS 2 RS VOL 3 NOS 2 OP/ANL HB NOS 2 RS VOL 4	60459680 60459310 60459690
SUBSYSTEM NOT FOUND.	NOS 2 SYS MAINT	60459300
SUBMIT ERROR - RETRY	NOS 2 RS VOL 3	60459680
SUP est.	NOS 2 OP/ANL HB	60459310
SUPERFLUOUS SCALE FACTOR ENCOUNTERED BEFORE THE CURRENT SCALE FACTOR	FORTRAN EXT 4	60497800
nnnn SUSPENDED ROLLOUT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
SYMBOL TABLE OVERFLOW	FORTRAN EXT 4	60497800
SYMBOL TOO BIG	NOS 2 INSTAL HB	60459320
SYMBOLIC CONSTANT IN COMPLEX CONSTANT NOT ANSI	FORTRAN 5 RM	60481300
SYMBOLIC-NAME ?	MCS 1 RM	60480300
SYMBOLIC NAME HAS TOO MANY CHARACTERS	FORTRAN EXT 4	60497800
-SYMPL- BAD EXP CALL TO FTN	SYMPL 1 RM	60496400
-SYMPL- BAD LOADER CALL	SYMPL 1 RM	60496400
-SYMPL- ccccccccc COMPILED cp secs	SYMPL 1 RM	60496400
-SYMPL- COMPILER ABORT	SYMPL 1 RM	60496400
SYMPL COMPILER ERROR nnnn -- error text	SYMPL 1 RM	60496400
-SYMPL- EMPTY INPUT FILE	SYMPL 1 RM	60496400
-SYMPL- ERRORS IN TEXT GENERATION	SYMPL 1 RM	60496400
-SYMPL- INSUFFICIENT FL	SYMPL 1 RM	60496400
-SYMPL- INSUFFICIENT LCM FL	SYMPL 1 RM	60496400
-SYMPL- INSUFFICIENT SCM FL	SYMPL 1 RM	60496400
-SYMPL- MORE THAN 1 Z PARAMETERS	SYMPL 1 RM	60496400
-SYMPL- MORE THAN 16 TEXTS ON USE TEXT	SYMPL 1 RM	60496400
-SYMPL- MORE THAN 32 SYMPL TEXTS ON Y FILES	SYMPL 1 RM	60496400
-SYMPL- MORE THAN 7 Y PARAMETERS	SYMPL 1 RM	60496400
-SYMPL- SYMPL TEXT NOT FOUND	SYMPL 1 RM	60496400
-SYMPL- SYMPL TEXT NOT WRITTEN	SYMPL 1 RM	60496400
-SYMPL- Y FILE NOT ON RANDOM DEVICE	SYMPL 1 RM	60496400
command SYNTAX ERROR.	TEXT EDITOR RM	60436100
SYNTAX ERROR	APL 2 RM	60454000
SYNTAX ERROR	MCS 1 RM	60480300
SYNTAX ERROR	NPS RM	60480500
SYNTAX ERROR, ASDEBUG ABORT.	NOS 2 SYS MAINT	60459300
SYNTAX ERROR - ASLABEL ABORT.	NOS 2 SYS MAINT	60459300
SYNTAX ERROR AT COMMA	FORM RM	60496200
SYNTAX ERROR IN ARGUMENT LIST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN ASF DEFINITION	FORTRAN EXT 4	60497800
SYNTAX ERROR IN BLOCK NAME	FORTRAN EXT 4	60497800
SYNTAX ERROR IN BLOCK NAME	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SYNTAX ERROR IN DATA CONSTANT LIST	FORTRAN 5 RM	60481300
SYNTAX ERROR IN DATA CONSTANT LIST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN DATA ITEM LIST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN DATA STATEMENT	FORTRAN 5 RM	60481300
SYNTAX ERROR IN DATA STATEMENT	FORTRAN EXT 4	60497800
SYNTAX ERROR IN DIMENSION DECLARATION	FORTRAN 5 RM	60481300
SYNTAX ERROR IN DIMENSION STATEMENT	FORTRAN EXT 4	60497800
SYNTAX ERROR IN DIRECTIVE.	NOS 2 SYS MAINT	60459300
SYNTAX ERROR IN DUMMY ARGUMENT LIST OF STATEMENT FUNCTION	FORTRAN EXT 4	60497800
SYNTAX ERROR IN EQUIVALENCE STATEMENT	FORTRAN 5 RM	60481300
SYNTAX ERROR IN EQUIVALENCE STATEMENT	FORTRAN EXT 4	60497800
SYNTAX ERROR IN GO TO STATEMENT	FORTRAN 5 RM	60481300
SYNTAX ERROR IN GO TO STATEMENT	FORTRAN EXT 4	60497800
SYNTAX ERROR IN I/O CONTROL LIST AT nnnnn	FORTRAN 5 RM	60481300
SYNTAX ERROR IN I/O IMPLIED DO	FORTRAN 5 RM	60481300
SYNTAX ERROR IN I/O IMPLIED DO	FORTRAN EXT 4	60497800
SYNTAX ERROR IN IMPLIED DO NEST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN IMPLIED DO NESTING	FORTRAN EXT 4	60497800
SYNTAX ERROR IN INPUT/OUTPUT STATEMENT	FORTRAN EXT 4	60497800
SYNTAX ERROR IN LID.	NOS 2 SYS MAINT	60459300
SYNTAX ERROR IN LOADER DIRECTIVE	FORTRAN EXT 4	60497800
SYNTAX ERROR IN NAMELIST	FORTRAN 5 RM	60481300
SYNTAX ERROR IN NAMELIST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN PROGRAM CARD -- SCAN STOPPED AT nnnnn	FORTRAN EXT 4	60497800
SYNTAX ERROR IN PROGRAM UNIT NAME	FORTRAN EXT 4	60497800
SYNTAX ERROR IN PROGRAM UNIT NAME	FORTRAN 5 RM	60481300
SYNTAX ERROR IN SUBSCRIPT LIST, MUST BE OF FORM CON1*VAR*CON2	FORTRAN EXT 4	60497800
SYNTAX ERROR IN SUBSTRING EXPRESSION FOR nnnnn	FORTRAN 5 RM	60481300
SYNTAX ERROR ON DIMENSION INDICATOR FOR nnnnn	FORTRAN EXT 4	60497800
SYNTAX ERRORS IN INPUT	FTN 4-5 CONV RM	60483000
SYNTAX...NO DIGIT AFTER -E- IN NUMERIC LITERAL	FORM RM	60496200
SYNTAX...NO DIGIT AFTER -E- IN NUMERIC LITERAL	8-BIT SUBR RM	60495500
SYNTAX OF DO MUST BE I=M1,M2,M3 OR M1,M2	FORTRAN 5 RM	60481300
SYNTAX OF DO MUST BE I=M1,M2,M3 OR M1,M2	FORTRAN EXT 4	60497800
SYNTAX ERROR	NOS 2 OP/ANL HB	60459310
SYN001 SYNTAX ERROR	PL/I RM	60388100
SYN001 *** END OF PROGRAM INSIDE A COMMENT		
SYN001 *** FIRST STATEMENT NOT A LEGAL PROC. NO.PROC: PROCEDURE OPTIONS(MAIN); ASSUMED		
SYN001 *** PROGRAM MUST BE A COMPLETE EXTERNAL PROCEDURE. END CARDS SUPPLIED		
SYN001 *** THE CLOSURE NAME CANNOT BE FOUND, STATEMENT IGNORED		
SYN002 ALLOCATION WITH SET- OR IN-OPTION IS ALLOWED ONLY FOR BASED VARIABLES	PL/I RM	60388100
SYN003 BY OR TO ILLEGAL WITH INDEX OF NON-COMPUTATIONAL TYPE	PL/I RM	60388100
SYN004 LARGEST INTEGER PERMITTED IN CERTAIN CONTEXTS IS 16383	PL/I RM	60388100
SYSEEDIT ARGUMENT ERROR.	NOS 2 SYS MAINT	60459300
SYSTEM ABORT.	NOS 2 OP/ANL HB	60459310
SYSTEM ABORT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SYSTEM ABORT.	NOS 2 OP/ANL HB	60459310
SYSTEM ABORT OF TASK.	TAF 1 RM	60459500
SYSTEM ACTIVITY PROHIBITS LIBRARY CHANGE.	NOS 2 OP/ANL HB	60459310
SYSTEM BUILT WITH LIBDnn. or SYSTEM BUILT WITH LIBDnn. (UNDEFINED)	NOS 2 OP/ANL HB	60459310
SYSTEM BUSY.	NOS 2 OP/ANL HB	60459310
SYSTEM CHECKPOINT ABORT.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM DAYFILE PROCESSED.	NOS 2 SYS MAINT	60459300
SYSTEM EDIT COMPLETE - CHANGE n.	NOS 2 SYS MAINT	60459300
SYSTEM ERR, EOI ON LIBRARY - name	LOADER 1 RM	60429800
SYSTEM ERROR.	NOS 2 SYS MAINT	60459300
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM ERROR LOADING - name	LOADER 1 RM	60429800
SYSTEM ERROR - NOTIFY SITE ANALYST.	NOS 2 RS VOL 3	60459680
SYSTEM FILE DESTROYED.	NOS 2 OP/ANL HB	60459310
SYSTEM FILE ERROR IN CLD.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
SYSTEM FILE ERROR IN DIRECTORY.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
SYSTEM FILE ERROR IN PLD.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
SYSTEM FILE ERROR IN RCL.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
SYSTEM FILE ERROR IN RPL.	NOS 2 OP/ANL HB	60459310
	NOS 2 SYS MAINT	60459300
SYSTEM FILE FORMAT ERROR.	NOS 2 OP/ANL HB	60459310
SYSTEM FILE PARITY ERROR.	NOS 2 OP/ANL HB	60459310
SYSTEM FILE RESERVED.	NOS 2 OP/ANL HB	60459310
SYSTEM LIBRARY CHANGE ILLEGAL.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SYSTEM NOT IN ENGR MODE.	NOS 2 SYS MAINT	60459300
	NOS 2 OP/ANL HB	60459310
SYSTEM PROCEDURE ACCESS ERROR.	NOS 2 RS VOL 3	60459680
SYSTEM PROLOGUE NOT FOUND.	NOS 2 RS VOL 3	60459680
SYSTEM PROLOGUE NOT FOUND.	NOS 2 SYS MAINT	60459300
SYSTEM SECTOR ERROR.	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM SECTOR ERROR - FILE IGNORED.	NOS 2 SYS MAINT	60459300
SYSTEM TABLE FILE DESTROYED.	NOS 2 OP/ANL HB	60459310
SYSTEM TAPE PARITY ERROR.	NOS 2 OP/ANL HB	60459310
SYSTEM TASK LIBRARY MISSING TASK, taskname.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
SYSTEM TOO BIG FOR MASS STORAGE.	NOS 2 OP/ANL HB	60459310
mTest, CHcc Equip PFC ERROR.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
T CODE IS NULL OR ZERO, COLUMN POINTER RESET AT 1	FORTRAN EXT 4	60497800
T CODE RESETS COLUMN POINTER, OVERLAYING CURRENT LINE	FORTRAN EXT 4	60497800
nnnn T/E ROLLOUT FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
T EDIT DESCRIPTOR FOLLOWED BY ZERO OR NON-DIGIT	FORTRAN 5 RM	60481300
nnn T/W AND mmm F ERRORS IN program-id	COBOL 5 RM	60497100
nnn T/W AND mmm F ERRORS IN program-id	COBOL 5 DH	60482500
TAB SETTING DESIGNATOR IS NON-ANSI	FORTRAN EXT 4	60497800
TAB SETTING IS GREATER THAN 131,071. SCANNING STOPS	FORTRAN EXT 4	60497800
TAB SETTING MAY EXCEED RECORD SIZE, DEPENDING ON USE	FORTRAN EXT 4	60497800
TAB STOPS NONE.	TEXT EDITOR RM	60436100
TAB STOPS t1 t2 ... tn	TEXT EDITOR RM	60436100
TABLE MANAGER LOGIC ERROR	UPDATE RM	60449900
TABLE OVERFLOW.	NOS 2 RS VOL 3	60459680
TABLE OVERFLOW (ARLSZ) - SIMPLIFY EXPRESSION OR SEE ANALYST	FORTRAN EXT 4	60497800
TABLE OVERFLOW (CONSTORS) - SIMPLIFY STATEMENT OR SEE ANALYST	FORTRAN EXT 4	60497800
TABLE OVERFLOW -- INCREASE FIELD LENGTH AND RERUN	FORTRAN 5 RM	60481300
TABLE OVERFLOW -- INCREASE FIELD LENGTH AND RERUN	FORTRAN EXT 4	60497800
TABLE OVERFLOW, INCREASE FL	FORTRAN EXT 4	60497800
TABLE OVERFLOW (MXFRSTB) - SIMPLIFY EXPRESSION OR SEE ANALYST	FORTRAN EXT 4	60497800
TABLE OVERFLOW (MXOSE) - SIMPLIFY EXPRESSION OR SEE ANALYST	FORTRAN EXT 4	60497800
TABLE OVERFLOW ON INPUT.	NOS 2 SYS MAINT	60459300
TABLE OVERFLOW-TOO MANY TASKS.	TAF 1 RM	60459500
TABLES OVERLAP, INCREASE FL	FORTRAN EXT 4	60497800
TAF COMMUNICATIONS RECOVERY FILE NOT FOUND - filename.	TAF 1 RM	60459500
TAF/CRM CRM STATUS nnnnB IN FUNCTION yyyyyyyy.	NOS 2 OP/ANL HB	60459310
TAF/CRM DATA MANAGER NOT LOADED IN TAF	TAF 1 RM	60459500
TAF/CRM FUNCTION CODE NOT VALID.	TAF 1 RM	60459500
TAF/CRM TAF status nnn IN FUNCTION yyyyyyy.	NOS 2 OP/ANL HB	60459310
TAF DATA NOT WITHIN UCP FL.	TAF 1 RM	60459500
TAF ERROR CODE NOT DEFINED.	NOS 2 OP/ANL HB	60459310
TAF FIELD LENGTH DUMP RELEASED.	NOS 2 OP/ANL HB	60459310
TAF FUNCTION CODE NOT VALID.	TAF 1 RM	60459500
TAF IDLE.	NOS 2 OP/ANL HB	60459310
TAF IDLE (GO OR DROP).	TAF 1 RM	60459500
TAF IDLING DOWN.	NOS 2 OP/ANL HB	60459310
TAF INTERNAL ERROR.	TAF 1 RM	60459500
TAF NOT PRESENT (GO OR DROP).	NOS 2 OP/ANL HB	60459310
TAF RECOVERY REQUEST ERROR.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TAF SUBSYSTEM BUSY	NOS 2 OP/ANL HB	60459310
TAF SUBSYSTEM NOT DEFINED AS A SCP	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAF TAPE REQUEST DB = db DUMP.	NOS 2 OP/ANL HB	60459310
TAF TERMINATE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAF TRANSACTION NAME UNKNOWN.	TAF 1 RM	60459500
TAF TRANSACTION NOT RERUNNABLE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAF TWO OUTSTANDING REQUESTS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAF USER NOT VALID FOR TAF ACCESS.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAF USER NUMBER ACTIVE	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAPE BLANK LABELED.	NOS 2 RS VOL 3	60459680
TAPE BLOCK DEFINITION ERROR.	NOS 2 RS VOL 3	60459680
TAPE ERR STAT status.	NOS 2 INSTAL HB	60459320
TAPE ERROR - GO,JSN/DROP,JSN.	NOS 2 SYS MAINT	60459300
TAPE FILE IS NOT ALLOWED	BASIC 3 RM	19983900
nn TAPE FILES RECOVERED.	NOS 2 OP/ANL HB	60459310
TAPE FORMAT PROBABLY WRONG.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TAPE FUNC REJ function.	NOS 2 INSTAL HB	60459320
	NOS 2 RS VOL 3	60459680
TAPE NOT READABLE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TAPE STATUS ERROR	NOS 2 INSTAL HB	60459320
TAPE VSN=xxxxxx IS BAD PLEASE REPLACE.	TAF/CRM 1 DM RM	60459510
TAPES ASSIGNED AT MAGNET TERMINATION.	NOS 2 OP/ANL HB	60459310
TASK CEASE WITH REQUESTED ABORTED.	TAF 1 RM	60459500
TASK EDITING COMPLETE.	TAF 1 RM	60459500
TASK LIBRARY DIRECTORY EMPTY.	TAF 1 RM	60459500
TASK LIBRARY DIRECTORY EMPTY - libraryname.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TASK LIBRARY DIRECTORY ERROR - libraryname.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TASK LIBRARY DIRECTORY ERRORS.	TAF 1 RM	60459500
TASK LIBRARY DIRECTORY TOO LONG.	TAF 1 RM	60459500
TASK LIBRARY DIRECTORY TOO LONG - libraryname.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TASK NOT VALIDATED FOR REQUEST.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
TASK PERCENTAGE UNEQUAL TO 100.	NOS 2 SYS MAINT	60459300
taskname - TASK RECOVERED.	TAF 1 RM	60459500
taskname - TASK RECOVERY FAILED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TASK REQUEST ARGUMENT ERROR.	TAF 1 RM	60459500
TASK REQUESTED CEASE BEFORE DM FINISHED.	TAF 1 RM	60459500
TASK TIME LIMIT.	TAF 1 RM	60459500
nnn TASKS NOT LOADED INTO ECS.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TCS ILLEGAL REQUEST.	NOS 2 RS VOL 3	60459680
pf n TEMPORARY ERROR, TRY LATER.	NOS 2 RS VOL 3	60459680
TERM: termnam REJECTED, NO AUTOLOGIN DATA IN LCF.	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
TERM: termnam,un,ltime,aname,acn,ctime,dt.	NOS 2 OP/ANL HB	60459310
TERM	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
TERM CARD, HASP TRML RANGE ERROR	NPS RM	60480500
TERM CARD MISSING	NPS RM	60480500
TERM: term, UNACTIONED COMMAND.	NOS 2 OP/ANL HB	60459310
TERM: trmname,st,dt/tc,hnid,linenam/a1/a2.	NOS 2 OP/ANL HB	60459310
TERMINAL BUSY.	NOS 2 RS VOL 3	60459680
TERMINAL CHARACTER nnnnn CONVERTED TO RIGHT PAREN	FORTRAN EXT 4	60497800
TERMINAL CHARACTER nnnnn CONVERTED TO RIGHT PAREN	FORTRAN 5 RM	60481300
TERMINAL DELIMITER...MISSING	FORTRAN 5 RM	60481300
TERMINAL DELIMITER nnnnn MISSING	FORTRAN EXT 4	60497800
TERMINAL DESTINATION ONLY- MESSAGE DISCARDED	MCS 1 RM	60480300
TERMINAL DISABLED - MESSAGE DISCARDED	MCS 1 RM	60480300
xxxxxxx TERMINAL FAILED	NPS RM	60480500
TERMINAL NODE OF LLINK linknumber, NOT SUPERVISED.	NOS 2 OP/ANL HB	60459310
TERMINAL NOT ACTIVE.	NOS 2 RS VOL 3	60459680
TERMINAL NOT AVAILABLE.	TAF 1 RM	60459500
TERMINAL NOT CONNECTED	MCS 1 RM	60480300
xxxxxxx TERMINAL RECOVERED	NPS RM	60480500
TERMINAL RIGHT PAREN MISSING	FORTRAN EXT 4	60497800
TERMINAL TABLE OVERFLOW.	NOS 2 OP/ANL HB	60459310
TERMINAL TIME OUT - JSN=aaaa.	NOS 2 RS VOL 3	60459680
TERMINAL TIMEOUT IN nn SECONDS.	NOS 2 RS VOL 3	60459680
TERMINAL TIMEOUT, OPTION B ASSUMED.	TAF 1 RM	60459500
TERMINALS CANNOT CONNECT ON HOST-HOST LOGICAL LINK.	NOS 2 OP/ANL HB	60459310
TERMINATE ENCOUNTERED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
xxxxxxx TERMINATED.	NOS 2 SYS MAINT	60459300
TERMINATED AT STMT nnn IN procedure	PL/I RM	60388100
TERMINATION IN PROGRESS.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
TEST CONVERSION ERROR	FORM RM	60496200
TEST FIELD EXTENDS PAST END OF RECORD	8-BIT SUBR RM	60495500
TEST FIELD EXTENDS PAST END OF RECORD	FORM RM	60496200
TEST FIELD NOT IN RECORD, ON LEFT	8-BIT SUBR RM	60495500
TEST FIELD NOT IN RECORD, ON LEFT	FORM RM	60496200
TEST FIELD NOT IN RECORD, ON RIGHT	8-BIT SUBR RM	60495500
TEST FIELD NOT IN RECORD, ON RIGHT	FORM RM	60496200
TEST MODE, NETWORK NOT USED.	NOS 2 OP/ANL HB	60459310
TEST MODE, NETWORK NOT USED	MCS 1 RM	60480300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TEST NOT ALLOWED HERE	FORM RM	60496200
THE ABOVE CALLED COMMON DECK WAS NOT FOUND	UPDATE RM	60449900
THE ABOVE CARD IS ILLEGAL DURING A CREATION RUN	UPDATE RM	60449900
THE ABOVE CARD IS ILLEGAL IN AN ALTERNATE FILE-IGNORED	UPDATE RM	60449900
THE ABOVE CONTROL CARD IS ILLEGAL AFTER A DECK HAS BEEN DECLARED	UPDATE RM	60449900
THE ABOVE LISTED CARDS CANNOT EXIST IN THE YANKDECK AND HAVE BEEN PURGED DURING EDITING	UPDATE RM	60449900
THE ABOVE OPERATION IS NOT LEGAL WHEN REFERENCING THE YANKDECK	UPDATE RM	60449900
THE ABOVE SPECIFIED CARD WAS NOT ENCOUNTERED	UPDATE RM	60449900
THE AREA ID/NAME IS id/name	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
THE CDCS file IS EMPTY - MUST BE ALLOCATED	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
THE CONTROL VARIABLE OF A DO OR DO IMPLIED LOOP MUST BE A SIMPLE INTEGER VARIABLE	FORTRAN EXT 4	60497800
THE EXPRESSION IN A LOGICAL IF IS NOT TYPE LOGICAL	FORTRAN EXT 4	60497800
THE EXPRESSION IN AN IF STATEMENT IS TYPE COMPLEX	FORTRAN EXT 4	60497800
THE FIELD FOLLOWING STOP OR PAUSE MUST BE 5 OR LESS OCTAL DIGITS OR A QUOTE-DELIMITED STRING	FORTRAN EXT 4	60497800
THE FOLLOWING LABEL WAS NOT FOUND	NPS RM	60480500
THE FORMAT OF THIS END LINE DOES NOT CONFORM TO ANSI SPECIFICATIONS	FORTRAN EXT 4	60497800
THE INITIAL CARD OF THE COPY RANGE WAS NOT FOUND. NULL COPY	UPDATE RM	60449900
THE NON-STANDARD RETURN STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
THE OPERATOR INDICATED (-,+,*/, OR **) MUST BE FOLLOWED BY A CONSTANT, NAME, OR LEFT PARENTHESIS	FORTRAN EXT 4	60497800
THE REPORT FOOTING AND THE LAST PAGE FOOTING OVERLAP SO THE REPORT FOOTING IS SUPPRESSED BY THE RWCS	COBOL 5 DH	60482500
THE REPORT FOOTING AND THE LAST PAGE FOOTING OVERLAP SO THE REPORT FOOTING IS SUPPRESSED BY THE RWCS	COBOL 5 RM	60497100
THE REPORT HEADING AND THE FIRST PAGE HEADING OVERLAP SO THE PAGE HEADING IS SUPPRESSED BY THE RWCS	COBOL 5 DH	60482500
THE REPORT HEADING AND THE FIRST PAGE HEADING OVERLAP SO THE PAGE HEADING IS SUPPRESSED BY THE RWCS	COBOL 5 RM	60497100
THE REPORT IS ALREADY INITIATED SO THIS INITIATE IS IGNORED BY THE RWCS	COBOL 5 DH	60482500
THE REPORT IS ALREADY INITIATED SO THIS INITIATE IS IGNORED BY THE RWCS	COBOL 5 RM	60497100
THE REPORT IS NOT INITIATED SO THIS TERMINATE IS IGNORED BY THE RWCS	COBOL 5 DH	60482500
THE REPORT IS NOT INITIATED SO THIS TERMINATE IS IGNORED BY THE RWCS	COBOL 5 RM	60497100
THE REPORT WAS NOT INITIATED SO THE RWCS INITIATED IT BEFORE PROCESSING THIS GENERATE	COBOL 5 DH	60482500
THE REPORT WAS NOT INITIATED SO THE RWCS INITIATED IT BEFORE PROCESSING THIS GENERATE	COBOL 5 RM	60497100
THE SCHEMA/ID NAME IS id/name	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
THE STATEMENT IN A LOGICAL IF MAY BE ANY EXECUTABLE STATEMENT OTHER THAN A DO OR ANOTHER LOGICAL IF	FORTRAN EXT 4	60497800
THE STATION IS NOT LOGGED INTO SCOPE 2	NOS 2 RS VOL 3	60459680
THE SYNTAX OF DO PARAMETERS MUST BE I=M1,M2,M3 OR I=M1,M2	FORTRAN EXT 4	60497800
THE TERMINAL CARD OF THE COPY RANGE WAS NOT FOUND. COPY ENDS AT END OF SPECIFIED DECK	UPDATE RM	60449900
THE TERMINAL CARD SPECIFIED WAS NOT ENCOUNTERED	UPDATE RM	60449900
THE TERMINAL STATEMENT OF DO nnnnn PRECEDED THE DO DEFINITION	FORTRAN 5 RM	60481300
THE TERMINAL STATEMENT OF DO nnnnn PRECEDED THE DO DEFINITION	FORTRAN EXT 4	60497800
THE TERMINAL STATEMENT OF THIS DO PRECEDES IT	FORTRAN EXT 4	60497800
THE TYPE COMBINATION OF THE OPERANDS OF A RELATIONAL OR ARITHMETIC OPERATOR (OTHER THAN **) IS NON-ANSI	FORTRAN EXT 4	60497800
THE TYPE COMBINATION OF THE OPERANDS OF AN EQUAL-SIGN OPERATOR IS NON-ANSI	FORTRAN EXT 4	60497800
THE TYPE COMBINATION OF THE OPERANDS OF AN EXPONENT OPERATOR IS NON-ANSI	FORTRAN EXT 4	60497800
THE TYPE OF THIS IDENTIFIER IS NOT LEGAL FOR ANY EXPRESSION	FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
THE UPPER LIMIT AND CONTROL VARIABLES OF THIS DO ARE THE SAME, PRODUCING A NON-TERMINATING LOOP	FORTRAN EXT 4	60497800
THE VALUE OF THE PARITY INDICATOR IN A BUFFER I/O STATEMENT MUST BE 0 OR 1	FORTRAN EXT 4	60497800
THE WORD TYPE IS NOT PERMITTED	FORTRAN EXT 4	60497800
THERE IS NO PATH TO THIS STATEMENT	FORTRAN EXT 4	60497800
THIRD CHARACTER E NUMERIC	CDCS 2 AP RM	60485300
THIRD CHARACTER MUST BE NUMERIC	CDCS 2 DA RM	60485200
THIRD COL VALUE OUT OF RANGE -- IGNORED	PL/I RM	60388100
THIRD COL VALUE WITHIN THE FIRST TWO -- IGNORED	PL/I RM	60388100
THIS ASSIGN STATEMENT HAS IMPROPER FORMAT, ONLY ALLOWABLE IS (ASSIGN LABEL TO VARIABLE)	FORTRAN EXT 4	60497800
THIS DO LOOP WILL NOT EXECUTE	FORTRAN 5 RM	60481300
THIS FORM OF AN I/O STATEMENT DOES NOT CONFORM TO ANSI SPECIFICATIONS	FORTRAN EXT 4	60497800
THIS FORM OF DATA STATEMENT NOT PERMITTED	FORTRAN EXT 4	60497800
THIS FORMAT DECLARATION IS NON-ANSI	FORTRAN EXT 4	60497800
THIS IF DEGENERATES INTO A SIMPLE TRANSFER TO THE LABEL INDICATED	FORTRAN EXT 4	60497800
THIS IS NOT A FORTRAN STATEMENT	FORTRAN EXT 4	60497800
THIS IS NOT A FORTRAN STATEMENT	FORTRAN 5 RM	60481300
THIS NAME MAY NOT BE USED IN A DATA STMT	FORTRAN EXT 4	60497800
THIS OPERATOR (.NOT. OR A RELATIONAL) MUST BE FOLLOWED BY A CONSTANT, NAME, LEFT PAREN, + OR -	FORTRAN EXT 4	60497800
THIS PROGRAM UNIT CALLS ITSELF	FORTRAN EXT 4	60497800
THIS STATEMENT BRANCHES TO ITSELF	FORTRAN EXT 4	60497800
THIS STATEMENT FORM IS OBSOLETE. USE A LEVEL 3 STATEMENT	FORTRAN EXT 4	60497800
THIS STATEMENT HAS NO INITIAL LINE -- INITIAL ASSUMED	FORTRAN 5 RM	60481300
THIS STATEMENT MAKES AN ILLEGAL TRANSFER INTO A PREVIOUS DO LOOP	FORTRAN EXT 4	60497800
THIS STATEMENT MAY NOT BE A DO TERMINAL	FORTRAN 5 RM	60481300
THIS STATEMENT MAY NOT BE A DO TERMINAL	FORTRAN EXT 4	60497800
THIS STATEMENT MAY REDEFINE A CURRENT LOOP CONTROL VARIABLE OR PARAMETER, OPTIMIZATION INHIBITED	FORTRAN EXT 4	60497800
THIS STATEMENT MUST BE CONTAINED ON 1 CARD	FORTRAN 5 RM	60481300
THIS STATEMENT REDEFINES A CURRENT LOOP CONTROL VARIABLE OR PARAMETER	FORTRAN EXT 4	60497800
THIS STATEMENT REDEFINES A DO CONTROL INDEX	FORTRAN EXT 4	60497800
THIS STATEMENT REDEFINES A DO INDEX PARAMETER	FORTRAN EXT 4	60497800
THIS STATEMENT REQUIRES AN I/O LIST	FORTRAN EXT 4	60497800
THIS STATEMENT TYPE IS ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN EXT 4	60497800
THIS STATEMENT TYPE IS NON-ANSI	FORTRAN EXT 4	60497800
THIS SUBPROGRAM HAS TOO MANY DO LOOPS	FORTRAN EXT 4	60497800
THIS TERM IS NOT CONNECTED.	NOS 2 OP/ANL HB	60459310
THIS UPDATE REQUIRED n WORDS OF CORE	UPDATE RM	60449900
TIME AND DATE PARAMETERS REQUIRE EACH OTHER	QU/CRM DA RM	60482100
TIME LIMIT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
	NOS 2 RS VOL 3	60459680
TIME LIMIT	INTER DEBUG RM	60481400
ENTER T TO CONTINUE OR CR KEY TO STOP:	BASIC 3 RM	19983900
TIME LIMIT	FORTRAN EXT 4	60497800
TIME LIMIT EXCEEDED	NOS 2 SYS MAINT	60459300
TIME LIMIT EXCEEDED		
TIME LIMIT UP.		

MESSAGE

TIME 60485200 yyddd hh.mm.ss NOT FOUND BEFORE EOI ****
xxxxxx - TIMED OUT
TIMEOUT
TIMEOUT
TIP NOT CONFIGURED.
TL EDIT DESCRIPTOR BACKSPACED BEYOND 1ST COLUMN -- COLUMN POINTER RESET AT 1
TL NOT VALIDATED.
TLD OVERFLOW.
TLX - ARGUMENT ERROR.
TLX-RPV ALREADY SET.
TN REQUIRES EITHER LO=T OR LO=X.
TO ADDRESS IS LESS THAN FROM ADDRESS
TO ASSUMED FOR mnnnn
TO ASSUMED FOR nnnnn
TO KEYWORD EXPECTED
TO TERMINAL MUST BE CONNECTED
TO TERMINAL UNKNOWN
TOO FEW CONSTANTS -- VARIABLES FROM nnnnn MAY NOT BE INITIALIZED
TOO FEW CONSTANTS -- VARIABLES FROM nnnnn MAY NOT BE INITIALIZED
TOO FEW LEFT PAREN
TOO FEW LEFT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
TOO FEW LEFT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
TOO FEW PARAMETERS
TOO FEW RIGHT PAREN
TOO FEW RIGHT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
TOO FEW RIGHT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
TOO MANY ACTIVE EVENT NAMES
TOO MANY ARGUMENTS.
TOO MANY ARGUMENTS
TOO MANY BITS SPECIFIED.
TOO MANY BRANCHES IN TASK CHAIN REQUESTED.
TOO MANY BREAKPOINTS
TOO MANY CHARACTERS
TOO MANY xxxx CHARACTERS
TOO MANY CHARACTERS IN FILE NAME.
**** TOO MANY CHARACTERS IN VALUE.
TOO MANY CHBS -- INCREASE L.CHB
TOO MANY DATA BASE NAMES.
TOO MANY xxxx DIGITS
TOO MANY DIGITS IN Z, S, N, OR P FIELD -- OVERFLOW
TOO MANY DIGITS IN Z, S, N, OR P FIELD -- OVERFLOW
TOO MANY DOWNLINE BLOCKS OUTSTANDING

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
NPS RM	60480500
MCS 1 RM	60480300
RBF 1 RM	60499600
NOS 2 OP/ANL HB	60459310
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
MCS 1 RM	60480300
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NPS RM	60480500
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
INTER DEBUG RM	60481400
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NPS RM	60480500
XEDIT 3 RM	60455730
NOS 2 SYS MAINT	60459300
UPDATE RM	60449900
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NPS RM	60480500
8-BIT SUBR RM	60495500
FORM RM	60496200
NPS RM	60480500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TOO MANY EVENT DECLARATIONS	NPS RM	60480500
TOO MANY/FEW SUBSCRIPTS	INTER DEBUG RM	60481400
TOO MANY FILE NAMES OR VSN-S SPECIFIED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TOO MANY FILES	NOS 2 RS VOL 3	60459680
TOO MANY FILES	BASIC 3 RM	19983900
TOO MANY FILES IN TOTAL DATA BASE.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TOO MANY FORMALS	BASIC 3 RM	19983900
TOO MANY GROUPS	INTER DEBUG RM	60481400
TOO MANY HOST LIDS.	NOS 2 OP/ANL HB	60459310
TOO MANY LABELED COMMON BLOCKS, ONLY 125 BLOCKS ARE ALLOWED	FORTRAN EXT 4	60497800
TOO MANY LABELS IN LOGICAL IF	FORTRAN EXT 4	60497800
TOO MANY LIBRARY NAMES SPECIFIED.	NOS 2 RS VOL 3	60459680
TOO MANY LID ENTRIES.	NOS 2 OP/ANL HB	60459310
	NOS 2 INSTAL HB	60459320
TOO MANY MUX PORTS.	NOS 2 OP/ANL HB	60459310
TOO MANY NESTED COMMAND SEQUENCES	INTER DEBUG RM	60481400
TOO MANY NEW TRANSACTIONS ON TRANSACTION DIRECTORY - filename.	TAF 1 RM	60459500
TOO MANY OPL FILES.:	MODIFY RM	60450100
TOO MANY OUTPUT FILES	FORM RM	60496200
TOO MANY OWNCODE ENTRIES	FORM RM	60496200
TOO MANY PARAMETERS.	NOS 2 RS VOL 3	60459680
TOO MANY PARAMETERS	INTER DEBUG RM	60481400
TOO MANY PARAMETERS	8-BIT SUBR RM	60495500
TOO MANY PARAMETERS	FORM RM	60496200
TOO MANY PARENTHESIS LEVELS	FORM RM	60496200
TOO MANY PASSWORDS	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
TOO MANY PERMANENT FILES.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TOO MANY RA+1 CALLS.	TAF 1 RM	60459500
TOO MANY SCRIPT NAMES	NPS RM	60480500
TOO MANY SCRIPTS ON SCRIPT LIBRARY	NPS RM	60480500
TOO MANY SECONDARY OLDPLS SPECIFIED	UPDATE RM	60449900
TOO MANY SUBSCRIPTS IN ARRAY REFERENCE	FORTRAN EXT 4	60497800
TOO MANY SUBSCRIPTS ON mnnnn	FORTRAN EXT 4	60497800
TOO MANY TAF JOURNAL FILES IN xxJ FILE.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
TOO MANY TERMINALS.	NOS 2 OP/ANL HB	60459310
TOO MANY TRACE LEVELS	INTER DEBUG RM	60481400
TOO MANY TRAPS	INTER DEBUG RM	60481400
TOO MANY USER LIBRARIES SPECIFIED.	NOS 2 RS VOL 3	60459680
TOO MANY WHENS ON TRACK DIRECTIVE	LOADER 1 RM	60429800
TOO MANY 7000 JOBS...SUBMIT LATER	NOS 2 RS VOL 3	60459680
TOO MUCH DATA, RETYPE INPUT	BASIC 3 RM	19983900

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TOO MUCH INDIRECT ACCESS FILE SPACE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TOO SMALL BUFFER SPACE	NOS 2 RS VOL 3	60459680
TOP SPECIFIED TWICE	FORM RM	60496200
TOTAL ASSIGNED COUNT ERROR.	NOS 2 RS VOL 3	60459680
TOTAL ASSIGNED COUNT ERROR.	NOS 2 RS VOL 4	60459690
TOTAL DATA MANAGER NOT LOADED.	TAF 1 RM	60459500
TOTAL DATA MANAGER SUCCESSFULLY LOADED.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
TOTAL DEMAND COUNT ERROR.	NOS 2 RS VOL 3	60459680
TOTAL DEMAND COUNT ERROR.	NOS 2 RS VOL 4	60459690
TOTAL DID NOT RECOVER PROPERLY. STATUS IS yyyy.	NOS 2 OP/ANL HB	60459310
	TAF 1 RM	60459500
TOTAL RECORD LENGTH IS GREATER THAN 131,071. SCANNING STOPS	FORTRAN EXT 4	60497800
TOTAL RECORD LENGTH IS GREATER THAN 137 CHARACTERS. IT MAY EXCEED THE I/O DEVICE CAPACITY	FORTRAN EXT 4	60497800
TOTAL VALIDATION ERRORS = n.	NOS 2 SYS MAINT	60459300
TRACK ALREADY ASSIGNED.	NOS 2 SYS MAINT	60459300
TRACK LIMIT.	NOS 2 SYS MAINT	60459300
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TRACK LIMIT.	NOS 2 OP/ANL HB	60459310
TRACK LIMIT - FILE IGNORED.	NOS 2 SYS MAINT	60459300
TRACK LIMIT, LVLX.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TRACK LIMIT ON SDF DEVICE.	NOS 2 SYS MAINT	60459300
TRAILER BLOCK COUNT ERROR, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
TRAN. SEQ. zzzzzzzzB with ID xxxxxx MIGHT BE BAD.	TAF 1 RM	60459500
TRANSACTION DIRECTORY EMPTY.	TAF 1 RM	60459500
TRANSACTION DIRECTORY EMPTY - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY ERROR.	TAF 1 RM	60459500
TRANSACTION DIRECTORY ERROR - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY TOO LONG - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY TOO LONG.	TAF 1 RM	60459500
TRANSACTION RECOVERY FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
TRANSACTION SESSION ENDED.	TAF 1 RM	60459500
TRANSFER INTO DEF	BASIC 3 RM	19983900
TRANSFER INTO RANGE OF DO	FORTRAN 5 RM	60481300
TRANSFER OUT OF DEF	BASIC 3 RM	19983900
TRANSLATING SESSION FILE.	NOS 2 SYS MAINT	60459300
TRANSLATING STIMULATOR OUTPUT	NOS 2 SYS MAINT	60459300
TRANSLATION STRUCTURE OVERFLOW	FTN 4-5 CONV RM	60483000
d TRANSMISSION(S) ALLOWED	QUERY UPDT 3 RM	60498300
TRAP ADDRESS IS OUTSIDE FIELD LENGTH	LOADER 1 RM	60429800
TRAP CARD PARAM ERROR, NO DEBUG DONE	LOADER 1 RM	60429800
TRAP DIRECTIVE ERROR(S)	LOADER 1 RM	60429800
TRAP NUMBER IGNORED IN THIS CONTEXT	INTER DEBUG RM	60481400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TRAP #n, type, qualifiers, WILL BE CLEARED	INTER DEBUG RM	60481400
TRIP COUNT IS LESS THAN ONE	FORTRAN 5 RM	60481300
TRIP COUNT OF nnnnn MUST BE POSITIVE	FORTRAN 5 RM	60481300
TRIP COUNT TOO HIGH -- SHORT LOOPS SELECTED	FORTRAN 5 RM	60481300
TRIVIAL DO LOOP -- IGNORED	FORTRAN EXT 4	60497800
TRIVIAL EQUIVALENCE GROUP WITH ONLY 1 MEMBER IS IGNORED	FORTRAN 5 RM	60481300
TRIVIAL EQUIVALENCE GROUP WITH ONLY 1 MEMBER IS IGNORED	FORTRAN EXT 4	60497800
TRIVIAL PROGRAM UNIT IGNORED	FORTRAN EXT 4	60497800
TRIVIAL RANGE -- mmmmm SAME AS nnnnn	FORTRAN EXT 4	60497800
TRIVIAL RANGE -- mmmmm SAME AS nnnnn	FORTRAN 5 RM	60481300
TRMDEF COMPLETE.	NOS 2 RS VOL 3	60459680
TRMDEF ERRORS.	NOS 2 RS VOL 3	60459680
TRT LENGTH ERROR.	NOS 2 OP/ANL HB	60459310
TRUNCATION AT n	XEDIT 3 RM	60455730
TRUNK: trunk, CE DIAG TEST IN PROGRESS.	NOS 2 OP/ANL HB	60459310
TRUNK: trunk, DUPLICATE CLA ADDRESS.	NOS 2 OP/ANL HB	60459310
TRUNK: trunk, IN DESIRED STATE ALREADY.	NOS 2 OP/ANL HB	60459310
TRUNK: trunk, LAST PATH TO CS.	NOS 2 OP/ANL HB	60459310
TRUNK: trunk LIP NOT CONFIGURED.	NOS 2 OP/ANL HB	60459310
TRUNK: trkname,st,lt,npunam1/p1,npunam2/p2.	NOS 2 OP/ANL HB	60459310
TSB LOGICAL ERROR	MCS 1 RM	60480300
TTest, ASSIGNED TO filename, VSN=vsn.	NOS 2 RS VOL 3	60459680
TTest, FNF, FUNCTION TIMEOUT.	NOS 2 OP/ANL HB	60459310
TT OPTION REQUIRES USER NUMBER.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
TTL SPECIFIED TWICE	FORM RM	60496200
TURN OFF EQest ON ALL OTHER MF	NOS 2 OP/ANL HB	60459310
TVF ATTEMPTING NETON.	NOS 2 OP/ANL HB	60459310
TVF ERRMSG, ABT=nn, ADR=address, TEXT=aaaa, TERMINAL=termname.	NOS 2 OP/ANL HB	60459310
TVF NETOFF, NAM NOT PRESENT.	NOS 2 OP/ANL HB	60459310
TVF NETON SUCCESSFUL.	NOS 2 OP/ANL HB	60459310
TVF RC=ec, ABT=nn, ADR=addr, TEXT=aaaa, TERMINAL=termnam.	NOS 2 OP/ANL HB	60459310
TWO-BRANCH IF STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
TWO CONTROLLER TYPES ON SAME CHANNEL.	NOS 2 OP/ANL HB	60459310
TY NOT ALLOWED.	NOS 2 OP/ANL HB	60459310
TYPE MUST BE FOLLOWED BY A TYPE INDICATOR	FORTRAN EXT 4	60497800
TYPING OF nnnnn IGNORED -- PRIOR TYPING RETAINED	FORTRAN 5 RM	60481300
TYPING OF nnnnn IGNORED -- PRIOR TYPING RETAINED	FORTRAN EXT 4	60497800
T76 RETURNED UNKNOWN ERROR OF nn	NOS 2 RS VOL 3	60459680
U TYPE ERROR UNDEFINED SYMBOL. VALUE ASSUMED 0.	COMPASS 3 RM	60492600
UA NOT WITHIN LIMIT.	TAF/CRM 1 DM RM	60459510
UCCR, mi, est, xxxxxx.xxxKCDS.	NOS 2 OP/ANL HB	60459310
UCLP, mi, est, xxxxxx.xxxKLNS.	NOS 2 OP/ANL HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
UCLV, mi, est, xxxxxx.xxxKLNS.	NOS 2 OP/ANL HB	60459310
UCP CALL ERROR. DETAIL STATUS=nmn (optional).	NOS 2 SYS MAINT	60459300
UCP TERMINATION PROCESSING.	NOS 2 OP/ANL HB	60459310
UCPC, mi, est, xxxxxx.xxxKCDS.	NOS 2 OP/ANL HB	60459310
UN MUST BE SPECIFIED.	NOS 2 OP/ANL HB	60459310
UN=username NOT VALID ON FM=family.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
UN OR ID MUST BE GIVEN WITH MDPFN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
UNABLE TO ACCESS DISK (CR) TO PROCESS DIFFERENT DEVICE	NOS 2 OP/ANL HB	60459310
UNABLE TO ATTACH MRF, FM=familyname.	NOS 2 SYS MAINT	60459300
UNABLE TO ATTACH NAM BINARIES.	NOS 2 OP/ANL HB	60459310
UNABLE TO ATTACH TOTAL BINARIES.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
UNABLE TO ATTACH TOTAL DEMOD BINARIES.	NOS 2 OP/ANL HB TAF 1 RM	60459310 60459500
UNABLE TO CONNECT WITH EXEC.	NOS 2 SYS MAINT	60459300
UNABLE TO CREATE DEREC JOB - NO JOB/ATTACH DATA	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
UNABLE TO DEFINE filename.	NOS 2 SYS MAINT	60459300
UNABLE TO DEFINE COMMUNICATION FILE.	NOS 2 SYS MAINT	60459300
UNABLE TO DROP JOB.	NOS 2 RS VOL 3	60459680
UNABLE TO INSTALL CTI READ ONLY SWITCH ACTIVE	NOS 2 OP/ANL HB	60459310
UNABLE TO OPEN CATALOG.	NOS 2 SYS MAINT	60459300
UNABLE TO OPEN CSUMAP.	NOS 2 SYS MAINT	60459300
UNABLE TO PROCESS TERMINAL FILE.	NOS 2 RS VOL 3	60459680
UNABLE TO READ IQFT FILE.	NOS 2 RS VOL 3	60459680
UNABLE TO READ MRF, FM=familyname.	NOS 2 SYS MAINT	60459300
UNABLE TO REATTACH CSUMAP.	NOS 2 SYS MAINT	60459300
UNABLE TO REATTACH MSF CATALOG.	NOS 2 SYS MAINT	60459300
UNABLE TO RECOVER YOUR JOB	NOS 2 RS VOL 3	60459680
UNABLE TO SUBMIT DEREC JOB - I/O ERROR nnn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
UNACTIONED COMMAND.	NOS 2 OP/ANL HB	60459310
UNALTERED GO TO EXECUTED	COBOL 5 DH	60482500
UNALTERED GO TO EXECUTED	COBOL 5 RM	60497100
UNAVAILABLE	NOS 2 OP/ANL HB	60459310
UNBALANCED PARENS	FORTRAN 5 RM	60481300
UNBALANCED TEXT/ENDTEXT CARDS, LAST ENDTEXT CARD IGNORED	UPDATE RM	60449900
UNCORRECTABLE RMS ERROR.	NOS 2 SYS MAINT	60459300
UNDECLARED INTRINSIC OR EXTERNAL FUNCTION nnnnn USED AS ACTUAL ARGUMENT	FORTRAN 5 RM	60481300
UNDEFINED FN REF	BASIC 3 RM	19983900
UNDEFINED FUNCTION	APL 2 RM	60454000
UNDEFINED LINE REF	BASIC 3 RM	19983900
UNDEFINED ORIGIN TYPE.	NOS 2 SYS MAINT	60459300
UNDEFINED SERVICE CLASS.	NOS 2 SYS MAINT	60459300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
UNDEFINED STATEMENT LABEL(S), SEE LIST BELOW	FORTRAN EXT 4	60497800
UNFORMATED I/O NOT ALLOWED IN THIS STATEMENT	FORTRAN EXT 4	60497800
UNIDENTIFIED PROGRAM FORMAT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
UNIT xx Chyy LABEL READ ERROR.	NOS 2 OP/ANL HB	60459310
UNIT xx Chyy LABEL VERIFICATION ERROR.	NOS 2 OP/ANL HB	60459310
UNIT DESIGNATOR EXCEEDS 2 DIGITS	FORTRAN EXT 4	60497800
UNIT DESIGNATOR nnnnn NOT SIMPLE INTEGER VARIABLE OR CONSTANT	FORTRAN EXT 4	60497800
UNIT HAS MOTION PROBLEMS.	NOS 2 RS VOL 3	60459680
UNIT HUNG UP ON EOP OR BUSY, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
UNIT NOT AVAILABLE.	NOS 2 OP/ANL HB	60459310
UNIT xx NOT RDY - OP ABORT	NOS 2 INSTAL HB	60459320
UNIT NUMBER MUST BE BETWEEN 1 AND 99 INCLUSIVE	FORTRAN EXT 4	60497800
UNIT NUMBER OR PARITY INDICATOR MUST BE AN INTEGER CONSTANT OR VARIABLE	FORTRAN EXT 4	60497800
UNIT PROBLEMS.	NOS 2 RS VOL 3	60459680
UNIT est SERVO TIMING = nnn. ACCEPTABLE RANGE IS 325 TO 345.	NOS 2 OP/ANL HB	60459310
UNIT xx SERVO TIMING IN PROGRESS.	NOS 2 OP/ANL HB	60459310
UNIT SPECIFIER FILE NAME GREATER THAN 7 CHARACTERS	FORTRAN 5 RM	60481300
UNIT SPECIFIER MISSING	FORTRAN 5 RM	60481300
UNIT SPECIFIER NOT LEGAL FILENAME	FORTRAN 5 RM	60481300
UNIT SPECIFIER OUTSIDE RANGE 0-999	FORTRAN 5 RM	60481300
UNIVAC TRANSLATE TABLE -C.XTAB- NOT IN CORE	COBOL 5 RM	60497100
UNIVAC TRANSLATE TABLE -C.XTAB- NOT IN CORE	COBOL 5 DH	60482500
UNIVERSAL SAVE DECLARED -- OTHER SAVE STATEMENTS ARE REDUNDANT	FORTRAN 5 RM	60481300
UNKNOWN ACCESS CATEGORY NAME.	NOS 2 RS VOL 3	60459680
UNKNOWN ACCESS LEVEL NAME.	NOS 2 RS VOL 3	60459680
	NOS 2 SYS MAINT	60459300
***UNKNOWN ACCESS LEVEL NAME.	NOS 2 SYS MAINT	60459300
UNKNOWN APPLICATION	MCS 1 RM	60480300
UNKNOWN APPLICATION ATTEMPTING TERMINATION.	NOS 2 OP/ANL HB	60459310
UNKNOWN BLOCK OR BAD POINTER ADDR	COBOL 5 DH	60482500
UNKNOWN BLOCK OR BAD POINTER ADDR	COBOL 5 RM	60497100
UNKNOWN COMMAND	MCS 1 RM	60480300
UNKNOWN COMMAND	INTER DEBUG RM	60481400
UNKNOWN DECK.	MODIFY RM	60450100
UNKNOWN DESTINATION	MCS 1 RM	60480300
UNKNOWN EDIT DESCRIPTOR nnnnn	FORTRAN 5 RM	60481300
UNKNOWN FILE FORMAT.	TAF 1 RM	60459500
	NOS 2 OP/ANL HB	60459310
UNKNOWN FORM -- BLANK ASSUMED	FORTRAN 5 RM	60481300
UNKNOWN FORM - BLANK ASSUMED	FORTRAN EXT 4	60497800
UNKNOWN FORMAT CODE nnnnn -- SCAN RESUMES AT NEXT SEPARATOR	FORTRAN EXT 4	60497800
UNKNOWN IDENTIFIER idname	UPDATE RM	60449900
UNKNOWN MODIFIER.	MODIFY RM	60450100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
UNKNOWN NAMED TRANSACTION UNIT REQUESTED FOR SCHEDULING.	TAF 1 RM	60459500
UNKNOWN OPTION.	NOS 2 RS VOL 3	60459680
UNKNOWN PARAMETER	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
UNKNOWN PARAMETER	MCS 1 RM	60480300
UNKNOWN PARAMETER SYMBOL	NPS RM	60480500
UNKNOWN PROGRAM NAME	MCS 1 RM	60480300
UNKNOWN QUEUE NAME	MCS 1 RM	60480300
UNKNOWN SCRIPT TERMINAL TYPE	NPS RM	60480500
UNKNOWN SYMBOLIC NAME	MCS 1 RM	60480300
UNKNOWN TERMINAL NAME	MCS 1 RM	60480300
UNLABELED TAPE REQUIRED - filename.	NOS 2 RS VOL 3	60459680
nn UNLISTED level ERRORS	COBOL 5 DH	60482500
nnUNLISTED LEVEL ERRORS	COBOL 5 RM	60497100
UNMATCHED PARAMETER COUNT IN A REFERENCE TO THIS STATEMENT FUNCTION	FORTRAN EXT 4	60497800
UNMATCHED PARAMETER COUNT TO STATEMENT FUNCTION nnnnn	FORTRAN 5 RM	60481300
UNMATCHED PARAMETER COUNT TO STATEMENT FUNCTION nnnnn	FORTRAN EXT 4	60497800
UNMATCHED PARENTHESIS	FORTRAN EXT 4	60497800
UNMATCHED SYSTEM DEVICES.	NOS 2 OP/ANL HB	60459310
UNNECESSARY CIO FCT. mnn ON filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
UNRECOGNIZABLE CIO ERROR CODE.	TAF 1 RM	60459500
UNRECOGNIZABLE DIRECTIVE.	NOS 2 OP/ANL HB	60459310
UNRECOGNIZABLE DIRECTIVE.	NOS 2 SYS MAINT	60459300
UNRECOGNIZABLE HEADER TYPE.	TAF 1 RM NOS 2 OP/ANL HB	60459500 60459310
UNRECOGNIZABLE KEYWORD	NAM 1 RM	60499500
UNRECOGNIZABLE LABEL.	NOS 2 SYS MAINT	60459300
UNRECOGNIZABLE TYPE SPECIFIED.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED BACKSPACE CODE.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED CODE SET PARAMETER.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED CODE SET SPECIFIED	8-BIT SUBR RM	60495500
UNRECOGNIZED CODE SET SPECIFIED	FORM RM	60496200
UNRECOGNIZED COMMAND.	NOS 2 OP/ANL HB	60459310
UNRECOGNIZED COMMAND	NOS 2 OP/ANL HB	60459310
UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OP/ANL HB	60459310
UNRECOGNIZED DATA TYPE	FORM RM	60496200
UNRECOGNIZED DIRECTIVE	FORM RM	60496200
UNRECOGNIZED KEYWORD	NPS RM	60480500
UNRECOGNIZED KEYWORD IN FILE STRING	8-BIT SUBR RM	60495500
UNRECOGNIZED KEYWORD IN FILE STRING	FORM RM	60496200
UNRECOGNIZED MOVE-COMPARE TYPE	8-BIT SUBR RM	60495500
UNRECOGNIZED OPERATION	FORM RM	60496200
UNRECOGNIZED OPERATOR	FORTRAN EXT 4	60497800
UNRECOGNIZED OPTION	FORM RM	60496200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
UNRECOGNIZED PARAMETER	FORM RM	60496200
UNRECOGNIZED SM - xxxxx.	NOS 2 OP/ANL HB	60459310
UNRECOGNIZED STATEMENT	FORTRAN EXT 4	60497800
UNRECOGNIZED STATEMENT—CHECK FOR JCL IN INPUT STREAM	FTN 4-5 CONV RM	60483000
UNRECOGNIZED TERMINAL MODEL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
UNRECOGNIZED TERMINATION CONDITION.	NOS 2 RS VOL 3	60459680
UNRECOVERABLE ERROR CONDITION OCCURRED.	NOS 2 SYS MAINT	60459300
UNRECOVERABLE ERROR ON filename.	NOS 2 RS VOL 3	60459680
UNRECOVERABLE ERROR ON WRITE FILE	8-BIT SUBR RM	60495500
UNRECOVERABLE ERROR ON WRITE FILE	FORM RM	60496200
UNRECOVERABLE ERROR WRITING TITLE	FORM RM	60496200
UNRECOVERABLE INPUT FILE ERROR	FORM RM	60496200
UNRECOVERABLE READ ERROR.	NOS 2 SYS MAINT	60459300
UNRECOVERABLE WRITE ERROR.	NOS 2 SYS MAINT	60459300
UNRECOVERED MASS STORAGE ERROR.	NOS 2 RS VOL 3	60459680
UNRECOVERED PARITY ERROR - filename ENTER K.GO - CONTINUE ON NEW REEL. K.END - ABORT DUMP. K.DISABLE - CONTINUE ON ONE FILE.	NOS 2 SYS MAINT	60459300
UNSATISFIED EXT	FORTRAN EXT 4	60497800
UNSATISFIED EXTERNAL REFERENCE	BASIC 3 RM	19983900
UNTIL CANNOT BE LESS THAN START	LOADER 1 RM	60429800
UNUSABLE DISK	NOS 2 INSTAL HB	60459320
UNUSUAL END-OF-FILE ENCOUNTERED.	NOS 2 RS VOL 3	60459680
UP, CDCS	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
UP COMPLETE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
UP IN PROGRESS	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
UPDATE COMPLETE.	NOS 2 SYS MAINT	60459300
UPDATE COMPLETE	UPDATE RM	60449900
UPDATE CONTROL CARD ERROR(S)	UPDATE RM	60449900
UPDATE CREATION RUN	UPDATE RM	60449900
n UPDATE ERRORS, JOB ABORTED	UPDATE RM	60449900
**** UPDATE NOT ALLOWED BY INQUIRE.	NOS 2 SYS MAINT	60459300
UPDATE UTILITY CONTROL DATE.	NOS 2 SYS MAINT	60459300
UPDATED - type/name	NOS 2 RS VOL 3	60459680
UPDATED - type/name	CYBER COM UTIL	60495600
UPDATING username.	NOS 2 SYS MAINT	60459300
USAGE CONFLICT -- nnnnn CANNOT BE STATEMENT FUNCTION	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn CANNOT BE STATEMENT FUNCTION	FORTRAN EXT 4	60497800
USAGE CONFLICT -- nnnnn IS mmmmm AND CANNOT BE ppppp	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn IS mmmmm AND CANNOT BE sssss	FORTRAN EXT 4	60497800
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS DO TERMINAL	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS DO TERMINAL	FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS FORMAT	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS FORMAT	FORTRAN EXT 4	60497800
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS mmmmm	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS mmmmm	FORTRAN EXT 4	60497800
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS A FORMAT LABEL	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS A FORMAT LABEL	FORTRAN EXT 4	60497800
**** USE *FILINFO* IN PLACE OF *PRM* CALL ****.	NOS 2 RS VOL 3	60459680
**** USE *FILINFO* IN PLACE OF *STS* CALL ****.	NOS 2 RS VOL 3	60459680
USE OF A NUMBER AS LABELED COMMON BLOCK NAME IS NON-ANSI	FORTRAN EXT 4	60497800
USE OF THIS PROGRAM OR SUBROUTINE NAME IN AN EXPRESSION	FORTRAN EXT 4	60497800
USE SCOPY FOR FILE STRUCTURE.	NOS 2 RS VOL 3	60459680
USER: un,termnam,ltime,aname,acn,ctime,dt.	NOS 2 OP/ANL HB	60459310
USER BREAK TWO ENCOUNTERED.	NOS 2 RS VOL 3	60459680
USER CONDITION REGISTER =xxxx	NOS 2 OP/ANL HB	60459310
USER DAYFILE PROCESSED.	NOS 2 RS VOL 3	60459680
USER DIRECTIVE INVALID.	NOS 2 RS VOL 3	60459680
USER ECS DISABLED.	NOS 2 OP/ANL HB	60459310
USER ECS IMPROPERLY ALLOCATED.	NOS 2 OP/ANL HB	60459310
USER ECS SPACE UNAVAILABLE.	NOS 2 OP/ANL HB	60459310
USER ECS SYSTEM SECTOR ERROR.	NOS 2 OP/ANL HB	60459310
USER INDEX userindex B PURGED.	NOS 2 SYS MAINT	60459300
USER INDEX NOT ON DEVICE.	NOS 2 SYS MAINT	60459300
**** USER INDEX PREVIOUSLY DEFINED.	NOS 2 SYS MAINT	60459300
nnn USER INDICES PURGED.	NOS 2 SYS MAINT	60459300
USER LIBRARY NOT FOUND.	NOS 2 RS VOL 3	60459680
USER LIBRARY NOT ON MASS STORAGE.	NOS 2 RS VOL 3	60459680
USER NAME:	MCS 1 RM	60480300
USER NAME:	RBF 1 RM	60499600
**** USER NAME ALREADY EXISTS.	NOS 2 SYS MAINT	60459300
USER NAME NOT FOUND.	NOS 2 SYS MAINT	60459300
USER NOT ACTIVE.	NOS 2 OP/ANL HB	60459310
USER NOT SYSTEM ORIGIN.	NOS 2 SYS MAINT	60459300
USER NOT VALIDATED FOR ECS MINIMUM CM.	NOS 2 OP/ANL HB	60459310
USER NUMBER INVALID.	NOS 2 RS VOL 3	60459680
**** USER NUMBER LIMIT.	NOS 2 SYS MAINT	60459300
USER PROGRAM INTERRUPT PENDING	NOS 2 SYS MAINT	60459300
USER PROLOGUE NOT FOUND.	INTER DEBUG RM	60481400
USER RECOVER ROUTINE COMPLETED, x REQUESTED	NOS 2 SYS MAINT	60459300
USER STATEMENT NOT EXECUTED.	INTER DEBUG RM	60481400
USER VALIDATION DENIED.	NOS 2 RS VOL 3	60459680
USER VALIDATION ERROR.	NOS 2 OP/ANL HB	60459310
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
	TAF 1 RM	60459500

MESSAGE

users USERS tasks TASKS.
USING MRL EXCEEDS SORT FILE MRL
USING MRL EXCEEDS SORT FILE MRL
V-BLOCK HAS SHORT RECORD FRAGMENT
V-BLOCK HAS SHORT RECORD FRAGMENT
V-BLOCK LENGTH EXCEEDS BLOCK SIZE
V, D, XI OPTION VIOLATED.
V, FO, XI OPTION VIOLATED.
V-RECORD LENGTH EXCEEDS BLOCK SIZE
V-RECORD LENGTH LESS THAN 4 BYTES
V-RECORD LENGTH LESS THAN 4 BYTES
V TYPE ERROR BIT COUNT ERROR ON VFD (MUST BE 0 _ COUNT _ 60).
OCCURRED ON PAGES p1, p2, p3, ..., pn
VALID LO OPTIONS ARE LO, LO=A, LO=T or LO=X.

VALID OPTIONS ARE A, B, OR C.
VALIDATING SB=subfamily CSU=id.
VALIDATION DENIED - DEVICE NOT FOUND.

VALIDATION DENIED - DEVICE ON OR IN USE.

VALUE ERROR.
VALUE ERROR
cmd VALUE INAPPROPRIATE.

VALUE MISSING
VALUE OF ARRAY SUBSCRIPT IS .LT. 1 OR .GT. DIMENSIONALITY IN IMPLIED DO NEST
VALUE OF UNEXPECTED TYPE
VALUE OUT-OF-RANGE
VALUE OUT OF RANGE OR INDEFINITE
VALUE TOO LARGE

VALUE TOO LARGE FOR FIELD WIDTH
VALUE TOO LARGE FOR FIELD WIDTH
VARIABLE DIMENSION ARRAY nnnnn MUST BE DUMMY ARGUMENT
VARIABLE DIMENSION INDICATOR nnnnn IS NOT INTEGER
VARIABLE DIMENSION INDICATOR nnnnn MUST BE DUMMY ARGUMENT
VARIABLE DIMENSION NOT PERMITTED IN NAMELIST
VARIABLE nnnnn HAS NO DIMENSION BOUND -- IGNORED
VARIABLE nnnnn HAS NO DIMENSION INDICATOR -- IGNORED
VARIABLE IN ASSIGN OR ASSIGNED GO TO IS ILLEGAL
VARIABLE NAMES NOT AVAILABLE
VARIABLE NAMES NOT AVAILABLE FOR xxx
VARIABLE NOT DECLARED IN LABEL COMMON
VARIABLE nnnnn NOT INTEGER
VARIABLE nnnnn NOT INTEGER
VARIABLE RANGE ERR/TBL-tn

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OP/ANL HB	60459310
COBOL 5 RM	60497100
COBOL 5 DH	60482500
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
COMPASS 3 RM	60492600
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
MODIFY RM	60450100
APL 2 RM	60454000
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
RBF 1 RM	60499600
RBF 1 RM	60499600
INTER DEBUG RM	60481400
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200

MESSAGE

VARIABLE RANGE ERR/TBL ERR - tn
VARIABLE nnnnn REFERENCED AS ARRAY
VARIABLE SUBSCRIPTS MAY NOT APPEAR WITHOUT DO LOOPS
VARIABLE ** ZERO -- RESULT ASSUMED ONE
VEJ - BUFFER ARGUMENT ERROR.

VEJ - INVALID REQUEST.

VER n.n - min.
VERIFY ARGUMENT ERROR.
VERIFY ERRORS.
VERIFY FILE NAME CONFLICT - filename.
VERIFY FL ABOVE USER LIMIT.
VERIFY GOOD.
VERIFYING ADDRESSES S/N=serialn.
VERSION AFFECTED IS vn

VERSION MISMATCH ON MEMORY FILE
VERSION ON SELECT FILE DOES NOT MATCH MD
VERY LONG CONSTANT
VS-RECORD FINAL SEGMENT MISSING
VS-RECORD FINAL SEGMENT MISSING
VS-RECORD FOUND IN TYPE V FILE
VS-RECORD FOUND IN TYPE V FILE
VS-RECORD INITIAL SEGMENT MISSING
VS-RECORD INITIAL SEGMENT MISSING

VSN = vsn.
FAMILY = familyname.
SUBFAMILY = subfamily.
CSU = id.
X = x.
Y = y.
UNEXPECTED CSU, X, Y, FAMILY OR SUBFAMILY.

VSN ALREADY EXISTS.

VSN ALREADY IN CSUMAP.

VSN - xxxxxx ALREADY IN DIRECTORY.

VSN AND DATE/TIME CANNOT CO-EXIST ON LOAD
DIRECTIVE.

VSN ASSIGNED DOES NOT MATCH VSN REQUESTED.

VSN DOES NOT EXIST.

VSN FILE ERROR.
VSN FILE ERROR.
VSN IS NOT FIRST REEL.

VSN NOT FOUND.
VSN NOT FOUND IN CSUMAP.
VSN OPTION VIOLATED.

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 SYS MAINT	60459300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OP/ANL HB	60459310
CDCS 2 DA RM	60485200
INTER DEBUG RM	60481400
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300

MESSAGE

VSN OR DATE/TIME NOT SPECIFIED.

VSN TABLE OVERFLOW.

VSN or X-Y NOT IN SUBFAMILY.

VWBT EMPTY - FALSE INVOKE OF NVFVWF.

WAIT

WAIT..

WAIT DEMAND FILE ATTACH.

WAIT FNT SPACE.

WAIT FOR CATALOG INTERLOCK.

WAIT FOR MSS FILE STAGING.

WAIT FOR MSS INTERLOCK.

WAIT FOR PF UTILITY ON est.

nnnn WAIT QUEUE FILES RECOVERED.

WAIT IMT COMPLETE.

WAITING

WAITING FOR CDCS

WAITING FOR CFO.GO.

WAITING FOR CFO.GO.

WAITING FOR ECS.

WAITING FOR EXEC.

WAITING FOR FILE filename.

WAITING FOR xxxI INTERLOCK.

WAITING FOR INTERLOCK.

WAITING FOR MACHINE ID=XX.

WAITING FOR MAGNET.

WAITING FOR NETWORK.

WAITING FOR NETWORK

WAITING FOR PN=packname, type.

WAITING FOR READY UNIT est

WAITING FOR RESOURCE FILE.

WAITING FOR RESOURCES.

WAITING FOR STORAGE.

WAITING FOR STORAGE.

WAITING FOR STORAGE (CM).

WAITING FOR STORAGE (ECS).

WAITING FOR TVF TO BE ENABLED.

WAITING FOR VSN= vsn, type.

MANUAL

PUB. NO.

TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690

MESSAGE

WAITING FOR 45000B WORDS
WAITING - GLOBAL INTERLOCK.
pfn WAITING MSS EXEC.
WAITING ON TRACK LIMIT.
WAITING - RECOVERY INTERLOCK.
WAITINP FROM MULTI QUEUED TASK.
WARNING, CST SIZE EXCLUDING CAPSULES NEAR MAXIMUM OF num OCTAL WORDS
WARNING, CST SIZE OF ALL CAPSULES IS NEAR MAXIMUM OF num OCTAL WORDS
WARNING, CURRENT SCHEMA MAY NOT BE PRIOR ONE USED FOR MD AND/OR SUB-SCHEMA
WARNING---EMPTY SUB-SCHEMA FILE
WARNING --- EMPTY SUB-SCHEMA FILE
WARNING, FOR CDCS CORE LENGTH NOTE CST TOTAL SIZE OF num OCTAL WORDS
WARNING-FUNCTION REDEFINITION
WARNING-FUNCTION REFERENCE BEFORE DEFINITION
nnnnnnnnn WARNING MESSAGES IN xxxxxxxx
**** WARNING **** NO OBJECT TEXT FOR THESE
MOD DIRECTIVES
WARNING, RETURNING PRIOR NEWPL
WARNING -- TERMINATOR MISSING
WARNINGOLDPL CHECKSUM ERROR***
WAS LAST CHARACTER SEEN AFTER TROUBLE. REMAINDER OF STATEMENT IGNORED
WILL YOU ACCEPT THE FILE-ANSWER Y OR N
-WITH NO FOLLOWING VALUE -- IGNORED
WORD ADDRESS NOT FOUND.
WORKING STORAGE AREA TOO SMALL
WORKING STORAGE AREA TOO SMALL
WPE UNRECOVERED - ABORT.
WRITE-DOWN OF DATA PROHIBITED.
WRITE ERROR
WRITE ON READ-ONLY FILE filename AT address.
WRITE OVER LABEL ILLEGAL.
WRITING INTO RA+1
WRITING SUMMARY.
WRONG ENTRY WHILE READING VSN ENTRIES.
WRONG PARITY, filename AT address.
WRONG TYPE FILE
WRONG VSN USED.
WS FULL
WS NOT FOUND

<u>MANUAL</u>	<u>PUB. NO.</u>
UPDATE RM	60449900
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OP/ANL HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
BASIC 3 RM	19983900
BASIC 3 RM	19983900
COMPASS 3 RM	60492600
NOS 2 INSTAL HB	60459320
UPDATE RM	60449900
PL/I RM	60388100
UPDATE RM	60449900
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
NOS 2 SYS MAINT	60459300
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
NOS 2 SYS MAINT	60459300
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
APL 2 RM	60454000
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
APL 2 RM	60454000
APL 2 RM	60454000

MESSAGE

WSA NOT ALIGNED ON WORD BOUNDARY
WSA NOT ALIGNED ON WORD BOUNDARY
X CODE PRECEDED BY NON-DIGIT -- 1 X ASSUMED
X CODE PRECEDED BY ZERO -- X CODE IGNORED
X CODE RESETS COLUMN POINTER, OVERLAYING CURRENT LINE
X-FIELD PRECEDED BY A ZERO. NO SPACING OCCURS
X OR Q ILLEGAL WITHOUT COMPILE.
X,Y OPTION VIOLATED.
XD/XT EXCEEDS MAXIMUM.

XEDIT version.
XEDIT INTERNAL ERROR (ERD).
NOTIFY CONSULTANT.
XI, YI OPTION VIOLATED.
XL BUFFER/FET PARAMETER ERROR, filename
AT address.
YANK, SELYANK, OR YANKDECK ident NOT KNOWN
YOU ARE NOT THE CONTROLLING NOP
YOU CAN'T DISCONNECT YOURSELF
YOU DELETED THE ENTIRE FILE.
YOU NOW HAVE AUTO CONTROL STATUS
ZERO INCREMENT FOR INDEX xxxx IN DO LOOP
ZERO IS AN ILLEGAL UNIT NUMBER
ZERO IS SPECIFIED AS REPEAT COUNT
ZERO IS SPECIFIED AS REPEAT COUNT AT nnnnn
ZERO IS SPECIFIED AS REPEAT COUNT. SCANNING STOPS
ZERO LENGTH CHARACTER OR HOLLERITH STRING
ZERO LENGTH SPECIFIED ON HOLLERITH CONSTANT
ZERO LEVEL RIGHT PARENTHESIS MISSING. SCANNING STOPS
ZERO MRL/FL ILLEGAL
ZERO OR NEGATIVE COUNT
ZERO STATEMENT LABELS ARE ILLEGAL
ZERO TO A NEGATIVE POWER
ZERO ** ZERO -- RESULTS INDEFINITE
ZERO ** ZERO -- RESULTS INDEFINITE
ZZdbAnn - ACTIVE ARF.
ZZdbBnn - BRf RECOVERY
FILE.
ZZdbDIR UNREADABLE.

ZZZZLD NOT ON MASS STORAGE.
1DD ABT.
1IS - ILLEGAL REQUEST.
1MR ERROR FLAG TERMINATION.
1MT PROBABLY LOST.
1RM INVALID REQUEST.
1RM INVALID USER ACCESS.

<u>MANUAL</u>	<u>PUB. NO.</u>
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
MODIFY RM	60450100
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
XEDIT 3 RM	60455730
XEDIT 3 RM	60455730
NOS 2 SYS MAINT	60459300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
UPDATE RM	60449900
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
XEDIT 3 RM	60455730
NOS 2 OP/ANL HB	60459310
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORM RM	60496200
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OP/ANL HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OP/ANL HB	60459310
NOS 2 SYS MAINT	60459300
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310

MESSAGE

1ST VALUE GE 2ND
1TM - NO TPM AVAILABLE.
1TM - NO TPM RESPONSE.
1TM - NOT CYBE 170-BX5.
1TM - RMest Ccn Ppn Fffff REJECT.
1TM - RMF TERMINATED.
1TM - RMF TIME-OUT.
1TO ABORT nn,pppp.
667x MALFUNCTION.
000 F ERROR LIMIT EXCEEDED
0 - IN CREATION MODE.
 0 INTERNAL ERROR. UNSUCCESSFUL OBTAIN IN RECREATES
 1 A SPACE OR , EXPECTED
001 ERROR IN COMPUTED GO TO STATEMENT - INDEX VALUE INVALID
001 ERROR IN COMPUTED GO TO STATEMENT - INDEX VALUE INVALID
001 F EMPTY SOURCE FILE
001 INPUT INSUFFICIENT TO CREATE FILE
 1 INTERNAL ERROR. UNABLE TO MODIFY DIAGNOSTIC..param
001 c INVALID CHARACTER MASK
001 INVALID FO
001 INVALID FO
001 LONG IDENTIFIER - FIRST 12 CHARACTERS USED
0001 NONEXISTENT LFN - xxxxxxxx
1 TYPE ERROR LOCATION SYMBOL BAD. SYMBOL NOT DEFINED.
 OCCURRED ON PAGES p1, p2, p3, ..., pn
01 000000ff01
002 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INDEFINITE; or ARGUMENT INFINITE
002 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
2 BRANCH IF IS NON-ANSI
 2 CHARACTERS USED OUTSIDE A STRING OR NAME MUST BE LETTER, DIGIT)
 = (' , OR SPACE
002 F SOURCE WORD LONGER THAN 80 CHARACTERS
002 FIT/FILE ORGANIZATION MISMATCH
002 FIT/FILE ORGANIZATION MISMATCH
 2 INTERNAL ERROR. UNABLE TO DELETE DIAGNOSTIC..param
002 c INVALID OCTAL LITERAL
002 PUNCTUATION ERROR
002 SYMPL TEXT CONTAINS EMBEDDED -PROC- OR -FUNC-
2 TYPE ERROR ADDRESS ERROR ON SYMBOL DEFINITION.
 OCCURRED ON PAGES p1, p2, p3, ..., pn
02 ddcc00ff02
 3 A VALUE SHOULD FOLLOW THIS KEYWORD
003 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
003 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
3 BRANCH IF HAS nnnnn EXPRESSION
3 BRANCH IF MISSING LABEL

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
NOS 2 OP/ANL HB	60459310
MCS 1 RM	60480300
XEDIT 3 RM	60455730
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
NDL 1 RM	60480000
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
CRM/BAM 1 RM	60495700
SYMPL 1 RM	60496400
LOADER 1 RM	60429800
COMPASS 3 RM	60492600
IMF 1 AP RM	60484500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SORT/MERGE 5 RM	60484800
MCS 1 RM	60480300
CRM/AAM 2 RM	60499300
CRM/BAM 1 RM	60495700
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
SYMPL 1 RM	60496400
COMPASS 3 RM	60492600
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
3 BRANCH IF NOT DEFINED FOR LOGICAL RESULTS	FORTRAN EXT 4	60497800
0003 COMPILATION ERROR AT STATEMENT -number-	PL/I RM	60388100
003 c DELIMITER MISSING FOLLOWING n	QUERY UPDT 3 RM	60498300
003 F APPLICATION GLOBAL DIVISION MISSING	MCS 1 RM	60480300
3 INTERNAL ERROR. UNABLE TO STORE DIAGNOSTIC..param	IMF SCHEMA DEF.	60484400
003 KEYWORD NOT RECOGNIZED	NDL 1 RM	60480000
0003 OVERLAY NOT FOUND - xxxxxxxx, OVERLAY NOT FOUND - (nn,nn)	LOADER 1 RM	60429800
3 TYPE ERROR. DUPLICATE MACRO DEFINITION. NEW ONE OVERRIDES. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
003 UNDECLARED IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
03 000000ff03	IMF 1 AP RM	60484500
004 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
004 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
004 DUPLICATE PARAMETER	NDL 1 RM	60480000
004 F APPLICATION-NAME PARAGRAPH MISSING	MCS 1 RM	60480300
004 ILLEGAL OCTAL OR HEX CONSTANT	SYMPL 1 RM	60496400
0004 INSUFFICIENT FL, or INSUFFICIENT FL - nnnnnn NEEDED	LOADER 1 RM	60429800
4 INTERNAL ERROR. IDENTIFIER OBTAIN FAILED IN CONSCH	IMF SCHEMA DEF.	60484400
004 MATCHING DELIMITER MISSING n	QUERY UPDT 3 RM	60498300
4 TYPE ERROR BAD FORMAL PARAMETER NAME IGNORED. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
4 UNDEFINED COLLATING SEQUENCE	SORT/MERGE 5 RM	60484800
005 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INFINITE; ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
005 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
5 CHARACTER AFTER KEYWORD MUST BE SPACE OR =	SORT/MERGE 5 RM	60484800
005 COMMAND NOT FULLY EDITED	DATA CAT 2 RM	60483200
005 F INVALID CHARACTERS IN FILE NAME	MCS 1 RM	60480300
005 n FIRST CHARACTER INVALID	QUERY UPDT 3 RM	60498300
5 NO STORE PERMISSION. RECORD NOT LOADED OR RELOADED..param	IMF SCHEMA DEF.	60484400
0005 OVERLAY HEADER NOT CORRECT	LOADER 1 RM	60429800
005 REQUIRED PARAMETER MISSING	NDL 1 RM	60480000
005 -TERM- MISSING	SYMPL 1 RM	60496400
5 TYPE ERROR CPU OPERATION SYNTAX INCORRECTLY SPECIFIED. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
05 000000ff05	IMF 1 AP RM	60484500
006 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
006 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
006 BAD STATUS CONSTANT USE	SYMPL 1 RM	60496400
006 F INVALID CHARACTERS IN DATA NAME	MCS 1 RM	60480300
006 FIRST BLOCK IS NOT A FSTT	CRM/AAM 2 RM	60499300
006 INVALID CHARACTER IN n	QUERY UPDT 3 RM	60498300
6 INVALID KEYWORD DETECTED	SORT/MERGE 5 RM	60484800
6 RECORD INCOMPLETE VIEW OF CORRESPONDING SENTENCE..param	IMF SCHEMA DEF.	60484400
0006 REQUEST FORMAT ERROR	LOADER 1 RM	60429800
6 TYPE ERROR LOCATION FIELD MEANINGLESS.	COMPASS 3 RM	60492600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
006 VALUE IS NOT TYPE REQUIRED	NDL 1 RM	60480000
06 000000ff06	IMF 1 AP RM	60484500
007 ARGUMENT VECTOR ZERO; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
007 ARGUMENT VECTOR ZERO; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
007 BAD NESTING OF PARENTHESES OR BRACKETS	SYMPL 1 RM	60496400
7 CHARACTER SYMBOL nnnnn IS NON-ANSI	FORTRAN 5 RM	60481300
7 CHARACTER SYMBOL nnnnn IS NON-ANSI	FORTRAN EXT 4	60497800
7 CHARACTER SYMBOLIC NAME IS NON-ANSI	FORTRAN EXT 4	60497800
7 CORRESPONDING SENTENCE ALREADY LOADED OR RELOADED..param	IMF SCHEMA DEF.	60484400
0007 E-BIT WITH AUTO-RECALL	LOADER 1 RM	60429800
007 F INVALID CHARACTERS IN SYMBOLIC NAME	MCS 1 RM	60480300
007 INVALID CHARACTER IN NAME OR KEYWORD n	QUERY UPDT 3 RM	60498300
7 TYPE ERROR ADDRESS VALUE EXCEEDS FIELD SIZE, RESULT TRUNCATED. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
7 UNLESS IN A STRING, = SHOULD FOLLOW ONLY A KEYWORD	SORT/MERGE 5 RM	60484800
007 VALUE IS TOO LONG	NDL 1 RM	60480000
07 00cc00ff07	IMF 1 AP RM	60484500
008 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
008 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
008 F INVALID CHARACTERS IN ROUTINE NAME	MCS 1 RM	60480300
008 ILLEGAL CHARACTER IN INPUT - IGNORED	SYMPL 1 RM	60496400
008 n IS INVALID NAME	QUERY UPDT 3 RM	60498300
8 NO OBTAIN PERMISSION. RECORD NOT UNLOADED..param	IMF SCHEMA DEF.	60484400
08 0CMERR0010	IMF 1 AP RM	60484500
008 SUPERFLUOUS DATA AT END OF COMMAND	NDL 1 RM	60480000
8 TYPE ERROR MISSING OR EXTRA ADDRESS SUBFIELD. OCCURRED ON PAGES p1, p2, p3, ..., pn OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
009 CHARACTER STRING LONGER THAN 240 BYTES - 240 USED	SYMPL 1 RM	60496400
009 F INVALID CHARACTERS IN CONDITION NAME	MCS 1 RM	60480300
9 INTERNAL ERROR. SENTENCE OBTAIN FAILED IN CONSCH	IMF SCHEMA DEF.	60484400
009 n MISPLACED DECIMAL POINT	QUERY UPDT 3 RM	60498300
9 () MUST ENCLOSE A VALUE	SORT/MERGE 5 RM	60484800
09 0CMERR0011	IMF 1 AP RM	60484500
009 REQUIRED VALUE MISSING	NDL 1 RM	60480000
0009 SIGNAL ERROR	PL/I RM	60388100
9 UNABLE TO ATTACH FILE.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
009 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
009 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
010 CHANGE KEYWORD, OLD VALUE=xxxx	DATA CAT 2 RM	60483200
10 CHARACTER AFTER = MUST BE LETTER, DIGIT (\$ ' OR SPACE	SORT/MERGE 5 RM	60484800
010 EMPTY DEFINE	NDL 1 RM	60480000
010 F INVALID CHARACTERS IN QUEUE NAME	MCS 1 RM	60480300
10 FUNCTION NOT PERMITTED ON THIS RECORD TYPE.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
010 n HAS DUPLICATE DECIMAL POINT	QUERY UPDT 3 RM	60498300
010 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN 5 RM	60481300
010 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN EXT 4	60497800
10 INTERNAL ERROR. ROLE OBTAIN FAILED IN CONSCH	IMF SCHEMA DEF.	60484400
010 LAST WORD PROCESSED SHOWN BELOW	DATA CAT 2 RM	60483200
10 OCMERRO012	IMF 1 AP RM	60484500
010 -PROC- OR -FUNC- NAME CANNOT BE A RESERVED WORD	SYMPL 1 RM	60496400
11 ATTEMPT TO OPEN AN ALREADY OPEN EXTERNAL SCHEMA.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
011 DUPLICATE DEFINE	NDL 1 RM	60480000
011 F USER-DEFINED NAME TOO LONG FOR ITS TYPE	MCS 1 RM	60480300
0011 I/O ERROR STATUS	LOADER 1 RM	60429800
011 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN 5 RM	60481300
011 INFINITE ARGUMENT; INDEFINITE ARGUMENT, ARGUMENT (REAL) OUT OF RANGE ARGUMENT	FORTRAN EXT 4	60497800
011 (IMAG) OUT OF RANGE		
011 n IS INVALID FIXED POINT LITERAL	QUERY UPDT 3 RM	60498300
11 KEYWORD -OBJECT- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
011 SYMPL TEXT CONTAINS XDEF	SYMPL 1 RM	60496400
11 THIS VALUE SHOULD BE A STRING (DELIMITED WITH 'S)	SORT/MERGE 5 RM	60484800
12 CONCEPTUAL SCHEMA HAS NOT BEEN INITIALIZED.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
012 DEFINE NAME CANNOT BE A KEYWORD	NDL 1 RM	60480000
012 F INVALID NON-NUMERIC LITERAL	MCS 1 RM	60480300
012 ILLEGAL ARRAY IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
12 INVALID OBJECT NAME..param	IMF SCHEMA DEF.	60484400
012 n IS INVALID FLOATING POINT LITERAL	QUERY UPDT 3 RM	60498300
0012 LOADABLE AREA LS 100B	LOADER 1 RM	60429800
12 OCMERRO014	IMF 1 AP RM	60484500
012 ZERO ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
012 ZERO ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
013 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
013 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
13 DUPLICATE OBJECT NAME..param	IMF SCHEMA DEF.	60484400
13 EXTERNAL SCHEMA HAS NOT BEEN INITIALIZED.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
013 F NON-NUMERIC LITERAL TOO LONG	MCS 1 RM	60480300
013 ILLEGAL STATUS LIST IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
0013 INCONSISTENT CMM USAGE	LOADER 1 RM	60429800
013 n NEEDS ALPHA CHARACTER	QUERY UPDT 3 RM	60498300
013 NESTED DEFINE	NDL 1 RM	60480000
13 OCMERRO015	IMF 1 AP RM	60484500
13 THIS COMMA SHOULD BE FOLLOWED BY A LETTER, DIGIT, SPACE , OR (SORT/MERGE 5 RM	60484800
14 ATTEMPT TO OPEN AN UNKNOWN CONCEPTUAL SCHEMA.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
014 n COMPLEX NUMBER MISSING IMAGINARY PORTION	QUERY UPDT 3 RM	60498300
014 F INITIATION MUST SPECIFY AUTOMATIC OR EXPLICIT	MCS 1 RM	60480300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
014 ILLEGAL COMMON IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
014 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN 5 RM	60481300
014 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN EXT 4	60497800
14 KEYWORD -NOTATION- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
14 OCMERRO016	IMF 1 AP RM	60484500
014 STATEMENT OUT OF SEQUENCE	NDL 1 RM	60480000
14 THIS CHARACTER MUST BE A LETTER, DIGIT (' SPACE OR ,	SORT/MERGE 5 RM	60484800
15 ATTEMPT TO OPEN AN UNKNOWN EXTERNAL SCHEMA.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
015 DUPLICATE LABEL	NDL 1 RM	60480000
015 F TEST MAY ONLY BE USED WITH AUTOMATIC	MCS 1 RM	60480300
015 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
015 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
015 n INVALID COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
15 KEYWORD -SENTENCE- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
15 OCMERRO017	IMF 1 AP RM	60484500
015 REQUESTED LINES NOT PRESENT FOR CATEGORY	DATA CAT 2 RM	60483200
015 SEMICOLON MISSING AFTER ARRAY DECLARATION	SYMPL 1 RM	60496400
15 TOO MANY PARAMETER POSITIONS HAVE BEEN SPECIFIED	SORT/MERGE 5 RM	60484800
016 CRUD AT START OF STATEMENT DELETED	SYMPL 1 RM	60496400
016 F APPLICATION PROGRAM DIVISION MISSING	MCS 1 RM	60480300
016 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE BASE IN	FORTRAN 5 RM	60481300
016 EXPONENTIATION; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
016 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN EXT 4	60497800
016 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
016 n INCOMPLETE COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
16 KEYWORD -ROLE- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
16 OCMERRO020	IMF 1 AP RM	60484500
016 REQUIRED LABEL MISSING	NDL 1 RM	60480000
017 ARGUMENT INFINITE or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
017 ARGUMENT INFINITE or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
17 CHARACTER AFTER) MUST BE SPACE) OR ,	SORT/MERGE 5 RM	60484800
017 DUPLICATE NODE NUMBER	NDL 1 RM	60480000
017 F SEARCHING FOR NEXT AREA A STATEMENT	MCS 1 RM	60480300
17 IBN MUST BE OMITTED FOR THIS METAIB RUN.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
017 ILLEGAL KEYWORD USE DELETED	SYMPL 1 RM	60496400
17 INVALID SENTENCE NAME	IMF SCHEMA DEF.	60484400
017 n IS INCOMPLETE FLOATING POINT LITERAL	QUERY UPDT 3 RM	60498300
018 ARGUMENT VECTOR 0,0; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
018 ARGUMENT VECTOR 0,0; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
018 ARRAY ITEM DECLARATION LIST LACKS -END-	SYMPL 1 RM	60496400
18 CHARACTER AFTER (MUST BE A LETTER, DIGIT \$ ' (OR SPACE	SORT/MERGE 5 RM	60484800
018 DUPLICATE PORT NUMBER	NDL 1 RM	60480000
018 F UNEXPECTED EOF ON SOURCE FILE	MCS 1 RM	60480300
018 ILLEGAL DATA TYPE	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
18 INTERNAL ERROR DURING METAIB GENERATION.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
18 INVALID ROLE NAME..param	IMF SCHEMA DEF.	60484400
019 DUPLICATE DECLARATION IDENTIFIER ERROR	SYMPL 1 RM	60496400
019 F DIVISION, SECTION, PARA BEGIN COLS 8-11	MCS 1 RM	60480300
019 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE 019 POWER; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
019 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE 019 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
19 INTERNAL ERROR WHILE READING OR WRITING TABLES.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
19 INVALID IDENTIFIER NAME..param	IMF SCHEMA DEF.	60484400
019 NPUNAME NOT DEFINED IN AN NPU STATEMENT	NDL 1 RM	60480000
019 SYNTAX TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
19 THE HIGH AND LOW VALUES OF THIS RANGE MUST BE AN INTEGER, R1, R2, R3, RIG, EF OR EFG	SORT/MERGE 5 RM	60484800
020 DELETE KEYWORD, OLD VALUE=xxxx	DATA CAT 2 RM	60483200
020 F DUPLICATE USER-DEFINED NAME	MCS 1 RM	60480300
020 HNODE NOT DEFINED IN A COUPLER STATEMENT	NDL 1 RM	60480000
20 IMF HAS NOT BEEN INITIALIZED.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
020 INVALID BT	CRM/BAM 1 RM	60495700
020 -c- IS NOT A VALID PERMANENT FILE NAME	QUERY UPDT 3 RM	60498300
020 ITEM DECLARATION IDENTIFIER ERROR	SYMPL 1 RM	60496400
20 KEYWORD -USING- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
0020 RECORD (SIGNALLED)	PL/I RM	60388100
020 REQUESTED CATEGORY NOT DEFINED	DATA CAT 2 RM	60483200
20 THE HIGH AND LOW VALUES OF THIS RANGE MUST BE A STRING	SORT/MERGE 5 RM	60484800
020 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
020 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
21 CHARACTER FOLLOWING AN INTEGER MUST BE) .. , SPACE OR LETTER	SORT/MERGE 5 RM	60484800
21 CIO ERROR RETURNED TO EFM MODULE.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
021 DECLARATION DISCARDED - SCAN RESUMES AT SEMICOLON	SYMPL 1 RM	60496400
021 F OPERATOR CLAUSE REQUIRES SIGNATURE OR PASSWORD	MCS 1 RM	60480300
021 FLOATING OVERFLOW IN D**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX 021 POWER; IMAG(Z)*LOG(D) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
021 FLOATING OVERFLOW IN D**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER; 021 IMAG(Z)*LOG(D) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
21 INVALID CONSTRAINT NAME..param	IMF SCHEMA DEF.	60484400
021 c -MOVE DESTINATION- MAY NOT BE LITERAL OR DESCRIBED ITEM	QUERY UPDT 3 RM	60498300
0021 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
021 TNODE NOT DEFINED IN AN NPU STATEMENT	NDL 1 RM	60480000
022 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
022 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
22 EXPECTING ASCENDING/ IMMATERIAL. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
022 F APPLICATION DATA DIVISION HEADER MISSING	MCS 1 RM	60480300
022 c n INVALID SYNTAX	QUERY UPDT 3 RM	60498300
022 ITEM DECLARATION TYPE ERROR - I ASSUMED	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
022 NPU NOT REFERENCED BY A COUPLER OR TRUNK	NDL 1 RM	60480000
22 POSITIONAL VALUES ARE NOT ALLOWED IN A VALUE-SET	SORT/MERGE 5 RM	60484800
0022 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
22 THE METABASE IS NOT VALID.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
022 W RECORDS DISALLOWED ON BT=E/K	CRM/BAM 1 RM	60495700
23 A PERIOD CANNOT BE USED IN A PARAMETER-LIST	SORT/MERGE 5 RM	60484800
023 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
023 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
023 DUPLICATE NPUNAME	NDL 1 RM	60480000
023 F SERIAL NUMBER REQUIRES SUPPLIED OR GENERATED	MCS 1 RM	60480300
0023 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
023 SYMPL TEXT CONTAINS EXECUTABLE STATEMENTS	SYMPL 1 RM	60496400
023 c TAG-NUMBER OUT OF RANGE OR SELECT MISSING	QUERY UPDT 3 RM	60498300
23 THE METABASE TABLE ADDRESS OR LENGTH IS INVALID.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
23 THE ROLE NAME LIST CONTAINS NO ROLE NAMES	IMF SCHEMA DEF.	60484400
24 A RANGE IS ONLY ALLOWED AS A VALUE FOR ENR, KEY OR SUM PARAMETERS	SORT/MERGE 5 RM	60484800
24 CONFLICT WITH IMF INTERNAL TABLES DIT AND SDIT.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
024 F SUPPLIED SERIAL NUMBER REQUIRES IN PHRASE	MCS 1 RM	60480300
24 KEYWORD -IN- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
024 OCTAL LITERAL TOO BIG	QUERY UPDT 3 RM	60498300
0024 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
024 SIGNED PRESET ILLEGAL FOR THIS TYPE - IGNORED	SYMPL 1 RM	60496400
024 VALUE OUT OF RANGE	NDL 1 RM	60480000
024 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
024 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
025 BT=I, RT NE W	CRM/BAM 1 RM	60495700
025 CHARACTER MASK TOO BIG	QUERY UPDT 3 RM	60498300
25 EXPECTING CONSTRAINT TYPE. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
025 F REQUIRED KEYWORD MISSING	MCS 1 RM	60480300
025 INVALID NPUTYPE	NDL 1 RM	60480000
x25 NETWORK (PSN) DOWN ON PORT xx.	NOS 2 OP/ANL HB	60459310
0025 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
025 REQUESTED CATEGORIES NOT DEFINED	DATA CAT 2 RM	60483200
025 SCAN RESUMES AT -BEGIN-	SYMPL 1 RM	60496400
25 THE EXTERNAL SCHEMA IS NOT OPEN.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
25 UNLESS \$CHAR(N) IS USED, ONLY ONE SET OF NESTED PARENTHESES IS ALLOWED	SORT/MERGE 5 RM	60484800
025 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
025 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
26 ATTEMPT TO ACTIVATE FILES THAT ARE ALREADY ACTIVE.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
026 DECIMAL LITERAL TOO BIG	QUERY UPDT 3 RM	60498300
026 IF INTEGER EXCEEDS 96 BITS; 2ND ARGUMENT ZERO; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
026 DF INTEGER EXCEEDS 96 BITS: 2ND ARGUMENT ZERO; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
026 F INVALID INTEGER LITERAL	MCS 1 RM	60480300
026 MISSING SEMICOLON	SYMPL 1 RM	60496400
026 NNODE NOT DEFINED IN AN NPU STATEMENT	NDL 1 RM	60480000
26 OWNER ITEM LIST DOES NOT CONTAIN AN IDENTIFIER	IMF SCHEMA DEF.	60484400
026 SQ BTS REQUIRE MBL	CRM/BAM 1 RM	60495700
26 UNLESS WITHIN A STRING, NEITHER . NOR = IS ALLOWED WITHIN A VALUE-SET	SORT/MERGE 5 RM	60484800
027 F MAXIMUM INTEGER VALUE IS 32767	MCS 1 RM	60480300
27 INFOBASE IS INVALID DUE TO INVALID CONSTRAINTS	IMF 1 AP RM	60484500
027 ITEM PRESET ERROR	SYMPL 1 RM	60496400
027 PERFORM IS ONLY DIRECTIVE EXECUTED FOR THIS TRANSMISSION	QUERY UPDT 3 RM	60498300
27 THIS VALUE SHOULD BE A FILE OR PROC NAME	SORT/MERGE 5 RM	60484800
027 TRUNK NAME NOT DEFINED ON NEIGHBOR NODE	NDL 1 RM	60480000
27 UNEXPECTED END OF INPUT	IMF 1 AP RM	60484500
27 UNEXPECTED END OF INPUT ENCOUNTERED	IMF SCHEMA DEF.	60484400
028 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
028 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
028 DIRECTIVE KEYWORD MISSING AFTER c	QUERY UPDT 3 RM	60498300
028 F STARTS PHRASE REQUIRES AT, WITH OR AFTER	MCS 1 RM	60480300
28 OBJECT NOTATION HAS INCOMPATIBLE SCALE FACTOR	IMF SCHEMA DEF.	60484400
28 REPAIR MODE INVALID FOR VALID INFOBASE	IMF 1 AP RM	60484500
028 SYMPL TEXT CONTAINS LABEL	SYMPL 1 RM	60496400
028 TOO MANY TRUNKS WITH THE SAME NAME	NDL 1 RM	60480000
029 BASED, XDEF OR XREF ARRAYS NEED IDENTIFIER	SYMPL 1 RM	60496400
029 ERRONEOUS DIRECTIVE AND REST OF TRANSMISSION IGNORED	QUERY UPDT 3 RM	60498300
029 F STARTING CHARACTER BEYOND SEGMENT	MCS 1 RM	60480300
29 ITEM LENGTH NOT COMPATIBLE WITH OBJECT NOTATION	IMF SCHEMA DEF.	60484400
029 MISSING OR INVALID LCF	NDL 1 RM	60480000
029 NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
029 NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
29 PARENTHESES MUST BE MATCHED IN THE PARAMETER-LIST	SORT/MERGE 5 RM	60484800
29 USER RECORD ADDRESS GIVEN FOR UNKNOWN RECORD ID.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
030 ARGUMENT TOO LARGE, FLOATING OVERFLOW; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
030 ARGUMENT TOO LARGE, FLOATING OVERFLOW; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
030 ARRAY ITEM DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
030 B1 IS VALID FOR CONSOLES ONLY	NDL 1 RM	60480000
030 DELETE SUCCESSFULLY COMPLETED	DATA CAT 2 RM	60483200
030 F FIELD LENGTH BEYOND SEGMENT	MCS 1 RM	60480300
030 INVALID CHARACTER IN SOURCE-WORD	QUERY UPDT 3 RM	60498300
30 INVALID INFORMATION BASE PROCEDURE NAME..param	IMF SCHEMA DEF.	60484400
30 INVALID INFORMATION PROCEDURE NAME..param	IMF 1 AP RM	60484500
030 INVALID RT	CRM/BAM 1 RM	60495700
030 INVALID RT	CRM/AAM 2 RM	60499300
30 NETON: DUPLICATE NETON REQUEST	NAM 1 RM	60499500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
030 NO DATA SELECTED FOR REQUEST	DATA CAT 2 RM	60483200
30 OCMEER0036	IMF 1 AP RM	60484500
30 TOO FEW SETS GIVEN FOR THE KEYWORD ENDED HERE	SORT/MERGE 5 RM	60484800
031 ARRAY ITEM DECLARATION TYPE ERROR	SYMPL 1 RM	60496400
031 CA IS VALID FOR MODE4 LINES ONLY	NDL 1 RM	60480000
031 F EXTENDS REQUIRES FOR, TO OR THROUGH	MCS 1 RM	60480300
031 INTEGER OVERFLOW; ZERO TO THE ZERO POWER; or ZERO TO THE NEGATIVE POWER	FORTRAN 5 RM	60481300
031 INTEGER OVERFLOW; ZERO TO THE ZERO POWER; or ZERO TO THE NEGATIVE POWER	FORTRAN EXT 4	60497800
031 INVALID USE OF SIGN	QUERY UPDT 3 RM	60498300
31 NP\$GET: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
31 NUMBER OF ITEMS IN OWNER/MEMBER LISTS NOT EQUAL	IMF SCHEMA DEF.	60484400
31 RECORD ID IS INCORRECT.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
031 RT=F/Z AND FL=0	CRM/AAM 2 RM	60499300
031 RT=F/Z AND FL=0	CRM/BAM 1 RM	60495700
31 TOO MANY VALUE-SETS GIVEN FOR THIS KEYWORD-VALUE-LIST	SORT/MERGE 5 RM	60484800
32 ACCESS PATH ID IS INCORRECT.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
032 BAD ARRAY BOUND VALUES - ASSUMED [0:0]	SYMPL 1 RM	60496400
032 ERROR IN IMAGINARY PORTION OF COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
032 F LITERAL MUST BE INTEGER OR NONNUMERIC	MCS 1 RM	60480300
32 NP\$PUT: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
032 RT=T AND HL OR TL=0	CRM/AAM 2 RM	60499300
032 RT=T AND HL OR TL=0	CRM/BAM 1 RM	60495700
032 TA IS VALID FOR MODE4 LINES ONLY	NDL 1 RM	60480000
32 THIS VALUE SHOULD BE AN INTEGER	SORT/MERGE 5 RM	60484800
033 ARRAY BOUND SYNTAX ERROR	SYMPL 1 RM	60496400
33 CORRESPONDING ITEMS DO NOT HAVE SAME OBJECT TYPE	IMF SCHEMA DEF.	60484400
33 COSET ID IS INCORRECT.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
033 F SORUCE--DESTINATION DIVISION HEADER MISSING	MCS 1 RM	60480300
033 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN 5 RM	60481300
033 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
033 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN EXT 4	60497800
033 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
033 INVALID LTYPE	NDL 1 RM	60480000
033 MAXIMUM SOURCE-WORD LENGTH EXCEEDED	QUERY UPDT 3 RM	60498300
33 NETWAIT: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
033 RT=D AND LL=0/RT=T AND CL=0	CRM/AAM 2 RM	60499300
033 RT=D AND LL=0/RT=T AND CL=0	CRM/BAM 1 RM	60495700
33 TOO MANY VALUES SPECIFIED IN THIS VALUE-SET	SORT/MERGE 5 RM	60484800
034 F INVALID SYMBOLIC NAME TYPE	MCS 1 RM	60480300
034 INVALID TIPTYPE	NDL 1 RM	60480000
34 NETDBG: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
34 NO PERMISSION TO PERFORM REQUESTED FUNCTION.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
034 PARTWORD SPECIFICATION ERROR IN ARRAY ITEM DECLARATION - DEFAULT TAKEN	SYMPL 1 RM	60496400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
34 RECORD MISSING ITEMS NEEDED FOR STORE PERMISSION	IMF SCHEMA DEF.	60484400
034 RT=T/D, PTL ON FIRST PUTP EXCLUDES CONTROL FIELD	CRM/BAM 1 RM	60495700
34 TOO FEW VALUES SPECIFIED IN THIS VALUE-SET	SORT/MERGE 5 RM	60484800
034 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
034 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
035 F QUEUE DIVISION HEADER MISSING	MCS 1 RM	60480300
035 FIRST BIT ALIGNMENT WRONG IN ARRAY ITEM DECLARATION - 0 USED	SYMPL 1 RM	60496400
035 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 035 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
035 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 035 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
35 KEYWORD -PRECISION- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
035 LSPEED IS VALID ON NONAUTO ASYNC LINES ONLY	NDL 1 RM	60480000
035 NO ON CALL OPTION SPECIFIED	QU/CRM DA RM	60482100
35 ONLY A ,) .. OR SPACE CAN FOLLOW A PARAMETER VALUE	SORT/MERGE 5 RM	60484800
035 RT=T/D, MRL EXCLUDES CONTROL FIELD	CRM/AAM 2 RM	60499300
035 RT=T/D, MRL EXCLUDES CONTROL FIELD	CRM/BAM 1 RM	60495700
35 STRUCTURE POINTER MISSING FROM INTERNAL TABLE.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
035 VALID DELIMITER NOT FOUND	QUERY UPDT 3 RM	60498300
036 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
036 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
036 DUPLICATE ON CALL OPTION	QU/CRM DA RM	60482100
036 F STARTS/EXTENDS INSTANCE RANGE ERROR	MCS 1 RM	60480300
036 ILLEGAL ARRAY ITEM BOUNDARY - DEFAULT TAKEN	SYMPL 1 RM	60496400
36 NO IDENTIFIER SPECIFIED FOR SENTENCE	IMF SCHEMA DEF.	60484400
36 RECORD ID IS NOT VALID FOR COSET OR ACCESS PATH.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
036 RL INCONSISTENT WITH RECORD DESCRIPTION	CRM/AAM 2 RM	60499300
036 RL INCONSISTENT WITH RECORD DESCRIPTION	CRM/BAM 1 RM	60495700
036 TC NOT COMPATIBLE WITH TIPTYPE	NDL 1 RM	60480000
036 UNRECOGNIZABLE STATEMENT	QUERY UPDT 3 RM	60498300
037 n DOUBLE PRECISION INVALID IN COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
37 For NOS 1 only CANNOT REVERSE UPDATE AFTER CONSTRAINT VIOLATION	IMF SCHEMA DEF.	60484400
37 For NOS 2 only STRUCTURES IN INCONSISTENT STATE	IMF SCHEMA DEF.	60484400
037 F SELECT MUST SPECIFY INPUT, OUTPUT OR SUBQUEUES	MCS 1 RM	60480300
37 FILE NAME TRUNCATED TO 7 CHARACTERS..param	IMF SCHEMA DEF.	60484400
037 ILLEGAL SENSE LITE NUMBER	FORTRAN EXT 4	60497800
037 INTEGER-1 FOR RECORD CONTAINS MUST INCLUDE KEYS	QU/CRM DA RM	60482100
037 MAXIMUM ARRAY SIZE EXCEEDED	SYMPL 1 RM	60496400
37 NOS 1: CANNOT REVERSE UPDATE AFTER CONSTRAINT VIOLATION.	IMF 1 AP RM	60484500
37 NOS 2: STRUCTURES IN INCONSISTENT STATE	IMF 1 AP RM	60484500
037 RT=D/T AND CL/LL > 6	CRM/AAM 2 RM	60499300
037 RT=D/T AND CL/LL>6	CRM/BAM 1 RM	60495700
037 TC IS REQUIRED ON NON-AUTO-RECOGNITION LINES	NDL 1 RM	60480000
37 THIS PARAMETER VALUE MUST BE A SET OR A RANGE	SORT/MERGE 5 RM	60484800

MESSAGE

38 A USER INTERRUPT TERMINATED IMF.

038 F BASED REQUIRES SOURCE/DESTINATION/CONTENTS/TIME

038 ILLEGAL SENSE LITE NUMBER

38 KEYWORD -FILE- MISSING. INSTEAD FOUND..param

038 STIP IS REQUIRED

038 TOO MANY PRESET GROUPS

038 c TRANSM-ID ALREADY EXISTS

039 ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE

039 ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE

039 ARRAY PRESET SYNTAX ERROR

039 CA IS REQUIRED ON NON-AUTO-REC MODE 4 LINES

039 F SELECT REQUIRES ROUTE CLAUSE

039 -a- IS AN UNKNOWN SESSION NAME AND/OR DIRECTIVE

39 KEYWORD -CONSISTS-MISSING. INSTEAD FOUND..param

040 -COMMON- MUST BE AT OUTER SCOPE ONLY

040 DELETE OF REFERENCE TO THIS ENTRY IN catname

040 F INVALID TIME LITERAL

040 ILLEGAL SENSE SWITCH NUMBER

040 ILLEGAL SENSE SWITCH NUMBER

040 c INVALID SUBSCRIPT

40 KEYWORD FOR HOST LANGUAGE MISSING. INSTEAD FOUND..param

40 NETON: PREVIOUS REQUEST INCOMPLETE

040 REDUNDANT OPEN

040 REDUNDANT OPEN

040 TA IS REQUIRED ON NON-AUTO-REC MODE 4 LINES

0040 TRANSMIT (SIGNALD)

041 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT

041 ARGUMENT TOO LARGE, INFINITE ARGUMENT; or INDEFINITE ARGUMENT

041 BAD COMMON DECLARATION IGNORED

041 F MEDIUM REQUIRES CENTRAL OR DISK

41 INTERNAL ERROR WITHIN SAP MODULE.

041 INVALID USE OF LAST/NEXT

41 NETSETP: PREVIOUS REQUEST INCOMPLETE

41 SKIPPING TEXT BEGINNING WITH..param

041 TERMINAL MUST BE ENABLED

0041 TRANSMIT (OUTPUT)

042 BAD XREF OR XDEF IGNORED

042 ERROR IN SUBSCRIPT DIMENSIONING

042 F STATUE REQUIRES ENABLED OR DISABLED

042 INFINITE ARGUMENT or INDEFINITE ARGUMENT

042 INFINITE ARGUMENT or INDEFINITE ARGUMENT

42 NP\$GET: PREVIOUS REQUEST INCOMPLETE

<u>MANUAL</u>	<u>PUB. NO.</u>
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400
NDL 1 RM	60480000
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
SYMPL 1 RM	60496400
DATA CAT 2 RM	60483200
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
NAM 1 RM	60499500
CRM/AAM 2 RM	60499300
CRM/BAM 1 RM	60495700
NDL 1 RM	60480000
PL/I RM	60388100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
QUERY UPDT 3 RM	60498300
NAM 1 RM	60499500
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
NDL 1 RM	60480000
PL/I RM	60388100
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NAM 1 RM	60499500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
042 PA IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
42 SCAN RESUMES AFTER..param	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
42 THE FILE ADDRESS IS NOT VALID.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
0042 TRANSMIT (INPUT)	PL/I RM	60388100
043 BAD BASED DECLARATION IGNORED	SYMPL 1 RM	60496400
043 BS IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
43 DUPLICATE INFORMATION BASE PROCEDURE NAME..param	IMF SCHEMA DEF.	60484400
043 F APPLICATION PROCESSING DIVISION HEADER MISSING	MCS 1 RM	60480300
43 FILE ADDRESSING RANGE IS EXCEEDED.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
43 IN\$PUT: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
043 SUBSCRIPT BEYOND RANGE	QUERY UPDT 3 RM	60498300
0043 TRANSMIT (OUTPUT) - SOME REC. MGR. ERROR. SEE DAYFILE	PL/I RM	60388100
044 CI IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
044 F USE REQUIRES WHEN OR EVERY	MCS 1 RM	60480300
044 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE 044 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
044 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE 044 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
44 LIMIT OF 5 OPEN INFOBASES IS EXCEEDED	IMF SCHEMA DEF.	60484400
44 NETWAIT: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
44 THE LIMIT OF 15 FILES HAS BEEN EXCEEDED	IMF SCHEMA DEF.	60484400
0044 TRANSMIT (INPUT) - SOME REC. MGR. ERROR. SEE DAYFILE	PL/I RM	60388100
044 c UNDEFINED DATA-NAME	QUERY UPDT 3 RM	60498300
044 XDEF OR XREF LIST CRUD DELETED	SYMPL 1 RM	60496400
045 c DATA-NAME BEING USED	QUERY UPDT 3 RM	60498300
045 DLTO IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
045 F SELECT PARAGRAPH MISSING	MCS 1 RM	60480300
045 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 045 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
045 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 045 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
45 INTERNAL ERROR DUE TO INCORRECT EML KEY LENGTH.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
45 ROLE LIST HAS DUPLICATE REFERENCE TO ROLE NAME..param	IMF SCHEMA DEF.	60484400
045 SYMPL TEXT CONTAINS SWITCH DECLARATION	SYMPL 1 RM	60496400
046 COMMON LIST SCAN RESUMES AT NEXT -ARRAY- OR -ITEM-	SYMPL 1 RM	60496400
046 EP IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
046 F INVALID NAME TYPE	MCS 1 RM	60480300
046 FLOATING OVERFLOW IN I**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX 046 POWER; IMAG(Z)*LOG(I) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
046 FLOATING OVERFLOW IN I**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER; 046 IMAG(Z)*LOG(I) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
46 INTERNAL ERROR DUE TO INVALID EML ENTRY NUMBER.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
46 INTERNAL ERROR. EML SEARCH FOR DFM IN INITSUB	IMF SCHEMA DEF.	60484400
046 c PRECEDING FIELD WAS VARIABLE LENGTH	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
047 F INITIATION MAY BE SPECIFIED ONLY ONCE	MCS 1 RM	60480300
047 FLOATING OVERFLOW IN X**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX 047 POWER; IMAG(Z)*LOG(X) TOO LARGE; or INFINITE OR INDEF ARGUMENT	FORTRAN 5 RM	60481300
047 FLOATING OVERFLOW IN X**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER; 047 IMAG(Z)*LOG(X) TOO LARGE; or INFINITE OR INDEF ARGUMENT	FORTRAN EXT 4	60497800
47 IMF CANNOT READ THE BLOCK.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
47 INVALID NAME FOR HOST LANGUAGE..param	IMF SCHEMA DEF.	60484400
047 LI IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
047 OPEN EXTEND ON TAPE FILE	CRM/BAM 1 RM	60495700
047 c SHOULD PRECEDE -AS-	QUERY UPDT 3 RM	60498300
047 SYMPL TEXT CONTAINS INNER SCOPE VARIABLE	SYMPL 1 RM	60496400
048 DLX IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
48 DUPLICATE SENTENCE NAME..param	IMF SCHEMA DEF.	60484400
048 -END- ENDS BAD COMMON LIST	SYMPL 1 RM	60496400
048 F INVALID SYMBOLIC NAME OR TYPE	MCS 1 RM	60480300
048 FATAL ERROR ENCOUNTERED DURING PROGRAM EXECUTION DUE TO COMPILATION ERROR	FORTRAN EXT 4	60497800
48 IMF CANNOT WRITE FPT.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
048 SPECIFY MISSING CONDITIONAL EXPRESSION	QUERY UPDT 3 RM	60498300
049 COMMA MISSING AT END OF RECORD - COMMA ASSUMED; NAMELIST DATA TERMINATED BY EOF NOT \$; 049 or CONSTANTS MISSING AT END OF RECORD - NEXT RECORD READ	FORTRAN 5 RM	60481300
049 COMMA MISSING AT END OF RECORD - COMMA ASSUMED; NAMELIST DATA TERMINATED BY EOF NOT \$; or CONSTANTS 049 MISSING AT END OF RECORD - NEXT RECORD READ	FORTRAN EXT 4	60497800
049 -DEF- DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
049 DLC IS VALID FOR ASYNCHRONOUS LINES ONLY	NDL 1 RM	60480000
049 F INVALID QUEUE NAME OR TYPE	MCS 1 RM	60480300
49 IMF CANNOT WRITE THE BLOCK.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
49 RSE REQUIRES ACCESS PATH WITH ASCENDING ORDER	IMF 1 AP RM	60484500
049 -c- SESSION-ID OR LEVEL NUMBER TOO LONG	QUERY UPDT 3 RM	60498300
050 AL IS VALID FOR CONSOLES ON ASYNC LINES ONLY	NDL 1 RM	60480000
050 BAD FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
050 DELETE catname REF IN - catname	DATA CAT 2 RM	60483200
50 DIALOG PARAMETER CAN ONLY BE SPECIFIED IN A CONTROL STATEMENT	SORT/MERGE 5 RM	60484800
050 F SIZE MAY BE SPECIFIED ONLY ONCE PER QUEUE	MCS 1 RM	60480300
050 FATAL ERROR IN LOADER	FORTRAN 5 RM	60481300
050 FATAL ERROR IN LOADER	FORTRAN EXT 4	60497800
50 IMF CANNOT EXTEND THE FILE.	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
0050 KEY (SIGNALLED)	PL/I RM	60388100
50 NP\$ON: INVALID PROCESS NUMBER	NAM 1 RM	60499500
050 NUMBER OF FILES PERMITTED TO BE OPEN SIMULTANEOUSLY HAS BEEN EXCEEDED	CRM/AAM 2 RM	60499300
050 RELATION-NAME IS MISSING	QU/CRM DA RM	60482100
050 SESSION REACHED DIRECTIVE LIMIT	QUERY UPDT 3 RM	60498300
50 UNKNOWN INFORMATION BASE PROCEDURE..param	IMF 1 AP RM	60484500
051 ALFAM IS REQUIRED FOR NON-CONSOLES	NDL 1 RM	60480000
051 F INVALID NAME IN COMMAND	MCS 1 RM	60480300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
051 n ILLEGAL NUMERIC ITEM FOLLOWING c	QUERY UPDT 3 RM	60498300
51 IMF CANNOT READ EMPTY BLOCK.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
051 JOIN MISSING	QU/CRM DA RM	60482100
0051 KEY (KEYED RECORD NOT FOUND)	PL/I RM	60388100
51 NP\$XFER: NWL HAS OVERFLOWED	NAM 1 RM	60499500
51 ONLY 3 VALUES CAN BE GIVEN IN KEY/SUM VALUE-SET IF F..L FORMAT IS USED	SORT/MERGE 5 RM	60484800
051 PROGRAM BEGINS BADLY	SYMPL 1 RM	60496400
051 Set by user via subroutine SYSTEM or SYSTEMC	FORTRAN 5 RM	60481300
051 Set by user via subroutine SYSTEM or SYSTEMC	FORTRAN EXT 4	60497800
051 SETFIT DISALLOWED ON OPEN FILE	CRM/AAM 2 RM	60499300
051 SETFIT DISALLOWED ON OPEN FILE	CRM/BAM 1 RM	60495700
51 UNKNOWN SENTENCE NAME..param	IMF SCHEMA DEF.	60484400
052 ALUN IS REQUIRED FOR NON-CONSOLES	NDL 1 RM	60480000
052 EQ MISSING	QU/CRM DA RM	60482100
052 ERROR IN DIRECTORY DESCRIPTION OF ITEM	QUERY UPDT 3 RM	60498300
052 F ROUTING ALREADY SPECIFIED FOR QUEUE NAME	MCS 1 RM	60480300
052 FILE NOT CLOSED AFTER LAST UPDATE/CONDITION QUESTIONABLE	CRM/AAM 2 RM	60499300
52 FILE, PROC AND COL-SEQ NAMES MUST BEGIN WITH A LETTER	SORT/MERGE 5 RM	60484800
52 -FROM- OPTION NOT ALLOWED FOR GROUP ITEM	IMF SCHEMA DEF.	60484400
52 IMF CANNOT OPEN OLD FILE.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
0052 KEY (ATTEMPT TO ADD DUPLICATE KEY)	PL/I RM	60388100
052 -PRGM- DECLARATION LACKS IDENTIFIER	SYMPL 1 RM	60496400
052 Set by user via subroutine SYSTEM or SYSTEMC. Error numbers larger than 135 become e	FORTRAN EXT 4	60497800
052 Set by user via subroutine SYSTEM or SYSTEMC. Error numbers larger than 217 become e	FORTRAN 5 RM	60481300
053 B2 IS VALID FOR CONSOLES ONLY	NDL 1 RM	60480000
053 CONVERSION FUNCTION NOT PROVIDED	QUERY UPDT 3 RM	60498300
053 F CONTENTS REQUIRES FIELD NAME	MCS 1 RM	60480300
53 IMF CANNOT READ FPT.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
053 INVALID RELATIONAL OPERATORS	QU/CRM DA RM	60482100
0053 KEY (KEY SEQUENCE ERROR)	PL/I RM	60388100
053 NO HOME RECORD	CRM/AAM 2 RM	60499300
53 NO SUITABLE DATA TYPE FOR NOTATION. ROLE IGNORED..param	IMF SCHEMA DEF.	60484400
053 NOT ENOUGH FL FOR SORT/MERGE	FORTRAN 5 RM	60481300
053 NOT ENOUGH FL FOR SORT/MERGE	FORTRAN EXT 4	60497800
053 -PRGM- DECLARATION ERROR - CRUD PRECEDES SEMICOLON	SYMPL 1 RM	60496400
53 VALUES ALLOWED FOR THE FASTIO PARAMETER ARE YES AND NO	SORT/MERGE 5 RM	60484800
054 DATA TRUNCATED DURING CONVERSION	QUERY UPDT 3 RM	60498300
054 F QUEUE IN ROUTE IS NOT SUBQUEUE OF SELECT	MCS 1 RM	60480300
054 FILE ILLEGALLY EXTENDED (EOI MOVED)	CRM/AAM 2 RM	60499300
54 IMF CANNOT RETURN FILE.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
054 INVALID DATA NAME	QU/CRM DA RM	60482100
54 ITEM AND RECORD NAMES NOT UNIQUE	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
0054 KEY (KEY CONVERSION ERROR)	PL/I RM	60388100
54 MORE THAN 100 INPUT FILES GIVEN, ONLY THE FIRST 100 SORTED	SORT/MERGE 5 RM	60484800
54 TABLE NOT PRESENT	MCS 1 RM	60480300
054 VALUE IS NOT UNIQUE	NDL 1 RM	60480000
054 XDEF OR XREF LIST SCAN RESUMES AT LEGAL ENTRY	SYMPL 1 RM	60496400
055 CONSOLES CANNOT HAVE OWNING CONSOLES	NDL 1 RM	60480000
55 CONSTRAINT/IDENTIFIER ITEMS MISSING. NO STORE PERM..param	IMF SCHEMA DEF.	60484400
055 DATA INCOMPATIBLE WITH DATA TYPE	QUERY UPDT 3 RM	60498300
055 DUPLICATE COMMON BLOCK DECLARATION IN SYMPL TEXT	SYMPL 1 RM	60496400
055 END-OF-FILE ENCOUNTERED, FILENAME - - - - xxxxxxxx	FORTRAN 5 RM	60481300
055 END-OF-FILE ENCOUNTERED, FILENAME ---- xxxxxxxx	FORTRAN EXT 4	60497800
055 F FROM USED ONLU WITH SOURCE CRITERION	MCS 1 RM	60480300
055 FILE NONEXISTENT, CANNOT OPEN-OLD	CRM/AAM 2 RM	60499300
55 IMF READ INCORRECT RECORD.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
0055 KEY (KEY SPECIFICATION ERROR)	PL/I RM	60388100
055 RIGHT PARENTHESIS MISSING	QU/CRM DA RM	60482100
056 CSET NOT ALLOWED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
056 EMPTY FILE OPENED FOR READ-ONLY	CRM/AAM 2 RM	60499300
056 -END- ENDS BAD XDEF OR XREF LIST	SYMPL 1 RM	60496400
056 F TO USED ONLY WITH DESTINATION CRITERION	MCS 1 RM	60480300
56 FILE IS FULL--NO EMPTY BLOCKS REMAIN.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
56 IF THE FIRST VALUE OF A SEQ IS A RANGE THEN ALL OTHER VALUES OF THAT SEQ MUST BE RANGES OF THE SAME LENGTH	SORT/MERGE 5 RM	60484800
056 INVALID RELATION NAME	QU/CRM DA RM	60482100
56 NO ACCESS PATH. RECORD NOT UNLOADED..param	IMF SCHEMA DEF.	60484400
056 c UNSUPPORTED DATA TYPE	QUERY UPDT 3 RM	60498300
056 WRITE FOLLOWED BY READ, FILENAME - - - - xxxxxxxx	FORTRAN 5 RM	60481300
056 WRITE FOLLOWED BY READ, FILENAME ---- xxxxxxxx	FORTRAN EXT 4	60497800
057 AREA SPECIFICATION SPANS SCM/LCM	FORTRAN 5 RM	60481300
057 AREA SPECIFICATION SPANS SCM/LCM	FORTRAN EXT 4	60497800
057 CN IS VALID FOR CONSOLES ONLY	NDL 1 RM	60480000
57 CONFLICT BETWEEN FPT AND FILE LENGTH.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
57 CORRESPONDING SENTENCE ALREADY UNLOADED..param	IMF SCHEMA DEF.	60484400
057 c EXPRESSION TOO LONG	QUERY UPDT 3 RM	60498300
057 F BEFORE-AFTER USED ONLY WITH TIME CRITERION	MCS 1 RM	60480300
0057 KEY (NO SPACE AVAILABLE TO ADD KEYED RECORD)	PL/I RM	60388100
057 SYMPL TEXT DUPLICATE DECLARATION OVERRIDES	SYMPL 1 RM	60496400
57 WHEN LOW..HIGH IS USED AS A VALUE FOR SEQ LOW MUST BE LESS THAN HIGH	SORT/MERGE 5 RM	60484800
058 BUFFER DESIGNATION BAD -- FWA.GT.LWA	FORTRAN 5 RM	60481300
058 BUFFER DESIGNATION BAD - FWA.GT.LWA	FORTRAN EXT 4	60497800
058 F INVALID CONDITION NAME	MCS 1 RM	60480300
058 IN IS VALID FOR CONSOLES ON ASYNC LINES ONLY	NDL 1 RM	60480000
058 a - LOGICAL OPERATOR REQUIRES LOGICAL TYPE OPERAND	QUERY UPDT 3 RM	60498300

MESSAGE

58 NO STORE PERM. CANNOT RELOAD USING THIS EXT SCHEMA..param
58 ONLY SINGLE CHARACTER STRINGS OR \$CHAR CAN BE USED AS VALUES FOR SEQ\$
058 SYMPL TEXT CONTAINS FORMAL PARAMETER
58 WRONG FPT ON OPEN NEW FILE.

059 BUFFER SPECIFICATION BAD - FWA.GT.LWA
059 BUFFER SPECIFICATION BAD -- FWA.GT.LWA
59 DATA ITEM NOT IN NEW EXTERNAL SCHEMA..param
059 F FOR USED ONLY WITH CONTENTS CRITERION
59 FOR \$CHAR(N), N MUST BE A POSITIVE DECIMAL INTEGER
059 -FUNC- DECLARATION TYPE ERROR - I ASSUMED
059 LOGICAL USAGE IS INVALID ARITHMETIC OPERAND
059 OP IS VALID FOR CONSOLES ON ASYNC LINES ONLY
59 TRY TO OPEN INVALID FILE--UPDATED AND NOT CLOSED.

060 BFS EXCEEDS ALLOCATED STATIC SIZE, LFN-xxxxxxx
060 CONSTANT TOO LARGE, SIGNIFICANCE LOST
60 CONTRADICTORY VALUES FOR LO PARAMETER SHOULD NOT BE SPECIFIED
060 DELETE catname
060 F CONDITION NAME NOT DEFINED IN BASED PHRASE
60 INSUFFICIENT CMM BUFFERS

60 INTERNAL ERROR IN SCANNER
060 PG IS VALID FOR CONSOLES ONLY
060 REDUNDANT CLOSE
060 REDUNDANT CLOSE
060 RELATION NAME LONGER THAN 30 CHARACTERS--NAME TRUNCATED
060 TWO SUCCESSIVE OPERATORS USED
061 CT IS VALID FOR CONSOLES ONLY
061 F SERIAL NUMER DATA NAME INVALID

61 FILE NAMES MUST NOT EXCEED 7 CHARACTERS IN LENGTH
061 c ILLEGAL USE OF OPERATOR
061 RELATION NAME NOT UNIQUE
061 SCAN RESUMES AT SEMICOLON

61 THE LIMIT OF 60 ROLES HAS BEEN EXCEEDED
61 TREE FULL--ROOT LEVEL EQUALS THE MAXIMUM.

62 BAD TML LEVEL INDICATOR.

062 DO IS REQUIRED
062 DUPLICATE FORMAL PARAMETER IN LIST
62 DUPLICATE PRIME
062 F ON INPUT, ON OUTPUT LIMITED TO ONE EACH
062 FILENAME NOT DECLARED-xxxxxxx
062 INVALID UNIT
062 LEFT/RIGHT PARENTHESIS NOT BALANCED

MANUAL PUB. NO.
IMF SCHEMA DEF. 60484400
SORT/MERGE 5 RM 60484800
SYMPL 1 RM 60496400
IMF SCHEMA DEF. 60484400
IMF 1 AP RM 60484500
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
IMF SCHEMA DEF. 60484400
MCS 1 RM 60480300
SORT/MERGE 5 RM 60484800
SYMPL 1 RM 60496400
QUERY UPDT 3 RM 60498300
NDL 1 RM 60480000
IMF SCHEMA DEF. 60484400
IMF 1 AP RM 60484500
FORTRAN EXT 4 60497800
SYMPL 1 RM 60496400
SORT/MERGE 5 RM 60484800
DATA CAT 2 RM 60483200
MCS 1 RM 60480300
IMF SCHEMA DEF. 60484400
IMF 1 AP RM 60484500
IMF SCHEMA DEF. 60484400
NDL 1 RM 60480000
CRM/AAM 2 RM 60499300
CRM/BAM 1 RM 60495700
QU/CRM DA RM 60482100
QUERY UPDT 3 RM 60498300
NDL 1 RM 60480000
MCS 1 RM 60480300
SORT/MERGE 5 RM 60484800
QUERY UPDT 3 RM 60498300
QU/CRM DA RM 60482100
SYMPL 1 RM 60496400
IMF SCHEMA DEF. 60484400
IMF SCHEMA DEF. 60484400
IMF 1 AP RM 60484500
IMF SCHEMA DEF. 60484400
IMF 1 AP RM 60484500
NDL 1 RM 60480000
SYMPL 1 RM 60496400
IMF SCHEMA DEF. 60484400
MCS 1 RM 60480300
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
QUERY UPDT 3 RM 60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
062 MAX QUALIFICATION LEVELS FOR DATA NAME REACHED	QU/CRM DA RM	60482100
62 THE MAXIMUM LENGTH OF A LINE IS 240 CHARACTERS	SORT/MERGE 5 RM	60484800
063 DO IS INVALID FOR CONSOLES	NDL 1 RM	60480000
063 DUPLICATE PARAMETER - PRIOR DECLARATION THIS SCOPE	SYMPL 1 RM	60496400
063 END-OF-FILE ENCOUNTERED, FILENAME-xxxxxxx	FORTRAN EXT 4	60497800
063 END-OF-FILE ENCOUNTERED ON FILE xxxxxxx	FORTRAN 5 RM	60481300
063 ERROR IN SUBSCRIPT	QU/CRM DA RM	60482100
063 F INJECTION/COLLECTION/RESPONSE QUEUE INVALID	MCS 1 RM	60480300
63 INTERNAL ERROR. NO SUITABLE PRIME IN SDLRTN	IMF SCHEMA DEF.	60484400
063 c MUST PRECEDE OPERAND/OPERATOR	QUERY UPDT 3 RM	60498300
63 TML FUNCTION NOT AVAILABLE.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
63 VALUES ALLOWED FOR THE DIALOG PARAMETER ARE YES AND NO	SORT/MERGE 5 RM	60484800
64 A SPACE OR , MUST FOLLOW THE SORT OR MERGE VERBS IN DIR. FILES	SORT/MERGE 5 RM	60484800
064 ERROR IN PARENTHESIS	QU/CRM DA RM	60482100
064 F INVALID OPERATOR NAME	MCS 1 RM	60480300
064 c ILLEGAL DATA-NAME	QUERY UPDT 3 RM	60498300
64 INTERNAL ERROR. NO PRIMES FOR RANDOMIZER IN SDLRTN	IMF SCHEMA DEF.	60484400
64 NO TML CURRENT ENTRY.	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
064 PARAMETER LIST SYNTAX ERROR	SYMPL 1 RM	60496400
064 PDO IS VALID FOR PLOTTERS ONLY	NDL 1 RM	60480000
65 A PERIOD MUST FOLLOW SORT5 OR MERGE	SORT/MERGE 5 RM	60484800
065 CYCLING NOT ALLOWED	QU/CRM DA RM	60482100
065 END-OF-FILE ENCOUNTERED, FILENAME-xxxxxxx	FORTRAN EXT 4	60497800
065 END-OF-FILE ENCOUNTERED ON FILE xxxxxxx	FORTRAN 5 RM	60481300
065 F RANGE VALUES MUST BE INTEGER	MCS 1 RM	60480300
065 OPERATOR MUST SEPARATE OPERANDS	QUERY UPDT 3 RM	60498300
065 -PROC- DECLARATION LACKS IDENTIFIER	SYMPL 1 RM	60496400
065 SE NOT VALID WITH TIPTYPE OR DT SPECIFIED	NDL 1 RM	60480000
65 UNABLE TO FIND PREVIOUS LEVEL RECORD IN GROUP FOR..param	IMF SCHEMA DEF.	60484400
066 F INVALID DATA NAME OR TYPE	MCS 1 RM	60480300
66 FOLLOWING ITEM IS DUPLICATE REFERENCE TO ROLE..param	IMF SCHEMA DEF.	60484400
066 KEYWORD -DIVISION- EXPECTED, NOT FOUND	QU/CRM DA RM	60482100
066 NAMELIST NAME NOT FOUND-xxxxxxx; INCORRECT SUBSCRIPT; TOO MANY CONSTANTS; , (\$ OR = EXPECTED, 066 MISSING; VARIABLE NAME NOT FOUND-xxxxxxx; or CONSTANT MISSING.	FORTRAN 5 RM	60481300
066 NAMELIST NAME NOT FOUND-xxxxxxx; INCORRECT SUBSCRIPT; TOO MANY CONSTANTS; , (\$ OR = EXPECTED, 066 MISSING; VARIABLE NAME NOT FOUND-xxxxxxx; or CONSTANT MISSING	FORTRAN EXT 4	60497800
066 -PROC- DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
066 RANGE/DEFAULT DEPENDS ON TC - CANNOT BE CHECKED	NDL 1 RM	60480000
066 TOO MANY RIGHT PARENTHESES	QUERY UPDT 3 RM	60498300
67 ALL DIRECTIVE FILE NAMES MUST BE UNIQUE	SORT/MERGE 5 RM	60484800
067 DBI BELONGS TO AREA WITH MULTIPLE RECORDS - NOT ALLOWED IN RELATION	QU/CRM DA RM	60482100
067 DECODE RECORD LENGTH .LE. 0 or DECODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN 5 RM	60481300
067 DECODE RECORD LENGTH .LE. 0 or DECODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN EXT 4	60497800
067 F ALIAS REQUIRED FOR TYPE QUEUE OR JOURNAL	MCS 1 RM	60480300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
067 c FUNCTION REQUIRES PARENTHESIZED PARAMETER LIST	QUERY UPDT 3 RM	60498300
67 ITEM NOT IN OLD EXTERNAL SCHEMA..param	IMF SCHEMA DEF.	60484400
67 NP\$XFER: NIP NOT AVAILABLE AT A SCP	NAM 1 RM	60499500
067 STIP NOT VALID FOR TIPTYPE SPECIFIED	NDL 1 RM	60480000
067 UNDECLARED LABEL OR PROCEDURE IDENTIFIER	SYMPL 1 RM	60496400
068 F NO DESTINATIONS FOR OTHERWISE ROUTING	MCS 1 RM	60480300
68 FETCH ILLEGAL FIELD MNEMONIC	NAM 1 RM	60499500
068 FORMAL IDENTIFIER LACKS DECLARATION	SYMPL 1 RM	60496400
068 *ILL-PLACED NUMBER OR SIGN or *ILLEGAL FUNCTIONAL LETTER	FORTRAN EXT 4	60497800
068 * ILL-PLACED NUMBER OR SIGN or * ILLEGAL FUNCTIONAL LETTER	FORTRAN 5 RM	60481300
068 c IS OR HAS INVALID FUNCTION PARAMETER	QUERY UPDT 3 RM	60498300
68 LINES CONTINUING THE SORT5 OR MERGE PARAMETER-LIST MUST BEGIN WITH A PERIOD	SORT/MERGE 5 RM	60484800
68 NO CONVERSION FOR NEW DATA TYPE...param	IMF SCHEMA DEF.	60484400
068 SOURCE DBI NOT IN SAME AREA AS PREVIOUS TARGET DBI	QU/CRM DA RM	60482100
068 STIP REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
069 F DUPLICATE OR INVALID USE OF TYPE	MCS 1 RM	60480300
69 FILE NAMES CAN CONTAIN ONLY LETTERS AND DIGITS	SORT/MERGE 5 RM	60484800
069 *IMPROPER PARENTHESES NESTING	FORTRAN EXT 4	60497800
069 * IMPROPER PARENTHESIS NESTING	FORTRAN 5 RM	60481300
69 NUMBER OF IDENTIFIER VIOLATIONS..param	IMF SCHEMA DEF.	60484400
069 PARAMETER NOT USED IN THIS SCOPE	SYMPL 1 RM	60496400
069 SOURCE AND TARGET DBI IN SAME FILE	QU/CRM DA RM	60482100
069 STIP NOT ALLOWED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
69 STORE ILLEGAL FIELD MNEMONIC	NAM 1 RM	60499500
069 TRANSMISSION NOT RECORDED-IT HAS UNRECORDABLE DIRECTIVE	QUERY UPDT 3 RM	60498300
070 AUTO-LOAD NPUS MUST BE REMOTE	NDL 1 RM	60480000
0070 ENDFILE	PL/I RM	60388100
070 *EXCEEDED RECORD SIZE	FORTRAN EXT 4	60497800
070 * EXCEEDED RECORD SIZE	FORTRAN 5 RM	60481300
070 F EXPLICIT INITIATION REQUIRES OPERATOR	MCS 1 RM	60480300
070 ILLEGAL -DEF- IDENTIFIER - NO EXPANSION	SYMPL 1 RM	60496400
70 INVALID PASSWORD LITERAL. DEFAULT PASSWORD USED	IMF SCHEMA DEF.	60484400
70 LENGTH MUST BE SPECIFIED IF TYPE IS SPECIFIED	SORT/MERGE 5 RM	60484800
070 OUTPUT REQUEST, PD=INPUT OR READ ONLY PERMISSION	CRM/AAM 2 RM	60499300
070 OUTPUT REQUEST, PD=INPUT OR READ ONLY PERMISSION	CRM/BAM 1 RM	60495700
070 PARENTHETICAL NESTING EXCEEDS LIMIT NEAR c n	QUERY UPDT 3 RM	60498300
70 QTENDT: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
070 SOURCE AND TARGET DBI CHARACTERISTICS MUST BE IDENTICAL	QU/CRM DA RM	60482100
071 DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS	QU/CRM DA RM	60482100
0071 ENDFILE - END OF DATA	PL/I RM	60388100
071 ENTRY -PROC- MAY NOT CALL ITSELF	SYMPL 1 RM	60496400
071 F INVALID LIST COMPONENT TYPE	MCS 1 RM	60480300
071 INPUT REQUEST, PD=OUTPUT	CRM/AAM 2 RM	60499300
071 INPUT REQUEST, PD=OUTPUT	CRM/BAM 1 RM	60495700

MESSAGE

MANUAL PUB. NO.

71 KEY LENGTH FOR KEY OF KEYTYPE REAL MUST BE 10
71 NUMBER OF CONSTRAINT VIOLATIONS..param
71 QTGET: REQUEST INVALID BEFORE QTOPEN
071 RELATIONAL OPERATOR MUST FOLLOW c
071 * SPECIFIED FIELD WIDTH ZERO
071 *SPECIFIED FIELD WIDTH ZERO or *BAD VALUE FOR = OR V
071 TABLE OVERFLOW
072 -ANY- ONLY LEGAL ON TARGET ITEM IN JOIN
072 CHARACTER USAGE IS INVALID ARITHMETIC OPERAND
072 DT NOT COMPATIBLE WITH TC
072 END OF RECORD SEEN BEFORE -TERM- FOUND
0072 ENDFILE - FILE AT BOI
072 F DUPLICATE MESSAGES CLAUSE-SYMB NAME AND LIST
072 *FIELD WIDTH .LE. DECIMAL WIDTH
072 * FIELD WIDTH .LE. DECIMAL WIDTH
72 NUMBER OF INVALID CONSTRAINTS..param
72 ONLY THE VALUES A OR D ARE ALLOWED FOR KEY ORDER
72 QTPUT: REQUEST INVALID BEFORE QTOPEN
073 CA OUT OF SEQUENCE
073 c DIRECTIVE-ID MUST BE NUMERIC, 3 DIGITS LONG
073 F DUPLICATE MADE CLAUSE-SYMBOLIC NAME AND LIST
073 *HOLLERITH FORMAT WITH LIST
073 * HOLLERITH FORMAT WITH LIST
73 INFOBASE INVALID DUE TO INVALID CONSTRAINTS
73 QTLINK: REQUEST INVALID BEFORE QTOPEN
073 TARGET DBI WITH SUBSCRIPT ANY MUST BE REPEATING ALTERNATE KEY
073 TOO MANY SUBSCRIPTS FOR ARRAY OR ARRAY ITEM REFERENCE
73 UNEQUAL FL FOR INPUT AND OUTPUT FILES WITH RT=F OR RT=Z
074 DATA NAME UNDEFINED
074 F DUPLICATE PASSWORD CLAUSE-SYMB NAME AND LIST
074 ILLEGAL FILE-NAME AFTER -FROM-
74 INFOBASE IS VALID
074 MUST HAVE CMM FOR MULTIPLE ACCESS
074 NNODE OUT OF SEQUENCE
074 TOO MANY SUBSCRIPTS FOR SWITCH REFERENCE
74 VALJES ALLOWED FOR THE EL PARAMETER ARE T, W, F OR C
075 CA NOT ALLOWED FOR TERMINALS ON THIS LINE
75 DATA ITEM TRUNCATED IN NEW EXTERNAL SCHEMA..param
075 DIRECTIVE RANGE IS NEGATIVE
075 F DUPLICATE STATE CLAUSE-SYMBOLIC NAME AND LIST
075 MULTIPLY DEFINED/IMPROPERLY QUALIFIED DATA NAME
075 NOT ENOUGH SUBSCRIPTS FOR ARRAY OR ARRAY ITEM REFERENCE
075 UBS MAY NOT BE USED FOR MULTIPLE ACCESS
75 VALJES ALLOWED FOR THE LO PARAMETER ARE OFF, S AND A

SORT/MERGE 5 RM 60484800
IMF SCHEMA DEF. 60484400
NAM 1 RM 60499500
QUERY UPDT 3 RM 60498300
FORTRAN 5 RM 60481300
FORTRAN EXT 4 60497800
NDL 1 RM 60480000
QU/CRM DA RM 60482100
QUERY UPDT 3 RM 60498300
NDL 1 RM 60480000
SYMPL 1 RM 60496400
PL/I RM 60388100
MCS 1 RM 60480300
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
IMF SCHEMA DEF. 60484400
SORT/MERGE 5 RM 60484800
NAM 1 RM 60499500
NDL 1 RM 60480000
QUERY UPDT 3 RM 60498300
MCS 1 RM 60480300
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
IMF SCHEMA DEF. 60484400
NAM 1 RM 60499500
QU/CRM DA RM 60482100
SYMPL 1 RM 60496400
SORT/MERGE 5 RM 60484800
QU/CRM DA RM 60482100
MCS 1 RM 60480300
QUERY UPDT 3 RM 60498300
IMF SCHEMA DEF. 60484400
CRM/AAM 2 RM 60499300
NDL 1 RM 60480000
SYMPL 1 RM 60496400
SORT/MERGE 5 RM 60484800
NDL 1 RM 60480000
IMF SCHEMA DEF. 60484400
QUERY UPDT 3 RM 60498300
MCS 1 RM 60480300
QU/CRM DA RM 60482100
SYMPL 1 RM 60496400
CRM/AAM 2 RM 60499300
SORT/MERGE 5 RM 60484800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
076 BAD SUBSCRIPT LIST	SYMPL 1 RM	60496400
076 CA REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
076 F OUTPUT BASED ON DESTINATION ONLY	MCS 1 RM	60480300
76 NO RECORD OCCURRENCES STORED FOR RECORD..param	IMF SCHEMA DEF.	60484400
076 PERFORM TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
076 SUBSCRIPT MUST APPEAR ON SUBSCRIPTABLE ITEM	QU/CRM DA RM	60482100
76 VALUES ALLOWED AS EXPRESSIONS ARE INTEGER, R1, R2, R3, R1G, EF OR EFG	SORT/MERGE 5 RM	60484800
77 ALL RECORD OCCURRENCES VIOLATE IDENTIFIER..param	IMF SCHEMA DEF.	60484400
077 F THROUGH VALUE # OR = START VALUE	MCS 1 RM	60480300
077 ILLEGAL LABEL OR PROCEDURE IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
077 INVALID DEVICE TYPE	NDL 1 RM	60480000
077 c INVALID QU DIRECTIVE	QUERY UPDT 3 RM	60498300
077 INVALID RESTRICT CLAUSE. SCANNING RESUMES AT NEXT RELATION ENTRY	QU/CRM DA RM	60482100
77 \$NULL SHOULD NOT BE USED AS A VALUE WITHIN A SET OF VALUES	SORT/MERGE 5 RM	60484800
078 F MEDIUM DISK REQUIRES RESIDENCY	MCS 1 RM	60480300
078 *ILLEGAL DATA IN FIELD .'.	FORTRAN EXT 4	60497800
078 * ILLEGAL DATA IN FIELD . .	FORTRAN 5 RM	60481300
78 KEYWORD -RECORD- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
078 OCTERM IS REQUIRED FOR NON-CONSOLES	NDL 1 RM	60480000
078 STATUS SWITCH DECLARATION LACKS STATUS LIST IDENTIFIER	SYMPL 1 RM	60496400
078 SUBSCRIPT VALUE TOO LARGE	QU/CRM DA RM	60482100
078 TL=d. THIS TRANSMISSION WAS d. EXCESS IGNORED.	QUERY UPDT 3 RM	60498300
78 VALUES ALLOWED FOR THE ST PARAMETER ARE R1, R2, R3, R1G, EF OR EFG	SORT/MERGE 5 RM	60484800
079 BAD LABEL USE IN STATUS SWITCH	SYMPL 1 RM	60496400
079 *DATA OVERFLOW .'.	FORTRAN EXT 4	60497800
079 * DATA OVERFLOW . .	FORTRAN 5 RM	60481300
079 F INVOKE REQUIRES INVOCATION FILE	MCS 1 RM	60480300
79 KEYWORD -ON- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
079 ONCE ILLEGAL WITH ABSOLUTE LINE NUMBER	QUERY UPDT 3 RM	60498300
079 PDO IS REQUIRED FOR PLOTTERS	NDL 1 RM	60480000
79 VALUES ALLOWED FOR THE RETAIN PARAMETER ARE YES AND NO	SORT/MERGE 5 RM	60484800
080 F NO STATUS/MESSAGES FOR TYPE QUEUE OR JOURNAL	MCS 1 RM	60480300
080 c INVALID PICTURE	QUERY UPDT 3 RM	60498300
80 KEYWORD -SELECTING/OMITTING- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
80 OWNRL AND OWNFL SHOULD NOT BOTH BE SPECIFIED FOR THE SAME SORT	SORT/MERGE 5 RM	60484800
80 QTOPEN: DUPLICATE QTOPEN	NAM 1 RM	60499500
080 STATUS SWITCH ERROR - VALUE TOO LARGE	SYMPL 1 RM	60496400
080 TA DEPENDENT ON STIP - CANNOT BE CHECKED	NDL 1 RM	60480000
080 TOO MANY SUBSCRIPTS	QU/CRM DA RM	60482100
0080 UNDEFINEDFILE (SIGNALLED)	PL/I RM	60388100
081 F OPERATOR MAY NOT BE DEDICATED	MCS 1 RM	60480300
81 KEYWORD -REPORT/RECORDS- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
081 MURAL SIZE EXCEEDS MAX	QUERY UPDT 3 RM	60498300
81 QTOPEN: NIT NUM-TERMS FIELD IS ZERO	NAM 1 RM	60499500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
081 STATUS SWITCH ERROR - DUPLICATE STATUS CONSTANT VALUES	SYMPL 1 RM	60496400
081 SUBSCRIPTABLE QUALIFIER OMITTED	QU/CRM DA RM	60482100
81 SUM AND KEY FIELDS MAY NOT OVERLAP	SORT/MERGE 5 RM	60484800
081 TA NOT ALLOWED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
0081 UNDEFINEDFILE (ATTRIBUTE CONFLICT)	PL/I RM	60388100
082 DATA ITEM NOT IN RECORD OF RESTRICT	QU/CRM DA RM	60482100
082 F INVALID OR MISPLACED SYNTAX	MCS 1 RM	60480300
082 c INSERTION CHARACTERS EXCEED 63	QUERY UPDT 3 RM	60498300
82 INVALID FILE NAME..param	IMF SCHEMA DEF.	60484400
82 LINES IN A DIRECTIVE FILE MUST BE NO LONGER THAN 100 CHARACTERS IN LENGTH	SORT/MERGE 5 RM	60484800
82 QTOPEN: NETON REJECTED	NAM 1 RM	60499500
082 STATUS SWITCH ERROR - MISSING STATUS CONSTANT	SYMPL 1 RM	60496400
082 TA REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
0082 UNDEFINEDFILE (FILE TYPE NOT SUPPORTED)	PL/I RM	60388100
083 BEGIN/END MISMATCH, PROBABLY DISASTER	SYMPL 1 RM	60496400
083 F ALIAS IS NAME ONLY WITH TYPE QUEUE OR JOURNAL	MCS 1 RM	60480300
083 LITERAL IS OF WRONG DATA TYPE	QU/CRM DA RM	60482100
083 MISSING END STATEMENT	NDL 1 RM	60480000
83 NO RECORDS ARE TO BE PROCESSED	IMF SCHEMA DEF.	60484400
083 OUTPUT FILE LINE LIMIT EXCEEDED	FORTRAN 5 RM	60481300
083 OUTPUT FILE LINE LIMIT EXCEEDED	FORTRAN EXT 4	60497800
83 QTOPEN: NETWORK NOT AVAILABLE	NAM 1 RM	60499500
83 REP. VALUE OF A SUM FIELD MUST BE AN INTEGER	SORT/MERGE 5 RM	60484800
0083 UNDEFINEDFILE (OPEN STATEMENT PARAMETER ERROR)	PL/I RM	60388100
083 c - ZERO REPEAT COUNT TREATED AS ONE	QUERY UPDT 3 RM	60498300
084 F AT LEAST ONE SYMBOLIC NAME REQUIRED	MCS 1 RM	60480300
084 -IF- EXPRESSION NOT BOOLEAN	SYMPL 1 RM	60496400
84 RECORD CLAUSE CONTAINS NO RECORD NAMES	IMF SCHEMA DEF.	60484400
084 RECORD NOT IN RELATION OR OUT OF ORDER	QU/CRM DA RM	60482100
084 c - REPEAT COUNT MUST BE NUMERIC	QUERY UPDT 3 RM	60498300
084 TC NOT ALLOWED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
0084 UNDEFINEDFILE (BAD OPTION INTRODUCED)	PL/I RM	60388100
84 VALUES ALLOWED FOR OWNT PARAMETER MUST BE OLD OR NEW	SORT/MERGE 5 RM	60484800
085 ENCODE CHARACTER/RECORD .LE. 0 or ENCODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN EXT 4	60497800
085 ENCODE CHARACTER/RECORD .LE. 0 or ENCODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN 5 RM	60481300
085 F AT LEAST ONE QUEUE REQUIRED	MCS 1 RM	60480300
85 IN A KEY/SUM VALUE-SET USING FIRST..LAST, FIRST MUST BE LESS THAN LAST	SORT/MERGE 5 RM	60484800
085 n INVALID PICTURE - MUST BE CHARACTER LITERAL	QUERY UPDT 3 RM	60498300
085 MORE THAN ONE RESTRICT CLAUSE FOR THIS RECORD	QU/CRM DA RM	60482100
85 RECORD CLAUSE DOES NOT CONTAIN RECORD NAME..param	IMF SCHEMA DEF.	60484400
085 TC REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
0085 UNDEFINEDFILE (DATASET ALREADY IN USE)	PL/I RM	60388100
085 -WHILE- EXPRESSION NOT BOOLEAN	SYMPL 1 RM	60496400
086 F NO RESIDENCY FOR COMPOUND QUEUE	MCS 1 RM	60480300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
86 INTERNAL ERROR IN LOAD UTILITY	IMF SCHEMA DEF.	60484400
086 INVALID BLOCK TYPE	QU/CRM DA RM	60482100
86 INVALID DATA-TYPE FOR SUM FIELD SPECIFIED	SORT/MERGE 5 RM	60484800
086 INVALID OWNING CONSOLE NAME	NDL 1 RM	60480000
086 NO READ PERMISSION	QUERY UPDT 3 RM	60498300
0086 UNDEFINEDFILE (SOME CRM ERROR. SEE DAYFILE)	PL/I RM	60388100
87 CRM ERROR..param	IMF SCHEMA DEF.	60484400
087 CSET REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
087 -DEF- IDENTIFIER EXPANSION NEST TOO DEEP - IDENTIFIER DELETED	SYMPL 1 RM	60496400
087 F VALUE NOT REPRESENTABLE IN FIELD	MCS 1 RM	60480300
087 INVALID RECORD TYPE	QU/CRM DA RM	60482100
87 LINES OF A DIR FILE MUST BEGIN WITH SORT OR MERGE VERB, OR BE A CONTINUATION	SORT/MERGE 5 RM	60484800
087 PRIVACY VIOLATION. WRITING ON CATALOG NOT ALLOWED	QUERY UPDT 3 RM	60498300
0087 UNDEFINEDFILE (FILE TITLE CONTAINS AN INVALID CHARACTER OR HAS A LENGTH OF ZERO)	PL/I RM	60388100
88 BYTE/BIT POSITION OR LENGTH OF A SUM/KEY FIELD MUST BE AN INTEGER	SORT/MERGE 5 RM	60484800
88 CRM ERROR ON FILE..param	IMF SCHEMA DEF.	60484400
088 FORMAT/ALTER DIRECTIVE MISSING	QUERY UPDT 3 RM	60498300
088 MISSING -DO- HAS BEEN FOUND	SYMPL 1 RM	60496400
088 TSPEED NOT ALLOWED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
088 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
088 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
89 DUE TO CRM ERROR, UNABLE TO PROCESS RECORD..param	IMF SCHEMA DEF.	60484400
089 DUPLICATE DEVICE ORDINAL	NDL 1 RM	60480000
089 LIST EXCEEDS DATA, FILENAME-xxxxxxx	FORTRAN EXT 4	60497800
089 LIST EXCEEDS DATA, READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
089 MISSING -THEN- HAS BEEN FOUND	SYMPL 1 RM	60496400
89 SEQN VALUE MUST NOT BE ONE OF THE PREDEFINED KEY-TYPES	SORT/MERGE 5 RM	60484800
089 n - SESSION-ID OR KEYWORD OFF MISSING	QUERY UPDT 3 RM	60498300
0089 UNDEFINEDFILE (CRM ERROR ON FILE OPENING)	PL/I RM	60388100
090 INVALID PDO	NDL 1 RM	60480000
90 KEYWORD -DIRECTORY- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
090 n...MISSING -AND- IN DESCRIBE	QUERY UPDT 3 RM	60498300
090 MISSING -DO-	SYMPL 1 RM	60496400
090 PARITY ERROR ON FILE xxxxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
090 PARITY ERROR READING (BINARY) FILE-xxxxxxx	FORTRAN EXT 4	60497800
90 RECOVERY IMPOSSIBLE. STRUCTURES INCONSISTENT FOR..param	IMF SCHEMA DEF.	60484400
90 SEQR AND SEQA MAY BE SPECIFIED ONLY ONCE FOR EACH COLLATING SEQUENCE	SORT/MERGE 5 RM	60484800
91 DUE TO CRM ERROR, UNABLE TO CHECK CONSTRAINTS	IMF SCHEMA DEF.	60484400
091 LOAD IDS ARE NOT VALID FOR AUTOLOAD NPUS	NDL 1 RM	60480000
091 n...MISSING -AS- IN DESCRIBE	QUERY UPDT 3 RM	60498300
091 MISSING -THEN-	SYMPL 1 RM	60496400
91 SEQN MUST BE SPECIFIED BEFORE ANY OTHER SEQ PARAMETER CAN BE GIVEN	SORT/MERGE 5 RM	60484800
091 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
091 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
092 ERROR IN INITIAL VALUE EXPRESSION OF INDUCTION VARIABLE	SYMPL 1 RM	60496400
092 n..MISSING -BY- IN DESCRIBE	QUERY UPDT 3 RM	60498300
092 MISSING OR INVALID NCF	NDL 1 RM	60480000
092 PARITY ERROR READING (CODED) FILE-xxxxxxx	FORTRAN 5 RM	60481300
092 PARITY ERROR READING (CODED) FILE-xxxxxxx	FORTRAN EXT 4	60497800
0092 UNDEFINEDFILE (RECORD MANAGER, MODULE NOT LOADED)	PL/I RM	60388100
92 USER MRL < ES REC LEN. RECORD PADDED TO ES REC LEN..param	IMF SCHEMA DEF.	60484400
92 VALUES ALLOWED FOR SEQR AND SEQA ARE YES AND NO	SORT/MERGE 5 RM	60484800
093 DUPLICATE LOAD ID	NDL 1 RM	60480000
093 n ILLEGAL DATA TYPE	QUERY UPDT 3 RM	60498300
093 PARITY ERROR ON FILE-xxxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
093 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
93 SEQN SHOULD NOT BE GIVEN WITHOUT GIVING SEQs OR SEQR BEFORE THE NEXT SEQN	SORT/MERGE 5 RM	60484800
093 -STEP- EXPRESSION ERROR	SYMPL 1 RM	60496400
93 USER MRL < ES REC LEN. USER REC TRUNCATED TO ES LEN..param	IMF SCHEMA DEF.	60484400
094 LOAD ID MUST BE THREE CHARACTERS LONG	NDL 1 RM	60480000
094 c OCCURRING POINTER NAME NOT PREVIOUSLY DESCRIBED	QUERY UPDT 3 RM	60498300
094 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
094 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
094 -UNTIL- EXPRESSION ERROR	SYMPL 1 RM	60496400
94 VALUES ALLOWED IN SEQs PARAMETER ARE STRINGS AND \$CHAR(N)	SORT/MERGE 5 RM	60484800
095 DUPLICATE LOGLINK DEFINITION	NDL 1 RM	60480000
95 KEYWORD -OUTPUT- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
095 PARITY ERROR ON FILE xxxxxx DURING PREVIOUS WRITE	FORTRAN 5 RM	60481300
095 n PICTURE SPECIFICATION ERROR	QUERY UPDT 3 RM	60498300
95 QTLINK: NO SUPPORT -A-TO-A	NAM 1 RM	60499500
95 TWO RANGES OF CHARACTERS USED IN THE SAME SEQs MUST BE THE SAME LENGTH	SORT/MERGE 5 RM	60484800
095 -WHILE- EXPRESSION ERROR	SYMPL 1 RM	60496400
096 -ALL- NEEDED TO ERASE ENTIRE REPORT OR SESSION	QUERY UPDT 3 RM	60498300
096 BAD -GOTO- DELETED	SYMPL 1 RM	60496400
96 BOTH -INPUT DIR- AND -RECORD- CLAUSES PRESENT	IMF SCHEMA DEF.	60484400
096 INVALID HOSTDATA NAME	NDL 1 RM	60480000
096 PARITY ERROR ON FILE xxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
96 VALUE GIVEN IN THE \$CHAR FUNCTION MUST BE AN INTEGER	SORT/MERGE 5 RM	60484800
097 BAD REPLACEMENT STATEMENT DELETED	SYMPL 1 RM	60496400
97 CHARACTERS GIVEN IN A SINGLE COLLATING SEQUENCE MUST APPEAR ONLY ONCE	SORT/MERGE 5 RM	60484800
097 INDEX NUMBER ERROR	FORTRAN EXT 4	60497800
097 INDEX NUMBER ERROR	FORTRAN 5 RM	60481300
97 INTERNAL ERROR. OBTAIN OBJECT-TYPE FAILED SDLRTN	IMF SCHEMA DEF.	60484400
097 NON-NUMERIC EDIT INPUT FOR a	QUERY UPDT 3 RM	60498300
98 COL-SEQUENCE NAMES LONGER THAN 10 CHARACTERS ARE TRUNCATED	SORT/MERGE 5 RM	60484800
098 DEFAULT RECAP LINE-NUMBER USED	QUERY UPDT 3 RM	60498300
098 FILE ORGANIZATION ERR OR FILE NOT OPEN	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
098 FILE ORGANIZATION OR ERR OR FILE NOT OPEN	FORTRAN EXT 4	60497800
098 INVALID NPUDATA NAME	NDL 1 RM	60480000
98 KEYWORD -CONSTRAINT- MISSING. INSTEAD FOUND ..param	IMF SCHEMA DEF.	60484400
098 PARTWORD SPECIFICATIONS AFTER FIRST 3 IGNORED	SYMPL 1 RM	60496400
099 DEFAULT TITLE LINE-NUMBER USED	QUERY UPDT 3 RM	60498300
099 DUPLICATE LINE MUST BE DISABLED	NDL 1 RM	60480000
099 ITEM DISCARDED - SCAN RESUMES AT COMMA	SYMPL 1 RM	60496400
99 NUMBER OF KEY AND SUM CHARACTERS MUST BE NO MORE THAN 255	SORT/MERGE 5 RM	60484800
99 QTGET: NETWORK LOGICAL ERROR	NAM 1 RM	60499500
99 REMAINING TEXT IGNORED BEGINNING WITH..param	IMF SCHEMA DEF.	60484400
	IMF 1 AP RM	60484500
099 SOURCE WORD LONGER THAN 255 CHARACTERS, UNABLE TO CONTINUE COMPILATION - DDLF ABORTED	CDCS 2 DA RM	60485200
099 SOURCE WORD LONGER THAN 255 CHARACTERS, UNABLE TO CONTINUE COMPILATION - DDLF ABORTED	FORTRAN DBF RM	60482200
099 WRONG INDEX TYPE	FORTRAN 5 RM	60481300
099 WRONG INDEX TYPE	FORTRAN EXT 4	60497800
100 A SINGLE ITEM IN A MATRIX CANNOT BE ERASED	QUERY UPDT 3 RM	60498300
100 CANNOT SEQUENTIALLY POSITION BEYOND FILE BOUNDS	CRM/BAM 1 RM	60495700
100 CANNOT SEQUENTIALLY POSITION BEYOND FILE BOUNDS	CRM/AAM 2 RM	60499300
100 CONSTRAINT CLAUSE CONTAINS NO CONSTRAINT NAMES	IMF SCHEMA DEF.	60484400
100 EMPTY INPUT FILE	CDCS 2 DA RM	60485200
	CDCS 2 AP RM	60485300
100 EMPTY INPUT FILE	FORTRAN DBF RM	60482200
100 HANGING -IF- CLAUSE	SYMPL 1 RM	60496400
100 IDENTIFICATION HEADER NOT FIRST CARD OF PROGRAM	QU/CRM DA RM	60482100
100 INDEX IS FULL	FORTRAN 5 RM	60481300
100 INDEX IS FULL	FORTRAN EXT 4	60497800
0100 INSUFFICIENT FL FOR LOAD	LOADER 1 RM	60429800
100 SCHEMA DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
100 SIGNED NUMERIC CHARACTER FIELD IS TOO SHORT	SORT/MERGE 5 RM	60484800
100 TIPTYPE IS NOT COMPATIBLE WITH LTYPE	NDL 1 RM	60480000
101 DEFECTIVE INDEX CONTROL WORD	FORTRAN 5 RM	60481300
101 DEFECTIVE INDEX CONTROL WORD	FORTRAN EXT 4	60497800
101 EMPTY INPUT FILE	CDCS 2 DA RM	60485200
0101 EMPTY LOAD	LOADER 1 RM	60429800
101 ERROR IN SUB-SHEMA CLAUSE	QU/CRM DA RM	60482100
101 HANGING -FOR- CLAUSE	SYMPL 1 RM	60496400
101 c ILLEGAL FILE NAME	QUERY UPDT 3 RM	60498300
101 sn IS AN INVALID SCHEMA NAME	CDCS 2 DA RM	60485200
101 LEFT PARENTHESIS MISSING	CDCS 2 AP RM	60485300
101 LEFT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
101 NO PARAMETER CAN BE SPECIFIED MORE THAN ONCE ON A LINE	SORT/MERGE 5 RM	60484800
101 PILID IS REQUIRED	NDL 1 RM	60480000
101 TITLE DIVISION DECLARATION INCORRECT	CDCS 2 DA RM	60485200
101 UNKNOWN CONSTRAINT NAME ..param	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
102 CONSTRAINT ALREADY VALID. NOT CHECKED..param	IMF SCHEMA DEF.	60484400
102 DATA-NAME NOT UNIQUE	QU/CRM DA RM	60482100
102 DUPLICATE PARAMETER SPECIFIED	SORT/MERGE 5 RM	60484800
102 c DUPLICATE-REPORT NAME	QUERY UPDT 3 RM	60498300
102 HANGING -ELSE- ,	SYMPL 1 RM	60496400
102 INVALID SCHEMA NAME	CDCS 2 DA RM	60485200
102 INVALID SUBSCHEMA NAME	CDCS 2 AP RM	60485300
102 INVALID SUBSCHEMA NAME	FORTRAN DBF RM	60482200
102 MISSING PERIOD	CDCS 2 DA RM	60485200
0102 NO TRANSFER ADDRESS	LOADER 1 RM	60429800
102 P2LID IS REQUIRED	NDL 1 RM	60480000
102 RECORD LENGTH EXCEEDS SPACE ALLOCATED	FORTRAN 5 RM	60481300
102 RECORD LENGTH EXCEEDS SPACE ALLOCATED	FORTRAN EXT 4	60497800
0103 ATTEMPT TO LOAD MORE THAN ONE PROGRAM ON ABS LOAD	LOADER 1 RM	60429800
103 DATA DIVISION HEADER NOT SPECIFIED	QU/CRM DA RM	60482100
103 EITHER AN INPUT FILE, OWN1 OR OWN2 MUST BE GIVEN	SORT/MERGE 5 RM	60484800
103 EXTRA -END- FOUND, -BEGIN- FOR SUBPROGRAM ASSUMED	SYMPL 1 RM	60496400
103 NO SUITABLE RECORD TYPE FOR SENTENCE..param	IMF SCHEMA DEF.	60484400
103 RECORD MANAGER ERROR xxx ON FILE xxxxxxxx, RECORD xxxxxxxx	FORTRAN 5 RM	60481300
103 RESERVED APPLICATION NAME	NDL 1 RM	60480000
103 RIGHT PARENTHESIS MISSING	CDCS 2 AP RM	60485300
103 RIGHT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
103 SCHEMA LFN WAS NOT SPECIFIED	CDCS 2 DA RM	60485200
103 SUB-SCHEMA DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
103 c UNKNOWN REPORT NAME	QUERY UPDT 3 RM	60498300
103 6RM/7DM I/O ERR NUMBER xxx	FORTRAN EXT 4	60497800
104 CONSTRAINT NOT CHECKED ..param	IMF SCHEMA DEF.	60484400
104 EITHER AN OUTPUT FILE, OWN3 OR OWN4 MUST BE GIVEN	SORT/MERGE 5 RM	60484800
104 EXTRANEIOUS DATA FOLLOWING RIGHT PARENTHESIS	CDCS 2 AP RM	60485300
104 EXTRANEIOUS DATA FOLLOWING RIGHT PARENTHESIS	FORTRAN DBF RM	60482200
104 FIT -XN- DID NOT INDICATE INDEX FOR AREA -an-	CDCS 2 DA RM	60485200
104 ILLEGAL UNDECLARED PARAMETER USE DELETED	SYMPL 1 RM	60496400
104 INDEX KEY UNKNOWN	FORTRAN 5 RM	60481300
104 INDEX KEY UNKNOWN	FORTRAN EXT 4	60497800
0104 INSUFFICIENT ECS FL FOR LOAD	LOADER 1 RM	60429800
104 INVALID SCHEMA NAME	CDCS 2 DA RM	60485200
104 c IS NOT AN ERASABLE ITEM	QUERY UPDT 3 RM	60498300
104 PL IS VALID FOR CONSOLES ONLY	NDL 1 RM	60480000
104 THE FOLLOWING WORD IS NOT VALID IN THE INDICATED STATEMENT LINE	QU/CRM DA RM	60482100
104 UNABLE TO FLUSH BUFFER	CRM/BAM 1 RM	60495700
105 ALIAS DIVISION DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
105 AREA NAME NOT SPECIFIED	QU/CRM DA RM	60482100
105 AT LEAST ONE AREA MUST BE SPECIFIED FOR A SCHEMA	CDCS 2 DA RM	60485200
105 CATALOG FILE ERROR o ON a	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
105 DATA CONTROL CLAUSE INCOMPLETE	CDCS 2 DA RM	60485200
105 -FOR- STATEMENT INDUCTION VARIABLE ERROR	SYMPL 1 RM	60496400
105 INITIAL APPLICATION NOT DEFINED	NDL 1 RM	60480000
105 NO INVOKE STATEMENT WAS FOUND IN PRECEDING PROGRAM UNIT	CDCS 2 AP RM	60485300
105 NO INVOKE STATEMENT WAS FOUND IN PRECEDING PROGRAM UNIT	FORTRAN DBF RM	60482200
105 RECORD LENGTH NEGATIVE	FORTRAN 5 RM	60481300
105 RECORD LENGTH NEGATIVE	FORTRAN EXT 4	60497800
105 USER MRL < ES REC LEN. USER REC TRUNCATED TO USER MRL..param	IMF SCHEMA DEF.	60484400
106 AD DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
106 FILE-LIMIT CLAUSE ILLEGAL WITH SEQUENTIAL FILES	QU/CRM DA RM	60482100
106 -IF- EXPRESSION ERROR	SYMPL 1 RM	60496400
106 INVALID RECORD NAME	CDCS 2 DA RM	60485200
106 an IS AN INVALID AREA NAME	CDCS 2 DA RM	60485200
106 LINE NUMBER a NOT IN RANGE 1 TO d	QUERY UPDT 3 RM	60498300
106 TOO MANY LINES ON THE SAME PORT	NDL 1 RM	60480000
0106 TRANSFER POINT NOT FOUND (name)	LOADER 1 RM	60429800
106 USER MRL > ES REC LEN. USER REC PADDED..param	IMF SCHEMA DEF.	60484400
107 ALL REQUIRED PERMANENT FILE INFORMATION HAS NOT BEEN SPECIFIED	CDCS 2 DA RM	60485200
107 COLUMN NUMBER a NOT IN RANGE 1 TO d	QUERY UPDT 3 RM	60498300
107 CRM ERROR ON DIRECTORY FILE..param	IMF SCHEMA DEF.	60484400
107 DUPLICATE TERMINAL MUST BE DISABLED	NDL 1 RM	60480000
107 DUPLICATE XDEF OR XREF DECLARATIONS FOR IDENTIFIER	SYMPL 1 RM	60496400
107 ILLEGAL PARAMETER VALUE	FORTRAN 5 RM	60481300
107 ILLEGAL PARAMETER VALUE	FORTRAN EXT 4	60497800
107 INCORRECT PARAMETER VALUE	SORT/MERGE 5 RM	60484800
0107 INSUFFICIENT FL FOR EXECUTION	LOADER 1 RM	60429800
107 INVALID FILE ORGANIZATION	QU/CRM DA RM	60482100
107 INVALID NAME IN ALIAS DIVISION	CDCS 2 DA RM	60485200
107 INVALID NAME IN ALIAS STATEMENT	CDCS 2 DA RM	60485200
107 INVALID NAME IN ALIAS STATEMENT	FORTRAN DBF RM	60482200
107 MODE=0 INVALID ON OPEN RELATION	CDCS 2 AP RM	60485300
107 MODE=0 INVALID ON OPEN RELATION	FORTRAN DBF RM	60482200
107 PROCEDURE NAME TABLE OVERFLOW, **DDL ABORTED**	CDCS 2 DA RM	60485200
108 EQUAL SIGN MISSING	CDCS 2 DA RM	60485200
108 EQUAL SIGN MISSING	FORTRAN DBF RM	60482200
108 ILLEGAL LEVEL NUMBER a OR A -BREAK- IS MISSING	QUERY UPDT 3 RM	60498300
108 INTEGER FOR FILE LIMIT NOT VALID	QU/CRM DA RM	60482100
108 PERIOD MISSING	CDCS 2 DA RM	60485200
108 RESERVED WORD -BECOMES- IS MISSING	CDCS 2 DA RM	60485200
108 STIP NOT COMPATIBLE WITH TC SPECIFIED	NDL 1 RM	60480000
108 TOO FEW/MANY PARAMETERS	SORT/MERGE 5 RM	60484800
108 TOO FEW OR TOO MANY PARAMETERS	FORTRAN 5 RM	60481300
108 TOO FEW OR TOO MANY PARAMETERS	FORTRAN EXT 4	60497800
108 UNABLE TO COMPLETE UNLOAD	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
108 UNKNOWN SOURCE WORD	CDCS 2 AP RM	60485300
108 UNKNOWN SOURCE WORD	FORTRAN DBF RM	60482200
108 kw/an WAS ALREADY SPECIFIED FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
108 XDEF -PROC- OR -FUNC- NOT FULLY DECLARED	SYMPL 1 RM	60496400
109 AT LEAST ONE SUBSCHEMA MUST BE SPECIFIED FOR A SCHEMA	CDCS 2 DA RM	60485200
109 BAD FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
109 COMPUTED RECORD SIZE IS GREATER OR LESS THAN THE RECORD CONTAINS SIZE, COMPUTED SIZE IS USED	QU/CRM DA RM	60482100
109 DUPLICATE ALIAS NAME	CDCS 2 DA RM	60485200
109 EMPTY INPUT DIRECTORY FILE..param	IMF SCHEMA DEF.	60484400
109 c ILLEGAL DATA-NAME	QUERY UPDT 3 RM	60498300
109 INVALID MODE	CDCS 2 AP RM	60485300
109 INVALID MODE	FORTRAN DBF RM	60482200
109 KEYWORD (xxxxxxx) INVALID	FORTRAN 5 RM	60481300
109 KEYWORD (xxxxxxxx) INVALID	FORTRAN EXT 4	60497800
109 PARAMETER NOT ALLOWED FOR TC SPECIFIED	NDL 1 RM	60480000
110 A ROUTINE CALLED OUT OF SEQUENCE	FORTRAN 5 RM	60481300
110 A ROUTINE CALLED OUT OF SEQUENCE	FORTRAN EXT 4	60497800
110 ALIAS-NAME-1 UNKNOWN	CDCS 2 DA RM	60485200
110 CALL OUT OF SEQUENCE	SORT/MERGE 5 RM	60484800
110 EQUAL SIGN MISSING	CDCS 2 AP RM	60485300
110 EQUAL SIGN MISSING	FORTRAN DBF RM	60482200
110 FILE NOT OPEN	CRM/BAM 1 RM	60495700
110 FILE NOT OPEN	CRM/AAM 2 RM	60499300
110 -FROM- MISSING AFTER c	QUERY UPDT 3 RM	60498300
110 INTEGER FOR INDEX LEVEL NOT VALID	QU/CRM DA RM	60482100
110 ssn IS AN INVALID SUBSCHEMA NAME	CDCS 2 DA RM	60485200
110 KEYWORD -REPAIR- MISSING. INSTEAD FOUND..param	IMF 1 AP RM	60484500
110 OWNING CONSOLE NOT 200UT COMPATIBLE	NDL 1 RM	60480000
110 REDUNDANT FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
111 AREA UNSPECIFIED OR UNRECOGNIZABLE KEYWORD	CDCS 2 DA RM	60485200
111 BAD PARAMETER LIST	SYMPL 1 RM	60496400
111 INTEGER FOR INDEX BLOCK NOT VALID	QU/CRM DA RM	60482100
111 INVALID NAME GIVEN FOR SM5SEQN	SORT/MERGE 5 RM	60484800
111 INVALID QUALIFIER NAME	CDCS 2 DA RM	60485200
111 INVALID QUALIFIER NAME	FORTRAN DBF RM	60482200
111 KEYWORD -FILE- IS MISSING	CDCS 2 DA RM	60485200
111 LCM BLOCK COPY ERROR	FORTRAN 5 RM	60481300
111 LCM BLOCK COPY ERROR	FORTRAN EXT 4	60497800
111 LEVEL NUMBER MISSING AFTER c	QUERY UPDT 3 RM	60498300
111 NO CHECK ON LAST REQUEST	CRM/BAM 1 RM	60495700
111 OWNING CONSOLE MUST BE ENABLED	NDL 1 RM	60480000
111 SUB-SCHEMA NOT AVAILABLE	FORTRAN DBF RM	60482200
111 SUBSCHEMA NOT AVAILABLE	CDCS 2 AP RM	60485300

MESSAGE

111 -SYNONYMS--/NO SYNONYMS- CLAUSE IS MISSING
112 AREA NOT UNIQUE
112 BOOLEAN ILLEGAL IN ARITHMETIC CONTEXT
112 ECS UNIT HAS LOST POWER OR IS IN MAINTENANCE MODE
112 EXTRANEIOUS DATA IN PARAMETER LIST
112 EXTRANEIOUS DATA IN PARAMETER LIST
112 INTEGER FOR INDEX PADDING NOT VALID
112 n INVALID INTEGER AFTER -TO-
112 MAXIMUM NUMBER OF PASSWORDS EXCEEDED
112 ONLY SINGLE CHARACTER LITERALS CAN BE USED AS PARAMETERS OF SM5SEQS
112 REALM DIVISION NOT SPECIFIED, DEFAULTED TO -ALL-
112 UNABLE TO REPORT IDENTIFIER VIOLATIONS
112 UNRECOGNIZABLE COMMAND
113 COMMON LIST LACKS -END-
113 ECS READ PARITY ERROR
113 GET/PUT CANNOT BE USED IF SBF=YES
113 ILL FORMED MODIFY ADD OR DELETE HEADER
113 INTEGER FOR DATA PADDING NOT VALID
113 INVALID ERASE DIRECTIVE
113 KEY PARAMETER MISSING
113 KEY PARAMETER MISSING
113 LABEL ON COMMENT, DEFINE OR END
113 NO OBJECT TYPE EXISTS WITH THE FOLLOWING NAME..param
113 REALM DIVISION TITLE IS INCORRECT
113 RECORD LENGTH IS GREATER THAN MAXIMUM RL - 5000
114 BASED LIST LACKS -END-
114 CONNEC CHARACTER CODE CONVERSION IS OUT OF RANGE
114 CONNEC CHARACTER CODE CONVERSION IS OUT OF RANGE
114 INCOMPLETE PROCEDURE CLAUSE
114 INTEGER FOR NUMBER OF BLOCKS NOT VALID
114 INVALID RELATIONAL OPERATOR
114 INVALID RELATIONAL OPERATOR
114 INVALID STATEMENT - REALM OR ALIAS STATEMENT EXPECTED
114 INVALID STATEMENT-REALM OR ALIAS STATEMENT EXPECTED
114 KEYWORD -INVOKE- MISSING. INSTEAD FOUND..param
114 KEYWORD -SCHEMA- IS MISSING
114 REALM DESCRIPTION IS INCORRECT, DEFAULTED TO -ALL-
114 SESSION-ID MISSING AFTER c
114 TOO MANY TERMINALS AT THE SAME ADDRESS
115 ARGUMENT INFINITE or ARGUMENT TOO SMALL
115 ARGUMENT INFINITE or ARGUMENT TOO SMALL, RESULT UNDERFLOW
115 DATA-PADDING CLAUSE LEGAL FOR IS/AK FILES ONLY
115 DO IS VALID FOR HASP TERMINALS ONLY
115 INVALID ITEM NAME

<u>MANUAL</u>	<u>PUB. NO.</u>
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
FORTRAN EXT 4	60497800
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
QU/CRM DA RM	60482100
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
SORT/MERGE 5 RM	60484800
CDCS 2 DA RM	60485200
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
SYMPL 1 RM	60496400
FORTRAN EXT 4	60497800
CRM/BAM 1 RM	60495700
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
QUERY UPDT 3 RM	60498300
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
NDL 1 RM	60480000
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
IMF 1 AP RM	60484500
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QU/CRM DA RM	60482100
NDL 1 RM	60480000
CDCS 2 AP RM	60485300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
115 INVALID ITEM NAME	FORTRAN DBF RM	60482200
115 INVALID REALM NAME	CDCS 2 DA RM	60485200
115 INVALID REALM NAME	FORTRAN DBF RM	60482200
115 n INVALID TAB NUMBER	QUERY UPDT 3 RM	60498300
115 OUTSTANDING FATAL ERROR ON THE FILE	CRM/AAM 2 RM	60499300
115 OUTSTANDING FATAL ERROR ON THE FILE	CRM/BAM 1 RM	60495700
115 UNABLE TO FIND SCHEMA sn IN MD	CDCS 2 DA RM	60485200
115 UNKNOWN EXTERNAL SCHEMA	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
115 XDEF OR XREF LIST LACKS -END-	SYMPL 1 RM	60496400
116 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
116 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
116 BAD COMMON LIST DECLARATION DELETED	SYMPL 1 RM	60496400
116 DUPLICATE REALM NAME	CDCS 2 DA RM	60485200
116 DUPLICATE REALM NAME	FORTRAN DBF RM	60482200
116 GET FOLLOWS AN OUTPUT OPERATION. FO=SQ	CRM/BAM 1 RM	60495700
116 IAPPL IS REQUIRED FOR NON-CONSOLES	NDL 1 RM	60480000
116 IMPLEMENTOR NAME FOR LOG FILE INVALID	QU/CRM DA RM	60482100
116 wd IS AN UNKNOWN SOURCE WORD IN THE MODIFY CLAUSE	CDCS 2 DA RM	60485200
116 ITEM IS NOT DEFINED AS A KEY FOR THIS REALM	CDCS 2 AP RM	60485300
116 ITEM IS NOT DEFINED AS A KEY FOR THIS REALM	FORTRAN DBF RM	60482200
116 LITERAL VALUES NOT UNIQUE	CDCS 2 DA RM	60485200
116 TAB c NOT SPECIFIED	QUERY UPDT 3 RM	60498300
116 UNKNOWN CONCEPTUAL SCHEMA NAME..param	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
117 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
117 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
117 BAD BASED ARRAY DECLARATION DELETED	SYMPL 1 RM	60496400
117 DUPLICATE SIGN IN COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
117 ILLEGAL USE OF RESERVED WORD	NDL 1 RM	60480000
117 INTEGER FOR BLOCK CONTAINS NOT VALID	QU/CRM DA RM	60482100
117 INTERNAL ERROR. OBTAIN/MODIFY EDITION IN UTILCTL	IMF SCHEMA DEF.	60484400
117 PERIOD MISSING	CDCS 2 AP RM	60485300
117 PERIOD MISSING	FORTRAN DBF RM	60482200
117 PUT OR REPLACE OF LARGER RECORD ILLEGAL AFTER GETN	CRM/AAM 2 RM	60499300
117 RECORD DIVISION TITLE IS INCORRECT	CDCS 2 DA RM	60485200
117 UNABLE TO FIND SUBSCHEMA ssn IN MASTER DIRECTORY	CDCS 2 DA RM	60485200
118 ARGUMENT TOO SMALL	FORTRAN 5 RM	60481300
118 ARGUMENT TOO SMALL, RESULT UNDERFLOW	FORTRAN EXT 4	60497800
118 BASED LIST SCAN RESUMES WITH -ARRAY-	SYMPL 1 RM	60496400
118 HASP TERMINALS ARE NOT AUTORECOGNIZED	NDL 1 RM	60480000
118 INTEGER FOR RECORD CONTAINS NOT VALID	QU/CRM DA RM	60482100
118 INTERNAL DML ERROR	CDCS 2 AP RM	60485300
118 INTERNAL DML ERROR	FORTRAN DBF RM	60482200
118 INVALID PRIVACY KEY	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500

MESSAGE

	MANUAL	PUB. NO.
118 wd IS AN INVALID SOURCE WORD IN THE ADD/DELETE CLAUSE	CDCS 2 DA RM	60485200
118 -n- IS NOT A VALID ERASE OPTION OR DATA-NAME	QUERY UPDT 3 RM	60498300
118 LEVEL NUMBER NOT SPECIFIED, DEFAULTED TO -01-	CDCS 2 DA RM	60485200
119 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
119 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
119 COMMA OR RIGHT PARENTHESIS NOT FOUND	CDCS 2 AP RM	60485300
119 COMMA OR RIGHT PARENTHESIS NOT FOUND	FORTRAN DBF RM	60482200
119 COMPUTED RECORD SIZE GREATER THAN BLOCK SIZE, COMPUTED SIZE ASSUMED	QU/CRM DA RM	60482100
119 -END- ENDS BAD BASED ARRAY LIST	SYMPL 1 RM	60496400
119 FIRST ENTRY IN RECORD DIVISION IS NOT A RECORD ENTRY, UNABLE TO CONTINUE-COMPILATION ABORTED	CDCS 2 DA RM	60485200
119 ILL FORMED END MODS CLAUSE	CDCS 2 DA RM	60485200
119 PROCEDURE UNSPECIFIED	CDCS 2 DA RM	60485200
119 PW NOT ALLOWED FOR PLOTTERS	NDL 1 RM	60480000
119 RECORD STATEMENT NOT SPECIFIED, UNABLE TO CONTINUE COMPILATION	CDCS 2 DA RM	60485200
119 RECORD STATEMENT NOT SPECIFIED, UNABLE TO CONTINUE - COMPILATION ABORTED	FORTRAN DBF RM	60482200
119 UNABLE TO COMPLETE RELOAD	IMF SCHEMA DEF.	60484400
119 UNKNOWN SESSION IDENTIFIER	QUERY UPDT 3 RM	60498300
120 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
120 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
120 INDEX-PADDING CLAUSE LEGAL FOR IS FILES ONLY	QU/CRM DA RM	60482100
120 INVALID KEY/WORD ADDRESS/RECORD NUMBER	CRM/BAM 1 RM	60495700
120 INVALID RECORD NAME	CDCS 2 DA RM	60485200
120 INVALID RECORD NAME	FORTRAN DBF RM	60482200
120 ifn IS AN INVALID LOGICAL FILE NAME	CDCS 2 DA RM	60485200
120 MISMATCH ON DIRECTORY FILE WHILE PROCESSING..param	IMF SCHEMA DEF.	60484400
120 RECORD NAME NOT UNIQUE	CDCS 2 DA RM	60485200
120 TSPEED REQUIRED FOR TERMINALS ON THIS LINE	NDL 1 RM	60480000
120 c UNDEFINED USER CATALOG	QUERY UPDT 3 RM	60498300
120 ZERO LENGTH -DEF- STRING IGNORED	SYMPL 1 RM	60496400
121 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
121 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
121 CHARACTER ITEM LENGTH OMITTED - 1 ASSUMED	SYMPL 1 RM	60496400
121 CSET NOT COMPATIBLE WITH TC	NDL 1 RM	60480000
121 DUPLICATE ENTRY IN SESSION	QUERY UPDT 3 RM	60498300
121 DUPLICATE RECORD NAME	CDCS 2 DA RM	60485200
121 DUPLICATE RECORD NAME	FORTRAN DBF RM	60482200
121 INDEX-LEVEL CLAUSE LEGAL FOR IS FILES ONLY	QU/CRM DA RM	60482100
121 INVALID OR DUPLICATE CHARGE/ACCOUNT SPECIFIED	CDCS 2 DA RM	60485200
121 LAST ITEM IN RECORD MUST BE AN ELEMENTARY ITEM	CDCS 2 DA RM	60485200
121 PREMATURE END-OF-DATA ON DIRECTORY..param	IMF SCHEMA DEF.	60484400
121 PRIVACY TYPE MUST BE LITERAL OR ARRAY NAME	CDCS 2 AP RM	60485300
121 PRIVACY TYPE MUST BE LITERAL OR ARRAY NAME	FORTRAN DBF RM	60482200
122 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
122 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
122 BAD ARRAY ENTRY SIZE	SYMPL 1 RM	60496400
122 CANNOT LOCATE OWNER REALM IN THE SCHEMA	CDCS 2 DA RM	60485200
122 CANNOT LOCATE OWNER REALM IN THE SCHEMA	FORTRAN DBF RM	60482200
122 CSET NOT COMPATIBLE WITH TIPTYPE	NDL 1 RM	60480000
122 EXPECTING INTEGER COUNT. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
122 INVALID PARAMETER	CDCS 2 AP RM	60485300
122 INVALID PARAMETER	FORTRAN DBF RM	60482200
122 pfn IS AN INVALID PERMANENT FILE NAME OR IS INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
122 RECORD NAME INVALID	QU/CRM DA RM	60482100
122 REPORT SPECIFICATION LIST FULL	QUERY UPDT 3 RM	60498300
122 VARIABLE DIMENSION GROUP MUST BE THE LAST ITEM ENTRY IN A RECORD	CDCS 2 DA RM	60485200
123 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN 5 RM	60481300
123 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
123 BRACKET NEST TOO DEEP	SYMPL 1 RM	60496400
123 CANNOT DELETE OLD INTERNAL SCH DUE TO EXTERNAL SCH..param	IMF SCHEMA DEF.	60484400
123 CSET NOT COMPATIBLE WITH STIP	NDL 1 RM	60480000
123 DUPLICATE PARAMETER	CDCS 2 AP RM	60485300
123 DUPLICATE PARAMETER	FORTRAN DBF RM	60482200
123 INVALID LEVEL NUMBER	CDCS 2 DA RM	60485200
123 id IS AN INVALID ID/UN OR IS INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
123 SDA PROC NAME GREATER THAN 7 CHARACTERS	QU/CRM DA RM	60482100
123 -SECTIONS- MISSING AFTER -HORIZ- OR -VERT-	QUERY UPDT 3 RM	60498300
124 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN 5 RM	60481300
124 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
124 CSET/TSPEED NOT ALLOWED WITH STIP SPECIFIED	NDL 1 RM	60480000
124 ILLEGAL EXPRESSION TYPE ON LEFT SIDE	SYMPL 1 RM	60496400
124 INDEX-BLOCK CLAUSE LEGAL FOR IS FILES ONLY	QU/CRM DA RM	60482100
124 INVALID DATA-NAME	CDCS 2 DA RM	60485200
124 INVALID ITEM NAME	CDCS 2 DA RM	60485200
124 INVALID ITEM NAME	FORTRAN DBF RM	60482200
124 pw IS AN INVALID PASSWORD	CDCS 2 DA RM	60485200
124 PRIVACY PARAMETER LITERAL IS GREATER THAN 30 CHARACTERS	CDCS 2 AP RM	60485300
124 PRIVACY PARAMETER LITERAL IS GREATER THAN 30 CHARACTERS	FORTRAN DBF RM	60482200
124 n UNRECOGNIZABLE PAGE-SIZE KEYWORD	QUERY UPDT 3 RM	60498300
125 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
125 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
125 BAD BEAD FUNCTION	SYMPL 1 RM	60496400
125 DATA-NAME NOT UNIQUE	CDCS 2 DA RM	60485200
125 ERROR IN PAGE-NUMBER DIRECTIVE	QUERY UPDT 3 RM	60498300
125 ILLEGAL CHARACTER IN PERM FILE NAME	QU/CRM DA RM	60482100
125 wd IS IN ERROR IN THE LOG OPTIONS CLAUSE	CDCS 2 DA RM	60485200
125 ITEM NAME NOT UNIQUE	CDCS 2 DA RM	60485200
125 ITEM NAME NOT UNIQUE	FORTRAN DBF RM	60482200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
125 PRIVACY PARAMETER NOT SPECIFIED	CDCS 2 AP RM	60485300
125 PRIVACY PARAMETER NOT SPECIFIED	FORTRAN DBF RM	60482200
125 TSPEED VALID FOR ASYNC AUTO-REC	NDL 1 RM	60480000
126 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
126 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
126 CSET IS REQUIRED	NDL 1 RM	60480000
126 ERROR IN DATE DIRECTIVE	QUERY UPDT 3 RM	60498300
126 INSUFFICIENT FIELD LENGTH - DML ABORTED	CDCS 2 AP RM	60485300
126 INSUFFICIENT FIELD LENGTH - DML ABORTED	FORTRAN DBF RM	60482200
126 INVALID AREA IN WITHIN CLAUSE	CDCS 2 DA RM	60485200
126 ITEM SIZE GREATER THAN MAXIMUM SIZE ALLOWED	CDCS 2 DA RM	60485200
126 ITEM SIZE GREATER THAN MAXIMUM SIZE ALLOWED	FORTRAN DBF RM	60482200
126 NON-EXISTENT AREA NAME SPECIFIED	CDCS 2 DA RM	60485200
126 OPERATOR OR OPERAND MISSING IN EXPRESSION	SYMPL 1 RM	60496400
126 THE NUMBER OF ON CALL STATEMENTS EXCEEDS 8	QU/CRM DA RM	60482100
126 VALUE OF LEVEL NUMBER IS LESS THAN THE FIRST ITEM DEFINED IN THE RECORD	CDCS 2 DA RM	60485200
127 AREA UNDEFINED IN WITHIN CLAUSE	CDCS 2 DA RM	60485200
127 ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
127 ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
127 CONSTRAINTS INCONSISTENT FOR VERSION -vn-	CDCS 2 DA RM	60485200
127 CSET NOT ALLOWED FOR HASP TERMINALS	NDL 1 RM	60480000
127 DML LANGUAGE VERSION (LV) DIFFERS FROM SUB-SCHEMA	CDCS 2 AP RM	60485300
127 DML LANGUAGE VERSION (LV) DIFFERS FROM SUB-SCHEMA	FORTRAN DBF RM	60482200
127 ERROR IN TIME DIRECTIVE	QUERY UPDT 3 RM	60498300
127 INVALID ITEM LENGTH	CDCS 2 DA RM	60485200
127 INVALID ITEM LENGTH	FORTRAN DBF RM	60482200
127 INVALID KEY NAME	QU/CRM DA RM	60482100
127 LONG CHARACTER STRING - 240 BYTES USED	SYMPL 1 RM	60496400
127 PICTURE LITERAL GREATER THAN 30 CHARACTERS, RIGHT MOST CHARACTERS TRUNCATED	CDCS 2 DA RM	60485200
128 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GE. 1.0	FORTRAN 5 RM	60481300
128 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
128 BAD -LOC- FUNCTION	SYMPL 1 RM	60496400
128 FIT -XN- INDICATES INDEX FOR AREA -an- BUT NO INDEX INPUT TO MD FOR AREA	CDCS 2 DA RM	60485200
128 INVALID FORTRAN LABEL	CDCS 2 AP RM	60485300
128 INVALID FORTRAN LABEL	FORTRAN DBF RM	60482200
128 INVALID USAGE TYPE, DEFAULTED TO -DISPLAY-	CDCS 2 DA RM	60485200
128 LENGTH SPECIFIED FOR NON-CHARACTER ITEM	CDCS 2 DA RM	60485200
128 LENGTH SPECIFIED FOR NON-CHARACTER ITEM	FORTRAN DBF RM	60482200
128 NUMBER OF IMAGES NOT WITHIN ALLOWABLE RANGE	QUERY UPDT 3 RM	60498300
128 NUMBER OF RESOURCE LINES EXCEED NDLP CAPACITY	NDL 1 RM	60480000
128 ON CALL PROCEDURE NAME GREATER THAN 7 CHARACTERS	QU/CRM DA RM	60482100
129 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
129 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
129 BAD -ABS- FUNCTION	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
129 CALL NOT SPECIFIED	QU/CRM DA RM	60482100
129 END= IS NOT VALID IN FORTRAN 4	CDCS 2 AP RM	60485300
129 END= IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
129 INVALID AREA NAME	CDCS 2 DA RM	60485200
129 vn IS AN INVALID VERSION NAME	CDCS 2 DA RM	60485200
129 NUMBER OF SECTIONS NOT WITHIN ALLOWABLE RANGE	QUERY UPDT 3 RM	60498300
129 TSPEED NOT COMPATIBLE WITH TC	NDL 1 RM	60480000
129 USAGE DOES NOT AGREE WITH THE USAGE IN THE GROUP ITEM	CDCS 2 DA RM	60485200
130 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
130 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
130 BAD INDUCTION VARIABLE TYPE	SYMPL 1 RM	60496400
130 ERR= IS NOT VALID ILN FORTRAN 4	FORTRAN DBF RM	60482200
130 ERR= IS NOT VALID IN FORTRAN 4	CDCS 2 AP RM	60485300
130 INVALID DIMENSION BOUND	CDCS 2 DA RM	60485200
130 INVALID DIMENSION BOUND	FORTRAN DBF RM	60482200
130 INVALID OCCURRENCE VALUE	CDCS 2 DA RM	60485200
130 ON CALL PROCEDURE NAME NOT SPECIFIED	QU/CRM DA RM	60482100
130 RT=W, BAD CONTROL WORD, FILE DEFECTIVE OR MISPOSITIONED	CRM/AAM 2 RM	60499300
130 RT=W BAD CONTROL WORD, FILE DEFECTIVE OR MISPOSITIONED	CRM/BAM 1 RM	60495700
130 c UNDEFINED SYNTAX TABLE OR PROCEDURE	QUERY UPDT 3 RM	60498300
130 VERSION NAME MASTER EXPECTED	CDCS 2 DA RM	60485200
131 ARGUMENT INFINITE; ARGUMENT INDEFINITE; ARGUMENT TOO LARGE; or ARGUMENT ODD MULTIPLE OF 90	FORTRAN 5 RM	60481300
131 ARGUMENT INFINITE; ARGUMENT INDEFINITE; ARGUMENT TOO LARGE; or ARGUMENT ODD MULTIPLE OF 90	FORTRAN EXT 4	60497800
131 sn IS THE SCHEMA NAME IN THE SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
131 NUMBER OF BLOCKS CLAUSE LEGAL FOR DA FILES ONLY	QU/CRM DA RM	60482100
131 THE SECOND OCCURRENCE VALUE IS LESS THAN THE FIRST OCCURRENCE	CDCS 2 DA RM	60485200
131 THE UPPER DIMENSION BOUND IS LESS THAN THE LOWER BOUND	CDCS 2 DA RM	60485200
131 THE UPPER DIMENSION BOUND IS LESS THAN THE LOWER BOUND	FORTRAN DBF RM	60482200
131 c TOO MANY OPTIONS IN DIRECTIVE, TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
131 TRANSACTION PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
131 VARIABLE IN -TEST- IS NOT AN INDUCTION VARIABLE	SYMPL 1 RM	60496400
132 DUPLICATE CHARACTER IN CSOWN CALL	FORTRAN 5 RM	60481300
132 DUPLICATE REPORT ENTRY	QUERY UPDT 3 RM	60498300
132 sn IS NOT A UNIQUE SCHEMA NAME	CDCS 2 DA RM	60485200
132 LEVEL NUMBER NOT SPECIFIED	QU/CRM DA RM	60482100
132 -TEST- ILLEGAL OUTSIDE LOOP	SYMPL 1 RM	60496400
132 TRANSACTION IDENTIFIER EXCEEDS 10 CHARACTERS	CDCS 2 AP RM	60485300
133 DEPENDING ON DATA-NAME IS INVALID	CDCS 2 DA RM	60485200
133 EXCEEDED THE MAXIMUM NUMBER OF DIMENSIONS ALLOWED	CDCS 2 DA RM	60485200
133 EXCEEDED THE MAXIMUM NUMBER OF DIMENSIONS ALLOWED	FORTRAN DBF RM	60482200
133 INVALID LEVEL NUMBER	QU/CRM DA RM	60482100
133 IRRECONCILABLE STATUS OPTION	FORTRAN 5 RM	60481300
133 -vn- IS A DUPLICATE VERSION NAME	CDCS 2 DA RM	60485200
133 SCAN RESUMES AT -BEGIN-, -ITEM- OR SEMICOLON	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
133 UNKNOWN REPORT ENTRY IN a	QUERY UPDT 3 RM	60498300
133 VERSION PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
133 WORD ADDRESSABLE FILE ORGANIZATION ILLEGAL	CDCS 2 DA RM	60485200
134 num AREAS ARE IN SCHEMA, BUT MD INPUT DIFFERS	CDCS 2 DA RM	60485200
134 BEAD FUNCTION NEEDS IDENTIFIER	SYMPL 1 RM	60496400
134 DATA NAME OR FILLER NOT SPECIFIED OR RESERVED WORD USED	QU/CRM DA RM	60482100
134 DEPENDING ON DATA-NAME IS UNDEFINED IN CURRENT RECORD	CDCS 2 DA RM	60485200
134 n SPECIFIED COLLATING SEQ MUST BE DATA-NAME/LITERAL	QUERY UPDT 3 RM	60498300
134 STATUS OPTION INCOMPATIBLE WITH OLD FILE	FORTRAN 5 RM	60481300
134 VERSION-NAME EXCEEDS 7 CHARACTERS	CDCS 2 AP RM	60485300
135 A VARIABLE-OCCURRENCE DATA ITEM IS NOT ALLOWED TO BE A SUBORDINATE OF A DATA ITEM WITH AN OCCURS CLAUSE	CDCS 2 DA RM	60485200
135 DEPENDING ON ITEM PIC SIZE EXCEEDS 6	QU/CRM DA RM	60482100
135 DUPLICATE STATUS IDENTIFIER	SYMPL 1 RM	60496400
135 FIRST KEY SPECIFICATION MUST FOLLOW -ON-	QUERY UPDT 3 RM	60498300
135 FORM CHANGE ON OPENED FILE	FORTRAN 5 RM	60481300
135 LOCK TYPE PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
135 RMS READ PARITY ERROR	CRM/BAM 1 RM	60495700
135 RMS READ PARITY ERROR	CRM/AAM 2 RM	60499300
135 UNABLE TO OPEN SCHEMA FILE	CDCS 2 DA RM	60485200
136 BAD RECL VALUE	FORTRAN 5 RM	60481300
136 INTEGER FOR OCCURS NOT SPECIFIED	QU/CRM DA RM	60482100
136 n KEY SPECIFICATION NOT VALID DATA-NAME	QUERY UPDT 3 RM	60498300
136 LEVEL NUMBER NOT GREATER THAN 0 AND NOT LESS THAN 100	CDCS 2 DA RM	60485200
136 LOCK TYPE LITERAL IS INVALID - SHOULD BE EITHER EXCLUSIVE OR PROTECTED	CDCS 2 AP RM	60485300
136 RMS WRITE PARITY ERROR	CRM/AAM 2 RM	60499300
136 RMS WRITE PARITY ERROR	CRM/BAM 1 RM	60495700
136 SCHEMA/SUBSCHEMA FILE IS NOT ATTACHED TO CP	CDCS 2 DA RM	60485200
136 SEMICOLON ENDS COMMENT	SYMPL 1 RM	60496400
136 USAGE TYPE OF THE DEPENDING OF IS INVALID	CDCS 2 DA RM	60485200
137 BLANK OPTION ON UNFORMATTED FIL	FORTRAN 5 RM	60481300
137 -CONTROL- STATEMENT SYNTAX ERROR	SYMPL 1 RM	60496400
137 DEPENDING ON NAME NOT SPECIFIED	QU/CRM DA RM	60482100
137 INVALID KEY NAME	CDCS 2 DA RM	60485200
137 wd IS NOT A UNIQUE PFN/ID PACK COMBINATION	CDCS 2 DA RM	60485200
137 KEYWORD UPON MUST PRECEDE OUTPUT FILE SPECIFICATION	QUERY UPDT 3 RM	60498300
137 RESTART IDENTIFIER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
137 SQ READ PARITY ERROR	CRM/BAM 1 RM	60495700
138 BAD BUFL VALUE	FORTRAN 5 RM	60481300
138 CHARACTER IN REAL CONSTANT IS NOT D OR E	SYMPL 1 RM	60496400
138 DOUBLE PRECISION MUST BE SPECIFIED IN FORTRAN 5	CDCS 2 DA RM	60485200
138 DOUBLE PRECISION MUST BE SPECIFIED IN FORTRAN 5	FORTRAN DBF RM	60482200
138 INVALID INDEX NAME	CDCS 2 DA RM	60485200
138 NO TRANSACTION RECOVERY FILE WAS FOUND FOR SCHEMA -sn-, CLAUSE INVALID	CDCS 2 DA RM	60485200
138 NUMBER OF BLOCKS VALUE NOT BETWEEN 1 AND 16777215	QU/CRM DA RM	60482100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
138 c SPECIFICATION FOR COLLATING SEQ NOT DEFINED	QUERY UPDT 3 RM	60498300
138 TYPE CLAUSE OVERRIDES THE PICTURE SPECIFICATON FOR THIS ITEM ENTRY	CDCS 2 DA RM	60485200
139 ALTERNATE KEY SPECIFIED FOR SEQUENTIAL FILE	CDCS 2 DA RM	60485200
139 BAD OPEN OPTION	FORTRAN 5 RM	60481300
139 DEPENDING ON ITEM HAS WRONG USAGE	QU/CRM DA RM	60482100
139 FORMAL PARAMETER PRESET IS IGNORED	SYMPL 1 RM	60496400
139 INDEX NAME IS NOT UNIQUE	CDCS 2 DA RM	60485200
139 INSERT, DELETE, AND UPDATE REQUIRE MODIFY PERMISSION	QUERY UPDT 3 RM	60498300
139 SAME AS MASTER INVALID FOR AREA IN MASTER VERSION	CDCS 2 DA RM	60485200
140 AREA an AND SCHEMA ENTRY LOGGING INFO MISMATCH	CDCS 2 DA RM	60485200
140 DATA NAME TABLE OVERFLOW - INCREASE YOUR FIELD LENGTH	QU/CRM DA RM	60482100
140 ERROR DURING FILE CLOSING	FORTRAN 5 RM	60481300
140 c INVALID KEY	QUERY UPDT 3 RM	60498300
140 LEVEL NUMBER IS OUT OF RANGE, HAS BEEN READJUSTED TO AN -02- LEVEL	CDCS 2 DA RM	60485200
140 OCCURS CLAUSE INVALID ON A RESULT CLAUSE	CDCS 2 DA RM	60485200
140 SQ WRITE PARITY ERROR	CRM/BAM 1 RM	60495700
140 -XREF- PRESET IS ILLEGAL	SYMPL 1 RM	60496400
141 BAD ARGUMENT TO ICHAR	FORTRAN 5 RM	60481300
141 BAD LEVEL NUMBER - ITEM IGNORED	QU/CRM DA RM	60482100
141 BLANK COMMON PRESET IS ILLEGAL	SYMPL 1 RM	60496400
141 DATA DESCRIPTION ENTRY WAS NOT TERMINATED WITH A PERIOD	CDCS 2 DA RM	60485200
141 DATA-NAME OR -SAME- MUST FOLLOW THE KEYWORD -USING-	QUERY UPDT 3 RM	60498300
141 EXCESS DATA IS FATAL TO PUTP	CRM/BAM 1 RM	60495700
141 MULTIPLE RESULT CLAUSES	CDCS 2 DA RM	60485200
141 UNABLE TO LOCATE AREA an IN THE SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
142 ALIAS ENTRY TYPE NOT SPECIFIED	CDCS 2 DA RM	60485200
142 ALIAS ENTRY TYPE NOT SPECIFIED	FORTRAN DBF RM	60482200
142 BASED ARRAY ITEM PRESET IS ILLEGAL	SYMPL 1 RM	60496400
142 EXCESS DATA	CRM/AAM 2 RM	60499300
142 EXCESS DATA	CRM/BAM 1 RM	60495700
142 wd IS AN INVALID SET/PACK/FAMILY NAME	CDCS 2 DA RM	60485200
142 NO ASSIGN CLAUSE SPECIFIED FOR LOG FILE	QU/CRM DA RM	60482100
142 PRIMARY KEY OR ONLY ONE ALTERNATE KEY SHOULD BE SPECIFIED	QUERY UPDT 3 RM	60498300
143 AN ITEM IS THE ONLY ALIAS TYPE THAT CAN BE QUALIFIED	CDCS 2 DA RM	60485200
143 AN ITEM IS THE ONLY ALIAS TYPE THAT CAN BE QUALIFIED	FORTRAN DBF RM	60482200
143 BAD P FUNCTION	SYMPL 1 RM	60496400
143 DATA IS THE ONLY ENTRY TYPE THAT CAN BE QUALIFIED	CDCS 2 DA RM	60485200
143 INSUFFICIENT DATA	CRM/AAM 2 RM	60499300
143 INSUFFICIENT DATA	CRM/BAM 1 RM	60495700
143 wd IS AN INVALID VOLUME SERIAL NUMBER	CDCS 2 DA RM	60485200
143 c LINE-NUMBER IS INTEGER OR INTEGER ITEM ONLY	QUERY UPDT 3 RM	60498300
143 PROCEDURE UNSPECIFIED FOR RESULT CLAUSE	CDCS 2 DA RM	60485200
143 WORD OCCURS NOT FOLLOWED BY AN INTEGER	QU/CRM DA RM	60482100
144 INCOMPLETE PARTIAL PUT SEQUENCE	CRM/BAM 1 RM	60495700

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
144 INDEX FILE ALREADY SPECIFIED FOR AREA -an-	CDCS 2 DA RM	60485200
144 INVALID PROCEDURE NAME - NAME TRUNCATED	CDCS 2 DA RM	60485200
144 LENGTH OF CHARACTER ITEM IS GREATER THAN 240 BYTES - 240 USED	SYMPL 1 RM	60496400
144 c ONLY DEFINED ITEMS MAY BE EVALUATED	QUERY UPDT 3 RM	60498300
144 PICTURE TYPE DOES NOT CORRESPOND TO USAGE TYPE	QU/CRM DA RM	60482100
144 xxxx SUBSCRIPT OF ARRAY nnn = yyy, DECLARED LOWER WAS 1111, UPPER WAS uuuu	FORTRAN 5 RM	60481300
144 UNKNOWN QUALIFIER NAME	CDCS 2 DA RM	60485200
144 UNKNOWN QUALIFIER NAME	FORTRAN DBF RM	60482200
145 -c- ILLEGAL PASSWORD	QUERY UPDT 3 RM	60498300
145 INVALID DATANAME FOR KEY	CDCS 2 DA RM	60485200
145 parameter INVALID IN THE FOLLOWING CLAUSE	CDCS 2 DA RM	60485200
145 parm INVALID IN THE FOLLOWING STATEMENT	CDCS 2 DA RM	60485200
145 parm INVALID IN THE FOLLOWING STATEMENT	FORTRAN DBF RM	60482200
145 NO PROCEDURES IN SCHEMA, LIB SHOULD NOT BE SPECIFIED	CDCS 2 DA RM	60485200
145 NO SUBSCRIPT FOR ARRAY ITEM - LOWER ARRAY BOUND USED	SYMPL 1 RM	60496400
145 OCCURS INTEGER GREATER THAN 262142	QU/CRM DA RM	60482100
145 STARTING CHARACTER POSITION OF xxxx SHOULD BE .GT. ZERO	FORTRAN 5 RM	60481300
146 CHARACTER LENGTH OF xxxx SHOULD BE .GT. ZERO	FORTRAN 5 RM	60481300
146 CIRCULAR DEF NAME EXPANSION - EXPANSION IGNORED	SYMPL 1 RM	60496400
146 INVALID PROCEDURE NAME	CDCS 2 DA RM	60485200
146 PROCEDURES IN SCHEMA, LIB MUST BE SPECIFIED	CDCS 2 DA RM	60485200
146 RECORD SIZE NOT EQUAL THROUGHOUT THE AREA, LARGEST ONE IS USED FOR MRL	QU/CRM DA RM	60482100
146 SUBSCHEMA STATEMENT NOT SPECIFIED - COMPILATION ABORTED	CDCS 2 DA RM	60485200
146 SUBSCHEMA STATEMENT NOT SPECIFIED - COMPILATION ABORTED	FORTRAN DBF RM	60482200
146 TITLE DIVISION NOT SPECIFIED - COMPILATION ABORTED	CDCS 2 DA RM	60485200
146 n UNKNOWN P.F. PARAMETER	QUERY UPDT 3 RM	60498300
146 USER HEADER LENGTH ERROR	CRM/AAM 2 RM	60499300
147 CHECKSUM ERROR IN DATA OR INDEX BLOCK	CRM/AAM 2 RM	60499300
147 ENTRY -PROC- OR -FUNC- NOT ALLOWED IN A -PRGM-	SYMPL 1 RM	60496400
147 INVALID TAPE TYPE SPECIFIED	CDCS 2 DA RM	60485200
147 LITERAL GREATER THAN 256	QU/CRM DA RM	60482100
147 NEW CHARACTER LENGTH OF xxxx EXCEEDS OLD LENGTH OF xxxx	FORTRAN 5 RM	60481300
147 ONCE ILLEGAL WITH MULTIPLE SECTIONS	QUERY UPDT 3 RM	60498300
147 SCHEMA KEYWORD MISSING	CDCS 2 DA RM	60485200
147 SCHEMA KEYWORD MISSING	FORTRAN DBF RM	60482200
147 SS - KEYWORD MISSING	CDCS 2 DA RM	60485200
147 USING CLAUSE VALID ONLY FOR DA FILE, PRIMARY KEY	CDCS 2 DA RM	60485200
148 ILLEGAL CHARACTER IN PARAMETERIZED -DEF- TEXT	SYMPL 1 RM	60496400
148 INTERNAL FILE RECORD LENGTH .LE. ZERO	FORTRAN 5 RM	60481300
148 INVALID SCHEMA OR SUBSCHEMA NAME	CDCS 2 DA RM	60485200
148 INVALID SCHEMA OR SUBSCHEMA NAME	FORTRAN DBF RM	60482200
148 ONCE WILL BE IGNORED	QUERY UPDT 3 RM	60498300
148 PF R VALUE INVALID	QU/CRM DA RM	60482100
148 PRIMARY KEY DEFINED FOR AK FILE MUST BE OF TYPE FIXED INT-1 (NO INT-2)	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
148 SCHEMA sn HAS ALREADY APPEARED IN A MODIFY SCHEMA CLAUSE	CDCS 2 DA RM	60485200
149 ALTERNATE KEY CANNOT BE SPECIFIED BEFORE THE PRIMARY KEY	CDCS 2 DA RM	60485200
149 DUPLICATE CHANGE CLAUSE	CDCS 2 DA RM	60485200
149 ILLEGAL COMPARISON IN -CONTROL IF-	SYMPL 1 RM	60496400
149 INTERNAL FILE LCM RECORD EXCEEDS 150 CHARACTERS	FORTRAN 5 RM	60481300
149 NO PICTURE SPECIFICATION FOR ELEMENTARY ITEM	QU/CRM DA RM	60482100
149 VALID EXPRESSION MISSING	QUERY UPDT 3 RM	60498300
149 WITHIN - KEYWORD MISSING	CDCS 2 DA RM	60485200
150 FILE NOT ON RMS	CRM/AAM 2 RM	60499300
150 FILE NOT ON RMS	CRM/BAM 1 RM	60495700
150 INDEX PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED	QU/CRM DA RM	60482100
150 INTERNAL FILE I/O LIST EXCEEDS FILE SIZE	FORTRAN 5 RM	60481300
150 c IS INVALID SEPARATOR	QUERY UPDT 3 RM	60498300
150 KEY LENGTH CANNOT BE GREATER THAN 240 CHARACTERS	CDCS 2 DA RM	60485200
150 KEYWORD -INTERNAL- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
150 OPTION NOT SPECIFIED FOR SCHEMA sn, CHANGE CLAUSE INVALID	CDCS 2 DA RM	60485200
150 TOO MANY DEF PARAMETERS	SYMPL 1 RM	60496400
150 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
151 DIRECT ACCESS OPEN HAS NO RECL PARAMETER	FORTRAN 5 RM	60481300
151 ILLEGAL CONDITIONAL DIRECTIVE IGNORED	SYMPL 1 RM	60496400
151 INVALID CHANGE OPTION	CDCS 2 DA RM	60485200
151 INVALID PROCEDURE-NAME IN CHECK CLAUSE - NAME TRUNCATED	CDCS 2 DA RM	60485200
151 NOT SORT, MERGE OR OUTPUT SORT ASSUMED	SORT/MERGE 5 RM	60484800
151 ONE CHARACTER DELIMITER ONLY	QUERY UPDT 3 RM	60498300
151 PERIOD FOUND	CDCS 2 DA RM	60485200
151 RECORD SIZE GREATER THAN 6	QU/CRM DA RM	60482100
152 AREA an HAS ALREADY APPEARED IN A CHANGE CLAUSE	CDCS 2 DA RM	60485200
152 DUPLICATES NOT ALLOWED ON PRIMARY KEYS - DEFAULTED TO NOT ALLOWED	CDCS 2 DA RM	60485200
152 LABEL IS ILLEGAL AS A VALUE PARAMETER	SYMPL 1 RM	60496400
152 LT=S, DT=RMS	CRM/BAM 1 RM	60495700
152 RETURNED FROM OWNCODE WITHOUT CALLING SMRTN	SORT/MERGE 5 RM	60484800
152 REWIND PROHIBITED ON DIRECT FILE -- IGNORED	FORTRAN 5 RM	60481300
152 TITLE DIVISION TITLE IS INCORRECT	CDCS 2 DA RM	60485200
152 VALUE OF RECORD SIZE GREATER THAN 262142, 512 ASSUMED	QU/CRM DA RM	60482100
152 WARNING- LAST KEY NOT SORTED. 25 LIMIT EXCEEDED	QUERY UPDT 3 RM	60498300
153 AREA an DOES NOT HAVE AN INDEX FILE SPECIFIED, CHANGE IS INVALID	CDCS 2 DA RM	60485200
153 ARGUMENT TO CSOWN NOT TYPE CHARACTER	FORTRAN 5 RM	60481300
153 ARRAY IS ILLEGAL AS A VALUE PARAMETER	SYMPL 1 RM	60496400
153 DUPLICATES WITH FIRST OR INDEXED VALID ONLY FOR ALTERNATE KEY	CDCS 2 DA RM	60485200
153 EXCESSIVE NUMBER OF ERRORS FOUND (n). PROCESSING TERMINATED.	SORT/MERGE 5 RM	60484800
153 c GREATER THAN PAGE-SIZE WHICH IS d LINES	QUERY UPDT 3 RM	60498300
153 INDEX LEVEL SPECIFIED GREATER THAN 2 CHARACTERS	QU/CRM DA RM	60482100
153 UNKNOWN SOURCE WORD	CDCS 2 DA RM	60485200
154 BT=K/E ON PRU TYPE DEVICE	CRM/BAM 1 RM	60495700

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
154 ILLEGAL OPTION IN CHANGE AREA CLAUSE	CDCS 2 DA RM	60485200
154 INDEX LEVEL VALUE NOT BETWEEN 1 AND 64, 1 ASSUMED	QU/CRM DA RM	60482100
154 -PROC- OR -FUNC- IS ILLEGAL AS A VALUE PARAMETER	SYMPL 1 RM	60496400
154 SMRTN CANNOT BE USED WHEN USING SM5 PROCEDURES	SORT/MERGE 5 RM	60484800
154 UNALLOCATED RECORD LENGTH GREATER THAN 150	FORTRAN 5 RM	60481300
154 UNDEFINED KEY	CDCS 2 DA RM	60485200
154 1ST LITERAL RANGE OPTION INVALID	CDCS 2 DA RM	60485200
155 -AT LINE DATA-NAME- FOR FOOTINGS AND HEADINGS ONLY	QUERY UPDT 3 RM	60498300
155 COMMON BASED ARRAY DECLARATION ERROR	SYMPL 1 RM	60496400
155 INDEX BLOCK SPECIFIED GREATER THAN 5 CHARACTERS	QU/CRM DA RM	60482100
155 INVALID PERMANENT FILE NAME	IMF SCHEMA DEF.	60484400
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES NOT MATCH THE SCHEMA NAME IN THE SCHEMA	CDCS 2 DA RM	60485200
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES NOT MATCH THE SCHEMA NAME IN THE SCHEMA	FORTRAN DBF RM	60482200
155 SEQUENTIAL I/O ATTEMPTED ON DIRECT FILE	FORTRAN 5 RM	60481300
155 SETNAME WITHOUT VSN OR VSN WITHOUT SETNAME CLAUSE IS ILLEGAL	CDCS 2 DA RM	60485200
156 CODED I/O ATTEMPTED ON xxxx FILE xxxx	FORTRAN 5 RM	60481300
156 INDEX BLOCK VALUE NOT BETWEEN 1 AND 32767, 512 ASSUMED	QU/CRM DA RM	60482100
156 REDEFINING A REDEFINES ENTRY IS INVALID, MUST USE THE DATA NAME OF THE ENTRY THAT ORIGINALLY DEFINED THE AREA	CDCS 2 DA RM	60485200
156 SCHEMA FILE CLAUSE NEEDED BEFORE ADD CLAUSE	CDCS 2 DA RM	60485200
156 SYMPL TEXT IS NOT A -PRGM- OR -PROC-	SYMPL 1 RM	60496400
156 TAG NUMBER REQUIRED WHEN SELECT IS SPECIFIED	QUERY UPDT 3 RM	60498300
156 2ND LITERAL RANGE OPTION INVALID	CDCS 2 DA RM	60485200
157 CHECK OPTION UNSPECIFIED	CDCS 2 DA RM	60485200
157 DATA PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED	QU/CRM DA RM	60482100
157 EDITING CHARACTERS NOT ALLOWED IN PICTURE	CDCS 2 DA RM	60485200
157 INVALID KEYWORD FOR COLSEQ	FORTRAN 5 RM	60481300
157 KEYWORD -PFN- IS MISSING	CDCS 2 DA RM	60485200
157 S-TAPE BUT MBL>5120 CHARACTERS	CRM/BAM 1 RM	60495700
157 SELECT TAG MISSING	QUERY UPDT 3 RM	60498300
157 XREF SWITCH ERROR	SYMPL 1 RM	60496400
158 ILLEGAL CHARACTER IN PICTURE	QU/CRM DA RM	60482100
	CDCS 2 DA RM	60485200
158 INVALID TRANSACTION UNIT LIMIT	CDCS 2 DA RM	60485200
158 OVER 1499 CHARACTERS IN REPEATED CHARACTER STRING	FORTRAN 5 RM	60481300
158 TOO MANY SELECTS - TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
158 UNMATCHED -CONTROL IF-	SYMPL 1 RM	60496400
159 -DEF- PARAMETER ERROR	SYMPL 1 RM	60496400
159 INVALID TRANSACTION UPDATE LIMIT	CDCS 2 DA RM	60485200
159 PICTURE SIZE EXCEEDS MAXIMUM OF 32767 CHARACTERS	CDCS 2 DA RM	60485200
159 REPEAT COUNT IN PARENTHESES EXCEEDS MAXIMUM OF 2047	QU/CRM DA RM	60482100
159 SCRATCH FILE xxxx CANNOT BE CLOSED WITH STATUS=KEEP	FORTRAN 5 RM	60481300
159 TOO MANY BREAKS - TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
160 ILLEGAL USE OF ASTERISK AS STRING DELIMITER IN FORMAT	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
160 -dt- IS AN INVALID DEVICE TYPE	CDCS 2 DA RM	60485200
160 -LINE I BEYOND- IS INVALID FOR TITLE	QUERY UPDT 3 RM	60498300
160 ONLY VALID SEQUENCES ARE ASCII, COBOL OR DISPLAY	CDCS 2 DA RM	60485200
160 ([OR < NESTING TOO DEEP)	SYMPL 1 RM	60496400
160 SYNTACTICAL ERROR IN PICTURE	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
161 EXCESS REPEAT COUNT IN EDITED PICTURE	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
161 NO VALID WITHIN CLAUSE SPECIFIED IN THE CURRENT RECORD	CDCS 2 DA RM	60485200
161 NON EXISTENT OVCAP	FORTRAN 5 RM	60481300
161 -ON ALL PAGES- CANNOT BE USED WITH PART OF THE HEADING	QUERY UPDT 3 RM	60498300
161 ([OR < NEST MISMATCH)	SYMPL 1 RM	60496400
161 RESTART IDENTIFIER FILE CANNOT BE SELECTED WITHOUT TRANSACTION FILE	CDCS 2 DA RM	60485200
162 CALL UNSPECIFIED IN ENCODING	CDCS 2 DA RM	60485200
162 -DEF- PARAMETER TOO LONG	SYMPL 1 RM	60496400
162 DETAIL AT ABS. LINE-NUMBER INVALID WITH VERTICAL SECTIONS	QUERY UPDT 3 RM	60498300
162 INVALID CONVERSION	CRM/BAM 1 RM	60495700
162 JOURNAL/TRANSACTION PFN MUST BE 6 CHARACTERS	CDCS 2 DA RM	60485200
162 MAXIMUM OF 63 INSERTION CHARACTERS ALLOWED IN PICTURE	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
162 OVCAP....IS ALREADY LOADED	FORTRAN 5 RM	60481300
163 -DEF- PARAMETER COUNT ERROR	SYMPL 1 RM	60496400
163 c INVALID AFTER -AT LINE DATA-NAME-	QUERY UPDT 3 RM	60498300
163 NON-EXISTENT VERSION NAME SPECIFIED	CDCS 2 DA RM	60485200
163 NON NUMERIC WITHIN PARENTHESES	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
163 OVCAP WAS NEVER LOADED	FORTRAN 5 RM	60481300
163 UNSPECIFIED ENCODING PROCEDURE	CDCS 2 DA RM	60485200
164 FDL ERROR xx DURING LOAD OR UNLOAD OF OVCAP....	FORTRAN 5 RM	60481300
164 INVALID ENCODING PROCEDURE NAME - NAME TRUNCATED	CDCS 2 DA RM	60485200
164 MAXIMUM NUMBER OF VERSIONS EXCEEDED	CDCS 2 DA RM	60485200
164 -NO- FOR SELECT ONLY	QUERY UPDT 3 RM	60498300
164 NUMERIC ITEM GREATER THAN 18	QU/CRM DA RM CDCS 2 DA RM	60482100 60485200
164 RECOVERY AT SEMICOLON	SYMPL 1 RM	60496400
165 BAD -DEF- ACTUAL PARAMETER	SYMPL 1 RM	60496400
165 DEPENDING ON NAME IN RECORD CONTAINS CLAUSE IS INVALID	QU/CRM DA RM	60482100
165 ILLEGAL FILE NAME	CRM/AAM 2 RM	60499300
165 ILLEGAL FILE NAME	CRM/BAM 1 RM	60495700
165 IN THE PRIOR ITEM ENTRY THE USAGE AND/OR PICTURE CLAUSE MUST BE SPECIFIED	CDCS 2 DA RM	60485200
165 INSUFFICIENT JOB CONTROL INFORMATION SPECIFIED	CDCS 2 DA RM	60485200
165 INVALID SEQUENCE	FORTRAN 5 RM	60481300
165 INVALID SEQUENCE	FORTRAN EXT 4	60497800
165 NUMBER OF FUNCTION PARAMETERS IN ERROR	QUERY UPDT 3 RM	60498300
165 RESULT NOT SPECIFIED IN ACTUAL/VIRTUAL CLAUSE	CDCS 2 DA RM	60485200
166 BAD UNDECLARED PROC OR LABEL LIST	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
166 CONVERSION ERROR, c IGNORED	QUERY UPDT 3 RM	60498300
166 FIT INCOMPLETE - CANNOT CREATE FILE	CRM/AAM 2 RM	60499300
166 INTEGER IN RECORD BLOCK CONTAINS CLAUSE IS INVALID	QU/CRM DA RM	60482100
166 INVALID DENSITY OPTION SPECIFIED	CDCS 2 DA RM	60485200
166 INVALID SUBSCRIPT IN CLASS MATRIX	CDCS 2 DA RM	60485200
166 INVALID SUBSCRIPT IN CLASS MATRIX	FORTRAN DBF RM	60482200
166 RESERVED COL SEQ	FORTRAN EXT 4	60497800
166 RESERVED COL- SEQ	FORTRAN 5 RM	60481300
166 VIRTUAL RESULT CANNOT BE SPECIFIED WITH EITHER ENCODING/DECODING OR CALL CLAUSES	CDCS 2 DA RM	60485200
167 ALPHABETIC OR ALPHANUMERIC PICTURE NOT ALLOWED WITH USAGE IS COMP, COMP-1, OR COMP-2	CDCS 2 DA RM	60485200
167 H, ', ", ILLEGAL INPUT FORMATS	FORTRAN 5 RM	60481300
167 INTEGER VALUE IN RECORD BLOCK CONTAINS IS GREATER THAN 262142, 5120 ASSUMED	QU/CRM DA RM	60482100
167 INVALID TAPE/DENSITY COMBINATION	CDCS 2 DA RM	60485200
167 RECORD LENGTH OUTSIDE MIN-MAX RANGE - REQUEST IGNORED	CRM/BAM 1 RM	60495700
167 RECORD LENGTH OUTSIDE MIN-MAX RANGE -- REQUEST IGNORED	CRM/AAM 2 RM	60499300
167 SYMPL TEXT CONTAINS -LABEL- OR INNER -PROC-	SYMPL 1 RM	60496400
167 THIS REPORT CONTAINS NO EXECUTABLE STATEMENT	QUERY UPDT 3 RM	60498300
168 BREAK DIRECTIVE MISSING -ON-	QUERY UPDT 3 RM	60498300
168 *DECIMAL POINT MISSING	FORTRAN 5 RM	60481300
168 DUPLICATE TAPE TYPE/DENSITY CLAUSE	CDCS 2 DA RM	60485200
168 PICTURE CLAUSE IS NOT ALLOWED WITH USAGE IS INDEX	CDCS 2 DA RM	60485200
168 -TERM- ENCOUNTERED PREMATURELY - NEXT LINE BEGINS A NEW SUBPROGRAM	SYMPL 1 RM	60496400
168 USAGE CLAUSE IS INCOMPLETE	QU/CRM DA RM	60482100
169 ATTRIBUTE SPECIFIED TO UNKNOWN VARIABLE	SYMPL 1 RM	60496400
169 CHARACTER TO NUMERIC (c) CONVERSION ILLEGAL	QUERY UPDT 3 RM	60498300
169 EMPTY INPUT FILE	QU/CRM DA RM	60482100
169 EMPTY SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
169 EMPTY SCHEMA DIRECTORY	FORTRAN DBF RM	60482200
169 INVALID OR DUPLICATE JOB CONTROL USER NAME	CDCS 2 DA RM	60485200
170 DATA TRUNCATED DURING CONVERSION FOR --- c	QUERY UPDT 3 RM	60498300
170 DUPLICATES INVALID FOR ACTUAL OR DIRECT ORGANIZATION OR INDEXED WHERE ALTERNATE KEY EXISTS	QU/CRM DA RM	60482100
170 IN THE PRIOR ITEM ENTRY THE PICTURE CLAUSE IS NOT ALLOWED IN A GROUP ITEM	CDCS 2 DA RM	60485200
170 INVALID OR DUPLICATE JOB CONTROL FAMILY NAME	CDCS 2 DA RM	60485200
170 NAME GREATER THAN 30 CHARACTERS - NAME TRUNCATED	CDCS 2 DA RM	60485200
170 RECORD SIZE EXCEEDS BLOCK SIZE OR IS NEGATIVE	CRM/AAM 2 RM	60499300
170 RECORD SIZE EXCEEDS BLOCK SIZE OR IS NEGATIVE	CRM/BAM 1 RM	60495700
170 SCALAR ITEMS MAY NOT BE INERT OR REACTIVE	SYMPL 1 RM	60496400
171 CALL PROCEDURE-NAME UNSPECIFIED	CDCS 2 DA RM	60485200
171 INCORRECT HASHING ROUTINE	CRM/AAM 2 RM	60499300
171 INSUFFICIENT FIELD LENGTH, INCREASE YOUR FL, DDL ABORTED	CDCS 2 DA RM	60485200
171 INSUFFICIENT FIELD LENGTH - INCREASE YOUR FL --- DDL ABORTED	FORTRAN DBF RM	60482200
171 INVALID OR DUPLICATE JOB CONTROL PASSWORD	CDCS 2 DA RM	60485200
171 -LINE 0- ILLEGAL LINE-NUMBER	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
171 ONLY ITEMS AND ARRAYS HAVE ATTRIBUTES	SYMPL 1 RM	60496400
171 UNRECOGNIZABLE/MISPLACED SOURCE STATEMENT	QU/CRM DA RM	60482100
172 BAD ATTRIBUTE OR LEVEL SPECIFICATION LIST	SYMPL 1 RM	60496400
172 ERRONEOUS KL OR RKP FIELD SPECIFIED	CRM/AAM 2 RM	60499300
172 RECORD CODE CLAUSE INCOMPLETE	CDCS 2 DA RM	60485200
172 REDEFINED NAME IS EITHER MISSING OR INVALID	CDCS 2 DA RM	60485200
172 -VERSION- CANNOT BE RECORDED	QUERY UPDT 3 RM	60498300
173 FAST FOR LOOP INDUCTION VARIABLE ERROR	SYMPL 1 RM	60496400
173 ILLEGAL CONDITION AFTER UNTIL, PERFORM IGNORED	QUERY UPDT 3 RM	60498300
173 INVALID OR NON-EXISTENT LEVEL NUMBER	CDCS 2 DA RM	60485200
173 INVALID RL/PTL/MBL/MNB	CRM/BAM 1 RM	60495700
173 PICTURE ON GROUP ITEM IS INVALID	QU/CRM DA RM	60482100
173 REDEFINED NAME DOES NOT EXIST	CDCS 2 DA RM	60485200
174 BAD GLOBAL ATTRIBUTE SPECIFICATION	SYMPL 1 RM	60496400
174 FIT INCOMPLETE FOR BFS CALCULATION	CRM/AAM 2 RM	60499300
174 OCCURS CANNOT BE SPECIFIED FOR FILLER ITEMS	QU/CRM DA RM	60482100
174 ORIGINALLY DEFINED ITEM CANNOT CONTAIN AN OCCURS	CDCS 2 DA RM	60485200
174 REPEAT MUST BE FOLLOWED BY INTEGER-VALUE ARITH EXPRESSION	QUERY UPDT 3 RM	60498300
175 HASH OVERFLOW TABLE SIZE EXCEEDED	QU/CRM DA RM	60482100
175 INVALID LEVEL NUMBER FOR REDEFINES	CDCS 2 DA RM	60485200
175 LEVEL ONLY APPLIES TO COMMON AND BASED ARRAYS	SYMPL 1 RM	60496400
175 ON/OFF MUST FOLLOW VETO	QUERY UPDT 3 RM	60498300
175 REQUESTED DATA OR INDEX BUFFER TOO LARGE	CRM/AAM 2 RM	60499300
176 n ARRAY PRESET ERROR, PRESET UNPREDICTABLE	QUERY UPDT 3 RM	60498300
176 BAD USE OF LEVEL 3 VARIABLE	SYMPL 1 RM	60496400
176 INDICATED POINT LOCATION GREATER THAN 31	QU/CRM DA RM	60482100
176 INVALID NAME OR INTEGER	CDCS 2 DA RM	60485200
176 LEVEL NUMBER OF DATA-NAME IS NOT IDENTICAL TO DATA-NAME-2	CDCS 2 DA RM	60485200
176 MAXRECSZ IN FSTT EXCEEDS MRL IN FIT, WSA MAY BE TOO SHORT	CRM/AAM 2 RM	60499300
177 DEPENDING ON ITEM NOT IN FIXED PART OF RECORD	QU/CRM DA RM	60482100
177 INDUCTION VARIABLE MUST BE SCM RESIDENT	SYMPL 1 RM	60496400
177 REDEFINED ITEM CANNOT CONTAIN AN OCCURS OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200
177 SUBSCRIPT OUT OF BOUND	QUERY UPDT 3 RM	60498300
178 -CONTROL WEAK- ONLY APPLIES TO EXTERNAL SYMBOLS	SYMPL 1 RM	60496400
178 KEY NAME OR DEPENDING ON NAME UNDEFINED	QU/CRM DA RM	60482100
178 SUBSCRIPT ERROR	QUERY UPDT 3 RM	60498300
178 THE SIZE OF THE REDEFINED ITEM IS NOT THE SAME AS THE ORIGINALLY DEFINED ITEM	CDCS 2 DA RM	60485200
179 ARRAY ENTRY-SIZE TOO LARGE	SYMPL 1 RM	60496400
179 RECORD CONTAINS DATA NAME NOT WITHIN RECORD	QU/CRM DA RM	60482100
179 UNABLE TO COPY AREA ENTRIES FROM THE SCHEMA, SCHEMA IN INVALID	CDCS 2 DA RM	60485200
179 UNABLE TO COPY AREA ENTRIES FROM THE SCHEMA, SCHEMA IS INVALID	FORTTRAN DBF RM	60482200
179 UPPER BOUND OF ARRAY DEFINITION MISSING	QUERY UPDT 3 RM	60498300
180 FIELD(S) TOO LONG FOR CENTERING	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
180 KEY NAME NOT WITHIN SPECIFIED AREA	QU/CRM DA RM	60482100
180 RESERVED WORD -RENAMES- IS MISSING	CDCS 2 DA RM	60485200
180 TOO MANY ARRAY DIMENSIONS	SYMPL 1 RM	60496400
181 PF ID/UN NAME INVALID	QU/CRM DA RM	60482100
181 RECURSIVE -PROC- OR -FUNC- CALL NOT ALLOWED	SYMPL 1 RM	60496400
181 SUBSCRIPT NAME UNDEFINED OR TYPE INVALID	QUERY UPDT 3 RM	60498300
181 UNABLE TO FIND DATA-NAME-2	CDCS 2 DA RM	60485200
182 A 66 LEVEL ENTRY CANNOT RENAME A 66 OR 88 LEVEL ITEM	CDCS 2 DA RM	60485200
182 ERROR IN REAL CONSTANT	SYMPL 1 RM	60496400
182 -FILLER- INVALID DATA-NAME	QUERY UPDT 3 RM	60498300
182 PF PW NAME INVALID	QU/CRM DA RM	60482100
183 DATA-NAME-1 AND DATA-NAME-3 CANNOT CONTAIN AN OCCURS CLAUSE OR BE SUBORDINATE TO AN ITEM WITH AN OCCURS	CDCS 2 DA RM	60485200
183 MAX QUALIFICATION LEVEL EXCEEDED	QUERY UPDT 3 RM	60498300
183 PF CY NUMBER INVALID	QU/CRM DA RM	60482100
183 XREF OR XDEF LABEL WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
184 INVALID SEQUENCE OPTION	QU/CRM DA RM	60482100
184 NONE OF THE ITEMS WITHIN THE RANGE CAN BE VARIABLE-OCCURRENCE DATA-ITEMS	CDCS 2 DA RM	60485200
184 c NOT FULLY QUALIFIED	QUERY UPDT 3 RM	60498300
184 XREF OR XDEF SWITCH WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
185 DATA-NAME-2 AND DATA-NAME-3 CANNOT BE THE SAME NAME	CDCS 2 DA RM	60485200
185 -c- IS NOT A VALID PERMANENT FILE ID	QUERY UPDT 3 RM	60498300
185 RECORD CONTAINS AND RECORD TYPE DO NOT AGREE	QU/CRM DA RM	60482100
185 XDEF -PROC- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
186 BLOCK CONTAINS AND BLOCK TYPE DO NOT AGREE	QU/CRM DA RM	60482100
186 DATA-NAME-3 IS DEFINED BEFORE DATA-NAME-2	CDCS 2 DA RM	60485200
186 -c- IS NOT A VALID PERMANENT FILE CYCLE NUMBER	QUERY UPDT 3 RM	60498300
186 XDEF -FUNC- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
187 -CONTROL FASTLOOP- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
187 INCOMPATIBLE BLOCK AND RECORD TYPE	QU/CRM DA RM	60482100
187 MISSING BEFORE, AFTER, ON ERROR DURING OPTION IN CALL STATEMENT	CDCS 2 DA RM	60485200
187 -c- PASSWORD TOO LONG	QUERY UPDT 3 RM	60498300
187 UNABLE TO FIND DATA-NAME-3	CDCS 2 DA RM	60485200
188 -CONTROL SLOWLOOP- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
188 DATA-NAME-3 CANNOT BE SUBORDINATE TO DATA-NAME-2	CDCS 2 DA RM	60485200
188 -c-, -n...P.F. PARAMETERS NOT ALLOWED	QUERY UPDT 3 RM	60498300
189 BOTH REC CONTAINS DEP ON AND OCCURS DEP ON CAN'T BE SPECIFIED	QU/CRM DA RM	60482100
189 LOC OF -LABEL- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
189 NO -SAME- LIST TO REFER TO	QUERY UPDT 3 RM	60498300
189 TARGET DATA ITEM MUST BE AN ELEMENTARY ITEM OR VECTOR	CDCS 2 DA RM	60485200
190 KEY MUST BE LITERAL CONSTANT	QUERY UPDT 3 RM	60498300
190 KEYWORD VALUE NOT SPECIFIED FOR CONDITION-NAME ENTRY	CDCS 2 DA RM	60485200
190 LOC OF -SWITCH- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
190 RECORD-TYPE MUST BE TRAILER-COUNT	QU/CRM DA RM	60482100
191 BAD INTEGER SUBSCRIPT	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
191 ILLEGAL RECORD NAME SPECIFIED	QUERY UPDT 3 RM	60498300
191 LITERAL IS EITHER MISSING OR INVALID	CDCS 2 DA RM	60485200
191 LOC OF -PROC- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
192 DEPENDING ON ITEM NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
192 LITERALS ARE NOT IN ASCENDING ORDER	CDCS 2 DA RM	60485200
192 LOC OF -FUNC- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
192 SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
192 TOO FEW PARAMETERS FOR UPDATE, INSERT, OR DELETE	QUERY UPDT 3 RM	60498300
193 -BIT- BEAD FUNCTION ON A CHARACTER ITEM IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
193 DEPENDING ON ITEM POSITION DIFFERS WITHIN THE AREA	QU/CRM DA RM	60482100
193 ILLEGAL SEQUENCE OF DIRECTIVES, NO FILE UPDATE DONE	QUERY UPDT 3 RM	60498300
193 ITEM IS NOT SUBORDINATE TO THE GROUP THAT DEFINED IT AS A KEY	CDCS 2 DA RM	60485200
194 -BYTE- BEAD FUNCTION ON A NON-CHARACTER ITEM IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
194 INVALID RECORD QUALIFICATION	CDCS 2 DA RM	60485200
194 KEY ITEMS CANNOT CONTAIN AN OCCURS CLAUSE	CDCS 2 DA RM	60485200
194 PERMANENT CATALOG IS NOT THE CURRENT CATALOG	QUERY UPDT 3 RM	60498300
194 TRAILER LENGTH OF A T TYPE RECORD IS NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
195 HEADER LENGTH OF A T TYPE RECORD IS NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
195 PERIOD FOUND, SCAN RESUMES	CDCS 2 DA RM	60485200
195 PRESET TYPE DIFFERENT FROM ITEM TYPE IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
195 THIS TRANSMISSION ALREADY EXISTS	QUERY UPDT 3 RM	60498300
195 UNABLE TO LOCATE KEY ENTRY	CDCS 2 DA RM	60485200
196 DATA-NAME IN USING MUST REFERENCE AREA ITEM	QUERY UPDT 3 RM	60498300
196 INVALID DATANAME AFTER BY	CDCS 2 DA RM	60485200
196 KEY SIZE IS NOT EQUALLY DEFINED WITHIN THE AREA	QU/CRM DA RM	60482100
196 LEVEL 66 ITEM ENTRIES MUST BE DEFINED AT THE END OF THE RECORD DESCRIPTION	CDCS 2 DA RM	60485200
196 P FUNCTION SET TO A CONSTANT IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
197 CUT OF SCOPE GOTO IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
197 KEY VALUE MUST BE STORED IN TEMPORARY ITEM	QUERY UPDT 3 RM	60498300
197 RELATIVE KEY WORD POSITION IS NOT EQUALLY DEFINED WITHIN THE AREA	QU/CRM DA RM	60482100
197 UNDEFINED DATANAME AFTER BY	CDCS 2 DA RM	60485200
198 DATANAME FOLLOWING BY IS OCCURRING ITEM	CDCS 2 DA RM	60485200
198 EXPLICIT CONSTANTS 6, 10, 18, 42, 60 IN EXECUTABLE CODE MAY BE MACHINE DEPENDENT	SYMPL 1 RM	60496400
198 ILLEGAL KEY SPECIFIED	QUERY UPDT 3 RM	60498300
198 RELATIVE KEY POSITION IN RKW IS NOT EQUALLY DEFINED WITHIN THE AREA	QU/CRM DA RM	60482100
199 BLOCK TYPE TAKES PRECEDENCE OVER BLOCK-CONTAINS	QU/CRM DA RM	60482100
199 EXCEEDING ARRAY ENTRY SIZE IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
199 MAXIMUM OF 14 CHARACTERS ARE ALLOWED FOR COMP-1	CDCS 2 DA RM	60485200
199 NEXT IS INVALID FOR DISPLAY DIRECTIVE	QUERY UPDT 3 RM	60498300
199 VALUE MUST BE SPECIFIED FOR RECORD CODE60485200 60485200 200 kkkkk INVALID IN FOLLOWING CLAUSE, SEARCHING FOR PERIOD	CDCS 2 DA RM	60485200
0200 ATTEMPT TO LOAD SUPPRESSED BINARY	LOADER 1 RM	60429800
200 BAD FSTT LINKED TO FIT	CRM/AAM 2 RM	60499300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
200 BPI WRITE ILLEGAL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
200 KEYWORD -TERM- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
200 -MODULE- AND -FASTFOR- WILL BE RESERVED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
200 - NO INPUT JOBNAME	CDCS 2 DA RM	60485200
200 NON-RECOGNIZABLE DATA TYPE	QUERY UPDT 3 RM	60498300
200 keyword catname NOT FOUND	DATA CAT 2 RM	60483200
200 RECORD STRUCTURE CAUSES MAXIMUM NUMBER OF COMMON BLOCKS TO BE EXCEEDED	CDCS 2 DA RM	60485200
200 RECORD STRUCTURE CAUSES MAXIMUM NUMBER OF COMMON BLOCKS TO BE EXCEEDED	FORTRAN DBF RM	60482200
200 SEQUENTIAL FILE MAY NOT HAVE ALTERNATE KEY	QU/CRM DA RM	60482100
200 SYNCHRONIZED LEFT IS ASSUMED	CDCS 2 DA RM	60485200
200 WRITE ATTEMPTED ON UNOPENED FILE xxxxx	FORTRAN 5 RM	60481300
201 AN ALIASED NAME MUST BE REFERENCED BY THE ALIAS-NAME SPECIFIED IN THE ALIAS DIVISION	CDCS 2 DA RM	60485200
201 AN ALIASED NAME MUST BE REFERENCED BY THE ALIAS-NAME SPECIFIED IN THE ALIAS STATEMENT	FORTRAN DBF RM	60482200
201 ARRAY ITEM OVERLAY CANNOT BE A CONSTANT	SYMPL 1 RM	60496400
201 DIRECT WRITE ATTEMPTED ON SEQUENTIAL FILE xxxxx	FORTRAN 5 RM	60481300
201 FILE CONTAINS BAD BLOCKS	CRM/AAM 2 RM	60499300
201 FOR ACTUAL KEY FILE, KEY MUST BE INTEGER	QU/CRM DA RM	60482100
201 ONLY CONSTANTS ARE VALID FOR ARRAY PRESET	QUERY UPDT 3 RM	60498300
201 PICTURE SPECIFICATION MUST BE ENCLOSED IN QUOTES	CDCS 2 DA RM	60485200
202 BINARY WRITE ATTEMPTED ON xxxxx FILE xxxxx	FORTRAN 5 RM	60481300
202 FILE IS RUINED	CRM/AAM 2 RM	60499300
202 MAXIMUM AREA COUNT EXCEEDED	CDCS 2 DA RM	60485200
202 MAXIMUM AREA COUNT EXCEEDED	FORTRAN DBF RM	60482200
0202 OVERLAY DIRECTIVE NOT FIRST	LOADER 1 RM	60429800
202 PF M NAME INVALID	QU/CRM DA RM	60482100
202 RECORD NOT CONTAINED IN THIS AREA	CDCS 2 DA RM	60485200
202 TOO MANY SPECIFICATIONS IN ITEM DECLARATION	SYMPL 1 RM	60496400
202 -UPDATE-, -DELETE-, AND -DISPLAY KEY- INVALID ON SEQ. FILE	QUERY UPDT 3 RM	60498300
203 ARRAY ITEM LENGTH MUST BE A CONSTANT	SYMPL 1 RM	60496400
203 ATTEMPT TO WRITE NON-POSITIVE RECORD NUMBER	FORTRAN 5 RM	60481300
203 INVALID LITERAL IN VALUE CLAUSE	CDCS 2 DA RM	60485200
203 - id IS AN INVALID RUN-UNIT-ID	CDCS 2 DA RM	60485200
203 MAXIMUM RECORD COUNT EXCEEDED	CDCS 2 DA RM	60485200
203 MAXIMUM RECORD COUNT EXCEEDED	FORTRAN DBF RM	60482200
203 MIP FUNCTION ATTEMPTED WITHOUT MIP FILE	CRM/AAM 2 RM	60499300
0203 NO SUCH PROGRAM CALL NAME - name	LOADER 1 RM	60429800
203 ONLY ONE KEY MAY BE SPECIFIED	QUERY UPDT 3 RM	60498300
203 PF SN OR PN NAME INVALID	QU/CRM DA RM	60482100
204 ERROR IN ARRAY ITEM SPECIFICATION, SECOND PART	SYMPL 1 RM	60496400
204 INDEX FILE NAME INVALID	QU/CRM DA RM	60482100
204 - t IS AN INVALID TIME FIELD	CDCS 2 DA RM	60485200
204 KEY POSITION OUT OF RANGE	CRM/AAM 2 RM	60499300
204 MAXIMUM ITEM COUNT EXCEEDED	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
204 MAXIMUM ITEM COUNT EXCEEDED	FORTRAN DBF RM	60482200
0204 NOT CONTROL-CARD-CALLABLE-name	LOADER 1 RM	60429800
204 NOT ENOUGH ROOM FOR THIS LITERAL IN INTERNAL TABLE	CDCS 2 DA RM	60485200
204 READ ATTEMPTED ON UNOPENED FILE xxxx	FORTRAN 5 RM	60481300
204 TRANSMISSION MAY CONTAIN ONLY ONE KEY REFERENCE	QUERY UPDT 3 RM	60498300
204 UNKNOWN COSET..param	IMF 1 AP RM	60484500
205 -BY- OR -PROCEDURE- MUST FOLLOW RECORD CODE	CDCS 2 DA RM	60485200
205 CLOSING ANGLE BRACKET EXPECTED IN ARRAY ITEM DECLARATION	SYMPL 1 RM	60496400
205 DIRECT READ ATTEMPTED ON SEQUENTIAL FILE xxxx	FORTRAN 5 RM	60481300
205 DIRECTIVE-ID TOO LONG	QUERY UPDT 3 RM	60498300
205 keyword catname HIERARCHY ERROR	DATA CAT 2 RM	60483200
205 - num IS AN INVALID RECOVERY POINT NUMBER	CDCS 2 DA RM	60485200
205 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED	CDCS 2 DA RM	60485200
205 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED	FORTRAN DBF RM	60482200
205 MINIMUM RECORD SIZE OUT OF RANGE	CRM/AAM 2 RM	60499300
205 PF PARAMETER INVALID	QU/CRM DA RM	60482100
205 RECORD IS NOT USED IN CORRECT CONTEXT WITHIN COSET	IMF 1 AP RM	60484500
0205 USER NOT AUTHORIZED FOR PROGRAM - name	LOADER 1 RM	60429800
206 BINARY READ ATTEMPTED ON xxxx FILE xxxx	FORTRAN 5 RM	60481300
206 FATAL ERRORS OCCURRED--FOLLOWING STATEMENTS IGNORED	CDCS 2 DA RM	60485200
206 FATAL ERRORS OCCURRED -- FOLLOWING STATEMENTS IGNORED	FORTRAN DBF RM	60482200
206 FILLER ITEM VALID ONLY IN OVERLAY-TYPE ARRAY ITEM DECLARATIONS	SYMPL 1 RM	60496400
206 INTEGER MUST BE SPECIFIED FOR PROCEDURE VALUE	CDCS 2 DA RM	60485200
206 KEY NOT CONTAINED WITHIN RECORD	CRM/AAM 2 RM	60499300
206 LIBRARY NAME INVALID	QU/CRM DA RM	60482100
206 c UNKNOWN TRANSMISSION-ID	QUERY UPDT 3 RM	60498300
0206 USEP INVALID FOR ABS LOAD	LOADER 1 RM	60429800
207 ATTEMPT TO READ NON-POSITIVE RECORD NUMBER	FORTRAN 5 RM	60481300
207 - DUPLICATE KEYWORD - kw	CDCS 2 DA RM	60485200
207 DUPLICATE LFN	QU/CRM DA RM	60482100
207 FROM OPTION INVALID WITH GIVEN DIRECTIVES OR DATA-NAMES	QUERY UPDT 3 RM	60498300
207 MINIMUM RECORD SIZE EXCEEDS MAXIMUM	CRM/AAM 2 RM	60499300
207 MINIMUM RECORD SIZE EXCEEDS MAXIMUM	CRM/BAM 1 RM	60495700
207 REDEFINES ENTRY DOES NOT IMMEDIATELY FOLLOW ENTRY BEING DEFINED	CDCS 2 DA RM	60485200
207 SPECIFICATION OF ARRAY ENTRY SIZE ILLEGAL FOR A OR U ARRAYS - IGNORED	SYMPL 1 RM	60496400
207 VALID RANGE FOR INTEGER VALUE IS 1 TO 1023	CDCS 2 DA RM	60485200
208 DESTINATION OVERLAPS KEY FIELD	QUERY UPDT 3 RM	60498300
208 ITEM SPECIFIED AS OVERLAY IS NOT DEFINED IN THIS ARRAY DECLARATION	SYMPL 1 RM	60496400
208 LIST EXCEEDS RECORD LENGTH FOR FILE xxxx	FORTRAN 5 RM	60481300
208 NON-EMBEDDED DATANAME ILLEGAL FOR THIS FILE TYPE	CDCS 2 DA RM	60485200
208 ONLY 64 AREAS ALLOWED IN A SUBSCHEMA	QU/CRM DA RM	60482100
209 ARRAY ITEM OVERLAY CLASSES ARE INCOMPATIBLE	SYMPL 1 RM	60496400
209 - BEGIN/END TIMES OUT OF ORDER	CDCS 2 DA RM	60485200
209 QMM ERROR IN CODED DIRECT-ACCESS OUTPUT	FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
209 INDEX FILE PF PARAMETER INVALID WITH AREA TEMPORARY	QU/CRM DA RM	60482100
209 INTEGER VALUES NOT UNIQUE FOR PROC	CDCS 2 DA RM	60485200
209 REQUESTED DATA MAY NOT BE IN DISPLAY FORMAT	QUERY UPDT 3 RM	60498300
210 A RECORD HAS BEEN PREVIOUSLY DEFINED FOR THIS REALM	CDCS 2 DA RM	60485200
210 A RECORD HAS BEEN PREVIOUSLY DEFINED FOR THIS REALM	FORTRAN DBF RM	60482200
210 BAD REQUEST NO. IN USER CALL	LOADER 1 RM	60429800
210 DATA-NAMES REFERENCE > 1 RECORD NAME	QUERY UPDT 3 RM	60498300
210 DIRECT ACCESS ON SEQUENTIAL FILE	FORTRAN 5 RM	60481300
210 FILE CARD FOR AREA MISSING	CDCS 2 DA RM	60485200
210 INVALID EXTERNAL SCHEMA NAME..param	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
210 LENGTH OF REAL ITEM FORCED TO A FULL WORD	SYMPL 1 RM	60496400
210 LIBRARY NOT SPECIFIED	QU/CRM DA RM	60482100
210 keyword SAME NAME AS ENTRY CATALOGUE NAME	DATA CAT 2 RM	60483200
211 CANNOT PROCESS ENTRY REQUEST - PARAM AREA OVERRITTEN	LOADER 1 RM	60429800
211 EXTERNAL SCHEMA NAME DIFFERS FROM INVOKE STATEMENT	IMF 1 AP RM	60484500
211 FORMATTED WRITE ON UNFORMATTED FILE	FORTRAN 5 RM	60481300
211 INVALID SYNTAX FOR EXECUTE DIRECTIVE	QUERY UPDT 3 RM	60498300
211 LENGTH OF SUBFIELD EXCEEDS LENGTH OF ORIGINAL FIELD - DECLARATION DISCARDED	SYMPL 1 RM	60496400
211 NO DATA ITEMS DEFINED FOR THIS RECORD	CDCS 2 DA RM	60485200
211 NO DATA ITEMS DEFINED FOR THIS RECORD	FORTRAN DBF RM	60482200
211 NO RECORD CODE SPECIFIED FOR MULTIPLE RECORD TYPES	CDCS 2 DA RM	60485200
211 PRIMARY KEY PREVIOUSLY DEFINED	QU/CRM DA RM	60482100
212 GMM ERROR IN CODED DIRECT-ACCESS INPUT	FORTRAN 5 RM	60481300
212 DATANAME FOR KEY NOT DEFINED IN RECORD WITHIN THIS AREA	CDCS 2 DA RM	60485200
212 INVALID STATEMENT - END STATEMENT EXPECTED	CDCS 2 DA RM	60485200
212 INVALID STATEMENT - END STATEMENT EXPECTED	FORTRAN DBF RM	60482200
212 -n- IS NOT VALID FOLLOWING HELP	QUERY UPDT 3 RM	60498300
212 NO PRIMARY KEY SPECIFIED FOR AAM OR SORTED SEQ FILE	QU/CRM DA RM	60482100
212 PERMISSION HAS NOT BEEN GRANTED FOR THIS FUNCTION	IMF 1 AP RM	60484500
212 PREVIOUS ARRAY ITEM DECLARATION DID NOT SPECIFY PLUS OR OVERLAY	SYMPL 1 RM	60496400
213 DIRECT ACCESS ON SEQUENTIAL FILE	FORTRAN 5 RM	60481300
213 EXTRANEIOUS DATA FOLLOWING COMPLETE IML STATEMENT..param	IMF 1 AP RM	60484500
213 INVALID STATEMENT FOLLOWING END STATEMENT	CDCS 2 DA RM	60485200
213 INVALID STATEMENT FOLLOWING END STATEMENT	FORTRAN DBF RM	60482200
213 NO KEY ALLOWED FOR THIS FILE	QU/CRM DA RM	60482100
213 RECORD CODE ALREADY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
213 SPECIFIED ITEM LENGTH EXCEEDS MAXIMUM ALLOWABLE - DEFAULT TAKEN	SYMPL 1 RM	60496400
213 USE REQUIRES PARENTHESIZED PARAMETER LIST	QUERY UPDT 3 RM	60498300
214 DATANAME NOT DEFINED IN ANY OF THE SPECIFIED RECORDS	CDCS 2 DA RM	60485200
214 FORMATTED READ ON UNFORMATTED FILE	FORTRAN 5 RM	60481300
214 LEFT ANGLE BRACKET EXPECTED FOR ARRAY ITEM - DECLARATION DISCARDED	SYMPL 1 RM	60496400
214 NO END STATEMENT	CDCS 2 DA RM	60485200
214 NO END STATEMENT	FORTRAN DBF RM	60482200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
214 OPEN AND CLOSE PROCEDURES MUST BE SPECIFIED WITH SEARCH	QU/CRM DA RM	60482100
214 PERFORM SESSION NAME SAME AS RECORDING SESSION NAME	QUERY UPDT 3 RM	60498300
215 COMMA OR EQUAL MISSING	CDCS 2 DA RM	60485200
215 COMMA OR EQUAL MISSING	FORTRAN DBF RM	60482200
215 EMBEDDED HYPHENS NOT ALLOWED IN -a- PARAMETER	QUERY UPDT 3 RM	60498300
215 FILLER ITEMS CANNOT BE PRESET	SYMPL 1 RM	60496400
215 MORE THAN ONE RECORD NAMED KEY-FIELD FOR SAME AREA	QU/CRM DA RM	60482100
215 NO VALUE ACCEPTED OR ALL DELETED	DATA CAT 2 RM	60483200
215 ONE AND ONLY ONE PRIMARY KEY MUST BE SPECIFIED	CDCS 2 DA RM	60485200
215 OUTSTANDING FATAL ERROR IN ALTERNATE FIT	CRM/AAM 2 RM	60499300
215 UNDEFINED WEIGHT PASSED TO CHAR	FORTRAN 5 RM	60481300
216 ACCESS PATH UNKNOWN OR NOT VALID FOR THIS RECORD..param	IMF 1 AP RM	60484500
216 DATA CONTROL ALREADY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
216 EOF BEFORE COMPLETION OF TRANSMISSION	QUERY UPDT 3 RM	60498300
216 LEFT PARENTHESIS EXPECTED IN ARRAY ITEM DECLARATION - DECLARATION DISCARDED	SYMPL 1 RM	60496400
216 RECORD NAMED KEY-FIELD MUST BE LAST RECORD IN AREA	QU/CRM DA RM	60482100
216 STATEMENT CONTAINS EXTRANEIOUS INFORMATION	CDCS 2 DA RM	60485200
216 STATEMENT CONTAINS EXTRANEIOUS INFORMATION	FORTRAN DBF RM	60482200
216 SUBSTRING ERROR ON NAMELIST ITEM xxxxx IN GROUP yyyy	FORTRAN 5 RM	60481300
217 ILLEGAL NUMERIC DATA, DISPLAY SUPPRESSED	QUERY UPDT 3 RM	60498300
217 INTERNAL DDLF ERROR	CDCS 2 DA RM	60485200
217 INTERNAL DDLF ERROR	FORTRAN DBF RM	60482200
217 NAME EXCEEDS MAXIMUM LENGTH. NAME TRUNCATED..param	IMF SCHEMA DEF.	60484400
217 NAMELIST ITEM xxxxx IN GROUP yyyy, ITEM LENGTH	FORTRAN 5 RM	60481300
217 RECORD CODE DATANAME SIZE MUST BE LESS THAN 240 CHARS	CDCS 2 DA RM	60485200
217 RECORD NAMED KEY-FIELD INVALID WITH SEQUENTIAL FILES	QU/CRM DA RM	60482100
217 STATUS LIST NOT DEFINED IN CURRENT OR PREVIOUS TEXTS	SYMPL 1 RM	60496400
218 DEFAULT VARIABLE BEHAVIOR WILL CHANGE IN FUTURE VERSIONS	SYMPL 1 RM	60496400
218 MNR VALUE INCORRECT ON FILE CARD FOR THE ABOVE AREA - DEFAULT VALUE USED	CDCS 2 DA RM	60485200
218 MORE THAN ONE ITEM/GROUP SPECIFIED FOR RECORD NAMED KEY-FIELD	QU/CRM DA RM	60482100
218 PASSWORD TRUNCATED TO 7 CHARACTERS..param	IMF SCHEMA DEF.	60484400
218 THIS FEATURE IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
218 TRANSMISSION-ID a ALREADY EXISTS	QUERY UPDT 3 RM	60498300
218 TYPE CHARACTER IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
219 C NOT IN RANGE OF ALLOWED INCREMENTS	QUERY UPDT 3 RM	60498300
219 KEY ITEM CANNOT BE TYPE COMPLEX	CDCS 2 DA RM	60485200
219 THE LOW:HIGH BOUNDS FEATURE IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
219 THE LOW:HIGH BOUNDS FEATURE IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
0220 EMPTY LOAD FILE - filename	LOADER 1 RM	60429800
220 n INVALID INTEGER AFTER -BY-	QUERY UPDT 3 RM	60498300
220 keyword NO VALUE ON FILE	DATA CAT 2 RM	60483200
220 TYPE BOOLEAN IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
220 TYPE BOOLEAN IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
220 XN VALUE MISSING ON FILE CARD FOR ALTERNATE KEYS - DEFAULT VALUE USED	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
221 ALTERNATE KEYS ARE NOT SPECIFIED - XN VALUE ON FILE CARD IS IGNORED	CDCS 2 DA RM	60485200
221 DUPLICATION OF a-a WOULD WRITE OVER OR PAST a-a	QUERY UPDT 3 RM	60498300
0221 LOAD FILE NOT SPECIFIED	LOADER 1 RM	60429800
222 DUP OF a-a WOULD REQUIRE TRANSMISSION-ID a	QUERY UPDT 3 RM	60498300
222 NO AREA SPECIFIED IN SCHEMA	CDCS 2 DA RM	60485200
223 CHECKSUM ERROR IN FSTT	CRM/AAM 2 RM	60499300
223 HMB VALUE MISSING ON FILE CARD FOR A DA FILE - DEFAULT VALUE OF 512 USED	CDCS 2 DA RM	60485200
223 KEY SHOULD NOT BE SPCIFIED FOR AK FILE	QUERY UPDT 3 RM	60498300
224 NO READ PERMISSION FOR INDEX FILE, USE REJECTED	QUERY UPDT 3 RM	60498300
225 ACTUAL/VIRTUAL RESULT INVALID ON DATA-AGGREGATES OR THEIR COMPONENTS	CDCS 2 DA RM	60485200
225 MODIFY/EXTEND PERM FOR AREA BUT NOT INDEX	QUERY UPDT 3 RM	60498300
225 keyword VALUE NOT NUMERIC	DATA CAT 2 RM	60483200
226 AREA NOT DECLARED AS MULTIPLY INDEXED	QUERY UPDT 3 RM	60498300
226 CHECK VALUE OPTION IS NOT ALLOWED FOR COMPLEX DATA ITEMS	CDCS 2 DA RM	60485200
227 -DESCRIBE-D ITEMS NOT ALLOWED IN AN -IF- CONDITION	QUERY UPDT 3 RM	60498300
228 FIELD OVERLAP IN PAGE HEADING(S)	QUERY UPDT 3 RM	60498300
229 a MULTIPLY DEFINED ON CONTROL CARD. LAST WILL BE USED	QUERY UPDT 3 RM	60498300
230 a PARAMETER ON CONTROL CARD MISSING. FATAL ERROR	QUERY UPDT 3 RM	60498300
230 keyword SENSITIVE FIELD DELETED	DATA CAT 2 RM	60483200
231 CONVERSION NOT POSSIBLE FOR CHECK LITERAL	CDCS 2 DA RM	60485200
231 I OR P PARAMETER MUST BE PRESENT ON CONTROL CARD	QUERY UPDT 3 RM	60498300
232 PICTURE, VALUE PHRASE, OR PROCEDURE MAY BE SPECIFIED ONCE EACH IN CHECK CLAUSE	CDCS 2 DA RM	60485200
232 UNRECOGNIZED CONTROL CARD OPTION a	QUERY UPDT 3 RM	60498300
233 INVALID DELIMITER ON CONTROL CARD FOLLOWING -a-	QUERY UPDT 3 RM	60498300
233 TABLE OVERFLOW - TOO MANY LITERALS SPECIFIED, **DDL ABORTED**	CDCS 2 DA RM	60485200
234 CONTROL CARD ERROR -- a MUST BE FOLLOWED BY =LFN	QUERY UPDT 3 RM	60498300
234 NO PRIMARY KEY SPECIFIED	CDCS 2 DA RM	60485200
235 keyword VALUE IS AN INVALID CODE. CODES ALLOWED-xxxx	DATA CAT 2 RM	60483200
236 LITERALS SPECIFIED IN CHECK VALUE CLAUSE MUST BE IN ASCENDING ORDER	CDCS 2 DA RM	60485200
236 PREPARE/PREVIEW/COMPILE CANT BE FOLLOWED BY ANY DIRECTIVE	QUERY UPDT 3 RM	60498300
236 PREPARE/PREVIEW/COMPILE CANT BE FOLLOED BY ANY DIRECTIVE	QUERY UPDT 3 RM	60498300
237 INTEGER-2 INVALID	CDCS 2 DA RM	60485200
238 DATA-BASE-DATA-NAME IS NOT UNIQUE WITHIN THIS RECORD	CDCS 2 DA RM	60485200
238 MISSING TABLE a	QUERY UPDT 3 RM	60498300
239 THE ITEM ASSOCIATED WITH THIS CLAUSE MUST HAVE TYPE OR PICTURE CLAUSE SPECIFIED	CDCS 2 DA RM	60485200
239 VALUE SUPPLIED HAS WRONG TYPE -- VARIABLE a	QUERY UPDT 3 RM	60498300
240 ILLEGAL FILE NAME a	QUERY UPDT 3 RM	60498300
240 ITEM ASSOCIATED WITH THIS CLAUSE CANNOT BE DESCRIBED WITH A VIRTUAL RESULT CLAUSE	CDCS 2 DA RM	60485200
0240 OVERLAY OR OVCAP CARD NOT SEPARATE SECTION	LOADER 1 RM	60429800
241 PARAMETER a NOT FOUND IN THE DEFINE OR SPECIFY LIST	QUERY UPDT 3 RM	60498300
0241 SYNTAX ERROR ON OVERLAY OR OVCAP CARD	LOADER 1 RM	60429800
242 ENTRY FOR VARIABLE a HAS ILLEGAL TYPE VALUE	QUERY UPDT 3 RM	60498300
0243 ILLEGAL LEVEL NUMBER	LOADER 1 RM	60429800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
243 ILLEGAL LOGICAL VALUE a	QUERY UPDT 3 RM	60498300
244 NO TRANSMISSIONS ALLOWED, THE FIRST ID WOULD BE a	QUERY UPDT 3 RM	60498300
0244 PRIMARY OVERLAY NOT PRECEDED BY (0,0) OVERLAY	LOADER 1 RM	60429800
245 FUNCTION DISALLOWED ON THIS FO	CRM/BAM 1 RM	60495700
245 FUNCTION NOT VALID FOR THIS FO	CRM/AAM 2 RM	60499300
0245 SECONDARY OVERLAY NOT PRECEDED BY ITS PRIMARY	LOADER 1 RM	60429800
245 UNIVERSAL AND SEPARATOR CHARS CANNOT BE THE SAME	QUERY UPDT 3 RM	60498300
246 n ILLEGAL UNIVERSAL CHARACTER	QUERY UPDT 3 RM	60498300
0246 INCONSISTENT FILE USAGE - name	LOADER 1 RM	60429800
246 THE OCCURS CANNOT BE USED WITH RESULT CLAUSE	CDCS 2 DA RM	60485200
247 INTEGER MUST BE GREATER THAN 0	CDCS 2 DA RM	60485200
247 c - USER NUMBER TOO LONG	QUERY UPDT 3 RM	60498300
248 ITEM NOT DEFINED IN THIS RECORD	CDCS 2 DA RM	60485200
248 c - PASSWORD TOO LONG	QUERY UPDT 3 RM	60498300
249 -c- IS AN ILLEGAL PERMANENT FILE NAME	QUERY UPDT 3 RM	60498300
249 ITEM MUST BE AN INTEGER	CDCS 2 DA RM	60485200
250 FILE RMS LIMIT EXCEEDED (AK)	CRM/AAM 2 RM	60499300
0250 INSUFFICIENT FOL DIRECTORY SPACE	LOADER 1 RM	60429800
250 ITEM IS A DATA AGGREGATE COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200
250 -c- SET NAME TOO LONG OR NULL	QUERY UPDT 3 RM	60498300
250 THE LIMIT OF 250 WORDS PER STRUCTURE EXCEEDED	IMF SCHEMA DEF.	60484400
251 ATTEMPT TO USE OLD REPORT TABLE FILE. TERMINATED	QUERY UPDT 3 RM	60498300
251 ITEM CANNOT BE A VIRTUAL RESULT	CDCS 2 DA RM	60485200
252 SYSTEM RMS LIMIT REACHED	CRM/AAM 2 RM	60499300
253 CONVERSION ERROR ON RECORD CODE LITERAL	CDCS 2 DA RM	60485200
253 EXTEND/APPEND PERMISSION NEEDED ON LOGFILE	QUERY UPDT 3 RM	60498300
253 FILE LIMIT REACHED - RECORD NOT INSERTED	CRM/AAM 2 RM	60499300
254 CHECK VALUE CLAUSE NOT SPECIFIED IN DEPENDING ON ITEM	CDCS 2 DA RM	60485200
254 CREATE AND USE MUST SPECIFY A DIRECTORY WITH -OF-	QUERY UPDT 3 RM	60498300
254 PARTIALS NOT SUPPORTED FOR FO=WA	CRM/BAM 1 RM	60495700
255 CANNOT FIND THE NEEDED LOGFILE	QUERY UPDT 3 RM	60498300
255 DEPENDING ON ITEM IS A COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200
255 RECORD SPECIFICATION NOT COMPATIBLE WITH SBF=YES	CRM/BAM 1 RM	60495700
256 FOR AK FILE, KL MUST BE SET IN FILE CARD AND MUST BE LESS THAN 9	CDCS 2 DA RM	60485200
256 P.F. ERROR o ON -a-	QUERY UPDT 3 RM	60498300
256 PARTIALS NOT SUPPORTED FOR RT=R	CRM/BAM 1 RM	60495700
257 -a- NOT FOUND. CHECK PF PARAMETERS	QUERY UPDT 3 RM	60498300
258 -a- BUSY. TRY AGAIN LATER	QUERY UPDT 3 RM	60498300
258 NESTING OF REPEATING GROUPS MORE THAN THREE LEVELS DEEP NOT SUPPORTED	CDCS 2 DA RM	60485200
259 CHECK VALUE FOR DEPENDING ON ITEM MUST BE GREATER THAN ZERO	CDCS 2 DA RM	60485200
259 LFN -a- ALREADY IN USE	QUERY UPDT 3 RM	60498300
260 ENCODING/DECODING CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
260 P.F. -a- NOT KNOWN BY THE SYSTEM. CHECK PARAMETERS	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
261 CALL CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
261 -a- UNAVAILABLE. FILE IS ATTACHED ELSEWHERE	QUERY UPDT 3 RM	60498300
262 -a- ALREADY ATTACHED	QUERY UPDT 3 RM	60498300
262 CHECK CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
263 USER -SEARCH- EXIT REQUIRES -OPEN- AND -CLOSE- EXITS	QUERY UPDT 3 RM	60498300
264 ACCESS-CONTROL ENTRIES MUST BE CONTIGUOUS	CDCS 2 DA RM	60485200
264 -FILE- CARD TRUNCATED RECORDS FROM d CHARS TO d CHARS	QUERY UPDT 3 RM	60498300
265 ACCESS-CONTROL UPDATE PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
265 TAG OR LEVEL NUMBER MISSING	QUERY UPDT 3 RM	60498300
266 ACCESS-CONTROL RETRIEVAL PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
266 SYSTEM ABORT DUE TO CP TIME LIMIT	QUERY UPDT 3 RM	60498300
267 INVALID ACCESS-CONTROL DBP NAME	CDCS 2 DA RM	60485200
267 SYSTEM ABORT DUE TO ARITHMETIC MODE ERROR	QUERY UPDT 3 RM	60498300
268 ACCESS-CONTROL LITERAL LONGER THAN 30 CHARACTERS - INVALID	CDCS 2 DA RM	60485200
268 SYSTEM ABORT DUE TO A PP REQUESTED ABORT	QUERY UPDT 3 RM	60498300
269 ACCESS-CONTROL DBP NAME LONGER THAN 7 CHARACTERS - INVALID	CDCS 2 DA RM	60485200
269 SYSTEM ABORT DUE TO AN EXPLICIT ABORT REQUEST BY -QU-	QUERY UPDT 3 RM	60498300
270 INVALID/MISSING ACCESS-CONTROL LOCK	CDCS 2 DA RM	60485200
270 SYSTEM ABORT DUE TO A PP CALL ERROR	QUERY UPDT 3 RM	60498300
271 SYSTEM ABORT DUE TO AN OPERATOR DROP	QUERY UPDT 3 RM	60498300
272 SYSTEM ABORT DUE TO AN OPERATOR KILL	QUERY UPDT 3 RM	60498300
273 SYSTEM ABORT DUE TO AN OPERATOR RERUN	QUERY UPDT 3 RM	60498300
274 SYSTEM ABORT DUE TO AN ECS PARITY ERROR	QUERY UPDT 3 RM	60498300
275 SYSTEM ABORT DUE TO A REQUIRED BUT MISSING RECALL STATUS	QUERY UPDT 3 RM	60498300
276 SYSTEM ABORT DUE TO -HUNG IN AUTO RECALL-	QUERY UPDT 3 RM	60498300
277 SYSTEM ABORT DUE TO EXCEEDED MASS STORAGE LIMIT	QUERY UPDT 3 RM	60498300
278 SYSTEM ABORT DUE TO AN EXCEEDED I/O TIME LIMIT	QUERY UPDT 3 RM	60498300
279 SYSTEM ABORT DUE TO A PROGRAM STOP	QUERY UPDT 3 RM	60498300
279 UNQUALIFIED ITEM NAME IS CONSIDERED UNDEFINED	CDCS 2 DA RM	60485200
280 **DDL ABORTED, TOO MANY SYNTAX ERRORS	CDCS 2 DA RM	60485200
280 SYSTEM ABORT DUE TO AN EXCEEDED FILE LIMIT	QUERY UPDT 3 RM	60498300
281 MISSING CLOSING PARENTHESIS	CDCS 2 DA RM	60485200
281 SYSTEM ABORT DUE TO UNKNOWN CAUSE	QUERY UPDT 3 RM	60498300
282 KEY INFORMATION FROM FILE CARD INCONSISTENT WITH KEY ITEM DECLARATION, ITEM DECLARATION VALUES USED	CDCS 2 DA RM	60485200
282 -n- MAY NOT FOLLOW -ANY-	QUERY UPDT 3 RM	60498300
283 KEY MAY BE NESTED AT MOST ONE LEVEL	CDCS 2 DA RM	60485200
283 -n- MAY NOT FOLLOW -NO-	QUERY UPDT 3 RM	60498300
284 -n- INVALID REPORT PRODUCTION STEP	QUERY UPDT 3 RM	60498300
284 MAXIMUM RECORD ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
285 MAXIMUM ITEM ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
285 SYSTEM ABORT DUE TO MASS STORAGE TRACK LIMIT	QUERY UPDT 3 RM	60498300
286 ITEM SIZE EXCEEDS THE MAXIMUM OF 32767	CDCS 2 DA RM	60485200
286 SYSTEM ABORT DUE TO ERROR-FLAG SETTING - o	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
287 MAXIMUM RECORD SIZE EXCEEDED FOR THE PREVIOUS RECORD	CDCS 2 DA RM	60485200
287 -PART- OR -FULL- MUST BE SPECIFIED FOR THE -DIAG- DIRECTIVE	QUERY UPDT 3 RM	60498300
288 -a- HAS BAD -AT LINE N- VALUE	QUERY UPDT 3 RM	60498300
288 MAXIMUM DATA CONTROL ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
289 INVALID PICTURE SPECIFICATION FOR CHARACTER ITEM	QUERY UPDT 3 RM	60498300
289 MAXIMUM ITEM COUNT EXCEEDED	CDCS 2 DA RM	60485200
290 MAXIMUM RECORD COUNT EXCEEDED	CDCS 2 DA RM	60485200
290 THE PARAMETER VALUE FOR a MUST BE AN INTEGER	QUERY UPDT 3 RM	60498300
291 -c- IS AN INVALID PACK NAME	QUERY UPDT 3 RM	60498300
291 MAXIMUM AREA COUNT EXCEEDED	CDCS 2 DA RM	60485200
292 -c- IS AN INVALID DEVICE SPECIFICATION	QUERY UPDT 3 RM	60498300
292 MAXIMUM RELATION COUNT EXCEEDED	CDCS 2 DA RM	60485200
293 INTERNAL ERROR- MOVEC CALLED WITH NEGATIVE LENGTH FROM o	QUERY UPDT 3 RM	60498300
293 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED	CDCS 2 DA RM	60485200
294 SEQUENTIAL FILE ORGANIZATION IS NOT SUPPORTED	CDCS 2 DA RM	60485200
294 THE -OS- DIRECTIVE IS NOT SUPPORTED IN BATCH MODE. IGNORED.	QUERY UPDT 3 RM	60498300
295 MAXIMUM RELATION ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
295 THE -OS- DIRECTIVE REQUIRES A CONTROL STATEMENT	QUERY UPDT 3 RM	60498300
296 CONTROL STATEMENT LENGTH EXCEEDS 79 CHARS. REQUEST IGNORED	QUERY UPDT 3 RM	60498300
296 FATAL ERRORS, NO SCHEMA CREATED - **DDL ABORTED**	CDCS 2 DA RM	60485200
297 NO SPACE AVAILABLE. -OS- DIRECTIVE IGNORED	QUERY UPDT 3 RM	60498300
297 ONLY ONE CHECK CLAUSE IS ALLOWED	CDCS 2 DA RM	60485200
298 FIELD IN LINE EXTENDS BEYOND PAGE OR SECTION WIDTH	QUERY UPDT 3 RM	60498300
298 TYPE, PICTURE, OR OCCURS MUST BE SPECIFIED FOR DATA SUB-ENTRY	CDCS 2 DA RM	60485200
299 -n- IS NOT A VALID FILE NAME	QUERY UPDT 3 RM	60498300
0300 DIRECTIVE OR UNRECOGNIZABLE INPUT IN ABS LOAD	LOADER 1 RM	60429800
300 INVALID PICTURE LENGTH---GREATER THAN 18 CHARACTERS	CDCS 2 DA RM	60485200
300 KEYWORD -JOURNAL- IS MISSING	CDCS 2 DA RM	60485200
300 KEYWORD -OF- MUST FOLLOW -c-	QUERY UPDT 3 RM	60498300
300 NO READ PERMISSION	CRM/BAM 1 RM	60495700
300 NO READ PERMISSION	CRM/AAM 2 RM	60499300
0300 OVERFLOW	PL/I RM	60388100
300 RECORD NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
300 RECORD parm NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
300 RECORD parm NOT FOUND IN SCHEMA	FORTRAN DBF RM	60482200
300 THE FOLLOWING NOTATION DESCRIPTION IS INVALID..param	IMF SCHEMA DEF.	60484400
0301 BAD LOADER INPUT OR DIRECTIVE SYNTAX ERROR	LOADER 1 RM	60429800
301 INVALID CHARACTER IN A NUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
301 MAXIMUM ARRAY ELEMENTS IN SUB-SCHEMA GREATER THAN IN SCHEMA	FORTRAN DBF RM	60482200
301 MAXIMUM ARRAY ELEMENTS IN SUBSCHEMA GREATER THAN IN SCHEMA	CDCS 2 DA RM	60485200
301 MAXIMUM OCCURS IN SUBSCHEMA GREATER THAN IN SCHEMA	CDCS 2 DA RM	60485200
301 NO WRITE OR MODIFY PERMISSION	CRM/AAM 2 RM	60499300
301 NO WRITE OR MODIFY PERMISSION	CRM/BAM 1 RM	60495700
0301 OVERFLOW (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
301	SCHEMA sn WAS PREVIOUSLY SPECIFIED IN A SCHEMA CLAUSE	CDCS 2 DA RM	60485200
301	THE FOLLOWING SIZE SPECIFICATION IS NOT ALLOWED..param	IMF SCHEMA DEF.	60484400
301	THE SUB-SCHEMA IS REQUIRED TO HAVE PERMANENT FILE PARAMETERS	QUERY UPDT 3 RM	60498300
302	INVALID CHARACTER IN A FLOATING POINT PICTURE-SPECIFICATION	CDCS 2 DA RM	60485200
302	LOG FILE NAME MUST BE 7 CHARACTERS LONG	CDCS 2 DA RM	60485200
302	NO EXTEND OR ALLOCATE PERMISSION	CRM/AAM 2 RM	60499300
302	NO EXTEND OR ALLOCATE PERMISSION	CRM/BAM 1 RM	60495700
0302	OVERFLOW (EXP ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
302	SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	CDCS 2 DA RM	60485200
302	SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	FORTRAN DBF RM	60482200
302	USE/CREATE/INVOKE MUST BE LAST DIRECTIVE IN THE TRANSMISSION	QUERY UPDT 3 RM	60498300
0303	ABSOLUTE INPUT IN USER CALL	LOADER 1 RM	60429800
303	INVALID BINARY DIGIT IN A DECIMAL NUMERIC PICTURE-SPECIFICATION	CDCS 2 DA RM	60485200
303	-c- IS NOT VALID AS A PERMANENT FILE PARAMETER	QUERY UPDT 3 RM	60498300
303	ITEM NOT IN SCHEMA CANNOT HAVE VARIABLE OCCURS	CDCS 2 DA RM	60485200
303	KEYWORD -SIZE- IS MISSING	CDCS 2 DA RM	60485200
0303	OVERFLOW (SINH ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
303	SECOND INTEGER NOT ALLOWED FOR SIZE IN NOTATION..param	IMF SCHEMA DEF.	60484400
0304	ABS INPUT IN RELOCATABLE LOAD	LOADER 1 RM	60429800
304	-c- IS A DUPLICATE PERMANENT FILE PARAMETER	QUERY UPDT 3 RM	60498300
304	num IS AN INVALID SIZE	CDCS 2 DA RM	60485200
304	KEY ITEM FOR REALM parm NOT FOUND IN SCHEMA	FORTRAN DBF RM	60482200
304	KEY ITEM FOR REALM NOT FOUND IN SUBSCHEMA	CDCS 2 DA RM	60485200
304	KEY ITEM FOR REALM parm NOT FOUND IN SUBSCHEMA	CDCS 2 DA RM	60485200
304	NOT ALLOWED TO CREATE OVERFLOW BLOCKS (DA)	CRM/AAM 2 RM	60499300
0304	OVERFLOW (COSH ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
304	THE FOLLOWING EXCEEDS THE MAXIMUM SIZE ALLOWED..param	IMF SCHEMA DEF.	60484400
304	TWO'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	CDCS 2 DA RM	60485200
0305	ABS INPUT NOT (0,0) LEVEL OVERLAY	LOADER 1 RM	60429800
305	AT LEAST ONE FILE MUST BE SPECIFIED IN THE ALLOCATE ENTRY	CDCS 2 DA RM	60485200
305	EMBEDDED PRIMARY KEY FOR AK REALM NOT IDENTICAL	CDCS 2 DA RM	60485200
305	ONE'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	CDCS 2 DA RM	60485200
305	QU ABORT DUE TO FATAL DIAGNOSTIC	QUERY UPDT 3 RM	60498300
305	SIZE GIVEN BY PRECISION AND SCALE EXCEEDS MAXIMUM	IMF SCHEMA DEF.	60484400
0306	ABS INPUT LOAD ADR LT RA+100	LOADER 1 RM	60429800
306	-a- CANNOT BE CALLED WITH THE -OS- DIRECTIVE	QUERY UPDT 3 RM	60498300
306	DOUBLY DEFINED DECIMAL POINT	CDCS 2 DA RM	60485200
306	JOURNAL LOG FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
306	SECOND INTEGER EXCEEDS MAXIMUM FOR THIS NOTATION	IMF SCHEMA DEF.	60484400
306	TYPE OF REPEATING ITEM DOES NOT AGREE WITH TYPE OF REPEATING ITEM IN SCHEMA	CDCS 2 DA RM	60485200
306	TYPE OF REPEATING ITEM DOES NOT AGREE WITH TYPE OF REPEATING ITEM IN SCHEMA	FORTRAN DBF RM	60482200
307	DECIMAL POINT IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
307	ILLEGAL ITEM CONVERSION	CDCS 2 DA RM	60485200
307	ILLEGAL ITEM CONVERSION	FORTRAN DBF RM	60482200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
307 NO TRANSACTION RECOVERY FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
0307 OVERFLOW (OCCURRED DURING EXPONENTIATION)	PL/I RM	60388100
0307 OVERLAY CARD ENCOUNTERED DURING USER-CALL LOAD	LOADER 1 RM	60429800
307 READ-ONLY MODE DISABLES c	QUERY UPDT 3 RM	60498300
308 INVALID TRANSACTION RECOVERY NAME	CDCS 2 DA RM	60485200
308 POINT SPECIFIER IS INVALID IN THE EXPONENT PART OF A FLOATING-POINT NUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
308 READ-ONLY MODE LIMITS TARGETS TO TEMPORARY ITEMS	QUERY UPDT 3 RM	60498300
308 REALM NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
308 REALM parm NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
308 REALM parm NOT FOUND IN SCHEMA	FORTRAN DBF RM	60482200
309 DEPENDS ON CLAUSE DOES NOT AGREE WITH SCHEMA	CDCS 2 DA RM	60485200
309 INCOMPATIBLE SUB-SCHEMA. PLEASE RECOMPILE	QUERY UPDT 3 RM	60498300
309 NO QUICK RECOVERY FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
309 SIGN SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
0310 FIXEDOVERFLOW	PL/I RM	60388100
0310 FIXEDOVERFLOW (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
0310 HARDWARE DEFICIENCY - program	LOADER 1 RM	60429800
310 INSUFFICIENT FL FOR DDL PASS 2	CDCS 2 DA RM	60485200
310 INSUFFICIENT FL FOR DDLF PASS 2	FORTRAN DBF RM	60482200
310 INVALID QUICK RECOVERY FILE NAME	CDCS 2 DA RM	60485200
310 NO ROOM FOR HANDLING THIS CATALOG FILE	QUERY UPDT 3 RM	60498300
311 CANNOT DUPLICATE TO A CATALOG OF SMALLER TL	QUERY UPDT 3 RM	60498300
311 INVALID SIGN SPECIFIER IN A FLOATING-POINT PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
311 NEW GROUP ITEM NAME MUST NOT APPEAR IN SCHEMA OR REPEATING GROUPS DO NOT AGREE	CDCS 2 DA RM	60485200
311 NO RESTART IDENTIFIER FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
312 CANNOT RECORD ON A CATALOG OF SMALLER TL	QUERY UPDT 3 RM	60498300
312 EXPONENT SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	CDCS 2 DA RM	60485200
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	FORTRAN DBF RM	60482200
312 INVALID LABEL GROUP	CRM/BAM 1 RM	60495700
312 INVALID RESTART IDENTIFIER FILE NAME	CDCS 2 DA RM	60485200
313 CANNOT FORMAT/ALTER REPORTS ON CATALOG OF SMALLER TL	QUERY UPDT 3 RM	60498300
313 DOUBLY DEFINED EXPONENT SPECIFIER	CDCS 2 DA RM	60485200
313 ITEM item-name DOES NOT QUALIFY AS A VALID CONCATENATED KEY	CDCS 2 DA RM	60485200
313 NO JOURNAL LOG FILES EXIST FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
313 NO RECORD ENTRIES WERE SPECIFIED FOR REALM parm	CDCS 2 DA RM	60485200
313 NO RECORD ENTRIES WERE SPECIFIED FOR REALM parm	FORTRAN DBF RM	60482200
314 INVALID JOURNAL LOG FILE NAME	CDCS 2 DA RM	60485200
314 REPETITION SPECIFIER IS IN AN INVALID LOCATION IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
314 SPECIFIED -FROM- FILE CANNOT BE FOUND	QUERY UPDT 3 RM	60498300
314 WARNING: SS SIZE GR SCHEMA SIZE - MAY CAUSE TRUNCATION ERRORS AT EXECUTION TIME	CDCS 2 DA RM	60485200
314 WARNING: SS SIZE GR SCHEMA SIZE - MAY CAUSE TRUNCATION ERRORS AT EXECUTION TIME	FORTRAN DBF RM	60482200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
315 ENTRY POINT -a- NOT FOUND FOR AREA -a-	QUERY UPDT 3 RM	60498300
315 FILE ORGANIZATION IS NOT SEQUENTIAL	CRM/BAM 1 RM	60495700
315 INTERNAL ERROR. STORE EDITION FAILED IN UTILCTL	IMF SCHEMA DEF.	60484400
315 INVALID PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
315 LAST CHARACTER IN JOURNAL LOG FILE NAME MUST BE 1 OR 2	CDCS 2 DA RM	60485200
315 SUB-SCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	CDCS 2 DA RM	60485200
315 SUBSCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	CDCS 2 DA RM	60485200
315 SUBSCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	FORTRAN DBF RM	60482200
316 DUPLICATE EXTERNAL SCHEMA NAME	IMF SCHEMA DEF.	60484400
316 FLOATING-POINT PICTURE SPECIFICATION IS MISSING EXPONENT PART	CDCS 2 DA RM	60485200
316 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
316 THE RELATION NAME c FOLLOWING VIA IS NOT DEFINED	QUERY UPDT 3 RM	60498300
316 TOO MANY LABELS	CRM/BAM 1 RM	60495700
316 TRANSACTION RECOVERY FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
317 ILLEGAL CHARACTERS IN A PICTURE LITERAL	CDCS 2 DA RM	60485200
317 INTERNAL ERROR - DBP ENTRY POINT LIST OVERFLOW	QUERY UPDT 3 RM	60498300
317 ITEM TYPE NOT COMPATIBLE WITH OBJECT NOTATION	IMF SCHEMA DEF.	60484400
317 QUICK RECOVERY FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
318 DOUBLY DEFINED SIGN IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
318 INTERNAL ERROR - NO AREA TABLE	QUERY UPDT 3 RM	60498300
318 INVALID PICTURE-USAGE COMBINATION	IMF SCHEMA DEF.	60484400
318 RESTART IDENTIFIER FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
319 EMPTY INPUT FILE	CDCS 2 DA RM	60485200
319 ENTRY POINT -a- NOT FOUND	QUERY UPDT 3 RM	60498300
319 INVALID REPETITION CHARACTER IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
320 ILLEGAL FIRST WORD ON INPUT	CDCS 2 DA RM	60485200
320 INVALID LABEL SEQUENCE	CRM/BAM 1 RM	60495700
320 NO DESCRIBE ENTRY FOR THE FILE c	QUERY UPDT 3 RM	60498300
320 SIGN SPECIFIER IS NOT THE RIGHT OR LEFT MOST CHARACTER IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
0320 ZERODIVIDE	PL/I RM	60388100
0320 ZERODIVIDE (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
321 DOUBLY DEFINED SYMBOL	CDCS 2 DA RM	60485200
321 INTERNAL ERROR - DISCOUNT ENTRY NEGATIVE	QUERY UPDT 3 RM	60498300
321 NO DIRECTIVES WERE VALIDATED FOR SCHEMA sn	CDCS 2 DA RM	60485200
321 THE RSE DOES NOT FOLLOW SYNTAX SPECIFICATIONS	IMF 1 AP RM	60484500
322 INTERNAL ERROR - MISSING RANK ENTRY	QUERY UPDT 3 RM	60498300
322 wd IS AN INVALID SOURCE WORD OR INAPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
322 NUMBER OF ROLES IN CONSTRAINT LISTS NOT EQUAL	IMF SCHEMA DEF.	60484400
322 SEPARATE SIGN IS NOT SUPPORTED BY CDCS	CDCS 2 DA RM	60485200
323 INTEGER-1 IS ILLEGAL SIZE	CDCS 2 DA RM	60485200
323 NO RELATION CONNECTS THE AREAS WHICH ARE REFERENCED	QUERY UPDT 3 RM	60498300
323 TRANSACTION RECOVERY FILE NAME MUST BE 7 CHARACTERS LONG	CDCS 2 DA RM	60485200
324 EXPONENT SPECIFIERS (E OR K) ARE NOT SUPPORTED BY CDCS 1.0	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
324 NO USE ENTRY FOR THE FILE n	QUERY UPDT 3 RM	60498300
324 PROCESSING DIRECTION NOT CONSISTENT WITH REQUEST	CRM/AAM 2 RM	60499300
325 LFN -c- HAS NOT BEEN DESCRIBED	QUERY UPDT 3 RM	60498300
325 PRIVACY LOCK OF THIS LOCK TYPE IS ALREADY STORED	IMF SCHEMA DEF.	60484400
325 RECORD BUFFER OVERFLOW, ***DDL ABORTED***	CDCS 2 DA RM	60485200
325 STANDARD LABELS NOT ALLOWED ON MASS STORAGE	CRM/BAM 1 RM	60495700
326 AREA -a- DOES NOT HAVE ANY PERMANENT FILE PARAMETERS	QUERY UPDT 3 RM	60498300
326 GETL/PUTL ILLEGAL ON UNLABELED FILE	CRM/BAM 1 RM	60495700
326 SIGN OVER-PUNCH (T) MUST OCCUPY THE RIGHT-MOST DIGIT POSITION	CDCS 2 DA RM	60485200
327 FATAL ERRORS OCCURRED - - FOLLOWING STATEMENTS IGNORED	CDCS 2 DA RM	60485200
327 GETL ATTEMPTED BEYOND END OF LABELS	CRM/BAM 1 RM	60495700
327 -a- IS NOT AN ACTIVE AREA NAME. PLEASE RE-ENTER	QUERY UPDT 3 RM	60498300
328 -a- IS NOT A VALID P.F. PARAMETER	QUERY UPDT 3 RM	60498300
329 TOO MANY PASSWORDS FOR -a-	QUERY UPDT 3 RM	60498300
330 DEPEND ON ITEM LESS THAN 1 FOR ARRAY SUBSCRIPTED BY LAST	QUERY UPDT 3 RM	60498300
330 INVALID/MISSING KEY-NAME	CDCS 2 DA RM	60485200
330 INVALID PARAMETER VALUE (LA, LBL, ULP)	CRM/BAM 1 RM	60495700
0330 UNDERFLOW	PL/I RM	60388100
0330 UNDERFLOW (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
331 CONCATENATED KEY-NAME IS DOUBLY DEFINED	CDCS 2 DA RM	60485200
331 SYSTEM ABORT DUE TO A USER ABORT OR AN OPERATOR DROP	QUERY UPDT 3 RM	60498300
331 THE CONCEPTUAL SCHEMA HAS NO EXTERNAL SCHEMAS	IMF SCHEMA DEF.	60484400
332 DATA-NAMES BRACKET (</>) MISSING	CDCS 2 DA RM	60485200
332 FILE REQUEST LABEL TYPE DISAGREES WITH LT FIELD OF FIT	CRM/BAM 1 RM	60495700
332 -c- PARAMETERS MUST BE OF CONSISTENT DATA TYPE	QUERY UPDT 3 RM	60498300
332 UNABLE TO OPEN METABASE	IMF SCHEMA DEF.	60484400
0332 UNDERFLOW (EXP ARGUMENT LESS THAN -675.82)	PL/I RM	60388100
333 DATA-NAMES MUST BE CONSECUTIVE AND CONTIGUOUS (NO PADDING)	CDCS 2 DA RM	60485200
333 ILLEGAL CALL TO DIAGNOSTIC ROUTINE	CRM/AAM 2 RM	60499300
333 ITEM SIZE EXCEEDS 2047 CHARACTERS	QUERY UPDT 3 RM	60498300
333 THE CONCEPTUAL SCHEMA HAS HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
334 kkkkkk IS UNDEFINED	CDCS 2 DA RM	60485200
334 NUMBER OF ITEMS IN ARRAY OUT OF RANGE	QUERY UPDT 3 RM	60498300
334 THE EXTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
334 TOTAL OF OPEN FILES NOT EQUAL TO TOTAL OF FIT ADDRESSES	CRM/AAM 2 RM	60499300
335 HIERARCHY TABLE OVERFLOW	CRM/AAM 2 RM	60499300
335 kkkkkk IS A REPEATING ITEM - NOT ALLOWED	CDCS 2 DA RM	60485200
335 NO SUITABLE STRUCTURE TO SUPPORT NAVIGATION	IMF SCHEMA DEF.	60484400
336 AT LEAST ONE DATA-NAME MUST BE SPECIFIED FOR A CONCATENATED KEY	CDCS 2 DA RM	60485200
336 BAD FIT ADDRESS	CRM/AAM 2 RM	60499300
336 EMPTY -EXECUTION FROM- FILE	QUERY UPDT 3 RM	60498300
336 THE INTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
337 INTERNAL ERROR IN IS/DA/AK 1.X	CRM/AAM 2 RM	60499300
337 INTERNAL ERROR - NO TABLES FOR THE EXECUTE DIRECTIVE	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
337 MORE THAN 64 DATA-NAMES NOT ALLOWED IN A CONCATENATED KEY	CDCS 2 DA RM	60485200
337 THE CONCEPTUAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
0337 UNDERFLOW (OCCURRED DURING EXPONENTIATION)	PL/I RM	60388100
338 KEYS MUST BE DEFINED IN FIRST RECORD TYPE WITHIN THE AREA	CDCS 2 DA RM	60485200
338 THE EXTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
338 UPDATING IS ALLOWED AGAINST A SINGLE AREA ONLY	QUERY UPDT 3 RM	60498300
339 AREA TO BE UPDATED IS NOT THE CURRENT TARGET AREA	QUERY UPDT 3 RM	60498300
0340 BAD LINK BINARY TABLE	LOADER 1 RM	60429800
340 CANNOT FIND SPECIFIED RELATION NAME	QUERY UPDT 3 RM	60498300
340 COMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
0340 SIZE (NORMAL)	PL/I RM	60388100
341 DECOMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
0341 PROCEDURE DISALLOWED IN USER-CALL LOAD	LOADER 1 RM	60429800
0341 SIZE (I/O)	PL/I RM	60388100
341 THE AREA NAME SPECIFIED IS NOT VALID	QUERY UPDT 3 RM	60498300
0342 PROCEDURE CALL MUST BE SINGLE CARD LOAD SEQUENCE	LOADER 1 RM	60429800
0342 SIZE (ARITHMETIC TO CHARACTER STRING CONVERSION)	PL/I RM	60388100
342 SYSTEM OR DATA-BASE-PROCEDURE MUST BE USED FOR BOTH USAGE MODES	CDCS 2 DA RM	60485200
342 -a- USED BY RELATION, CANNOT BE RETURNED	QUERY UPDT 3 RM	60498300
343 COMPRESSION OR DECOMPRESSION CLAUSE MISSING	CDCS 2 DA RM	60485200
343 COULD NOT ATTACH LIBRARY OF DATABASE PROCEDURES	QUERY UPDT 3 RM	60498300
0343 PROCEDURE DISALLOWED IN RELOCATABLE LOAD	LOADER 1 RM	60429800
0343 SIZE (ARITHMETIC TO ARITHMETIC I/O CONVERSION)	PL/I RM	60388100
344 n CANNOT FOLLOW - UPDATE AREANAME	QUERY UPDT 3 RM	60498300
344 SYSTEM OR DATA-BASE-PROCEDURE NOT SPECIFIED	CDCS 2 DA RM	60485200
345 COMPRESSION/DECOMPRESSION CLAUSE NOT CONTIGUOUS	CDCS 2 DA RM	60485200
345 INSUFFICIENT CMM SPACE AVAILABLE	CRM/AAM 2 RM	60499300
345 INSUFFICIENT CMM SPACE AVAILABLE	CRM/BAM 1 RM	60495700
345 THE AREA TO BE USED CANNOT BE ISOLATED	QUERY UPDT 3 RM	60498300
346 CALL TO -a- TRAPPED WHILE EXECUTING -a-	QUERY UPDT 3 RM	60498300
346 CMM NOT AVAILABLE AND THERE IS NO LIST OF FILES ADDRESS	CRM/AAM 2 RM	60499300
346 CMM NOT AVAILABLE AND THERE IS NO LIST OF FILES ADDRESS	CRM/BAM 1 RM	60495700
346 INVALID ITEM ENTRY. SKIPPING TEXT BEGINNING WITH..param	IMF SCHEMA DEF.	60484400
346 INVALID TYPE OPTION - - SKIPPING TO PERIOD	CDCS 2 DA RM	60485200
347 DUPLICATE ALTERNATE KEY ON INSERT	QUERY UPDT 3 RM	60498300
347 FDL ERROR CODE xxx ON CAPSULE yyy	CRM/AAM 2 RM	60499300
347 FDL ERROR CODE nnn ON CAPSULE yyy	CRM/BAM 1 RM	60495700
348 MISSING -ON UPDATE- PROCEDURE. TRANSMISSION TERMINATED	QUERY UPDT 3 RM	60498300
349 DISPLAY KEY REFERENCES MORE THAN ONE AREA	QUERY UPDT 3 RM	60498300
350 ONLY ONE OUTPUT LFN CAN BE SPECIFIED WITH -UPON-	QUERY UPDT 3 RM	60498300
0350 STRINGRANGE (SIGNALLED)	PL/I RM	60388100
351 INTERNAL ERROR. OBTAIN RECORD/STRUCTURE IN SUBSRN	IMF SCHEMA DEF.	60484400
351 ONLY ONE COLLATING SEQUENCE CAN BE SPECIFIED WITH -USING-	QUERY UPDT 3 RM	60498300
0351 STRINGRANGE (IN SUBSTR OF A CHARACTER STRING)	PL/I RM	60388100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
352 FILE TO BE CLOSED IS NOT KNOWN	CRM/AAM 2 RM	60499300
352 FILE TO BE CLOSED IS NOT KNOWN	CRM/BAM 1 RM	60495700
352 INTERNAL ERROR. OBTAIN SEN/REC IN INITSUB/LISTSUB	IMF SCHEMA DEF.	60484400
352 REDUNDANT USE OF -UNIQUE- IGNORED	QUERY UPDT 3 RM	60498300
0352 STRINGRANGE (IN SUBSTR OF A BIT STRING)	PL/I RM	60388100
353 ONLY ONE SET OF KEYS MAY BE SPECIFIED WITH -ON-	QUERY UPDT 3 RM	60498300
354 BUFFER SPACE SUPPLIED IS INSUFFICIENT FOR I/O	CRM/AAM 2 RM	60499300
354 BUFFER SPACE SUPPLIED IS INSUFFICIENT FOR I/O	CRM/BAM 1 RM	60495700
354 -n- INVALID IN SORT DIRECTIVE SYNTAX	QUERY UPDT 3 RM	60498300
355 CANNOT FIND DESCRIPTION OF SOURCE FILE	QUERY UPDT 3 RM	60498300
355 CODE MODULES REQUIRED FOR I/O NOT LOADED	CRM/AAM 2 RM	60499300
355 CODE MODULES REQUIRED FOR I/O NOT LOADED	CRM/BAM 1 RM	60495700
356 FILE NAME MISSING	QUERY UPDT 3 RM	60498300
356 TRIVIAL ERROR LIMIT REACHED	CRM/AAM 2 RM	60499300
356 TRIVIAL ERROR LIMIT REACHED	CRM/BAM 1 RM	60495700
357 INDEFINITE OR INFINITE OPERAND ENCOUNTERED	QUERY UPDT 3 RM	60498300
357 INTERNAL ERROR. OBTAIN ROLE FAILED IN LISTSUB	IMF SCHEMA DEF.	60484400
357 UNABLE TO OBTAIN SPACE FOR BUFFER	CRM/AAM 2 RM	60499300
357 UNABLE TO OBTAIN SPACE FOR BUFFER	CRM/BAM 1 RM	60495700
358 ORIGINAL MRL DOES NOT MATCH CURRENT MRL FOR SUBSCHEMA -a-	QUERY UPDT 3 RM	60498300
359 -a- NOT FIRST SAVED DIRECTIVE	QUERY UPDT 3 RM	60498300
0360 AREA RAISED IN ALLOCATE STATEMENT	PL/I RM	60388100
0361 AREA RAISED IN ASSIGNMENT STATEMENT	PL/I RM	60388100
361 VALID ERASE OPTION OR DATA NAME OMITTED	QUERY UPDT 3 RM	60498300
0362 AREA (SIGNALLED)	PL/I RM	60388100
362 -c- MUST BE LITERAL OR DEFINED ITEM	QUERY UPDT 3 RM	60498300
363 -c- NOT ON FILE TO BE SORTED	QUERY UPDT 3 RM	60498300
364 AMBIGUOUS RELATIONS IN BATCH MODE - COMMAND IGNORED	QUERY UPDT 3 RM	60498300
365 -OF- ILLEGAL FOR DEFINED, DESCRIBED, OR SPECIFIED ITEMS	QUERY UPDT 3 RM	60498300
366 c MUST BE WORD ALIGNED	QUERY UPDT 3 RM	60498300
367 - n- IS INVALID OPTION OF-EXHIBIT-	QUERY UPDT 3 RM	60498300
368 VERIFY LIST DID NOT REFERENCE EXACTLY ONE AREA	QUERY UPDT 3 RM	60498300
369 VERIFY LIST CLEARED DUE TO DATANAME ERROR	QUERY UPDT 3 RM	60498300
370 CANNOT HAVE MULTIPLE DISPLAY-FROM-OR-KEYIN-FILES	QUERY UPDT 3 RM	60498300
0370 CANNOT PROCESS FILES REQUEST - 1ST RECORD OF ZZZZZDF TOO BIG	LOADER 1 RM	60429800
370 FATAL I/O ERROR	CRM/AAM 2 RM	60499300
370 FATAL I/O ERROR	CRM/BAM 1 RM	60495700
0370 STORAGE (SIGNALLED)	PL/I RM	60388100
0371 CANNOT PROCESS STAT REQUEST - ILL-FORMATTED ZZZZZDG FILE	LOADER 1 RM	60429800
0371 STORAGE (CMM IS UNABLE TO ALLOCATE SPACE FOR CRM OR OTHER ROUTINE OUTSIDE OF PL/I)	PL/I RM	60388100
371 -c- TRUNCATED TO 4095 CHARACTERS	QUERY UPDT 3 RM	60498300
372 FO-IS INDEX STRUCTURE FULL 15 LEVELS	CRM/AAM 2 RM	60499300
372 MORE THAN 64 AREAS IN USE	QUERY UPDT 3 RM	60498300
0372 STORAGE (UNABLE TO ALLOCATE A BASED VARIABLE)	PL/I RM	60388100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
373 MORE THAN 59 RELATIONS IN USE	QUERY UPDT 3 RM	60498300
0373 STORAGE (UNABLE TO ALLOCATE A CONTROLLED VARIABLE)	PL/I RM	60388100
374 -c- IS NOT AN AREA ITEM	QUERY UPDT 3 RM	60498300
0374 STORAGE (UNABLE TO ALLOCATE AN AUTOMATIC VARIABLE OR A TEMPORARY)	PL/I RM	60388100
0375 STORAGE (UNABLE TO ALLOCATE A TEMPORARY)	PL/I RM	60388100
376 REMAINDER OF ENTRY IGNORED	QUERY UPDT 3 RM	60498300
377 CDCS DATA-NAMES REFERENCE > 1 RECORD	QUERY UPDT 3 RM	60498300
378 IF DIRECTIVE REFERENCES KEYS FROM > RECORD NAME	QUERY UPDT 3 RM	60498300
379 -c- INVALID ACCESS KEY	QUERY UPDT 3 RM	60498300
380 AREA-NAME NOT SUPPLIED FOR ACCESS KEY	QUERY UPDT 3 RM	60498300
381 AREA -c- IS NOT IN USE	QUERY UPDT 3 RM	60498300
382 -c- IS NOT THE CURRENT CATALOG	QUERY UPDT 3 RM	60498300
383 NO AREA OPTION SPECIFIED IN -FOR- CLAUSE	QUERY UPDT 3 RM	60498300
384 ACCESS KEY ALREADY EXISTS FOR FILE -a-. NEW ONE IGNORED	QUERY UPDT 3 RM	60498300
385 NOT IN CDCS CATALOG MODE. NOT ACCESS KEY ALLOWED	QUERY UPDT 3 RM	60498300
386 NOT IN CDCS DATABASE MODE. NO KEY ACCESS ALLOWED	QUERY UPDT 3 RM	60498300
387 FIRST PARAMETER MUST BE A DEFINED INTEGER	QUERY UPDT 3 RM	60498300
388 SECOND PARAMETER MUST BE 1 TO 30 ALPHANUMERIC CHARACTERS	QUERY UPDT 3 RM	60498300
389 DATANAME MUST FOLLOW THE KEYWORD -SETTING-	QUERY UPDT 3 RM	60498300
390 DATANAME MUST FOLLOW THE KEYWORD -USING-	QUERY UPDT 3 RM	60498300
391 ONLY ONE -MOVE- CLAUSE ALLOWED	QUERY UPDT 3 RM	60498300
392 -TO- MUST SEPARATE EXPRESSION AND DESTINATION IN MOVE	QUERY UPDT 3 RM	60498300
393 -USING- MUST SPECIFY A PRIMARY, ALTERNATE, OR MAJOR KEY	QUERY UPDT 3 RM	60498300
394 SEARCH KEY MISSING	QUERY UPDT 3 RM	60498300
395 CDCS MUST BE INVOKED IN ORDER TO EXECUTE THE CURRENT DIRECTIVE	QUERY UPDT 3 RM	60498300
396 -c- FROM RESTRICT CLAUSE HAS NOT BEEN DEFINED	QUERY UPDT 3 RM	60498300
397 c AND AREA ITEM SPECIFICATIONS DO NOT MATCH FOR RESTRICT	QUERY UPDT 3 RM	60498300
398 INSUFFICIENT PARAMETERS FOR -STORE- OR -MODIFY-	QUERY UPDT 3 RM	60498300
399 -MODIFY- OR -REMOVE- BY KEY ILLEGAL ON SEQUENTIAL FILE	QUERY UPDT 3 RM	60498300
400 ALL OR ENTRY NAME EXPECTED, NOT SPECIFIED	CDCS 2 DA RM	60485200
400 AREA OR RELATION IGNORED ON -USE- FOR CDCS SUBSCHEMA	QUERY UPDT 3 RM	60498300
400 FIRST STATEMENT NOT A FUNCTION	DATA CAT 2 RM	60483200
400 GENERATE LANGUAGE MISSING	DATA CAT 2 RM	60483200
400 INVALID/NON-UNIQUE RELATION NAME	CDCS 2 DA RM	60485200
400 KEYWORD -COBOL- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
400 NO COMMANDS SPECIFIED	DATA CAT 2 RM	60483200
400 NO REQUEST INPUT	DATA CAT 2 RM	60483200
400 RN DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
400 SYNTAX-NO ENTRY HEADER	DATA CAT 2 RM	60483200
0400 UNBALANCED PARENTHESES	LOADER 1 RM	60429800
400 \$UTILITY TRANSACTION	DAT CAT 2 DA RM	60483300
401 INVALID RELATION NAME	CDCS 2 DA RM	60485200
401 INVALID RELATION NAME	FORTTRAN DBF RM	60482200
401 KEYWORD -LIBRARY- MUST APPEAR AFTER THE -FROM-	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
0401 MISSING PARAMETER	LOADER 1 RM	60429800
401 RELATION NAME LONGER THAN 30 CHARACTERS---NAME TRUNCATED	CDCS 2 DA RM	60485200
401 UNKNOWN ENTRY NAME	CDCS 2 DA RM	60485200
402 AREA OR RELATION CANNOT BE RETURNED WHEN CDCS IS INVOKED	QUERY UPDT 3 RM	60498300
0402 ILLEGAL SEPARATOR	LOADER 1 RM	60429800
402 MISSING KEYWORD IN EXHIBIT SYNTAX	CDCS 2 DA RM	60485200
402 RELATION NAME IS NOT UNIQUE	CDCS 2 DA RM	60485200
402 RELATION NAME NOT UNIQUE	FORTRAN DBF RM	60482200
402 RESERVED WORD JOIN MISSING	CDCS 2 DA RM	60485200
403 kkkkkk DBI IS INVALID/ UNDEFINED	CDCS 2 DA RM	60485200
403 INVALID/MISSING SCHEMA NAME	CDCS 2 DA RM	60485200
403 KEYWORD -EXTERNAL- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
403 SKIPBL DISALLOWED	CRM/AAM 2 RM	60499300
403 SKIPBL DISALLOWED	CRM/BAM 1 RM	60495700
403 UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	CDCS 2 DA RM	60485200
403 UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	FORTRAN DBF RM	60482200
403 -a- UNAVAILABLE, FILE IS ARCHIVED	QUERY UPDT 3 RM	60498300
0403 name - UNRECOGNIZABLE DIRECTIVE	LOADER 1 RM	60429800
404 AREA parm TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN A REALM STATEMENT	CDCS 2 DA RM	60485200
404 AREA parm TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN A REALM STATEMENT	FORTRAN DBF RM	60482200
404 AREA parameter TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN THE RD DIVISION	CDCS 2 DA RM	60485200
404 kkkkkk DBI SUBSCRIPTS IN ERROR	CDCS 2 DA RM	60485200
404 FATAL CDCS ERROR; SUBSCHEMA RETURNED	QUERY UPDT 3 RM	60498300
0404 INCOMPLETE PARAMETER	LOADER 1 RM	60429800
404 KEYWORD -SCHEMA- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
404 RELATION ENTRIES MISSING IN SCHEMA	CDCS 2 DA RM	60485200
404 SKIPFL DISALLOWED FOR RT=U	CRM/AAM 2 RM	60499300
404 SKIPFL DISALLOWED FOR RT=U	CRM/BAM 1 RM	60495700
405 CANNOT RUN INTERACTIVE ON NOS	QUERY UPDT 3 RM	60498300
405 CONSTRAINTS ENTRY MISSING IN SCHEMA	CDCS 2 DA RM	60485200
405 ILLEGAL BLANK CARD	DATA CAT 2 RM	60483200
405 INVALID RECORD NAME	CDCS 2 DA RM	60485200
405 INVALID RECORD NAME	FORTRAN DBF RM	60482200
405 n IS AN INVALID LANGUAGE NAME	DATA CAT 2 RM	60483200
405 KEYWORD -FORTRAN- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
405 NO COMMAND SPECIFIED	DATA CAT 2 RM	60483200
405 OPERAND MUST BE DAT OR ALL	DAT CAT 2 DA RM	60483300
405 STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
405 SUBSCRIPT ANY CANNOT BE USED FOR SOURCE DBIS	CDCS 2 DA RM	60485200
405 UNKNOWN ENTRY TYPE	DATA CAT 2 RM	60483200
0405 name - USED ON LOWER LEVEL	LOADER 1 RM	60429800
0406 name - CONFLICTS WITH EARLIER USAGE	LOADER 1 RM	60429800
406 kkkkkk DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
406 REPLACE ATTEMPTED ON TAPE FILE	CRM/BAM 1 RM	60495700
406 SUBSCHEMA -a- NOT THE SAME AS CDCS CATALOG FILE	QUERY UPDT 3 RM	60498300
406 UNABLE TO FIND RECORD ENTRY	CDCS 2 DA RM	60485200
406 UNABLE TO FIND RECORD ENTRY	FORTRAN DBF RM	60482200
407 AREA -a- IS PART OF A RELATION -VERSION- REJECTED	QUERY UPDT 3 RM	60498300
407 FO=SQ REPLACE ATTEMPTED WHEN FP"EOB	CRM/BAM 1 RM	60495700
407 parm IS AN INVALID DATA-BASE-IDENTIFIER NAME	CDCS 2 DA RM	60485200
407 parm IS AN INVALID DATA-BASE-IDENTIFIER NAME	FORTRAN DBF RM	60482200
407 KEYWORD -RECORD- MISSING. INSTEAD FOUND..parm	IMF SCHEMA DEF.	60484400
0407 MORE THAN ONE ROOT SEGMENT	LOADER 1 RM	60429800
407 SOURCE AND TARGET DBI PICTURE/ TYPE CHARACTERISTICS MUST BE IDENTICAL	CDCS 2 DA RM	60485200
408 DATA-BASE-IDENTIFIER parm IS UNDEFINED	CDCS 2 DA RM	60485200
408 DATA-BASE-IDENTIFIER parm IS UNDEFINED	FORTRAN DBF RM	60482200
408 KEYWORD -FORTRAN5- MISSING. INSTEAD FOUND..parm	IMF SCHEMA DEF.	60484400
408 SOURCE AND TARGET DBIS DIFFER IN SIZE	CDCS 2 DA RM	60485200
408 SUBSCHEMA -a- MUST BE A CDCS SUBSCHEMA	QUERY UPDT 3 RM	60498300
409 AREA -a- NOT IN SUBSCHEMA -a-	QUERY UPDT 3 RM	60498300
409 DATA-BASE-IDENTIFIER parm IS UNDEFINED IN THE SCHEMA	CDCS 2 DA RM	60485200
409 DATA-BASE-IDENTIFIER parm IS UNDEFINED IN THE SCHEMA	FORTRAN DBF RM	60482200
409 SUBSCRIPT ANY ON A TARGET DBI CAN BE SPECIFIED ONLY FOR ALTERNATE KEYS	CDCS 2 DA RM	60485200
410 AREA -a- IS NOT SEQUENCE DISPLAY	QUERY UPDT 3 RM	60498300
410 CARD OUT OF SEQUENCE	DATA CAT 2 RM	60483200
410 CONVERSION NOT POSSIBLE FOR LITERAL	CDCS 2 DA RM	60485200
410 CONVERSION NOT POSSIBLE FOR LITERAL	FORTRAN DBF RM	60482200
410 FILE CANNOT BE JOINED TO ITSELF (RECURSION)	CDCS 2 DA RM	60485200
410 FO=SQ REPLACE ATTEMPTED WHEN LOP"GET	CRM/BAM 1 RM	60495700
410 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
410 KEYWORD INVALID	DAT CAT 2 DA RM	60483300
0410 NO ROOT SEGMENT	LOADER 1 RM	60429800
410 STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
410 SYNTAX-UNABLE TO LOCATE ENTRY TYPE	DATA CAT 2 RM	60483200
411 AREA -a- MUST HAVE FO = IS, AND RT = W	QUERY UPDT 3 RM	60498300
411 FO=SQ REPLACE ENCOUNTERED EOS/EOP/BOI	CRM/BAM 1 RM	60495700
411 ILLEGAL PATH-CYCLING OR DISCONTINUITY	CDCS 2 DA RM	60485200
411 INVALID USE OF DBI parm - DOES NOT BELONG TO RESTRICTED RECORD	CDCS 2 DA RM	60485200
411 INVALID USE OF DBI parm - DOES NOT BELONG TO RESTRICTED RECORD	FORTRAN DBF RM	60482200
0411 MORE THAN 4095 SEGMENTS	LOADER 1 RM	60429800
412 AREA -a- IMPROPER RECORD FORMAT FOR -VERSION-	QUERY UPDT 3 RM	60498300
412 FO=SQ REPLACE ILLEGAL FOR THIS RT - USE RT=F/W	CRM/BAM 1 RM	60495700
412 RANK EXCEEDS MAXIMUM OF 64 FILES	CDCS 2 DA RM	60485200
0412 name - UNDEFINED SEGMENT	LOADER 1 RM	60429800
413 kkkkkk DBI BELONGS TO AREA WITH MULTIPLE RECORDS -- NOT ALLOWED IN A RELATION PATH	CDCS 2 DA RM	60485200
413 FILE -a- DOES NOT EXIST	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
413 FO=SQ REPLACE ILLEGAL FOR THIS BT - USE BT=C	CRM/BAM 1 RM	60495700
413 SOURCE DBI DOES NOT HAVE A COMPATIBLE SCHEMA DATA REPRESENTATION WITH THE TARGET DBI	CDCS 2 DA RM	60485200
413 SOURCE DBI DOES NOT HAVE A COMPATIBLE SCHEMA DATA REPRESENTATION WITH THE TARGET DBI	FORTRAN DBF RM	60482200
413 SOURCE DBI DOES NOT HAVE COMPATIBLE DATA REPRESENTATION WITH TARGET DBI	CDCS 2 DA RM	60485200
414 FILE -a- MAY NOT HAVE PF PARAMS MODIFIED	QUERY UPDT 3 RM	60498300
414 QUALIFICATION NOT ALLOWED ON RESTRICT DATA-NAMES	CDCS 2 DA RM	60485200
414 RESERVED WORD EQ MISSING	CDCS 2 DA RM	60485200
415 CATALOGUE NAME LONGER THAN 32	DATA CAT 2 RM	60483200
415 INCOMPLETE \$CONVERT CARD	DATA CAT 2 RM	60483200
415 INVALID NAME..param	IMF SCHEMA DEF.	60484400
415 INVALID NAME	IMF 1 AP RM	60484500
415 INVALID OPTION SYNTAX	DATA CAT 2 RM	60483200
415 ONLY PUT ALLOWED DURING INITIAL CREATION	CRM/AAM 2 RM	60499300
415 TITLE VALUE INVALID	DATA CAT 2 RM	60483200
415 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
415 UNRECOGNIZABLE STATEMENT TYPE	DATA CAT 2 RM	60483200
416 ILLEGAL PATH - SOURCE DBI MUST BE IN SAME AREA AS PREVIOUS TARGET DBI	CDCS 2 DA RM	60485200
417 CANNOT REPLACE WITH LARGER RECORD IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
417 INVALID STATEMENT - END STATEMENT EXPECTED	CDCS 2 DA RM	60485200
417 INVALID STATEMENT - END STATEMENT EXPECTED	FORTRAN DBF RM	60482200
417 parameter UNKNOWN SOURCE WORD	CDCS 2 DA RM	60485200
418 ENTRY WAS NOT TERMINATED BY A PERIOD	CDCS 2 DA RM	60485200
418 PERIOD MISSING	CDCS 2 DA RM	60485200
418 PERIOD MISSING	FORTRAN DBF RM	60482200
419 EXTRANEIOUS DATA IN STATEMENT	CDCS 2 DA RM	60485200
419 EXTRANEIOUS DATA IN STATEMENT	FORTRAN DBF RM	60482200
419 SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
0420 ABS OR NEG RELOCATION NOT ALLOWED - PROG name	LOADER 1 RM	60429800
420 ADD FOR EXISTING ENTRY	DATA CAT 2 RM	60483200
420 CANNOT REWIND NO-REWIND FILE	CRM/AAM 2 RM	60499300
420 language-name IS AN INVALID LANGUAGE NAME	DATA CAT 2 RM	60483200
420 NUMBER OF DIMENSIONS SPECIFIED DOES NOT EQUAL THE NUMBER OF DIMENSIONS DEFINED FOR ARRAY parm	CDCS 2 DA RM	60485200
420 OPTION n HAS ILLEGAL VALUE	DATA CAT 2 RM	60483200
420 PERIOD FOUND, COMPILATION RESUMED	CDCS 2 DA RM	60485200
420 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
421 SUBSCRIPT SPECIFIED FOR parameter IS INVALID	FORTRAN DBF RM	60482200
421 SUBSCRIPT SPECIFIED FOR ITEM WHICH IS NOT AN ARRAY	CDCS 2 DA RM	60485200
421 SUBSCRIPT SPECIFIED FOR NONREPEATING ITEM parameter IS INVALID	CDCS 2 DA RM	60485200
421 WSA NOT SPECIFIED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
422 DUE TO FATAL ERRORS COMPILATION IS ABORTED	CDCS 2 DA RM	60485200
422 DUE TO FATAL ERRORS, COMPILATION IS ABORTED	FORTRAN DBF RM	60482200
422 SEEK NOT ALLOWED IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
424 CANNOT GET IN SEQUENTIAL MODE - GETN ASSUMED	CRM/AAM 2 RM	60499300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
424 VIRTUAL RESULT AND DECODE DATA-BASE-IDENTIFIERS (IN SCHEMA) CANNOT BE USED AS QUALIFIERS	CDCS 2 DA RM	60485200
425 CANNOT SKIP BACKWARD IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
425 CATALOGUE NAME NOT ON FILE	DATA CAT 2 RM	60483200
425 CHG FOR NON-EXISTING ENTRY	DATA CAT 2 RM	60483200
425 LEVEL 66, LEVEL 88 AND REDEFINED DATA-BASE-IDENTIFIERS CANNOT BE USED AS QUALIFIERS	CDCS 2 DA RM	60485200
425 n MUST BE NUMERIC	DATA CAT 2 RM	60483200
425 NO PROGRAM NAME FOR MODULE CARD	DATA CAT 2 RM	60483200
425 NO REPORT/FILE TYPE SPECIFIED	DATA CAT 2 RM	60483200
426 GETN NOT ALLOWED DURING FILE CREATION - REQUEST IGNORED	CRM/AAM 2 RM	60499300
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	CDCS 2 DA RM	60485200
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	FORTRAN DBF RM	60482200
427 A RELATIONAL OPERATOR MUST BE SPECIFIED	CDCS 2 DA RM	60485200
427 GET, SEEK INVALID IN SEQ MODE	CRM/AAM 2 RM	60499300
427 INVALID OR MISSING RELATIONAL OPERATOR	CDCS 2 DA RM	60485200
427 INVALID OR MISSING RELATIONAL OPERATOR	FORTRAN DBF RM	60482200
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	CDCS 2 DA RM	60485200
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	FORTRAN DBF RM	60482200
429 RECORD ENTRY parm WAS PREVIOUSLY SPECIFIED IN A RESTRICT CLAUSE	CDCS 2 DA RM	60485200
429 RECORD ENTRY parm WAS PREVIOUSLY SPECIFIED IN A RESTRICT CLAUSE	FORTRAN DBF RM	60482200
430 DEL FOR NON-EXISTING ENTRY	DATA CAT 2 RM	60483200
430 INCOMPLETE LIMIT CLAUSE	DATA CAT 2 RM	60483200
430 n INVALID FOR LANGUAGE USED	DATA CAT 2 RM	60483200
430 INVALID LOGICAL OPERATOR	CDCS 2 DA RM	60485200
430 INVALID LOGICAL OPERATOR	FORTRAN DBF RM	60482200
430 INVALID OP FOR READ ONLY	CRM/AAM 2 RM	60499300
430 INVALID QUALIFIER NAME	CDCS 2 DA RM	60485200
430 MULTIPLE USAGE CLAUSES PER DATA ITEM NOT ALLOWED	IMF SCHEMA DEF.	60484400
430 REPORT/FILE SYNTAX ERROR	DATA CAT 2 RM	60483200
430 SELECT CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
431 NO END STATEMENT	CDCS 2 DA RM	60485200
431 NO END STATEMENT	FORTRAN DBF RM	60482200
431 RELATION DIVISON TITLE IS INCORRECT	CDCS 2 DA RM	60485200
431 SKIP OR GETN WHEN SEEKING	CRM/AAM 2 RM	60499300
431 USAGE OCCURS AT SEVERAL LEVELS IN GROUP ITEM	IMF SCHEMA DEF.	60484400
432 INVALID STATEMENT FOLLOWING END STATEMENT	CDCS 2 DA RM	60485200
432 INVALID STATEMENT FOLLOWING END STATEMENT	FORTRAN DBF RM	60482200
432 MULTIPLE PICTURE CLAUSES NOT ALLOWED	IMF SCHEMA DEF.	60484400
432 TITLE STATEMENT WAS NOT TERMINATED BY A PERIOD	CDCS 2 DA RM	60485200
433 P DENOTES NUMERIC PICTURE. X NOT ALLOWED	IMF SCHEMA DEF.	60484400
433 SKIPPING TO THE NEXT RESTRICT CLAUSE	CDCS 2 DA RM	60485200
433 SKIPPING TO THE NEXT RESTRICT STATEMENT	CDCS 2 DA RM	60485200
433 SKIPPING TO THE NEXT RESTRICT STATEMENT	FORTRAN DBF RM	60482200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
434 PICTURE CONTAINING P MUST CONTAIN ONE GROUP OF 9-S	IMF SCHEMA DEF.	60484400
434 RESTRICT CLAUSE FOUND	CDCS 2 DA RM	60485200
434 RESTRICT STATEMENT FOUND	CDCS 2 DA RM	60485200
434 RESTRICT STATEMENT FOUND	FORTRAN DBF RM	60482200
435 COULD NOT FIND ANY MORE RESTRICT CLAUSES FOR THE CURRENT RELATION ENTRY	CDCS 2 DA RM	60485200
435 COULD NOT FIND ANY MORE RESTRICT STATEMENTS FOR THE CURRENT RELATION ENTRY	CDCS 2 DA RM	60485200
435 COULD NOT FIND ANY MORE RESTRICT STATEMENTS FOR THE CURRENT RELATION ENTRY	FORTRAN DBF RM	60482200
435 request-type ILLEGAL REPORT/FILE	DATA CAT 2 RM	60483200
435 LAST OPTION FOLLOWED BY COMMA	DATA CAT 2 RM	60483200
435 PROGRAM TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
435 SHOW CATEGORY INVALID	DATA CAT 2 RM	60483200
435 SYNTAX-DEL TYPE ONLY ALLOWED FOR FUNC DEL	DATA CAT 2 RM	60483200
435 X DENOTES ALPHANUMERIC PICTURE. P NOT ALLOWED	IMF SCHEMA DEF.	60484400
436 parm IS AN INVALID SUBSCRIPT	CDCS 2 DA RM	60485200
436 parm IS AN INVALID SUBSCRIPT	FORTRAN DBF RM	60482200
436 PICTURE MAY NOT CONTAIN BOTH V AND P	IMF SCHEMA DEF.	60484400
437 EXCEEDED THE MAXIMUM NUMBER OF SUBSCRIPTS ALLOWED (3)	CDCS 2 DA RM	60485200
437 V DENOTES NUMERIC PICTURE. X NOT ALLOWED	IMF SCHEMA DEF.	60484400
438 S DENOTES NUMERIC PICTURE. X NOT ALLOWED	IMF SCHEMA DEF.	60484400
438 TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	CDCS 2 DA RM	60485200
438 TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	FORTRAN DBF RM	60482200
439 S MUST BE LEFTMOST SYMBOL IN NUMERIC PICTURE	IMF SCHEMA DEF.	60484400
439 THE SUBSCRIPT VALUE EXCEEDED THE DIMENSIONS FOR parm	FORTRAN DBF RM	60482200
439 THE SUBSCRIPT VALUE EXCEEDED THE OCCURS VALUE FOR parameter	CDCS 2 DA RM	60485200
439 THE SUBSCRIPT VALUE IS NOT WITHIN THE BOUNDS OF ARRAY DECLARATION	CDCS 2 DA RM	60485200
440 CATALOGUE NAME NOT ON FILE	DATA CAT 2 RM	60483200
440 DELETE MUST BE WHEREUSED, USING, OR GLOBAL	DATA CAT 2 RM	60483200
440 DID NOT SPECIFY SUBSCRIPT FOR ARRAY parm	CDCS 2 DA RM	60485200
440 DID NOT SPECIFY SUBSCRIPT FOR ARRAY parm	FORTRAN DBF RM	60482200
440 DID NOT SPECIFY SUBSCRIPT FOR REPEATING ITEM parameter	CDCS 2 DA RM	60485200
440 INVALID OPTIONS CONTINUATION	DATA CAT 2 RM	60483200
440 LINE NUMBER MUST BE NUMERIC	DATA CAT 2 RM	60483200
440 SELECT TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
441 MAJOR KEY WITH SYMBOLIC KEYS ONLY	CRM/AAM 2 RM	60499300
441 MAXIMUM RELATION COUNT EXCEEDED	CDCS 2 DA RM	60485200
441 MAXIMUM RELATION COUNT EXCEEDED	FORTRAN DBF RM	60482200
441 X DENOTES ALPHANUMERIC PICTURE. V NOT ALLOWED	IMF SCHEMA DEF.	60484400
442 INVALID ACTUAL KEY - REQUEST IGNORED	CRM/AAM 2 RM	60499300
442 LEFT PARENTHESIS MISSING	CDCS 2 DA RM	60485200
442 LEFT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
442 V MAY OCCUR AT MOST ONCE IN NUMERIC PICTURE	IMF SCHEMA DEF.	60484400
443 COMP-1 KEY HAS INCONSISTENT BIAS - REQUEST IGNORED	CRM/AAM 2 RM	60499300
443 PICTURE MAY CONTAIN ONLY ONE GROUP OF P-S	IMF SCHEMA DEF.	60484400
443 RIGHT PARENTHESIS MISSING	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
443 RIGHT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
444 NEW KEY LESS THAN PREVIOUS KEY IN INITIAL CREATION	CRM/AAM 2 RM	60499300
445 ALIAS NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
445 CATALOGUE NAME IS RESERVED WORD	DATA CAT 2 RM	60483200
445 KEY NOT FOUND - FILE POSITION ALTERED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
445 MODULE CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
445 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
446 DUPLICATE KEY FOUND - FILE POSITION ALTERED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
446 REPETITION FACTOR MUST NOT IMMEDIATELY FOLLOW S	IMF SCHEMA DEF.	60484400
447 KEY ADDRESS NOT SPECIFIED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
447 REPETITION FACTOR MUST NOT IMMEDIATELY FOLLOW V	IMF SCHEMA DEF.	60484400
448 ITEM DESCRIPTION MUST FOLLOW KEYWORD -PICTURE-	IMF SCHEMA DEF.	60484400
450 NO DATANAME FOR SELECT CARD	DATA CAT 2 RM	60483200
450 n NUMERIC VALUE TOO LARGE	DATA CAT 2 RM	60483200
450 TITLE VALUE INVALID	DATA CAT 2 RM	60483200
450 VERSION NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
452 FILE POSITIONING ERROR	CRM/AAM 2 RM	60499300
452 FILE POSITIONING ERROR	CRM/BAM 1 RM	60495700
455 ALIAS/VERSION QUERY MUST USE-OF	DATA CAT 2 RM	60483200
455 NO COMMAND SPECIFIED	DATA CAT 2 RM	60483200
455 RENAMES TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
457 DUPLICATE RECORD NAME..param	IMF SCHEMA DEF.	60484400
458 INTERNAL ERROR. DUPLICATE RECORD NAME IN GENSUB..param	IMF SCHEMA DEF.	60484400
460 FIELD NAME INVALID	DATA CAT 2 RM	60483200
460 ILLEGAL LEVEL NUMBER	DATA CAT 2 RM	60483200
460 INVALID OPTION SYNTAX	DATA CAT 2 RM	60483200
460 NO RECORD OR FILE NAMED FOR SELECT	DATA CAT 2 RM	60483200
461 CORRESPONDING SENTENCE DOES NOT CONTAIN ROLE..param	IMF SCHEMA DEF.	60484400
462 CORRESPONDING RECORD DOES NOT CONTAIN ITEM..param	IMF SCHEMA DEF.	60484400
465 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
465 INVALID PICTURE CLAUSE..param	IMF SCHEMA DEF.	60484400
465 INVALID WITH CLAUSE SYNTAX	DATA CAT 2 RM	60483200
465 catname NOT ON FILE	DATA CAT 2 RM	60483200
465 OPTION keyword HAS NO VALUE	DATA CAT 2 RM	60483200
466 INVALID CHARACTER IN PICTURE CLAUSE..param	IMF SCHEMA DEF.	60484400
470 ALPHA VALUE MISSING QUOTE	DATA CAT 2 RM	60483200
470 DUPLICATE ROLE NAME..param	IMF SCHEMA DEF.	60484400
470 keyword INVALID FOR REQUEST	DATA CAT 2 RM	60483200
470 RECORD OR FILE MUST BE SELECTED	DATA RM	60483200
470 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
472 DUPLICATE CONSTRAINT NAME..param	IMF SCHEMA DEF.	60484400
475 FIELD VALUE MUST BE NUMERIC	DATA CAT 2 RM	60483200
475 keyword OPTION VALUE INVALID	DATA CAT 2 RM	60483200
475 RENAME CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
477 SENTENCE DOES NOT CONTAIN THE FOLLOWING ROLE NAME..param	IMF SCHEMA DEF.	60484400
480 FIELD VALUE TOO LONG	DATA CAT 2 RM	60483200
480 ILLEGAL LINE NUMBER	DATA CAT 2 RM	60483200
480 INVALID DATA BASE SELECT COMMAND	DATA CAT 2 RM	60483200
481 CORRESPONDING ROLES DO NOT HAVE SAME OBJECT TYPE	IMF SCHEMA DEF.	60484400
482 DUPLICATE CONCEPTUAL SCHEMA NAME..param	IMF SCHEMA DEF.	60484400
484 DUPLICATE FILE NAME..param	IMF SCHEMA DEF.	60484400
485 CREATE CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
485 FIRST WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
485 SELECT MUST BE FOR DATA BASE ENTITY	DATA CAT 2 RM	60483200
485 TOO MANY OPTION CONTINUATIONS	DATA CAT 2 RM	60483200
486 DUPLICATE SENTENCE NAME..param	IMF SCHEMA DEF.	60484400
487 UNKNOWN FILE NAME..param	IMF SCHEMA DEF.	60484400
490 v INVALID FOR n	DATA CAT 2 RM	60483200
490 SECOND WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
490 TRUNCATION OCCURRED IN PICTURE/VALUE ABOVE	DATA CAT 2 RM	60483200
494 DUPLICATE ACCESS PATH..param	IMF SCHEMA DEF.	60484400
495 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
495 program-name NOT ON FILE	DATA CAT 2 RM	60483200
495 THIRD WITH SECOND CLAUSE INVALID	DATA CAT 2 RM	60483200
0500 A PROGRAMMER-NAMED CONDITION HAS BEEN SIGNALLED	PL/I RM	60388100
500 ENTRY WITH CATALOGUE NAME OF FILLER BYPASSED	DATA CAT 2 RM	60483200
500 catname HAS NO DATA	DATA CAT 2 RM	60483200
500 INVALID CONSTRAINT NAME	CDCS 2 DA RM	60485200
500 INVALID HAVING CLAUSE SYNTAX	DATA CAT 2 RM	60483200
0500 OVERLAY - CAPSULE DIRECTIVES INCOMPATIBLE	LOADER 1 RM	60429800
500 SELECT STATEMENT IN ERROR WAS n	DATA CAT 2 RM	60483200
500 SYNTAX-NO CATEGORY HEADER	DATA CAT 2 RM	60483200
0501 CAPSULE DIRECTIVES NOT ALL AT BEGINNING OF FIRST LOAD FILE	LOADER 1 RM	60429800
501 CONSTRAINT NAME NOT UNIQUE	CDCS 2 DA RM	60485200
501 INDEX FILE NOT COMPATIBLE WITH CRM FILE	CRM/AAM 2 RM	60499300
0502 CAPSULE DIRECTIVES DISALLOWED IN USER-CALL LOAD	LOADER 1 RM	60429800
502 CIO ERROR nnn OCCURRED DURING REWIND OF FILE fn	CDCS 2 DA RM	60485200
502 CONSTRAINT DATA ITEM NOT A PRIMARY OR ALTERNATE KEY	CDCS 2 DA RM	60485200
502 INTERNAL ERROR. MODIFY FAILED	IMF SCHEMA DEF.	60484400
502 SPECIFIED KEY NOT DEFINED	CRM/AAM 2 RM	60499300
503 CIO ERROR nnn OCCURRED WHILE WRITING TO FILE fn	CDCS 2 DA RM	60485200
503 CONSTRAINT DATA ITEMS DIFFER IN CHARACTERISTICS	CDCS 2 DA RM	60485200
503 DUPLICATE ALTERNATE KEY ERROR	CRM/AAM 2 RM	60499300
0503 ECS TEXT DISALLOWED IN CAPSULES OR OVCAPS	LOADER 1 RM	60429800
503 INTERNAL ERROR. NO MAIN FOR SENTENCE IN SDLRTN	IMF SCHEMA DEF.	60484400
0504 NON-STANDARD RELOCATION AT ADDRESS address	LOADER 1 RM	60429800
504 PFM ERROR ec OCCURRED WHILE EXTENDING FILE fn	CDCS 2 DA RM	60485200
504 RESERVED WORD DEPENDS MISSING	CDCS 2 DA RM	60485200

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
504	SEQUENTIAL OPERATION BEYOND EOI ATTEMPTED	CRM/AAM 2 RM	60499300
504	UPPER KEY IS UNIQUE. LOWER KEY NOT ALLOWED	IMF SCHEMA DEF.	60484400
505	CYCLE DETECTED IN CONSTRAINTS	CDCS 2 DA RM	60485200
0505	ENCAPSULATION NOT TERMINATED BY NOGO	LOADER 1 RM	60429800
505	ERROR IN RMKDEF PARAMETER	CRM/AAM 2 RM	60499300
505	INVALID SELECT SYNTAX	DATA CAT 2 RM	60483200
505	INVALID WHICH-USE ENTRY TYPE RANGE	DATA CAT 2 RM	60483200
505	PFM ERR ec OCCURRED WHILE ATTACHING FILE fn	CDCS 2 DA RM	60485200
505	UNKNOWN CATEGORY	DATA CAT 2 RM	60483200
506	ALTERNATE KEY NOT FOUND	CRM/AAM 2 RM	60499300
506	CONSTRAINT DATA ITEM (PARENT) CANNOT HAVE DUPLICATE VALUES	CDCS 2 DA RM	60485200
506	CRM ERROR nnn OCCURRED DURING THE OPEN OF FILE fn	CDCS 2 DA RM	60485200
0506	ENCAPSULATION AND NO CAPSULES SPECIFIED	LOADER 1 RM	60429800
507	***AAM MALFUNCTION n***	CRM/AAM 2 RM	60499300
0507	CAPSULE WITH NO ENTRY POINTS	LOADER 1 RM	60429800
507	CONSTRAINT NAME LONGER THAN 30 CHARACTERS - NAME TRUNCATED	CDCS 2 DA RM	60485200
507	CRM ERROR nnn OCCURRED WHILE WRITING TO FILE fn	CDCS 2 DA RM	60485200
507	INTERNAL ERROR. DELETE FAILED	IMF SCHEMA DEF.	60484400
508	CRM ERROR nnn OCCURRED DURING THE CLOSE OF FILE fn	CDCS 2 DA RM	60485200
508	DBI IN ABOVE CONSTRAINT CANNOT DEPEND ON ITSELF	CDCS 2 DA RM	60485200
509	CIO ERROR nnn OCCURRED WHILE READING FILE fn	CDCS 2 DA RM	60485200
510	CATEGORY NOT VALID FOR ENTRY	DATA CAT 2 RM	60483200
510	ENTRY TYPE CANNOT USE NAMED ENTRY	DATA CAT 2 RM	60483200
510	INTERNAL ERROR IN MIP 1.X	CRM/AAM 2 RM	60499300
510	JOURNAL LOG FILE fn CAN NOT BE DUMPED -- STATUS IS *INACTIVE*	CDCS 2 DA RM	60485200
510	TOO MANY SELECT STATEMENTS	DATA CAT 2 RM	60483200
511	NO MD JOB INFO SPECIFIED FOR SCHEMA sn	CDCS 2 DA RM	60485200
511	RMKDEF ONLY AFTER OPEN-NEW - IGNORED	CRM/AAM 2 RM	60499300
512	CRM DATA FILE MODIFICATIONS ILLEGAL WITH NDX=YES	CRM/AAM 2 RM	60499300
512	ERROR nnn OCCURRED ON THE REQUEST OF THE JOURNAL LOG FILE DUMP FILE	CDCS 2 DA RM	60485200
513	MANAGED MEMORY OVERFLOW -- DBREC ABORTED	CDCS 2 DA RM	60485200
513	REQUIRED ROUTINES NOT LOADED - RM\$MEXB/RM\$MFSQ	CRM/AAM 2 RM	60499300
514	ERROR nnn OCCURRED ON THE LABEL OF JOURNAL LOG FILE DUMP FILE	CDCS 2 DA RM	60485200
514	FILE CONTAINS DUPLICATE PRIMARY KEYS	CRM/AAM 2 RM	60499300
515	ENTRY TYPE NOT USED-BY NAMED ENTRY	DATA CAT 2 RM	60483200
515	NO INDEX FILE SPECIFIED	CRM/AAM 2 RM	60499300
515	SYNTAX-UNKNOWN KEYWORD IN CATEGORY HEADER	DATA CAT 2 RM	60483200
515	TOO MANY SELECT CONTINUATIONS	DATA CAT 2 RM	60483200
520	ALIAS/VERSION SELECT MUST USE-OF	DATA CAT 2 RM	60483200
520	CATEGORY CANNOT BE DELETED	DATA CAT 2 RM	60483200
520	CHANGED KEY TYPE	CRM/AAM 2 RM	60499300
520	DUPLICATE COSET NAME..param	IMF SCHEMA DEF.	60484400
520	INVALID USED-BY ENTRY TYPE RANGE	DATA CAT 2 RM	60483200
0520	OVCAP DIRECTIVE ILLEGAL IF NOT IN OVERLAY GENERATION	LOADER 1 RM	60429800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
0520 SUBSCRIPTRANGE	PL/I RM	60388100
521 CHANGED KEY SIZE	CRM/AAM 2 RM	60499300
0521 OVERLAY DIRECTIVE FOLLOWING OVCAP DIRECTIVE MUST SPECIFY (0,0) LEVEL	LOADER 1 RM	60429800
0521 SUBSCRIPTRANGE (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
521 THE EXTERNAL SCHEMA DOES NOT CONTAIN THE RECORD..param	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
522 KEY TYPE INCORRECT	CRM/AAM 2 RM	60499300
0522 SUBSCRIPTRANGE (HIGH)	PL/I RM	60388100
523 NO KEY DEFINED	CRM/AAM 2 RM	60499300
0523 SUBSCRIPTRANGE (LOW)	PL/I RM	60388100
524 KEY SIZE ILLEGAL	CRM/AAM 2 RM	60499300
525 ALIAS/VERSION INVALID FOR REQUEST	DATA CAT 2 RM	60483200
525 CATEGORY DOES NOT EXIST IN ENTRY	DATA CAT 2 RM	60483200
525 ENTRY TYPE RANGE INVALID	DATA CAT 2 RM	60483200
525 catname IS NOT A GROUP OR ELEMENT ENTITY	DATA CAT 2 RM	60483200
525 MAJOR KEY SIZE ILLEGAL	CRM/AAM 2 RM	60499300
0525 OVCAP BINARY NOT STATICALLY LOADABLE	LOADER 1 RM	60429800
526 HASHED KEY OUTSIDE HOME BLOCK AREA	CRM/AAM 2 RM	60499300
0526 OVCAP DIRECTIVE ILLEGAL IN USER-CALL LOAD	LOADER 1 RM	60429800
527 ATTEMPT TO REDEFINE SPARSE CONTROL CHARACTER	CRM/AAM 2 RM	60499300
530 ALIAS NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
530 DELETE ONLY ALLOWED FOR FUNC CHG	DATA CAT 2 RM	60483200
530 catname IS NOT A RECORD ENTITY	DATA CAT 2 RM	60483200
530 PADDING FACTOR OUT OF RANGE	CRM/AAM 2 RM	60499300
532 FILE ALREADY EXISTS, CANNOT OPEN-NEW	CRM/AAM 2 RM	60499300
534 MRL EXCEEDS MAX ALLOWED RECORD SIZE	CRM/AAM 2 RM	60499300
535 NAME RANGE INVALID	DATA CAT 2 RM	60483200
535 NO DECOMPRESSION ROUTINE SUPPLIED	CRM/AAM 2 RM	60499300
535 VERSION NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
536 NO OR WRONG COMPRESSION ROUTINE SUPPLIED	CRM/AAM 2 RM	60499300
540 DEFAULT VALUES USED TO CREATE PICTURE BELOW	DATA CAT 2 RM	60483200
540 ENTRY RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
540 FIFO KEY SUBSTRUCTURE NOT ALLOWED IN REPEATING GROUPS	CRM/AAM 2 RM	60499300
540 NAME RANGE INVALID	DATA CAT 2 RM	60483200
541 PURGE ILLEGAL - SPECIFIED ALT KEY NOT KNOWN	CRM/AAM 2 RM	60499300
542 NEW KEYDEF MATCHES ONE ALREADY KNOWN - KEYDEF REJECTED	CRM/AAM 2 RM	60499300
543 FILE NOT POSITIONED IN DUPLICATE KEY SET - CANNOT DELETE CURRENT	CRM/AAM 2 RM	60499300
544 PADDING REQUESTED TOO LARGE	CRM/AAM 2 RM	60499300
545 CANT OPEN NEW FOR INPUT	CRM/AAM 2 RM	60499300
545 GROUP-LENGTH CANNOT BE CALCULATED	DATA CAT 2 RM	60483200
545 INVALID COMMAND SYNTAX	DATA CAT 2 RM	60483200
545 NAME RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
546 PRIMARY KEY NOT FOUND	CRM/AAM 2 RM	60499300
547 BAD STRUCTURE FOUND IN FILE	CRM/AAM 2 RM	60499300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
550 CANNOT COMPRESS - KEY POSITION INVALID	CRM/AAM 2 RM	60499300
550 ENTRY TYPE RANGE INVALID	DATA CAT 2 RM	60483200
550 EXCESS COMMAND WORDS	DATA CAT 2 RM	60483200
550 GROUP LEVEL EXCEEDS LIMIT	DATA CAT 2 RM	60483200
550 MAST3 READ CLIENT RECORD	DATA CAT 2 RM	60483200
551 REL MUST BE EQ, GT, OR GE	CRM/AAM 2 RM	60499300
552 NO DATA FILE PROCESSING PERMITTED - FILE OPENED FOR INDEX ONLY	CRM/AAM 2 RM	60499300
553 OVERFLOW RECORD NOT FOUND - FILE BAD	CRM/AAM 2 RM	60499300
554 PROCESSING REQUIRES READ, EXTEND, AND MODIFY PERMISSIONS	CRM/AAM 2 RM	60499300
555 ENTRY RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
555 INDEX FILE NONEXISTENT	CRM/AAM 2 RM	60499300
555 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
556 OPEN FAILURE	CRM/BAM 1 RM	60495700
556 OPEN FAILURE	CRM/AAM 2 RM	60499300
560 DEFAULT VALUES USED TO CREATE DEFINITION BELOW	DATA CAT 2 RM	60483200
560 INVALID HIERARCHY ENTRY RANGE	DATA CAT 2 RM	60483200
560 NO INPUT SUBMITTED	DATA CAT 2 RM	60483200
565 INVALID USAGE ENTRY RANGE	DATA CAT 2 RM	60483200
570 ENTRY TYPE CANNOT USE NAMED ENTRY	DATA CAT 2 RM	60483200
575 ENTRY TYPE NOT USED BY NAMED ENTRY	DATA CAT 2 RM	60483200
580 ALPHA VALUE MISSING QUOTE	DATA CAT 2 RM	60483200
580 DEFINITION NOT GENERATED FOR catname	DATA CAT 2 RM	60483200
585 DEFAULT FORMAT USED TO CREATE DEFINITION BELOW	DATA CAT 2 RM	60483200
585 FIELD NAME INVALID	DATA CAT 2 RM	60483200
590 FIELD VALUE TOO LONG	DATA CAT 2 RM	60483200
590 LENGTH INVALID FOR FORMAT	DATA CAT 2 RM	60483200
595 FIELD VALUE MUST BE NUMERIC	DATA CAT 2 RM	60483200
595 INITIAL VALUE INVALID FOR FORMAT	DATA CAT 2 RM	60483200
598 EXCEEDED LIMIT OF 20 SYMBOLS IN PICTURE	IMF SCHEMA DEF.	60484400
600 - CHECKSUM MISMATCH SUBSCHEMA ssn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0600 CONVERSION (INTERNAL) (SIGNALLED)	PL/I RM	60388100
600 EMPTY INPUT FILE	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
600 catname HAS NO STRUCTURE	DATA CAT 2 RM	60483200
600 INVALID WITH CLAUSE SYNTAX	DATA CAT 2 RM	60483200
600 NO LINE FOUND FOR LAST CATEGORY	DATA CAT 2 RM	60483200
600 SOURCE DATA CONVERSION ERROR d FROM a PAGE LINE d	QUERY UPDT 3 RM	60498300
601 CONVERSION ERROR EXCEEDS LIMIT	QUERY UPDT 3 RM	60498300
0601 CONVERSION (I/O)	PL/I RM	60388100
601 KEYWORD -SCHEMA- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
601 - VIOLATION OF CONSTRAINT cn ON op OF RECORD rn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
602 - CRM ERROR nnn ON AREA an (vn) IN CONSTRAINT PROCESSING	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
602 INVALID CONCEPTUAL SCHEMA NAME..param	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
602 SOURCE FILE NOT CLOSED BEFORE REPORT GENERATION	QUERY UPDT 3 RM	60498300
603 FIELD OVERLAP IN PAGE BUILD, INDICATED BY STARS	QUERY UPDT 3 RM	60498300
603 INVALID RECORD NAME..param	IMF 1 AP RM	60484500
603 - LOCKED RECORD/AREA—REQUEST NOT PROCESSED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0604 CONVERSION (ERROR IN F-FORMAT INPUT) (I/O)	PL/I RM	60388100
604 OVERLAPPING FIELD WILL BE TRUNCATED IN DETAIL d	QUERY UPDT 3 RM	60498300
604 - PF WAIT ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
605 INVALID HAVING CLAUSE SYNTAX	DATA CAT 2 RM	60483200
605 LINE NUMBER NOT NUMERIC	DATA CAT 2 RM	60483200
605 OVERLAPPING FIELD WILL BE TRUNCATED IN HEADING d	QUERY UPDT 3 RM	60498300
606 OVERLAPPING FIELD WILL BE TRUNCATED IN FOOTING d	QUERY UPDT 3 RM	60498300
606 - VERSION vn NOT IN SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
607 - AREA an (vn) IS NOT OPEN FOR I-O, op IS NOT ALLOWED	CDCS 2 AP RM	60485300
607 - AREA an (vn) IS NOT OPEN FOR I-O, op IS NOT ALLOWED	CDCS 2 DA RM	60485200
0607 CONVERSION (ERROR IN E-FORMAT INPUT) (I/O)	PL/I RM	60388100
607 OVERLAPPING FIELD WILL BE TRUNCATED IN TITLE	QUERY UPDT 3 RM	60498300
608 OVERLAPPING FIELD WILL BE TRUNCATED IN RECAP	QUERY UPDT 3 RM	60498300
609 OVERLAPPING FIELD WILL BE TRUNCATED IN DETAIL	QUERY UPDT 3 RM	60498300
0610 CONVERSION (ERROR IN B-FORMAT INPUT) (I/O)	PL/I RM	60388100
610 FIRST WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
610 - FOR AREA an (vn), KEY OF PRIOR READ MUST MATCH KEY ON op	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
610 INTEGER ITEM SUBSCRIPT OUT OF BOUND	QUERY UPDT 3 RM	60498300
610 INVALID COSET NAME..param	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
610 SYNTAX-LINE NUMBER NOT FOLLOWED BY SPACE	DATA CAT 2 RM	60483200
611 KEYWORD -OWNER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
611 - SCHEMA sn NOT IN MASTER DIRECTORY	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
611 SYSTEM ERR-DTLBIT TBL OVERFLOW IN PAGE	QUERY UPDT 3 RM	60498300
0612 CONVERSION (CHARACTER STRING TO ARITHMETIC)	PL/I RM	60388100
612 INVALID RECORD NAME IN OWNER/MEMBER CLAUSE..param	IMF SCHEMA DEF.	60484400
612 - RESTART ID xxxxxxxxxxxx DOES NOT MATCH ID PREVIOUSLY ASSIGNED BY CDCS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
612 WARNING - MORE THAN 1 DETAIL FORMAT IN BLOCK WITH ONCE	QUERY UPDT 3 RM	60498300
613 - AREA an NOT CLOSED BEFORE VERSION CHANGE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0613 CONVERSION (CHARACTER STRING TO ARITHMETIC) (I/O)	PL/I RM	60388100
613 DATA-NAME (ALL) EXCEEDS SECTION WIDTH. LINE TRUNCATED	QUERY UPDT 3 RM	60498300
613 KEYWORD -MEMBER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
614 SPECIFIED a CAUSES FIELD TO EXTEND BEYOND PAGE SIZE	QUERY UPDT 3 RM	60498300
614 - SUBPROG SCHEMA/SUBSCHEMA NOT IDENTICAL TO MAIN PROGRAM	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0615 CONVERSION (CHARACTER STRING TO BIT STRING)	PL/I RM	60388100
615 LINE NUMBER OUT OF SEQUENCE	DATA CAT 2 RM	60483200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
615 - LOCK MUST BE SET BEFORE READ ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
615 PAGE SIZE TOO NARROW FOR DEFAULT POSITION OF a IGNORED	QUERY UPDT 3 RM	60498300
615 SECOND WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
0616 CONVERSION (CHARACTER STRING TO BIT STRING)(I/O)	PL/I RM	60388100
616 a EXTENDS BEYOND PAGE LENGTH	QUERY UPDT 3 RM	60498300
616 - OUTSTANDING FATAL ERROR ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
617 -c- INVOLVES AREA-ITEM	QUERY UPDT 3 RM	60498300
617 KEYWORD -EQUAL- MISSING	IMF SCHEMA DEF.	60484400
617 - NO VERSION CURRENTLY ATTACHED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0618 CONVERSION (CHARACTER TO PICTURE)	PL/I RM	60388100
618 DETAIL WITH MULTIPLE -AT LINE- INVALID WITH VERTICAL SECTIONS	QUERY UPDT 3 RM	60498300
618 INVALID ACCESS PATH NAME..param	IMF SCHEMA DEF.	60484400
619 CONDITION IN FOLLOWING RPT DIRECTIVE INVOLVES AN AREA ITEM	QUERY UPDT 3 RM	60498300
0619 CONVERSION (CHARACTER TO PICTURE) (I/O)	PL/I RM	60388100
620 - CDCS TRANSACTION UPDATE NOT IN EFFECT sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
620 END OF FILE DURING LINE CONTINUATION	DATA CAT 2 RM	60483200
620 THIRD WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
621 - CDCS TRANSACTION IDENTIFIER NON-BLANK	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
621 KEYWORD -SEARCH- MISSING.	IMF SCHEMA DEF.	60484400
0622 CONVERSION (P-FORMAT INPUT - DECIMAL) (I/O)	PL/I RM	60388100
622 - MAXIMUM NUMBER CDCS BEGIN/ COMMIT SEQUENCES EXCEEDED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
622 NO ITEM NAMES ARE SPECIFIED FOR THE SEARCH KEY	IMF SCHEMA DEF.	60484400
623 - NO OUTSTANDING CDCS BEGIN TRANSACTION REQUEST	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
0625 CONVERSION (P-FORMAT INPUT - CHARACTER) (I/O)	PL/I RM	60388100
625 - REQUEST rq NOT ALLOWED IN CDCS BEGIN/COMMIT SEQUENCE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
625 SELECT REFERS TO MISSING OUTPUT	DATA CAT 2 RM	60483200
625 SYNTAX-THRU MISSING ON LINE DELETE RANGE	DATA CAT 2 RM	60483200
626 - ILLEGAL AREA NAME	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
630 - ILLEGAL LOCK MODE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
630 INVALID USE-OUTPUT CLAUSE	DATA CAT 2 RM	60483200
630 THRU LINE NUMBER LOWER THAN LINE NUMBER	DATA CAT 2 RM	60483200
631 DUPLICATE IDENTIFIER NAME OR ROLE LIST..param	IMF SCHEMA DEF.	60484400
631 - NO CDCS RESTART IDENTIFIER FILE DEFINED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
632 KEYWORD -USING- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
633 - RESTART IDENTIFIER ALREADY ASSIGNED BY CDCS	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
634 - MAXIMUM CDCS BEGIN/COMMIT UPDATE COUNT EXCEEDED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
635 EXCESS STATEMENT WORDS	DATA CAT 2 RM	60483200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
635 SYNTAX-NO CLAUSE FOUND AFTER LINE NUMBER	DATA CAT 2 RM	60483200
635 - SYSTEM FILE NOT AVAILABLE FOR SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
636 - AREA an (vn) UNUSABLE DURING ROLL-BACK	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
637 - RUN ABORT, SCHEMA sn DOWN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
640 LINE NUMBER DOES NOT EXIST IN CATEGORY	DATA CAT 2 RM	60483200
640 - RUN ABORT, CDCS DOWN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
641 - SUBSCHEMA ssn NOT IN MASTER DIRECTORY	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
642 - CDCS JOURNAL LOG FILES UNAVAILABLE SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
643 - SCHEMA sn NOT AVAILABLE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
644 - CDCS UNAVAILABLE—AN INVOKE IS NOT ALLOWED	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
645 - ILLEGAL AREA ORDINAL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
645 SYNTAX-ILLEGAL LINE CONTINUATION	DATA CAT 2 RM	60483200
646 - RESTART IDENTIFIER xxxxxxxxxxxx	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
647 - PFM ERROR ec ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
650 keyword NOT A VALID KEYWORD	DATA CAT 2 RM	60483200
650 - PFM ERROR ec ON AREA an (vn) INDEX FILE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
651 - AREA an (vn) DOWN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
652 - AREA an (vn) ALREADY OPEN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
653 - CRM ERROR nnn DURING op ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
654 - AREA an (vn) NOT OPEN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
655 keyword KEYWORD NOT VALID FOR CATEGORY	DATA CAT 2 RM	60483200
655 - NO PROCEDURE LIBRARY SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
656 - INSUFFICIENT MEMORY FOR ROLLBACK SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
657 - INCORRECT RECORD TYPE DURING op, AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
660 - KEY MAPPING ERROR DURING op, AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
660 keyword VALUE IS TOO LONG	DATA CAT 2 RM	60483200
661 - FDL ERROR ec ON DBPROC pn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
662 - ILLEGAL RECORD ORDINAL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
663 - DEADLOCK ON AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
664 - ILLEGAL REQUEST ON AREA an (vn), READ OR FILE LOCK REQUIRED BEFORE op	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
665 - PRIVACY BREACH ATTEMPT	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
666 - ERROR IN RELATION DATA NAME DEFINITION	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
667 - BAD RECTYPE CODE VALUE	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
670 - CANNOT CHANGE REC TYPE ON op, AREA an (vn)	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
670 keyword UNABLE TO PROCESS KEYWORD	DATA CAT 2 RM	60483200
671 - ILLEGAL RELATION ORDINAL	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
672 - BAD RECTYPE FROM DBPROC pn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
673 - op ABORT BY DBPROC pn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
674 - RUN UNIT ABORT (DURING op) BY DBPROC pn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
675 - RECORD MAPPING ERROR DURING op ON RECORD rn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
675 keyword UNABLE TO PROCESS CATEGORY	DATA CAT 2 RM	60483200
676 - BAD RETURN CODE FROM DBPROC pn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
677 - DBPROC pn NOT DEFINED FOR SCHEMA sn	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
680 keyword DELETE ILLEGAL FOR FUNC ADD	DATA CAT 2 RM	60483200
685 keyword KEYWORD SEARCH EXTENDS PAST COL. 72	DATA CAT 2 RM	60483200
690 keyword VALUE SEARCH EXTENDS PAST COL. 72	DATA CAT 2 RM	60483200
700 NOT DELETED DUE TO REFERENCE IN - catalogue name	DATA CAT 2 RM	60483200
700 OUTPUT STATEMENT IN ERROR WAS n	DATA CAT 2 RM	60483200
701 KEYWORD -OF- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
705 NOT DELETED DUE TO REFERENCE IN - catalogue name TO catalogue name	DATA CAT 2 RM	60483200
705 REFERS TO SELECT STATEMENT n	DATA CAT 2 RM	60483200
706 UNKNOWN UTILITY REQUEST..param	IMF SCHEMA DEF.	60484400
710 INVALID OUTPUT STATEMENT	DATA CAT 2 RM	60483200
712 NEGATIVE OR OVERSIZED ARGUMENT--WSA, SKP, OR LA	CRM/AAM 2 RM	60499300
712 NEGATIVE OR OVERSIZED ARGUMENT -- WSA, SKP, OR LA	CRM/BAM 1 RM	60495700
713 NEGATIVE OR OVERSIZED ARGUMENT--RL, ST, OR LBL	CRM/AAM 2 RM	60499300
713 NEGATIVE OR OVERSIZED ARGUMENT -- RL, ST, OR LBL	CRM/BAM 1 RM	60495700
714 NEGATIVE EX OR DX PARAMETER	CRM/BAM 1 RM	60495700
714 NEGATIVE EX OR DX PARAMETER	CRM/AAM 2 RM	60499300
715 NEGATIVE OR OVERSIZED ARGUMENT--WA or KA	CRM/AAM 2 RM	60499300
715 NEGATIVE OR OVERSIZED ARGUMENT -- WA OR KA	CRM/BAM 1 RM	60495700
715 TOO MANY OUTPUT STATEMENTS	DATA CAT 2 RM	60483200
716 NEGATIVE OR OVERSIZED ARGUMENT--PTL OR KP	CRM/AAM 2 RM	60499300
716 NEGATIVE OR OVERSIZED ARGUMENT -- PTL OR KP	CRM/BAM 1 RM	60495700
717 NEGATIVE OR OVERSIZED ARGUMENT -- MKL, POS, GPS, OR TRM	CRM/BAM 1 RM	60495700
717 NEGATIVE OR OVERSIZED ARGUMENT--MKL, POS, GPS, OR TRM	CRM/AAM 2 RM	60499300
720 DEVICE CAPACITY EXCEEDED	CRM/BAM 1 RM	60495700
720 DEVICE CAPACITY EXCEEDED	CRM/AAM 2 RM	60499300
720 OUTPUT STATEMENTS MUST BE NUMBERED	DATA CAT 2 RM	60483200
721 ERROR DETECTED BY OPERATING SYSTEM	CRM/BAM 1 RM	60495700

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
721 ERROR DETECTED BY OPERATING SYSTEM	CRM/AAM 2 RM	60499300
725 OUTPUT STATEMENTS ILLEGALLY NUMBERED	DATA CAT 2 RM	60483200
730 - CDCS TRANSACTION RECOVERY FILE I/O ERROR DURING ROLL BACK, - SCHEMA DOWN	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
730 OUTPUT STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
732 - CDCS SYSTEM FILE I-O ERROR	CDCS 2 DA RM CDCS 2 AP RM	60485200 60485300
733 - INQUIRE TRANSACTION RESTART IDENTIFIER idname UNKNOWN TO CDCS num CMM OVERFLOW CALLS MADE num MAXIMUM SCM WORDS USED	CDCS 2 AP RM	60485300
733 - INQUIRE TRANSACTION RESTART IDENTIFIER ridname UNKNOWN TO CDCS	CDCS 2 DA RM	60485200
735 INVALID LINE LIMITS	DATA CAT 2 RM	60483200
740 OUTPUT CATEGORY CLAUSE ILLEGAL	DATA CAT 2 RM	60483200
745 INCOMPLETE LINE LIMITS	DATA CAT 2 RM	60483200
750 OUTPUT CATEGORY INVALID	DATA CAT 2 RM	60483200
755 OUTPUT LINE NUMBER MUST BE NUMERIC	DATA CAT 2 RM	60483200
760 DUPLICATE OUTPUT CATEGORIES	DATA CAT 2 RM	60483200
765 DUPLICATE ITEM NAME..param	IMF SCHEMA DEF.	60484400
766 INTERNAL ERROR. SENTENCE HAS DUP ROLES IN GENSUB	IMF SCHEMA DEF.	60484400
775 EXPECTING CLOSING PARENTHESIS. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
800 DUPLICATE KEY ON INSERT	QUERY UPDT 3 RM	60498300
800 INSUFFICIENT FIELD LENGTH (MORESPC IN CONTROL)	SYMPL 1 RM	60496400
800 MAST1-CTL READ	DATA CAT 2 RM	60483200
800 MAST1-CTL REWRITE		
800 MAST1-CTL WRITE		
800 MAST1-DEL READ		
800 catalogue name		
800 MAST1-DEL REWRITE		
800 catalogue name		
800 MAST1 READ n	DATA CAT 2 RM	60483200
800 MAST1 WRITE catname	DAT CAT 2 DA RM	60483300
801 FROM FILE ALLOWED ONLY WITH USING CLAUSE	QUERY UPDT 3 RM	60498300
801 SCM FREE SPACE BLOCK INSUFFICIENT SIZE (TSPACE IN SRCH)	SYMPL 1 RM	60496400
802 FIND LOOP (FIND IN SRCH)	SYMPL 1 RM	60496400
802 UNKNOWN KEY ON DELETE	QUERY UPDT 3 RM	60498300
803 ARRAY PRESET EXCEEDS MAXIMUM SIZE (PSET IN ALOCTR)	SYMPL 1 RM	60496400
803 SUBSCHEMA a NOT IN FILE a	QUERY UPDT 3 RM	60498300
804 ARRAY ITEM PRESET LARGER THAN BUFFER (GETSP IN ALOCTR)	SYMPL 1 RM	60496400
804 ERROR o TRYING TO READ SUBSCHEMA a	QUERY UPDT 3 RM	60498300
805 COND REPL OUTSIDE OF RULE BODY, BAD GENESIS TABLES (ANZS)	SYMPL 1 RM	60496400
805 ERROR FROM KEY CONVERSION	QUERY UPDT 3 RM	60498300
805 MAST2 READ n	DATA CAT 2 RM	60483200
805 MAST2 WRITE catname	DAT CAT 2 DA RM	60483300
806 QU ERROR - ENTERED FILE ACCESS OVERLAY WITH NOTHING TO DO	QUERY UPDT 3 RM	60498300
806 SAVE CONTROL TABLE OVERFLOW (CSAVE IN CODE)	SYMPL 1 RM	60496400
807 FATAL ERROR - CANT SEARCH FILE AND HAVE -USING- PHRASE	QUERY UPDT 3 RM	60498300
807 WHATS DOING TABLE OVERFLOW (CSAVE IN CODE)	SYMPL 1 RM	60496400
808 BAD ENDSAVE REQ. NO SAVE REQ EXTANT (ENDSAVE IN CODE)	SYMPL 1 RM	60496400
808 CONVERSION ERROR FIELD D	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
809 RESTR/FORGET ON NON-EXTANT SAVE BUFFER (ZAP IN CODE)	SYMPL 1 RM	60496400
809 USING TABLE OVERFLOW - EXCESS DATA	QUERY UPDT 3 RM	60498300
810 LITERAL TOO LONG FOR STORE	QUERY UPDT 3 RM	60498300
810 MAST1 READ catname	DAT CAT 2 DA RM	60483300
810 RESTR/FORGET ON CURRENT SAVE BUFFER (ZAP IN CODE)	SYMPL 1 RM	60496400
811 OSAVE ON CURRENT SAVE BUFFER (OSAVE IN CODE)	SYMPL 1 RM	60496400
811 UNBALANCED SEPARATOR	QUERY UPDT 3 RM	60498300
812 OSAVE ON NON-EXTANT SAVE BUFFER (OSAVE IN CODE)	SYMPL 1 RM	60496400
812 REMAINING INPUT DISCARDED	QUERY UPDT 3 RM	60498300
813 FIELD d CANNOT BE ENCLOSED IN SEPARATORS	QUERY UPDT 3 RM	60498300
813 WHATS DOING TABLE OVERFLOW (OSAVE IN CODE)	SYMPL 1 RM	60496400
814 FIELD d MUST BE ENCLOSED IN SEPARATORS	QUERY UPDT 3 RM	60498300
814 IL FAT OVERFLOW (HATCHK)	SYMPL 1 RM	60496400
815 MAST2 READ catname	DAT CAT 2 DA RM	60483300
815 UPDATE/INSERT (W/O USING) SHOULD PRECEDE MOVE TO AREA-ITEM	QUERY UPDT 3 RM	60498300
815 > 100 PROGRAM SCOPES (SCPIN IN PF1SUB)	SYMPL 1 RM	60496400
816 NO PRAGMATIC FUNC (PF11)	SYMPL 1 RM	60496400
816 UNKNOWN KEY	QUERY UPDT 3 RM	60498300
817 BAD UNDEF ID (PF11)	SYMPL 1 RM	60496400
817 KEY LITERAL MISSING	QUERY UPDT 3 RM	60498300
818 BRACKET/PAREN NEST TOO DEEP (PF11)	SYMPL 1 RM	60496400
818 INPUT LESS THAN ITEM SIZE	QUERY UPDT 3 RM	60498300
819 ERROR o TRYING TO OPEN FILE a	QUERY UPDT 3 RM	60498300
819 NO PRAGMATIC FUNC (PF12)	SYMPL 1 RM	60496400
820 C-TYPE ITM ERR (PF12)	SYMPL 1 RM	60496400
820 IF -KEY- REQUESTED AREA ITEM MUST BE REFERENCED	QUERY UPDT 3 RM	60498300
821 COMPOUND STATEMENT COLLECTION ERR (PF12)	SYMPL 1 RM	60496400
821 OTHER USER UPDATING -a- OR NOT CLOSED SINCE LAST UPDATE	QUERY UPDT 3 RM	60498300
822 FILE -a- NOT CLOSED SINCE LAST UPDATE	QUERY UPDT 3 RM	60498300
822 NO PRAGMATIC FUNC (PF13)	SYMPL 1 RM	60496400
823 PARAM LIST TABLE OVERFLOW (PF13)	SYMPL 1 RM	60496400
824 SYNTAX ERROR (PF13)	SYMPL 1 RM	60496400
825 LOOP CONTROL TABLE OVERFLOW (PF14 IN PF13)	SYMPL 1 RM	60496400
826 FALL THROUGH (FILTR0) LINE nnnn	SYMPL 1 RM	60496400
827 STACK UNDERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
828 UNEXPECTED END-OF-FILE (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
829 ILLEGAL IL SEEN (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
830 EMPTY SOURCE FILE OR NO RECORDS QUALIFIED	QUERY UPDT 3 RM	60498300
830 STACK OVERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
831 TRIAD TABLE OVERFLOW (GETRO) LINE nnnn	SYMPL 1 RM	60496400
832 STACK NON-EMPTY AT BREAKPOINT (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
833 BAD SWITCH STATE INDEX (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
834 ZERO-DIVIDE ATTEMPT (EXPEEN) LINE nnnn	SYMPL 1 RM	60496400
835 NON-EXISTENT VALU DELETION ATTEMPT (DHASH) LINE nnnn	SYMPL 1 RM	60496400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
836 NON-EXISTENT VALU RETRIEVAL ATTEMPT (EXPGEN) LINE nnnn	SYMPL 1 RM	60496400
837 LOOP STACK OVERFLOW (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
838 LOOP STACK UNDERFLOW (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
839 ILLEGAL LEFT SIDE (REPRC) LINE nnnn	SYMPL 1 RM	60496400
840 VALB OF LOCALLY SAVD VALUE (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
841 STACK HISTORY OVERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
842 INFINITE OPERAND (CSIOP IN CONSAM) LINE nnnn	SYMPL 1 RM	60496400
843 INDEFINITE OPERAND (CSIOP IN CONSAM) LINE nnnn	SYMPL 1 RM	60496400
844 PARM STACK NON-EMPTY (JADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
845 PARM STACK OVERFLOW (SADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
846 PARM STACK UNDERFLOW (FADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
847 PARM LIST OVERFLOW (ADCON) LINE nnnn	SYMPL 1 RM	60496400
848 ILLEGAL FUNI BYTE (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
849 UNEXPECTED END-OF-FILE, NO PTPM (GJCFB IN CODE T1) LINE nnnn	SYMPL 1 RM	60496400
850 CANT FIND TEMP (PTEMP IN CODGJ1) LINE nnnn	SYMPL 1 RM	60496400
850 INDEX FILE SEQUENCE ERROR	DATA CAT 2 RM	60483200
850 MAST2-CTL READ	DATA CAT 2 RM	60483200
850 MAST2-CTL WRITE		
850 MAST2-CTL ADD PTR		
850 MAST2-CTL DEL PTR		
850 MAST2-DEL DELETE		
850 catalogue name		
850 MAST2-DEL DEL-PTR		
850 catalogue name		
850 USE/INVOKE/CREATE DIRECTIVE CANNOT BE PROCESSED	QUERY UPDT 3 RM	60498300
851 ENTRY POINT a NOT FOUND	QUERY UPDT 3 RM	60498300
851 ICFT OVERFLOW (ICOVRFL IN CODGJ1) LINE nnnn	SYMPL 1 RM	60496400
852 INDEX FILE NOT SPECIFIED	QUERY UPDT 3 RM	60498300
852 UNEXPECTED TYPE (PSTOU IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400
853 BADLY FORMED ICF (POS IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400
854 UNEXPECTED OPERAND FOR STORE (PSTOS IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400
855 ILLEGAL OP CODE (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
855 WAITING d SECONDS	QUERY UPDT 3 RM	60498300
856 ILLEGAL SEQ. TERMINATING OP CODE (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
857 BADLY FORMED ICF (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
858 BAD BPSB OPERATOR OPERAND (CODGX1) LINE nnnn	SYMPL 1 RM	60496400
859 ILLEGAL BPSB OPERATOR OPERAND (CODGX1) LINE nnnn	SYMPL 1 RM	60496400
860 CANT INSERT LOAD (ISLOO IN CODGXIS) LINE nnnn	SYMPL 1 RM	60496400
860 NO INDEX FILE DATA	DATA CAT 2 RM	60483200
861 CIRCULAR ENTRY IN READY SET (RPC40 IN CODGXSS) LINE nnnn	SYMPL 1 RM	60496400
861 INCORRECT SUBSCHEMA NAME	QUERY UPDT 3 RM	60498300
862 INVALID ICFT INDEX (RPCOO IN CODGXSS) LINE nnnn	SYMPL 1 RM	60496400
862 -a- NOT FOUND IN THIS SUBSCHEMA	QUERY UPDT 3 RM	60498300
863 CURRENT SUBSCHEMA CONTAINS INCONSISTENT DATA	QUERY UPDT 3 RM	60498300
863 TOO MANY COMMON BLOCKS (EDITOR)	SYMPL 1 RM	60496400
864 VALB OF LOCALLY SAVED VALU (EXPGEN) LINE nnnn	SYMPL 1 RM	60496400
865 UNINTERPRETABLE SOURCE, EXPRESSION TOO LONG (SPRECG)	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
866 MODULE MUST BEGIN WITH PROC/FUNC/PRGM (ANZS)	SYMPL 1 RM	60496400
867 BEADFUNC WITH LENGTH = 0 ILL (PHASBS)	SYMPL 1 RM	60496400
868 BAD CLASS IN TEXT (USETEXT)	SYMPL 1 RM	60496400
869 MORE THAN 16 TEXTS ON USETEXT (INIT15)	SYMPL 1 RM	60496400
869 USE/INVOKE/CREATE DIRECTIVE REJECTED	QUERY UPDT 3 RM	60498300
870 NO REQUEST FILE DATA	DATA CAT 2 RM	60483200
870 Y FILE NOT ON RANDOM DEVICE (INIT15)	SYMPL 1 RM	60496400
871 MORE THAN 32 SYMPL TEXTS ON Y FILES (INIT15)	SYMPL 1 RM	60496400
872 NO READ PERMISSION FOR AREA FILE, USE REJECTED	QUERY UPDT 3 RM	60498300
872 SYMPL TEXT NOT FOUND (INIT15)	SYMPL 1 RM	60496400
873 INSUFFICIENT SCM FL (INIT15)	SYMPL 1 RM	60496400
873 NO MODIFY PERMISSION FOR AREA	QUERY UPDT 3 RM	60498300
874 INSUFFICIENT LCM FL (INIT15)	SYMPL 1 RM	60496400
874 NO MODIFY/EXTEND PERMISSION WAS GRANTED FOR THIS AREA	QUERY UPDT 3 RM	60498300
875 FILE a CONTAINS NO DATA AND CANNOT BE OPENED	QUERY UPDT 3 RM	60498300
880 EXTRACT FILE SEQUENCE ERROR	DATA CAT 2 RM	60483200
890 NO EXTRACT FILE DATA	DATA CAT 2 RM	60483200
900 INTERNAL ERROR. OBTAIN FAILED IN RECINTR	IMF SCHEMA DEF.	60484400
900 NAME TRANSACTION MUST BE SPECIFIED	DAT CAT 2 DA RM	60483300
900 REPORT TOO LARGE TO COMPILE	QUERY UPDT 3 RM	60498300
900 \$UPDATE TRANSACTION MISSING	DATA CAT 2 RM	60483200
901 JOB FL OR QU INTERNAL STORAGE EXCEEDED	QUERY UPDT 3 RM	60498300
901 THE INTERNAL SCHEMA HAS NOT BEEN STORED	IMF SCHEMA DEF.	60484400
902 INVALID STRUCTURE NAME..param	IMF SCHEMA DEF.	60484400
902 P.F.M. ERROR o ON FILE a	QUERY UPDT 3 RM	60498300
903 I/O ERROR o FILE a	QUERY UPDT 3 RM	60498300
903 KEYWORD -UPPER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
904 CRM/CDCS ERROR o FILE/RELATION a FUNCTION a	QUERY UPDT 3 RM	60498300
905 ADDRESS TRANSACTION MUST BE SPECIFIED	DAT CAT 2 DA RM	60483300
905 CONCEPTUAL SCHEMA NOT INITIALIZED	IMF SCHEMA DEF.	60484400
905 INTERNAL ERROR DETECTED BY a	QUERY UPDT 3 RM	60498300
906 FUNCTION PARAMETER FOR JULIAN IN ERROR	QUERY UPDT 3 RM	60498300
906 INTERNAL ERROR. CIO ERROR IN IXGENRE	IMF SCHEMA DEF.	60484400
907 NUMBER OF EVALUATED ITEMS EXCEEDS LIMIT	QUERY UPDT 3 RM	60498300
907 PERMANENT FILE ERROR - SEE DAYFILE	IMF SCHEMA DEF.	60484400
908 CDCS ERROR o FILE a FUNCTION a ITEM d	QUERY UPDT 3 RM	60498300
908 DUPLICATE STRUCTURE NAME..param	IMF SCHEMA DEF.	60484400
909 INTERNAL ERROR. CLOSE/RETURN FILES FAILED INITSUB	IMF SCHEMA DEF.	60484400
910 OPTION TRANSACTION MISSING	DATA CAT 2 RM	60483200
910 STRUCTURE ALREADY CONTAINS FOLLOWING ROLE NAME..param	IMF SCHEMA DEF.	60484400
913 INVALID DATA ENCOUNTERED DURING CONVERSION	QUERY UPDT 3 RM	60498300
914 USER CATALOG UNUSABLE	QUERY UPDT 3 RM	60498300
915 HMB MUST BE NUMERIC	DAT CAT 2 DA RM	60483300
915 INTERNAL ERROR. OBTAIN SENTENCE STRUCTURE INITSUB	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
915 REVISION NUMBER MUST BE 5 DIGITS	DATA CAT 2 RM	60483200
916 LIST MISSING FOR COSET	IMF SCHEMA DEF.	60484400
917 DATA BASE PROCEDURE RETURN CODE OUT OF RANGE	QUERY UPDT 3 RM	60498300
917 NO PHYSICAL LIST FOR STRUCTURE	IMF SCHEMA DEF.	60484400
918 CURRENT DIRECTIVE TERMINATED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
918 LIST MISSING FOR CONSTRAINT	IMF SCHEMA DEF.	60484400
919 AREA CLOSED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
919 INTERNAL ERROR. OBTAIN STRUCTURE IN IXGENRE	IMF SCHEMA DEF.	60484400
920 INTERNAL ERROR. OBTAIN ROLE FAILED IN INITSUB	IMF SCHEMA DEF.	60484400
920 RECORD IGNORED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
920 REVISION NUMBER NOT NUMERIC	DATA CAT 2 RM	60483200
923 INTERNAL ERROR. OBTAIN COS/ACC PATH STRUC INITSUB	IMF SCHEMA DEF.	60484400
924 SESSION TERMINATED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
924 STRUCTURE KEY MUST CONTAIN AN IDENTIFIER	IMF SCHEMA DEF.	60484400
925 INCORRECT REVISION NUMBER	DATA CAT 2 RM	60483200
925 INTERNAL ERROR. OBTAIN ROLE FAILED IN SDLRTN	IMF SCHEMA DEF.	60484400
930 EDIT-ONLY VALUE MUST BE YES OR NO	DATA CAT 2 RM	60483200
930 INTERNAL ERROR. NO RMT ENTRY FOR STRUCTURE IXGENRE	IMF SCHEMA DEF.	60484400
931 INTERNAL ERROR. BAM ERROR IN RECONDEC	IMF 1 AP RM	60484500
933 SINGLE ITEM CANNOT BE SUBSCRIPTED	QUERY UPDT 3 RM	60498300
934 -NEXT- IS FOR DEPEND ON ITEM ONLY	QUERY UPDT 3 RM	60498300
935 -LAST- IS FOR DEPEND ON ITEM ONLY	QUERY UPDT 3 RM	60498300
935 UNKNOWN OPTION KEYWORD	DATA CAT 2 RM	60483200
936 -ANY- IS FOR CONDITION ONLY	QUERY UPDT 3 RM	60498300
937 ONE FIGURATIVE SUBSCRIPT PER CONDITION	QUERY UPDT 3 RM	60498300
938 -NEXT- IS NOT FOR CONDITION OR EXPRESSION	QUERY UPDT 3 RM	60498300
940 IMPACT-RPT VALUE MUST BE YES OR NO	DATA CAT 2 RM	60483200
940 NO FIGURATIVE SUBSCRIPT AFTER -ANY- OR -ALL-	QUERY UPDT 3 RM	60498300
941 SUBSCRIPT OUT OF BOUNDS	QUERY UPDT 3 RM	60498300
942 -NEXT- EXITS UPPER BOUND	QUERY UPDT 3 RM	60498300
943 -NEXT- IS ONLY FOR DESTINATION ITEM	QUERY UPDT 3 RM	60498300
944 INVALID USE OF FIGURATIVE SUBSCRIPT	QUERY UPDT 3 RM	60498300
945 DIVISION BY 0 ILLEGAL	QUERY UPDT 3 RM	60498300
946 SYSTEM ABORT - MEMORY REQUEST ERROR	QUERY UPDT 3 RM	60498300
947 INSUFFICIENT FL - TRANSMISSION IGNORED	QUERY UPDT 3 RM	60498300
948 ILLEGAL ARGUMENT FOR EXPONENTIATION	QUERY UPDT 3 RM	60498300
949 a CAUSED ERROR AFTER LINE d PAGE d	QUERY UPDT 3 RM	60498300
950 MAST3-READ-CLIENT RECORD	DATA CAT 2 RM	60483200
950 MAST3-UNABLE TO LOCATE CUST RECORD	DAT CAT 2 DA RM	60483300
950 -c- PARAMETERS MUST BE OF CONSISTENT DATA LENGTH	QUERY UPDT 3 RM	60498300
951 DUPLICATE TABULAR POSITIONS ARE IGNORED	QUERY UPDT 3 RM	60498300
955 MAST3-READ-PW RECORD	DATA CAT 2 RM	60483200
960 MAST3 READ CATG RECORD	DATA CAT 2 RM	60483200
960 MAST3-READ-ENTRY RECORD	DATA CAT 2 RM	60483200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
960 MAST3-UNABLE TO LOCATE ENTRY RECORD	DAT CAT 2 DA RM	60483300
965 MAST3-READ-CATG RECORD	DATA CAT 2 RM	60483200
965 MAST3 READ FLD RECORD	DATA CAT 2 RM	60483200
965 MAST3-UNABLE TO LOCATE CATG RECORD	DAT CAT 2 DA RM	60483300
970 MAST3-READ-CLIENT FIELD RECORD	DATA CAT 2 RM	60483200
970 MAST3 READ ENT RECORD	DATA CAT 2 RM	60483200
970 MAST3 READ HIT RECORD	DATA CAT 2 RM	60483200
970 MAST3-UNABLE TO LOCATE FIELD RECORD	DAT CAT 2 DA RM	60483300
975 MAST3 READ ENT RECORD	DATA CAT 2 RM	60483200
975 MAST3-WRITE-CLIENT RECORD	DATA CAT 2 RM	60483200
990 INTERNAL ERROR. BAM ERROR IN SDLRTN	IMF SCHEMA DEF.	60484400
991 INTERNAL ERROR. SCHEMA INITIALIZATION IN GENSUB	IMF SCHEMA DEF.	60484400
991 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
992 DATA CONTROL ENTRY FOR AREA aaaaaaa MISSING	CDCS 2 DA RM	60485200
992 EXTERNAL SCHEMA IS NOW INITIALIZED	IMF SCHEMA DEF.	60484400
993 RECORD CODE VALUE IS NOT EQUAL TO CHECK VALUE LITERAL OF CORRESPONDING ITEM FOR REC rrrrrrrrr, IN AREA aaaaaaa	CDCS 2 DA RM	60485200
993 SCHEMA IS NOW INITIALIZED	IMF SCHEMA DEF.	60484400
994 INTERNAL ERROR. OPEN FILE OR BAM ERROR IN IXGENRE	IMF SCHEMA DEF.	60484400
994 REC rrrrrrrrr IN AREA aaaaaaa DOES NOT CONTAIN ITEM CORRESPONDING TO DATANAME IN LOCATION, SIZE, AND CLASS	CDCS 2 DA RM	60485200
995 CONTROL CARD ERROR	IMF SCHEMA DEF. IMF 1 AP RM	60484400 60484500
995 INITIATION INCOMPLETE	DAT CAT 2 DA RM	60483300
995 LITERALS SPECIFIED ON LINE nnnnnn ARE NOT IN ASCENDING ORDER	CDCS 2 DA RM	60485200
996 VARIABLE DIMENSION GROUP OR GROUP CONTROL ITEM INCONSISTENT ACROSS RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
997 FILE CARD VALUES FOR HL, TL, CP, CL, MNR, OR MRL OVER-WRITTEN BY SCHEMA VALUES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
998 VARIABLE DIMENSION GROUP WITH RECORD TYPE NOT T, AREA aaaaaaa	CDCS 2 DA RM	60485200
1000 USER FIT DUMP nnnnn	CRM/BAM 1 RM	60495700
1001 THIS CHARACTER MAY NOT FOLLOW THE PRECEDING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1002 STRING LENGTH ERROR or no message	PL/I RM	60388100
1002 THIS CHARACTER MAY ONLY BE USED IN A NON-NUMERIC LITERAL, IN A COMMENT-ENTRY OR ON A COMMENT 1002 LINE. A SPACE IS ASSUMED	COBOL 5 DH	60482500
1003 THIS IS NOT A VALID FORMAT PARAMETER FOR THE COPY STATEMENT. THE COPY STATEMENT 1003 IS IGNORED	COBOL 5 DH	60482500
1004 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS. ONLY THE LEFT 255 CHARACTERS ARE USED	COBOL 5 DH	60482500
1005 THIS CHARACTER MAY NOT BE USED IN COLUMN 7. A SPACE IS ASSUMED	COBOL 5 DH	60482500
1006 THE FIRST NON BLANK CHARACTER FOLLOWING A CONTINUATION INDICATOR IS IN THE A AREA. IT IS 1006 ACCEPTED ANYWAY	COBOL 5 DH	60482500
1007 THE FIRST NON SPACE CHARACTER IN A CONTINUED PORTION OF A NON NUMERIC LITERAL IS NOT A 1007 QUOTE. A PRECEDING QUOTE IS ASSUMED	COBOL 5 DH	60482500
1008 QUALIFICATION OF AN IDENTIFIER IN A COPY STATEMENT HAS A SYNTAX ERROR. THE COPY 1008 STATEMENT IS IGNORED	COBOL 5 DH	60482500
1009 THIS SIGNED INTEGER LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1010 THIS SIGNED NUMERIC LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1011 THIS NON-NUMERIC LITERAL HAS NO TERMINAL QUOTE. A QUOTE FOLLOWING COLUMN 72 IS ASSUMED	COBOL 5 DH	60482500
1012 THIS USE OF THE CURRENCY SIGN IS NOT ALLOWED. THIS CURRENCY SIGN IS IGNORED	COBOL 5 DH	60482500

MESSAGEMANUALPUB. NO.

1013 THIS USE OF FILLER IS NOT ALLOWED	COBOL 5 DH	60482500
1014 A DATA-NAME IS REQUIRED FOLLOWING A LEVEL INDICATOR	COBOL 5 DH	60482500
1015 THE LITERAL IN A CURRENCY SIGN CLAUSE MUST NOT CONTAIN MORE THAN ONE CHARACTER	COBOL 5 DH	60482500
1016 THIS CHARACTER MAY NOT FOLLOW THE PRECEDING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1017 THIS SEGMENT LIMIT IS NOT IN THE RANGE 1 THRU 49. IT IS IGNORED	COBOL 5 DH	60482500
1018 THIS CHARACTER MAY NOT BE USED AS A CURRENCY SIGN. IT IS IGNORED	COBOL 5 DH	60482500
1019 A SEGMENT LIMIT MAY NOT CONTAIN A SIGN. THE SIGN IS IGNORED	COBOL 5 DH	60482500
1020 A QUALIFIER IS REQUIRED FOLLOWING A CONNECTIVE. THE PRECEDING CONNECTIVE IS IGNORED	COBOL 5 DH	60482500
1021 THIS NAME CAN NOT BE REFERENCED UNIQUELY	COBOL 5 DH	60482500
1022 THIS ENTRY IS SUBORDINATE TO AN ENTRY WITH THE SAME NAME	COBOL 5 DH	60482500
1023 THIS SIGNED FLOATING POINT LITERAL IS MUCH TOO LONG. A VALUE OF 1.0E0 IS ASSUMED	COBOL 5 DH	60482500
1024 THIS UNSIGNED NUMERIC LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1025 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500
1026 THIS ELEMENT MAY NOT BEGIN IN THE A AREA	COBOL 5 DH	60482500
1027 A PERIOD IS REQUIRED AFTER THE PRECEDING ELEMENT	COBOL 5 DH	60482500
1028 THIS UNSIGNED FLOATING POINT LITERAL IS MUCH TOO LONG. A VALUE OF 1.0E0 IS ASSUMED	COBOL 5 DH	60482500
1029 THIS PARAGRAPH OR DIVISION HEADER OCCURS MORE THAN ONCE	COBOL 5 DH	60482500
1030 THIS IDENTIFICATION DIVISION PARAGRAPH OR HEADER OCCURS OUT OF ORDER	COBOL 5 DH	60482500
1031 THE PROGRAM NAME IS MISSING OR DOES NOT FOLLOW THE RULES FOR A USER-DEFINED WORD. 1031 -NO-NAME- IS USED AS THE PROGRAM NAME	COBOL 5 DH	60482500
1031 WIDTH MUST BE SPECIFIED IN AN A OR B FORMAT ITEM USED FOR INPUT	PL/I RM	60388100
1032 THE PROGRAM-ID PARAGRAPH IS MISSING. -NO-NAME- IS USED AS THE PROGRAM NAME	COBOL 5 DH	60482500
1033 THIS USER-DEFINED NAME HAS MORE THAN 30 CHARACTERS. ONLY THE LEFT 30 CHARACTERS ARE USED	COBOL 5 DH	60482500
1034 A SEGMENT NUMBER MUST BE UNSIGNED. THE SIGN IS IGNORED	COBOL 5 DH	60482500
1035 THIS SEGMENT NUMBER IS TOO LARGE. ZERO IS ASSUMED	COBOL 5 DH	60482500
1036 THIS SECTION NAME IS NOT UNIQUE	COBOL 5 DH	60482500
1037 THIS PARAGRAPH NAME IS NOT UNIQUE IN THIS SECTION	COBOL 5 DH	60482500
1038 THIS PROCEDURE NAME DUPLICATES A DATA NAME	COBOL 5 DH	60482500
1039 A HYPHEN CANNOT IMMEDIATELY FOLLOW A NAME. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1040 THIS CHARACTER MAY NOT PRECEDE THE FOLLOWING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1041 THIS PICTURE CHARACTER-STRING HAS MORE THAN 30 CHARACTERS. ONLY THE LEFT 30 CHARACTERS 1041 ARE USED	COBOL 5 DH	60482500
1042 THIS UNSIGNED INTEGER LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1043 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS AND IS ALSO TERMINATED BY 1043 END-OF-PROGRAM. ONLY THE LEFT 255 CHARACTERS ARE USED	COBOL 5 DH	60482500
1044 CONTINUATION LINES MUST NOT APPEAR AFTER A BLANK LINE. THE CONTINUATION CHARACTER IS 1044 ASSUMED A BLANK	COBOL 5 DH	60482500
1045 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS AND ALSO EITHER NEEDS A HYPHEN IN 1045 COLUMN 7 FOR CONTINUATION OR NEEDS A TERMINATING DELIMITER. ONLY THE LEFT 255 CHARACTERS 1045 ARE USED	COBOL 5 DH	60482500
1046 A FLOATING POINT LITERAL IS NON-STANDARD	COBOL 5 DH	60482500
1047 THIS ELEMENT OCCURS OUT OF CONTEXT AND IS IGNORED	COBOL 5 DH	60482500
1048 THIS IDENTIFIER IS QUALIFIED TOO MANY TIMES	COBOL 5 DH	60482500
1049 THE DATA-NAME APPEARING IN A REDEFINES CLAUSE CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1050 A NON-NUMERIC LITERAL OF LENGTH ZERO IS NOT ALLOWED. A NON-NUMERIC LITERAL OF 1 BLANK 1050 IS SUBSTITUTED	COBOL 5 DH	60482500
1051 THE EXPONENT IS MISSING. AN EXPONENT OF ZERO IS SUBSTITUTED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1052 A LINE FOLLOWING THIS LINE HAS NON-DIGITS OR ALL ZERO DIGITS IN COLUMNS 1 TO 6. THIS LINE-S 1052 PROGRAM SEQUENCE NUMBER IS ASSUMED	COBOL 5 DH	60482500
1053 THIS DATA NAME DUPLICATES A PROCEDURE NAME	COBOL 5 DH	60482500
1054 THE RESERVED WORD -DIVISION- IS REQUIRED TO COMPLETE THE IDENTIFICATION DIVISION HEADER	COBOL 5 DH	60482500
1055 THE IDENTIFICATION DIVISION IS MISSING. -NO-NAME- IS USED AS THE PROGRAM NAME	COBOL 5 DH	60482500
1056 THE IDENTIFICATION DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
1057 ONLY THE FIRST 7 CHARACTERS OF THE PROGRAM NAME ARE USED TO INTERACT WITH THE SYSTEM	COBOL 5 DH	60482500
1058 FOR A PROGRAM-NAME TO BE ACCEPTABLE AS A SYSTEM ENTRY POINT NAME, EACH CHARACTER MUST 1058 BE ALPHABETIC (EXCEPT SPACE), NUMERIC, OR A HYPHEN. A HYPHEN IS SUBSTITUTED FOR EACH 1058 INVALID CHARACTER	COBOL 5 DH	60482500
1059 THE QUALIFIER FOR LINE-COUNTER MUST BE A REPORT-NAME	COBOL 5 DH	60482500
1060 THE QUALIFIER FOR PAGE-COUNTER MUST BE A REPORT-NAME	COBOL 5 DH	60482500
1061 THE QUALIFIER FOR LINAGE-COUNTER MUST BE A FILE-NAME	COBOL 5 DH	60482500
1062 THE QUALIFIER FOR DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, ETC, MUST BE DEBUG-ITEM	COBOL 5 DH	60482500
1063 LINE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1064 PAGE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1065 LINAGE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1066 DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, ETC, CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1067 DEBUG-ITEM CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1068 HASHED-VALUE CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1069 LINAGE-COUNTER MUST BE QUALIFIED BY A FILE-NAME WHEN THERE IS MORE THAN ONE LINAGE 1069 CLAUSE IN THE PROGRAM	COBOL 5 DH	60482500
1070 LINE-COUNTER MUST BE QUALIFIED BY A REPORT-NAME WHEN THERE IS MORE THAN ONE REPORT IN 1070 THE PROGRAM	COBOL 5 DH	60482500
1071 PAGE-COUNTER MUST BE QUALIFIED BY A REPORT-NAME WHEN THERE IS MORE THAN ONE REPORT IN 1071 THE PROGRAM	COBOL 5 DH	60482500
1072 LINE-COUNTER IS UNDEFINED BECAUSE THERE ARE NO REPORTS IN THE PROGRAM	COBOL 5 DH	60482500
1073 PAGE-COUNTER IS UNDEFINED BECAUSE THERE ARE NO REPORTS IN THE PROGRAM	COBOL 5 DH	60482500
1074 LINAGE-COUNTER IS UNDEFINED BECAUSE NO FILE DESCRIPTION ENTRY IN THE PROGRAM CONTAINS 1074 A LINAGE-CLAUSE	COBOL 5 DH	60482500
1075 THE UNSIGNED VALUE OF THIS FLOATING POINT LITERAL IS LARGER THAN 0.12650140831706E+323. A VALUE 1075 OF 0.0E+0 IS ASSUMED	COBOL 5 DH	60482500
1076 THE UNSIGNED VALUE OF THIS FLOATING POINT LITERAL IS SMALLER THAN 0.31315130625140E-293. 1076 A VALUE OF 0.0E+0 IS ASSUMED	COBOL 5 DH	60482500
1077 NON-NUMERIC CHARACTER IN SEQUENCE NUMBER	COBOL 5 DH	60482500
1078 THE -BY- IN A COPY STATEMENT WAS EXPECTED HERE. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1079 THE TEXT-NAME IS MISSING FROM THIS COPY STATEMENT. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1080 THIS TEXT-NAME IS LONGER THAN 9 CHARACTERS. ONLY THE LEFT 9 CHARACTERS ARE USED	COBOL 5 DH	60482500
1081 THIS LIBRARY-NAME IS NOT A LEGAL FILE NAME. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1082 THIS LIBRARY IS NOT A RANDOM -UPDATE- LIBRARY. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1083 THIS TEXT-NAME IS NOT ON THE INDICATED LIBRARY. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1084 THIS SHOULD HAVE BEEN A PERIOD TO PROPERLY TERMINATE THE COPY STATEMENT. THE COPY 1084 STATEMENT IS IGNORED	COBOL 5 DH	60482500
1085 THE IGNORED COPY STATEMENT ENDS HERE	COBOL 5 DH	60482500
1086 THE SOURCE PROGRAM ENDED BEFORE THE TERMINATING PERIOD FOR THE COPY STATEMENT	COBOL 5 DH	60482500
1087 THE PSEUDO-TEXT STARTED BY THIS == IS TERMINATED BY END-OF-PROGRAM. THE COPY STATEMENT IS 1087 IGNORED	COBOL 5 DH	60482500
1088 THIS IS NOT A VALID ACTUAL PARAMETER FOR THE COPY STATEMENT. THE COPY STATEMENT IS 1088 IGNORED	COBOL 5 DH	60482500
1089 A LINE AT THE BEGINNING OF THE PROGRAM HAS NON-DIGITS OR ALL ZERO DIGITS IN COLUMNS 1 TO 6. THIS 1089 LINE-S PROGRAM SEQUENCE NUMBER IS GENERATED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1090 A LINE FOLLOWING THIS LINE HAS A PROGRAM SEQUENCE NUMBER IN COLUMNS 1 TO 6 THAT IS LARGER THAN 65535. THIS LINE-S NUMBER IS ASSUMED	COBOL 5 DH	60482500
1091 A LINE AT THE BEGINNING OF THE PROGRAM HAS A PROGRAM SEQUENCE NUMBER IN COLUMNS 1 TO 6 THAT IS LARGER THAN 65535. THIS LINE-S PROGRAM SEQUENCE NUMBER IS ASSUMED	COBOL 5 DH	60482500
1092 THIS PSEUDO-TEXT DELIMITER IS ILLEGAL HERE. IT IS IGNORED	COBOL 5 DH	60482500
1094 THE FDL PARAMETER WAS SPECIFIED BUT THE FDL FILE IS EMPTY OR DOES NOT EXIST	COBOL 5 DH	60482500
1095 THIS DATA-NAME CANNOT BE THE SAME AS ANOTHER WHICH HAS THE SAME LEVEL NUMBER AND IS IN THE SAME HIERARCHY	COBOL 5 DH	60482500
1099 NO IDENTIFICATION DIVISION ENTRIES COULD BE FOUND BEFORE THE END OF THE RECORD. 1099 COMPILATION ABANDONED	COBOL 5 DH	60482500
1100 ILLEGAL ATTEMPTED NORMAL RETURN FROM ON-UNIT	PL/I RM	60388100
1100 THIS REPLACE STATEMENT IMMEDIATELY FOLLOWS A REPLACE STATEMENT WITH NO PSEUDO-TEXTS OR TERMINATING PERIOD. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1102 ERROR (NORMAL TERMINATION OF ERROR ON-UNIT)	PL/I RM	60388100
1103 RESERVED WORD REPLACE ENCOUNTERED WHILE PROCESSING PSEUDO-TEXT-1 OF A REPLACE STATEMENT. 1103 REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1106 SEPARATOR WORD -BY- MISSING IN THIS REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1109 TEXT PRODUCED AS A RESULT OF A REPLACE STATEMENT MUST NOT CONTAIN A REPLACE STATEMENT. 1109 REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1112 REPLACE STATEMENT MUST BE PRECEDED BY A PERIOD. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1115 COPY STATEMENT NOT ALLOWED IN PSEUDO-TEXT OF A REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1118 REPLACE STATEMENT MISSING PSEUDO-TEXTS	COBOL 5 DH	60482500
1121 END OF SOURCE ENCOUNTERED IN MIDDLE OF REPLACE STATEMENT	COBOL 5 DH	60482500
1124 PSEUDO-TEXT OR TERMINATOR PERIOD MISSING FROM REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1130 PSEUDO-TEXT FOLLOWING SEPARATOR WORD -BY- MISSING FROM REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1133 END OF SOURCE ENCOUNTERED WHILE PROCESSING PSEUDO-TEXT-2 OF THIS REPLACE STATEMENT	COBOL 5 DH	60482500
1136 END OF SOURCE ENCOUNTERED WHILE SKIPPING TO THE TERMINATING PERIOD OF THIS REPLACE STATEMENT	COBOL 5 DH	60482500
1137 THE FOLLOWING BLOCK CONTAINS A PARITY ERROR mnnn	CRM/BAM 1 RM	60495700
1200 THE SUB-SCHEMA RECORD LIST CANNOT BE READ	COBOL 5 DH	60482500
1201 ERROR, E.G. I/O, IN ACCESSING A SUB-SCHEMA RECORD ENTRY	COBOL 5 DH	60482500
1202 A SUB-SCHEMA ITEM CANNOT BE READ	COBOL 5 DH	60482500
1203 THE SUB-SCHEMA LIBRARY CANNOT BE OPENED. THIS MAY BE DUE TO AN INVALID SUB-SCHEMA NAME	COBOL 5 DH	60482500
1204 THE OMIT LIST FOR THIS AREA CANNOT BE READ	COBOL 5 DH	60482500
1205 A SUB-SCHEMA AREA IS -SELECT-ED MORE THAN ONCE	COBOL 5 DH	60482500
1206 SUB-SCHEMA AREA TABLE OVERFLOW. AREA/RELATION IS IGNORED	COBOL 5 DH	60482500
1207 ERROR, E.G. I/O, IN READING SUB-SCHEMA AREALIST	COBOL 5 DH	60482500
1208 ERROR, E.G. I/O, IN ACCESSING A SUB-SCHEMA AREA ENTRY	COBOL 5 DH	60482500
1209 THIS DUPLICATE -SUB-SCHEMA IS- CLAUSE IS IGNORED	COBOL 5 DH	60482500
1210 SUB-SCHEMA ERROR, NO -VALUE- LITERAL WITH 88 LEVEL ITEM	COBOL 5 DH	60482500
1211 AN AREA SPECIFIED IN THE FDL FILE IS NOT IN THE SUB-SCHEMA	COBOL 5 DH	60482500
1212 A RELATION SPECIFIED IN THE FDL FILE IS NOT IN THE SUB-SCHEMA	COBOL 5 DH	60482500
1213 AN AREA SPECIFIED IN THE FDL FILE HAS NOT BEEN -SELECT-ED	COBOL 5 DH	60482500
1214 A -SUB-SCHEMA IS- CLAUSE IS USED BUT NO -D- PARAMETER APPEARS ON THE COBOL CONTROL CARD	COBOL 5 DH	60482500
1215 SINCE THIS SUBPROGRAM SPECIFIES A SUB-SCHEMA, THE MAIN PROGRAM COMPILATION REQUIRES AN FDL FILE WHICH SPECIFIES ALL SUB-SCHEMA-DEFINED FILES AND RELATIONS REFERENCED IN THIS SUBPROGRAM	COBOL 5 DH	60482500
1216 THE VERSION OF DDL UNDER WHICH THE SUB-SCHEMA WAS COMPILED IS INCOMPATIBLE WITH THE VERSION OF CDCS UNDER WHICH THIS PROGRAM IS TO EXECUTE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1249 OMISSION OF A DATA-NAME OR FILLER FOLLOWING A LEVEL NUMBER IN A DATA DESCRIPTION ENTRY IS 1249 NON-STANDARD COBOL	COBOL 5 DH	60482500
1301 THIS STRING CONTAINS TOO MANY CHARACTERS. IT IS TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
1302 THIS CHARACTER MAY NOT BE USED IN COL 7. A SPACE IS SUBSTITUTED	COBOL 5 DH	60482500
1303 THE FIRST NON-BLANK CHARACTER AFTER A CONTINUATION INDICATOR IS IN THE A-AREA. IT IS 1303 ACCEPTED ANYWAY	COBOL 5 DH	60482500
1304 THE FIRST NON-SPACE CHARACTER IN A CONTINUED PORTION OF A NON-NUMERIC LITERAL IS NOT A 1304 QUOTE. A PRECEDING QUOTE IS ASSUMED	COBOL 5 DH	60482500
1305 THIS NON-NUMERIC LITERAL CONTAINS TOO MANY CHARACTERS. IT IS TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
1306 THIS NON-NUMERIC LITERAL HAS NO TERMINAL QUOTE. A QUOTE IN COL 73 IS ASSUMED	COBOL 5 DH	60482500
1307 CONTINUATION LINES MUST NOT APPEAR AFTER A BLANK LINE. THE CONTINUATION CHARACTER IS 1307 ASSUMED BLANK	COBOL 5 DH	60482500
1308 THIS COPY STATEMENT IS IN ERROR	COBOL 5 DH	60482500
1309 THIS TEXT NAME IS IN ERROR	COBOL 5 DH	60482500
1310 THIS LIBRARY NAME IS IN ERROR	COBOL 5 DH	60482500
1311 THIS LIBRARY IS UNDEFINED	COBOL 5 DH	60482500
1312 THIS TEXT IS UNDEFINED	COBOL 5 DH	60482500
1320 COMPILER ERROR - ZERO LENGTH ASSIGNED WORD	COBOL 5 DH	60482500
1321 COMPILER ERROR - INVALID PROCEDURE REFERENCE	COBOL 5 DH	60482500
1322 COMPILER ERROR - INVALID DATA REFERENCE	COBOL 5 DH	60482500
1401 FIPS=3 SUPPORTS DATA NAMES BEGINNING WITH A NUMERIC DIGIT	COBOL 5 DH	60482500
1402 FIPS=3 SUPPORTS QUALIFICATION	COBOL 5 DH	60482500
1403 FIPS=3 SUPPORTS ZEROS, ZEROES, SPACES, QUOTES, HIGH-VALUES, AND LOW-VALUES	COBOL 5 DH	60482500
1404 FIPS=3 SUPPORTS THE DATE-COMPILED PARAGRAPH	COBOL 5 DH	60482500
1405 FIPS=3 SUPPORTS LEVEL NUMBERS 11 THRU 49	COBOL 5 DH	60482500
1406 DEBUG-NUMERIC-CONTENTS IS NON-STANDARD COBOL	COBOL 5 DH	60482500
1600 FIPS=3 SUPPORTS THE CONTINUATION OF COBOL WORDS AND NUMERIC LITERALS	COBOL 5 DH	60482500
1601 FIPS=2 SUPPORTS THE COPY STATEMENT	COBOL 5 DH	60482500
1602 FIPS=4 SUPPORTS COPY TEXT-NAME OF/IN LIBRARY-NAME	COBOL 5 DH	60482500
1603 FIPS=4 SUPPORTS COPY REPLACING	COBOL 5 DH	60482500
1604 FIPS=2 SUPPORTS DEBUGGING LINES	COBOL 5 DH	60482500
2001 A REPETITION COUNT MUST NOT EXCEED 131071	COBOL 5 DH	60482500
2002 THE RIGHT PARENTHESIS, REQUIRED HERE, IS MISSING IN THIS REPETITION COUNT	COBOL 5 DH	60482500
2003 REPETITION CHARACTER REQUIRED HERE FOR THIS REPETITION COUNT	COBOL 5 DH	60482500
2004 THIS RIGHT PARENTHESIS IS MISPLACED	COBOL 5 DH	60482500
2005 A LEFT PARENTHESIS MUST PRECEDE THIS REPETITION COUNT	COBOL 5 DH	60482500
2006 THIS CHARACTER IS NOT ALLOWED IN A PICTURE STRING	COBOL 5 DH	60482500
2007 COMPILER ERROR	COBOL 5 DH	60482500
2008 THIS CHARACTER IS MISPLACED IN THE PICTURE	COBOL 5 DH	60482500
2009 AN EDIT PICTURE MUST CONTAIN AN -X-, -A-, OR -9-	COBOL 5 DH	60482500
2010 A NUMERIC PICTURE MUST CONTAIN AT LEAST ONE -9-	COBOL 5 DH	60482500
2011 AN ALPHANUMERIC EDIT PICTURE MUST CONTAIN AT LEAST ONE -X- AND -B-, OR -X- AND -0-, 2011 OR -X- AND -/-, OR -A- AND -0-, OR -A- AND -/-	COBOL 5 DH	60482500
2012 A NUMERIC ITEM MAY NOT EXCEED 18 DIGIT POSITIONS	COBOL 5 DH	60482500
2013 A NON-NUMERIC ITEM MAY NOT EXCEED 131071 CHARACTER POSITIONS	COBOL 5 DH	60482500
2014 THE COEFFICIENT OF AN EXTERNAL FLOATING POINT ITEM MAY NOT EXCEED 15 DIGIT POSITIONS	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
2015 THE EXPONENT OF AN EXTERNAL FLOATING POINT ITEM MUST CONTAIN 1, 2, 3 OR 4 DIGIT 2015 POSITIONS	COBOL 5 DH	60482500
2016 A FLOATING POINT PICTURE IS NON-STANDARD	COBOL 5 DH	60482500
2017 AN EXTERNAL FLOATING POINT ITEM MAY CONTAIN A SIGN POSITION FOR BOTH THE COEFFICIENT AND 2017 THE EXPONENT	COBOL 5 DH	60482500
2018 COMPILER ERROR	COBOL 5 DH	60482500
2021 THIS EXTERNAL FLOATING POINT PICTURE IS NOT VALID	COBOL 5 DH	60482500
2022 COMPILER ERROR	COBOL 5 DH	60482500
3001 THIS ELEMENT MAY NOT APPEAR IN THIS CONTEXT	COBOL 5 DH	60482500
3002 A BLANK WHEN ZERO CLAUSE IS ONLY ALLOWED IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3003 -ZERO- IS A REQUIRED WORD IN A BLANK WHEN ZERO CLAUSE	COBOL 5 DH	60482500
3004 THE BLOCK CONTAINS CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION	COBOL 5 DH	60482500
3005 AN INTEGER LITERAL IS REQUIRED IN A BLOCK CONTAINS CLAUSE	COBOL 5 DH	60482500
3006 DIVISION IS A REQUIRED WORD IN A DIVISION HEADER	COBOL 5 DH	60482500
3007 A PERIOD MUST TERMINATE A DIVISION HEADER	COBOL 5 DH	60482500
3008 THE DATA RECORDS CLAUSE IS ALLOWED ONLY IN A FILE OR SORT-MERGE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3009 -RECORD- OR -RECORDS- IS REQUIRED IN A DATA RECORDS CLAUSE	COBOL 5 DH	60482500
3010 AT LEAST ONE DATA NAME IS REQUIRED IN A DATA RECORDS CLAUSE	COBOL 5 DH	60482500
3011 THE JUSTIFIED CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3012 THE LABEL RECORDS CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3013 -RECORD- OR -RECORDS- IS REQUIRED IN A LABEL RECORDS CLAUSE	COBOL 5 DH	60482500
3014 -STANDARD- OR -OMITTED- IS REQUIRED IN A LABEL RECORDS CLAUSE	COBOL 5 DH	60482500
3015 THE LINAGE CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3016 A DATA NAME OR AN INTEGER LITERAL IS REQUIRED IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3017 THE EXTERNAL CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3018 THE OCCURS CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY WITH A LEVEL NUMBER IN 3018 THE RANGE 02 THROUGH 49	COBOL 5 DH	60482500
3019 AN INTEGER LITERAL IS REQUIRED IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3020 AN INTEGER LITERAL MUST FOLLOW -TO- IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3021 -DEPENDING- IS REQUIRED AFTER INTEGER-2 OF AN OCCURS CLAUSE	COBOL 5 DH	60482500
3022 A DATA NAME IS REQUIRED IN THE DEPENDING ON PHRASE OF AN OCCURS CLAUSE	COBOL 5 DH	60482500
3023 A DATA NAME IS REQUIRED AFTER ASCENDING OR DESCENDING KEY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3024 THE PICTURE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3025 A PICTURE STRING IS REQUIRED IN A PICTURE CLAUSE	COBOL 5 DH	60482500
3026 THE RECORD CLAUSE IS ALLOWED ONLY IN A FILE OR SORT-MERGE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3027 AN INTEGER LITERAL IS REQUIRED IN A RECORD CLAUSE	COBOL 5 DH	60482500
3028 AN INTEGER LITERAL MUST FOLLOW -TO- IN A RECORD CLAUSE	COBOL 5 DH	60482500
3029 THE RECORDING MODE CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3030 THE REDEFINES CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3031 A DATA NAME IS REQUIRED IN A REDEFINES CLAUSE	COBOL 5 DH	60482500
3032 THE REPORT CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3033 VARIABLE LENGTH DATA ITEMS ARE NOT IMPLEMENTED IN THIS COMPILER	COBOL 5 DH	60482500
3034 A REPORT-NAME IS REQUIRED IN A REPORT CLAUSE	COBOL 5 DH	60482500
3035 THE SIGN CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3036 THE ENVIRONMENT DIVISION HEADER IS MISSING	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3037 THE DATA DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
3038 -LEADING- OR -TRAILING- IS REQUIRED IN A SIGN CLAUSE	COBOL 5 DH	60482500
3039 THE SYNCHRONIZED CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3040 THE USAGE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3041 A DATA NAME MUST FOLLOW -DEPENDING ON- IN A VARIABLE LENGTH PICTURE	COBOL 5 DH	60482500
3042 -BINARY- OR -DECIMAL- IS REQUIRED HERE IN THE RECORDING MODE CLAUSE	COBOL 5 DH	60482500
3043 A DATA NAME OR LITERAL IS REQUIRED AFTER -FOOTING- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3044 A DATA NAME OR LITERAL IS REQUIRED AFTER -TOP- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3045 A DATA NAME OR LITERAL IS REQUIRED AFTER -BOTTOM- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3046 -FOOTING- MUST FOLLOW -WITH- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3047 DISPLAY, COMP, COMP-1, COMP-2, COMP-4, OR INDEX IS REQUIRED HERE IN THE USAGE CLAUSE	COBOL 5 DH	60482500
3048 THE VALUE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION OR CONDITION NAME ENTRY	COBOL 5 DH	60482500
3049 A LITERAL IS REQUIRED IN A VALUE CLAUSE	COBOL 5 DH	60482500
3050 THE -VALUE OF- CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3051 AN IMPLEMENTOR NAME THAT SPECIFIES A LABEL FIELD MUST BE GIVEN IN A -VALUE OF- CLAUSE	COBOL 5 DH	60482500
3052 EITHER A DATA NAME OR A LITERAL MUST FOLLOW THE LABEL FIELD NAME IN A -VALUE OF- CLAUSE	COBOL 5 DH	60482500
3053 AN ASCENDING OR DESCENDING KEY PHRASE IS ALLOWED ONLY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3054 ILLEGAL MULTI-FILE NAME - MUST START WITH LETTER AND CONTAIN ONLY LETTERS AND NUMBERS	COBOL 5 DH	60482500
3055 THE INDEXED BY PHRASE IS ALLOWED ONLY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3056 THE RENAMES CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY WITH A LEVEL NUMBER OF 66	COBOL 5 DH	60482500
3057 THE MULTI-FILE NAMES FOR A SERIES OF FILES IN A MULTIPLE FILE TAPE CLAUSE MUST BE IDENTICAL	COBOL 5 DH	60482500
3058 ON NOS/BE, THE MULTI-FILE NAME MUST NOT EQUAL THE IMPLEMENTOR NAME SPECIFIED IN THE	COBOL 5 DH	60482500
3059 A LEVEL 66 ENTRY MAY ONLY FOLLOW ENTRIES WITH LEVELS 2 THROUGH 49, 66, OR 88	COBOL 5 DH	60482500
3060 -RENAMES- MUST IMMEDIATELY FOLLOW A LEVEL 66 DATA NAME	COBOL 5 DH	60482500
3061 A DATA NAME MUST FOLLOW -RENAMES-	COBOL 5 DH	60482500
3062 A DATA NAME MUST FOLLOW -THRU- IN A RENAMES CLAUSE	COBOL 5 DH	60482500
3064 A LEVEL 88 ENTRY IS ALLOWED ONLY AFTER AN ENTRY WITH LEVEL 01 THROUGH 49, 77 OR 88	COBOL 5 DH	60482500
3065 -VALUE- OR -VALUES- MUST FOLLOW THE CONDITION NAME IN A LEVEL 88 ENTRY	COBOL 5 DH	60482500
3066 A LITERAL IS REQUIRED IN A CONDITION NAME VALUE CLAUSE	COBOL 5 DH	60482500
3067 A LITERAL MUST FOLLOW -THRU- IN A CONDITION NAME VALUE CLAUSE	COBOL 5 DH	60482500
3068 A LEVEL 88 ENTRY MUST END WITH A PERIOD	COBOL 5 DH	60482500
3069 -INPUT- OR -OUTPUT- IS REQUIRED IN A CD ENTRY	COBOL 5 DH	60482500
3070 A REPORT DESCRIPTION ENTRY IS ALLOWED ONLY IN THE REPORT SECTION	COBOL 5 DH	60482500
3071 -SECTION- IS REQUIRED IN THE FILE SECTION HEADER	COBOL 5 DH	60482500
3072 THE FILE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3073 -SECTION- IS REQUIRED IN THE WORKING-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3074 THE WORKING-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3075 -SECTION- IS REQUIRED IN THE LINKAGE SECTION HEADER	COBOL 5 DH	60482500
3076 THE LINKAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3077 -SECTION- IS REQUIRED IN THE COMMUNICATION SECTION HEADER	COBOL 5 DH	60482500
3078 THE COMMUNICATION SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3079 IN THE FILE SECTION OR COMMUNICATION SECTION A LEVEL 01 ENTRY IS ONLY ALLOWED AFTER A 3079 LEVEL INDICATOR ENTRY (FD, SD OR CD), OR AFTER AN ENTRY WITH LEVEL 01 TO 49	COBOL 5 DH	60482500
3080 AN ENTRY WITH LEVEL 02 THROUGH 49 IS ONLY ALLOWED AFTER AN ENTRY WITH LEVEL 01 THROUGH 3080 49 OR LEVEL 88	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3081 A LEVEL 77 ENTRY IS ALLOWED ONLY IN THE WORKING-STORAGE SECTION	COBOL 5 DH	60482500
3082 THE QUEUE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3083 THE SUB-QUEUE-1 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3084 THE SUB-QUEUE-2 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3085 THE SUB-QUEUE-3 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3086 THE SYMBOLIC SOURCE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3087 THE DESTINATION CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3088 THE QUEUE DEPTH CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3089 THE DESTINATION COUNT CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3090 THE DESTINATION TABLE CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3091 -OCCURS- IS REQUIRED IN A DESTINATION TABLE CLAUSE	COBOL 5 DH	60482500
3092 AN INTEGER LITERAL IS REQUIRED IN A DESTINATION TABLE CLAUSE	COBOL 5 DH	60482500
3093 THE TEXT LENGTH CLAUSE IS ONLY ALLOWED IN A CD ENTRY	COBOL 5 DH	60482500
3094 -LENGTH- IS REQUIRED IN A TEXT LENGTH CLAUSE	COBOL 5 DH	60482500
3095 THE STATUS KEY CLAUSE IS ONLY ALLOWED IN A CD ENTRY	COBOL 5 DH	60482500
3096 -KEY- IS REQUIRED IN A STATUS KEY CLAUSE	COBOL 5 DH	60482500
3097 THE ERROR KEY CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3098 -KEY- IS REQUIRED IN AN ERROR KEY CLAUSE	COBOL 5 DH	60482500
3099 -DATE- OR -TIME- MUST FOLLOW -MESSAGE- IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3100 THE MESSAGE TIME CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3101 THE MESSAGE DATE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3102 THE END KEY CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3103 -KEY- IS REQUIRED IN AN END KEY CLAUSE	COBOL 5 DH	60482500
3104 QUEUE, SUB-QUEUE-1, SUB-QUEUE-2, SUB-QUEUE-3, SOURCE, OR DESTINATION MUST FOLLOW THE WORD -SYMBOLIC-	COBOL 5 DH	60482500
3105 EITHER -TOP- OR -BOTTOM- MUST FOLLOW -LINES- OR -AT- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3106 A FILE NAME IS REQUIRED AFTER -ON- IN THE APPLY I-O TECHNIQUE CLAUSE	COBOL 5 DH	60482500
3107 A DATA NAME IS REQUIRED HERE IN THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3108 A DATA NAME IS REQUIRED AFTER INDEXED BY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3109 AN IMPLEMENTOR-NAME IS REQUIRED IN THE APPLY CLAUSE	COBOL 5 DH	60482500
3110 -ON- IS A REQUIRED WORD IN THE APPLY CLAUSE	COBOL 5 DH	60482500
3111 THE RELATIVE KEY CLAUSE MUST IMMEDIATELY FOLLOW THE ACCESS MODE CLAUSE	COBOL 5 DH	60482500
3113 A MNEMONIC NAME DEFINITION MUST FOLLOW THE WORD -IS- AFTER AN IMPLEMENTOR NAME IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3114 A RELATIVE KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3118 -APOSTROPHE- IS REQUIRED IN THE QUOTE IS CLAUSE	COBOL 5 DH	60482500
3119 THE QUOTE IS CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3120 -FILE- IS REQUIRED IN A MULTIPLE FILE CLAUSE	COBOL 5 DH	60482500
3121 THE SEGMENT LIMIT CLAUSE IS ONLY ALLOWED IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3122 -IS- IS A REQUIRED WORD IN THE SEGMENT-LIMIT CLAUSE	COBOL 5 DH	60482500
3123 THE SEGMENT LIMIT MUST BE AN INTEGER LITERAL	COBOL 5 DH	60482500
3124 THE MULTIPLE FILE CLAUSE IS ONLY ALLOWED IN THE I-O-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3125 A FILE NAME IS REQUIRED IN A MULTIPLE FILE CLAUSE	COBOL 5 DH	60482500
3126 THE FILE POSITION MUST BE AN INTEGER LITERAL	COBOL 5 DH	60482500
3127 THE SIGN CONTROL CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3128 EITHER -LEADING- OR -TRAILING- IS REQUIRED IN A SIGN CONTROL CLAUSE	COBOL 5 DH	60482500
3129 THE ORGANIZATION CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT 3129 CLAUSE WHICH DOES NOT REFERENCE A SORT OR MERGE FILE	COBOL 5 DH	60482500
3130 THE DECIMAL-POINT CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3131 -IS- IS A REQUIRED WORD IN THE DECIMAL-POINT CLAUSE	COBOL 5 DH	60482500
3132 -COMMA- IS REQUIRED IN A DECIMAL-POINT CLAUSE	COBOL 5 DH	60482500
3133 THE APPLY CLAUSE IS ONLY ALLOWED IN THE I-O CONTROL PARAGRAPH	COBOL 5 DH	60482500
3134 THE APPLY CLAUSE IS DOCUMENTARY ONLY	COBOL 5 DH	60482500
3135 ONE OF -SEQUENTIAL-, -RELATIVE-, -INDEXED-, -DIRECT-, -ACTUAL-KEY- OR -WORD-ADDRESS- IS 3135 REQUIRED HERE IN THE ORGANIZATION CLAUSE	COBOL 5 DH	60482500
3136 THE SAME AREA CLAUSE IS ONLY ALLOWED IN THE I-O CONTROL PARAGRAPH	COBOL 5 DH	60482500
3137 A FILE NAME IS REQUIRED IN THE SAME AREA CLAUSE	COBOL 5 DH	60482500
3138 AT LEAST TWO FILE NAMES ARE REQUIRED IN A SAME AREA CLAUSE	COBOL 5 DH	60482500
3141 THE INPUT-OUTPUT SECTION MUST BE IN THE ENVIRONMENT DIVISION	COBOL 5 DH	60482500
3142 THE RERUN CLAUSE IS ONLY ALLOWED IN THE I-O-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3143 -REEL- OR -UNIT- MUST FOLLOW -END OF- IN A RERUN CLAUSE	COBOL 5 DH	60482500
3144 A FILE NAME IS REQUIRED AFTER -END OF REEL- OR -END OF UNIT-	COBOL 5 DH	60482500
3146 THE RESERVED WORD -RECORDS- MUST FOLLOW THE INTEGER IN A RERUN CLAUSE	COBOL 5 DH	60482500
3147 ONE OF -EVERY END OF REEL-, -EVERY END OF UNIT-, -EVERY INTEGER RECORDS OF FILE NAME- 3147 OR -EVERY CONDITION NAME- IS REQUIRED IN A RERUN CLAUSE	COBOL 5 DH	60482500
3148 THE SPECIAL-NAMES PARAGRAPH IS ALLOWED ONLY IN THE CONFIGURATION SECTION	COBOL 5 DH	60482500
3149 THE CURRENCY CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3150 -IS- IS A REQUIRED WORD IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500
3151 A ONE CHARACTER LITERAL IS REQUIRED IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500
3152 THE CLAUSE, RESERVE INTEGER AREAS, CAN ONLY APPEAR IN THE FILE-CONTROL PARAGRAPH IN 3152 A SELECT CLAUSE WHICH SPECIFIES A FILE-NAME OTHER THAN A SORT FILE	COBOL 5 DH	60482500
3153 AN UNSIGNED INTEGER IS REQUIRED IN A RESERVE AREAS CLAUSE	COBOL 5 DH	60482500
3154 THE ACCESS MODE CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT 3154 CLAUSE WHICH DOES NOT REFERENCE A SORT OR MERGE FILE	COBOL 5 DH	60482500
3155 A DATA NAME IS REQUIRED IN A RELATIVE KEY CLAUSE	COBOL 5 DH	60482500
3156 THE ACCESS MODE MUST BE SEQUENTIAL, RANDOM, OR DYNAMIC	COBOL 5 DH	60482500
3157 THE RECORD KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3158 A DATA-NAME IS REQUIRED IN A RECORD KEY CLAUSE	COBOL 5 DH	60482500
3159 THE ALTERNATE RECORD KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A 3159 SELECT CLAUSE	COBOL 5 DH	60482500
3160 -RECORD- IS A REQUIRED WORD IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3161 A DATA NAME IS REQUIRED IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3162 -DUPLICATES- MUST FOLLOW -WITH- IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3163 -SECTION- IS A REQUIRED WORD IN THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3164 A PERIOD MUST TERMINATE THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3165 THE FILE-CONTROL PARAGRAPH MUST IMMEDIATELY FOLLOW THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3166 -FILE-CONTROL- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3172 -SPECIAL-NAMES- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3173 -I-O-CONTROL- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3176 A SELECT CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3177 A FILE NAME MUST FOLLOW THE WORD -SELECT-	COBOL 5 DH	60482500
3178 -ASSIGN- MUST FOLLOW THE FILE NAME IN A SELECT CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3179 AN IMPLEMENTOR NAME MUST FOLLOW -ASSIGN- IN A SELECT CLAUSE	COBOL 5 DH	60482500
3180 THE REQUIRED WORD -IS- HAS BEEN ASSUMED PRESENT	COBOL 5 DH	60482500
3181 -IS- IS A REQUIRED WORD AFTER -ON STATUS- IN AN IMPLEMENTOR NAME CLAUSE	COBOL 5 DH	60482500
3182 -IS- IS A REQUIRED WORD AFTER -OFF STATUS- IN AN IMPLEMENTOR NAME CLAUSE	COBOL 5 DH	60482500
3186 THE CONFIGURATION SECTION IS ONLY ALLOWED IN THE ENVIRONMENT DIVISION BEFORE THE 3186 INPUT-OUTPUT SECTION	COBOL 5 DH	60482500
3187 -SECTION- IS REQUIRED IN THE CONFIGURATION SECTION HEADER	COBOL 5 DH	60482500
3188 A PERIOD MUST TERMINATE THE CONFIGURATION SECTION HEADER	COBOL 5 DH	60482500
3189 THE SOURCE-COMPUTER PARAGRAPH IS ONLY ALLOWED IN THE CONFIGURATION SECTION BEFORE 3189 THE OBJECT-COMPUTER PARAGRAPH AND SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3190 A PERIOD MUST FOLLOW -SOURCE-COMPUTER-	COBOL 5 DH	60482500
3191 THE OBJECT-COMPUTER PARAGRAPH IS ONLY ALLOWED IN THE CONFIGURATION SECTION BEFORE 3191 THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3192 A PERIOD MUST FOLLOW -OBJECT-COMPUTER-	COBOL 5 DH	60482500
3193 THE DEBUGGING MODE CLAUSE IS ONLY LEGAL IN THE SOURCE-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3195 -MODE- IS REQUIRED IN A DEBUGGING MODE CLAUSE	COBOL 5 DH	60482500
3196 THE FILE STATUS CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT 3196 CLAUSE	COBOL 5 DH	60482500
3198 A DATA NAME IS REQUIRED IN A FILE STATUS CLAUSE	COBOL 5 DH	60482500
3199 THE I-O-CONTROL PARAGRAPH IS ONLY ALLOWED IN THE INPUT-OUTPUT SECTION AFTER THE FILE- 3199 CONTROL PARAGRAPH	COBOL 5 DH	60482500
3200 THIS DUPLICATE BLANK WHEN ZERO CLAUSE IS IGNORED	COBOL 5 DH	60482500
3201 THIS DUPLICATE JUSTIFIED CLAUSE IS IGNORED	COBOL 5 DH	60482500
3202 THIS DUPLICATE OCCURS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3203 THE OCCURS LITERAL MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
3204 THIS DUPLICATE PICTURE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3205 THIS DUPLICATE REDEFINES CLAUSE IS IGNORED	COBOL 5 DH	60482500
3206 THE REDEFINES CLAUSE MUST BE THE FIRST CLAUSE IN AN ENTRY	COBOL 5 DH	60482500
3207 THIS DUPLICATE SIGN CLAUSE IS IGNORED	COBOL 5 DH	60482500
3208 THIS DUPLICATE USAGE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3209 THIS DUPLICATE VALUE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3210 -ALL- IS ONLY ALLOWED BEFORE A NON-NUMERIC LITERAL. THIS -ALL- IS IGNORED	COBOL 5 DH	60482500
3211 THIS DUPLICATE SYNCHRONIZED CLAUSE IS IGNORED	COBOL 5 DH	60482500
3212 A DUPLICATE PERIOD HAS BEEN ENCOUNTERED. THE PRECEDING ONE IS IGNORED	COBOL 5 DH	60482500
3213 TOO MANY NAMES GIVEN FOR CD RECORD	COBOL 5 DH	60482500
3214 NOT ENOUGH NAMES GIVEN FOR CD RECORD	COBOL 5 DH	60482500
3215 AN FD ENTRY IS ALLOWED ONLY IN THE FILE SECTION	COBOL 5 DH	60482500
3216 AN SD ENTRY IS ALLOWED ONLY IN THE FILE SECTION	COBOL 5 DH	60482500
3217 A CD ENTRY IS ALLOWED ONLY IN THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3218 THE FILE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3219 THE FILE SECTION MUST PRECEDE THE WORKING-STORAGE, LINKAGE, AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3220 THE WORKING-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3221 THE WORKING-STORAGE SECTION MUST PRECEDE THE LINKAGE AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3222 THE LINKAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3223 THE LINKAGE SECTION MUST PRECEDE THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3224 THE COMMUNICATION SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3225 THE LITERAL IN THE DESTINATION TABLE CLAUSE MUST BE AN UNSIGNED INTEGER: A VALUE OF 3225 ONE WILL BE USED	COBOL 5 DH	60482500
3229 A LITERAL MUST FOLLOW -USE- IN A SELECT STATEMENT	COBOL 5 DH	60482500
3230 AN ALPHABET-NAME CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3231 THE ITEM REFERENCED IN THE PROGRAM COLLATING SEQUENCE CLAUSE MUST BE AN ALPHABET-NAME	COBOL 5 DH	60482500
3232 THE COMMON-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3233 -SECTION- IS REQUIRED IN THE COMMON-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3234 THE COMMON-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3235 -SECTION- IS REQUIRED IN THE SECONDARY-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3236 THE SECONDARY-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3237 THE SECONDARY-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3238 THE SECONDARY-STORAGE SECTION MUST PRECEDE THE LINKAGE AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3239 THE COMMON-STORAGE SECTION MUST PRECEDE THE WORKING-STORAGE, SECONDARY-STORAGE, LINKAGE, 3239 AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3240 THE SEGMENT LIMIT MUST HAVE A VALUE IN THE RANGE 1 THROUGH 49	COBOL 5 DH	60482500
3241 THE IMPLEMENTOR NAME ASSOCIATED WITH -ON STATUS- OR -OFF STATUS- MUST BE SWITCH-N FOR N 3241 BETWEEN 1 AND 126	COBOL 5 DH	60482500
3242 A -USE- CLAUSE IS ONLY ALLOWED IN A SELECT STATEMENT IN THE FILE-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3243 A BLOCK COUNT CLAUSE IS ONLY LEGAL IN A FILE-CONTROL ENTRY FOLLOWING A SELECT CLAUSE	COBOL 5 DH	60482500
3244 A DATA-NAME OR AN INTEGER IS REQUIRED HERE IN THE -BLOCK COUNT- CLAUSE	COBOL 5 DH	60482500
3245 A WORD-ADDRESS KEY CLAUSE IS ONLY ALLOWED IN A FILE-CONTROL ENTRY FOLLOWING A SELECT CLAUSE	COBOL 5 DH	60482500
3246 A DATA-NAME REFERENCE IS REQUIRED HERE IN THE WORD-ADDRESS KEY CLAUSE	COBOL 5 DH	60482500
3247 THIS DUPLICATE BLOCK COUNT CLAUSE IS IGNORED	COBOL 5 DH	60482500
3248 A WORD-ADDRESS KEY IS ONLY ALLOWED FOR A FILE WHOSE ORGANIZATION IS WORD- ADDRESS	COBOL 5 DH	60482500
3249 AN -ALTERNATE RECORD KEY- CLAUSE IS NOT ALLOWED ON A SEQUENTIAL, RELATIVE, OR WORD- 3249 ADDRESS FILE	COBOL 5 DH	60482500
3250 THIS DUPLICATE BLOCK CONTAINS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3251 THE LITERAL IN THE BLOCK CONTAINS CLAUSE MUST BE AN UNSIGNED INTEGER: A VALUE OF ONE 3251 WILL BE USED	COBOL 5 DH	60482500
3252 THIS DUPLICATE DATA RECORDS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3253 THIS DUPLICATE LABEL RECORDS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3254 THIS DUPLICATE LINAGE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3255 THIS DUPLICATE RECORD CLAUSE IS IGNORED	COBOL 5 DH	60482500
3256 A LITERAL IN THE RECORD CLAUSE MUST BE AN UNSIGNED INTEGER; RECORD CLAUSE IGNORED	COBOL 5 DH	60482500
3257 THIS DUPLICATE RECORDING MODE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3258 THIS IS A DUPLICATE EXTERNAL CLAUSE	COBOL 5 DH	60482500
3259 THIS DUPLICATE REPORT CLAUSE IS IGNORED	COBOL 5 DH	60482500
3260 THIS DUPLICATE -VALUE OF- CLAUSE IS IGNORED	COBOL 5 DH	60482500
3261 THE FOLLOWING IMPLEMENTOR-NAMES ARE ALLOWED IN A VALUE OF CLAUSE. FILE-ID, FILE-SET-ID, 3261 FILE-SECTION-NUMBER, FILE-SEQUENCE-NUMBER, GENERATION-NUMBER, GENERATION-VERSION-NUMBER, 3261 CREATION-DATE, EXPIRATION-DATE, AND ACCESSIBILITY	COBOL 5 DH	60482500
3262 A SECOND IMPLEMENTOR NAME IS REQUIRED IF THE FIRST IS -EXTERNAL-	COBOL 5 DH	60482500
3263 THE LITERALS IN A LINAGE CLAUSE MUST BE UNSIGNED INTEGERS	COBOL 5 DH	60482500
3264 A LITERAL IN THE LINAGE CLAUSE MUST NOT HAVE A VALUE OF ZERO	COBOL 5 DH	60482500
3265 A FOOTING LITERAL MUST NOT BE GREATER THAN THE LINAGE LITERAL	COBOL 5 DH	60482500
3266 THE VARYING PHRASE OF THE RECORD CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3267 -VARYING- MUST FOLLOW -IS- IN A RECORD CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3268 AN INTEGER LITERAL MUST FOLLOW -FROM- IN A RECORD CLAUSE	COBOL 5 DH	60482500
3270 A SUBSCHEMA NAME IS REQUIRED HERE. IF THE NAME IS THE SAME AS A RESERVED WORD, DATA-NAME, 3270 OR PROCEDURE-NAME, IT MUST BE ENCLOSED IN QUOTES	COBOL 5 DH	60482500
3271 THIS COMPILER DOES NOT CONTAIN THE CDCS INTERFACE, AND CONSEQUENTLY, DOES NOT RECOGNIZE A 3271 SUBSCHEMA	COBOL 5 DH	60482500
3275 ONLY THE FIRST TWO IMPLEMENTOR-NAMES ARE USED IN THE ASSIGN CLAUSE. THIS AND ANY 3275 SUBSEQUENT IMPLEMENTOR-NAMES IGNORED	COBOL 5 DH	60482500
3300 THE SEGMENT LIMIT MUST BE AN UNSIGNED INTEGER LITERAL	COBOL 5 DH	60482500
3301 THIS DUPLICATE FILE STATUS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3302 THIS DUPLICATE MULTIPLE FILE POSITION CLAUSE IS IGNORED	COBOL 5 DH	60482500
3303 A FILE NAME IS REQUIRED IN A MULTIPLE FILE POSITION CLAUSE	COBOL 5 DH	60482500
3304 -POSITION- MUST BE FOLLOWED BY AN UNSIGNED INTEGER. A VALUE OF ONE IS ASSUMED	COBOL 5 DH	60482500
3305 THE MAXIMUM NUMBER OF CHARACTERS AS SPECIFIED BY THIS RECORD CLAUSE MUST BE GREATER THAN THE 3305 MINIMUM NUMBER OF CHARACTERS AS SPECIFIED BY THIS RECORD CLAUSE. RECORD CLAUSE IGNORED	COBOL 5 DH	60482500
3306 A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SELECT CLAUSE	COBOL 5 DH	60482500
3307 ONLY RECORD AREAS ARE SHARED IN THIS COMPILER	COBOL 5 DH	60482500
3308 A FILE NAME IS REQUIRED IN A SAME AREA CLAUSE	COBOL 5 DH	60482500
3309 THIS DUPLICATE SIGN CONTROL CLAUSE IS IGNORED	COBOL 5 DH	60482500
3310 THE SAME FILE NAME CANNOT BE SPECIFIED IN MORE THAN ONE INTEGER RECORDS CLAUSES OR MORE 3310 THAN ONE END OF REEL/UNIT CLAUSES WITHIN A MULTIPLE RERUN CLAUSE	COBOL 5 DH	60482500
3311 A FILE NAME IS REQUIRED IN A RERUN CLAUSE WHICH SPECIFIES END OF REEL OR UNIT, OR A 3311 RECORD COUNT	COBOL 5 DH	60482500
3312 AN UNSIGNED INTEGER LITERAL IS REQUIRED AS THE RERUN COUNT	COBOL 5 DH	60482500
3313 ONLY ONE RERUN CLAUSE CONTAINING THE CLOCK-UNITS PHRASE MAY BE SPECIFIED	COBOL 5 DH	60482500
3316 A CONDITION-NAME IS REQUIRED IN THE -RERUN EVERY CONDITION-NAME- CLAUSE	COBOL 5 DH	60482500
3318 THE -ASCENDING KEY-, -DESCENDING KEY-, AND -INDEXED BY- PHRASES MUST IMMEDIATELY FOLLOW 3318 AN OCCURS CLAUSE	COBOL 5 DH	60482500
3319 AN UNSIGNED INTEGER LITERAL IS REQUIRED IN A RESERVE CLAUSE	COBOL 5 DH	60482500
3320 THIS DUPLICATE RESERVE AREAS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3321 THIS DUPLICATE ACCESS MODE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3322 THIS DUPLICATE RELATIVE KEY CLAUSE IS IGNORED	COBOL 5 DH	60482500
3323 THIS DUPLICATE RECORD KEY CLAUSE IS IGNORED	COBOL 5 DH	60482500
3324 THIS DUPLICATE ORGANIZATION CLAUSE IS IGNORED	COBOL 5 DH	60482500
3325 A SINGLE CHARACTER NON-NUMERIC LITERAL IS REQUIRED IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500
3329 A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SAME RECORD AREA CLAUSE	COBOL 5 DH	60482500
3330 A FILE-NAME ASSOCIATED WITH A SORT OR MERGE FILE MUST NOT APPEAR IN MORE THAN ONE SAME 3330 SORT AREA CLAUSE	COBOL 5 DH	60482500
3331 A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SAME AREA CLAUSE	COBOL 5 DH	60482500
3332 A FILE-NAME ASSOCIATED WITH A SORT OR MERGE FILE MUST NOT APPEAR IN MORE THAN ONE 3332 SAME AREA CLAUSE	COBOL 5 DH	60482500
3340 A FILE-NAME OR AN IMPLEMENTOR-NAME IS REQUIRED IN THE ON PHRASE OF THE RERUN CLAUSE	COBOL 5 DH	60482500
3341 THE FOLLOWING 3 FORMS OF THE RERUN CLAUSE ARE IMPLEMENTED IN THIS COMPILER, RERUN ON 3341 IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME, RERUN ON IMPLEMENTOR NAME EVERY INTEGER 3341 RECORDS OF FILE NAME AND RERUN ON IMPLEMENTOR NAME EVERY CONDITION NAME. IN EACH 3341 INSTANCE, IMPLEMENTOR NAME IS IGNORED AND THE RERUN DEVICE IS SELECTED BY THE SYSTEM	COBOL 5 DH	60482500
3342 RERUN EVERY END OF REEL OF FILE NAME IS NOT IMPLEMENTED IN THIS COMPILER. RERUN ON 3342 IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3343 RERUN EVERY INTEGER RECORDS OF FILE NAME IS UNDEFINED. RERUN ON IMPLEMENTOR NAME 3343 EVERY INTEGER RECORDS OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3344 RERUN EVERY CONDITION NAME IS UNDEFINED. RERUN ON IMPLEMENTOR NAME EVERY CONDITION 3344 NAME IS ASSUMED	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3345	RERUN EVERY INTEGER CLOCK-UNITS IS UNDEFINED. RERUN ON IMPLEMENTOR NAME EVERY INTEGER	COBOL 5 DH	60482500
3345	CLOCK-UNITS IS DEFINED BUT NOT IMPLEMENTED IN THIS COMPILER. RERUN ON FILE NAME EVERY		
3345	INTEGER CLOCK-UNITS IS UNDEFINED		
3346	RERUN ON FILE NAME EVERY END OF REEL OF FILE NAME IS NOT IMPLEMENTED IN THIS COMPILER.	COBOL 5 DH	60482500
3346	RERUN ON IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME IS ASSUMED		
3347	RERUN ON FILE NAME EVERY INTEGER RECORDS OF FILE NAME IS UNDEFINED. RERUN ON IMPLEMENTOR	COBOL 5 DH	60482500
3347	NAME EVERY INTEGER RECORDS OF FILE NAME IS ASSUMED		
3348	RERUN ON FILE NAME EVERY CONDITION NAME IS NOT IMPLEMENTED IN THIS COMPILER, RERUN ON	COBOL 5 DH	60482500
3348	IMPLEMENTOR NAME EVERY CONDITION NAME IS ASSUMED		
3349	AN IMPLEMENTOR NAME IS REQUIRED IN THE -ON- PHRASE OF A RERUN CLAUSE. THIS REFERENCE	COBOL 5 DH	60482500
3349	IS TO A DATA NAME OR CONDITION NAME		
3350	THE CONDITION NAME IN A RERUN CLAUSE MUST BE DEFINED IN THE SPECIAL-NAMES PARAGRAPH OF	COBOL 5 DH	60482500
3350	THE CONFIGURATION SECTION OF THE ENVIRONMENT DIVISION		
3351	THE -BLANK WHEN ZERO- CLAUSE CANNOT BE SPECIFIED FOR AN ITEM WHOSE PICTURE CONTAINS AN	COBOL 5 DH	60482500
3351	ASTERISK. THE -BLANK WHEN ZERO- CLAUSE IS IGNORED		
3352	A SUBPROGRAM MUST NOT CONTAIN A CD FOR INITIAL INPUT	COBOL 5 DH	60482500
3400	AN IMPLEMENTOR-NAME MUST NOT BE THE SAME AS A DATA-NAME UNLESS IT IS ENCLOSED IN QUOTES	COBOL 5 DH	60482500
3406	AN IMPLEMENTOR NAME IS REQUIRED HERE	COBOL 5 DH	60482500
3499	THE RESERVED WORD -SEQUENCE- IS REQUIRED IN A PROGRAM COLLATING SEQUENCE CLAUSE	COBOL 5 DH	60482500
3500	THE PROGRAM COLLATING SEQUENCE CLAUSE IS ONLY ALLOWED IN THE OBJECT COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3501	AN ALPHABET-NAME IS REQUIRED HERE IN THE PROGRAM COLLATING SEQUENCE CLAUSE	COBOL 5 DH	60482500
3502	A LITERAL, MNEMONIC-NAME, IMPLEMENTOR-NAME, -NATIVE-, OR -STANDARD-1- IS REQUIRED HERE	COBOL 5 DH	60482500
3503	A LITERAL MUST FOLLOW -THRU- IN AN ALPHABET CLAUSE	COBOL 5 DH	60482500
3504	A LITERAL MUST FOLLOW -ALSO- IN AN ALPHABET CLAUSE	COBOL 5 DH	60482500
3507	A CODE-SET CLAUSE IS ONLY ALLOWED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3508	A DATA-NAME IS REQUIRED IN A CODE-SET CLAUSE	COBOL 5 DH	60482500
3509	THIS DUPLICATE CODE-SET CLAUSE IS IGNORED	COBOL 5 DH	60482500
3510	AN ALPHABET-NAME DEFINITION IS REQUIRED HERE	COBOL 5 DH	60482500
3511	THE FOLLOWING IMPLEMENTOR-NAMES ARE ALLOWED IN AN ALPHABET-NAME CLAUSE: CDC-64, ASCII-64,	COBOL 5 DH	60482500
3511	UNI, AND EBCDIC		
3550	THE MEMORY SIZE CLAUSE MUST SPECIFY INTEGER WORDS, INTEGER CHARACTERS, INTEGER MODULES,	COBOL 5 DH	60482500
3550	OR ADDRESS LITERAL THRU LITERAL		
3551	MEMORY SIZE ADDRESS MUST BE FOLLOWED BY LITERAL THROUGH LITERAL	COBOL 5 DH	60482500
3554	THE ASSIGN OBJECT-PROGRAM CLAUSE IS ONLY ALLOWED IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3555	THE INPUT-UNIT IN THE ASSIGN OBJECT-PROGRAM TO INPUT-UNIT CLAUSE MUST BE AN IMPLEMENTOR-	COBOL 5 DH	60482500
3555	NAME OR AN INTEGER LITERAL		
3556	LITERALS WHICH APPEAR IN THE SOURCE-COMPUTER PARAGRAPH OR OBJECT-COMPUTER PARAGRAPH MAY	COBOL 5 DH	60482500
3556	BE NUMERIC OR NON-NUMERIC: WHEN NUMERIC THEY MUST BE UNSIGNED INTEGER		
3601	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE AREA ENTRY ON THE DDL DIRECTORY	COBOL 5 DH	60482500
3601	IS LONGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ		
3602	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. ERROR, E.G. I/O, IN READING SUB-SCHEMA	COBOL 5 DH	60482500
3602	DATA CONTROL ENTRY		
3603	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DATA CONTROL ENTRY ON THE DDL	COBOL 5 DH	60482500
3603	DIRECTORY IS LONGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ		
3604	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN ALTERNATE RECORD KEY FOR A FILE	COBOL 5 DH	60482500
3604	MUST BE CONTAINED WITHIN THE RECORD AREA OF THAT FILE		
3621	INCORRECT CTEXT		
3605	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES	COBOL 5 DH	60482500
3605	INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE AREA LIST		
3606	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES	COBOL 5 DH	60482500
3606	INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE RECORD LIST		
3607	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE RECORD ENTRY ON THE DDL	COBOL 5 DH	60482500
3607	DIRECTORY IS LARGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ		
3608	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES	COBOL 5 DH	60482500
3608	INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE RECORD ENTRY		

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3609	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE ITEM ENTRY	COBOL 5 DH	60482500
3610	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR IN THE DDL DIRECTORY. THE DATABASE TRANSLATOR EXPECTED TO RA -DEPENDING ON NAME- ATOM	COBOL 5 DH	60482500
3611	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR - THE MODULE NXTRNRD (NEXT RENAME/REDEFINE) WAS CALLED WHEN NO RENAME/REDEFINE INFORMATION WAS PRESENT	COBOL 5 DH	60482500
3612	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. THE ATOM FOLLOWING A -RENAME- -- THRU ATOM WAS NOT ANOTHER RENAME ATOM	COBOL 5 DH	60482500
3613	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. THE ATOM FOLLOWING A -RENAME --- THRU ITSELF IS A -RENAME --- THRU- ATOM	COBOL 5 DH	60482500
3614	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE, FORMAT ERROR ON THE DDL DIRECTORY. A REDEFINES ATOM HAS BEEN FOUND THAT ALSO HAS THE -THRU- FLAG SET	COBOL 5 DH	60482500
3615	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR - THE MODULE NXTKI (NEXT KEY/INDEX) WAS CALLED WHEN NO KEY OR INDEX INFORMATION IS PRESENT	COBOL 5 DH	60482500
3616	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. THE SEQUENCE OF KEY/INDEX ATOMS IS INCORRECT	COBOL 5 DH	60482500
3617	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE CORRESPONDENCE TABLE HAS OVERFLOWED	COBOL 5 DH	60482500
3618	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. WHILE TRYING TO CONVERT A GIVEN WORD ADDRESS INTO A DATA NAME ATTRIBUTE TABLE POINTER (DNAT) NO MATCHING ENTRY WAS FOUND IN THE CORRESPONDENCE TABLE	COBOL 5 DH	60482500
3619	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE UNRESOLVED WORD ADDRESS TABLE (URWA) HAS OVERFLOWED	COBOL 5 DH	60482500
3620	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR THE COMPILER TEXT (CTEXT) OUTPUT BY THE SOURCE SCANNER IS NOT THE CORRECT FORMAT FOR THE DATABASE TRANSLATOR	COBOL 5 DH	60482500
3622	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR. THE COMPILER CONTROL TABLE DATA BASE FILE SECTION POINTER TO THE COMPILER TEXT (CCTDBFSCTXT) IS OF AN INCORRECT TYPE	COBOL 5 DH	60482500
3623	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. THE FIRST SPECIFIED KEY IN THE DATA CONTROL ENTRY IS NOT THE PRIMARY KEY	COBOL 5 DH	60482500
3624	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. NO KEYS ARE SPECIFIED IN THE DATA CONTROL ENTRY	COBOL 5 DH	60482500
3625	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR. THE SELECTED AREA WORD ADDRESS IN THE COMPILER TEXT (CTEXT) IS OF AN INCORRECT TYPE	COBOL 5 DH	60482500
3626	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. MORE THAN ONE PRIMARY KEY IS SPECIFIED FOR ONE FILE	COBOL 5 DH	60482500
3627	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. NO DNT ENTRY FOR SUB-SCHEMA -RESTRICT- CLAUSE DATA BASE IDENTIFIER	COBOL 5 DH	60482500
3628	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN ERROR, E.G. I/O, HAS OCCURRED IN ACCESSING A SUB-SCHEMA ENTRY	COBOL 5 DH	60482500
3629	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE SUB-SCHEMA AREA TABLE DOES NOT HAVE A RELATION ENTRY WHERE ONE IS EXPECTED	COBOL 5 DH	60482500
3630	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A RELATION READ IS SPECIFIED, BUT NO AREAS ARE SELECTED	COBOL 5 DH	60482500
3631	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN AREA TRAVERSED BY A RELATION HAS NOT BEEN SELECTED	COBOL 5 DH	60482500
3632	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A COBOL PROGRAM DATA-NAME SPECIFIED IN A SUB-SCHEMA -RESTRICT- CLAUSE IS UNDEFINED OR NON-UNIQUE BE CONTAINED WITHIN THE RECORD AREA OF THAT FILE	COBOL 5 DH	60482500
3634	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A NON-EMBEDDED RECORD KEY IS UNDEFINED WITHIN THE COBOL PROGRAM	COBOL 5 DH	60482500
3651	THE SUBSCHEMA SPECIFIED ON THE CONTROL CARD CANNOT BE FOUND	COBOL 5 DH	60482500
3652	THE SPECIFIED AREA CANNOT BE FOUND WITHIN THE SUBSCHEMA DIRECTORY	COBOL 5 DH	60482500
3653	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE NUMBER OF DNT ENTRIES GENERATED BY S-SCANNER DOES NOT AGREE WITH THE NUMBER OF DNAT ENTRIES GENERATED BY THE DATABASE TRANSLATOR	COBOL 5 DH	60482500
3654	THE CLAUSES IN THE OBJECT-COMPUTER PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3655	THE CLAUSES IN THE SPECIAL-NAMES PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3656 THE CLAUSES IN THE I-O-CONTROL PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3657 THE CLAUSES IN A FILE-CONTROL ENTRY MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3658 DUPLICATE PERIOD	COBOL 5 DH	60482500
3659 THE CLAUSES IN THE SOURCE-COMPUTER PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3700 FIPS-3 SUPPORTS LEVEL 88 CONDITION NAMES	COBOL 5 DH	60482500
3701 FIPS-2 SUPPORTS WITH DEBUGGING MODE	COBOL 5 DH	60482500
3702 FIPS-4 SUPPORTS THE SEGMENT-LIMIT CLAUSE	COBOL 5 DH	60482500
3703 FIPS-3 SUPPORTS ALPHABET-NAME IS LITERAL	COBOL 5 DH	60482500
3704 FIPS-3 SUPPORTS SELECT OPTIONAL	COBOL 5 DH	60482500
3706 FIPS-2 SUPPORTS ORGANIZATION IS RELATIVE	COBOL 5 DH	60482500
3707 FIPS-4 SUPPORTS ORGANIZATION IS INDEXED	COBOL 5 DH	60482500
3708 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
3710 FIPS-3 SUPPORTS MULTIPLE FILE TAPE CLAUSE	COBOL 5 DH	60482500
3711 FIPS-3 SUPPORTS THE COMMUNICATION MODULE	COBOL 5 DH	60482500
3712 FIPS-2 SUPPORTS THE INTER-PROGRAM COMMUNICATION MODULE	COBOL 5 DH	60482500
3713 FIPS-3 SUPPORTS SD DESCRIPTIONS	COBOL 5 DH	60482500
3714 FIPS-3 SUPPORTS LEVEL 66 ITEMS	COBOL 5 DH	60482500
3715 FIPS-3 SUPPORTS THE LINAGE CLAUSE	COBOL 5 DH	60482500
3716 FIPS-3 SUPPORTS ASCENDING OR DESCENDING KEY	COBOL 5 DH	60482500
3717 FIPS-3 SUPPORTS OCCURS DEPENDING ON	COBOL 5 DH	60482500
3719 FIPS-3 SUPPORTS THE SAME RECORD AREA CLAUSE FOR SEQUENTIAL FILES	COBOL 5 DH	60482500
3720 FIPS-3 SUPPORTS THE SAME RECORD AREA CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3721 FIPS-4 SUPPORTS THE SAME RECORD AREA CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3722 FIPS-4 SUPPORTS THE SAME RECORD AREA CLAUSE FOR SORT FILES	COBOL 5 DH	60482500
3723 FIPS-2 SUPPORTS THE SAME AREA CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3724 FIPS-4 SUPPORTS THE SAME AREA CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3725 FIPS-4 SUPPORTS THE SAME SORT/SORT-MERGE AREA CLAUSE	COBOL 5 DH	60482500
3726 FIPS-3 SUPPORTS BLOCK CONTAINS INTEGER TO INTEGER CHARACTERS/RECORDS. USE FIPS=4 3726 FOR INDEXED FILES	COBOL 5 DH	60482500
3727 QUOTE IS APOSTROPHE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3728 OMISSION OF THE SOURCE-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3729 OMISSION OF THE OBJECT-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3730 OMISSION OF THE CONFIGURATION SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3731 OMISSION OF THE FILE-CONTROL PARAGRAPH FROM THE INPUT-OUTPUT SECTION IS NON-STANDARD 3731 COBOL	COBOL 5 DH	60482500
3732 MEMORY SIZE IN THE SOURCE-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3733 WITH SUPERVISOR CONTROL IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3734 OMISSION OF THE COMPUTER-NAME FROM THE SOURCE-COMPUTER OR OBJECT-COMPUTER PARAGRAPH IS 3734 NON-STANDARD COBOL	COBOL 5 DH	60482500
3735 ASSIGN OBJECT-PROGRAM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3736 THE SIGN CONTROL CLAUSE IN THE SPECIAL-NAMES PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3737 THE SUB-SCHEMA CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3738 THE USE LITERAL CLAUSE IN THE FILE-CONTROL PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3739 DIRECT FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3740 WORD-ADDRESS FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3741 ACTUAL-KEY FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3742 ALTERNATE RECORD KEY DUPLICATES ASCENDING IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3743 THE APPLY CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3744 COMMON-STORAGE SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3745 SECONDARY-STORAGE SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3746 THE EXTERNAL CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3747 THE RECORDING MODE CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3748 DEPENDING ON DATA-NAME PHRASE OF THE RECORD CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3749 AN UNSIGNED INTEGER DATA ITEM IS REQUIRED IN THE DEPENDING ON PHRASE OF THE RECORD CLAUSE	COBOL 5 DH	60482500
3750 USAGE IS COMP-1 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3751 USAGE IS COMP-2 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3752 USAGE IS COMP-4 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3753 THE ASSIGN CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3754 THE MEMORY SIZE CLAUSE IS ONLY ALLOWED IN THE SOURCE-COMPUTER PARAGRAPH OR 3754 OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3755 THE CLAUSE, WITH SUPERVISOR CONTROL, IS ONLY ALLOWED IN THE SOURCE-COMPUTER PARAGRAPH AND 3755 IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3756 THE RESERVED WORD WHEN IS REQUIRED HERE	COBOL 5 DH	60482500
3757 THE FIGURATIVE CONSTANT ZEROES OR THE FIGURATIVE CONSTANT SPACES IS REQUIRED HERE	COBOL 5 DH	60482500
3758 THE RESERVED WORD KEY OR A DATA-NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
3759 THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, IS REQUIRED HERE	COBOL 5 DH	60482500
3760 A QUOTED LITERAL CONTAINING ONLY THE CHARACTERS 1-9, A-Z AND NOT MORE THAN ONE OCCURRENCE 3760 OF EACH, IS REQUIRED HERE	COBOL 5 DH	60482500
3761 WHEN THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, APPEARS IN MORE THAN ONE 3761 ALTERNATE RECORD KEY CLAUSE FOR THE SAME FILE, THE DATA-NAME MUST BE USED EACH TIME	COBOL 5 DH	60482500
3762 IN THE PHRASE, NAME-1 IS NAME-2, NAME-1 AND NAME-2 CANNOT BE THE SAME NAME. FURTHERMORE, 3762 NAME-1 CANNOT BE DEFINED ELSEWHERE IN THE PROGRAM AS A MNEMONIC-NAME OR OTHER USER 3762 DEFINED WORD	COBOL 5 DH	60482500
3763 FIPS=3 SUPPORTS THE FIGURATIVE CONSTANT ALL LITERAL	COBOL 5 DH	60482500
3764 THE RESERVED WORD ALL MUST BE FOLLOWED BY A NON-NUMERIC LITERAL OR FIGURATIVE CONSTANT	COBOL 5 DH	60482500
3765 FIPS=2 SUPPORTS SELECT RELATIVE FILE-NAME	COBOL 5 DH	60482500
3768 FIPS=4 SUPPORTS SELECT INDEXED FILE ASSIGN TO IMPLEMENTOR-NAME	COBOL 5 DH	60482500
3769 FIPS=2 SUPPORTS ACCESS MODE IS SEQUENTIAL FOR RELATIVE FILES	COBOL 5 DH	60482500
3770 FIPS=4 SUPPORTS ACCESS MODE IS SEQUENTIAL FOR INDEXED FILES	COBOL 5 DH	60482500
3771 FIPS=2 SUPPORTS ACCESS MODE IS RANDOM FOR RELATIVE FILES	COBOL 5 DH	60482500
3772 FIPS=4 SUPPORTS ACCESS MODE IS RANDOM FOR INDEXED FILES	COBOL 5 DH	60482500
3773 FIPS=3 SUPPORTS ACCESS MODE IS DYNAMIC FOR RELATIVE FILES	COBOL 5 DH	60482500
3774 FIPS=4 SUPPORTS ACCESS MODE IS DYNAMIC FOR INDEXED FILES	COBOL 5 DH	60482500
3775 FIPS=2 SUPPORTS RELATIVE KEY IS DATA-NAME	COBOL 5 DH	60482500
3776 FIPS=2 SUPPORTS FILE STATUS IS DATA-NAME FOR RELATIVE FILES	COBOL 5 DH	60482500
3777 FIPS=4 SUPPORTS FILE STATUS IS DATA-NAME FOR INDEXED FILES	COBOL 5 DH	60482500
3778 FIPS=2 SUPPORTS RERUN INTEGER RECORDS OF RELATIVE FILE-NAME	COBOL 5 DH	60482500
3779 FIPS=4 SUPPORTS RERUN INTEGER RECORDS OF INDEXED FILE-NAME	COBOL 5 DH	60482500
3781 FIPS=2 SUPPORTS BLOCK CONTAINS FOR RELATIVE FILES	COBOL 5 DH	60482500
3782 FIPS=4 SUPPORTS BLOCK CONTAINS OR INDEXED FILES	COBOL 5 DH	60482500
3783 FIPS=3 SUPPORTS INTEGER TO INTEGER CHARACTER/RECORDS	COBOL 5 DH	60482500
3784 FIPS=2 SUPPORTS RECORD CONTAINS FOR RELATIVE FILES	COBOL 5 DH	60482500
3785 FIPS=4 SUPPORTS RECORD CONTAINS FOR INDEXED FILES	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3786 FIPS=2 SUPPORTS THE VALUE OF CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3787 FIPS=4 SUPPORTS THE VALUE OF CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3788 FIPS=2 SUPPORTS LABEL RECORDS CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3789 FIPS=4 SUPPORTS LABEL RECORDS CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3790 FIPS=2 SUPPORTS THE DATA RECORDS CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3791 FIPS=4 SUPPORTS THE DATA RECORDS CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3792 FIPS=2 SUPPORTS LEVEL FD DESCRIPTIONS FOR RELATIVE FILES	COBOL 5 DH	60482500
3793 FIPS=3 SUPPORTS RESERVE INTEGER AREAS	COBOL 5 DH	60482500
3794 FIPS=4 SUPPORTS RESERVE INTEGER AREAS	COBOL 5 DH	60482500
3795 FIPS=3 SUPPORTS VALUE OF IMPLEMENTOR-NAME IS DATA-NAME	COBOL 5 DH	60482500
3796 FIPS=4 SUPPORTS VALUE OF IMPLEMENTOR-NAME IS DATA-NAME	COBOL 5 DH	60482500
3797 FIPS=4 SUPPORTS RECORD KEY IS DATA-NAME	COBOL 5 DH	60482500
3798 FIPS=4 SUPPORTS ALTERNATE RECORD KEY IS DATA-NAME	COBOL 5 DH	60482500
3799 FAILURE TO CORRECT ERROR FOR ONCODE = 601	PL/I RM	60388100
3799 FAILURE TO CORRECT ERROR FOR ONCODE = 612	PL/I RM	60388100
3802 ARRAY BOUND MAGNITUDE > 131071	PL/I RM	60388100
3804 STRING LENGTH NEGATIVE, TOO LARGE, OR UNINITIALIZED	PL/I RM	60388100
3986 FIPS=3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
3988 THE ENVIRONMENT DIVISION IS MISSING	COBOL 5 DH	60482500
3989 THE DATA DIVISION IS MISSING	COBOL 5 DH	60482500
3990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS 3990 NOT PROPERLY QUALIFIED	COBOL 5 DH	60482500
3994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
3995 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500
4001 (no dayfile message)	LOADER 1 RM	60429800
4001 A NUMERIC PICTURE IS REQUIRED FOR THIS DATA ITEM	COBOL 5 DH	60482500
4002 CONFLICTS HAVE BEEN DETECTED BETWEEN GROUP AND SUBORDINATE SIGN DECLARATIONS	COBOL 5 DH	60482500
4002 1ST EPT USED - COULDNT FIND name	LOADER 1 RM	60429800
4003 NONEXISTENT LIBRARY - name	LOADER 1 RM	60429800
4003 THE PICTURE STRING SPECIFIED FOR A SIGNED DATA ITEM MUST BE SIGNED	COBOL 5 DH	60482500
4004 FILE NOT A RANDOM RMS USER LIB - name	LOADER 1 RM	60429800
4004 THE SIGN CLAUSE MAY ONLY BE USED WITH A DATA ITEM WHOSE USAGE IS DISPLAY	COBOL 5 DH	60482500
4005 MORE THAN THREE LEVELS OF SUBSCRIPTS IS NON-STANDARD COBOL	COBOL 5 DH	60482500
4006 A DATA ITEM REFERENCED IN A KEY IS PHRASE MUST BE AT THE SAME SUBSCRIBING LEVEL AS 4006 THE ENTRY CONTAINING THE KEY IS PHRASE	COBOL 5 DH	60482500
4006 UNSUPPORTED ECS USER FILE - name	LOADER 1 RM	60429800
4007 A DATA ITEM REFERENCED IN A KEY IS PHRASE MUST BE WITHIN THE GROUP DEFINED BY THE ENTRY 4007 CONTAINING THE KEY IS PHRASE	COBOL 5 DH	60482500
4007 UNSUPPORTED TAPE FILE - name	LOADER 1 RM	60429800
4008 A VALUE CLAUSE MAY NOT BE USED FOR A GROUP ITEM WHOSE SUBORDINATE ITEMS CONTAIN A JUSTIFIED, 4008 SYNCHRONIZED, OR USAGE CLAUSE (OTHER THAN USAGE IS DISPLAY)	COBOL 5 DH	60482500
4009 AN ENTRY CONTAINING A REDEFINES CLAUSE OR THE FIRST ELEMENTARY ITEM SUBORDINATE TO IT 4009 MAY NOT CONTAIN A SYNCHRONIZED CLAUSE UNLESS THE DATA ITEM REFERENCED IN THE REDEFINES 4009 CLAUSE HAS THE PROPER BOUNDARY ALIGNMENT	COBOL 5 DH	60482500
4010 A PICTURE CLAUSE IS REQUIRED FOR THIS ELEMENTARY ITEM	COBOL 5 DH	60482500
4011 A PICTURE CLAUSE IS ONLY ALLOWED WITH AN ELEMENTARY ITEM	COBOL 5 DH	60482500
4012 A PICTURE CLAUSE IS NOT ALLOWED BECAUSE USAGE IS INDEX OR USAGE IS COMP-2 HAS BEEN SPECIFIED	COBOL 5 DH	60482500

MESSAGE

MANUAL

PUB. NO.

4013 A DATA ITEM MUST HAVE THE SAME LEVEL NUMBER AS THE ITEM IT REDEFINES	COBOL 5 DH	60482500
4015 A REDEFINES CLAUSE IS NOT ALLOWED WITH A LEVEL 01 ITEM IN THE FILE OR COMMUNICATION SECTION	COBOL 5 DH	60482500
4016 A JUSTIFIED, PICTURE, VALUE, OR BLANK WHEN ZERO CLAUSE IS NOT ALLOWED WITH A DATA ITEM 4016 WHOSE USAGE IS INDEX	COBOL 5 DH	60482500
4017 THIS DATA NAME HAS A REDEFINES CLAUSE WHICH NAMES AN ITEM WITH AN OCCURS CLAUSE. THE 4017 REDEFINES CLAUSE WILL BE IGNORED	COBOL 5 DH	60482500
4018 AN ENTRY CONTAINING A REDEFINES CLAUSE MUST IMMEDIATELY FOLLOW THE DESCRIPTION OF THE 4018 AREA BEING REDEFINED WITH NO INTERVENING ENTRIES THAT DEFINE NEW STORAGE AREAS	COBOL 5 DH	60482500
4019 A VALUE CLAUSE IS NOT ALLOWED WITH SUBORDINATE ENTRIES IF IT APPEARS AT THE GROUP LEVEL	COBOL 5 DH	60482500
4020 IN THE FILE OR LINKAGE SECTION, THE VALUE CLAUSE IS ONLY ALLOWED WITH CONDITION NAME ENTRIES	COBOL 5 DH	60482500
4026 WHEN A GROUP ITEM CONTAINS A SIGN CLAUSE, THERE MUST BE AT LEAST ONE SUBORDINATE ITEM 4026 WHOSE PICTURE IS SIGNED	COBOL 5 DH	60482500
4027 A RECORD DESCRIBED IN AN INPUT CD MUST BE EXACTLY 87 CHARACTERS IN LENGTH	COBOL 5 DH	60482500
4028 LEVEL 66 ENTRIES THAT REFERENCE DATA ITEMS IN A RECORD MUST IMMEDIATELY FOLLOW THE LAST 4028 ENTRY IN THAT RECORD	COBOL 5 DH	60482500
4029 THE TWO DATA ITEMS REFERENCED IN A RENAMES CLAUSE MAY NOT BE THE SAME	COBOL 5 DH	60482500
4031 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MUST HAVE A LEVEL NUMBER IN THE RANGE FROM 2 TO 49	COBOL 5 DH	60482500
4032 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MAY NOT HAVE AN OCCURS CLAUSE OR BE SUBORDINATE 4032 TO AN ITEM THAT HAS AN OCCURS CLAUSE	COBOL 5 DH	60482500
4033 USAGE BIT REQUIRES BOOLEAN PICTURE	COBOL 5 DH	60482500
4034 NO PART OF THE AREA DESCRIBED BY THE SECOND DATA ITEM REFERENCED IN A RENAMES CLAUSE MAY 4034 BE TO THE LEFT OF THE START OF THE AREA DESCRIBED BY THE FIRST DATA ITEM - AND NO PART OF 4034 THE AREA DESCRIBED BY THE FIRST DATA ITEM MAY BE TO THE RIGHT OF THE END OF THE AREA 4034 DESCRIBED BY THE SECOND DATA ITEM	COBOL 5 DH	60482500
4035 WHEN THE OCCURRING ITEM IS A KEY ITEM, IT MUST BE THE FIRST KEY ITEM	COBOL 5 DH	60482500
4036 THE OCCURRING DATA NAME MAY ONLY BE USED AS A KEY WHEN THE OCCURRING DATA NAME IS AN ELEMENTARY 4036 ITEM	COBOL 5 DH	60482500
4037 THE VALUE CLAUSE MAY NOT BE USED IN AN ENTRY THAT CONTAINS AN OCCURS CLAUSE OR IN AN 4037 ENTRY THAT IS SUBORDINATE TO AN ENTRY THAT CONTAINS AN OCCURS CLAUSE	COBOL 5 DH	60482500
4038 THE VALUE CLAUSE MAY NOT BE USED IN AN ENTRY THAT CONTAINS A REDEFINES CLAUSE OR IN AN 4038 ENTRY THAT IS SUBORDINATE TO AN ENTRY THAT CONTAINS A REDEFINES CLAUSE	COBOL 5 DH	60482500
4039 THE SIGN CLAUSE MAY ONLY BE USED FOR NUMERIC OR NUMERIC EDITED DATA ITEMS	COBOL 5 DH	60482500
4040 -SYNCHRONIZED- AT A GROUP LEVEL IS NON-STANDARD	COBOL 5 DH	60482500
4041 WHEN THE DEPENDING ON OPTION IS USED, THAT ENTRY MAY ONLY BE FOLLOWED WITHIN THAT 4041 RECORD, BY ENTRIES THAT ARE SUBORDINATE TO IT	COBOL 5 DH	60482500
4042 AN ENTRY WHICH CONTAINS OR HAS A SUBORDINATE ENTRY WHICH CONTAINS A DEPENDING ON PHRASE 4042 MAY NOT BE THE OBJECT OF A REDEFINES CLAUSE	COBOL 5 DH	60482500
4044 THE AREA DESCRIBED BY THE DATA ITEM REFERENCED IN A DEPENDING ON PHRASE MAY NOT OVERLAP 4044 THE AREA DESCRIBED BY THE DATA ENTRY WHICH CONTAINS THE DEPENDING ON PHRASE	COBOL 5 DH	60482500
4045 THE JUSTIFIED CLAUSE MAY ONLY BE USED WITH ELEMENTARY ITEMS	COBOL 5 DH	60482500
4046 CONFLICTS HAVE BEEN DETECTED BETWEEN GROUP AND SUBORDINATE USAGE DECLARATIONS	COBOL 5 DH	60482500
4047 ALL ITEMS IMMEDIATELY SUBORDINATE TO A GROUP ITEM MUST HAVE THE SAME LEVEL NUMBERS. THE 4047 LEVEL NUMBERS MUST BE GREATER THAN THE LEVEL NUMBER OF THE GROUP ITEM	COBOL 5 DH	60482500
4048 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MUST BE WITHIN THE IMMEDIATELY PRECEDING RECORD	COBOL 5 DH	60482500
4051 A TERMINAL PERIOD IS REQUIRED FOR THIS DATA ENTRY	COBOL 5 DH	60482500
4051 BLOCK NOT IN AREA	PL/I RM	60388100
4052 AN ITEM THAT CONTAINS A REDEFINES CLAUSE AND IS NOT THE SAME SIZE AS THE ITEM BEING 4052 REDEFINED, IS NON-STANDARD	COBOL 5 DH	60482500
4053 A REDEFINES CLAUSE THAT NAMES AN ITEM THAT CONTAINS A REDEFINES CLAUSE, IS NON-STANDARD	COBOL 5 DH	60482500
4054 COMPILER ERROR IN RECORD ACCUMULATION	COBOL 5 DH	60482500
4055 THIS ITEM IS A KEY FOR TWO OR MORE OCCURRING ITEMS	COBOL 5 DH	60482500
4056 THE DEPENDING ON IDENTIFIER MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4057 A VARIABLE LENGTH GROUP CAN NOT BE SUBORDINATE TO ANOTHER OCCURRING ITEM. THE DEPENDING OPTION 4057 IS IGNORED	COBOL 5 DH	60482500
4060 A LABEL RECORDS CLAUSE IS REQUIRED IN A FILE DESCRIPTION ENTRY. -LABEL RECORDS ARE OMITTED- 4060 IS ASSUMED	COBOL 5 DH	60482500
4061 BLOCK WRONG SIZE	PL/I RM	60388100
4061 RANDOM PROCESSING MODE IS NOT IMPLEMENTED IN THIS COMPILER	COBOL 5 DH	60482500
4062 BLOCK WRONG SIZE	PL/I RM	60388100
4062 IF A FILE APPEARS IN BOTH A SAME AREA CLAUSE AND A SAME RECORD AREA CLAUSE, ALL THE FILES 4062 IN THE SAME AREA CLAUSE MUST APPEAR IN THE SAME RECORD AREA CLAUSE	COBOL 5 DH	60482500
4063 IF A FILE APPEARS IN BOTH A SAME AREA CLAUSE AND A SAME SORT OR SORT-MERGE AREA CLAUSE, ALL 4063 THE FILES IN THE SAME AREA CLAUSE MUST APPEAR IN THE SAME SORT OR SORT-MERGE AREA CLAUSE	COBOL 5 DH	60482500
4064 THE REPORT CLAUSE AND LINAGE CLAUSE MAY NOT BOTH BE USED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
4065 THE REPORT CLAUSE AND DATA RECORDS CLAUSE MAY NOT BOTH BE USED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
4066 WHEN A REPORT CLAUSE IS USED IN A FILE DESCRIPTION, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4067 WHEN A FILE IS DESCRIBED AS OPTIONAL, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4068 WHEN RERUN ON END OF REEL IS SPECIFIED FOR A FILE, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4069 THE RELATIVE KEY FOR A FILE MAY NOT BE DEFINED WITHIN A RECORD OF THAT FILE	COBOL 5 DH	60482500
4070 THE RELATIVE KEY FOR A FILE MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4071 A RELATIVE FILE MUST HAVE A RELATIVE KEY NAME SPECIFIED WHEN THE ACCESS MODE IS NOT SEQUENTIAL	COBOL 5 DH	60482500
4072 INDEXED, DIRECT AND ACTUAL KEY FILES MUST HAVE A RECORD KEY SPECIFIED	COBOL 5 DH	60482500
4073 THE RECORD KEY FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE MUST BE A DATA ITEM WITHIN A 4073 RECORD OF THAT FILE	COBOL 5 DH	60482500
4074 THE RECORD KEY MUST BE AN ALPHANUMERIC ITEM	COBOL 5 DH	60482500
4075 THE ALTERNATE KEY FOR AN INDEXED, DIRECT AND ACTUAL KEY FILE MUST BE A DATA ITEM WITHIN 4075 THE RECORD OF THAT FILE	COBOL 5 DH	60482500
4076 THE RECORD KEY FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE CANNOT BE A DATA ITEM, OR 4076 SUBORDINATE TO A DATA ITEM, WITH AN -OCCURS- CLAUSE SPECIFIED	COBOL 5 DH	60482500
4077 NO TWO KEYS FOR A INDEXED, DIRECT OR ACTUAL KEY FILE MAY HAVE THE SAME LEFT CHARACTER 4077 POSITION	COBOL 5 DH	60482500
4078 THE MAXIMUM RECORD LENGTH DEFINED BY THIS RECORD DESCRIPTION IS GREATER THAN THE MAXIMUM 4078 RECORD LENGTH SPECIFIED IN THE RECORD CONTAINS CLAUSE FOR THIS FILE	COBOL 5 DH	60482500
4079 THE MINIMUM RECORD LENGTH DEFINED BY THIS RECORD DESCRIPTION IS LESS THAN THE MINIMUM 4079 RECORD LENGTH SPECIFIED IN THE RECORD CONTAINS CLAUSE FOR THIS FILE	COBOL 5 DH	60482500
4080 THE FILE STATUS NAME MAY NOT BE DEFINED IN THE REPORT SECTION	COBOL 5 DH	60482500
4081 THE FILE STATUS NAME MAY NOT BE DEFINED IN THE FILE SECTION	COBOL 5 DH	60482500
4082 THE FILE STATUS ITEM MUST BE AN ALPHANUMERIC ITEM WITH A LENGTH OF TWO	COBOL 5 DH	60482500
4083 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST BE DEFINED IN THE WORKING-STORAGE SECTION	COBOL 5 DH	60482500
4084 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST HAVE A USAGE OF DISPLAY	COBOL 5 DH	60482500
4085 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE 4085 TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4086 THE LINAGE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4087 THE TOP LINE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4088 THE BOTTOM LINE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4089 THE FOOTING IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4090 THE ITEMS NAMED IN A DATA RECORDS CLAUSE MUST BE DEFINED AS LEVEL 1 ENTRIES WITHIN THE 4090 ASSOCIATED FILE	COBOL 5 DH	60482500
4091 SEQUENTIAL FILES MUST NOT HAVE RELATIVE OR RECORD KEYS NAMED IN THE FILE CONTROL PARAGRAPH	COBOL 5 DH	60482500
4092 THIS FILE HAS NOT BEEN NAMED IN ANY SELECT CLAUSE OR THE SELECT CLAUSE HAS BEEN IGNORED	COBOL 5 DH	60482500
4093 REPORT NAMES CAN ONLY BE ASSOCIATED WITH ONE FILE	COBOL 5 DH	60482500
4094 INDEXED, DIRECT AND ACTUAL KEY FILES CANNOT HAVE RELATIVE KEYS	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4095	RELATIVE FILES CAN NOT HAVE RECORD KEYS	COBOL 5 DH	60482500
4096	RELATIVE KEY IDENTIFIERS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4097	MORE THAN 1 LEVEL OF -OCCURS- CANNOT BE SPECIFIED FOR AN ALTERNATE RECORD KEY	COBOL 5 DH	60482500
4098	FILE STATUS IDENTIFIERS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4099	THE PICTURE FOR A COMPUTATIONAL-4 DATA ITEM MUST NOT CONTAIN MORE THAN 14 DIGITS INCLUDING 4099 BOTH 9-S AND P-S	COBOL 5 DH	60482500
4100	LEVEL 77 ITEMS ARE ONLY ALLOWED IN THE WORKING-STORAGE SECTION AND MUST NOT BE FOLLOWED 4100 BY A LEVEL 2 THROUGH 49 ITEM	COBOL 5 DH	60482500
4100	UNSATISFIED EXTERNAL REF - name	LOADER 1 RM	60429800
4101	COMMON BLOCK REDEFINITION (name)	LOADER 1 RM	60429800
4101	THE NUMBER OF 9-S AND P-S IN A COMP-1 ITEM MUST BE LESS THAN 15	COBOL 5 DH	60482500
4102	A SECOND IMPLEMENTOR NAME IS REQUIRED IF THE ORGANIZATION IS INDEXED, DIRECT OR ACTUAL 4102 KEY WHEN ALTERNATE KEYS ARE SPECIFIED	COBOL 5 DH	60482500
4102	DUPLICATE ENTRY POINT NAME (name)	LOADER 1 RM	60429800
4103	A RECORD KEY OR AN ALTERNATE KEY CANNOT BE A GROUP ITEM ONE OF WHOSE SUBORDINATE ITEMS IS 4103 SPECIFIED WITH THE -OCCURS DEPENDING ON- PHRASE	COBOL 5 DH	60482500
4103	DUPLICATE PROGRAM NAME FROM FILE PROGRAM SKIPPED---name	LOADER 1 RM	60429800
4104	DUPLICATE PROGRAM NAME PROGRAM LOADED---name	LOADER 1 RM	60429800
4104	IF A RECORD KEY OR AN ALTERNATE KEY IS AN ELEMENTARY NUMERIC ITEM ITS PICTURE MUST NOT 4104 CONTAIN AN -S- UNLESS ITS USAGE IS COMP-1	COBOL 5 DH	60482500
4105	A RECORD KEY OR AN ALTERNATE KEY MUST BE ALPHABETIC, ALPHANUMERIC OR NUMERIC	COBOL 5 DH	60482500
4105	CM BLANK COMMON TRUNCATED BY nnnnnnB WORDS	LOADER 1 RM	60429800
4106	A RECORD KEY FOR AN ACTUAL-KEY FILE MUST BE AN ELEMENTARY COMP-1 ITEM OF 8 DIGITS OR LESS	COBOL 5 DH	60482500
4106	SPECIFIED LARGER BLANK COMMON THAN DECLARED AT LOWER LEVEL	LOADER 1 RM	60429800
4107	ABSOLUTE LOAD NOT FOLLOWED BY EXECUTE	LOADER 1 RM	60429800
4107	WORD ADDRESS FILES CANNOT HAVE RELATIVE OR RECORD KEYS	COBOL 5 DH	60482500
4108	WORD ADDRESS FILES MUST HAVE A WORD ADDRESS KEY	COBOL 5 DH	60482500
4109	WORD ADDRESS KEYS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4110	INTERACTIVE DEBUG IGNORED ON THIS LOAD	LOADER 1 RM	60429800
4110	WORD ADDRESS KEYS MUST BE UNSIGNED INTEGERS	COBOL 5 DH	60482500
4111	THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
4111	TRAP OVERRIDES INTERACTIVE DEBUG	LOADER 1 RM	60429800
4112	THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE USAGE DISPLAY OR COMP-1	COBOL 5 DH	60482500
4113	THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE 6 DIGITS OR LESS	COBOL 5 DH	60482500
4114	THE OBJECT OF THE -DEPENDING ON- PHRASE (WHEN CONTAINED WITHIN THE RECORD) MUST BE	COBOL 5 DH	60482500
4115	IF THE CODE-SET CLAUSE IS SPECIFIED ALL DATA IN THE FILE MUST BE DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
4116	IF THE CODE-SET CLAUSE IS SPECIFIED EACH SIGNED ITEM IN THE FILE MUST HAVE A SEPARATE SIGN	COBOL 5 DH	60482500
4117	IF A REPORT CLAUSE IS SPECIFIED THE FILE MUST HAVE SEQUENTIAL ORGANIZATION	COBOL 5 DH	60482500
4119	LABEL RECORDS ARE STANDARD MUST BE SPECIFIED FOR MULTIPLE FILE TAPE FILES	COBOL 5 DH	60482500
4120	A RECORD DESCRIPTION CANNOT FOLLOW AN FD CONTAINING A REPORTS CLAUSE	COBOL 5 DH	60482500
4121	THE CODE-SET CLAUSE MUST REFERENCE AN ALPHABET NAME AND THAT ALPHABET NAME MAY NOT BE 4121 SPECIFIED WITH THE LITERAL PHRASE	COBOL 5 DH	60482500
4122	THE BLOCK COUNT FOR A FILE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
4124	ONE OR MORE OTHER FILES ARE ASSIGNED TO THIS SAME IMPLEMENTOR NAME. THIS FILE CANNOT BE 4124 OPENED IF ANOTHER OF THE FILES IS ALREADY OPEN	COBOL 5 DH	60482500
4125	ACCESS MODE RANDOM OR DYNAMIC IS NOT ALLOWED ON FILES WITH SEQUENTIAL ORGANIZATION	COBOL 5 DH	60482500
4126	THE FIRST CHARACTER OF A FILE NAME MUST BE ALPHABETIC AND THE REMAINING CHARACTERS MAY BE 4126 ALPHANUMERIC (A THRU Z, AND 0 THRU 9)	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4127 THE -VALUE OF- THE FILE-ID MUST BE LESS THAN 18 ALPHANUMERIC CHARACTERS	COBOL 5 DH	60482500
4128 THE -VALUE OF- THE FILE-SET-ID MUST BE LESS THAN 7 ALPHANUMERIC CHARACTERS	COBOL 5 DH	60482500
4129 THE -VALUE OF- THE FILE-SECTION-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4130 THE -VALUE OF- THE FILE-SEQUENCE-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4131 THE -VALUE OF- THE FILE-GENERATION-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4132 THE -VALUE OF- THE GENERATION-VERSION-NUMBER MUST BE LESS THAN 3 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4133 THE -VALUE OF- THE CREATION-DATE MUST BE 5 NUMERIC CHARACTERS EXACTLY	COBOL 5 DH	60482500
4134 THE -VALUE OF- THE EXPIRATION-DATE MUST BE 5 NUMERIC CHARACTERS EXACTLY	COBOL 5 DH	60482500
4135 THE -VALUE OF- THE ACCESSIBILITY MUST BE A SINGLE ALPHANUMERIC CHARACTER	COBOL 5 DH	60482500
4136 THE ASSIGN CLAUSE FOR THIS FILE WAS NOT GIVEN OR WAS IN ERROR	COBOL 5 DH	60482500
4137 THE RECORD KEY ITEM MUST HAVE A LEVEL NUMBER OF 1 THRU 49, OR 77 (POSSIBLE IF 4137 NON-EMBEDDED KEY FOR ACTUAL KEY OR INDEXED FILE)	COBOL 5 DH	60482500
4138 NO TWO KEYS FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE MAY COINCIDE	COBOL 5 DH	60482500
4141 THIS DATA-ITEM REQUIRES MORE THAN 131071 CHARACTERS OF STORAGE	COBOL 5 DH	60482500
4142 WHEN THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, IS SPECIFIED IN AN ALTERNATE 4142 RECORD KEY CLAUSE, THE DATA-NAME MUST BE DESCRIBED AS A SINGLE CHARACTER ALPHANUMERIC 4142 ITEM AND BE CONTAINED WITHIN A RECORD DESCRIPTION OF THE FILE	COBOL 5 DH	60482500
4143 FILE NAMES MAY BE UP TO SEVEN CHARACTERS LONG. THIS FILE NAME EXCEEDS SEVEN CHARACTERS	COBOL 5 DH	60482500
4200 FIPS=3 SUPPORTS NESTED REDEFINES CLAUSES	COBOL 5 DH	60482500
4200 LOADER CARD ERROR FOLLOWING CARD IGNORED	LOADER 1 RM	60429800
4201 NUMERIC RECORD KEYS AND NUMERIC ALTERNATE RECORD KEYS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
4201 PROGRAM NOT FOUND - name	LOADER 1 RM	60429800
4202 THE OCCURRENCE LENGTH OF AN ITEM CANNOT EXCEED 65535 CHARACTERS	COBOL 5 DH	60482500
4203 ONLY THE FIRST REDEFINITION MAY CONTAIN VALUE CLAUSES	COBOL 5 DH	60482500
4204 ILLEGAL ORIGIN SPECIFICATION	LOADER 1 RM	60429800
4205 NO BLANK COMMON AT LOWER LEVEL - C>NNNNN IGNORED	LOADER 1 RM	60429800
4206 ENTRY NAME ON OVERLAY CARD NOT FOUND - name	LOADER 1 RM	60429800
4207 OBJECT DIRECTIVES NOT ALLOWED	LOADER 1 RM	60429800
4210 FOL GENERATION, WRITING BINARY TO SAME FILE AS MAIN OVERLAY	LOADER 1 RM	60429800
4211 ILLEGAL OV SPECIFICATION	LOADER 1 RM	60429800
4220 ILLEGAL LOADER REQUEST	LOADER 1 RM	60429800
4221 LOAD FILE NAME FORMAT ERROR - name	LOADER 1 RM	60429800
4222 NO PROGRAMS SPECIFIED ON SLOAD	LOADER 1 RM	60429800
4224 SLOAD PROGRAM NOT FOUND - name	LOADER 1 RM	60429800
4225 FORMAT ERROR ON LIBLOAD REQUEST	LOADER 1 RM	60429800
4227 ENTRY ON LIBLOAD NOT FOUND - name	LOADER 1 RM	60429800
4230 FORMAT ERROR ON CMLoad OR ECLoad REQUEST	LOADER 1 RM	60429800
4231 FORMAT ERROR - SATISFY REQUEST - name	LOADER 1 RM	60429800
4232 FORMAT ERROR ON LIB REQUEST - name	LOADER 1 RM	60429800
4233 FORMAT ERROR ON MAP REQUEST	LOADER 1 RM	60429800
4234 FORMAT ERROR ON PRESET REQUEST	LOADER 1 RM	60429800
4235 FORMAT ERROR ON USEP REQUEST - name	LOADER 1 RM	60429800
4236 FORMAT ERROR ON USE REQUEST - name	LOADER 1 RM	60429800
4237 SUBST FORMAT ERROR	LOADER 1 RM	60429800
4240 FORMAT ERROR ON OMIT REQUEST - name	LOADER 1 RM	60429800
4241 FORMAT ERROR ON PASSLOC REQUEST	LOADER 1 RM	60429800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
4242 FORMAT ERR - COMMON REQUEST - name	LOADER 1 RM	60429800
4271 TRANSFER NAME NOT FOUND - name	LOADER 1 RM	60429800
4272 TOO MANY PARAMS IN EXECUTE REQUEST	LOADER 1 RM	60429800
4273 NONEXISTENT LIBRARY GIVEN - name	LOADER 1 RM	60429800
4274 LIBRARY NOT ON MASS STORAGE - name	LOADER 1 RM	60429800
4275 ILL-FORMATTED LIBRARY - name	LOADER 1 RM	60429800
4275 THE SECOND IMPLEMENTOR-NAME IN THE ASSIGN CLAUSE IS USED FOR THE LOGICAL FILE NAME OF THE 4275 INDEX FILE FOR INDEXED, DIRECT, OR ACTUAL-KEY FILES, WITH ALTERNATE RECORD KEYS. IT 4275 IS IGNORED FOR THIS FILE	COBOL 5 DH	60482500
4310 POTENTIAL HARDWARE DEFICIENCY - program	LOADER 1 RM	60429800
4340 TRIED TO LOAD INTO BLOCK BELOW ORIGIN - name	LOADER 1 RM	60429800
4341 TRIED TO LOAD INTO ABSOLUTE BLOCK	LOADER 1 RM	60429800
4400 PARAMETER NAME TRUNCATED TO 7 CHARACTERS	LOADER 1 RM	60429800
4401 END CARD MISSING	LOADER 1 RM	60429800
4402 name - NOT DECLARED GLOBAL	LOADER 1 RM	60429800
4420 COULD NOT FIND COMMON OR GLOBAL BLOCK - name	LOADER 1 RM	60429800
4421 SATISFY IGNORED ON SEGMENT LOAD	LOADER 1 RM	60429800
4422 TRIED TO LOAD INTO BLOCK OUTSIDE SEGMENT - name	LOADER 1 RM	60429800
4450 CONFLICTING SEGMENTS CALLED BY SAME WORD ADDRESS	LOADER 1 RM	60429800
4500 FORMAT ERROR ON EPT REQUEST - name	LOADER 1 RM	60429800
4501 FORMAT ERROR ON NOEPT REQUEST - name	LOADER 1 RM	60429800
4502 NOT ALL CAPSULE DIRECTIVES PROCESSED	LOADER 1 RM	60429800
4503 EPT REQUEST IGNORED - name	LOADER 1 RM	60429800
4708 LINKAGE-SECTION ILLEGAL IN MAIN PROGRAM	COBOL 5 DH	60482500
5000 TOO FEW ARGUMENTS	PL/I RM	60388100
5000 TOO MANY ARGUMENTS	PL/I RM	60388100
5001 THIS REPORT IS ASSOCIATED WITH A FILE THAT HAS BEEN DEFINED INCORRECTLY	COBOL 5 DH	60482500
5002 THE LEVEL NUMBER OF THIS FORMAT 2 ENTRY IS EQUAL TO OR GREATER THAN THE LEVEL NUMBER OF 5002 THE FORMAT 3 ENTRY PRECEDING IT	COBOL 5 DH	60482500
5003 THIS REPORT DOES NOT APPEAR IN A -REPORTS ARE- CLAUSE IN ANY FD	COBOL 5 DH	60482500
5004 A CODE CLAUSE LITERAL MUST BE A TWO CHARACTER NON NUMERIC LITERAL. SPACES HAVE BEEN 5004 SUBSTITUTED	COBOL 5 DH	60482500
5005 THE CODE CLAUSE MUST BE INCLUDED (OR OMITTED) FOR ALL REPORTS IN THE SAME FILE	COBOL 5 DH	60482500
5006 THIS CONTROL IDENTIFIER SHARES STORAGE WITH A MORE MINOR ONE	COBOL 5 DH	60482500
5007 THIS CONTROL IDENTIFIER SHARES STORAGE WITH A MORE MAJOR ONE	COBOL 5 DH	60482500
5008 THE HEADING SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5009 THE HEADING INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5010 THE FIRST DETAIL SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN 5010 ASSIGNED	COBOL 5 DH	60482500
5011 THE FIRST DETAIL SPECIFICATION IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5012 THE FIRST DETAIL INTEGER IS LESS THAN THE HEADING VALUE OR ITS IMPLICIT VALUE OF 1. FIRST 5012 DETAIL-S IMPLICIT VALUE HAS BEEN ASSIGNED TO IT	COBOL 5 DH	60482500
5013 THE LAST DETAIL SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN 5013 ASSIGNED	COBOL 5 DH	60482500
5014 THE LAST DETAIL INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5015 THE LAST DETAIL INTEGER IS TOO SMALL BASED ON OTHER PAGE CLAUSE SPECIFICATIONS. ITS 5015 IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5016 THE FOOTING SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5017	THE FOOTING INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5018	THE FOOTING INTEGER IS TOO SMALL BASED ON OTHER PAGE CLAUSE SPECIFICATIONS. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5019	THE PAGE LIMIT SPECIFICATION IS NOT AN UNSIGNED INTEGER. THE PAGE CLAUSE IS TREATED AS IF OMITTED. THE REPORT WILL CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5020	THE PAGE LIMIT INTEGER IS ZERO. THE PAGE CLAUSE IS TREATED AS IF OMITTED. THE REPORT WILL CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5021	THE PAGE LIMIT INTEGER IS LESS THAN ANOTHER PAGE CLAUSE SPECIFICATION. THE PAGE CLAUSE IS TREATED AS IF OMITTED. THE REPORT WILL CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5022	THE PAGE LIMIT INTEGER EXCEEDS 3 SIGNIFICANT DIGITS IN LENGTH	COBOL 5 DH	60482500
5023	THIS REPORT IS NAMED IN MORE THAN ONE FD ENTRY	COBOL 5 DH	60482500
5024	THE LEVEL NUMBER MUST BE AN INTEGER BETWEEN 02 AND 48 FOR FORMAT 2, OR BETWEEN 02 AND 49 FOR FORMAT 3	COBOL 5 DH	60482500
5025	THE FIRST ENTRY OF A REPORT GROUP MUST BE A FORMAT 1 ENTRY AND A TYPE CLAUSE MUST BE INCLUDED	COBOL 5 DH	60482500
5026	A FORMAT 2 OR 3 ENTRY SUBORDINATE TO A FORMAT 1 ENTRY IS MISSING	COBOL 5 DH	60482500
5027	AT LEAST ONE FORMAT 3 ENTRY MUST BE IMMEDIATELY SUBORDINATE TO A FORMAT 2 ENTRY	COBOL 5 DH	60482500
5028	FORMAT 3 ENTRIES MUST BE ELEMENTARY. THE LEVEL NUMBER OF THIS FORMAT 3 ENTRY IS NOT EQUAL TO THE LEVEL NUMBER OF THE FORMAT 3 ENTRY PRECEDING IT	COBOL 5 DH	60482500
5029	A FORMAT 2 ENTRY MUST CONTAIN AT LEAST ONE OPTIONAL CLAUSE	COBOL 5 DH	60482500
5030	IF A USAGE CLAUSE APPEARS IN A FORMAT 3 ENTRY, THAT ENTRY MUST DEFINE A PRINTABLE ITEM	COBOL 5 DH	60482500
5031	IF THE USAGE CLAUSE APPEARS IN A FORMAT 1 OR 2 ENTRY, AT LEAST ONE SUBORDINATE ENTRY MUST DEFINE A PRINTABLE ITEM	COBOL 5 DH	60482500
5032	THIS LINE NUMBER CLAUSE IS IN AN ENTRY SUBORDINATE TO ANOTHER ENTRY THAT CONTAINS A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5033	A GROUP INDICATE CLAUSE MAY APPEAR ONLY IN A TYPE DETAIL REPORT GROUP	COBOL 5 DH	60482500
5034	A SUM CLAUSE MAY APPEAR ONLY IN A TYPE CONTROL FOOTING REPORT GROUP	COBOL 5 DH	60482500
5035	AN ENTRY THAT CONTAINS A COLUMN NUMBER CLAUSE BUT NO LINE NUMBER CLAUSE MUST BE SUBORDINATE TO AN ENTRY THAT CONTAINS A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5036	IN A FORMAT 3 ENTRY A LINE NUMBER CLAUSE MUST NOT BE THE ONLY CLAUSE SPECIFIED	COBOL 5 DH	60482500
5037	IN FORMAT 3, AN ENTRY THAT CONTAINS A VALUE CLAUSE MUST ALSO HAVE A COLUMN NUMBER CLAUSE	COBOL 5 DH	60482500
5038	A VALID SOURCE, SUM, OR VALUE CLAUSE IS REQUIRED IN A FORMAT 3 ENTRY	COBOL 5 DH	60482500
5039	A VALID PICTURE CLAUSE IS REQUIRED IN A FORMAT 3 ENTRY	COBOL 5 DH	60482500
5040	THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A SUM CLAUSE	COBOL 5 DH	60482500
5041	THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A SOURCE CLAUSE	COBOL 5 DH	60482500
5042	THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A VALUE CLAUSE	COBOL 5 DH	60482500
5043	THE JUSTIFIED CLAUSE CAN BE SPECIFIED ONLY AT THE ELEMENTARY ITEM LEVEL	COBOL 5 DH	60482500
5044	THE JUSTIFIED CLAUSE MAY NOT BE SPECIFIED FOR A NUMERIC, NUMERIC EDITED OR ALPHANUMERIC EDITED ITEM	COBOL 5 DH	60482500
5045	THE BLANK WHEN ZERO CLAUSE CAN BE USED ONLY FOR AN ELEMENTARY ITEM	COBOL 5 DH	60482500
5046	THE BLANK WHEN ZERO CLAUSE CAN BE USED ONLY FOR AN ITEM SPECIFIED AS NUMERIC OR NUMERIC-EDITED	COBOL 5 DH	60482500
5047	A GROUP INDICATE CLAUSE MAY APPEAR ONLY IN A DETAIL ENTRY THAT DEFINES A PRINTABLE ITEM	COBOL 5 DH	60482500
5049	LINE NUMBER INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER NOT EXCEEDING 3 SIGNIFICANT DIGITS IN LENGTH	COBOL 5 DH	60482500
5050	A RELATIVE LINE NUMBER CLAUSE MAY NOT PRECEDE ANY ABSOLUTE LINE NUMBER CLAUSE WITHIN A GIVEN REPORT GROUP	COBOL 5 DH	60482500
5051	WITHIN A GIVEN REPORT GROUP, SUCCESSIVE ABSOLUTE LINE NUMBER CLAUSES MUST SPECIFY INTEGERS THAT ARE IN ASCENDING ORDER	COBOL 5 DH	60482500
5052	IF PAGE CLAUSE IS OMITTED IN A GIVEN RD, ONLY RELATIVE LINE NUMBER CLAUSES CAN BE SPECIFIED IN A REPORT GROUP WITHIN THAT RD	COBOL 5 DH	60482500
5053	A NEXT PAGE PHRASE CAN APPEAR ONLY ONCE IN A GIVEN REPORT GROUP, AND IF PRESENT MUST BE IN THE FIRST LINE NUMBER CLAUSE	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5054	A LINE NUMBER CLAUSE WITH A NEXT PAGE PHRASE MAY APPEAR ONLY IN THE DESCRIPTION OF A BODY GROUP OR A REPORT FOOTING REPORT GROUP	COBOL 5 DH	60482500
5055	THE FIRST LINE NUMBER CLAUSE SPECIFIED WITHIN A PAGE FOOTING REPORT GROUP MUST BE AN ABSOLUTE LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5056	A COLUMN NUMBER INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER	COBOL 5 DH	60482500
5057	WITHIN A GIVEN PRINT LINE, THE PRINTABLE ITEMS MUST BE DEFINED IN ASCENDING COLUMN NUMBER ORDER SUCH THAT EACH CHARACTER DEFINED OCCUPIES A UNIQUE POSITION	COBOL 5 DH	60482500
5058	THE DESCRIPTION OF A PRINT LINE IN THIS REPORT GROUP EXCEEDS 136 CHARACTERS	COBOL 5 DH	60482500
5059	A REPORT GROUP ENTRY MUST NOT CONTAIN A NEXT GROUP CLAUSE UNLESS THE DESCRIPTION OF THAT REPORT GROUP CONTAINS AT LEAST ONE LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5060	A NEXT GROUP INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER NOT EXCEEDING 3 SIGNIFICANT DIGITS IN LENGTH	COBOL 5 DH	60482500
5061	IF THE PAGE CLAUSE IS OMITTED FROM AN RD ONLY A RELATIVE NEXT GROUP CLAUSE MAY BE SPECIFIED IN ANY REPORT GROUP WITHIN THAT RD	COBOL 5 DH	60482500
5062	THE NEXT PAGE PHRASE OF A NEXT GROUP CLAUSE MUST NOT BE SPECIFIED IN A PAGE FOOTING REPORT GROUP	COBOL 5 DH	60482500
5063	A NEXT GROUP CLAUSE MUST NOT BE SPECIFIED IN A REPORT FOOTING OR PAGE HEADING REPORT GROUP	COBOL 5 DH	60482500
5064	RH, PH, CH-FINAL, CF-FINAL, PF, AND RF REPORT GROUPS MAY EACH APPEAR ONLY ONCE IN THE DESCRIPTION OF A REPORT	COBOL 5 DH	60482500
5065	A PH OR A PF REPORT GROUP MAY BE SPECIFIED ONLY IF A PAGE CLAUSE IS SPECIFIED IN THE CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5066	THE DATA NAME IN A CH OR CF TYPE CLAUSE MUST BE A VALID CONTROL DATA ITEM OF THE CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5067	ONLY ONE CH GROUP AND ONE CF GROUP CAN BE SPECIFIED FOR EACH DATA NAME (OR FINAL) THAT APPEARS IN THE CONTROL CLAUSE OF THE RD ENTRY	COBOL 5 DH	60482500
5068	IF -FINAL- APPEARS IN A TYPE CLAUSE, IT MUST BE SPECIFIED IN THE CONTROL CLAUSE OF THE CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5069	IN CF, PH, PF, AND RF REPORT GROUPS, A SOURCE CLAUSE MUST NOT REFERENCE A GROUP ITEM CONTAINING A CONTROL ITEM, OR A DATA ITEM SUBORDINATE TO A CONTROL ITEM, OR A REDEFINITION OR RENAMING OF ANY PART OF A CONTROL ITEM. ALSO, IN PH AND PF REPORT GROUPS, A SOURCE CLAUSE MUST NOT REFERENCE A CONTROL DATA-NAME	COBOL 5 DH	60482500
5070	LINE NUMBER SPECIFICATIONS FOR THIS RH REPORT GROUP CAUSE THE FINAL PRINT LINE TO EXCEED THE LOWER LIMIT OF FIRST DETAIL MINUS 1	COBOL 5 DH	60482500
5071	THE LINE NUMBER SPECIFICATIONS FOR THIS RH REPORT GROUP CAUSE THE FINAL PRINT LINE TO EXCEED THE PAGE LIMIT	COBOL 5 DH	60482500
5072	NEXT GROUP INTEGER IN THIS REPORT GROUP MUST BE GREATER THAN THE FINAL LINE NUMBER OF THIS RH REPORT GROUP AND LESS THAN THE FIRST DETAIL INTEGER	COBOL 5 DH	60482500
5073	THE SUM OF THE NEXT GROUP INTEGER AND THE NUMBER OF THE FINAL PRINT LINE OF THIS RH REPORT GROUP MUST BE LESS THAN THE FIRST DETAIL INTEGER	COBOL 5 DH	60482500
5074	THE FIRST LINE NUMBER ON WHICH A RH REPORT GROUP CAN BE PRESENTED IS THE ONE SPECIFIED BY THE HEADING PHRASE OF THE PAGE CLAUSE	COBOL 5 DH	60482500
5075	THE FIRST PRINT LINE POSITION OF PAGE HEADING MUST NOT BE LESS THAN THE LINE NUMBER SPECIFIED BY THE HEADING PHRASE OF THE PAGE CLAUSE	COBOL 5 DH	60482500
5076	FIRST DETAIL MINUS 1 IS THE LAST LINE ON WHICH A PAGE HEADING PRINT LINE CAN BE PRESENTED	COBOL 5 DH	60482500
5077	THE FIRST LINE NUMBER ON WHICH A PF REPORT GROUP CAN BE PRESENTED IS 1 GREATER THAN THE INTEGER OF THE FOOTING PHRASE	COBOL 5 DH	60482500
5078	LINE SPECIFICATIONS FOR THIS PF REPORT GROUP CAUSE THE FINAL PRINT LINE TO EXCEED THE PAGE LIMIT	COBOL 5 DH	60482500
5079	THE NEXT GROUP INTEGER IN THIS PF REPORT GROUP MUST BE GREATER THAN THE FINAL LINE OF THE REPORT GROUP AND LESS THAN THE PAGE LIMIT INTEGER	COBOL 5 DH	60482500
5080	THE SUM OF THE NEXT GROUP INTEGER AND THE NUMBER OF THE FINAL PRINT LINE OF THIS PF REPORT GROUP MUST NOT EXCEED THE PAGE LIMIT INTEGER	COBOL 5 DH	60482500
5081	THE FIRST PRINT LINE POSITION OF THE REPORT FOOTING IS LESS THAN THE REPORT FOOTING UPPER LIMIT. THE MINIMUM LINE NUMBER INTEGER IS FOOTING-PHRASE-INTEGERS +1	COBOL 5 DH	60482500
5082	THE LINE NUMBER INDICATED BY PAGE LIMIT INTEGER IS THE LAST LINE ON WHICH A REPORT FOOTING PRINT LINE CAN BE PRESENTED	COBOL 5 DH	60482500
5083	THE FIRST LINE ON WHICH THIS RF REPORT GROUP CAN BE PRESENTED IS THE LINE NUMBER SPECIFIED BY THE HEADING PHRASE	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
5084 A NEXT GROUP INTEGER MUST BE GREATER THAN OR EQUAL TO THE FIRST DETAIL INTEGER AND MUST 5084 BE LESS THAN OR EQUAL TO THE FOOTING PHRASE INTEGER	COBOL 5 DH	60482500
5085 THE FIRST LINE NUMBER ON WHICH A BODY GROUP CAN BE PRESENTED IS THE LINE NUMBER SPECIFIED 5085 BY THE FIRST DETAIL PHRASE	COBOL 5 DH	60482500
5086 LINE NUMBER SPECIFICATIONS IN THIS REPORT GROUP CAUSE THE LOWER LIMIT RULE FOR BODY GROUPS 5086 TO BE VIOLATED. THE LAST LINE NUMBER ON WHICH A REPORT GROUP CAN BE PRESENTED IS SPECIFIED 5086 BY THE INTEGER OF THE LAST-DETAIL PHRASE FOR A CH OR DE REPORT GROUP, AND BY THE INTEGER 5086 OF THE FOOTING PHRASE FOR A CF REPORT GROUP	COBOL 5 DH	60482500
5087 IF PAGE FOOTING AND REPORT FOOTING ARE PRESENTED ON THE SAME PAGE, THE FIRST PRINT LINE 5087 POSITION OF RF WILL VIOLATE THE UPPER LIMIT RULE FOR A REPORT FOOTING AS IT WILL NOT BE 5087 GREATER THAN THE FINAL LINE COUNTER VALUE SET BY THE PF REPORT GROUP	COBOL 5 DH	60482500
5088 IF THIS REPORT FOOTING IS PRESENTED ON THE SAME PAGE AS A PAGE FOOTING, SOME OR ALL OF 5088 ITS LINE NUMBERS WILL EXCEED THE PAGE LIMIT. SUCH LINES WILL NOT BE PRINTED	COBOL 5 DH	60482500
5089 IF THIS PAGE HEADING IS PRESENTED ON THE SAME PAGE AS THE REPORT HEADING, ITS ABSOLUTE LINE 5089 NUMBER WILL NOT BE GREATER THAN THE FINAL LINE COUNTER VALUE SET BY THE REPORT HEADING	COBOL 5 DH	60482500
5090 IF THIS PAGE HEADING IS PRESENTED ON THE SAME PAGE AS THE REPORT HEADING, SOME OR ALL OF 5090 ITS LINE NUMBERS WILL EXCEED FIRST-DETAIL-INTEGERS MINUS 1. SUCH LINES WILL NOT BE PRINTED	COBOL 5 DH	60482500
5091 THE RECORD SIZE FOR THIS REPORT CONFLICTS WITH THE SIZE SPECIFIED IN THE RECORD CONTAINS 5091 CLAUSE OF THE ASSOCIATED FD	COBOL 5 DH	60482500
5092 THE DESCRIPTION OF A REPORT MUST SPECIFY AT LEAST ONE REPORT GROUP	COBOL 5 DH	60482500
5093 A REPORT NAMED IN THE REPORTS CLAUSE OF AN FD ENTRY MUST BE THE SUBJECT OF AN RD ENTRY IN 5093 THE REPORT SECTION	COBOL 5 DH	60482500
5094 IF A SOURCE CLAUSE IDENTIFIER IS A REPORT SECTION ITEM IT CAN ONLY BE PAGE-COUNTER, LINE- 5094 COUNTER, OR A SUM COUNTER OF THE REPORT WITHIN WHICH THE SOURCE CLAUSE APPEARS	COBOL 5 DH	60482500
5095 SOURCE CLAUSE IDENTIFIER-1 MUST BE DEFINED SUCH THAT IT CONFORMS TO THE RULES FOR SENDING 5095 ITEMS IN THE MOVE STATEMENT	COBOL 5 DH	60482500
5096 WHEN DEFINED IN THE REPORT SECTION A SUM CLAUSE IDENTIFIER MUST BE THE NAME OF A SUM COUNTER	COBOL 5 DH	60482500
5097 THE MOVE STATEMENT RULES DO NOT ALLOW THE MOVE OF THIS SUM COUNTER TO THE PRINTABLE ITEM. 5097 THE PICTURE CLAUSE FOR THE PRINTABLE ITEM MUST BE CORRECTED	COBOL 5 DH	60482500
5098 IF THE UPON PHRASE IS PRESENT AN IDENTIFIER IN A SUM CLAUSE MUST NOT BE A SUM COUNTER	COBOL 5 DH	60482500
5099 A SUM COUNTER MUST NOT BE REFERENCED IN A SUM CLAUSE UNLESS IT IS DEFINED IN THE SAME REPORT 5099 GROUP AS THAT SUM CLAUSE OR IS DEFINED IN A MORE MINOR CONTROL FOOTING IN THE SAME REPORT	COBOL 5 DH	60482500
5100 EACH DATA-NAME IN AN UPON PHRASE MUST BE THE NAME OF A DETAIL REPORT GROUP DESCRIBED IN THE 5100 SAME REPORT AS THE CONTROL FOOTING IN WHICH THE SUM CLAUSE APPEARS	COBOL 5 DH	60482500
5101 IF FINAL IS SPECIFIED IN THE RESET PHRASE, FINAL MUST ALSO APPEAR IN THE CONTROL CLAUSE FOR 5101 THIS REPORT	COBOL 5 DH	60482500
5102 RESET DATA-NAME MUST BE ONE OF THE DATA-NAMES SPECIFIED IN THE CONTROL CLAUSE FOR THIS REPORT	COBOL 5 DH	60482500
5103 RESET DATA-NAME MUST NOT BE A LOWER LEVEL CONTROL THAN THE CONTROL ASSOCIATED WITH THE REPORT 5103 GROUP IN WHICH THIS RESET CLAUSE APPEARS	COBOL 5 DH	60482500
5104 THE MOVE STATEMENT RULES DO NOT ALLOW THE MOVE OF THIS VALUE CLAUSE LITERAL TO THE PRINTABLE 5104 ITEM. THE LITERAL OR THE PICTURE CLAUSE MUST BE CORRECTED	COBOL 5 DH	60482500
5301 A KEY ELEMENT IS REQUIRED HERE	COBOL 5 DH	60482500
5302 A CODE CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5303 A LITERAL IS REQUIRED IN A CODE CLAUSE	COBOL 5 DH	60482500
5304 A CONTROL CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5305 -ARE- IS THE ONLY OPTIONAL RESERVED WORD ALLOWED HERE	COBOL 5 DH	60482500
5306 A DATA NAME OR THE RESERVED WORD -FINAL- IS REQUIRED IN A CONTROL CLAUSE	COBOL 5 DH	60482500
5307 -IS- IS THE ONLY OPTIONAL RESERVED WORD ALLOWED HERE	COBOL 5 DH	60482500
5308 A PAGE CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5309 AN INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
5310 THE RESERVED WORD -DETAIL- IS REQUIRED HERE	COBOL 5 DH	60482500
5312 IN THE REPORT SECTION, LEVEL NUMBERS MUST BE IN THE RANGE 01 THROUGH 49	COBOL 5 DH	60482500
5313 A LEVEL 01 REPORT GROUP ENTRY IS ONLY ALLOWED FOLLOWING AN RD ENTRY OR A LEVEL 02 THROUGH 49 5313 REPORT GROUP ENTRY	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5314 A LINE NUMBER CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY	COBOL 5 DH	60482500
5315 -ON- MUST BE FOLLOWED BY -NEXT PAGE- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5316 -PAGE- MUST FOLLOW -NEXT- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5317 EITHER AN INTEGER OR THE RESERVED WORD -PLUS- IS REQUIRED HERE IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5318 A -NEXT GROUP- CLAUSE IS ALLOWED ONLY IN A LEVEL 01 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5319 THE RESERVED WORD -GROUP- IS REQUIRED HERE IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5320 AN INTEGER MUST FOLLOW -PLUS- IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5321 A TYPE CLAUSE IS ONLY ALLOWED IN A LEVEL 01 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5322 REPORT HEADING, PAGE HEADING, CONTROL HEADING, DETAIL, CONTROL FOOTING, PAGE FOOTING, OR 5322 REPORT FOOTING IS REQUIRED HERE	COBOL 5 DH	60482500
5323 A USAGE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY	COBOL 5 DH	60482500
5324 -DISPLAY- IS REQUIRED HERE IN A USAGE CLAUSE	COBOL 5 DH	60482500
5325 LEVEL NUMBERS IN THE RANGE 02 THROUGH 49 ARE ONLY ALLOWED WHEN SUBORDINATE TO A LEVEL 01 5325 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5326 A BLANK WHEN ZERO CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5327 -ZERO- IS REQUIRED IN A BLANK WHEN ZERO CLAUSE	COBOL 5 DH	60482500
5328 A COLUMN CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5329 AN INTEGER LITERAL IS REQUIRED IN A COLUMN CLAUSE	COBOL 5 DH	60482500
5330 A GROUP INDICATE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5331 A JUSTIFIED CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5332 A PICTURE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5333 A PICTURE STRING IS REQUIRED IN A PICTURE CLAUSE	COBOL 5 DH	60482500
5334 A VALUE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5335 A LITERAL IS REQUIRED IN A VALUE CLAUSE	COBOL 5 DH	60482500
5336 A SOURCE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5337 AN IDENTIFIER IS REQUIRED IN A SOURCE CLAUSE	COBOL 5 DH	60482500
5338 A SUM CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5339 AN IDENTIFIER IS REQUIRED IN A SUM CLAUSE	COBOL 5 DH	60482500
5340 A DATA NAME MUST FOLLOW -UPON- IN A SUM CLAUSE	COBOL 5 DH	60482500
5341 AN IDENTIFIER IS REQUIRED IN A RESET PHRASE	COBOL 5 DH	60482500
5342 A RESET PHRASE IS ONLY ALLOWED IN A SUM CLAUSE	COBOL 5 DH	60482500
5343 THE REPORT SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
5344 AT LEAST ONE BODY GROUP IS REQUIRED IN A REPORT	COBOL 5 DH	60482500
5346 A RIGHT PARENTHESIS OR A VALID SUBSCRIPT OR INDEX IS REQUIRED HERE	COBOL 5 DH	60482500
5347 AN INTEGER MUST FOLLOW -PLUS- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5348 EITHER AN INTEGER, THE RESERVED WORD -PLUS- OR THE RESERVED WORD -NEXT- IS REQUIRED HERE 5348 IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5349 -PAGE- MUST FOLLOW -NEXT- IN A NEXT PAGE PHRASE OF A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5350 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -REPORT- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5351 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -PAGE- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5352 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -CONTROL- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5353 EITHER A DATA-NAME OR THE RESERVED WORD -FINAL- IS REQUIRED IN A CONTROL-HEADING OR CONTROL- 5353 FOOTING TYPE CLAUSE	COBOL 5 DH	60482500
5361 THIS DUPLICATE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5364 AN ERROR WAS DETECTED IN THE DESCRIPTION OF THIS ITEM. THAT ERROR MUST BE CORRECTED BEFORE 5364 THIS CLAUSE CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5365 AN ITEM DEFINED IN THE REPORT SECTION MAY NOT BE REFERENCED IN A CONTROLS CLAUSE	COBOL 5 DH	60482500
5366 THIS DUPLICATE TERMINAL PERIOD IS IGNORED	COBOL 5 DH	60482500
5367 A CONTROL IDENTIFIER MAY NOT BE A REPORT GROUP ITEM. A CONTROL IDENTIFIER MAY NOT HAVE A 5367 SUBORDINATE ITEM THAT CONTAINS AN OCCURS DEPENDING ON CLAUSE	COBOL 5 DH	60482500
5368 AN IDENTIFIER MAY ONLY BE REFERENCED ONCE WITHIN A CONTROLS CLAUSE	COBOL 5 DH	60482500
5369 A TERMINAL PERIOD MUST PRECEDE THIS CLAUSE	COBOL 5 DH	60482500
5370 THIS CLAUSE APPEARS AFTER A TERMINAL PERIOD	COBOL 5 DH	60482500
5371 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS VALUE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5372 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS SOURCE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5373 LINE-COUNTER MUST BE QUALIFIED WHEN THERE IS MORE THAN ONE REPORT	COBOL 5 DH	60482500
5374 THE QUALIFIER FOR LINE-COUNTER MUST BE A REPORT NAME	COBOL 5 DH	60482500
5375 LINE COUNTER QUALIFIER NOT AN RD THAT IS ASSOCIATED WITH AN FD; SOURCE CLAUSE IGNORED	COBOL 5 DH	60482500
5376 PAGE-COUNTER MUST BE QUALIFIED WHEN THERE IS MORE THAN ONE REPORT	COBOL 5 DH	60482500
5377 THE QUALIFIER FOR PAGE-COUNTER MUST BE A REPORT NAME	COBOL 5 DH	60482500
5378 PAGE COUNTER QUALIFIER NOT AN RD THAT IS ASSOCIATED WITH AN FD; SOURCE CLAUSE IGNORED	COBOL 5 DH	60482500
5380 SUBSCRIPT NOT AN INTEGER OR INDEX-NAME	COBOL 5 DH	60482500
5381 A SUBSCRIPT MAY NOT BE SUBSCRIPTED	COBOL 5 DH	60482500
5382 THIS INDEX-NAME IS NOT ASSOCIATED WITH THIS IDENTIFIER	COBOL 5 DH	60482500
5384 SUBSCRIPTS AND INDEX-NAMES MAY NOT BE MIXED	COBOL 5 DH	60482500
5385 A SUBSCRIPT MAY NOT HAVE A RELATIVE INCREMENT	COBOL 5 DH	60482500
5386 A RELATIVE INDEX INCREMENT MUST BE AN UNSIGNED INTEGER LITERAL	COBOL 5 DH	60482500
5388 A LITERAL SUBSCRIPT MUST BE A POSITIVE OR UNSIGNED INTEGER	COBOL 5 DH	60482500
5389 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS SUM CLAUSE IS IGNORED	COBOL 5 DH	60482500
5390 ONLY ONE OF SOURCE, SUM OR VALUE CLAUSE MAY APPEAR FOR AN ITEM	COBOL 5 DH	60482500
5392 THIS SOURCE CLAUSE IS IGNORED BECAUSE OF A SUBSCRIPT ERROR	COBOL 5 DH	60482500
5393 THE DATA NAME REFERENCED IN THIS SUM CLAUSE IS EITHER UNDEFINED OR IS NOT PROPERLY QUALIFIED	COBOL 5 DH	60482500
5394 THIS UPON PHRASE IS IGNORED. IT IS EITHER A DUPLICATE PHRASE OR ELSE HAS NO DEFINED SUM 5394 IDENTIFIER PRECEDING IT	COBOL 5 DH	60482500
5396 A SUBSCRIPT MAY NOT BE A REPORT SECTION ITEM	COBOL 5 DH	60482500
5397 AN ITEM DEFINED IN THE REPORT SECTION MAY NOT BE USED AS A SUBSCRIPT	COBOL 5 DH	60482500
5400 THIS DUPLICATE PHRASE IS IGNORED	COBOL 5 DH	60482500
5401 NO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5402 ONE SUBSCRIPT IS REQUIRED	COBOL 5 DH	60482500
5403 TWO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5404 THREE SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5405 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE FIRST INDEX POSITION	COBOL 5 DH	60482500
5406 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE SECOND INDEX POSITION	COBOL 5 DH	60482500
5407 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE THIRD INDEX POSITION	COBOL 5 DH	60482500
5408 THE -BLANK WHEN ZERO- CLAUSE CANNOT BE SPECIFIED FOR AN ITEM WHOSE PICTURE CONTAINS AN ASTERISK. 5408 THE -BLANK WHEN ZERO- CLAUSE IS IGNORED	COBOL 5 DH	60482500
5500 THE REPORT WRITER MODULE IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
5986 FIPS-3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
5990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS NOT 5990 PROPERLY QUALIFIED	COBOL 5 DH	60482500
5994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
5995 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
5998 A SEMICOLON IS NOT ALLOWED HERE	COBOL 5 DH	60482500
5999 A COMMA IS NOT ALLOWED HERE	COBOL 5 DH	60482500
6001 COMPILER ERROR	COBOL 5 DH	60482500
667X FUNCTION REJECT.	NOS 2 OP/ANL HB	60459310
7000 EXITING	NOS 2 RS VOL 3	60459680
7000 JOB EARLY ABORT	NOS 2 RS VOL 3	60459680
7000 JOB ERROR - ERROR=xxx	NOS 2 RS VOL 3	60459680
7001 A COBOL CONDITION IS REQUIRED HERE	COBOL 5 DH	60482500
7001 SUBSCHEMA NOT FOUND - LFN IS lfn	CDCS 2 DA RM	60485200
7002 AN INDEX DATA ITEM CANNOT APPEAR AS AN OPERAND IN A MOVE STATEMENT	COBOL 5 DH	60482500
7002 SUBSCHEMA HAS A SCHEMA NAME sn	CDCS 2 DA RM	60485200
7003 SUBSCHEMA BAD DDL VERSION, LFN lfn	CDCS 2 DA RM	60485200
7003 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS A GO STATEMENT	COBOL 5 DH	60482500
7004 SUBSCHEMA AREA COUNT EXCESS num DECIMAL	CDCS 2 DA RM	60485200
7004 THE RESERVED WORD -SENTENCE- IS REQUIRED HERE	COBOL 5 DH	60482500
7005 AN INDEX-NAME CANNOT APPEAR AS AN OPERAND IN A MOVE STATEMENT	COBOL 5 DH	60482500
7005 SUBSCHEMA REC COUNT EXCESS - num DECIMAL	CDCS 2 DA RM	60485200
7006 A COBOL STATEMENT MUST FOLLOW THE CONDITION IN AN IF STATEMENT	COBOL 5 DH	60482500
7006 SUBSCHEMA REL COUNT EXCESS - num DECIMAL	CDCS 2 DA RM	60485200
7007 SCHEMA CANNOT BE FOUND - LFN lfn	CDCS 2 DA RM	60485200
7007 THIS ELEMENT DOES NOT APPEAR IN ANY LEGAL CONTEXT	COBOL 5 DH	60482500
7008 A COBOL STATEMENT MUST FOLLOW THE WORD -ELSE- IN AN IF STATEMENT	COBOL 5 DH	60482500
7008 SCHEMA CONTAINS SCHEMA NAME sn	CDCS 2 DA RM	60485200
7009 A LEFT PARENTHESIS HAS BEEN USED INCORRECTLY. IT IS NOT PART OF AN ARITHMETIC EXPRESSION AND 7009 IT IS NOT PART OF A CONDITION	COBOL 5 DH	60482500
7009 SCHEMA BAD DDL VERSION - LFN lfn	CDCS 2 DA RM	60485200
7010 SCHEMA MAX ITEMS/REC EXCESS num DECIMAL	CDCS 2 DA RM	60485200
7010 THE OBJECT OF A RELATIONAL CONDITION IS INVALID OR MISSING	COBOL 5 DH	60482500
7011 A RIGHT PARENTHESIS IS MISSING IN A CONDITION	COBOL 5 DH	60482500
7011 SCHEMA MISMATCHED DBP COUNT num DECIMAL	CDCS 2 DA RM	60485200
7012 THE WORD -IS- HAS NOT BEEN FOLLOWED BY A VALID CONDITION TYPE	COBOL 5 DH	60482500
7013 THE WORD -NOT- HAS NOT BEEN FOLLOWED BY A VALID CONDITION TYPE	COBOL 5 DH	60482500
7014 THE CONDITION FOLLOWING A LOGICAL OPERATOR IS INVALID OR MISSING	COBOL 5 DH	60482500
7015 THE CONDITION FOLLOWING A LOGICAL -NOT- IS INVALID OR MISSING	COBOL 5 DH	60482500
7016 A RIGHT PARENTHESIS IS MISSING IN AN ARITHMETIC EXPRESSION	COBOL 5 DH	60482500
7017 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE ** OPERATOR	COBOL 5 DH	60482500
7018 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE * OPERATOR	COBOL 5 DH	60482500
7019 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE / OPERATOR	COBOL 5 DH	60482500
7020 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE + OPERATOR	COBOL 5 DH	60482500
7021 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE - OPERATOR	COBOL 5 DH	60482500
7022 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE UNARY MINUS OPERATOR	COBOL 5 DH	60482500
7023 THIS SUBSCRIPT IS INVALID. AN INTEGER LITERAL, AN INTEGER DATA-NAME, OR AN INDEX-NAME IS 7023 REQUIRED HERE	COBOL 5 DH	60482500
7024 THIS RELATIVE INDEX IS INCORRECT. AN UNSIGNED INTEGER NUMERIC LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7025 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE LEFT PARENTHESIS	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7026 A NON DATA ITEM CANNOT APPEAR AS OPERAND IN A MOVE STATEMENT	COBOL 5 DH	60482500
7027 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7028 A COMP-4 ITEM CANNOT BE USED AS A KEY IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7029 ANSI RULES SPECIFY AN EXIT PROGRAM STATEMENT MUST APPEAR IN A SENTENCE BY ITSELF, AND IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7030 THE IN-LINE PERFORM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7031 AN IDENTIFIER OR AN INDEX-NAME MUST FOLLOW THE RESERVED WORD VARYING IN A PERFORM STATEMENT	COBOL 5 DH	60482500
7032 THE RESERVED WORD -FROM- IS REQUIRED HERE	COBOL 5 DH	60482500
7033 AN IDENTIFIER, INDEX-NAME, OR LITERAL IS REQUIRED FOLLOWING THE RESERVED WORD FROM IN A PERFORM VARYING STATEMENT	COBOL 5 DH	60482500
7034 THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7035 THE INCREMENT IN A PERFORM VARYING STATEMENT MUST BE AN IDENTIFIER OR A LITERAL	COBOL 5 DH	60482500
7036 THE RESERVED WORD -UNTIL- IS REQUIRED HERE	COBOL 5 DH	60482500
7037 THE RESERVED WORD -TIMES- IS REQUIRED HERE	COBOL 5 DH	60482500
7038 AN EXIT STATEMENT MUST APPEAR IN A SENTENCE BY ITSELF AND IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7039 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7040 THE SUBJECT IS MISSING IN A RELATION CONDITION	COBOL 5 DH	60482500
7041 THE RESERVED WORD -SIZE- IS REQUIRED HERE	COBOL 5 DH	60482500
7042 THE PROCEDURE DIVISION HEADER MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7043 A SECTION HEADER IS REQUIRED HERE	COBOL 5 DH	60482500
7044 A PARAGRAPH NAME DEFINITION MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7045 A SECTION NAME DEFINITION MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7046 A PARAGRAPH NAME DEFINITION IS REQUIRED HERE. EVERY STATEMENT EXCEPT THE USE STATEMENT MUST BE IN A PARAGRAPH	COBOL 5 DH	60482500
7047 A CONSTANT SUBSCRIPT MUST NOT EXCEED THE MAXIMUM NUMBER OF OCCURRENCES SPECIFIED IN THE OCCURS CLAUSE	COBOL 5 DH	60482500
7048 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7049 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7050 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7051 A LITERAL SUBSCRIPT MUST BE A POSITIVE OR UNSIGNED INTEGER	COBOL 5 DH	60482500
7051 SCHEMA HAS NO ENTRY FOR NAME nm	CDCS 2 DA RM	60485200
7052 THIS INDEX-NAME IS NOT ASSOCIATED WITH THIS IDENTIFIER	COBOL 5 DH	60482500
7053 SUBSCRIPTS AND INDEX-NAMES MAY NOT BE MIXED IN THE SAME IDENTIFIER	COBOL 5 DH	60482500
7054 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7055 A SUBSCRIPT MAY NOT BE SUBSCRIPTED	COBOL 5 DH	60482500
7056 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7057 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7058 A LITERAL OR IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7059 A NON NUMERIC LITERAL OR FIGURATIVE CONSTANT MUST FOLLOW THE RESERVED WORD -ALL-	COBOL 5 DH	60482500
7060 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7061 A NUMERIC DATA ITEM CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7062 A DATA-NAME DEFINED IN THE REPORT SECTION MAY ONLY BE REFERENCED BY A GENERATE OR USE BEFORE REPORTING STATEMENT	COBOL 5 DH	60482500
7063 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7064 A NUMERIC DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7065 A NUMERIC LITERAL, THE FIGURATIVE CONSTANT -ZERO-, A NUMERIC DATA ITEM, OR A NUMERIC EDITED DATA ITEM MAY NOT BE MOVED TO AN ALPHABETIC DATA ITEM	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7066 A DATA ITEM CANNOT BE REFERENCED IN A STATEMENT WITH THE CORRESPONDING OPTION IF ITS DESCRIPTION 7066 CONTAINS THE REDEFINES CLAUSE	COBOL 5 DH	60482500
7067 THE OPERATOR -NOT UNEQUAL- IS NOT UNEQUAL TO EQUALS	COBOL 5 DH	60482500
7068 A MOVE STATEMENT OPERAND DEFINED IN THE SECONDARY-STORAGE SECTION MUST BE NON-EDITED AND 7068 ALPHANUMERIC	COBOL 5 DH	60482500
7069 THE RESERVED WORD -ERROR- IS REQUIRED HERE	COBOL 5 DH	60482500
7070 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE ON SIZE ERROR PHRASE	COBOL 5 DH	60482500
7071 WHEN THE EQUALITY OPERATOR IS NOT SPECIFIED IN THE KEY PHRASE OF A START STATEMENT, THE USE OF 7071 A PARTIAL KEY WHICH IS NOT ALPHANUMERIC IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7072 THE PRECEDING GO TO STATEMENT MUST APPEAR IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7073 A NUMERIC LITERAL CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7074 AN INTEGER ELEMENTARY NUMERIC ITEM IS REQUIRED IN THE GO TO DEPENDING ON PHRASE	COBOL 5 DH	60482500
7075 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7076 A NUMERIC NON INTEGER DATA ITEM CANNOT BE MOVED TO AN ALPHANUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7077 A NUMERIC NON INTEGER DATA ITEM CANNOT BE MOVED TO AN ALPHANUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7078 THE RESERVED WORD -OVERFLOW- IS REQUIRED HERE	COBOL 5 DH	60482500
7079 A LITERAL OR AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7080 AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7081 THIS OPERAND MUST BE NUMERIC	COBOL 5 DH	60482500
7082 THIS OPERAND MUST BE NUMERIC OR NUMERIC-EDITED	COBOL 5 DH	60482500
7083 SERIES IDENTIFIERS ARE NOT ALLOWED IN THE ADD CORRESPONDING STATEMENT NOR IN THE SUBTRACT 7083 CORRESPONDING STATEMENT	COBOL 5 DH	60482500
7084 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE ON OVERFLOW PHRASE	COBOL 5 DH	60482500
7085 THE RESERVED WORD -GIVING- IS REQUIRED HERE	COBOL 5 DH	60482500
7086 THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7087 THE RESERVED WORD -INTO- OR THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7088 THIS STATEMENT MUST BE AN IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7089 A NUMERIC LITERAL CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7090 THE RESERVED WORD -TO- IS REQUIRED HERE	COBOL 5 DH	60482500
7091 NESTED SEARCH STATEMENTS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
7092 A DATA NAME SUBSCRIPT MUST BE AN INTEGER ELEMENTARY NUMERIC ITEM	COBOL 5 DH	60482500
7093 A NUMERIC NON INTEGER LITERAL CANNOT BE MOVED TO AN ALPHANUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7094 COMPILER ERROR	COBOL 5 DH	60482500
7095 A NUMERIC NON INTEGER LITERAL CANNOT BE MOVED TO AN ALPHANUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7096 THE FIGURATIVE CONSTANT ZERO CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7097 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7098 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7099 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7100 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO A NUMERIC EDITED 7100 RECEIVING FIELD	COBOL 5 DH	60482500
7101 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7101 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 DA RM	60485200
7102 RAISE MAXIMUM FL BY AT LEAST num OCTAL WORDS	CDCS 2 DA RM	60485200
7104 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE FIRST INDEX POSITION	COBOL 5 DH	60482500
7105 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE SECOND INDEX POSITION	COBOL 5 DH	60482500
7106 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE THIRD INDEX POSITION	COBOL 5 DH	60482500
7107 THE COMPARISON OF A GROUP ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7108 ALPHABETIC, ALPHANUMERIC, NUMERIC, ALPHANUMERIC-EDITED OR NUMERIC-EDITED MUST FOLLOW REPLACING 7108 IN THE INITIALIZE STATEMENT	COBOL 5 DH	60482500
7109 THE RESERVED WORD -BY- OR THE RESERVED WORDS -DATA BY- ARE REQUIRED HERE	COBOL 5 DH	60482500
7110 IN THE INITIALIZE STATEMENT, IT IS REQUIRED THAT A LITERAL OR AN IDENTIFIER FOLLOW THE RESERVED 7110 WORD -BY-	COBOL 5 DH	60482500
7111 A MNEMONIC NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7112 THE COMPARISON OF A NON NUMERIC LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A 7112 RELATION CONDITION	COBOL 5 DH	60482500
7113 IN THE ACCEPT STATEMENT, THE RESERVED WORD FROM MUST BE FOLLOWED BY DATE, DAY, TIME, DAY-OF-WEEK 7113 OR A MNEMONIC-NAME	COBOL 5 DH	60482500
7114 THE COMPARISON OF A NON NUMERIC DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A 7114 RELATION CONDITION	COBOL 5 DH	60482500
7115 THE COMPARISON OF AN INTEGER DISPLAY ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A 7115 RELATION CONDITION	COBOL 5 DH	60482500
7116 A GO TO STATEMENT IN AN INDEPENDENT SEGMENT MUST NOT BE REFERENCED BY AN ALTER STATEMENT IN 7116 A SECTION WITH A DIFFERENT SEGMENT NUMBER	COBOL 5 DH	60482500
7117 THIS PARAGRAPH CANNOT BE ALTERED	COBOL 5 DH	60482500
7118 THIS PARAGRAPH MUST BE ALTERED	COBOL 5 DH	60482500
7119 A CORRESPONDING OPERAND MUST BE A GROUP ITEM	COBOL 5 DH	60482500
7120 THE RESERVED WORD -FROM- IS REQUIRED HERE	COBOL 5 DH	60482500
7121 THE RESERVED WORD -DEPENDING- IS REQUIRED HERE	COBOL 5 DH	60482500
7122 THE COMPARISON OF AN INTEGER LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7123 THE COMPARISON OF A NUMERIC NON INTEGER LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A 7123 RELATION CONDITION	COBOL 5 DH	60482500
7124 THIS GO TO STATEMENT MUST APPEAR IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7125 A LITERAL APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7126 AN ARITHMETIC OPERATOR APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7127 A RELATIONAL OPERATOR APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7128 A PERIOD APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7129 A LEFT PARENTHESIS APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7130 A RIGHT PARENTHESIS APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7131 THE COMPARISON OF A NUMERIC DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7132 A CONDITION NAME APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7133 AN IF STATEMENT MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
7134 NO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7135 ONE SUBSCRIPT IS REQUIRED	COBOL 5 DH	60482500
7136 TWO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7137 THREE SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7138 THE SUBJECT OF A CLASS CONDITION MUST BE AN IDENTIFIER	COBOL 5 DH	60482500
7139 A SIGN CONDITION MAY NOT HAVE AN IMPLIED SUBJECT	COBOL 5 DH	60482500
7140 A CLASS CONDITION MAY NOT HAVE AN IMPLIED SUBJECT	COBOL 5 DH	60482500
7141 IN FORMAT 1 OF THE SET STATEMENT, AN IDENTIFIER THAT APPEARS IN THE SENDING FIELD MUST BE 7141 AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM	COBOL 5 DH	60482500
7142 A FILE-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7143 IN FORMAT 2 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME	COBOL 5 DH	60482500
7144 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME WHEN THE 7144 SENDING FIELD IS A LITERAL OR INTEGER DATA ITEM	COBOL 5 DH	60482500
7145 EACH RECEIVING FIELD IN A COMPUTE STATEMENT MUST BE AN IDENTIFIER	COBOL 5 DH	60482500
7146 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME OR AN INDEX 7146 DATA ITEM WHEN THE SENDING FIELD IS AN INDEX DATA ITEM	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7147 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM WHEN THE SENDING FIELD IS AN INDEX NAME	COBOL 5 DH	60482500
7148 IN THE SET STATEMENT, THE RESERVED WORD SET MUST BE FOLLOWED BY AN INDEX-NAME, AN IDENTIFIER, A MNEMONIC-NAME, SORT, MERGE, SORT-MERGE, PROGRAM, OR CODE-SET	COBOL 5 DH	60482500
7149 IN THE SET STATEMENT, THE PRECEDING OPERAND OR OPERANDS MUST BE FOLLOWED BY TO, ON, OFF, UP BY, OR DOWN BY	COBOL 5 DH	60482500
7150 AN ALPHABET-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7151 IN THE SET STATEMENT, IT IS REQUIRED THAT A LITERAL OR AN IDENTIFIER FOLLOW THE WORDS TO, UP BY, OR DOWN BY	COBOL 5 DH	60482500
7151 SCHEMA MISMATCHED REL COUNT num DECIMAL	CDCS 2 DA RM	60485200
7152 A LITERAL THAT APPEARS AS THE SENDING FIELD IN A FORMAT 2 SET STATEMENT MUST BE AN INTEGER	COBOL 5 DH	60482500
7152 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 DA RM	60485200
7153 IN FORMAT 1 OF THE SET STATEMENT, A LITERAL IN THE SENDING FIELD MUST BE AN INTEGER THAT IS GREATER THAN ZERO	COBOL 5 DH	60482500
7153 SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 DA RM	60485200
7154 IN FORMAT 2 OF THE SET STATEMENT, AN IDENTIFIER THAT APPEARS IN THE SENDING FIELD MUST BE AN INTEGER DATA ITEM	COBOL 5 DH	60482500
7154 SCHEMA BAD CHECKSUM FOR AREA an	CDCS 2 DA RM	60485200
7155 SEARCH FAIL - SCHEMA REL IS rn	CDCS 2 DA RM	60485200
7155 THE RESERVED WORD -TO- IS REQUIRED HERE	COBOL 5 DH	60482500
7156 SCHEMA BAD CHECKSUM FOR REL rn	CDCS 2 DA RM	60485200
7156 THE COMPUTE STATEMENT RECEIVING IDENTIFIERS MUST BE FOLLOWED BY -FROM-, -EQUALS-, OR ---	COBOL 5 DH	60482500
7157 SEARCH FAIL - SUBSCHEMA AREA an	CDCS 2 DA RM	60485200
7157 THE RIGHT SIDE OF A COMPUTE STATEMENT MUST BE AN IDENTIFIER, A LITERAL, OR AN ARITHMETIC EXPRESSION	COBOL 5 DH	60482500
7158 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM	COBOL 5 DH	60482500
7158 SUBSCHEMA BAD CHECKSUM, AREA an	CDCS 2 DA RM	60485200
7159 SEARCH FAIL - SUBSCHEMA REL rn	CDCS 2 DA RM	60485200
7159 -TALLYING- OR -REPLACING- IS REQUIRED HERE	COBOL 5 DH	60482500
7160 SUBSCHEMA BAD CHECKSUM - REL rn	CDCS 2 DA RM	60485200
7160 THE COMPARISON OF AN INDEX NAME AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7161 THE COMPARISON OF AN INDEX DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7162 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND A BOOLEAN DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7163 AN -ALL- LITERAL IS NOT ALLOWED HERE. THE RESERVED WORD -ALL- IS IGNORED	COBOL 5 DH	60482500
7164 THIS IDENTIFIER MUST BE DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
7165 A BOOLEAN DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7169 -ALL-, -LEADING-, -FIRST- OR -CHARACTERS- IS REQUIRED IN AN INSPECT STATEMENT WITH THE REPLACING PHRASE	COBOL 5 DH	60482500
7170 THE RESERVED WORD -FOR- IS REQUIRED HERE	COBOL 5 DH	60482500
7171 -ALL-, -LEADING- OR -CHARACTERS- IS REQUIRED IN AN INSPECT STATEMENT WITH THE TALLYING PHRASE	COBOL 5 DH	60482500
7172 AN IDENTIFIER OR NON ALL LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7173 A NON-NUMERIC LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7174 THIS IDENTIFIER MUST BE DESCRIBED AS USAGE IS DISPLAY AND CAN BE ALPHABETIC, ALPHANUMERIC, OR NUMERIC	COBOL 5 DH	60482500
7175 THE SIZE OF THE REPLACING LITERAL OR IDENTIFIER MUST EQUAL THE SIZE OF THE ITEM BEING REPLACED	COBOL 5 DH	60482500
7176 THE DATA REFERENCED BY THIS LITERAL OR IDENTIFIER MUST BE ONE CHARACTER IN LENGTH	COBOL 5 DH	60482500
7177 THE RESERVED WORD REPLACING IS REQUIRED HERE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7180 AN ERROR WAS DETECTED IN THE DESCRIPTION OF THIS ITEM. THAT ERROR MUST BE CORRECTED BEFORE 7180 THIS STATEMENT CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500
7181 THE OPERAND IN A NUMERIC CLASS CONDITION MAY NOT BE DESCRIBED AS ALPHABETIC	COBOL 5 DH	60482500
7182 USAGE IS DISPLAY IS REQUIRED FOR CLASS CONDITION OPERANDS	COBOL 5 DH	60482500
7183 THE OPERAND IN AN ALPHABETIC CLASS CONDITION MAY NOT BE DESCRIBED AS NUMERIC	COBOL 5 DH	60482500
7184 REFERENCE TO AN IMPLEMENTOR NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7186 REFERENCE TO A CD DATA NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7187 REFERENCE TO A FILE NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7188 REFERENCE TO A SORT MERGE FILE NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7189 REFERENCE TO A CD NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7190 REFERENCE TO A REPORT NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7191 A GROUP DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7192 A LITERAL MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7193 A NON NUMERIC DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7194 AN INDEX-NAME MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7195 AN INDEX DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7196 THE COMPARISON OF A GROUP ITEM AND AN ARITHMETIC EXPRESSION IS NOT ALLOWED IN A RELATION 7196 CONDITION	COBOL 5 DH	60482500
7197 THE COMPARISON OF A NON NUMERIC LITERAL AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE DATA 7197 ITEM IS AN INTEGER AND THE USAGE IS DISPLAY	COBOL 5 DH	60482500
7198 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND A NON NUMERIC DATA ITEM IS NOT ALLOWED IN A 7198 RELATION CONDITION	COBOL 5 DH	60482500
7199 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND AN INDEX DATA ITEM IS NOT ALLOWED IN A 7199 RELATION CONDITION	COBOL 5 DH	60482500
7200 A FILE NAME IS REQUIRED IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7201 ALLOCATE OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 DA RM	60485200
7201 -WITH- MUST BE FOLLOWED BY -NO- IN A CLOSE REEL OR CLOSE UNIT STATEMENT	COBOL 5 DH	60482500
7202 CMM GROW OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 DA RM	60485200
7202 -NO- MUST BE FOLLOWED BY -REWIND- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7203 THE NO REWIND OPTION IS IGNORED IN A CLOSE REEL OR CLOSE UNIT STATEMENT	COBOL 5 DH	60482500
7204 -FOR- MUST BE FOLLOWED BY -REMOVAL- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7205 -WITH- MUST BE FOLLOWED BY -LOCK- OR -NO REWIND- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7206 A FILE NAME IS REQUIRED IN A DELETE STATEMENT	COBOL 5 DH	60482500
7207 -INPUT-, -OUTPUT-, -EXTEND-, OR -I-O- IS REQUIRED IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7208 A FILE NAME IS REQUIRED IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7209 -WITH- MUST BE FOLLOWED BY -NO- IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7210 -NO- MUST BE FOLLOWED BY -REWIND- IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7211 THE RESERVE WORD -NO- IS REQUIRED HERE	COBOL 5 DH	60482500
7214 A FILE NAME IS REQUIRED IN A READ STATEMENT	COBOL 5 DH	60482500
7215 -INTO- MUST BE FOLLOWED BY AN IDENTIFIER IN A READ STATEMENT	COBOL 5 DH	60482500
7216 -KEY- MUST BE FOLLOWED BY A DATA NAME IN A READ STATEMENT	COBOL 5 DH	60482500
7217 A RECORD NAME IS REQUIRED IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7218 -FROM- MUST BE FOLLOWED BY AN IDENTIFIER IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7219 A FILE NAME IS REQUIRED IN A START STATEMENT	COBOL 5 DH	60482500
7220 IN A START STATEMENT, KEY MUST BE FOLLOWED BY EQUALS, IS EQUAL TO, IS =, EXCEEDS, 7220 IS GREATER THAN, IS >, IS NOT LESS THAN, OR IS NOT <	COBOL 5 DH	60482500
7221 -NOT- MUST BE FOLLOWED BY -<- OR -LESS- IN A START STATEMENT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7222 THE RELATION MUST BE FOLLOWED BY A DATA NAME IN A START STATEMENT	COBOL 5 DH	60482500
7223 A RECORD NAME IS REQUIRED IN A WRITE STATEMENT	COBOL 5 DH	60482500
7224 -FROM- MUST BE FOLLOWED BY AN IDENTIFIER IN A WRITE STATEMENT	COBOL 5 DH	60482500
7225 -ADVANCING- MUST BE FOLLOWED BY AN IDENTIFIER, AN INTEGER LITERAL, A MNEMONIC NAME, OR -PAGE-	COBOL 5 DH	60482500
7226 -AT- MUST BE FOLLOWED BY -END- IN A READ STATEMENT	COBOL 5 DH	60482500
7227 AT MUST BE FOLLOWED BY EOP OR END-OF-PAGE IN A WRITE STATEMENT	COBOL 5 DH	60482500
7230 -INVALID KEY- MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7231 -AT END- MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7232 AT END-OF-PAGE (AT EOP) MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7234 COMPARISON OF A NUMERIC DATA ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7235 COMPARISON OF A NUMERIC NON INTEGER LITERAL AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7235 CONDITION	COBOL 5 DH	60482500
7236 COMPARISON OF A NUMERIC LITERAL INTEGER AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7236 CONDITION	COBOL 5 DH	60482500
7237 COMPARISON OF AN INTEGER DISPLAY ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7237 CONDITION	COBOL 5 DH	60482500
7238 COMPARISON OF A NON NUMERIC DATA ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7238 CONDITION	COBOL 5 DH	60482500
7239 COMPARISON OF A NON NUMERIC DATA ITEM AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7240 THE COMPARISON OF A NON NUMERIC DATA ITEM AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE 7240 NUMERIC DATA ITEM IS AN INTEGER AND ITS USAGE IS DISPLAY	COBOL 5 DH	60482500
7241 COMPARISON OF A NON NUMERIC DATA ITEM AND A NUMERIC NON INTEGER LITERAL IS NOT ALLOWED IN 7241 A RELATION CONDITION	COBOL 5 DH	60482500
7242 COMPARISON OF A NON NUMERIC LITERAL AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7242 CONDITION	COBOL 5 DH	60482500
7243 COMPARISON OF A NON NUMERIC LITERAL AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7244 COMPARISON OF AN ARITHMETIC EXPRESSION AND A NON NUMERIC LITERAL IS NOT ALLOWED IN A RELATION 7244 CONDITION	COBOL 5 DH	60482500
7245 COMPARISON OF A GROUP ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7246 COMPARISON OF A GROUP ITEM AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7247 THE COMPARISON OF A GROUP ITEM AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE DATA ITEM 7247 IS AN INTEGER AND THE USAGE IS DISPLAY	COBOL 5 DH	60482500
7248 THE COMPARISON OF A GROUP ITEM AND A NUMERIC NON INTEGER LITERAL IS NOT ALLOWED IN A RELATION 7248 CONDITION	COBOL 5 DH	60482500
7249 THE COMPARISON OF TWO LITERALS IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7250 EITHER -INPUT- OR -OUTPUT- IS REQUIRED HERE	COBOL 5 DH	60482500
7251 THE RESERVED WORD -KEY- IS REQUIRED HERE	COBOL 5 DH	60482500
7252 THIS CD-NAME MUST REFERENCE AN INPUT CD	COBOL 5 DH	60482500
7253 THIS CD-NAME MUST REFERENCE AN OUTPUT CD	COBOL 5 DH	60482500
7254 A CD-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7255 THE CHARACTER -P- MAY NOT BE USED IN THE PICTURE ASSOCIATED WITH AN UNSTRING STATEMENT RECEIVING 7255 FIELD IDENTIFIER	COBOL 5 DH	60482500
7256 THIS IDENTIFIER MUST REFERENCE AN ALPHANUMERIC DATA ITEM	COBOL 5 DH	60482500
7257 THE RESERVED WORD -INTO- IS REQUIRED HERE	COBOL 5 DH	60482500
7258 THE RESERVED WORD -POINTER- IS REQUIRED HERE	COBOL 5 DH	60482500
7259 THE RESERVED WORD -DELIMITED- IS REQUIRED HERE	COBOL 5 DH	60482500
7260 EITHER AN IDENTIFIER, A NON ALL LITERAL, OR THE RESERVED WORD -SIZE- IS REQUIRED HERE	COBOL 5 DH	60482500
7261 THIS IDENTIFIER MUST REFERENCE AN ELEMENTARY DATA ITEM DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
7262 THE PICTURE ASSOCIATED WITH THIS IDENTIFIER MAY NOT CONTAIN EDITING CHARACTERS	COBOL 5 DH	60482500
7263 THIS IDENTIFIER MUST REFERENCE AN ELEMENTARY NUMERIC INTEGER DATA ITEM	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7264 THE DATA AREA REFERENCED BY THIS IDENTIFIER IS TOO SMALL FOR USE AS A POINTER IN THIS STATEMENT	COBOL 5 DH	60482500
7265 -MESSAGE- OR -SEGMENT- IS REQUIRED HERE	COBOL 5 DH	60482500
7266 THE RESERVED WORD -DATA- IS REQUIRED HERE	COBOL 5 DH	60482500
7267 IN THE UNSTRING STATEMENT, -DELIMITER IN- OR -COUNT IN- MAY BE SPECIFIED ONLY IF -DELIMITED BY- 7267 IS SPECIFIED	COBOL 5 DH	60482500
7268 THIS IDENTIFIER MUST REFERENCE AN UNSIGNED INTEGER DATA ITEM	COBOL 5 DH	60482500
7269 AN INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7270 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE NO DATA PHRASE	COBOL 5 DH	60482500
7271 ONE OF -ESI-, -EMI-, -EGI- OR AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7272 A LITERAL OR THE RESERVED WORD -RUN- IS REQUIRED HERE	COBOL 5 DH	60482500
7273 THE USE OF A GROUP OR VARIABLE GROUP ITEM AS A STRING STATEMENT RECEIVING FIELD IS NON-STANDARD	COBOL 5 DH	60482500
7275 AN IDENTIFIER OR A CD-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7276 THE RESERVED WORD -COUNT- IS REQUIRED HERE	COBOL 5 DH	60482500
7277 THE DAY-OF-WEEK PHRASE IN THE ACCEPT STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7278 IN THE STOP OR DISPLAY STATEMENT THE USE OF A LITERAL WHICH IS NEITHER NON-NUMERIC NOR AN 7278 UNSIGNED INTEGER IS NON-STANDARD	COBOL 5 DH	60482500
7279 IF A STOP RUN STATEMENT APPEARS IN A CONSECUTIVE SEQUENCE OF IMPERATIVE STATEMENTS WITHIN A 7279 SENTENCE, IT MUST APPEAR AS THE LAST STATEMENT IN THAT SEQUENCE	COBOL 5 DH	60482500
7280 THE SUBJECT OF THIS CLASS CONDITION IS DEFINED BUT NOT AS A DATA ITEM	COBOL 5 DH	60482500
7281 THE -BEFORE- OR -AFTER- REPLACING PHRASE OF THE INSPECT STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7283 THE USE OF -FROM- OR -EQUALS- IN THE COMPUTE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7284 THE INITIALIZE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7285 THE RELATIONAL OPERATOR -EQUALS- IS NON-STANDARD	COBOL 5 DH	60482500
7286 THE RELATIONAL OPERATOR -EXCEEDS- IS NON-STANDARD	COBOL 5 DH	60482500
7287 THE RELATIONAL OPERATOR -UNEQUAL- IS NON-STANDARD	COBOL 5 DH	60482500
7288 THERE ARE NO CORRESPONDING DATA NAMES	COBOL 5 DH	60482500
7289 A LINE-COUNTER MAY NOT BE MODIFIED BY PROCEDURE DIVISION STATEMENTS	COBOL 5 DH	60482500
7290 A LINAGE-COUNTER MAY NOT BE MODIFIED BY PROCEDURE DIVISION STATEMENTS	COBOL 5 DH	60482500
7291 A CONTROL DATA ITEM FOR A REPORT MUST NOT BE MODIFIED IN A USE BEFORE REPORTING PROCEDURE 7291 ASSOCIATED WITH THAT REPORT	COBOL 5 DH	60482500
7292 A CONTROL DATA ITEM MUST NOT BE REFERENCED IN A USE BEFORE REPORTING PROCEDURE ASSOCIATED 7292 WITH A PAGE HEADING OR PAGE FOOTING. A GROUP ITEM CONTAINING A CONTROL DATA ITEM, AN ITEM 7292 SUBORDINATE TO A CONTROL DATA ITEM, OR AN ITEM WHICH REDEFINES OR RENAMES ANY PART OF A 7292 CONTROL DATA ITEM MUST NOT BE REFERENCED IN A USE BEFORE REPORTING PROCEDURE ASSOCIATED 7292 WITH A CONTROL FOOTING OR REPORT FOOTING	COBOL 5 DH	60482500
7293 THE PURGE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7294 A DATA ITEM CANNOT BE REFERENCED IN A STATEMENT WITH THE CORRESPONDING OPTION IF ITS DESCRIPTION 7294 CONTAINS THE USAGE IS INDEX CLAUSE	COBOL 5 DH	60482500
7 5 ANSI RULES SPECIFY THAT THE COMPOSITE OF OPERANDS MUST NOT EXCEED 18 DIGITS. FOR ADD AND 7 SUBTRACT STATEMENTS THE COMPOSITE IS THE SUPERIMPOSITION OF ALL OPERANDS (EXCEPT THE GIVING 7295 OPERANDS) AFTER DECIMAL POINT ALIGNMENT	COBOL 5 DH	60482500
7296 AN ALTER STATEMENT CANNOT ALTER A SECTION NAME. A PARAGRAPH NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
7297 ANSI RULES SPECIFY THAT THE COMPOSITE OF OPERANDS MUST NOT EXCEED 18 DIGITS. FOR MULTIPLY AND 7297 DIVIDE STATEMENTS THE COMPOSITE IS THE SUPERIMPOSITION OF ALL RECEIVING FIELDS (EXCEPT THE 7297 REMAINDER RECEIVING FIELD) AFTER DECIMAL POINT ALIGNMENT	COBOL 5 DH	60482500
7298 -ON- OR -OFF- IS REQUIRED HERE	COBOL 5 DH	60482500
7299 A MNEMONIC NAME THAT IS ASSOCIATED WITH A SWITCH IS REQUIRED HERE	COBOL 5 DH	60482500
7300 A SORT-MERGE FILE NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7301 A -KEY- PHRASE IS REQUIRED IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7301 UNRECOGNIZABLE ERROR IDENT - 1d	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7302 -ASCENDING- OR -DESCENDING- IS REQUIRED IN THE KEY PHRASE OF A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7303 A DATA-NAME MUST FOLLOW THE RESERVED WORD -KEY- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7304 -SEQUENCE- MUST FOLLOW -COLLATING- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7305 AN ALPHABET-NAME IS REQUIRED IN A COLLATING SEQUENCE PHRASE	COBOL 5 DH	60482500
7306 EITHER A USING PHRASE OR AN INPUT PROCEDURE PHRASE IS REQUIRED HERE IN A SORT STATEMENT	COBOL 5 DH	60482500
7307 -PROCEDURE- MUST FOLLOW -INPUT- OR -OUTPUT- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7308 A SECTION-NAME IS REQUIRED HERE IN AN INPUT OR OUTPUT PROCEDURE PHRASE	COBOL 5 DH	60482500
7309 THE NAME REFERENCED IN AN INPUT OR OUTPUT PROCEDURE PHRASE MUST BE A SECTION-NAME	COBOL 5 DH	60482500
7310 A FILE-NAME REFERENCED IN A USING OR GIVING PHRASE MUST NOT HAVE AN SD LEVEL INDICATOR	COBOL 5 DH	60482500
7311 THE MAXIMUM RECORD SIZE OF THE USING, GIVING AND SD FILES OF A SORT MERGE STATEMENT MUST 7311 BE THE SAME	COBOL 5 DH	60482500
7312 THE RANGE OF AN INPUT PROCEDURE MUST NOT FORM A PART OF ANY OUTPUT PROCEDURE	COBOL 5 DH	60482500
7313 THE RANGE OF AN OUTPUT PROCEDURE MUST NOT FORM A PART OF ANY INPUT PROCEDURE	COBOL 5 DH	60482500
7314 THIS INPUT PROCEDURE DOES NOT CONTAIN AT LEAST ONE RELEASE STATEMENT THAT REFERENCES A RECORD 7314 WHICH IS CONTAINED IN THE FILE DESCRIPTION OF THE FILE THAT IS REFERENCED IN THIS SORT OR 7314 MERGE STATEMENT	COBOL 5 DH	60482500
7315 THIS OUTPUT PROCEDURE DOES NOT CONTAIN AT LEAST ONE RETURN STATEMENT THAT REFERENCES THE FILE 7315 THAT IS REFERENCED IN THIS SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7316 A FILE-NAME IS REQUIRED IN THE USING OR GIVING PHRASE OF A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7317 A GIVING PHRASE OR AN OUTPUT PROCEDURE PHRASE IS REQUIRED IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7318 A SORT OR MERGE STATEMENT MUST NOT APPEAR IN A DECLARATIVES SECTION	COBOL 5 DH	60482500
7319 A SORT OR MERGE STATEMENT MUST NOT APPEAR WITHIN AN INPUT OR OUTPUT PROCEDURE	COBOL 5 DH	60482500
7320 THE FILE-NAME REFERENCED IN A SORT, MERGE, OR RETURN STATEMENT MUST HAVE AN SD LEVEL INDICATOR	COBOL 5 DH	60482500
7321 DATA ITEMS USED AS KEYS IN A SORT OR MERGE STATEMENT MUST BE DEFINED WITHIN A RECORD OF THE 7321 SORT-MERGE FILE	COBOL 5 DH	60482500
7322 DATA ITEMS USED AS KEYS IN A SORT OR MERGE STATEMENT MUST NOT BE TABLE ITEMS	COBOL 5 DH	60482500
7324 AN INPUT OR OUTPUT PROCEDURE MUST BE CONTAINED WHOLLY WITHIN NON-INDEPENDENT SEGMENTS OR MUST 7324 BE CONTAINED WHOLLY WITHIN A SINGLE INDEPENDENT SEGMENT	COBOL 5 DH	60482500
7325 IF A SORT OR MERGE STATEMENT APPEARS WITHIN AN INDEPENDENT SEGMENT, ANY ASSOCIATED INPUT OR 7325 OUTPUT PROCEDURES MUST BE CONTAINED WHOLLY WITHIN THAT SAME INDEPENDENT SEGMENT OR MUST 7325 BE CONTAINED WHOLLY WITHIN NON-INDEPENDENT SEGMENTS	COBOL 5 DH	60482500
7326 A USING PHRASE IS REQUIRED IN A MERGE STATEMENT	COBOL 5 DH	60482500
7327 THE SAME FILE NAME CANNOT BE USED MORE THAN ONCE WITHIN A MERGE STATEMENT	COBOL 5 DH	60482500
7328 AT LEAST TWO FILE-NAMES MUST APPEAR IN THE USING PHRASE OF A MERGE STATEMENT	COBOL 5 DH	60482500
7329 ONLY ONE FILE FROM A MULTIPLE FILE REEL MAY APPEAR IN A MERGE STATEMENT	COBOL 5 DH	60482500
7330 A RECORD NAME IS REQUIRED HERE IN THE RELEASE STATEMENT	COBOL 5 DH	60482500
7331 CMM OVERFLOW, UP FL AT LEAST num OCTAL WORDS	CDCS 2 DA RM	60485200
7331 THIS RELEASE STATEMENT IS NOT CONTAINED IN AN INPUT PROCEDURE ASSOCIATED WITH A SORT STATEMENT 7331 FOR A FILE WHOSE FILE DESCRIPTION CONTAINS THE RECORD REFERENCED IN THIS STATEMENT	COBOL 5 DH	60482500
7332 AN IDENTIFIER MUST FOLLOW THE WORD -FROM- IN A RELEASE STATEMENT	COBOL 5 DH	60482500
7333 THE DATA ITEM REFERENCED IN A RELEASE STATEMENT MUST BE A SORT FILE RECORD	COBOL 5 DH	60482500
7334 THE RECORD REFERENCED IN THIS RELEASE STATEMENT IS NOT DEFINED IN THE SORT-MERGE FILE WHICH 7334 IS REFERENCED IN THE SORT OR MERGE STATEMENT WHOSE INPUT PROCEDURE CONTAINS THIS STATEMENT	COBOL 5 DH	60482500
7335 AN IDENTIFIER MUST FOLLOW THE WORD -INTO- IN A RETURN STATEMENT	COBOL 5 DH	60482500
7336 THE RESERVED WORD -END- MUST FOLLOW -AT- IN A RETURN STATEMENT	COBOL 5 DH	60482500
7337 THIS RETURN STATEMENT IS NOT CONTAINED IN AN OUTPUT PROCEDURE ASSOCIATED WITH A SORT OR MERGE 7337 STATEMENT FOR THE FILE THAT IS REFERENCED IN THIS STATEMENT	COBOL 5 DH	60482500
7338 THE FILE THAT IS REFERENCED IN THIS RETURN STATEMENT IS NOT REFERENCED IN A SORT OR MERGE 7338 STATEMENT WHOSE OUTPUT PROCEDURE CONTAINS THIS STATEMENT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7339 THE INTO PHRASE MUST NOT BE USED IN A RETURN STATEMENT IF THE INPUT FILE CONTAINS MORE THAN 7339 ONE RECORD TYPE	COBOL 5 DH	60482500
7340 THE IDENTIFIER IN A -FROM- OR -INTO- PHRASE MUST NOT DESCRIBE THE SAME STORAGE AREA AS THE 7340 RECORD AREA	COBOL 5 DH	60482500
7341 AN AT END PHRASE IS REQUIRED IN A RETURN STATEMENT	COBOL 5 DH	60482500
7342 DUPLICATES PHRASE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7343 THIS SORT PROCEDURE CONTAINS NON-CONTIGUOUS SECTIONS	COBOL 5 DH	60482500
7344 FOR A DIRECT OR ACTUAL KEY FILE, THE DATA-NAME IN THE KEY PHRASE OF A START STATEMENT, WHEN THE 7344 EQUALITY OPERATOR IS SPECIFIED, MUST BE THE RECORD KEY FOR THAT FILE. WHEN THE EQUALITY 7344 OPERATOR IS NOT SPECIFIED, THE DATA-NAME MUST BE AN ALTERNATE KEY FOR THAT FILE, OR IT MUST 7344 BE A DATA ITEM SUBORDINATE TO SUCH A KEY WITH ITS LEFTMOST CHARACTER POSITION COINCIDING 7344 WITH THAT OF 1 AND ONLY 1 SUCH KEY	COBOL 5 DH	60482500
7345 COMPILER ERROR - INITIALIZE COMMON BLOCK	COBOL 5 DH	60482500
7346 IF THE CODE-SET PHRASE IS SPECIFIED IN THE SET STATEMENT, ALL DATA IN THE SPECIFIED FILE MUST 7346 BE DESCRIBED AS USAGE IS DISPLAY AND ANY SIGNED NUMERIC DATA MUST BE DESCRIBED WITH THE SIGN 7346 IS SEPARATE CLAUSE	COBOL 5 DH	60482500
7347 -DUPLICATES- MUST FOLLOW -WITH- IN A SORT STATEMENT	COBOL 5 DH	60482500
7349 THE MESSAGE CONTROL SYSTEM VERBS ARE NOT CURRENTLY IMPLEMENTED	COBOL 5 DH	60482500
7350 THIS CONDITION NAME IS DEFINED IN THE SECONDARY-STORAGE SECTION	COBOL 5 DH	60482500
7351 THE OBJECT OF A -READ INTO- PHRASE MAY NOT BE IN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7351 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7352 THE OBJECT OF A -WRITE FROM- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7352 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7353 THE OBJECT OF A -RETURN INTO- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7353 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7354 THE OBJECT OF A -RELEASE FROM- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE 7354 SECTION UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7355 A REPORT FILE CAN ONLY BE OPENED IN OUTPUT OR EXTEND MODE	COBOL 5 DH	60482500
7356 ONLY SEQUENTIAL FILES CAN BE OPENED IN REVERSE OR WITH NO REWIND	COBOL 5 DH	60482500
7357 ONLY SEQUENTIAL FILES CAN BE OPENED IN EXTEND MODE	COBOL 5 DH	60482500
7358 ONLY SEQUENTIAL FILES CAN BE CLOSED WITH THE REEL OR UNIT OPTIONS, OR WITH THE NO REWIND OPTION	COBOL 5 DH	60482500
7359 A FILE WHOSE ORGANIZATION IS SEQUENTIAL OR WORD-ADDRESS MUST NOT BE REFERENCED BY A DELETE 7359 STATEMENT	COBOL 5 DH	60482500
7360 A DELETE STATEMENT FOR A SEQUENTIAL ACCESS FILE MUST NOT HAVE AN INVALID KEY PHRASE	COBOL 5 DH	60482500
7361 A DELETE STATEMENT FOR A RANDOM OR DYNAMIC ACCESS FILE MUST HAVE EITHER AN ERROR DECLARATIVE 7361 PARAGRAPH OR AN INVALID KEY PHRASE	COBOL 5 DH	60482500
7362 A FILE WITH SEQUENTIAL OR WORD-ADDRESS ORGANIZATION MUST NOT BE REFERENCED BY A START STATEMENT	COBOL 5 DH	60482500
7363 A START STATEMENT MUST NOT REFERENCE A FILE WITH RANDOM ACCESS	COBOL 5 DH	60482500
7364 THE DATA-NAME IN THE KEY PHRASE OF A START STATEMENT THAT REFERENCES A RELATIVE FILE MUST BE 7364 THE RELATIVE KEY FOR THAT FILE	COBOL 5 DH	60482500
7365 AN ERROR WAS DETECTED IN THE FILE DESCRIPTION OR FILE CONTROL FOR THIS FILE. THAT ERROR MUST 7365 BE CORRECTED BEFORE THIS STATEMENT CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500
7366 A START STATEMENT MUST HAVE EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE ASSOCIATED 7366 WITH IT	COBOL 5 DH	60482500
7367 A FILE WHOSE DESCRIPTION CONTAINS A REPORTS ARE CLAUSE MUST NOT BE USED IN A READ, WRITE, DELETE, 7367 START, OR REWRITE STATEMENT	COBOL 5 DH	60482500
7369 A REWRITE STATEMENT USING A FILE WITH INDEXED ORGANIZATION OR WITH RELATIVE ORGANIZATION AND 7369 RANDOM OR DYNAMIC ACCESS MUST HAVE EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE 7369 ASSOCIATED WITH IT	COBOL 5 DH	60482500
7370 A FILE WITH SEQUENTIAL ACCESS WHICH DOES NOT HAVE INDEXED ORGANIZATION MUST NOT HAVE AN INVALID 7370 KEY PHRASE ASSOCIATED WITH IT IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7371 MASTER DIRECTORY CRM ERROR - nnn OCTAL	CDCS 2 DA RM	60485200
7371 THE DATA-NAME IN THE KEY PHRASE OF THE START STATEMENT FOR AN INDEXED FILE MUST BE THE RECORD 7371 WITH ITS LEFTMOST CHARACTER POSITION COINCIDING WITH 1 AND ONLY 1 KEY	COBOL 5 DH	60482500
7372 SUBSCHEMA FILE CRM ERROR IS nnn OCTAL	CDCS 2 DA RM	60485200

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7373	SCHEMA DIRECTORY CRM ERROR - num OCTAL	CDCS 2 DA RM	60485200
7373	THE KEY PHRASE MAY NOT BE SPECIFIED IN A READ STATEMENT THAT CONTAINS THE -NEXT- PHRASE NOR	COBOL 5 DH	60482500
7373	IN A READ STATEMENT THAT REFERENCES A FILE WHOSE ORGANIZATION IS SEQUENTIAL, RELATIVE, OR		
7373	WORD-ADDRESS		
7374	THE DATA-NAME USED IN THE KEY PHRASE OF A READ STATEMENT MUST BE ONE OF THE RECORD KEYS	COBOL 5 DH	60482500
7374	ASSOCIATED WITH THAT FILE		
7375	THIS READ STATEMENT MUST CONTAIN AN -AT END- PHRASE BECAUSE NO APPLICABLE FORMAT 1 -USE-	COBOL 5 DH	60482500
7375	PROCEDURE EXISTS		
7376	THIS READ STATEMENT MUST CONTAIN AN -INVALID KEY- PHRASE BECAUSE NO APPLICABLE FORMAT 1	COBOL 5 DH	60482500
7376	-USE- PROCEDURE EXISTS		
7377	AN -AT END- PHRASE IS NOT ALLOWED IN A READ STATEMENT UNLESS THE FILE THAT IS REFERENCED HAS	COBOL 5 DH	60482500
7377	SEQUENTIAL ACCESS OR THE READ STATEMENT CONTAINS THE -NEXT- PHRASE AND THE FILE HAS DYNAMIC		
7377	ACCESS		
7378	AN -INVALID KEY- PHRASE IS NOT ALLOWED IN A READ STATEMENT THAT REFERENCES A FILE WITH	COBOL 5 DH	60482500
7378	SEQUENTIAL ACCESS OR IN A READ STATEMENT THAT CONTAINS THE -NEXT- PHRASE AND REFERENCES A FILE		
7378	THAT HAS DYNAMIC ACCESS		
7379	THIS DATA NAME MUST BE A FILE NAME	COBOL 5 DH	60482500
7380	THIS DATA NAME MUST BE A RECORD IN THE FILE SECTION	COBOL 5 DH	60482500
7382	FILES WITH THE OPTIONAL CLAUSE MAY ONLY BE OPENED FOR INPUT	COBOL 5 DH	60482500
7383	THE ADVANCING PHRASE MAY ONLY BE USED WITH SEQUENTIAL FILES	COBOL 5 DH	60482500
7384	THE IDENTIFIER IN THE ADVANCING PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
7385	THE LITERAL IN THE ADVANCING PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
7386	EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE IS REQUIRED FOR A WRITE STATEMENT THAT	COBOL 5 DH	60482500
7386	REFERENCES A FILE WITH RELATIVE OR INDEXED ORGANIZATION		
7387	A WRITE STATEMENT WITH AN INVALID KEY PHRASE MAY ONLY REFERENCE A FILE WHICH HAS RELATIVE OR	COBOL 5 DH	60482500
7387	INDEXED ORGANIZATION		
7388	AN END OF PAGE CLAUSE IS ONLY ALLOWED WITH A WRITE STATEMENT WHEN THE REFERENCED FILE HAS AN	COBOL 5 DH	60482500
7388	ASSOCIATED LINAGE CLAUSE		
7389	IN THE READ STATEMENT, THE INTO PHRASE MUST NOT BE USED WHEN THE INPUT FILE CONTAINS LOGICAL	COBOL 5 DH	60482500
7389	RECORDS OF VARYING LENGTH AS INDICATED BY EACH RECORD DESCRIPTION		
7390	THE USING PHRASE OF THE ENTER STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7391	A ROUTINE NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7392	A LITERAL, A PROCEDURE NAME, A FILE NAME OR AN IDENTIFIER IS REQUIRED IN THE USING PHRASE OF AN	COBOL 5 DH	60482500
7392	ENTER STATEMENT		
7393	AN ALPHABET-NAME THAT IS DEFINED BY A LITERAL PHRASE MAY NOT BE USED AS A CODE-SET	COBOL 5 DH	60482500
7394	THE ADVANCING MNEMONIC-NAME PHRASE CANNOT BE SPECIFIED IN A WRITE STATEMENT WHICH REFERENCES	COBOL 5 DH	60482500
7394	A RECORD OF A FILE WHOSE DESCRIPTION CONTAINS THE LINAGE CLAUSE		
7395	A MNEMONIC-NAME THAT APPEARS IN AN ADVANCING PHRASE MUST BE ASSOCIATED WITH A SINGLE CHARACTER	COBOL 5 DH	60482500
7395	NON-NUMERIC LITERAL		
7396	A REWRITE STATEMENT MUST NOT REFERENCE A FILE WHOSE ORGANIZATION IS WORD-ADDRESS	COBOL 5 DH	60482500
7397	THE NEXT PHRASE CANNOT BE SPECIFIED IN A READ STATEMENT THAT REFERENCES A RANDOM ACCESS FILE	COBOL 5 DH	60482500
7398	ONLY THE FIRST 7 CHARACTERS OF THIS PROGRAM OR ROUTINE NAME WILL BE USED TO INTERACT WITH SYSTEM	COBOL 5 DH	60482500
7399	FOR A PROGRAM-NAME OR ROUTINE-NAME TO BE ACCEPTED BY THE SYSTEM AS AN ENTRY POINT NAME,	COBOL 5 DH	60482500
7399	EACH CHARACTER IN THE NAME MUST BE ALPHABETIC (EXCEPT SPACE), NUMERIC, OR HYPHEN		
7401	A PERIOD IS REQUIRED HERE TO TERMINATE AN IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7401	ILLEGAL PROC TYPE OF OPTIONS typ OCTAL	CDCS 2 DA RM	60485200
7402	NO OPTION FOR CST PROC ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7402	THE RANGE OF A PERFORM STATEMENT LOCATED IN A NON-INDEPENDENT SEGMENT MUST BE WHOLLY CONTAINED	COBOL 5 DH	60482500
7402	IN ONE OR MORE NON-INDEPENDENT SEGMENTS OR WHOLLY CONTAINED IN A SINGLE INDEPENDENT SEGMENT		
7403	CST PROC TABLE LEN CANNOT BE num OCTAL WORDS	CDCS 2 DA RM	60485200
7403	THE RANGE OF A PERFORM STATEMENT LOCATED IN AN INDEPENDENT SEGMENT MUST BE WHOLLY CONTAINED	COBOL 5 DH	60482500
7403	IN ONE OR MORE NON-INDEPENDENT SEGMENTS OR WHOLLY CONTAINED IN THE SAME INDEPENDENT SEGMENT AS		
7403	THE PERFORM STATEMENT		
7404	CST PROC LIST SIZE MUST BE num OCTAL WORDS	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7405 FIPS-3 SUPPORTS THE ARITHMETIC OPERATORS	COBOL 5 DH	60482500
7406 FIPS-3 SUPPORTS THE RELATIONAL OPERATORS <, >, =, NOT <, NOT >, AND NOT =	COBOL 5 DH	60482500
7407 FIPS-3 SUPPORTS CONDITION NAME REFERENCES	COBOL 5 DH	60482500
7408 FIPS-3 SUPPORTS THE FIGURATIVE CONSTANT ALL LITERAL	COBOL 5 DH	60482500
7409 FIPS-2 SUPPORTS THE USING PHRASE IN THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7410 FIPS-3 SUPPORTS SIGN CONDITIONS	COBOL 5 DH	60482500
7411 FIPS-3 SUPPORTS THE LOGICAL OPERATORS AND, OR, AND NOT	COBOL 5 DH	60482500
7412 FIPS-3 SUPPORTS ACCEPT FROM STATEMENT	COBOL 5 DH	60482500
7413 FIPS-3 SUPPORTS MULTIPLE RESULTS IN ARITHMETIC STATEMENTS	COBOL 5 DH	60482500
7414 FIPS-3 SUPPORTS ADD CORRESPONDING	COBOL 5 DH	60482500
7415 FIPS-3 SUPPORTS A PROCEDURE NAME SERIES IN THE ALTER STATEMENT	COBOL 5 DH	60482500
7416 FIPS-2 SUPPORTS THE CALL STATEMENT	COBOL 5 DH	60482500
7417 FIPS-3 SUPPORTS CALL ON OVERFLOW	COBOL 5 DH	60482500
7418 FIPS-3 SUPPORTS THE CANCEL STATEMENT	COBOL 5 DH	60482500
7419 FIPS-3 SUPPORTS THE COMPUTE STATEMENT	COBOL 5 DH	60482500
7420 FIPS-3 SUPPORTS DISPLAY UPON MNEMONIC-NAME	COBOL 5 DH	60482500
7421 FIPS-3 SUPPORTS DIVIDE REMAINDER	COBOL 5 DH	60482500
7422 FIPS-3 SUPPORTS THE DISABLE STATEMENT	COBOL 5 DH	60482500
7423 FIPS-3 SUPPORTS THE ENABLE STATEMENT	COBOL 5 DH	60482500
7424 FIPS-2 SUPPORTS THE EXIT PROGRAM STATEMENT	COBOL 5 DH	60482500
7425 THE GENERATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7426 FIPS-3 SUPPORTS THE GO TO STATEMENT WITHOUT A PROCEDURE NAME	COBOL 5 DH	60482500
7427 THE INITIATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7428 FIPS-4 SUPPORTS THE MERGE STATEMENT	COBOL 5 DH	60482500
7429 FIPS-3 SUPPORTS MOVE CORRESPONDING	COBOL 5 DH	60482500
7430 FIPS-3 SUPPORTS PERFORM UNTIL	COBOL 5 DH	60482500
7431 FIPS-3 SUPPORTS PERFORM VARYING	COBOL 5 DH	60482500
7432 FIPS-3 SUPPORTS THE RECEIVE STATEMENT	COBOL 5 DH	60482500
7433 FIPS-3 SUPPORTS THE RELEASE STATEMENT	COBOL 5 DH	60482500
7434 FIPS-3 SUPPORTS THE RETURN STATEMENT	COBOL 5 DH	60482500
7435 FIPS-3 SUPPORTS THE SEARCH STATEMENT	COBOL 5 DH	60482500
7436 FIPS-3 SUPPORTS THE SEND STATEMENT	COBOL 5 DH	60482500
7437 FIPS-4 SUPPORTS THE SORT COLLATING SEQUENCE PHRASE	COBOL 5 DH	60482500
7438 FIPS-3 SUPPORTS THE STRING STATEMENT	COBOL 5 DH	60482500
7439 FIPS-3 SUPPORTS SUBTRACT CORRESPONDING	COBOL 5 DH	60482500
7440 THE SUPPRESS STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7441 THE TERMINATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7442 FIPS-3 SUPPORTS THE UNSTRING STATEMENT	COBOL 5 DH	60482500
7443 FIPS-3 SUPPORTS THE COMPARISON OF NON NUMERIC OPERANDS OF UNEQUAL SIZE	COBOL 5 DH	60482500
7444 FIPS-3 SUPPORTS CLOSE NO REWIND	COBOL 5 DH	60482500
7445 FIPS-3 SUPPORTS CLOSE REEL FOR REMOVAL	COBOL 5 DH	60482500
7446 FIPS-3 SUPPORTS CLOSE SEQUENTIAL WITH LOCK	COBOL 5 DH	60482500
7447 FIPS-3 SUPPORTS OPEN INPUT REVERSED	COBOL 5 DH	60482500
7448 FIPS-3 SUPPORTS OPEN NO REWIND	COBOL 5 DH	60482500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
7449 FIPS=3 SUPPORTS OPEN EXTEND	COBOL 5 DH	60482500
7450 FIPS=3 SUPPORTS READ NEXT RECORD	COBOL 5 DH	60482500
7451 FIPS=3 SUPPORTS THE SORT STATEMENT	COBOL 5 DH	60482500
7451 SEARCH FAIL - SCHEMA DB PROC pn	CDCS 2 DA RM	60485200
7452 PLEASE VERIFY THAT YOUR PROCEDURE DIVISION CONTAINS ONLY THE BASIC SORT PROGRAM ALLOWED 7452 BY LEVEL 1 OF THE SORT MODULE	COBOL 5 DH	60482500
7452 SEARCH FAIL - SUBSCHEMA DBP pn	CDCS 2 DA RM	60485200
7453 FIPS=3 SUPPORTS THE START STATEMENT FOR RELATIVE FILES AND FIPS=4 SUPPORTS THE START 7453 STATEMENT FOR INDEXED FILES	COBOL 5 DH	60482500
7454 THE USE STATEMENT FILE-NAME SERIES IS BEING DIAGNOSED FOR ANY FIPS LEVEL LESS THAN FIPS=4	COBOL 5 DH	60482500
7455 FIPS=3 SUPPORTS USE AFTER ERROR PROCEDURE EXTEND	COBOL 5 DH	60482500
7456 FIPS=2 SUPPORTS USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7457 FIPS=3 SUPPORTS USE FOR DEBUGGING ON IDENTIFIER, ALL REFERENCES OF IDENTIFIER, 7457 FILE-NAMES, AND CD-NAMES	COBOL 5 DH	60482500
7458 HASHED-VALUE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7459 ADD CORR TO MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7460 DISPLAY WITH NO ADVANCING IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7461 MOVE CORR TO MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7462 FORMAT 3 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7463 FORMAT 4 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7464 SUBTRACT CORR FROM MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7465 USE FOR HASHING IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7466 AN ALTERNATE RECORD KEY WHOSE DESCRIPTION CONTAINS THE OCCURS CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7467 THE USE OF A NON-SEQUENTIAL FILE IN THE USING PHRASE OF THE SORT STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7468 FORMAT 5 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7469 THE CONDITION-NAME IN A SET STATEMENT MUST NOT BE A SWITCH STATUS CONDITION-NAME	COBOL 5 DH	60482500
7470 TWO OR MORE CONDITION-NAMES HAVING THE SAME CONDITIONAL VARIABLE MUST NOT APPEAR IN THE	COBOL 5 DH	60482500
7471 THE RESERVED WORD TRUE IS REQUIRED HERE	COBOL 5 DH	60482500
7472 THIS INDEX-NAME CANNOT APPEAR IN THIS POSITION	COBOL 5 DH	60482500
7473 THE WRONG NUMBER OF SUBSCRIPTS HAS BEEN SPECIFIED	COBOL 5 DH	60482500
7474 AN ARITHMETIC EXPRESSION IS REQUIRED HERE TO SPECIFY THE STARTING CHARACTER POSITION IN A	COBOL 5 DH	60482500
7475 THE SEPARATOR COLON IS REQUIRED HERE IN A REFERENCE MODIFIER	COBOL 5 DH	60482500
7476 THE RESERVED WORD END OR AN ARITHMETIC EXPRESSION IS REQUIRED HERE TO SPECIFY THE LENGTH IN 7476 A REFERENCE MODIFIER	COBOL 5 DH	60482500
7477 A RIGHT PARENTHESIS IS REQUIRED HERE IN A REFERENCE MODIFIER	COBOL 5 DH	60482500
7478 REFERENCE MODIFICATION IS ONLY ALLOWED ON DATA ITEMS WHOSE USAGE IS DISPLAY	COBOL 5 DH	60482500
7480 A BOOLEAN LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7481 A BOOLEAN DATA ITEM IS REQUIRED HERE	COBOL 5 DH	60482500
7482 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-EXOR OPERATOR	COBOL 5 DH	60482500
7483 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-OR OPERATOR	COBOL 5 DH	60482500
7484 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-AND OPERATOR	COBOL 5 DH	60482500
7485 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-NOT OPERATOR	COBOL 5 DH	60482500
7486 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE LEFT PARENTHESIS	COBOL 5 DH	60482500
7487 A RIGHT PARENTHESIS IS MISSING IN A BOOLEAN EXPRESSION	COBOL 5 DH	60482500
7488 IS EQUAL TO, IS =, EQUALS, IS NOT EQUAL TO, IS NOT =, OR IS UNEQUAL TO, ARE THE LEGAL 7488 RELATIONAL OPERATORS IN A BOOLEAN RELATION CONDITION	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7489 A BOOLEAN EXPRESSION IS REQUIRED HERE	COBOL 5 DH	60482500
7490 THIS LOGICAL FILE NAME CONTAINS MORE THAN SEVEN CHARACTERS, CONTAINS NON-ALPHANUMERIC CHARACTERS, OR DOES NOT BEGIN WITH A LETTER	COBOL 5 DH	60482500
7501 A NON-SUBSCRIPTED DATA NAME WHOSE DESCRIPTION CONTAINS AN OCCURS CLAUSE WITH AN INDEXED BY PHRASE IS REQUIRED HERE	COBOL 5 DH	60482500
7501 ILLEGAL LOCK DB ELEMENT TYPE typ OCTAL	CDCS 2 DA RM	60485200
7502 AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER ELEMENTARY DATA ITEM MUST FOLLOW THE RESERVED WORD -VARYING- IN A SEARCH STATEMENT	COBOL 5 DH	60482500
7502 SCHEMA BAD PRIVACY LOCK TYPE typ OCTAL	CDCS 2 DA RM	60485200
7503 -AT- MUST BE FOLLOWED BY -END- IN A SEARCH STATEMENT	COBOL 5 DH	60482500
7503 SUBSCHEMA HAS BAD LOCK TYPE typ OCTAL	CDCS 2 DA RM	60485200
7504 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE AT END PHRASE	COBOL 5 DH	60482500
7504 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7505 A SEARCH STATEMENT MUST CONTAIN AT LEAST ONE WHEN PHRASE	COBOL 5 DH	60482500
7505 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7506 EITHER AN IMPERATIVE STATEMENT OR -NEXT SENTENCE- MUST FOLLOW THE CONDITION IN A WHEN PHRASE OF A SEARCH STATEMENT	COBOL 5 DH	60482500
7507 AN INDEX-NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM IS REQUIRED IN THE VARYING PHRASE OF A SEARCH STATEMENT	COBOL 5 DH	60482500
7508 THE RESERVED WORD -WHEN- IS REQUIRED HERE	COBOL 5 DH	60482500
7509 AN IDENTIFIER THAT IS A KEY OF THE TABLE BEING SEARCHED AND IS INDEXED BY THE FIRST INDEX NAME ASSOCIATED WITH THAT TABLE IS REQUIRED HERE	COBOL 5 DH	60482500
7510 AN IDENTIFIER, A LITERAL, OR AN ARITHMETIC EXPRESSION IS REQUIRED HERE	COBOL 5 DH	60482500
7511 AN EQUALITY TYPE OPERATOR IS REQUIRED HERE	COBOL 5 DH	60482500
7512 A CONDITION NAME THAT IS REFERENCED IN A SEARCH ALL STATEMENT MAY HAVE ONLY ONE ASSOCIATED VALUE	COBOL 5 DH	60482500
7513 AT LEAST ONE KEY ITEM MUST BE ASSOCIATED WITH A TABLE WHICH IS THE OBJECT OF A SEARCH ALL STATEMENT	COBOL 5 DH	60482500
7514 THE SUBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST BE DEFINED AS A KEY OF THE TABLE THAT IS TO BE SEARCHED	COBOL 5 DH	60482500
7515 THE SUBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST BE INDEXED BY THE FIRST INDEX-NAME THAT IS ASSOCIATED WITH THE TABLE THAT IS TO BE SEARCHED	COBOL 5 DH	60482500
7516 ALL KEYS THAT ARE MORE MAJOR THAN THIS ONE MUST APPEAR AS SUBJECTS IN THIS CONDITION	COBOL 5 DH	60482500
7517 THE OBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST NOT CONTAIN ANY OF THE KEYS NOR THE FIRST INDEX-NAME THAT IS ASSOCIATED WITH THE TABLE THAT IS TO BE SEARCHED	COBOL 5 DH	60482500
7519 THE FDL PARAMETER MUST BE SPECIFIED ON THE COBOL5 DIRECTIVE WHEN CALL IDENTIFIER IS USED	COBOL 5 DH	60482500
7550 THE RESERVED WORD CONTROL IS REQUIRED HERE	COBOL 5 DH	60482500
7551 THE ON PHRASE OF THE USE FOR ACCESS CONTROL STATEMENT MUST SPECIFY INPUT, I-O, INPUT I-O, OR I-O INPUT. IF THE ON PHRASE IS OMITTED, I-O INPUT IS ASSUMED	COBOL 5 DH	60482500
7552 THE RESERVED WORD REALMS OR AT LEAST ONE SPECIFIC REALM-NAME MUST BE SPECIFIED IN THE USE FOR ACCESS CONTROL STATEMENT	COBOL 5 DH	60482500
7553 THE RESERVED WORD REALMS OR AT LEAST ONE SPECIFIC REALM-NAME MUST BE SPECIFIED IN THE USE FOR DEADLOCK STATEMENT	COBOL 5 DH	60482500
7554 A REALM-NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
7555 ONE OR MORE USE FOR ACCESS CONTROL DECLARATIVES HAVE SPECIFIED EITHER INPUT OR I-O MORE THAN ONCE FOR THE SAME REALM-NAME	COBOL 5 DH	60482500
7556 THE USE FOR ACCESS CONTROL STATEMENT IS ONLY LEGAL IN THE DECLARATIVES PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7557 THE USE FOR ACCESS CONTROL SECTION HEADING IS MISSING	COBOL 5 DH	60482500
7558 THE USE FOR ACCESS CONTROL STATEMENT MUST CONTAIN THE KEY IS DATA-NAME PHRASE	COBOL 5 DH	60482500
7559 A THIRTY CHARACTER ALPHANUMERIC DATA ITEM IS REQUIRED IN THE KEY IS DATA-NAME PHRASE OF THE USE FOR ACCESS CONTROL STATEMENT	COBOL 5 DH	60482500
7560 THE USE FOR DEADLOCK DECLARATIVE IS NOT SUPPORTED IN THIS VERSION OF THE COMPILER	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7561 THE USE FOR ACCESS CONTROL DECLARATIVE IS NOT SUPPORTED IN THIS VERSION OF THE COMPILER	COBOL 5 DH	60482500
7562 IN THE START STATEMENT, THE DATA NAME SPECIFIED IN THE KEY PHRASE IS A PARTIAL KEY BUT 7562 WAS NOT SPECIFICALLY DESIGNATED AS A LEGAL MAJOR KEY IN THE SUBSCHEMA	COBOL 5 DH	60482500
7588 AN INDEX NAME MUST NOT BE USED IN THE USING PHRASE OF AN ENTER STATEMENT	COBOL 5 DH	60482500
7589 THE OMISSION OF A LANGUAGE NAME IN THE ENTER STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7590 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS A STOP RUN STATEMENT	COBOL 5 DH	60482500
7591 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS AN EXIT PROGRAM STATEMENT	COBOL 5 DH	60482500
7593 THE PROCEDURE DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
7594 THE RESERVED WORD -DIVISION- IS REQUIRED TO COMPLETE THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7595 A REPORT NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7596 A REPORT NAME OR THE NAME OF A DETAIL REPORT GROUP IS REQUIRED HERE	COBOL 5 DH	60482500
7597 SUMMARY REPORTING IS NOT ALLOWED FOR THIS REPORT BECAUSE IT DOES NOT CONTAIN A CONTROL CLAUSE, 7597 OR DOES NOT CONTAIN AT LEAST ONE BODY GROUP, OR BECAUSE IT CONTAINS MORE THAN ONE DETAIL GROUP	COBOL 5 DH	60482500
7598 THE REPORT WRITER STATEMENTS INITIATE, GENERATE, AND TERMINATE MAY NOT APPEAR IN A USE BEFORE 7598 REPORTING PROCEDURE	COBOL 5 DH	60482500
7599 THE SUPPRESS STATEMENT MAY NOT BE USED OUTSIDE A USE BEFORE REPORTING PROCEDURE	COBOL 5 DH	60482500
7600 A GO TO STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT 7600 SORT PROCEDURE	COBOL 5 DH	60482500
7601 A GO TO STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT 7601 REFERENCE A PROCEDURE NAME DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7601 CST NON-CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7602 A GO TO STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT 7602 REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7602 CST MAP CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7603 A GO TO STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE 7603 GO TO STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7603 TRUNCATION - CST REC POINTER num OCTAL	CDCS 2 DA RM	60485200
7604 A GO TO STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7604 TRUNCATION - RSB REC POINTER num OCTAL	CDCS 2 DA RM	60485200
7605 A GO TO STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY 7605 PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7605 TRUNCATION - CST REL POINTER num OCTAL	CDCS 2 DA RM	60485200
7606 A GO TO STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A 7606 SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE 7606 PROCEDURE DIVISION	COBOL 5 DH	60482500
7606 TRUNCATION - RSB REL POINTER num OCTAL	CDCS 2 DA RM	60485200
7607 A GO TO STATEMENT IN A DEBUGGING SECTION CAN ONLY REFERENCE PROCEDURE NAMES DEFINED IN THE SAME 7607 DEBUGGING SECTION	COBOL 5 DH	60482500
7607 TRUNCATION - PROC OPTION PNT num OCTAL	CDCS 2 DA RM	60485200
7608 A GO TO STATEMENT IN ONE DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7608 DIFFERENT DEBUGGING SECTION	COBOL 5 DH	60482500
7608 TRUNCATION - PRIVACY LOCK PT num OCTAL	CDCS 2 DA RM	60485200
7609 A GO TO STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT 7609 PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7609 TRUNCATION - RSB LOCK POINTNR num OCTAL	CDCS 2 DA RM	60485200
7610 A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT 7610 SAME SORT PROCEDURE	COBOL 5 DH	60482500
7610 TRUNCATION - RSB SEARCH PNTR num OCTAL	CDCS 2 DA RM	60485200
7611 A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DECLARATIVE 7611 SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7611 TRUNCATION - RSB DATA POINTNR num OCTAL	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7612 A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7612 TRUNCATION - RSB JOIN POINTR num OCTAL	CDCS 2 DA RM	60485200
7613 AN ALTER STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7613 TRUNCATION - RSB STACK POINT num OCTAL	CDCS 2 DA RM	60485200
7614 AN ALTER STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7614 TRUNCATION - RSB TOTAL SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7615 AN ALTER STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE ALTER STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7615 TRUNCATION - NUMBER OF AREAS num DECIMAL	CDCS 2 DA RM	60485200
7616 AN ALTER STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7616 TRUNCATION - NUMBER OF RECS num DECIMAL	CDCS 2 DA RM	60485200
7617 AN ALTER STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7617 TRUNCATION - NUMBER OF RELS num DECIMAL	CDCS 2 DA RM	60485200
7618 AN ALTER STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7618 TRUNCATION - SUBSCHEMA MAXI REC num OCTAL	CDCS 2 DA RM	60485200
7619 AN ALTER STATEMENT IN A DEBUGGING SECTION CAN ONLY REFERENCE PROCEDURE NAMES DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7619 TRUNCATION - SCHEMA MAX REC num OCTAL	CDCS 2 DA RM	60485200
7620 AN ALTER STATEMENT IN ONE DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT DEBUGGING SECTION	COBOL 5 DH	60482500
7620 TRUNCATION - MAP CAPSULE PNT num OCTAL	CDCS 2 DA RM	60485200
7621 AN ALTER STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7621 TRUNCATION - MAP CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7622 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT SAME SORT PROCEDURE	COBOL 5 DH	60482500
7622 TRUNCATION - MAX CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7623 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DECLARATIVE SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7623 TRUNCATION - NUMBER CAPSULES num DECIMAL	CDCS 2 DA RM	60485200
7624 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7624 TRUNCATION - CST CONSTRNT PT num OCTAL	CDCS 2 DA RM	60485200
7625 A PERFORM STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7625 TRUNCATION - RSB CONSTRNT PT num OCTAL	CDCS 2 DA RM	60485200
7626 A PERFORM STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE PERFORM STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7626 TRUNCATION - NUMBER EXT AREA num DECIMAL	CDCS 2 DA RM	60485200
7627 A PERFORM STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7627 TRUNCATION - NUMBER CONSTRNT num DECIMAL	CDCS 2 DA RM	60485200
7628 A PERFORM STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7628 TRUNCATION - EXTEND MAX REC num OCTAL	CDCS 2 DA RM	60485200
7629 A PERFORM STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7630	A PERFORM STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT SORT PROCEDURE	COBOL 5 DH	60482500
7631	A PERFORM STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE DECLARATIVES	COBOL 5 DH	60482500
7632	A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT SAME SORT PROCEDURE. COMPILED USING DB-B, THE PROGRAM CAN BE EXECUTED AT YOUR OWN RISK	COBOL 5 DH	60482500
7633	A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DECLARATIVE SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7634	A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7635	A PERFORM REGION CANNOT BEGIN IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION AND END IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7636	AN ALTER STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT SORT PROCEDURE	COBOL 5 DH	60482500
7637	A PERFORM REGION CANNOT BEGIN OUTSIDE OF A SORT PROCEDURE AND END INSIDE OF THE SORT PROCEDURE	COBOL 5 DH	60482500
7638	A PERFORM REGION CANNOT BEGIN INSIDE A DECLARATIVE SECTION AND END IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7639	A PERFORM REGION CANNOT BEGIN IN ONE DECLARATIVE SECTION AND END IN A DIFFERENT DECLARATIVE SECTION	COBOL 5 DH	60482500
7640	A PERFORM REGION CANNOT BEGIN IN A DECLARATIVE SECTION AND END IN A SORT PROCEDURE	COBOL 5 DH	60482500
7641	A PERFORM REGION CANNOT BEGIN INSIDE A SORT PROCEDURE AND END OUTSIDE OF THAT SAME SORT PROCEDURE	COBOL 5 DH	60482500
7642	A PERFORM REGION CANNOT BEGIN INSIDE A SORT PROCEDURE AND END IN THE DECLARATIVES	COBOL 5 DH	60482500
7643	A FILE ORGANIZATION OTHER THAN SEQUENTIAL FOR THE GIVING FILE IN A SORT OR MERGE STATEMENT IS NON STANDARD	COBOL 5 DH	60482500
7644	THE ORGANIZATION OF THE GIVING FILE IN A SORT OR MERGE STATEMENT MUST BE SEQUENTIAL, RELATIVE, INDEXED OR ACTUAL-KEY	COBOL 5 DH	60482500
7645	IF THE ORGANIZATION OF THE GIVING FILE IN A SORT OR MERGE STATEMENT IS INDEXED OR ACTUAL-KEY, THE MAJOR SORT-MERGE KEY MUST BE ASCENDING AND MUST BE EITHER THE PRIME KEY FOR THE FILE OR A REDEFINITION OF IT WITH THE SAME LENGTH	COBOL 5 DH	60482500
7646	REFERENCE TO A CONDITION-NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7699	FIPS=3 SUPPORTS CALL IDENTIFIER	COBOL 5 DH	60482500
7701	A RENAMES DATA ITEM MAY NOT BE A RECEIVING ITEM IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7701	SUBSCHEMA NEXT-CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7702	SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7703	AN INDEX DATA ITEM MAY NOT APPEAR AS A RECEIVING FIELD IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7703	SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7704	AN INDEX-NAME MAY NOT APPEAR AS A RECEIVING FIELD IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7704	SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 DA RM	60485200
7705	IN AN INITIALIZE STATEMENT, THE OCCURS DEPENDING ON PHRASE MAY NOT APPEAR IN THE DESCRIPTION OF A RECEIVING FIELD OR ANY ITEM SUBORDINATE TO A RECEIVING FIELD	COBOL 5 DH	60482500
7705	TRUNCATION - AREA NAME SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7706	IN AN INITIALIZE STATEMENT, THE CATEGORY OF THE SENDING ITEM MUST BE CONSISTENT WITH THE CATEGORY SPECIFIED IN THE REPLACING PHRASE	COBOL 5 DH	60482500
7706	TRUNCATION - KEY CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7707	IN AN INITIALIZE STATEMENT, THE CATEGORY OF AN ELEMENTARY RECEIVING ITEM MUST BE THE SAME AS THE CATEGORY SPECIFIED IN THE REPLACING PHRASE	COBOL 5 DH	60482500
7707	TRUNCATION - KEY CAPSULE PNT num OCTAL	CDCS 2 DA RM	60485200
7708	TRUNCATION - KEY TABLE POINT num OCTAL	CDCS 2 DA RM	60485200
7709	TRUNCATION - CODE TABLE PNTR num OCTAL	CDCS 2 DA RM	60485200
7710	TRUNCATION - LITERAL POINTER num OCTAL	CDCS 2 DA RM	60485200
7711	SUBSCHEMA BAD REC CODE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7712 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7713 TRUNCATION - DEPEND TABLE PT num OCTAL	CDCS 2 DA RM	60485200
7750 THE CONTINUE STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7751 SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7751 THE END-IF IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7752 SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7753 DELIMITED SCOPE STATEMENTS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
7753 SCHEMA BAD CONSTRAINT TYPE - typ OCTAL	CDCS 2 DA RM	60485200
7754 SCHEMA BAD DATA - CONSTRAINT cn	CDCS 2 DA RM	60485200
7754 THE NEXT SENTENCE PHRASE IS ILLEGAL IN A DELIMITED SCOPE STATEMENT	COBOL 5 DH	60482500
7755 THE WITH TEST BEFORE/AFTER PHRASE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7756 AN END-PERFORM IS REQUIRED TO TERMINATE AN IN-LINE PERFORM	COBOL 5 DH	60482500
7757 THE END-PERFORM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7759 THE WITH TEST BEFORE/AFTER PHRASE IS ILLEGAL IN FORMAT 1 AND 2 PERFORM STATEMENTS-- 7759 PHRASE IGNORED	COBOL 5 DH	60482500
7760 AN IMPERATIVE STATEMENT IS REQUIRED IN AN IN-LINE PERFORM STATEMENT	COBOL 5 DH	60482500
7801 SUBSCHEMA NEXT-CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7801 THE USE STATEMENT MUST SPECIFY -USE BEFORE REPORTING-, -USE FOR DEBUGGING-, -USE FOR HASHING-, 7801 OR -USE AFTER STANDARD ERROR PROCEDURE-	COBOL 5 DH	60482500
7802 SUBSCHEMA BAD RECORD TYPE IS typ OCTAL	CDCS 2 DA RM	60485200
7802 USE FOR DEBUGGING MUST SPECIFY CD-NAME, PROCEDURE-NAME, FILE-NAME, ALL REFERENCES OR IDENTIFIER,	COBOL 5 DH	60482500
7803 SCHEMA HAS A BAD RECORD TYPE typ OCTAL	CDCS 2 DA RM	60485200
7803 THE SAME REPORT GROUP NAME MAY NOT APPEAR IN MORE THAN ONE USE BEFORE REPORTING STATEMENT	COBOL 5 DH	60482500
7804 TRUNCATION - RECORD NAME LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7805 THE RESERVED WORD -REPORTING- IS REQUIRED HERE	COBOL 5 DH	60482500
7805 TRUNCATION - SUBSCHEMA ITEMS num DECIMAL	CDCS 2 DA RM	60485200
7806 THE NAME OF A REPORT GROUP IS REQUIRED HERE	COBOL 5 DH	60482500
7806 TRUNCATION - SUBSCHEMA REC LEN num OCTAL	CDCS 2 DA RM	60485200
7807 THE RESERVED WORD ERROR OR THE RESERVED WORD EXCEPTION IS REQUIRED HERE	COBOL 5 DH	60482500
7807 TRUNCATION - SCHEMA REC ITEM num DECIMAL	CDCS 2 DA RM	60485200
7808 THE RESERVED WORD -PROCEDURE- IS REQUIRED HERE	COBOL 5 DH	60482500
7808 TRUNCATION - SCHEMA REC SIZE num OCTAL	CDCS 2 DA RM	60485200
7809 TRUNCATION - READ CAPSL SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7809 USE AFTER STANDARD ERROR PROCEDURE MUST SPECIFY FILE-NAME, INPUT, OUTPUT, EXTEND, OR I-O	COBOL 5 DH	60482500
7810 THIS REFERENCE IS NOT A FILE-NAME REFERENCE AS REQUIRED IN THE USE AFTER STANDARD ERROR 7810 PROCEDURE ON FILE-NAME STATEMENT	COBOL 5 DH	60482500
7810 TRUNCATION - READ CAPSL PNTR num OCTAL	CDCS 2 DA RM	60485200
7811 THE NAME OF A DIRECT FILE IS REQUIRED HERE	COBOL 5 DH	60482500
7811 TRUNCATION - WRITE CAPSL LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7812 FIPS=3 SUPPORTS REFERENCES TO LEVEL 66 ITEMS	COBOL 5 DH	60482500
7812 TRUNCATION - WRITE CAPSL PNT num OCTAL	CDCS 2 DA RM	60485200
7813 FIPS=3 SUPPORTS NESTED IF STATEMENTS	COBOL 5 DH	60482500
7813 SCHEMA GET ERROR - ITEM NAME nm	CDCS 2 DA RM	60485200
7814 FIPS=3 SUPPORTS INSPECT LITERALS GREATER THAN ONE CHARACTER IN LENGTH	COBOL 5 DH	60482500
7814 TRUNCATION - ITEM LOCK POINT num OCTAL	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7815 FIPS=2 SUPPORTS PROCEDURE DIVISION REFERENCES TO RELATIVE FILES	COBOL 5 DH	60482500
7815 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7816 FIPS=4 SUPPORTS PROCEDURE DIVISION REFERENCES TO INDEXED FILES	COBOL 5 DH	60482500
7817 FIPS=2 SUPPORTS PROCEDURE DIVISION REFERENCES TO RECORD-NAMES DEFINED IN RELATIVE FILES	COBOL 5 DH	60482500
7818 FIPS=4 SUPPORTS PROCEDURE DIVISION REFERENCES TO RECORD-NAMES DEFINED IN INDEXED FILES	COBOL 5 DH	60482500
7819 THE OPEN FILE-NAME SERIES IS BEING DIAGNOSED FOR ANY FIPS LEVEL LESS THAN FIPS=4 AND 7819 WITHOUT REGARD TO FILE-NAME ORGANIZATION	COBOL 5 DH	60482500
7820 THE CLOSE FILE-NAME SERIES IS BEING DIAGNOSED FOR ANY FIPS LEVEL LESS THAN FIPS=4 AND	COBOL 5 DH	60482500
7821 FIPS=3 SUPPORTS WRITE BEFORE/AFTER ADVANCING MNEMONIC-NAME	COBOL 5 DH	60482500
7822 FIPS=3 SUPPORTS WRITE BEFORE/AFTER ADVANCING IDENTIFIER LINES	COBOL 5 DH	60482500
7823 FIPS=2 SUPPORTS FIXED PERMANENT SEGMENTS AND INDEPENDENT SEGMENTS	COBOL 5 DH	60482500
7824 FIPS=4 SUPPORTS FIXED OVERLAYABLE SEGMENTS	COBOL 5 DH	60482500
7825 FIPS=2 SUPPORTS REFERENCES TO DEBUG-ITEM, DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, DEBUG-SUB-2, 7825 DEBUG-SUB-3, AND DEBUG-CONTENTS	COBOL 5 DH	60482500
7826 FIPS=3 SUPPORTS WRITE AT END-OF-PAGE IMPERATIVE-STATEMENT	COBOL 5 DH	60482500
7850 THE DECLARATIVES HEADER MAY NOT APPEAR MORE THAN ONCE	COBOL 5 DH	60482500
7851 THIS IS NOT THE DECLARATIVES SECTION. END DECLARATIVES IS UNDEFINED	COBOL 5 DH	60482500
7852 IN THE DECLARATIVES, A USE STATEMENT MUST IMMEDIATELY FOLLOW EACH SECTION HEADER	COBOL 5 DH	60482500
7853 A USE STATEMENT, WHEN PRESENT, MUST IMMEDIATELY FOLLOW A SECTION HEADER IN THE DECLARATIVES 7853 SECTION	COBOL 5 DH	60482500
7854 A PERIOD MUST FOLLOW A USE STATEMENT	COBOL 5 DH	60482500
7855 THE DECLARATIVES, WHEN PRESENT, MUST APPEAR IMMEDIATELY AFTER THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7856 A PERIOD MUST FOLLOW END DECLARATIVES	COBOL 5 DH	60482500
7857 A PERIOD MUST FOLLOW THE RESERVED WORD -DECLARATIVES-	COBOL 5 DH	60482500
7858 DECLARATIVES MUST BE TERMINATED BY END DECLARATIVES	COBOL 5 DH	60482500
7880 A NON-ZERO LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7881 THIS CANCEL STATEMENT IS IGNORED BECAUSE THE -NO CANCEL- OPTION WAS SPECIFIED ON THE COMPILER	COBOL 5 DH	60482500
7882 AN UNSIGNED INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7883 A POSITIVE INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7886 THE OPERANDS IN THE USING PHRASE MUST BE DESCRIBED AS LEVEL 01 OR LEVEL 77	COBOL 5 DH	60482500
7888 THIS DATA-NAME MUST BE DEFINED IN THE LINKAGE SECTION	COBOL 5 DH	60482500
7889 THE SAME DATA-NAME MUST NOT APPEAR MORE THAN ONCE IN THE USING PHRASE OF THE PROCEDURE 7889 DIVISION HEADER	COBOL 5 DH	60482500
7890 PROCEDURE DIVISION USING ILLEGAL IN MAIN PROGRAM	COBOL 5 DH	60482500
7894 THE DEBUGGING SECTIONS MUST APPEAR TOGETHER IMMEDIATELY AFTER THE DECLARATIVES HEADER	COBOL 5 DH	60482500
7895 AN ELEMENTARY NUMERIC DATA ITEM IS REQUIRED IF THE -WITH CONVERSION- PHRASE IS SPECIFIED	COBOL 5 DH	60482500
7898 A PROCEDURE NAME DEFINED WITHIN A DEBUGGING SECTION MAY NOT APPEAR IN A USE FOR DEBUGGING 7898 STATEMENT	COBOL 5 DH	60482500
7899 WHEN THE -ALL PROCEDURES- PHRASE IS SPECIFIED IN A USE FOR DEBUGGING STATEMENT A PROCEDURE 7899 NAME MAY NOT BE SPECIFIED IN ANY USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7900 THE -ALL PROCEDURES- PHRASE MAY APPEAR ONLY ONCE IN A PROGRAM	COBOL 5 DH	60482500
7901 SUBSCHEMA NEXT= CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7901 THIS PROCEDURE NAME IS ALREADY REFERENCED IN A USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7902 SUBSCHEMA BAD RELATION TYPE typ OCTAL	CDCS 2 DA RM	60485200
7902 THIS IDENTIFIER IS ALREADY REFERENCED IN A USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7903 THE SPECIAL REGISTER -DEBUG-ITEM- IS UNDEFINED IN A PROGRAM WHICH IS NOT IN DEBUGGING MODE	COBOL 5 DH	60482500
7903 TRUNCATION - RELATN MAX RANK num DECIMAL	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7904 REFERENCES TO THE SPECIAL REGISTER -DEBUG-ITEM- ARE ONLY ALLOWED FROM WITHIN A DEBUGGING SECTION	COBOL 5 DH	60482500
7904 TRUNCATION - REL NAME LENGTH num OCTAL WORDS	CDCS 2 DA RM	60485200
7905 TRUNCATION - SEARCH TABLE PT num OCTAL	CDCS 2 DA RM	60485200
7906 BAD RELATION QUAL TABLE TYPE typ OCTAL	CDCS 2 DA RM	60485200
7907 TRUNCATION - QUAL TABLE PNTR num OCTAL	CDCS 2 DA RM	60485200
7908 TRUNCATION - QUAL MAX RANK - num DECIMAL	CDCS 2 DA RM	60485200
7909 TRUNCATION - QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7910 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7911 BAD QUAL TABLE STACK TYPE IS typ OCTAL	CDCS 2 DA RM	60485200
7912 TRUNCATION - QUAL STACK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7913 TRUNCATION - ATTRIBUTE POINT num OCTAL	CDCS 2 DA RM	60485200
7914 BAD REL QUAL TABLE AREA RANK num DECIMAL	CDCS 2 DA RM	60485200
7915 QUAL ABOVE MAX RANK FOR RANK num DECIMAL	CDCS 2 DA RM	60485200
7916 BAD QUAL STACK ENTRY POINTER num OCTAL	CDCS 2 DA RM	60485200
7917 BAD RELATION QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7918 BAD REL QUAL TABLE MAX RANK num DECIMAL	CDCS 2 DA RM	60485200
7986 FIPS-3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
7987 THIS REFERENCE TO LINAGE-COUNTER IS UNDEFINED BECAUSE THE FILE DESCRIPTION ENTRY FOR THIS FILE 7987 DOES NOT CONTAIN A LINAGE CLAUSE	COBOL 5 DH	60482500
7989 THE PROCEDURE DIVISION IS MISSING	COBOL 5 DH	60482500
7990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS 7990 INCORRECTLY QUALIFIED	COBOL 5 DH	60482500
7991 A PROCEDURE NAME REFERENCE IS NOT ALLOWED HERE	COBOL 5 DH	60482500
7992 A DATA ITEM DEFINED IN THE REPORT SECTION MAY NOT BE REFERENCED IN THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7993 AMBIGUOUS PROCEDURE NAME REFERENCE	COBOL 5 DH	60482500
7994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
7995 THIS ELEMENT MUST BEGIN IN THE A-AREA	COBOL 5 DH	60482500
7996 UNDEFINED PROCEDURE NAME REFERENCE	COBOL 5 DH	60482500
7997 THIS ELEMENT MAY NOT BEGIN IN THE A AREA	COBOL 5 DH	60482500
7998 ONLY NON-EDITED ALPHANUMERIC MOVES MAY BE PERFORMED ON DATA DEFINED IN THE SECONDARY-STORAGE 7998 SECTION. NO OTHER REFERENCES ARE ALLOWED	COBOL 5 DH	60482500
7999 A COMMA OR SEMICOLON IS NOT ALLOWED HERE	COBOL 5 DH	60482500
8001 A LITERAL SPECIFIED IN THE LITERAL PHRASE OF THE ALPHABET NAME CLAUSE, IF NUMERIC, MUST HAVE A 8001 VALUE WITHIN THE RANGE OF ONE THROUGH THE MAXIMUM NUMBER OF CHARACTERS IN THE NATIVE CHARACTER 8001 SET. THE NATIVE CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500
8002 A LITERAL SPECIFIED IN THE LITERAL PHRASE OF THE ALPHABET NAME CLAUSE, IF NON-NUMERIC AND 8002 ASSOCIATED WITH A -THROUGH- OR -ALSO- PHRASE, MUST BE ONE CHARACTER IN LENGTH. THE NATIVE 8002 CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500
8003 A GIVEN CHARACTER MAY NOT BE SPECIFIED MORE THAN ONCE IN THE LITERAL PHRASE OF THE ALPHABET 8003 NAME CLAUSE. THE NATIVE CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500
8004 ALL LITERAL IN BOOLEAN EXPRESSION IS LIMITED TO 255 CHARACTERS	COBOL 5 DH	60482500
8011 ONE OR MORE NON-ALPHABETIC CHARACTERS ARE PRESENT IN THIS LITERAL WHICH IS USED WITH AN 8011 ALPHABETIC DATA ITEM	COBOL 5 DH	60482500
8012 THIS LITERAL EXCEEDS THE SIZE INDICATED BY THE ASSOCIATED DATA ITEM. ONE OR MORE CHARACTERS 8012 HAVE BEEN TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
8013 THIS LITERAL EXCEEDS THE SIZE INDICATED BY THE ASSOCIATED DATA ITEM. ONE OR MORE CHARACTERS 8013 HAVE BEEN TRUNCATED ON THE LEFT	COBOL 5 DH	60482500
8015 WHEN CODESET IS ASCII-64, EBCDIC, OR STANDARD-1, C TYPE BLOCKS ARE ASSUMED	COBOL 5 DH	60482500
8016 RECORDING MODE DECIMAL SPECIFIED FOR RECORD TYPE W OR BLOCK TYPE I - RECORDING MODE IS 8016 RESET TO BINARY	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
8020 COMPILER ERROR - INVALID OBJECT TYPE	COBOL 5 DH	60482500
8021 COMPILER ERROR - INVALID SOURCE TYPE	COBOL 5 DH	60482500
8022 COMPILER ERROR - INVALID CCT FIELD	COBOL 5 DH	60482500
8023 COMPILER ERROR - INVALID ALPHABET NAME TYPE	COBOL 5 DH	60482500
8024 COMPILER ERROR - NO AUX ENTRY	COBOL 5 DH	60482500
8025 COMPILER ERROR - INVALID TABLE ENTRY	COBOL 5 DH	60482500
8030 NUMERIC FIELD IN USE LITERAL CONTAINS NON NUMERIC CHARACTER, ZERO ASSUMED	COBOL 5 DH	60482500
8031 EITHER YES OR NO EXPECTED IN USE LITERAL, NO ASSUMED	COBOL 5 DH	60482500
8032 DELIMITER OF = EXPECTED IN USE LITERAL, FIELD SKIPPED	COBOL 5 DH	60482500
8033 UNRECOGNIZED PARAMETER IN USE LITERAL, IGNORED	COBOL 5 DH	60482500
8034 UNRECOGNIZED VALUE FOR PARAMETER IN USE LITERAL, PARAMETER IGNORED	COBOL 5 DH	60482500
8035 NUMERIC PARAMETER IN USE LITERAL IS NOT WITHIN ALLOWED BOUNDS, ZERO ASSUMED	COBOL 5 DH	60482500
8036 ASCENDING MUST BE SPECIFIED FOR DUPLICATE KEYS IF KEY IS WITHIN OCCURS AND ORG-NEW HAS 8036 BEEN SPECIFIED IN THE USE LITERAL OR IS IMPLIED BY DEFAULT	COBOL 5 DH	60482500
8039 NONNUMERIC LITERAL REQUIRED FOR THE VALUE CLAUSE OF THIS ITEM, VALUE CLAUSE IGNORED	COBOL 5 DH	60482500
8040 A SUB-SCHEMA -RESTRICT- CLAUSE RELATES A DATA BASE IDENTIFIER AND A COBOL PROGRAM DATA-NAME 8040 WHOSE PROPERTIES DIFFER	COBOL 5 DH	60482500
8041 A DATA-NAME QUALIFIER OF A RELATION SPECIFIED IN THE FDL FILE IS NOT IN THE COMMON-STORAGE 8041 SECTION	COBOL 5 DH	60482500
8042 EXD AND SDS ARE NO LONGER SUPPORTED - SEE DFC AND EFC	COBOL 5 DH	60482500
8043 A PRINT FILE MAY NOT CONTAIN A SYNCHRONIZED ITEM NOR AN ITEM WHOSE USAGE IS NOT DISPLAY	COBOL 5 DH	60482500
8044 VALUE FOR COMMON-STORAGE IN SUBCOMPILE IGNORED	COBOL 5 DH	60482500
8045 LITERAL EXCEEDS ITEM LENGTH. VALUE TRUNCATED	COBOL 5 DH	60482500
8046 NUMERIC VALUE REQUIRED FOR NUMERIC ITEM	COBOL 5 DH	60482500
8047 SIGNED VALUE ILLEGAL FOR UNSIGNED ITEM	COBOL 5 DH	60482500
8048 BOOLEAN VALUE REQUIRED FOR BOOLEAN ITEM.	COBOL 5 DH	60482500

COMMENT SHEET

MANUAL TITLE: CDC NOS Version 2 Diagnostic Index

PUBLICATION NO.: 60459390

REVISION: B

NAME: _____

COMPANY: _____

STREET ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

This form is not intended to be used as an order blank. Control Data Corporation welcomes your evaluation of this manual. Please indicate any errors, suggested additions or deletions, or general comments below (please include page number references).

Please Reply

No Reply Necessary

CUT ALONG LINE

NO POSTAGE STAMP NECESSARY IF MAILED IN U.S.A.

OLD

FOLD



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 8241 MINNEAPOLIS, MINN.

POSTAGE WILL BE PAID BY

CONTROL DATA CORPORATION

Publications and Graphics Division
ARH219
4201 North Lexington Avenue
Saint Paul, Minnesota 55112



CUT ALONG LINE

OLD

FOLD



CONTROL DATA CORPORATION