



**NOS VERSION 2
DIAGNOSTIC INDEX**

**CDC® COMPUTER SYSTEMS:
CYBER 180
CYBER 170
CYBER 70
MODELS 71,72,73,74
6000**

REVISION RECORD

REVISION	DESCRIPTION
A (07-23-82)	Manual released. This manual reflects NOS 2.0 at PSR level 562.
B (11-30-83)	This manual reflects NOS 2.2 at PSR level 596. This manual obsoletes all previous editions. Since manual has been completely rewritten, no change bars or dots are used.
C (11-30-84)	This manual reflects NOS 2.3 at PSR level 617. This manual obsoletes all previous editions. Since the manual has been completely rewritten, no change bars or dots are used and all pages reflect the current revision level.
D (12-31-85)	This manual reflects NOS 2.4.2 at PSR level 642. This manual obsoletes all previous editions. Since the manual has been completely rewritten, no change bars or dots are used and all pages reflect the current revision level.
E (09-30-86)	This manual reflects NOS 2.5.1 at PSR level 658 and includes the new messages for CDCNET. Because the manual has been completely rewritten, no change bars or dots are used and all pages reflect the current revision level. This manual obsoletes all previous editions.
F (04-23-87)	This manual reflects NOS 2.5.2 at PSR level 678. This manual obsoletes all previous editions. Since the manual has been completely rewritten, no change bars or dots are used and all pages reflect the current revision level.
Publication No. 60459390	

REVISION LETTERS I, O, Q, S, X AND Z ARE NOT USED.

© 1982, 1983, 1984, 1985, 1986, 1987
by Control Data Corporation
All rights reserved
Printed in the United States of America

Address comments concerning this manual to:

Control Data Corporation
Technology and Publications Division
4201 North Lexington Avenue
St. Paul, Minnesota 55112

or use Comment Sheet in the back of this manual.

LIST OF EFFECTIVE PAGES

New features, as well as changes, deletions, and additions to information in this manual, are indicated by bars in the margins or by a dot near the page number if the entire page is affected. A bar by the page number indicates pagination rather than content has changed.

PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV
Front Cover	-	1-49	F	1-108	F	1-167	F	1-226	F
Title Page	-	1-50	F	1-109	F	1-168	F	1-227	F
2	F	1-51	F	1-110	F	1-169	F	1-228	F
3	F	1-52	F	1-111	F	1-170	F	1-229	F
4	F	1-53	F	1-112	F	1-171	F	1-230	F
5	F	1-54	F	1-113	F	1-172	F	1-231	F
6	F	1-55	F	1-114	F	1-173	F	1-232	F
7	F	1-56	F	1-115	F	1-174	F	1-233	F
8	F	1-57	F	1-116	F	1-175	F	1-234	F
9	F	1-58	F	1-117	F	1-176	F	1-235	F
1-i/1-ii	F	1-59	F	1-118	F	1-177	F	1-236	F
1-1	F	1-60	F	1-119	F	1-178	F	1-237	F
1-2	F	1-61	F	1-120	F	1-179	F	1-238	F
1-3	F	1-62	F	1-121	F	1-180	F	1-239	F
1-4	F	1-63	F	1-122	F	1-181	F	1-240	F
1-5	F	1-64	F	1-123	F	1-182	F	1-241	F
1-6	F	1-65	F	1-124	F	1-183	F	1-242	F
1-7	F	1-66	F	1-125	F	1-184	F	1-243	F
1-8	F	1-67	F	1-126	F	1-185	F	1-244	F
1-9	F	1-68	F	1-127	F	1-186	F	1-245	F
1-10	F	1-69	F	1-128	F	1-187	F	1-246	F
1-11	F	1-70	F	1-129	F	1-188	F	1-247	F
1-12	F	1-71	F	1-130	F	1-189	F	1-248	F
1-13	F	1-72	F	1-131	F	1-190	F	1-249	F
1-14	F	1-73	F	1-132	F	1-191	F	1-250	F
1-15	F	1-74	F	1-133	F	1-192	F	1-251	F
1-16	F	1-75	F	1-134	F	1-193	F	1-252	F
1-17	F	1-76	F	1-135	F	1-194	F	1-253	F
1-18	F	1-77	F	1-136	F	1-195	F	1-254	F
1-19	F	1-78	F	1-137	F	1-196	F	1-255	F
1-20	F	1-79	F	1-138	F	1-197	F	1-256	F
1-21	F	1-80	F	1-139	F	1-198	F	1-257	F
1-22	F	1-81	F	1-140	F	1-199	F	1-258	F
1-23	F	1-82	F	1-141	F	1-200	F	1-259	F
1-24	F	1-83	F	1-142	F	1-201	F	1-260	F
1-25	F	1-84	F	1-143	F	1-202	F	1-261	F
1-26	F	1-85	F	1-144	F	1-203	F	1-262	F
1-27	F	1-86	F	1-145	F	1-204	F	1-263	F
1-28	F	1-87	F	1-146	F	1-205	F	1-264	F
1-29	F	1-88	F	1-147	F	1-206	F	1-265	F
1-30	F	1-89	F	1-148	F	1-207	F	1-266	F
1-31	F	1-90	F	1-149	F	1-208	F	1-267	F
1-32	F	1-91	F	1-150	F	1-209	F	1-268	F
1-33	F	1-92	F	1-151	F	1-210	F	1-269	F
1-34	F	1-93	F	1-152	F	1-211	F	1-270	F
1-35	F	1-94	F	1-153	F	1-212	F	1-271	F
1-36	F	1-95	F	1-154	F	1-213	F	1-272	F
1-37	F	1-96	F	1-155	F	1-214	F	1-273	F
1-38	F	1-97	F	1-156	F	1-215	F	1-274	F
1-39	F	1-98	F	1-157	F	1-216	F	1-275	F
1-40	F	1-99	F	1-158	F	1-217	F	1-276	F
1-41	F	1-100	F	1-159	F	1-218	F	1-277	F
1-42	F	1-101	F	1-160	F	1-219	F	1-278	F
1-43	F	1-102	F	1-161	F	1-220	F	1-279	F
1-44	F	1-103	F	1-162	F	1-221	F	1-280	F
1-45	F	1-104	F	1-163	F	1-222	F	1-281	F
1-46	F	1-105	F	1-164	F	1-223	F	1-282	F
1-47	F	1-106	F	1-165	F	1-224	F	1-283	F
1-48	F	1-107	F	1-166	F	1-225	F	1-284	F

PAGE	REV	PAGE	REV	PAGE	REV	PAGE	REV
1-285	F	1-356	F				
1-286	F	1-357	F				
1-287	F	1-358	F				
1-288	F	1-359	F				
1-289	F	1-360	F				
1-290	F	1-361	F				
1-291	F	1-362	F				
1-292	F	1-363	F				
1-293	F	1-364	F				
1-294	F	1-365	F				
1-295	F	1-366	F				
1-296	F	1-367	F				
1-297	F	1-368	F				
1-298	F	1-369	F				
1-299	F	1-370	F				
1-300	F	1-371	F				
1-301	F	1-372	F				
1-302	F	1-373	F				
1-303	F	1-374	F				
1-304	F	1-375	F				
1-305	F	1-376	F				
1-306	F	1-377	F				
1-307	F	1-378	F				
1-308	F	1-379	F				
1-309	F	1-380	F				
1-310	F	1-381	F				
1-311	F	1-382	F				
1-312	F	1-383	F				
1-313	F	1-384	F				
1-314	F	1-385	F				
1-315	F	1-386	F				
1-316	F	1-387	F				
1-317	F	1-388	F				
1-318	F	Comment Sheet	F				
1-319	F	Back Cover	-				
1-320	F						
1-321	F						
1-322	F						
1-323	F						
1-324	F						
1-325	F						
1-326	F						
1-327	F						
1-328	F						
1-329	F						
1-330	F						
1-331	F						
1-332	F						
1-333	F						
1-334	F						
1-335	F						
1-336	F						
1-337	F						
1-338	F						
1-339	F						
1-340	F						
1-341	F						
1-342	F						
1-343	F						
1-344	F						
1-345	F						
1-346	F						
1-347	F						
1-348	F						
1-349	F						
1-350	F						
1-351	F						
1-352	F						
1-353	F						
1-354	F						
1-355	F						

PREFACE

The CONTROL DATA® Network Operating System (NOS) Version 2.5.2 Diagnostic Index provides a sorted listing of diagnostic messages issued by the operating system and its product set. NOS was developed by Control Data Corporation to provide network capabilities for interactive and transaction processing in addition to local and remote batch processing.

NOS 2 can operate on the following computer systems:

CDC CYBER 180 Computer Systems

Models 810, 830, 835, 840, 845, 850, 855, 860, 870, 990, and 995

CDC CYBER 170 Computer Systems

Models 171, 172, 173, 174, 175, 176, 720, 730, 740, 750, 760, 815, 825, 835, 845, 855, 865, and 875

CDC CYBER 70 Computer Systems

Models 71, 72, 73, and 74

CDC 6000 Computer Systems

AUDIENCE

This index is intended for the user of NOS and its product set. It directs the user to manuals containing complete documentation of the diagnostic messages received from job processing.

NOTE

Diagnostic messages listed in the COBOL Version 5 Diagnostic Handbook are self-explanatory messages. No further description is provided in that manual.

ORGANIZATION

All operating system and product set messages have been merged and sorted in section 1. After each message, the manual and publication number in which the message appears is listed. Complete documentation of the diagnostic messages is included in the following manuals:

<u>Control Data Publication</u>	<u>Publication Number</u>
BASIC Version 3 Reference Manual	19983900
PL/I Version 1 Reference Manual	60388100

<u>Control Data Publication</u>	<u>Publication Number</u>
CYBER Loader Version 1 Reference Manual	60429800
Text Editor Version 1 Reference Manual	60436100
Update Version 1 Reference Manual	60449900
Modify Version 1 Reference Manual	60450100
APL Version 2 Reference Manual	60454000
Interactive Facility Version 1	60455250
XEDIT Version 3 Reference Manual	60455730
NOS Version 2 Operations Handbook	60459310
NOS Version 2 Installation Handbook	60459320
NOS Version 2 Diagnostic Index	60459390
TAF Version 1 Reference Manual	60459500
TAF/CRM Data Manager Version 1 Reference Manual	60459510
NOS Version 2 Reference Set, Volume 3, System Commands	60459680
NOS Version 2 Reference Set, Volume 4, Program Interface	60459690
Remote Host Facility Access Method Reference Manual	60459990
NOS Version 2 Screen Formatting Reference Manual	60460430
Remote Host Facility Usage	60460620
NOS 2 Tape Management System (TMS) Site Operations Manual	60463350
Network Access Method Version 1 Network Definition Language Reference Manual	60480000
Message Control System Version 1 Reference Manual	60480300
Network Products Stimulator Reference Manual	60480500
NAM Version 1/CCP Version 3 Terminal Interfaces Reference Manual	60480600

<u>Control Data Publication</u>	<u>Publication Number</u>
FORTRAN Version 5 Reference Manual	60481300
CYBER Interactive Debug Version 1 Reference Manual	60481400
CYBER Database Control System Version 2 Reference Manual	60481800
DDL Version 3, Volume 1 Reference Manual	60481900
DDL Version 3, Volume 2 Reference Manual	60482000
Query Update CRM Data Administration Reference Manual	60482100
FORTRAN Data Base Facility Version 1 Reference Manual	60482200
COBOL Version 5 Diagnostic Handbook	60482500
FORTRAN Extended Version 4 To FORTRAN Version 5 Conversion Aid Program Version 1 Reference Manual	60483000
Data Catalog Version 2 Reference Manual	60483200
Data Catalog Version 2 Data Administrator's Reference Manual	60483300
IMF Schema Definition Reference Manual	60484400
IMF Version 1 Application Programming	60484500
Sort/Merge Version 5 Reference Manual	60484800
CYBER Database Control System Version 2 Database Administrator Reference Manual	60485200
CYBER Database Control System Version 2 Application Programming Reference Manual	60485300
COMPASS Version 3 Reference Manual	60492600
NOS/BE Version 1 Diagnostic Handbook	60494400

<u>Control Data Publication</u>	<u>Publication Number</u>
8-Bit Subroutines Reference Manual Version 1	60495500
CYBER Common Utilities Reference Manual	60495600
CYBER Record Manager Basic Access Methods Version 1.5 Reference Manual	60495700
FORM Version 1 Reference Manual	60496200
SYMPL Version 1 Reference Manual	60496400
ALGOL Version 4 Reference Manual	60496600
COBOL Version 5 Reference Manual	60497100
Sort/Merge Version 5 and 1 Reference Manual	60497500
FORTRAN Extended Version 4 Reference Manual	60497800
QUERY UPDATE Version 3 Reference Manual	60498300
DDL. Version 2, Volume 2 Reference Manual	60498500
DDL. Version 2, Volume 3 Reference Manual	60498600
Data Base Utilities Version 1 Reference Manual	60498800
Common Memory Manager Version 1 Reference Manual	60499200
CYBER Record Manager Advanced Access Methods Version 2 Reference Manual	60499300
Network Access Method Version 1 Reference Manual	60499500
Remote Batch Facility Version 1 Reference Manual	60499600
NOS Version 2 Application Installation Handbook	84002760

SUBMITTING COMMENTS

The last page of this manual is a comment sheet. Use the comment sheet to suggest specific improvements for the manual and to report any errors. If the comment sheet has already been used, write your comments on another sheet of paper and mail them to:

Control Data Corporation
Technology and Publications Division
ARH219
4201 Lexington Avenue North
St. Paul, MN 55126-6198

If you have access to SOLVER, an online problem reporting facility, you can use it to submit comments about the manual. When prompted for a product identifier, use NS2.

IN CASE OF TROUBLE

Control Data's Central Software Support maintains a hotline to assist you if you have trouble using our products. If you need help beyond that provided in the documentation or find that the product does not perform as described, call us at one of the following numbers and a support analyst will work with you.

From the USA and Canada: (800) 345-9903

From other countries: (612) 851-4131

The preceding numbers are for help on product usage. Address questions about the physical packaging and/or distribution of printed manuals to Literature and Distribution Services at the following address:

Control Data Corporation
Literature and Distribution Services
308 North Dale Street
St. Paul, Minnesota 55103

or you can call (612) 292-2101. If you are a Control Data employee, call (612) 292-2100.

DIAGNOSTIC INDEX

1

This section is a sorted listing of diagnostic messages issued by NOS and its product set. A diagnostic or diagnostic message is any message that is the cause or nature of a condition, situation, or problem encountered during use of the system.

An example of an entry in the index is shown in figure 1-1.

The MESSAGE field lists the diagnostic message that the user has received on a dayfile, output file, or console screen. The format of the message actually received may not be identical to that listed in this index. In some cases, leading and trailing special characters have been omitted when they do not add to the meaning of the message. Words or characters in messages that are variable (filenam in the example) are listed in lowercase characters.

The MANUAL field lists an abbreviated name for the manual in which complete documentation of the message can be found.† To determine the full name of the manual, use the publication number (PUB. NO.) field to look up the name in the list of publications in the preface.

When a message has more than one publication listed, then each manual has a description of the same message. When the descriptions differ, the message is listed separately for each description.

Messages have been sorted in the following order:

1. Messages beginning with an alphabetical character (that is, A through Z), are sorted alphabetically. Messages beginning with a variable character or word, are sorted alphabetically according to the first nonvariable character or word.
2. Messages beginning with a numeral (that is, 0 through 9) but also containing alphabetical characters (for example, 1CJ) or more than four leading numerals, sorted alphabetically.
3. Messages beginning with a 1- to 4-digit number (that is, 1 through 9999), are sorted sequentially.

In all messages, leading and trailing special characters and blanks have been ignored for sorting purposes. Embedded slashes, hyphens, periods, and commas are equated to blanks. All other special characters are ignored.

If you encounter a diagnostic or informative message that does not appear in this index, contact your site analyst. If the message was not produced by site-supplied software, the analyst should submit a Programming Systems Report to have the message documented.

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
filenam NOT ON MASS STORAGE.	NOS 2 RM VOL 3	60459680
	NOS 2 RS VOL 4	60459690

Figure 1-1. Sample Index Entry

†An exception is the COBOL Version 5 Diagnostic Handbook. It contains self-explanatory messages for which no further description is provided.

MESSAGE

ABRT FROM xxxx - FN VAL NOT TERM FN
 ABRT FROM xxxx - INVALID RECORD TYPE
 ABRT FROM xxxx - NO SUCH RECORD TYPE
 ABRT FROM xxxx - READ ERROR
 ABSC, sc.
 ABSOLUTE VALUE OF INTEGER CONSTANT GREATER THAN 2**59-1
 cmd ACCEPTED..
 cmd ACCEPTED ..
 ACCESS CATEGORIES NOT VALID FOR JOB.
 ACCESS LEVEL LIMITS OUT OF RANGE.
 ACCESS LEVEL NOT VALID FOR FILE.
 ACCESS LEVEL NOT VALID FOR JOB.
 ACCESS LEVEL NOT VALID ON PF DEVICE.
 ACCESS LEVEL OUT OF RANGE.
 ****ACCESS LEVEL OUT OF RANGE.
 ACCESSED AFTER yy/mm/dd. hh.mm.ss.
 ACCESSED AFTER yy/mm/dd.hh.mm.ss. BEFORE
 yy/mm/dd.hh.mm.ss.
 ACCESSED BEFORE yy/mm/dd. hh.mm.ss.
 d ACCESSES, d HITS, d IO-S
 ACCOUNT BLOCK LIMIT.
 ACCOUNT DAYFILE PROCESSED.
 ACN LOST - NVFCPUT.
 ACPD ARGUMENT - xx.
 ACPD COMPLETE.
 A TYPE WAS DECLARED FOR THIS VARIABLE OR FUNCTION. THIS DECLARATION IGNORED
 A VARIABLE DIMENSION OR THE ARRAY NAME WITH A VARIABLE DIMENSION IS NOT A FORMAL PARAMETER
 ABNORMAL TERMINATION.
 ABNORMAL TERMINATION, ERROR CODE = nn.
 ABORT OF CDCS DETECTED.
 ABORT RUN DUE TO ERRORS.
 ABORTED
 jsn ABORTED - message.
 jsn ABORTED - UTILITY CONFLICT.
 ABOVE PROGRAM UNIT ALREADY PROCESSED BY F45...WILL BE SKIPPED
 ABRT FROM xxxx - BAD NCF FILE RECORD
 ABRT FROM xxxx - CANT READ LIN RECORDS
 ABRT FROM xxxx - CANT READ NCF RECORDS
 ABRT FROM xxxx - FN VAL NOT DEVICE FN
 ABRT FROM xxxx - FN VAL NOT LINE FN

<u>MANUAL</u>	<u>PUB. NO.</u>
NDL 1 RM	60480000
NDL 1 RM	60480000
NDL 1 RM	60480000
NDL 1 RM	60480000
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
RBF 1 RM	60499600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FTN 4-5 CONV RM	60483000
NDL 1 RM	60480000
NDL 1 RM	60480000
NDL 1 RM	60480000
NDL 1 RM	60480000
NDL 1 RM	60480000

MESSAGE

A C/--LIST DIRECTIVE CANNOT BE FOLLOWED BY A CONTINUATION LINE
A C/ LIST DIRECTIVE MAY NOT BE FOLLOWED BY A CONTINUATION LINE
A COMMENT LINE WITHIN A CONTINUED STATEMENT IS NON-ANSI
A COMPLEX BASE MAY ONLY BE RAISED TO AN INTEGER POWER
A CONSTANT ARITHMETIC OPERATION WILL GIVE AN INDEFINITE OR OUT-OF-RANGE RESULT
A CONSTANT CANNOT BE CONVERTED. CHECK CONSTANT FOR PROPER CONSTRUCT
A CONSTANT DO PARAMETER MUST BE GREATER THAN OR EQUAL TO 1 AND LESS THAN OR EQUAL TO 131071
A CONSTANT MAY NOT BE FOLLOWED BY AN EQUAL SIGN, NAME, OR ANOTHER CONSTANT
A CONSTANT OPERAND OF A REAL OPERATION IS OUT OF RANGE OR INDEFINITE
A DO LOOP MAY NOT TERMINATE ON A FORMAT STATEMENT
A DO LOOP MAY NOT TERMINATE ON THIS TYPE OF STATEMENT
A DO PARAMETER MUST BE A POSITIVE INTEGER CONSTANT OR AN INTEGER VARIABLE
A FUNCTION REFERENCE REQUIRES AN ARGUMENT LIST
A HOLLERITH CONSTANT IS AN OPERAND OF AN ARITHMETIC OPERATOR
A LOG FILE NAME MUST BE SPECIFIED ON A PURGE.
A LOG FILE NAME MUST BE SPECIFIED ON A TERM.
A NAME MAY NOT BE FOLLOWED BY A CONSTANT
A OPTION INVALID WITH RANDOM OLDPL OR SEQUENTIAL NEWPL
A PARAMETER VALUE MUST BE SPECIFIED.
A PREVIOUS STATEMENT MAKES AN ILLEGAL TRANSFER TO THIS LABEL
A PREVIOUSLY MENTIONED ADJUSTABLE SUBSCRIPT IS NOT TYPE INTEGER
A REFERENCE TO THIS ARITHMETIC STATEMENT FUNCTION HAS UNBALANCED PARENTHESIS WITHIN THE PARAMETER LIST
A REFERENCE TO THIS ASF HAS A PARAMETER MISSING
A RELATIONAL HAS A COMPLEX OPERAND
A TERM IN SUBSCRIPT mmmmm ON nnnnn IS NOT INTEGER
A TYPE ERROR ADDRESS FIELD BAD.
OCCURRED ON PAGES p1, p2, p3,, pn
ACPD CONTROL STATEMENT ERROR.
ACPD/CPD VERSION MISMATCH.
ACTIVE.
ACTIVE FILES ON DEVICE.
ACTIVE FILES ON EQest CANNOT INITIALIZE.
ACTIVE LOAD NOT ALLOWED.
xxxxxxx ACTIVITY SUSPENDED.
ADD SPECIFIED TWICE
ADDCUBE - ONLY 100 LOCATIONS PROCESSED.
ADDFILE DIRECTIVE INVALID ON REMOTE FILE
ADDFILE FIRST LINE MUST BE DECK OR COMDECK
ADDING FILE 1fn TO DATABASE.
ADDING TAPE vsn TO DATABASE.
ADDRESS IN ECS/LCM

<u>MANUAL</u>	<u>PUB. NO.</u>
NAM 1 TERM INTF	60480600
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
UPDATE RM	60449900
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
FORM RM	60496200
NOS 2 OPER HB	60459310
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400

MESSAGE

ADDRESS IN UNLOADED OVERLAY
ADDRESS OUT OF RANGE.
ADDRESS OUT OF RANGE.
ADDRESS OUT OF RANGE address.
ADDRESS OUT OF RANGE
ADDRESS OUTSIDE USER AREA
ADDRESS RANGE WILL BE TRUNCATED
ADJUSTABLE BOUND MUST BE DUMMY-ARG OR IN COMMON
ADJUSTABLE DIMENSION BOUND IS NOT INTEGER
ADL ASSIGNED PFN= filename UN= usernam.
ADL ASSIGNED PFN= xxxxxx UN=xxxxxx.
ADL CREATED yy/mm/dd. hh.mm.ss.
ADL CREATED YY/MM/DD. HH.MM.SS
ADL NOT AVAILABLE PFN=filename, UN=username.
ADL NOT AVAILABLE PFN=xxxxxx, UN=xxxxxx
ADLP ABORTED
ADVISORY : ACTUAL PARAMETER CANNOT CORRESPOND TO LEFT-HAND SIDE USAGE OF FORMAL
ADVISORY : ACTUAL PARAMETER SHOULD BE A PROCEDURE WITH PARAMETERS
ADVISORY : DELIMITER(S) BEFORE PROGRAM START
ADVISORY : ERROR IN DUMP FILE WRITING
ADVISORY : KIND ERROR IN ACTUAL PARAMETER
ADVISORY : NON-FORMAT STRING
AFD - ARGUMENT ERROR.
AFD - BUFFER TOO SMALL.
AFD - DATA LOST.
AFD - FR INCORRECT FOR THIS OPTION.
AFD - INCORRECT PAGE SIZE FORMAT.
AFD - INCORRECT PRINT DENSITY.
AFD - INCORRECT PRINT DENSITY FORMAT.
AFD - INPUT FILE NOT FOUND.
AFD - LOCAL DAYFILE PROCESSED.
AFD - RECOVERY SECTOR ENCOUNTERED.
AFD - RESERVED FILE NAME.
AFD - UNABLE TO ACCESS DAYFILE.
AFD - UNEXPECTED EOF/EOI ENCOUNTERED.
AFD - UNEXPECTED EOF/EOI ENCOUNTERED.
AFD - UNKNOWN *OP* FIELD.
AFTER IMAGE ACCUMULATOR TABLE OVERFLOW.
AFTER IMAGE NOT FOUND ON LOG FILE
AFTER IMAGE RECOVERY FILE IS FULL.
db AFTER IMAGE RECOVERY FILES UNAVAILABLE.

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
MCS 1 RM	60480300
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
TAF 1 RM	60459500
TAF 1 RM	60459500

MESSAGE

AIP DEBUG OPTION TURNED OFF.
AIP DEBUG OPTION TURNED ON.
AIP LOAD ERROR.
AIP TOO LARGE FOR LOADING.

ALARM ON PORT nn LCN=num PKID=id CAUSE=cc
DIAG=dd

ALGOL I/O ERROR nnn ON filename
ALL AREAS WERE DOWN, SCHEMA DOWN
ALL AREAS WERE DOWN, SCHEMA DOWN
ALL CPUS OFF, OS LOAD IMPOSSIBLE
ALL EQ-S CHECKPOINTED,
RECOVERY ABORTED.
ALL EQ-S CHECKPOINTED.
RECOVERY ABORTED.
ALL FILES FOR USER INDEX userindex.
ALL LEVEL 2 OR 3 ITEMS MUST BE FORMAL PARAMETERS OR IN COMMON
ALL NPUS ARE BEING CONTROLLED BY OTHER NOPS
ALL WILL BE CLEARED
ALL YANK, SELYANK, YANKDECK, AND CALL CARDS AFFECTED HAVE BEEN CHANGED
ALL 7990 CONTROLLERS OFF.
ALLOCATE DIRECTIVE EXECUTION COMPLETE
filename ALLOCATED.

ALLOW FL AND DU COMMAND ONLY
ALPHA FORMAT ERROR
ALREADY IN DESIRED STATE.
filename ALREADY PERMANENT.
filename ALREADY PERMANENT.

xxxxxxxxxxxxxxxxxxxxx ALREADY RESERVED.
ALTERING FLAW MAP S/N=serialn.
ALTERNATE FILE ACTIVE.
ALTERNATE IMAGE OBSOLETE.

ALTERNATE OUTPUT TO TERMINAL ILLEGAL.
ALTERNATE RETURN IS ILLEGAL IN A FUNCTION
ALTERNATE STORAGE ERROR.
ALTERNATE STORAGE ERROR.
AN ARRAY REFERENCE HAS TOO MANY SUBSCRIPTS
AN EQUAL SIGN MUST FOLLOW COMMAND.
AN EXPRESSION IN AN OUTPUT STATEMENT I/O LIST IS NON-ANSI USAGE
AN EXPRESSION OF THE FORM A**B**C IS NON-ANSI, AND IS EVALUATED FROM LEFT TO RIGHT
AN IF STATEMENT MAY BE MORE EFFICIENT THAN A 2 OR 3 BRANCH COMPUTED GO TO STATEMENT
AN ILLEGAL COMMAND IS SPECIFIED.
AND, OR, NOT MISPLACED

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB	60459310
ALGCL 4 RM	60496600
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
UPDATE RM	60449900
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORM RM	60496200

MESSAGE

ANOTHER RBF ALREADY NETTED ON.
..... ANSI MUST BE O, T OR F
ANSI REQUIRES AN I/O LIST
ANSI REQUIRES THE WORD PRECISION
ANSWER Y OR N -
APL SYSTEM ERROR (or EXCHANGE PACKAGE)
APP CDA ERROR.
APP DISK STATUS ERROR.
APP REQUEST NOT FOUND.
APP SENT BLK ON BROKEN CONNECTION.
APP TIMEOUT.
APP WORK LIST ADDR=0
APPEARED WHERE A VARIABLE WAS EXPECTED
APPENDED - type/name
APPENDED - type/name
APPL - xxxxxxx prog yyyyyy DISCONNECT
APPL - applnam INITIALIZED.
APPL - xxxxxxx INITIALIZED
APPL - applnam JOURNAL journal DISABLED.
APPL - xxxxxxx JOURNAL yyyyyy DISABLED
APPL - applnam MONITOR monitor DISABLED.
APPL - xxxxxxx MONITOR yyyyyy DISABLED
APPL - applnam PROG prognam CONNECTED.
APPL - xxxxxxx PROG yyyyyy CONNECTED
APPL - applnam PROG prognam DISCONNECT.
APPL - applnam PROG prognam REVOKED.
APPL - xxxxxxx PROG yyyyyy REVOKED
APPL - applnam Q queuenam FLUSHED.
APPL - xxxxxxx Q yyyyyyyyyy FLUSHED
APPL - applnam Q queuenam PURGED.
APPL - xxxxxxx Q yyyyyyyyyy PURGED
APPL - applnam QUEUE queuenam IN CM.
APPL - xxxxxxx QUEUE yyyyyyyyyy IN CM
APPL - applnam RECOVERED FILE filenam.
APPL - xxxxxxx RECOVERED FILE yyyyyy.
APPL: applnam,st,ccnt,mc,jsn[,RS]
APPL - applnam SHUTDOWN
APPL - xxxxxxx SHUTDOWN
APPL - applnam START FAILED, FILE BUSY.
APPL - xxxxxxx START FAILED, FILE BUSY
APPL - applnam START FAILED, I/O ERROR.
APPL - xxxxxxx START FAILED, I/O ERROR

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
APL 2 RM	60454000
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300

MESSAGE

APPL - applnam START FAILED, NO MEMORY.

APPL - xxxxxxxx START FAILED, NO MEMORY

xxxxxxx-APPLICATION:

termname - APPLICATION:

APPLICATION ALREADY RUNNING.

APPLICATION ALREADY RUNNING

APPLICATION BUSY, TRY AGAIN LATER. termname - APPLICATION:

APPLICATION ERROR - NO TERMINAL OUTPUT.

APPLICATION FAILED - application-name.

APPLICATION FAILED - applnam

APPLICATION FAILED. aaaaaa CONNECT TIME hh:mm:ss xxxxxxxx - APPLICATION

APPLICATION FAILED. aaaaaa CONNECT TIME hh:mm:ss. termname - APPLICATION:

APPLICATION FAILED. RBF CONNECT TIME hh:mm:ss. termname - APPLICATION:

APPLICATION HAS NO DUMP FILE DEFINED

APPLICATION IDLE

APPLICATION INITIATED

APPLICATION IS NOT ALLOWED TO DO XFR

APPLICATION NAME IS REQUIRED.

APPLICATION NETTED OFF - applnam

APPLICATION NETTED ON - applnam

APPLICATION NOT ALLOWED TO USE K-DISPLAY

APPLICATION NOT PRESENT.

APPLICATION NOT PRESENT xxxxxxxx - APPLICATION:

APPLICATION NOT PRESENT. termname - APPLICATION:

APPLICATION NOT RUNNING

APPLICATION NOT SUPPORTING NAM K-DISPLAY

APPLICATION OPERATOR ACTIVE

APPLICATION RESUMED

APPLICATION RETRY ENTRY

APPLICATION RETRY LIMIT.

APPLICATION RETRY LIMIT

APPLICATION SHUTDOWN

APPLICATION START FAILED

APPLICATION UNKNOWN

APRDECK NOT ON TAPE.

*APRDOO MUST BE EMPTY.

ARA BURST DEFFECTIVE.

AREA an CANNOT BE RESTORED

AREA id VERSION vn NOT UP. SCHEMA sn

AREA id VERSION vn NOT UP. SCHEMA sn

ARF BLOCK SIZE IS LARGER THAN BUFFER.

<u>MANUAL</u>	<u>PUB.</u>	<u>NO.</u>
NOS 2 OPER HB		60459310
MCS 1 RM		60480300
MCS 1 RM		60480300
RBF 1 RM		60499600
NOS 2 OPER HB		60459310
MCS 1 RM		60480300
RBF 1 RM		60499600
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
MCS 1 RM		60480300
RBF 1 RM		60499600
RBF 1 RM		60499600
MCS 1 RM		60480300
MCS 1 RM		60480300
MCS 1 RM		60480300
NAM 1 RM		60499500
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
TAF 1 RM		60459500
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
IAF 1 RM		60455250
NOS 2 RS VOL 3		60459680
MCS 1 RM		60480300
RBF 1 RM		60499600
MCS 1 RM		60480300
NOS 2 OPER HB		60459310
MCS 1 RM		60480300
MCS 1 RM		60480300
MCS 1 RM		60480300
IAF 1 RM		60455250
NOS 2 RS VOL 3		60459680
RBF 1 RM		60499600
MCS 1 RM		60480300
MCS 1 RM		60480300
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
NOS 2 OPER HB		60459310
TAF 1 RM		60459500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ARF DUMP TAPE HEADER ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ARF ENTRY TABLE OVERFLOW	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ARF FILE HEADER ERROR.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
ARF HEADER ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ARF HEADER STATUS (3) POSSIBLE ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ARF ORDINAL MUST BE O1 OR O2.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ARG CANT BE BOTH COMMAND AND FIXED	FORTRAN 5 RM	60481300
ARG. ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARG TO LOCF MAY NOT BE AN EXPRESSION	FORTRAN EXT 4	60497800
ARGUMENT COUNT INCONSISTENT WITH PRIOR USAGE	FORTRAN EXT 4	60497800
ARGUMENT COUNT NOT EQUAL TO THAT DEFINED FOR INTRINSIC nnnnn	FORTRAN EXT 4	60497800
ARGUMENT COUNT ON EXCEEDS 500	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON nnnnn EXCEEDS 500	FORTRAN EXT 4	60497800
ARGUMENT COUNT ON INTRINSIC IS WRONG	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON MUST BE MORE THAN ONE	FORTRAN 5 RM	60481300
ARGUMENT COUNT ON nnnnn MUST BE MORE THAN ONE	FORTRAN EXT 4	60497800
ARGUMENT ERROR	XEDIT 3 RM	60455730
ARGUMENT ERROR.	NOS 2 OPER HB	60459310
ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
ARGUMENT ERROR.	NOS 2 OPER HB	60459310
ARGUMENT ERROR - arg.	NOS 2 OPER HB	60459310
ARGUMENT ERRORS.	NOS 2 RS VOL 3	60459680
ARGUMENT nnnnn IS NOT USED IN FUNCTION mmmmm	FORTRAN EXT 4	60497800
ARGUMENT IS NOT USED IN STATEMENT FUNCTION	FORTRAN 5 RM	60481300
ARGUMENT IS POLE IN COT	BASIC 3 RM	19983900
ARGUMENT IS POLE IN TAN	BASIC 3 RM	19983900
ARGUMENT IS ZERO IN LOG	BASIC 3 RM	19983900
ARGUMENT LENGTHS DISAGREE - SUBROUTINES WILL BE USED	INTER DEBUG RM	60481400
ARGUMENT LEVEL MISMATCH	INTER DEBUG RM	60481400
ARGUMENT MODE ILLEGAL FOR GENERIC FUNCTION	FORTRAN 5 RM	60481300
ARGUMENT MODE MUST AGREE WITH TYPE DEFINED FOR LIBRARY FUNCTION	FORTRAN 5 RM	60481300
ARGUMENT MODE MUST AGREE WITH TYPE DEFINED FOR LIBRARY FUNCTION nnnnn	FORTRAN EXT 4	60497800
ARGUMENT NEGATIVE IN LOG	BASIC 3 RM	19983900
ARGUMENT NEGATIVE IN SQR	BASIC 3 RM	19983900
ARGUMENT NOT FOLLOWED BY COMMA OR RIGHT PARENTHESIS	FORTRAN EXT 4	60497800
ARGUMENT TO MASK MUST BE BETWEEN 0 AND 60	FORTRAN 5 RM	60481300
ARGUMENT TOO LARGE IN COS	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN COT	BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN EXP	BASIC 3 RM	19983900

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ARGUMENT TOO LARGE IN SIN		BASIC 3 RM	19983900
ARGUMENT TOO LARGE IN TAN		BASIC 3 RM	19983900
ARITHMETIC ERROR.		NOS 2 OPER HB	60459310
ARITHMETIC IF HAS STATEMENT AS OBJECT		FORTRAN EXT 4	60497800
ARITHMETIC INDEFINITE.		NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARITHMETIC MODE ERROR		ALGOL 4 RM	60496600
ARITHMETIC OR OTHER SOFTWARE ERROR IN TASK.		TAF 1 RM	60459500
ARITHMETIC OVERFLOW.		NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARITHMETIC OVERFLOW		ALGOL 4 RM	60496600
ARITHMETIC STATEMENT FUNCTION REDEFINED		FORTRAN EXT 4	60497800
ARITHMETIC UNDERFLOW.		NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ARRAY DECLARATION FOR MISSING RIGHT PAREN		FORTRAN 5 RM	60481300
ARRAY DECLARATION FOR nnnnn MISSING RIGHT PAREN		FORTRAN EXT 4	60497800
ARRAY DIMENSION BOUND NOT INTEGER		FORTRAN 5 RM	60481300
ARRAY DIMENSION -- DIMENSION BOUND EXPRESSION CONTAINS ARRAY REFERENCE		FORTRAN 5 RM	60481300
ARRAY DIMENSION -- DIMENSION BOUND EXPRESSION CONTAINS ILLEGAL OPERATION		FORTRAN 5 RM	60481300
ARRAY DIMENSION -- DIMENSION BOUND EXPRESSION CONTAINS NON-VARIABLE		FORTRAN 5 RM	60481300
ARRAY DIMENSION ERROR-DIMENSION NO. :		ALGOL 4 RM	60496600
ARRAY nnnnn DIMENSION INDICATOR mmmmm EXCEEDS 2**17-1		FORTRAN EXT 4	60497800
ARRAY nnnnn DIMENSION INDICATOR NOT INTEGER		FORTRAN EXT 4	60497800
ARRAY DIMENSION -- LOWER BOUND EXCEEDS UPPER BOUND		FORTRAN 5 RM	60481300
ARRAY nnnnn EXCEEDS 3 DIMENSIONS		FORTRAN EXT 4	60497800
ARRAY EXCEEDS 7 DIMENSIONS		FORTRAN 5 RM	60481300
ARRAY nnnnn HAS A VARIABLE SUBSCRIPT WITH NO IMPLIED LOOP		FORTRAN EXT 4	60497800
ARRAY HAS MORE THAN THREE SUBSCRIPTS		FORTRAN EXT 4	60497800
ARRAY IN COMMON CANNOT HAVE ADJUSTABLE DIMENSION		FORTRAN 5 RM	60481300
ARRAY IN PROGRAM CANNOT HAVE ADJUSTABLE DIMENSION		FORTRAN 5 RM	60481300
ARRAY LOWER BOUND ERROR-DIMENSION NO. : VALUE:		ALGOL 4 RM	60496600
ARRAY MISSING SUBSCRIPT		FORTRAN 5 RM	60481300
ARRAY nnnnn MISSING SUBSCRIPT -- FIRST ELEMENT ASSUMED		FORTRAN EXT 4	60497800
ARRAY nnnnn MUST HAVE IMPLIED LOOP		FORTRAN EXT 4	60497800
ARRAY NAME OPERAND NOT SUBSCRIPTED. FIRST ELEMENT WILL BE USED		FORTRAN EXT 4	60497800
ARRAY NAME REFERENCED WITH FEWER SUBSCRIPTS THAN DIMENSIONALITY OF ARRAY		FORTRAN EXT 4	60497800
ARRAY nnnnn NULL OR ZERO DIMENSION INDICATOR		FORTRAN EXT 4	60497800
ARRAY OR COMMON VARIABLE MAY NOT BE DECLARED EXTERNAL		FORTRAN EXT 4	60497800
ARRAY REFERENCE OUTSIDE DIMENSION BOUNDS		FORTRAN EXT 4	60497800
ARRAY nnnnn SIZE EXCEEDS 2**17-1		FORTRAN EXT 4	60497800
ARRAY SIZE EXCEEDS 2**23-1		FORTRAN 5 RM	60481300
ARRAY SUBSCRIPT COUNT DOES NOT MATCH DIMENSION COUNT		FORTRAN 5 RM	60481300
ARRAY TOO SMALL IN CHANGE		BASIC 3 RM	19983900
ARRAY TYPE NOT COMPATIBLE		ALGOL 4 RM	60496600

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ARRAY UPPER BOUND ERROR-DIMENSION NO. : VALUE:	ALGOL 4 RM	60496600
ARRAY WITH ILLEGAL SUBSCRIPTS	FORTRAN EXT 4	60497800
ASCII MODE MISMATCH BETWEEN PROGRAM AND I/O DEVICE	INTER DEBUG RM	60481400
ASDEBUG ABNORMAL, xxx.	NOS 2 OPER HB	60459310
ASDEBUG COMPLETE.	NOS 2 OPER HB	60459310
ASDEBUG ERROR xxx. DIRECTIVE yyy.	NOS 2 OPER HB	60459310
ASDEBUG, NO DIRECTIVES.	NOS 2 OPER HB	60459310
ASDEF ABNORMAL, xxx.	NOS 2 OPER HB	60459310
ASDEF ABORT - INCORRECT CS VALUE.	NOS 2 OPER HB	60459310
ASDEF ABORT - NO PARAMETER SPECIFIED.	NOS 2 OPER HB	60459310
ASDEF ABORT - SYNTAX ERROR.	NOS 2 OPER HB	60459310
ASDEF COMPLETE.	NOS 2 OPER HB	60459310
ASDEF ERRORS.	NOS 2 OPER HB	60459310
ASF EXPRESSION TYPE CONFLICTS WITH FUNCTION TYPE	FORTRAN EXT 4	60497800
ASF HAS MORE DUMMY PARAMETERS THAN ALLOWED	FORTRAN EXT 4	60497800
ASF MODELESS EXPRESSION ASSIGNED TO LOGICAL FUNCTION	FORTRAN EXT 4	60497800
ASLABEL ABNORMAL, xxx.	NOS 2 OPER HB	60459310
ASLABEL COMPLETE.	NOS 2 OPER HB	60459310
ASLABEL ERROR xxx. DIRECTIVE yyy.	NOS 2 OPER HB	60459310
ASLABEL - NO DIRECTIVES.	NOS 2 OPER HB	60459310
ASMOVE ABNORMAL, xxx.	NOS 2 OPER HB	60459310
ASMOVE COMPLETE.	NOS 2 OPER HB	60459310
ASMOVE - SYNTAX ERROR.	NOS 2 OPER HB	60459310
ASSEMBLING xxxxxxxx	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - ECS READ ERROR.	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - ECS WRITE ERROR.	COMPASS 3 RM	60492600
ASSEMBLY ABORTED - PASS n TABLE OVERFLOW ASSEMBLING xxxxxxxx	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB CM USED. xxxx.xxx CPU SEC. nnnnnnB ECS USED.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB CM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB SCM USED. xxxx.xxx CPU SEC. nnnnnnB LCM USED.	COMPASS 3 RM	60492600
ASSEMBLY COMPLETE. nnnnnnB SCM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB CM USED. xxxx.xxx CPU SEC. nnnnnnB ECS USED.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB CM USED. xxxx.xxx CPU SECONDS ASSEMBLY TIME.	COMPASS 3 RM	60492600
ASSEMBLY ERRORS. nnnnnnB SCM USED. xxxx.xxx CPU SEC. nnnnnnB LCM USED.	COMPASS 3 RM	60492600
nnnn ASSEMBLY ERRORS IN program	FORTRAN EXT 4	60497800
ASSIGNED FILE CONFLICT - SDF.	NOS 2 OPER HB	60459310
ASSIGNED FOR DIAGNOSTICS, FILE filename AT address.	NOS 2 OPER HB	60459310
est, ASSIGNED TO filename.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ttest, ASSIGNED TO filename.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ASSIGNED TTYS GREATER THAN (NT).	NOS 2 OPER HB	60459310

MESSAGE

jsn ASSIGNS EXCEED DEMANDS.
jsn ASSIGNS EXCEED DEMANDS.
ASSUMED CHARACTER LENGTH ILLEGAL FOR IMPLICIT
ASSUMED COMMA AFTER UNIT OR FORMAT -- FOUND hhhhh
ASSUMED SIZE ARRAY NOT ALLOWED IN I/O LIST
ASSUMED SIZE ARRAY NOT PERMITTED IN NAMELIST
ASSUMED SIZE CAN ONLY BE ON LAST UPPER BOUND
ASSUMED SIZE OR ADJUSTABLE ARRAY MUST BE DUMMY-ARG
AST SUBSTITUTED.
PFN=filename, FAMILY=familyname,
UI=userindex.
SUBCATALOG CSU ID=id.
AST UPDATED
PFN=filename, FAMILY=familyname,
UI=userindex.
SUBCATALOG SM ID=id.
ASUSE ABNORMAL. xxx.
ASUSE COMPLETE.
ASUSE - SYNTAX ERROR.
ASVAL ABNORMAL. xxx.
ASVAL COMPLETED.
-AT END- NOT ON ROOT AREA
-AT END- NOT ON ROOT AREA
AT END WHILE TRYING TO ACCEPT FROM FILE
AT END WHILE TRYING TO ACCEPT FROM FILE
AT LEAST THREE SCRATCH TAPES ARE REQUIRED
AT PARAM REQUIRED ON FRAME DIRECTIVE
ATTACH ERROR - BUDT FILE BUSY.
ATTACH ERROR - BUDT FILE NOT FOUND.
ATTACH ERROR ON filename.
ATTACH ERROR ON - filename.
ATTACH ERROR ON filename.
ATTACH ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn
ATTACH ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn
ATTACH ERROR nnn ON CDCS file
ATTACH ERROR nnn ON CDCS file
ATTACH ERROR ON MSF CSUMAP.
PFN=filename, FAMILY=familyname,
UI=userindex.
ATTACH ERROR ON MSF SUBFAMILY CATALOG.
PFN=filename, FAMILY=familyname,
UI=userindex.
ATTACH ERROR ON PF xxxxxxx.
ATTACH ERROR ON SFM SMMAP.
PFN=filename, FAMILY=familyname
UI=userindex.
ATTACH ERROR ON SFM SUBFAMILY CATALOG.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
SORT MERGE 481	60497500
LOADER 1 RM	60429800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

ATTACH ERROR ON SFM SUBFAMILY CATALOG
PFN=filename, FAMILY=familyname,
UI=userindex.

ATTACH MODE MUST BE W, M, R, OR RM.

ATTEMPT TO BACK UP BEFORE COLUMN ONE CAUSES POSITIONING TO BE SET AT COLUMN ONE

ATTEMPT TO OPEN A LOCKED FILE

ATTEMPT TO OPEN A LOCKED FILE

ATTEMPT TO OPEN FILE OPENED BY ACCEPT OR DISPLAY AND PROCESSING DIRECTION DIFFERS

ATTEMPT TO OPEN FILE OPENED BY ACCEPT OR DISPLAY AND PROCESSING DIRECTION DIFFERS

ATTEMPT TO OPEN FILE WITH SAME NAME AS AN OPEN FILE

ATTEMPT TO OPEN FILE WITH SAME NAME AS AN OPEN FILE

ATTEMPTING NETWORK NETON.

ATTRIBUTE COMMANDS MUST BE OF ONE NETWORK
TYPE.

AUTHORIZE NPS xx, xx, xx, xx.

AUTO END - TVF TERMINATES

AUTO MODE.

AUTO RECALL STATUS MISSING

AUTOLINK COMPLETED

AUTOLINK OUTPUT DIRECTIVES LIST

AUTOMATIC NAME ASSIGNMENT IMPOSSIBLE.

AUTORCL

n.nnn AVERAGE ACTIVE SUBCONTROL POINTS.

n.nnn AVERAGE OUTSTANDING CDCS REQUESTS.

AWAITING UDT ALTERATION

A01 ADDITIONAL MESSAGES SUPPRESSED

A04 STATEMENT IGNORED

A05 CALL TO -READEC- OR -WRITEC- CHANGED TO -MOVLEV-

A06 HOLLERITH CONSTANT TRUNCATED TO 10 CHARACTERS

A07 CONTINUE GENERATED FOR F45 INVENTED LABEL

A08 CONTINUE GENERATED FOR LABELED END STATEMENT

A09 F45 GENERATED STATEMENT (VARIABLES REPLACE HOLLERITH LITERAL CONSTANTS)

A10 LONG HOLLERITH CONSTANT SPLIT INTO 10 CHARACTER PIECES

A11 ACTUAL ARGUMENT USED CONFLICTS WITH FTN5 INTRINSIC FUNCTION NAME

A12 COMMENT SPECIFIED BY \$ CONVERTED TO * OR C

A13 MULTIPLE STATEMENTS PER LINE CONVERTED TO ONE STATEMENT PER LINE

A14 GARBAGE IN COLUMNS 1-5 REPLACED WITH BLANKS

A15 OCTAL NN B CONVERTED TO O=NN=

A16 NEGATIVE OCTAL CONVERTED TO BOOLEAN OCTAL

A17 NEGATIVE HOLLERITH CONVERTED TO BOOLEAN

A18 NEGATED SHIFT CONVERTED TO BOOLEAN SHIFT

A19 IRREGULAR INITIALIZATION IN DATA STATEMENT

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NPS RM	60480500
NAM 1 TERM INTF	60480600
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 INSTAL HB	60459320
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
A20 IRREGULAR INITIALIZATION OF DOUBLE PRECISION VARIABLE/ARRAY IN DATA STATEMENT	FTN 4-5 CONV RM	60483000
A21 UNSUBSCRIPTED ARRAY NAME GIVEN SUBSCRIPTS	FTN 4-5 CONV RM	60483000
A22 PARENTHESIS INSERTED TO MAINTAIN ORDEF OF SUCCESSIVE EXPON	FTN 4-5 CONV RM	60483000
A23 ALTERNATE FORM OF DATA STATEMENT CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A24 NON-ANSI FORMS OF DATA CONSTANT LIST CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A25 KEYWORD TYPE DELETED	FTN 4-5 CONV RM	60483000
A26 LEVEL STATEMENT CONVERTED TO CONTAIN COMMON BLOCK NAME	FTN 4-5 CONV RM	60483000
A27 DUMMY ARGUMENT LIST APPENDED TO ENTRY STATEMENT	FTN 4-5 CONV RM	60483000
A28 FTN4 - */=/H/ - DELIMITERS CONVERTED TO APOSTROPHES	FTN 4-5 CONV RM	60483000
A29 COMPLEX EXPRESSIONS IN IF CONVERTED TO REAL	FTN 4-5 CONV RM	60483000
A30 TWO BRANCH ARITHMETIC IF CONVERTED TO 3 BRANCH IF	FTN 4-5 CONV RM	60483000
A31 ALTERNATE RETURNS IN CALL CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A32 ALTERNATE RETURNS IN SUBPROGRAM CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A33 ALTERNATE RETURNS IN RETURN CONVERTED TO NEW SYNTAX	FTN 4-5 CONV RM	60483000
A34 CALL GOTOER INSERTED AFTER COMPUTED GOTO TO ENSURE AGAINST FAILURE OF GOTO	FTN 4-5 CONV RM	60483000
A35 LOGICAL IF AND COMPUTED GOTO CONVERTED TO IF-THEN-ELSE FORM	FTN 4-5 CONV RM	60483000
A36 CONTINUED END CONVERTED TO END ON ONE LINE	FTN 4-5 CONV RM	60483000
A38 SPECIFICATION OX DELETED FROM FORMAT	FTN 4-5 CONV RM	60483000
A39 SPECIFICATION -NX CONVERTED TO TLN SPECIFICATION IN FORMAT	FTN 4-5 CONV RM	60483000
A40 REDUNDANT PARENTHESES IN I/O LIST DELETED	FTN 4-5 CONV RM	60483000
A41 SPECIFICATION TO CONVERTED TO T1	FTN 4-5 CONV RM	60483000
A42 FTN4 C\$ DEBUG FACILITY NO LONGER PROVIDED	FTN 4-5 CONV RM	60483000
A43 PUNCTUATION PLACED AFTER DATA CONVERSION DESCRIPTORS	FTN 4-5 CONV RM	60483000
A44 LOGICAL 2-BRANCH IF CONVERTED TO IF() GOTO	FTN 4-5 CONV RM	60483000
A45 BLANK LINE INTERPRETED AS COMMENT IN FTN5	FTN 4-5 CONV RM	60483000
A46 COMPILER LISTING CONTROL DIRECTIVES CONVERTED TO NEW FORM	FTN 4-5 CONV RM	60483000
A47 C\$ COMMENT DELETED OR \$ PORTION REMOVED PER F45 CONTROL CARD OPTION DD	FTN 4-5 CONV RM	60483000
A48 END STATEMENT INSERTED	FTN 4-5 CONV RM	60483000
A49 HOLLERITH IN OUTPUT STATEMENT CONVERTED TO APOSTROPHE DELIMITED HOLLERITH	FTN 4-5 CONV RM	60483000
A50 ABBREVIATIONS OF OPERATORS EXPANDED TO FULL OPERATORS	FTN 4-5 CONV RM	60483000
A51 NUMBERED COMMON BLOCK CONVERTED TO LABELED	FTN 4-5 CONV RM	60483000
A52 ABBREVIATION DOUBLE EXPANDED TO FULL KEYWORD	FTN 4-5 CONV RM	60483000
A53 REDUNDANT FORM OF OUTPUT STATEMENT CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A54 EXPONENT LENGTH SPECIFIER D IN E DESCRIPTOR CONVERTED TO E	FTN 4-5 CONV RM	60483000
A55 DUMMY ARGUMENT DELETED	FTN 4-5 CONV RM	60483000
A56 ELEMENT OF LEVEL NOT IN COMMON NOR AN FP - DELETED	FTN 4-5 CONV RM	60483000
A57 INPUT STATEMENT SYNTAX CONVERTED TO ANSI FORM	FTN 4-5 CONV RM	60483000
A58 LEVEL DELETED - ELEMENT IN PREVIOUS NEW LEVEL, LCC AFTER IDENT	FTN 4-5 CONV RM	60483000
A59 OVERLAY BEFORE IDENT CONVERTED TO LCC AFTER IDENT	FTN 4-5 CONV RM	60483000
A60 EXTERNAL GENERATED TO AVOID FTN4 NAME / FTN5 FUNCTION CONFLICT	FTN 4-5 CONV RM	60483000
A61 TEMPORARY NAME SUBSTITUTED FOR OVERSUBSCRIPTED ARRAY	FTN 4-5 CONV RM	60483000
A62 ZERO-FILLED TYPE HOLLERITH CONSTANTS CONVERTED TO FTN5 FORM	FTN 4-5 CONV RM	60483000

MESSAGE

A63 FLOATING-POINT DESCRIPTOR GIVEN FIELD OF ZERO
 nnnnnnnnnB C M REQUIRED
 nnnnnB LCM NEEDED TO CONTINUE
 B OPTION INVALID WITH SEQUENTIAL OLDPL
 B PARAMETER USED INCORRECTLY.
 nnnnnnnnnB TOTAL TABLES SIZE
 BACKING UP WITH X SPECIFICATION IS NON-ANSI
 BACKUP DIRECTORY - xxxxxxxx HAS BEEN RECONSTRUCTED.
 BAD ADDRESS
 BAD AN NET/ON SM RESPONSE FROM NVF.
 BAD CALL TO SORTL
 BAD CATALOG/PERMIT SECTOR.

 BAD CC PARAMETER = p
 image BAD CONFIG
 BAD CONTROL CARD ARGUMENT-parm
 BAD CONTROL CARD PARAMETER = p
 BAD CONTROL STATEMENT ARGUMENT - xx
 BAD DATA IN OLDPL HEADER.
 BAD DATA IN READ
 BAD DEBUG LOG FILE
 BAD DIAGNOSTIC LIB: ERNUM:
 BAD DIRECTIVE TABLE ENTRY
 BAD DIRECTORY ON ADL.
 BAD DIRECTORY ON ADL
 BAD DUMP FILE.
 BAD FCOPY CONVERSION TABLE.
 BAD FILE NAME
 n BAD FORMAT BLOCKS.
 BAD FORMAT FIELD
 BAD LCF.
 BAD LCF/TERM RECORD POSITION
 BAD LFM REQUEST BY NETFM.
 BAD MINACN/MAXACN VALUE. JOBID = jobid.
 BAD NCF.
 BAD NCF READ.
 BAD NETWORK BLOCK DISCARDED.
 BAD NLF FILE FORMAT
 BAD OFFSET IN PARAMETER DESCRIPTOR
 BAD OFFSET IN PARAMETER DESCRIPTOR
 BAD OLD LIBRARY HEADER
 BAD OLD MASTER DIRECTORY FILE

MANUAL	PUB. NO.
FTN 4-5 CONV RM	60483000
MCS 1 RM	60480300
COMPASS 3 RM	60492600
UPDATE RM	60449900
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
CDCS 2 DA RM	60485200
RBf 1 RM	60499600
BASIC 3 RM	19983900
CDCS 2 DA RM	60485200
COMPASS 3 RM	60492600
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NAM 1 RM	60499500
ALGOL 4 RM	60496600
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
MCS 1 RM	60480300
CDCS 2 DA RM	60485200

MESSAGE

BAD OR MISSING NUMERIC FIELD
BAD ORDER ON YANK DIRECTIVE
BAD PARAMETER = p
BAD PFM REQUEST BY NETFM.
BAD PP
BAD RESULT
BAD SCRIPT LIBRARY FILE
BAD SEGLOAD BINARY
BAD SUBSCRIPT IN EQUIV STMT
BAD SYNTAX ENCOUNTERED
BAD SYNTAX IN Z, S, N, OR P FIELD
BAD SYNTAX IN Z, S, N, OR P FIELD
BAD SYSTEM POINTER.
BAD TAB ARG- 1 USED
BAD TEXT LINE ENCOUNTERED
BAD VERIFICATION RECORD ON ADL.
BAD VERIFICATION RECORD ON ADL
BAD WORD/ENTRY COUNT
BADLY NESTED REPEAT
BASE STATEMENT OCCURS MORE THAN ONCE
BASIC COMPILATION ERRORS
BASIC EXECUTION ERROR
BASIC EXTERNAL OR INTRINSIC FUNCTION CALLED WITH WRONG TYPE AGRUMENT
BASIC OR INTRINSIC FUNCTION WITH AN INCORRECT ARGUMENT COUNT
BATCH ABORT - COMMAND ERROR.
BATCH ABORT - RETRY COUNT EXCEEDED.
BATCH CONCURRENCY DISABLED.
BATCH MODE ABORT. END OF RECORD
ENCOUNTERED.
BATCH RECOVERY ACTIVE ON DATA BASE
BEFORE IMAGE NOT FOUND ON LOG FILE
BEG SPECIFIED TWICE
BEGIN CRM TASK RECOVERY.
BEGIN PROCESSING DIRECTIVES FOR SCHEMA sn
BEGIN TEXT EDITING.
BFL = xxxxxxxB, MINIMUM REQUIRED = zzzzzzB.
BGD SPECIFIED TWICE
BIF001 WRONG NUMBER OF ARGUMENTS TO -identifier- BUILTIN FUNCTION
BIF003 IMPROPER ARGUMENT -identifier- TO -identifier- BUILTIN FUNCTION
BIF005 ARGUMENT -identifier- TO -identifier- MATH BUILTIN FUNCTION MUST BE SCALAR
BIF006 ARGUMENT -identifier- TO -identifier- MATH BUILTIN FUNCTION MUST BE OF
BIF006 COMPUTATIONAL TYPE

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
UPDATE RM	60449900
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NAM 1 RM	60499500
NPS RM	60480500
BASIC 3 RM	19983900
BASIC 3 RM	19983900
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
XEDIT 3 RM	60455730
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
QU/CRM DA RM	60482100
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
TEXT EDITOR RM	60436100
TAF 1 RM	60459500
FORM RM	60496200
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
BIF009 ARGUMENT -identifier- TO VALID BUILTIN FUNCTION MUST BE PICTURED	PL/I RM	60388100
BIF011 PRECISION P IN -identifier- BUILTIN FUNCTION CANNOT BE SIGNED OR ZERO	PL/I RM	60388100
BIF012 PRECISION P OR SCALE FACTOR Q IN -identifier- BUILTIN FUNCTION MUST BE AN INTEGER	PL/I RM	60388100
BIF015 -identifier- BUILTIN FUNCTION CANNOT BE USED AS SUBROUTINE-REFERENCE IN BIF015 CALL STATEMENT	PL/I RM	60388100
BINARY RECORD WAS LESS THAN 64D WORDS LONG.	TAF 1 RM	60459500
BINARY RECORD WAS NEITHER ABSOLUTE NOR OVERLAY FORMAT.	TAF 1 RM	60459500
BINARY SEQ. ERROR, RECxxxx CDyyyy.	NDS 2 RS VOL 3	60459680
BIT NUMBER > 6	FORM RM	60496200
BIT POSITION ONLY VALID WITH TYPE -B-	FORM RM	60496200
BIT SPECIFICATION ILLEGAL FOR NON-BIT FIELD	8-BIT SUBR RM	60495500
BIT SPECIFICATION ILLEGAL FOR NON-BIT FIELD	FORM RM	60496200
BIT SPECIFIER NON-NUMERIC	FORM RM	60496200
BKF est. nn.	NDS 2 OPER HB	60459310
BKR est. nn.	NDS 2 OPER HB	60459310
BLANK CLOSE STATEMENT	BASIC 3 RM	19983900
BLANK FILE STATEMENT	BASIC 3 RM	19983900
BLANK LABELS DO NOT VERIFY.	NDS 2 OPER HB	60459310
BLANK LABELS DO NOT VERIFY.	NDS 2 RS VOL 3	60459680
nnnnn BLANK STATEMENTS WERE IGNORED	FORTRAN EXT 4	60497800
BLANK TAPE, filename AT address.	NDS 2 RS VOL 3 NDS 2 RS VOL 4	60459680 60459690
BLK NOT SPECIFIED	FORM RM	60496200
BLK OUT OF RANGE	FORM RM	60496200
BLK SPECIFIED TWICE	FORM RM	60496200
BLKSIZE EXCEEDS 32760 BYTES	8-BIT SUBR RM	60495500
BLKSIZE EXCEEDS 32760 BYTES	FORM RM	60496200
BLKSIZE NOT SPECIFIED	8-BIT SUBR RM	60495500
BLKSIZE NOT SPECIFIED	FORM RM	60496200
BLOCK BUFFER OVERFLOW.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
BLOCK BUFFER TOO SMALL.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
BLOCK FWA ERROR	COM MEM MGMT 1	60499200
..... BLOCK IF(S) NOT TERMINATED	FORTRAN 5 RM	60481300
BLOCK LOAD ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
BLOCK LOST - tn.	NOS 2 OPER HB	60459310
BLOCK NUMBER nnnnnn, filename AT address.	NDS 2 RS VOL 3	60459680
BLOCK POINTERS MESSED UP - SEE (B2)	COM MEM MGMT 1	60499200
BLOCK SEQUENCE ERROR.	NOS 2 OPER HB	60459310
BLOCK SEQUENCE ERROR, filename AT address.	NDS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
BLOCK SHORTER THAN V-HEADER	8-BIT SUBR RM	60495500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
BUFFER CONTROL WORD ERROR, filename AT address.		NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459690 60459680
BUFFER CONTROL WORD ERROR ON filename AT address.		NOS 2 RS VOL 4	60459690
BUFFER DIRECTION INDICATOR MUST BE IN OR OUT		FORTRAN EXT 4	60497800
BUFFER DIRECTION SPECIFIER MUST BE IN OR OUT		FORTRAN 5 RM	60481300
BUFFER I/O ADDRESS CANNOT BE		FORTRAN 5 RM	60481300
BUFFER I/O ADDRESS CANNOT BE CHARACTER		FORTRAN 5 RM	60481300
BUFFER I/O ADDRESS MUST BE VARIABLE		FORTRAN EXT 4	60497800
BUFFER I/O IS MACHINE DEPENDENT		FORTRAN 5 RM	60481300
BUFFER I/O LWA MUST BE GREATER THAN OR EQUAL TO FWA		FORTRAN 5 RM	60481300
BUFFER I/O LWA MUST BE GREATER THAN OR EQUAL TO FWA		FORTRAN EXT 4	60497800
BUFFER I/O PARITY INDICATOR MUST BE INTEGER CONSTANT OR VARIABLE		FORTRAN EXT 4	60497800
BUFFER I/O PARITY INDICATOR VALUE MUST BE ZERO OR 1		FORTRAN 5 RM	60481300
BUFFER I/O PARITY INDICATOR VALUE MUST BE ZERO OR 1		FORTRAN EXT 4	60497800
BUFFER I/O PARITY SPECIFIER MUST BE INTEGER CONSTANT OR VARIABLE		FORTRAN 5 RM	60481300
BUFFER LENGTH FOR FILE EXCEEDS 360000B -- DEFINITION IGNORED		FORTRAN 5 RM	60481300
BUFFER LENGTH FOR FILE nnnnn EXCEEDS 360000B -- DEFINITION IGNORED		FORTRAN 5 RM	60481300
BUFFER LENGTH FOR FILE nnnnn EXCEEDS 360000B -- 360000B USED		FORTRAN EXT 4	60497800
BUFFER LENGTH TOO SHORT.		NOS 2 OPER HB	60459310
BUFFER OVERFLOW - ALL FILES LISTED BUT NOT SORTED.		NOS 2 RS VOL 3	60459680
BUFFER SIZE TOO SMALL FOR DUMP FILE RECORD x.		NOS 2 OPER HB	60459310
BUFFER SPACE ERROR (TOV)		NOS 2 RS VOL 3	60459680
BUFFERED I/O RECOVERY ERRORS.		NOS 2 OPER HB	60459310
BUFFERED I/O RECOVERY ERRORS EQest.		NOS 2 OPER HB	60459310
nn BUFFERS ACTIVE.		NOS 2 OPER HB	60459310
pfn BUSY.		NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
BYTE AND BIT MISSING		SORT MERGE 4&1	60497500
BYTESIZE MISSING		SORT MERGE 4&1	60497500
B=O AND GO IS INCONSISTENT		PL/I RM	60388100
B=O AND GO IS INCONSISTENT		FORTRAN 5 RM	60481300
C. B. NOT AVAILABLE TO SCHEDULE CTASK.		TAF 1 RM NOS 2 OPER HB	60459500 60459310
Ccc DOWNED.		NOS 2 OPER HB	60459310
C.DTCMP - PARAMETER NOT ALPHANUMERIC OR LESS THAN 8 CHARACTERS IN LENGTH		COBOL 5 DH	60482500
C.DTCMP - PARAMETER NOT ALPHANUMERIC OR LESS THAN 8 CHARACTERS IN LENGTH		COBOL 5 RM	60497100
C.FILE CALL - COMMA REQUIRED HERE IN CHAR nn		COBOL 5 DH	60482500
C.FILE CALL - COMMA REQUIRED HERE IN CHAR nn		COBOL 5 RM	60497100
C.FILE CALL - FILE ORG NOT DIRECT AND TRC SPECIFIED		COBOL 5 DH	60482500
C.FILE CALL - FILE ORG NOT DIRECT AND TRC SPECIFIED		COBOL 5 RM	60497100
C.FILE CALL - ILLEGAL PARAMETER STARTING IN CHAR nn		COBOL 5 DH	60482500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
C.FILE CALL - ILLEGAL PARAMETER STARTING IN CHAR nn	COBOL 5 RM	60497100
C.FILE CALL - LFN NOT LEGAL FILE NAME - NAME IS xxxxxxxx	COBOL 5 DH	60482500
C.FILE CALL - LFN NOT LEGAL FILE NAME - NAME IS xxxxxxxx	COBOL 5 RM	60497100
C.FILE CALL - PARAMETER DATA ITEM NOT ALPHANUMERIC	COBOL 5 DH	60482500
C.FILE CALL - PARAMETER DATA ITEM NOT ALPHANUMERIC	COBOL 5 RM	60497100
C.FILE CALL - = SIGN REQUIRED HERE IN CHAR nn	COBOL 5 DH	60482500
C.FILE CALL - = SIGN REQUIRED HERE IN CHAR nn	COBOL 5 RM	60497100
C.GETBK GIVEN ILLEGAL BLOCK TYPE	COBOL 5 DH	60482500
C.GETBK GIVEN ILLEGAL BLOCK TYPE	COBCL 5 RM	60497100
C\$ IF EXPRESSION MUST BE LOGICAL	FORTRAN 5 RM	60481300
..... C\$ IF(S) NOT TERMINATED	FORTRAN 5 RM	60481300
C\$ LABELDIFFERENT FROM C\$ IF LABEL	FORTRAN 5 RM	60481300
Ccc, MTS FIRMWARE LOAD ERRORS. or Ccc, FSC FIRMWARE ERRORS. or Ccc, 639 FIRMWARE ERRORS. or Ccc, 698 FIRMWARE LOAD ERRORS.	NOS 2 OPER HB	60459310
C\$ PARAMETER VALUE FOR ON MUST BE 0 OR 1	FORTRAN 5 RM	60481300
Ccc, Tt ATS CONVERSION TABLE LOAD ERROR. or Ccc, Tt MTS CONVERSION TABLE LOAD ERROR. or Ccc, Tt FSC CONVERSION TABLE LOAD ERROR. or Ccc, Tt 639 CONVERSION TABLE LOAD ERROR. or Ccc, Tt 698 CONVERSION TABLE LOAD ERROR.	NOS 2 OPER HB	60459310
CALL CAUSED OVERFLOW, NO ON OVERFLOW SPECIFIED	COBOL 5 DH	60482500
CALL CAUSED OVERFLOW, NO ON OVERFLOW SPECIFIED	COBOL 5 RM	60497100
CALL STATEMENT ERROR	MCS 1 RM	60480300
CALL STATEMENT MISSING ROUTINE NAME	FORTRAN 5 RM	60481300
CALL STATEMENT MISSING ROUTINE NAME	FORTRAN EXT 4	60497800
CALLED FROM xxxxx AT SOURCE LINE yyyyy	COBOL 5 DH	60482500
CALLED FROM xxxxx AT SOURCE LINE yyyyy	COBOL 5 RM	60497100
CALLED PROGRAM NOT IN FDL FILE	COBOL 5 DH	60482500
CALLED PROGRAM NOT IN FDL FILE	COBOL 5 RM	60497100
CALLING JOB MAY NOT DROP ITSELF.	NOS 2 RS VOL 3	60459680
CALLRTN NESTED CALL LIMIT EXCEEDED.	TAF 1 RM	60459500
CALLS NESTED TOO DEEP IN TAF TASK	COBOL 5 DH	60482500
CALLS NESTED TOO DEEP IN TAF TASK	COBOL 5 RM	60497100
CANCEL FOR ROUTINE WHICH HAS NOT TAKEN EXIT	COBOL 5 DH	60482500
CANCEL FOR ROUTINE WHICH HAS NOT TAKEN EXIT	COBOL 5 RM	60497100
CANCEL FOR STATIC ROUTINE IGNORED	COBOL 5 DH	60482500
CANCEL FOR STATIC ROUTINE IGNORED	COBOL 5 RM	60497100
CANCELLED PROGRAM NOT IN FDL FILE	COBOL 5 DH	60482500
CANCELLED PROGRAM NOT IN FDL FILE	COBOL 5 RM	60497100
CANNOT ACCESS L-DISPLAY.	NOS 2 OPER HB	60459310

MESSAGE

CANNOT ALLOCATE DEVICE.
CANNOT ALTER CLASS OF ON-LINE JOB
**** CANNOT ALTER XD/XT OF *CSAP*.
CANNOT ATTACH/GET FILE-FILE SKIPPED.

CANNOT ATTACH *IQFT* FILE.
filename CANNOT BE ACCESSED.
filename CANNOT BE ASSIGNED TO THE TERMINAL.
..... CANNOT BE DUMMY ARGUMENT
CANNOT BROADCAST TO HOST-HOST LOGICAL LINK.
CANNOT CATLIST FAMILY/PACK-fampck.
CANNOT CHANGE CLASS OF ON-LINE JOB.
CANNOT CHANGE CLASS OF SUBSYSTEM.
CANNOT DEFINE REFORMATTED FILE - filename.

**** CANNOT DELETE *CSAP* PRIVILEGE.
**** CANNOT DELETE USER RUNNING MODVAL.
CANNOT EDIT EXECUTE ONLY FILES.
CANNOT FIND FOLLOWING PFN ENTRY IN PFN TABLE pfn
CANNOT FIND SCHEMA IN MASTER DIRECTORY
CANNOT FIX CSN FOR GOOD LABEL
CANNOT FIX VSN FOR GOOD LABEL.
CANNOT GET num WORDS CM FOR jn
CANNOT GET num WORDS CM FOR jn
..... CANNOT HAVE ASSUMED CHARACTER LENGTH
CANNOT LOCATE START ADDRESS.
CANNOT -QUIT- TEST
CANNOT READ LOG FILE
CANNOT RESTORE LOG TO INPUT TAPE LOGFILE
CAN'T ACCESS DATA.
CANT DUMP TO IBM FORMAT
CANT GET -a- SHALL WE TRY AGAIN
CANT LOAD CAPSULE
CANT LOAD COMP3\$
CANT OPEN FILE: POSSIBLE CRM ERROR
CANT SEARCH WITH BIT OFFSET
CANT SORT SYMBOL TABLE INCREASE FL BY fffffB
CANT SPECIFY INP= OR OUT= WITH I=
CANT UNLOAD CAPSULE
CARD AFTER END CARD
xxxxxx CARD ERROR
CARD READER ERROR.
xxxxxx CARD SEQUENCE ERROR

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
XEDIT 3 RM	60455730
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
FORM RM	60496200
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
NOS 2 OPER HB	60459310
FORM RM	60496200
QUERY UPDT 3 RM	60498300
FORM RM	60496200
COMFAS 3 RM	60492600
FORM RM	60496200
FORM RM	60496200
FORTRAN EXT 4	60497800
FORM RM	60496200
FORM RM	60496200
SORT MERGE 4&1	60497500
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NPS RM	60480500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CARTRIDGE ALREADY IN CUBE.	NOS 2 OPER HB	60459310
CARTRIDGE ALREADY IN USE.	NOS 2 OPER HB	60459310
CARTRIDGE CONFLICT, X=x, Y=y. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OPER HB	60459310
CARTRIDGE EJECTED	NOS 2 OPER HB	60459310
CARTRIDGE LABEL ERROR.	NOS 2 OPER HB	60459310
CARTRIDGE LABEL ERROR - SEE DAYFILE	NOS 2 OPER HB	60459310
CARTRIDGE MISSING, Y=ya, Z=za	NOS 2 OPER HB	60459310
CARTRIDGE NOT ASSIGNED AS EXPECTED.	NOS 2 OPER HB	60459310
CARTRIDGE NOT EMPTY, vsn.	NOS 2 OPER HB	60459310
CARTRIDGE NOT EMPTY, csu.	NOS 2 OPER HB	60459310
CARTRIDGE NOT FOUND.	NOS 2 OPER HB	60459310
CARTRIDGE NOT FOUND	NOS 2 OPER HB	60459310
CARTRIDGE PRESENT - LOST BIT SET.	NOS 2 OPER HB	60459310
CARTRIDGE WEAR NOTED, X=x, Y=y. RESPOND GO TO ACKNOWLEDGE.	NOS 2 OPER HB	60459310
CATALOG ARGUMENT ERROR.	NOS 2 RS VOL 3	60459680
CATALOG COMPLETE.	NOS 2 OPER HB	60459310
xxxxxxx CATALOG ERROR.	NOS 2 TAPE MGMT	60463350
CATALOG ERROR REQUIRED WITH *CLEAR*.	NOS 2 TAPE MGMT	60463350
CATALOG FILE NAME CONFLICT.	NOS 2 RS VOL 3	60459680
CATALOG FORMAT ERROR.	NOS 2 OPER HB	60459310
CATALOG INDEX OUT OF RANGE.	NOS 2 OPER HB	60459310
CATALOG LINKAGE ERROR.	NOS 2 TAPE MGMT	60463350
CATALOG LOST BIT MUST BE SET.	NOS 2 OPER HB	60459310
CATALOG/MAP ATTACH PROBLEM.	NOS 2 OPER HB	60459310
CATALOG/MAP FILE INTERLOCKED.	NOS 2 OPER HB	60459310
CATALOG/MAP INTERLOCKED.	NOS 2 OPER HB	60459310
CATALOG/MAP NOT OPEN.	NOS 2 OPER HB	60459310
CATALOG MISSING FOR FAMILY familyname. UNABLE TO PROCESS MOVE REQUEST FILE.	NOS 2 OPER HB	60459310
xxxxxxx CATALOG NOT FOUND.	NOS 2 TAPE MGMT	60463350
CATALOGING filename userIndex.	NOS 2 OPER HB	60459310
CATALOGING COMPLETED.	NOS 2 OPER HB	60459310
CATALOGS MODIFIED.	NOS 2 OPER HB	60459310
CATALOGS NOT MODIFIED.	NOS 2 OPER HB	60459310
CATLIST COMPLETE.	NOS 2 RS VOL 3	60459680
..... CAUSES CHARACTER DECLARATION CONFLICT IN EQUIVALENCE GROUP	FORTRAN 5 RM	60481300
CCC, CHxx. DCC - CHANNEL ACTIVE BEFORE FUNCTION.	NOS 2 OPER HB	60459310
CCC, CHxx. DCC - CHANNEL NOT AVAILABLE.	NOS 2 OPER HB	60459310
CCC, CHxx. DCC - CONSTANT CHANNEL FULL.	NOS 2 OPER HB	60459310
CCC, CHxx. DCC - FUNCTION hhhh REJECT.	NOS 2 OPER HB	60459310
CCC, CHxx. DCC - INPUT COMPLETE.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
CCC, CHxx. DCC - LOAD ADDRESS ERROR.	NOS 2 OPER HB	60459310
CCC, CHxx. DCC - NO RESPONSE. CHECK CABLES.	NOS 2 OPER HB	60459310
CCHch, DFest DOWNED BY SYSTEM.	NOS 2 OPER HB	60459310
CCHch, DHest DOWNED BY SYSTEM.	NOS 2 OPER HB	60459310
CCL100-SEPARATOR FOLLOWING VERB MUST BE COMMA OR LEFT PARENTHESIS	NOS 2 RS VOL 3	60459680
CCL101-LAST NON-BLANK CHARACTER MUST BE SEPARATOR	NOS 2 RS VOL 3	60459680
CCL102-EQUAL SIGN MUST FOLLOW FIRST SYMBOLIC NAME	NOS 2 RS VOL 3	60459680
CCL103-STATEMENT INCOMPLETE	NOS 2 RS VOL 3	60459680
CCL104-EXPRESSION AND COMMAND TERMINATED BY terminator	NOS 2 RS VOL 3	60459680
CCL120-ALL COMMANDS SKIPPED - xxxxxx	NOS 2 RS VOL 3	60459680
CCL121-LABEL STRING MUST BEGIN WITH ALPHA CHARACTER	NOS 2 RS VOL 3	60459680
CCL123-ALPHANUMERIC LABEL STRING REQUIRED	NOS 2 RS VOL 3	60459680
CCL124-PRECEDING ERR MSG. APPLIES TO FOLLOWING	NOS 2 RS VOL 3	60459680
CCL125-NUMBER OF COMMANDS SUPPRESSED=x	NOS 2 RS VOL 3	60459680
CCL126-COMMANDS TERMINATOR MUST FOLLOW LABEL	NOS 2 RS VOL 3	60459680
CCL127-LABEL STRING EXCEEDS xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL150-EXPRESSION CONTAINS INCORRECT OPERATOR x	NOS 2 RS VOL 3	60459680
CCL151-EXPRESSION FORMAT ERROR (IN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL152-POORLY FORMED FUNCTION (NUM, DT, SS)	NOS 2 RS VOL 3	60459680
CCL153-INCORRECT FUNCTION CALL (WITHIN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL154-INCORRECT EXPONENT	NOS 2 RS VOL 3	60459680
CCL155-OPERATOR OR OPERAND SEQUENCE ERROR	NOS 2 RS VOL 3	60459680
CCL156-STRING TOO LONG -string	NOS 2 RS VOL 3	60459680
CCL157-UNKNOWN NAME -string	NOS 2 RS VOL 3	60459680
CCL158-OPERATOR/TERMINATOR MUST FOLLOW FUNCTION (DT, FILE, NUM)	NOS 2 RS VOL 3	60459680
CCL159-FIRST PARAMETER INCORRECT IN SET COMMAND	NOS 2 RS VOL 3	60459680
CCL160-NUMERIC OR LITERAL ILLEGAL (IN FILE FUNCTION)	NOS 2 RS VOL 3	60459680
CCL161-STACK OVERFLOW	NOS 2 RS VOL 3	60459680
CCL162 - PERIOD BRACKETED OPERATORS PREFERRED	NOS 2 RS VOL 3	60459680
CCL163-SUBSYSTEM REFERENCE ERROR	NOS 2 RS VOL 3	60459680
CCL164 - PAGE PARAMETER ERROR	NOS 2 RS VOL 3	60459680
CCL200-PROCEDURE NESTING LEVEL xx EXCEEDED	NOS 2 RS VOL 3	60459680
CCL201-PROCEDURE NAME MORE THAN 7 CHARACTERS	NOS 2 RS VOL 3	60459680
CCL202 - PROCEDURE FILE IS EXECUTE ONLY MODE	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL203-PROCEDURE FILE NAME NOT SPECIFIED OR INCORRECT	NOS 2 RS VOL 3	60459680
CCL204-MULTIPLE EQUIVALENCE SPECIFICATIONS FOR xx	NOS 2 RS VOL 3	60459680
CCL205-FORMAL PARAMETER LIST DOES NOT INCLUDE -x	NOS 2 RS VOL 3	60459680
CCL206-SYMBOLIC SPECIFICATION INCORRECT xxx	NOS 2 RS VOL 3	60459680
CCL207-PROCEDURE NAMED BEGIN IS INCORRECT	NOS 2 RS VOL 3	60459680
CCL211-SPECIFICATION EXCEEDS xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL212-SEPARATOR INCORRECT string s	NOS 2 RS VOL 3	60459680
CCL213-END OF INFORMATION ON PROMPTED INPUT	NOS 2 RS VOL 3	60459680
CCL230-PROCEDURE FILE NOT FOUND	NOS 2 RS VOL 3	60459680
CCL231-PROCEDURE NOT FOUND	NOS 2 RS VOL 3	60459680
CCL232 - PROCEDURE FILE IS BUSY.	NOS 2 RS VOL 3	60459680
CCL233 - PROC HEADER MUST LEAD LIBRARY PARTITION/PNAME MUST EQ PARTITION NAME	NOS 2 RS VOL 3	60459680
CCL234-UNABLE TO LOCATE LIBRARY PARTITION - xxx	NOS 2 RS VOL 3	60459680
CCL235-FORMAL PARAMETER GT xx CHARACTERS	NOS 2 RS VOL 3	60459680
CCL236-SPECIAL DEFAULT SPECIFICATION UNKNOWN	NOS 2 RS VOL 3	60459680
CCL237-SEPARATOR FOLLOWING SECOND DEFAULT IS */*	NOS 2 RS VOL 3	60459680
CCL238-FORMAL PARAMETER LIMIT xx EXCEEDED	NOS 2 RS VOL 3	60459680
CCL239-PROCEDURE HEADER MUST BE TERMINATED BY A PERIOD	NOS 2 RS VOL 3	60459680
CCL240-* MAY NOT APPEAR IN FORMAL PARAMETER NAME	NOS 2 RS VOL 3	60459680
CCL249 - DATA FILE LFN EXCEEDS 7 CHARACTERS - filename	NOS 2 RS VOL 3	60459680
CCL250-CONCATENATED STRING EXCEEDS xx	NOS 2 RS VOL 3	60459680
CCL251-DATA DIRECTIVE SPECIFIED CCL FILE - filename	NOS 2 RS VOL 3	60459680
CCL252-PROCEDURE CONTAINS NO COMMANDS	NOS 2 RS VOL 3	60459680
CCL253 - PROC BODY STRING EXPANDS .GT. xx.	NOS 2 RS VOL 3	60459680
CCL261-ENDW WITH MATCHING LABEL FOUND	NOS 2 RS VOL 3	60459680
CCL262-CONTINUING SEARCH, PRINT SKIPPED COMMANDS	NOS 2 RS VOL 3	60459680
CCL263 EXTERNAL ABORT DURING BEGIN.	NOS 2 RS VOL 3	60459680
CCL263 EXTERNAL ABORT DURING ENDW.	NOS 2 RS VOL 3	60459680
CCL270-ERR IN CCL WORK FILES, REVERT TO JOB FILE	NOS 2 RS VOL 3	60459680
CCL271-REVERT NOT ALLOWED WITHIN JOB FILE	NOS 2 RS VOL 3	60459680
CCL272-INCORRECT REVERT PARAMETER - param	NOS 2 RS VOL 3	60459680
CCL273 - EXPECTING . OR) AFTER REVERT,EX	NOS 2 RS VOL 3	60459680
CCL300-NON-NUMERIC CHARACTER WITHIN NUMERIC TERM	NOS 2 RS VOL 3	60459680
CCL302-8/9 DIGIT CONFLICTS WITH POST RADIX OF B	NOS 2 RS VOL 3	60459680
CCL303-LITERAL NOT TERMINATED	NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL304-STRCCL - SCATTER BUFFER HEADER INCORRECT	NOS 2 RS VOL 3	60459680
CCL320 - CORRECT CCL320 - ENTER	NOS 2 RS VOL 3	60459680
CCL321 - EXPECTING (AFTER PARAMETER= ON HEADER	NOS 2 RS VOL 3	60459680
CCL322 - END HEADER WITH . OR USE ./ \ BEFORE PARAM	NOS 2 RS VOL 3	60459680
CCL323 - EXCESS PATTERNS/VALUES - PROC HEADER	NOS 2 RS VOL 3	60459680
CCL324 - CHECKLIST PATTERN MUST BE *N *K *F *A *S	NOS 2 RS VOL 3	60459680
CCL326 - I OR M MUST FOLLOW PNAME* ON HEADER.	NOS 2 RS VOL 3	60459680
CCL327 - EXPECTING VALUE AFTER PATTERN = ON HEADER	NOS 2 RS VOL 3	60459680
CCL328 - HEADER PARAMETER DESCRIPTION TOO LARGE.	NOS 2 RS VOL 3	60459680
CCL329 - MISC. AFTER HEADER PARAMETER DESCRIPTION	NOS 2 RS VOL 3	60459680
CCL330 - EXPECTED , = OR) AFTER CHECKLIST PATTERN	NOS 2 RS VOL 3	60459680
CCL331 - EXPECTED , OR) AFTER PATTERN VALUE	NOS 2 RS VOL 3	60459680
CCL332 - WRITE SET AS *SN(SET) ON PROC HEADER	NOS 2 RS VOL 3	60459680
CCL333 - DUPLICATE *K *N - PROC HEADER	NOS 2 RS VOL 3	60459680
CCL334 - MISSING QUOTE - PROMPT/TITLE/ DESCRIPTION	NOS 2 RS VOL 3	60459680
CCL335 - DESCRIPTION MISSING] BRACKET.	NOS 2 RS VOL 3	60459680
CCL336 - PATTERN OR VALUE ON PROC HEADER .GT. 40	NOS 2 RS VOL 3	60459680
CCL352 - HELP PARAMETER NAME NOT FOUND	NOS 2 RS VOL 3	60459680
CCL353 - ONLY COMMA ALLOWED AFTER .HELP	NOS 2 RS VOL 3	60459680
CCL354 - .HELP STATEMENT INCORRECTLY WRITTEN	NOS 2 RS VOL 3	60459680
CCL355 - NO .ENDHELP FOR .HELP	NOS 2 RS VOL 3	60459680
CCL357 - DUPLICATE HELP DIRECTIVES IN PROC BODY	NOS 2 RS VOL 3	60459680
CCL373 - EXPECTING (OR , AFTER .IF .ELSE .ENDIF.	NOS 2 RS VOL 3	60459680
CCL374 - EXPECTING PERIOD AFTER .EX	NOS 2 RS VOL 3	60459680
CCL375 - COMMAND IS NULL ON .EX DIRECTIVE.	NOS 2 RS VOL 3	60459680
CCL376 - .IF DIRECTIVE HAS INCOMPLETE EXPRESSION	NOS 2 RS VOL 3	60459680
CCL377 - EXPECTING ,) OR . AFTER .IF EXPRESSION	NOS 2 RS VOL 3	60459680
CCL378 - , OR C MUST FOLLOW .DIRECTIVE NAME	NOS 2 RS VOL 3	60459680
CCL379 - NO .ENDIF FOR .IF/.ELSE LABEL aaaaaa - LAST LINES SKIPPED.	NOS 2 RS VOL 3	60459680
CCL380 - EXPECTING TITLE OR , AFTER *M ON HEADER	NOS 2 RS VOL 3	60459680
CCL381 - KEYWORD MISSING ON MENU HEADER	NOS 2 RS VOL 3	60459680
CCL382 - PROMPT ON PROC HEADER IS TOO LARGE	NOS 2 RS VOL 3	60459680

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
CCL383 - MISSING SELECTION ON MENU HEADER	NOS 2 RS VOL 3	60459680
CCL384 - TITLE ON PROC HEADER IS TOO LARGE	NOS 2 RS VOL 3	60459680
CCL385 - EXPECTING = AFTER KEYWORD ON HEADER	NOS 2 RS VOL 3	60459680
CCL386 - EXPECTING COMMA AFTER HEADER TITLE	NOS 2 RS VOL 3	60459680
CCL387 - BEGINNING OF HEADER CHECKLIST NOT FOUND	NOS 2 RS VOL 3	60459680
CCL388 - EXPECTING INTEGER HEADER SELECTION OPTION	NOS 2 RS VOL 3	60459680
CCL390 - EXPECTING , OR) AFTER CHECKLIST SELECTION	NOS 2 RS VOL 3	60459680
CCL392 - EXPECTING , OR) AFTER HEADER PROMPT	NOS 2 RS VOL 3	60459680
CCL393 - EXPECTING PERIOD AFTER HEADER CHECKLIST	NOS 2 RS VOL 3	60459680
CCL394 - TOO MANY HEADER SELECTIONS SPECIFIED	NOS 2 RS VOL 3	60459680
CCL395 - HEADER SELECTION EXCEEDS 10 CHARACTERS	NOS 2 RS VOL 3	60459680
CCL421 - EXPECTING , OR (AFTER .DIRECTIVE	NOS 2 RS VOL 3	60459680
CCL422 - A .DIRECTIVE WAS FOUND IN THE PROC BODY	NOS 2 RS VOL 3	60459680
CCL440 - EXPECTING INHIBIT CHARACTER - .IC DIRECTIVE	NOS 2 RS VOL 3	60459680
CCL441 - EXPECTING CONCATENATION CHARACTER - .CC	NOS 2 RS VOL 3	60459680
CCL442 - EXPECTING TERMINATOR ON DIRECTIVE	NOS 2 RS VOL 3	60459680
CCL443 - EXPECTING ON/OFF .EXPAND DIRECTIVE	NOS 2 RS VOL 3	60459680
CCL480- USE NUMERIC MIN..MAX VALUES IN RANGE	NOS 2 RS VOL 3	60459680
CCL481- USE CONSECUTIVE PERIODS MIN..MAX IN RANGE	NOS 2 RS VOL 3	60459680
CCL482- MINIMUM EXCEEDS MAXIMUM IN RANGE	NOS 2 RS VOL 3	60459680
CCL483- *F RANGE MUST BE .GE. 1 AND .LE. 7	NOS 2 RS VOL 3	60459680
CCL484- *A RANGE MUST BE .GE. 1 AND .LE. 40	NOS 2 RS VOL 3	60459680
CCL485- USE *SN(SET) OR *SN/M FOR SET ATTRIBUTES	NOS 2 RS VOL 3	60459680
CCL486- USE M=A,D,B,AD,AB for *SN/M TYPE SET	NOS 2 RS VOL 3	60459680
CCL487-RANGE MAXIMUM MUST BE.GT.ZERO	NOS 2 RS VOL 3	60459680
CDCNET ENTRY ALREADY EXISTS.	NOS 2 OPER HB	60459310
CDCS ABORT	CDCS 2 DA RM	60485200
CDCS ABORT	CDCS 2 AP RM	60485300
CDCS ABORT, INVALID MASTER DIRECTORY	CDCS 2 DA RM	60485200
CDCS ABORT, INVALID MASTER DIRECTORY	CDCS 2 AP RM	60485300
CDCS ABORT, NO SCHEMA ENTRIES IN MASTER DIRECTORY	CDCS 2 DA RM	60485200
CDCS ABORT, NO SCHEMA ENTRIES IN MASTER DIRECTORY	CDCS 2 AP RM	60485300
CDCS ABORTED PLEASE WAIT.	TAF 1 RM	60459500

MESSAGE

CDCS ABORTED--RECOVERY FOR ALL SCHEMAS IMPOSSIBLE
CDCS ABORTED--RECOVERY FOR ALL SCHEMAS IMPOSSIBLE
CDCS ABORTED, 2 TRANSFERS ADDRESS ON USER LOAD FILE fn
CDCS CHARGED xxxxxx.xxx CP yyyyyy.yyy IO
CDCS CHARGED xxxxxx.xxx CP yyyyyy.yyy IO
CDCS CHARGED CP xxxxxx.xxx IO yyyyyy.yyy
CDCS CONNECTION ESTABLISHED.
CDCS CPU UTILIZATION = 0.xxxx
CDCS DETECTED A FATAL ERROR ON JOURNAL LOG FILE fn
CDCS DOWN COMPLETE
CDCS DOWN COMPLETE
CDCS DOWN IN PROGRESS
CDCS ERRORS
CDCS ERRORS
CDCS EXIT SCP MODE
CDCS EXIT SCP MODE
CDCS FUNCTION CODE UNKNOWN DB\$\$\$SIM 1
CDCS FUNCTION CODE UNKNOWN DB\$\$\$SIM 1
CDCS IDLE COMPLETE
CDCS IDLE COMPLETE
CDCS IDLE IN PROGRESS
CDCS ILLEGAL REQUEST, DOUBLE INVOKE
CDCS ILLEGAL REQUEST, DOUBLE INVOKE
CDCS ILLEGAL REQUEST, ILLEGAL FUNCTION CODE
CDCS ILLEGAL REQUEST, ILLEGAL FUNCTION CODE
CDCS ILLEGAL REQUEST, NOT INVOKED
CDCS ILLEGAL REQUEST, NOT INVOKED
CDCS ILLEGAL REQUEST, TWO OUTSTANDING REQUESTS
CDCS ILLEGAL REQUEST, TWO OUTSTANDING REQUESTS
CDCS INITIALIZATION COMPLETE
CDCS INITIALIZATION COMPLETE
CDCS INTERFACE TERMINATED
CDCS INTERFACE TERMINATED
CDCS INTERNAL ERROR -- mdn
CDCS INTERNAL ERROR -- mdn
CDCS INVOKE FAILURE.
CDCS INVOKED
CDCS INVOKED BY user-1d
CDCS INVOKED BY user-1d
CDCS JOB ABORT, NO QRF FOR SCHEMA sn
CDCS JOB ABORT OR ENDED BY SYSTEM
CDCS JOB ABORT OR ENDED BY SYSTEM

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
TAF 1 RM	60459500
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300

MESSAGE

CDCS JOB ABORT, QRF NOT EMPTY FOR SCHEMA sn
CDCS JOURNAL LOG FILE NOT AVAILABLE
CDCS JOURNAL LOG FILE NOT AVAILABLE
CDCS NOT ACTIVE AT SYSTEM CONTROL POINT
CDCS NOT ACTIVE AT SYSTEM CONTROL POINT
CDCS NOT AVAILABLE.
CDCS xx.yy PERCENT CPU USAGE
CDCS xx.yy PERCENT CPU USAGE
CDCS RECOVERY COMPLETED
CDCS RECOVERY COMPLETED
CDCS RECOVERY STARTED
CDCS RECOVERY STARTED
CDCS REPRIEVE PROCESSING DONF
CDCS REPRIEVE PROCESSING DONE
CDCS REQUEST NOT IN FL
CDCS REQUEST NOT IN FL
CDCS REQUESTED ABORT.
CDCS SCP STATUS TERMINATED
CDCS SCP STATUS TERMINATED
CDCS UP COMPLETE
CDCS UP IN PROGRESS
CDCS USED CP aaaaaa.aaa IO bbbbbb.bbb
CDCS USED aaaaaa.aaa CP SECONDS bbbbbb.bbb IO SECONDS
CDCS USED aaaaaa.aaa CP SECONDS bbbbbb.bbb IO SECONDS
CDCSBTF ABORTED, 2 TRANSFEER ADDRESSES ON USER LOAD FILE fn
CDCSBTF ABORTED 2 TRANSFER ADDRESSES ON USER LOAD FILE fn
CDCSBTF DEADLOCK, JOB ABORTED
CDCSBTF DEADLOCK, JOB ABORTED
CDCSBTF TERMINATED BEFORE ALL USERS COMPLETED
CDCSBTF TERMINATED BEFORE ALL USERS COMPLETED
CDCSBTF TERMINATED, LOADER ERROR nnnnn ON USER LOAD FILE fn
CDCSBTF TERMINATED, LOADER ERROR nnnnn ON USER LOAD FILE fn
CDCSBTF TERMINATED, NO PROGRAMS
CDCSBTF TERMINATED, NO PROGRAMS
CE DIAG TEST IN PROGRESS.
CEJ/MEJ NOT PRESENT OR DISABLED.
CEL DEVICE UNDEFINED.
CELL FULL, Y=ya, Z=za
CF PARAMETER REQUIRED WITH *CLEAR*.
CFD FROM JOB jsn
CFD FROM OPERATOR
CHcc,ABORT,ALL DATA NOT TAKEN.

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 RM	60481800
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 TAPE MGMT	60463350
NDS 2 RS VOL 3	60459680
NDS 2 RS VOL 3	60459680
NDS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CHcc,ABORT,Fffff.	NOS 2 OPER HB	60459310
CHcc,ABORT,NO GENERAL STATUS.	NOS 2 OPER HB NOS 2 OPER HB	60459310 60459310
CHcc,ABORT,Snnnn.	NOS 2 OPER HB	60459310
CHcc,Maaaa-Arr.	NOS 2 OPER HB	60459310
CHcc,Maaaa-Drr,CMn.	NOS 2 OPER HB	60459310
CHcc,MAttt-vvv,LOAD COMPLETE.	NOS 2 OPER HB	60459310
CHcc, Unuu - Szzzz.	NOS 2 OPER HB	60459310
CHAIN FILE NOT FOUND	BASIC 3 RM	19983900
CHANGE TO READ-ONLY FILE	APL 2 RM	60454000
CHANGED TLD DETECTED - filename, username.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
CHANNEL ACTIVE ERROR.	NOS 2 OPER HB	60459310
CHANNEL ERROR	NOS 2 OPER HB	60459310
CHANNEL INTERFACE ci OFF-LINE	NOS 2 OPER HB	60459310
CHANNEL MALFUNCTION, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CHANNEL cc PARITY ERROR.	NOS 2 OPER HB	60459310
CHANNEL TEST ON xx est, CHANNEL ch FAILED.	NOS 2 OPER HB	60459310
CHANNEL TURNED OFF	NOS 2 OPER HB	60459310
CHANNEL 36 NOT ACTIVE.	NOS 2 OPER HB	60459310
CHARACTER AND OTHER TYPE OPERANDS MAY NOT BE MIXED	FORTRAN 5 RM	60481300
CHARACTER ARRAY REQUIRED FOR FORMAT SPECIFIER	FORTRAN 5 RM	60481300
CHARACTER BOUNDS REVERSED IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
CHARACTER DECLARATION CONFLICT EXISTS IN COMMON BLOCK	FORTRAN 5 RM	60481300
CHARACTER nnnnn FOUND AFTER TERMINAL RIGHT PAREN	FORTRAN EXT 4	60497800
CHARACTER LENGTH GREATER THAN 2**15-1	FORTRAN 5 RM	60481300
CHARACTER LENGTH MUST BE POSITIVE INTEGER CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
CHARACTER LENGTH NOT POSITIVE CONSTANT,(POSITIVE CONSTANT EXPRESSION) OR (*)	FORTRAN 5 RM	60481300
CHARACTER LENGTH ZERO ILLEGAL	FORTRAN 5 RM	60481300
CHARACTER LENGTHS OF ENTRY AND FUNCTION CANNOT DISAGREE	FORTRAN 5 RM	60481300
=CHARACTER MISSING	NPS RM	60480500
CHARACTER nnnnn NOT DEFINED IN STANDARD FORTRAN--CARD SCAN STOPPED	FORTRAN EXT 4	60497800
CHARACTER OPERAND USED WITH OPERATOR	FORTRAN 5 RM	60481300
CHARACTERISTICS OF THE LAST LOG RECORD DUMPED - USER ID OF RECORD id - PROGRAM ID OF RECORD id TYPE OF RECORD type DATE OF ENTRY date TIME OF ENTRY time	CDCS 2 DA RM	60485200
* CHARGE(charge,project)	NOS 2 RS VOL 3	60459680
CHARGE ABORTED.	NOS 2 RS VOL 3	60459680
CHARGE CARD REQUIRED.	NOS 2 RS VOL 3	60459680
CHARGE COMMAND REQUIRED.	NOS 2 RS VOL 3	60459680
CHARGE FILE BUSY.	NOS 2 RS VOL 3	60459680
CHARGE INCORRECT AT THIS HOUR.	NOS 2 RS VOL 3	60459680
CHARGE NOT VALID.	NOS 2 RS VOL 3	60459680
**** CHARGE NUMBER ACTIVE.	NOS 2 OPER HB	60459310

MESSAGE

**** CHARGE NUMBER DOES NOT EXIST.
CHARGE NUMBER EXPIRED.
**** CHARGE NUMBER INACTIVE.
CHARGE REQUIRED.
CHECK DAYFILE FOR ERRORS.

CHECK E,P DISPLAY.
CHECK OUTPUT FOR WARNING MESSAGES.
CHECK TMSDIS,PRE

CHECKPOINT ABORTED.
CHECKPOINT COMPLETE.
CHECKPOINT nnnn COMPLETE.

CHECKPOINT nnnn COMPLETED TO filename.

CHECKPOINT DEVICE NOT FOUND
CHECKPOINT FILE ACCESS LEVEL ERROR.

CHECKPOINT FILE ERROR.
CHECKPOINT NOT FOUND.
CHECKPOINT NOT FOUND ON LOG FILE
CHKPT UNABLE TO READ TAPE.

CIO ERROR.

CIO ERROR.
CIO ERROR ec DURING RETURN OF FILE nm.
CIO ERROR nnn DURING ROLLOUT
CIO ERROR nnn DURING ROLLOUT
CIO ERROR ec DURING WRITE ON FILE nm.
CIO ERROR ec DURING WRITE TO OUTPUT FILE nm.
CIO ERROR ec, EDI NOT FOUND ON FILE nm.
CIO ERROR nnn ON CDCS JOURNAL LOG FILE SCHEMA sn
CIO ERROR nnn ON CDCS JOURNAL LOG FILE SCHEMA sn
CIO ERROR ON MSF CSUMAP.
PFN=filename, FAMILY=familyname,
UI=userindex.
CIO ERROR ON QRF
CIO ERROR ON QRF FILE
CIO ERROR nnn ON QUICK RECOVERY FILE SCHEMA sn
CIO ERROR nnn ON QUICK RECOVERY FILE SCHEMA sn
CIO ERROR ON RECOVERY FILE

CIO ERROR ON SFM SMMAP.
CIO ERROR ON SFM SUBFAMILY CATALOG
CIO ERROR nnn ON TRANSACTION RECOVERY FILE SCHEMA sn

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
QU/CRM DA RM	60482100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200

MESSAGE	MANUAL	PUB. NO.
CIO ERROR nnn ON TRANSACTION RECOVERY FILE-SCHEMA sn	CDCS 2 AP RM	60485300
CIO ERROR nnn RESTORING FILE fn	CDCS 2 RM	60481800
CIO ERROR nnn WHILE RESTORING FILE	CDCS 2 DA RM	60485200
CKP REQUEST.	NDS 2 RS VOL 3	60459680
	NDS 2 RS VOL 4	60459690
CLASS ARGUMENT ERROR.	NDS 2 RS VOL 3	60459680
CLASS COMPLETE.	NDS 2 RS VOL 3	60459680
CLASS NUMBER NOT WITHIN LEGAL RANGE	NPS RM	60480500
CLDT - A SEPARATOR MUST FOLLOW NLID OR NPID. ERROR IN THE FOLLOWING STATEMENT. (statement without a separator after the NPID or NLID)	NDS 2 OPER HB	60459310
CLDT ABORT.		
CLDT COMPLETE.	NDS 2 OPER HB	60459310
CLDT - DUPLICATE LID ON NLID STATEMENT. ERROR IN THE FOLLOWING STATEMENT. (statement containing duplicate LID name) STATEMENT IGNORED.	NDS 2 OPER HB	60459310
CLDT - DUPLICATE PID ON NPID STATEMENT. ERROR IN THE FOLLOWING STATEMENT. (statement containing duplicate PID name)	NDS 2 OPER HB	60459310
CLDT ABORT.		
CLDT - EXCEEDED MAXIMUM NUMBER OF LIDS/PID - xxx.	NDS 2 OPER HB	60459310
CLDT - EXCEEDED MAXIMUM NUMBER OF PIDS - XXX CLDT ABORT.	NDS 2 OPER HB	60459310
CLDT - FIRST STATEMENT NOT LIDCMid. CLDT ABORT.	NDS 2 OPER HB	60459310
CLDT - IDLE SUBSYSTEMS RHF, NAM, AND SSF BEFORE ATTEMPTING CLDT. CLDT ABORT.	NDS 2 OPER HB	60459310
CLDT - INCORRECT CHARACTER IN DIRECTIVE. ERROR IN THE FOLLOWING STATEMENT. (statement with a colon in the directive)	NDS 2 OPER HB	60459310
CLDT ABORT.		
CLDT - INCORRECT HOST LID ATTRIBUTE. ERROR IN THE FOLLOWING STATEMENT. (statement containing incorrect attribute) STATEMENT IGNORED.	NDS 2 OPER HB	60459310
CLDT - INCORRECT LINKED LID ATTRIBUTE. ERROR IN THE FOLLOWING STATEMENT. (statement containing incorrect attribute) STATEMENT IGNORED.	NDS 2 OPER HB	60459310
CLDT - INCORRECT USER ACCESS - NOT SYSTEM ORIGIN. CLDT ABORT.	NDS 2 OPER HB	60459310
CLDT - LID KEYWORD NOT SPECIFIED. ERROR IN THE FOLLOWING STATEMENT. (statement of NLID where LID is not specified) STATEMENT IGNORED.	NDS 2 OPER HB	60459310
CLDT - MAXIMUM OF 7 CHARACTERS ALLOWED ON MFTYPE. ERROR IN THE FOLLOWING STATEMENT. (statement with bad mainframe descriptor)	NDS 2 OPER HB	60459310
CLDT ABORT.		
CLDT - = MUST FOLLOW KEYWORD. ERROR IN THE FOLLOWING STATEMENT. (NLID statement with erroneous separator) STATEMENT IGNORED.	NDS 2 OPER HB	60459310

MESSAGE

MANUAL

PUB. NO.

CLDT - NETDIS IS INCORRECT FOR HOST PID. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous directive) CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - NO LID TABLE CREATED. CLDT - BUFFER TOO SMALL. CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - NO MFTYPE SPECIFIED ON NPID STATEMENT. ERROR IN THE FOLLOWING STATEMENT. (statement containing the NPID directive without a MFTYPE keyword) CLDT - ABORT.	NOS 2 OPER HB	60459310
CLDT - NO PID SPECIFIED ON NPID STATEMENT. ERROR IN THE FOLLOWING STATEMENT. (statement containing missing PID) CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - NPID DIRECTIVE MUST BE PROCESSED BEFORE A NLID DIRECTIVE. ERROR IN THE FOLLOWING STATEMENT. (statement containing the first NLID) CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - ONLY YES OR NO ALLOWED ON ENABLED KEYWORD. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous keyword) CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - SPECIFY EXACTLY 3 ALPHANUMERIC CHARACTERS IN LID. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous LID) STATEMENT IGNORED.	NOS 2 OPER HB	60459310
CLDT - UNABLE TO GENERATE LID TABLE. NUMBER OF WORDS AVAILABLE FOR LID - xxx NUMBER OF WORDS NEEDED FOR LID - yyy. CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - UNRECOGNIZABLE DIRECTIVE. ERROR IN THE FOLLOWING STATEMENT. (statement containing unrecognized directive) CLDT ABORT.	NOS 2 OPER HB	60459310
CLDT - VALID KEYWORDS FOR NLID ARE LID,ENABLED, AND AT. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous keyword) STATEMENT IGNORED.	NOS 2 OPER HB	60459310
CLDT - VALID KEYWORDS FOR NPID ARE PID,MFTYPE,ENABLED,AT, AND NETDIS. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous keyword)	NOS 2 OPER HB	60459310
CLDT - VALID OPTION CAN ONLY BE SPECIFIED IF THE STOREF OPTION IS SPECIFIED. (statement containing valid option) STATEMENT IGNORED.	NOS 2 OPER HB	60459310
CLDT - VALID OPTIONS FOR *AT* ARE LOOPB/STOREF/VALID/NVALID/NLIST. ERROR IN THE FOLLOWING STATEMENT. (NLID statement containing erroneous keyword) STATEMENT IGNORED.	NOS 2 OPER HB	60459310
CLDT - VALID OPTIONS FOR NETDIS ARE SSF,RHF, AND NAM. ERROR IN THE FOLLOWING STATEMENT. (statement containing erroneous keyword) CLDT ABORT.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
CLEAN READ/WRITE HEAD ASSEMBLY. RESPOND GO AFTER CLEANING.	NOS 2 OPER HB	60459310
CLEANER FAULT	NOS 2 OPER HB	60459310
CLEAR ALTERNATE STORAGE INFORMATION.	NOS 2 OPER HB	60459310
CLEAR COMPLETE.	NOS 2 OPER HB	60459310
CLEARING PF ACTIVITY COUNT.	NOS 2 OPER HB	60459310
CLEARING UTILITY INTERLOCK.	NOS 2 OPER HB	60459310
CLOSE DOOR ON UNIT.	NOS 2 OPER HB	60459310
CLOSE wwww DRAWER.	NOS 2 OPER HB	60459310
CLTC ERROR	CDCS 2 DA RM	60485200
CLTC ERROR	CDCS 2 AP RM	60485300
CLTC ERROR CONTROL CARD PARAMETER xxxxx	CDCS 2 AP RM	60485300
CM BLOCK OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM FL TOO SMALL	LOADER 1 RM	60429800
CM OR EC REQUEST EXCEEDS MAXIMUM.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM PARITY ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM RANGE EXIT MODE NOT DESELECTABLE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CM RECORD NOT FOUND.	NOS 2 OPER HB	60459310
CM REQUIRED FOR LOAD EXCEEDS 131K	FORTRAN EXT 4	60497800
CMC PARITY ERROR.	NOS 2 OPER HB	60459310
CMC PARITY ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CMM ERROR.	TAF 1 RM	60459500
num CMM OVERFLOW CALLS MADE	NOS 2 OPER HB	60459310
num CMM OVERFLOW CALLS MADE	CDCS 2 DA RM	60485200
CMM PARAM MISSING FROM LOADER USER CALL	CDCS 2 AP RM	60485300
CMMBFL IS NOT LARGE ENOUGH.	LOADER 1 RM	60429800
CMPhnn Any message text	TAF 1 RM	60459500
CMR LENGTH CHANGED.	PL/I RM	60388100
CMR OVERFLOW.	NOS 2 OPER HB	60459310
CMRDECK NOT ON TAPE.	NOS 2 OPER HB	60459310
CN,*FO*,*Y* OPTION VIOLATED.	NOS 2 OPER HB	60459310
CN NOT SPECIFIED	NOS 2 OPER HB	60459310
CNVO01 OPERAND -identifier- MUST BE COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO02 VALUE ASSIGNED TO PICTURED VARIABLE -identifier- MUST BE OF COMPUTATIONAL CNVO02 TYPE	PL/I RM	60388100
CNVO03 VALUE ASSIGNED TO ARITHMETIC VARIABLE -identifier- MUST BE OF COMPUTATIONAL CNVO03 TYPE	PL/I RM	60388100
CNVO04 VALUE ASSIGNED TO BIT VARIABLE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO05 VALUE ASSIGNED TO CHARACTER VARIABLE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100

MESSAGE	MANUAL	PUB. NO.
CNVO06 VALUE ASSIGNED TO AREA VARIABLE -identifier- MUST BE AN AREA VALUE	PL/I RM	60388100
CNVO07 VALUE ASSIGNED TO LOCATOR VARIABLE -identifier- MUST BE A LOCATOR VALUE	PL/I RM	60388100
CNVO08 VALUE ASSIGNED TO LABEL VARIABLE -identifier- MUST BE A LABEL VALUE	PL/I RM	60388100
CNVO09 SUBSCRIPT OR EXTENT -identifier- MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO10 DECLARATION OF -identifier-: REFER OPTION VARIABLE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO11 WHILE-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO12 TO-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO13 BY-EXPRESSION MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO14 EXPRESSION IN IF STATEMENT MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO15 ARGUMENT -identifier- PASSED TO ENTRY PARAMETER MUST BE AN ENTRY VALUE	PL/I RM	60388100
CNVO16 ARGUMENT -identifier- PASSED TO ARITHMETIC PARAMETER MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO17 ARGUMENT -identifier- PASSED TO CHARACTER PARAMETER MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO18 ARGUMENT -identifier- PASSED TO BIT PARAMETER MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO19 ARGUMENT -identifier- PASSED TO LABEL PARAMETER MUST BE A LABEL VALUE	PL/I RM	60388100
CNVO20 ARGUMENT -identifier- PASSED TO LOCATOR PARAMETER MUST BE A LOCATOR VALUE	PL/I RM	60388100
CNVO21 ARGUMENT -identifier- PASSED TO AREA PARAMETER MUST BE AN AREA VALUE	PL/I RM	60388100
CNVO22 STRUCTURE OF ARGUMENT -identifier- MUST MATCH STRUCTURE OF PARAMETER	PL/I RM	60388100
CNVO23 ARGUMENT -identifier- PASSED TO SCALAR PARAMETER MUST BE SCALAR	PL/I RM	60388100
CNVO24 RETURN-VALUE CANNOT BE CONVERTED TO TYPE SPECIFIED BY ANY RETURNS-DESCRIPTOR	PL/I RM	60388100
CNVO25 RETURN-VALUE CANNOT BE CONVERTED TO TYPE SPECIFIED BY RETURNS-DESCRIPTOR OF AT LEAST ONE ENTRY	PL/I RM	60388100
CNVO26 CONSTANT IS COMPILED AS ZERO	PL/I RM	60388100
CNVO27 CONSTANT IS COMPILED AS INFINITE	PL/I RM	60388100
CNVO28 I/O EXPRESSION OR REFERENCE -identifier- MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO29 ARGUMENT -identifier- PASSED TO FILE PARAMETER MUST BE A FILE VALUE	PL/I RM	60388100
CNVO30 DECLARATION OF -identifier-: EXTENT -identifier- MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO31 VALUE OF LOCATOR MUST BE SCALAR AND LOCATOR	PL/I RM	60388100
CNVO32 ARITHMETIC OPERATION OR CONVERSION GENERATES ILLEGAL PRECISION	PL/I RM	60388100
CNVO33 ARGUMENT -identifier- PASSED TO PICTURED PARAMETER MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO34 EXPRESSION IN KEY OR KEYFROM OPTION MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
CNVO35 EXPRESSION IN IGNORE OPTION MUST BE SCALAR AND OF COMPUTATIONAL TYPE	PL/I RM	60388100
COBOL SYSTEM ERROR - IO STACK OVERFLOW	COBOL 5 DH	60482500
COBOL SYSTEM ERROR - IO STACK OVERFLOW	COBOL 5 RM	60497100
COBOL SYSTEM ERROR - IO STACK UNDERFLOW	COBOL 5 DH	60482500
COBOL SYSTEM ERROR - IO STACK UNDERFLOW	COBOL 5 RM	60497100
COD SPECIFIED TWICE	FORM RM	60496200
CODE SIZE CONFLICT	SORT MERGE 4&1	60497500
CODED BINARY AFTER BUFFER	DIRECT SEQUENTIAL	FORTRAN 5 RM 60481300
CODED BINARY ON LFN - xxxxxxxx. BUFFER		

MESSAGE

COL MUST BE COL=NN/MMM
COLON NOT VALID
COLUMN OUT OF RANGE.
COMMA AFTER DO LABEL IGNORED
COMMA AFTER STATEMENT LABEL IGNORED
COMMA AFTER STATEMENT LABEL IGNORED
COMMA AFTER VARIABLE NAME IN ASSIGNED GO TO IS REQUIRED
COMMA BEFORE AN I/O LIST IS ALLOWED ONLY ON SHORT FORM READ OR PRINT STATEMENT
COMMA BEFORE VARIABLE NAME IN COMPUTED GO TO IS REQUIRED
COMMA MISSING BEFORE VARIABLE INDICATED
COMMA MUST FOLLOW LEVEL NUMBER
COMMA MUST FOLLOW LEVEL NUMBER
COMMA NOT PERMITTED AFTER DO LABEL
COMMA OR E.O.S. MUST FOLLOW LEVEL LIST NAME
COMMA OR E.O.S. MUST FOLLOW LEVEL LIST NAME
COMMAND ABORTED.
COMMAND ARGUMENT ERROR.
COMMAND CONTINUE?
COMMAND ERROR.

COMMAND/EXPRESSION TOO COMPLEX
COMMAND IGNORED, SHUTDOWN IN PROGRESS
COMMAND ILLEGAL AFTER GO.
COMMAND ILLEGAL AFTER GO
COMMAND ILLEGAL FOR SCRIPT TYPE
COMMAND INVALID FROM PROGRAM
COMMAND IS INAPPROPRIATE
COMMAND LIMIT.
COMMAND LINE TOO LONG
COMMAND LINE TOO LONG - EXCESS CHARACTERS DISCARDED
COMMAND MISSING PARAMETER.
COMMAND MODE
COMMAND NOT ALLOWED IN PROJECT PROGRAM.
COMMAND NOT PROCESSED DUE TO OVERLAP
COMMAND NOT UNIQUE.
COMMAND NOT VALID
COMMAND PROCESSED.
COMMAND RESTRICTED TO NPU OPERATORS.
COMMAND STACKING ERROR
COMMAND SYNTAX ERROR.
COMMAND TOO LONG.
COMMAND UNDEFINED
COMMENT FROM JOB jsn

<u>MANUAL</u>	<u>PUB. NO.</u>
PL/I RM	60388100
FORM RM	60496200
MODIFY RM	60450100
FORTAN EXT 4	60497800
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
FORTAN EXT 4	60497800
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
FORTAN EXT 4	60497800
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
FORTAN EXT 4	60497800
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NPS RM	60480500
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680

MESSAGE

COMMENT FROM OPERATOR
COMMON BLOCK CANNOT BE DECLARED LEVEL 0
COMMON BLOCK EXCEEDS MAX BLOCK LENGTH 131071
COMMON BLOCK EXCEEDS MAX LCM=G BLOCK LENGTH 1048568
COMMON BLOCK LENGTH EXCEEDS 131071 WORDS
COMMON BLOCK NAME.....CANNOT BE....
COMMON CAN BE PRESET IN BLOCK DATA ONLY
COMMON ELEMENT MAY NOT APPEAR IN SAVE
COMMON STATEMENT WITH NO LIST IS IGNORED
COMMON VARIABLE IS FORMAL PARAMETER OR PREVIOUSLY DECLARED IN COMMON OR ILLEGAL NAME
COMMUNICATION FILE BUSY.
COMMUNICATION FILE NOT PROCESSED.
COMPASS NEEDS AT LEAST nnnnB SCM.
COMPILATION ERROR
COMPILER ABORT IN LINE xxxxx SCAN yyyyy. FROM ALGOL COMPILE zzzzz
COMPILER ERROR - STD STACK OVERFLOW
COMPILER ERROR - STD STACK UNDERFLOW
COMPILING program, LAST STATEMENT BEGAN AT LINE nnnnn ERROR AT aaaaa IN
ddddddd LAST OVERLAY LOADED - (p,s)
COMPILING program, LAST STATEMENT BEGAN AT LINE nnnnn, ERROR AT aaaaa IN ddddddd.
LAST OVERLAY LOADED - (p,s)
COMPLETE BIT NOT SET.
COMPLEX EXPRESSION IN AN IF STATEMENT
COMPLEX MUST ONLY BE RAISED TO INTEGER POWER
COMPUTED GO TO INDEX MUST BE INTEGER
COMPUTED GO TO INDEX MUST BE INTEGER
COMPUTED GO TO INDEX MUST BE VARIABLE
COMPUTED GO TO INDEX MUST NOT BE LOGICAL
CON est.
CON AND PAG NOT VALID IF FT NOT SQ
CON SPECIFIED TWICE
CONCATENATION OF ASSUMED LENGTH VARIABLE NOT ALLOWED HERE
CONFIG UTILITY COMPLETE.
CONFIRMING RETYPING OF -- IGNORED
CONFLICT IN EQUIVALENCE SPECIFICATION FOR
CONFLICT IN EQUIVALENCE SPECIFICATION FOR nnnnn
CONFLICT IN RANGE INDICATOR -- FIRST RETAINED
CONFLICT IN RANGE INDICATOR -- FIRST RETAINED
CONFLICTING FORM OF IS CARD DETECTED
CONFLICTING LEVEL DECLARATIONS EXIST IN THIS COMMON BLOCK
CONFLICTING LIBTASK OPTIONS - p1,p2.
CONFLICTING PARAMETERS.
CONFLICTING RESOURCE TYPES.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
BASIC 3 RM	19983900
ALGOL 4 RM	60496600
MCS 1 RM	60480300
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680

MESSAGE

CONNECT REJECT. filename AT address.

aaaaaaa CONNECT TIME hh.mm.ss termname - APPLICATION:

CONNECT TO EXEC FAILED.

CONNECTION PROHIBITED, TRY AGAIN LATER xxxxxxxx - APPLICATION:

CONNECTION REJECTED.

CONNECTION REJECTED. xxxxxxxx - APPLICATION

CONNECTION REJECTED. terminalname - APPLICATION:

CONSOLE TYPE CHANGED.

CONSTANT CANNOT BE CONVERTED

CONSTANT CANNOT BE CONVERTED

CONSTANT ** CONSTANT CANNOT BE EVALUATED

CONSTANT DATA ITEM MUST BE FOLLOWED BY A , / OR RIGHT PAREN

CONSTANT DIVIDE BY ZERO -- RESULTS SET TO INFINITE

CONSTANT DIVIDE BY ZERO -- RESULTS SET TO INFINITE

CONSTANT EXCEEDS 5 DIGITS -- TRUNCATED

CONSTANT EXCEEDS 5 DIGITS -- TRUNCATED

CONSTANT IN INPUT LIST IS ILLEGAL

CONSTANT MISSING EXPONENT FIELD -- ZERO ASSUMED

CONSTANT MISSING EXPONENT FIELD -- ZERO ASSUMED

CONSTANT MULTIPLY BY ZERO -- RESULTS SET TO ZERO

CONSTANT SUBSCRIPT VALUE EXCEEDS ARRAY DIMENSIONS

CONSTANT TERM OF ZERO -- IGNORED

CONSTANT TOO LONG, EXCESS DIGITS TRUNCATED

CONSTANT TOO LONG, HIGH ORDER DIGITS RETAINED, BUT SOME PRECISION LOST

CONSTANT TOO LONG - TRUNCATED

nnnnnn CONSTANT TOO LONG -- TRUNCATED

CONTENTS NOT CHECKPOINTED FOR FILE xxxxxxxx

CONTINUATION EXCEEDS 256 CHARACTERS

CONTINUE nnn SYNTAX ERROR IN IMPLIED DO ON ARRAY...

CONTINUE WITH NO STATEMENT LABEL -- IGNORED

CONTINUE WITH NO STATEMENT LABEL -- IGNORED

CONTROL ARGUMENT ERROR

CONTROL CARD ARGUMENT ERRORS.

CONTROL CARD ERROR.

CONTROL CARD ERRORS - RUN ABORTED

CONTROL CARD OPTION MISMATCH.

CONTROL CARD PARAMETER xxxxxx

CONTROL CARD SYNTAX ERROR.

CONTROL CARDS ON FILE.

CONTROL FLOW INTO END LINE NOT PERMITTED

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
IAF 1 RM	60455250
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
NAM 1 TERM INTF	60480600
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 4	60459690
NOS 2 SF RM	60460430
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800

MESSAGE

CONTROL INDEX xxxx DOUBLY DEFINED, REASIGN INDEX
CONTROL *QAC* ERROR nnn.
CONTROL STATEMENT PARAMETER SYNTAX ERROR.
CONTROL TRANSFERRED INTO REPEAT LOOP n
CONTROL VARIABLE IN COMMON OR EQUIVALENCED, OPTIMIZATION MAY BE INHIBITED
CONTROLLED BACKSPACE ERROR, filename AT
address.
CONTROLLER DID NOT TAKE ALL CONTROLWARE.
CONTROLLER ERROR
CONTROLLER EST ENTRY est INITIALIZED.
CONTROLLER RESERVED.
CONTROLWARE LOAD ABORT, C=cc.
CONTROLWARE LOAD ABORT, EQ=est.
CONTROLWARE LOAD COMPLETE.
yyyFIRMWARE MAtt-vvv,CHcc.
CONTROLWARE NOT FOUND.
nnnnn CONVERSION CODE FIELD WIDTH IS LESS THAN MINIMUM REQUIRED
CONVERSION ERROR.
CONVERSION ERROR
CONVERSION NOT ALLOWED HERE
CONVERSION STRINGS NESTED TOO DEEPLY
CONVERSION STRINGS NESTED TOO DEEPLY
CONVERSION TO SOURCE COMPLETE.
COPY COMPLETE.
COPY FILE EMPTY.
COPY FL ABOVE USER LIMIT.
COPY INDETERMINATE.
COPY TO EXTERNAL FILE NOT ALLOWED WHEN READING FROM ALTERNATE INPUT UNIT
COPYING filename userindex.
COPYING - type/name
COPYING - type/name
COPYING DUMP TO RANDOM FILE.
COPYING INPUT TO TEMPORARY NEWPL
COPYING OLDPL TO A RANDOM FILE
COPYING SESSION DATA TO OUTPUT
COPYL COMPLETE.
COPYL COMPLETE
COPYL DID NOT FIND type/name
COPYL DID NOT FIND type/name
COULD NOT FIND BLOCK name
COUNT FOR H CODE ZERO OR MISSING -- SCAN STOPPED
COUNT TOO LARGE
COUNTER NAME MUST BE LQ 7 CHARS

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NPS RM	60480500
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 OPER HB	60459310
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
NPS RM	60480500

MESSAGE

CPest, CHcc count INCOMPLETE TRANSFER.
CPest, CHcc CONTROLLER HUNG BUSY.
CPest, CHcc Fcode FUNCTION TIMEOUT.
CPest, CHch Fcode REJ Pdriver, Cconver, Equip.
CPest, CHcc RESERVED.
CPest, CHcc TURNED OFF.
CPest, COMPARE ERROR.
CPest, FEED FAILURE.

MANUAL PUB. NO.
NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680

CPn - DATA ERROR, TYPE GO OR ABT OR RET

RBF 1 RM 60499600

CPn - DISK PARITY ERROR, JOB aaaa

RBF 1 RM 60499600

CPn - INAPPROPRIATE COMMAND

RBF 1 RM 60499600

hh.mm.ss. CPn JOB NAME jsn xxxxxxxxxx PRU-S

RBF 1 RM 60499600

CPn - NOT READY

RBF 1 RM 60499600

CPcp RA/MOVING/ROLLING.

NOS 2 OPER HB 60459310

CP SECONDS CHARGED BY CDCS xxxxxx.xxx

CDCS 2 DA RM 60485200

CP SECONDS CHARGED BY CDCS xxxxxx.xxx

CDCS 2 AP RM 60485300

CPn - TERMINAL FAILURE

RBF 1 RM 60499600

CPA SPECIFIED TWICE

FORM RM 60496200

CPD/ACPD VERSIONS MISMATCH.

NOS 2 OPER HB 60459310

CPD - ALREADY ACTIVE.

NOS 2 OPER HB 60459310

CPD - FILE NOT FOUND.

NOS 2 OPER HB 60459310

CPD - FILE STATUS ERROR.

NOS 2 OPER HB 60459310

CPD - INITIATED.

NOS 2 OPER HB 60459310

CPD NOT ACTIVE.

NOS 2 OPER HB 60459310

CPD - PARAMETER ERROR.

NOS 2 OPER HB 60459310

CPD - TERMINATED.

NOS 2 OPER HB 60459310

CPD - TRACK LIMIT.

NOS 2 OPER HB 60459310

CPD - USER ACCESS NOT VALID.

NOS 2 OPER HB 60459310

CPM - ACCESS LEVEL NOT VALID FOR JOB.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - ARGUMENT ERROR.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - INCORRECT PACK NAME.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - INCORRECT REQUEST.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - INCORRECT *SHELL* FILE.

NOS 2 RS VOL 3 60459680

CPM - INVALID PAGE VALUE.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - LIBRARY NOT FOUND = library.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - MASS STORAGE ERROR.

NOS 2 OPER HB 60459310
NOS 2 RS VOL 4 60459690

CPM - MASS STORAGE ERROR.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - MISSING *SHELL* LOAD OPTION.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

CPM - PROJECT PROGRAM AND SHELL CONFLICT.

NOS 2 OPER HB 60459310

CPM - SECONDARY USER COMMANDS DISABLED.

NOS 2 RS VOL 4 60459690

CPM - SYSTEM ERROR.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CPM - USER ACCESS NOT VALID.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPU ABORT.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
CPU ERROR EXIT.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
CPU ERROR EXIT AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
CPU ERROR EXIT 00	BASIC 3 RM	19983900
CPU ERROR EXIT 01	BASIC 3 RM	19983900
CPU ERROR EXIT 03	BASIC 3 RM	19983900
CPU ERROR EXIT 05	BASIC 3 RM	19983900
CPU ERROR EXIT 06	BASIC 3 RM	19983900
CPU ERROR EXIT 07	BASIC 3 RM	19983900
CPU x P REGISTER PARITY ERROR.	NOS 2 OPER HB	60459310
CPU SECONDS = xxx.	NOS 2 OPER HB	60459310
CPU PERCENT = xx.x.		
FL CHANGES = xxx.		
MAXIMUM FL = xxx.		
OVERLAY LOADS = xxx.		
FILES STAGED = xxx.		
CPU SECONDS = xxx.	NOS 2 OPER HB	60459310
CPU PERCENT = xxx.		
FL CHANGES = xxx.		
MAXIMUM FL = xxx.		
OVERLAY LOADS = xxx.		
FILES DESTAGED = xxx.		
FILES STAGED = xxx.		
SSEXEC TERMINATING		
CPUMTR ERROR EXIT.	NOS 2 OPER HB	60459310
CRest, CHcc Account INCOMPLETE TRANSFER.	NOS 2 OPER HB	60459310
CRest, CHcc CONTROLLER HUNG BUSY.	NOS 2 RS VOL 3	60459680
CRest, CHcc Fcode FUNCTION TIMEOUT.		
CRest, CHcc Fcode REJ PdrIver,Cconvert,Eequip.		
CRest, CHcc TURNED OFF.		
CRest, CHcc RESERVED.	NOS 2 RS VOL 3	60459680
	NOS 2 OPER HB	60459310
CRest, COMPARE ERROR.	NOS 2 OPER HB	60459310
hh.mm.ss. CRn INAPPROPRIATE COMMAND	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ABORTED BY TERMINAL OPERATOR	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ABORTED, CARD READER ERROR	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ABORTED, DISK FULL	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ABORTED, DISK PAR ERROR	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ABORTED, INPUT QUEUE FULL	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn ENTERED INPUT QUEUE	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn JOB CARD ERROR	RBF 1 RM	60499600
hh.mm.ss. CRn JOB NAME jsn USER CARD ERROR	RBF 1 RM	60499600
hh.mm.ss. CRn NOT READY	RBF 1 RM	60499600
CRn - TERMINAL FAILURE	RBF 1 RM	60499600
CRC ERROR.	NOS 2 RS VOL 3	60459680
CREATE EVFU LOAD FILE xxxxxxxx, THEN TYPE K.GD.	NOS 2 OPER HB	60459310
CREATED AFTER yy/mm/dd. hh.mm.ss.	NOS 2 OPER HB	60459310

MESSAGE

CREATED AFTER yy/mm/dd. hh.mm.ss BEFORE
yy/mm/dd. hh.mm.ss.
CREATED BEFORE yy/mm/dd. hh.mm.ss.
CREATING username.
CREATING CATALOG IMAGE RECORD.
CREATING NEW PROGRAM LIBRARY
CREATION COMPLETE.
CREATION FILE EMPTY.
CRF HEADER ERROR - filename.

CRF RECOVERY/INITIALIZATION ABORTED.

CRF RECOVERY/INITIALIZATION COMPLETE.

CRF RECOVERY UNIT ERROR - filename.

CRM(...parameter-list...)

CRM DATA MANAGER NOT LOADED.
CRM DATA MANAGER SUCCESSFULLY LOADED.

CRM ERR ON NEW MD, ERR CODE nnn
CRM ERR ON OLD MD, ERR CODE nnn
CRM ERR ON SCHEMA, ERR CODE nnn
CRM ERROR nnnB IGNORED ON OPEN OF filename.
CRM ERROR ENCOUNTERED.

CRM ERROR xxx IN UPDATE PROCESSING.
CRM ERROR xxx IN UPDATE PROCESSOR.

CRM ERROR IN ZzdbDIR (GET).

CRM ERROR NUMBER nnn
CRM ERROR NUMBER nnn
CRM ERROR nnn ON CDCS RESTART IDENTIFIER FILE-SCHEMA sn
CRM ERROR nnn ON CDCS RESTART IDENTIFIER FILE-SCHEMA sn
CRM ERROR nnn ON JOURNAL LOG fn
CRM ERROR nnn ON JOURNAL LOG FILE
CRM ERROR nnn ON OLD LOG FILE
CRM ERROR ON OPEN OF OLD LOG FILE
CRM ERROR ON OPEN OF SELECT FILE
CRM ERROR nnn ON PROCESSING fn
CRM ERROR xxx ON PROCESSING DELETE
CRM ERROR xxx ON PROCESSING REWRITE
CRM ERROR xxx ON PROCESSING WRITE
CRM ERROR ON SELECT FILE
CRM ERROR nnn ON SELECTION FILE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
UPDATE RM		60449900
NOS 2 OPER HB		60459310
MODIFY RM		60450100
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
TAF 1 RM		60459500
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF/CRM 1 DM RM		60459510
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NOS 2 OPER HB		60459310
COBOL 5 DH		60482500
COBOL 5 RM		60497100
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
CDCS 2 RM		60481800
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200
DATA BASE UTL 1		60498800
DATA BASE UTL 1		60498800
DATA BASE UTL 1		60498800
CDCS 2 DA RM		60485200
CDCS 2 DA RM		60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CRM ERROR OPENING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
CRM ERROR OPENING RESTORE LOGFILE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING DELETE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING REWRITE	QU/CRM DA RM	60482100
CRM ERROR xxx PROCESSING WRITE	QU/CRM DA RM	60482100
CRM ERROR nnn WHILE ACCESSING MASTER DIRECTORY	CDCS 2 DA RM	60485200
CRM ERROR nnn WHILE ACCESSING MASTER DIRECTORY	CDCS 2 AP RM	60485300
CRM ERROR WRITING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
CRM ERROR WRITING TO LOGFILE	QU/CRM DA RM	60482100
CRM TASK RECOVERY IMPOSSIBLE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - DATA BASE DOWNED BY OPERATOR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - DATA BASE/FILE BEING IDLED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - DATA BASE/FILE CANNOT BE UPPED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - DATA BASE/FILE NAME UNKNOWN.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - INCORRECT REQUEST.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - INCORRECT REQUEST FORMAT.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - INCORRECT TT SEQUENCE NUMBER.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK - NOT ALL DATA BASE FILES UPPED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRMTASK TIMEOUT.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CRT - CID ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CS=ssss.	NOS 2 OPER HB	60459310
CS ATTEMPTING NETON.	NOS 2 OPER HB	60459310
CS/CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OPER HB	60459310
CS DISABLED.	NOS 2 OPER HB	60459310
CS/DUPLICATE CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
CS DUPLICATE NETON.	NOS 2 OPER HB	60459310
CS/ILLEGAL CONTROL STATEMENT PARAM VALUE.	NOS 2 OPER HB	60459310
CSest,MSID id.	NOS 2 OPER HB	60459310
CS MUST BE USER OT FIXED	FORTRAN 5 RM	60481300
CS/NCF yy/mm/dd, hh.mm.ss.	NOS 2 OPER HB	60459310
CS/NCF title.	NOS 2 OPER HB	60459310
CS NETON SUCCESSFUL.	NOS 2 OPER HB	60459310
CS/NIN IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
CS SHUTDOWN INITIATED, PLEASE TERMINATE CONNECT.	NOS 2 OPER HB	60459310
CS/UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
CS/VER nnn-yyy.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
CSDNT - SM NOT ROUTED.	NOS 2 OPER HB	60459310
CSM - INCORRECT COMMUNICATION FUNCTION.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
CSMAPx CLOSED.	NOS 2 OPER HB	60459310
CSN ALREADY IN SM MAP.	NOS 2 OPER HB	60459310
CSN NOT FOUND.	NOS 2 OPER HB	60459310
CSN NOT FOUND IN SM MAP.	NOS 2 OPER HB	60459310
CSN OPTION VIOLATED.	NOS 2 OPER HB	60459310
CSN OR Y-Z NOT IN SUBFAMILY.	NOS 2 OPER HB	60459310
CSSANS - DUPLICATE SUP/IN FROM npuname.	NOS 2 OPER HB	60459310
CSSAST - INVALID CMD FORMAT.	NOS 2 OPER HB	60459310
CSSDR - BAD COMMAND.	NOS 2 OPER HB	60459310
CSSTNS - NO NPUCB.	NOS 2 OPER HB	60459310
CST BUILDER ERROR FATAL TO unit FOUND WHEN PROCESSING	CDCS 2 DA RM	60485200
CSU x ADDRESS PARITY ERROR.	NOS 2 OPER HB	60459310
CSU EST ERROR est. DESTAGE RESTARTED.	NOS 2 OPER HB	60459310
CSU x FAULT.	NOS 2 OPER HB	60459310
CSU GROUP INITIALIZATION COMPLETE. CSUx, EST ORDINAL = est.	NOS 2 OPER HB	60459310
CSU INITIALIZATION ABANDONED. CSUx, EST ORDINAL = est.	NOS 2 OPER HB	60459310
CSU INITIALIZATION COMPLETE. CSUx, EST ORDINAL = est.	NOS 2 OPER HB	60459310
CSUMAP ERROR FLAG NOT SET IN FCT.	NOS 2 OPER HB	60459310
CSUMAP OPEN ERROR.	NOS 2 OPER HB	60459310
CSUMAP PARITY ERROR.	NOS 2 OPER HB	60459310
CSUMAP READ ERROR.	NOS 2 OPER HB	60459310
CT, CN, OR OV KEYWORD NOT PRESENT	NOS 2 RS VOL 3	60459680
CTest,MSID id.	NOS 2 OPER HB	60459310
CT OR OV KEYWORD NOT PRESENT.	NOS 2 OPER HB	60459310
CTASK - DATA BASE OR FILE DOWN.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - DATA BASE OR FILE IDLE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - FILE IS NOT INSTALLED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - INCORRECT RECOVERY CASE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - NO CRM RECOVERY FILES FOR DATA BASE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK SYSTEM IDENTIFIER UNKNOWN.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - TABLE AREA NOT LARGE ENOUGH.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - TASK LOGICAL ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
CTASK - TRANSACTION NOT RERUNABLE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310

MESSAGE

MANUAL

PUB. NO.

CTASK - TRMREC ERROR.

CTASK - USER NOT DEFINED IN NETWORK FILE.

CTI COMMUNICATION ERR-NO CPU.

CTI CYLINDER OVERFLOW

CUBE EMPTY - CSUMAP ENTRY REMOVED.

CUBE EMPTY - MAP ENTRY REMOVED.

CUBES ASSIGNED TO SUB-FAMILY.

CUMULATIVE LIMIT EXCEEDED.

CUMULATIVE SRU LIMIT EXCEEDED.

CURRENT DIRECTIVE TERMINATED

CURSOR_BIAS OUT OF RANGE, MUST BE -255 TO 255

CV OPTION INCORRECT.

CVL CALL ERROR.

CVL CALL ERROR.

CX SPECIFIED TWICE

CYBER INTERACTIVE DEBUG

CYBER INTERACTIVE DEBUG RESUMED

CYCLE NUMBER IS OUTSIDE LIMITS.

CYCLE STILL PROCESSING.

D OR M FIELD NOT SPECIFIED FOR EDIT DESCRIPTOR AT

D TYPE ERROR DOUBLY DEFINED SYMBOL. THE FIRST DEFINITION HOLDS.
OCCURRED ON PAGES p1, p2, p3, ..., pn

DATA AVAILABLE BIT NOT SET.

DATA BASE ERROR.

DATA BASE ERROR n - NOTIFY ANALYST.

DATA BASE/FILE ALREADY DOWN OR IDLE.

DATA BASE/FILE CANNOT BE UPPED.

DATA BASE/FILE NAME UNKNOWN.

DATA BASE NAME IN CRM FILE NAME DOES NOT MATCH xxJ.

DATA BASE NAME OR FILE NAME MISSING.

DATA BASE NAME OR FILE NAME(S) BOTH SPECIFIED.

DATA BASE NOT IN EDT

DATA BLOCK BUFFER OVERFLOW.

DATA BLOCKS MISSING.

DATA ELEMENT NAME UNDEFINED - element.

DATA FILE CONTENT ERROR.

TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
QUERY UPDT 3 RM	60498300
NOS 2 SF RM	60460430
MODIFY RM	60450100
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
FORM RM	60496200
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

DATA FILE EMPTY.
DATA FILE FORMAT ERROR.
DATA FILE NOT AT BEGINNING OF FILE.
DATA FILE NOT FOUND - filename.
DATA FILE NOT IN CHRONOLOGICAL ORDER.
DATA FILE POSITIONED AT EOI.
DATA INTO IS ILLEGAL
DATA INTO nnnnn IS ILLEGAL
DATA ITEM LIST EXCEEDS VARIABLE LIST, EXCESS CONSTANTS IGNORED
DATA ITEM LISTS MAY ONLY BE NESTED 1 DEEP
DATA LOST DRIVER - tn.
DATA LOST IAFEX-tn.
DATA MANAGER USAGE NOT SELECTED.
DATA MODE
DATA OVERFLOW
DATA/PERMIT ERRORS.
DATA SUBSCRIPT LIST SYNTAX ERROR
DATA TRANSFER ERROR.
DATA VARIABLE DOES NOT MATCH CONSTANT
DATA VARIABLE nnnnn DOES NOT MATCH CONSTANT TYPE
DATA VARIABLE LIST CONTAINS
DATA VARIABLE LIST EXCEEDS ITEM LIST, EXCESS VARIABLES NOT INITIALIZED
DATA VARIABLE LIST SYNTAX ERROR
DATA VARIABLE TYPE DOES NOT MATCH CONSTANT
DATA WILL BE MOVED WITHOUT EDITING
DATABASE CORRUPTED.
DATABASE NOT FOUND-DEFINING NEW ONE.
DAYFILE BUSY.
DAYFILE - INPUT FILE CANNOT BE EXECUTE ONLY.
DAYFILE - INTERACTIVE INPUT FILE NOT ALLOWED.
DAYFILE - JOB FIELD DISALLOWED ON USER
DAYFILE.
DAYFILE - JOB TERMINATION OPTION.
DAYFILE - LOCAL DAYFILE PROCESSED.
DAYFILE - PAGE SIZE FORMAT.
DAYFILE - PRINT DENSITY.
DAYFILE - PRINT DENSITY FORMAT.
DAYFILE STATUS INDEFINITE.
DAYFILE TERMINATED.
DBest,DNdn,message.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
MCS 1 RM	60480300
SDRT MERGE 4&1	60497500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DBest,FM=familyname,PF=filename, UI=userindex.	NOS 2 OPER HB	60459310
DB - NAME MUST NOT START WITH THE LETTER Z.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
DBest,TK=track,SC=sector.	NOS 2 OPER HB	60459310
DBeee, Uuu,PS=ssssss.	NOS 2 OPER HB	60459310
DB\$PUNT - nnnnnnnnnn	CDCS 2 RM	60481800
DBQRFA COMPLETE	CDCS 2 DA RM	60485200
DBQRFA COMPLETE	CDCS 2 RM	60481800
DBREC INTERNAL ERROR -- mdn1	CDCS 2 DA RM	60485200
DBREC INTERNAL ERROR VARIABLE RANGE ERR/TBL ERR - TN	CDCS 2 DA RM	60485200
DBREC JOB REQUEST	CDCS 2 DA RM	60485200
DBREC JOB REQUEST	CDCS 2 AP RM	60485300
DBREC JOB SUBMITTED JOBNAME = jn	CDCS 2 DA RM	60485200
DBREC JOB SUBMITTED JOBNAME = jn	CDCS 2 AP RM	60485300
DC REQUIRED IF JSN/UJN NOT SPECIFIED.	NOS 2 RS VOL 3	60459680
DCA SPECIFIED TWICE	FORM RM	60496200
DCC - CIRCULAR BUFFER ADDRESS ERROR.	NOS 2 OPER HB	60459310
DCC - FWA .GE. LWA+1	NOS 2 OPER HB	60459310
DCC - INCOMPLETE *CCC* DUMP.	NOS 2 OPER HB	60459310
DCC - INCORRECT CCC CONTROLWARE TYPE.	NOS 2 OPER HB	60459310
DCC - INCORRECT ORIGIN TYPE.	NOS 2 OPER HB	60459310
DCC - INCORRECT REQUEST.	NOS 2 OPER HB	60459310
DCC INCORRECT REQUEST.	NOS 2 OPER HB	60459310
DCC - INCORRECT USER ACCESS.	NOS 2 OPER HB	60459310
DCC - LWA+1 OUT OF RANGE.	NOS 2 OPER HB	60459310
DCC - NOT CONTROLWARE CHANNEL.	NOS 2 OPER HB	60459310
DCC - PARAMETER ADDRESS ERROR.	NOS 2 OPER HB	60459310
DCLOO1 ENVIRONMENT ATTRIBUTE IN DECLARATION OF -identifier- MUST CONTAIN A DCLOO1 CHARACTER CONSTANT	PL/I RM	60388100
DCLOO2 DECLARATION OF -identifier-: VARIABLE -identifier- IN REFER OPTION MUST BE A DCLOO2 PRECEDING MEMBER OF SAME STRUCTURE	PL/I RM	60388100
DCLOO3 DECLARATION OF -identifier-: REFER OPTION IS ALLOWED ONLY IN EXTENT OF MEMBER OF BASED DCLOO3 STRUCTURE	PL/I RM	60388100
DCLOO4 DECLARATION OF -identifier-: VARIABLE -identifier- IN REFER OPTION MUST BE DCLOO4 SCALAR	PL/I RM	60388100
DCLOO5 DECLARATION OF -identifier-: ASTERISK SUBSCRIPT ILLEGAL IN ISUB DEFINING	PL/I RM	60388100
DCLOO6 DECLARATION OF -identifier-: CONTAINS AN ILLEGAL USE OF ISUB	PL/I RM	60388100
DCLOO7 DECLARATION OF -identifier-: I IN ISUB EXCEEDS NUMBER OF DIMENSIONS OF DEFINED DCLOO7 VARIABLE	PL/I RM	60388100
DCLOO8 DECLARATION OF -identifier-: POSITION AND ISUB ARE INCOMPATIBLE	PL/I RM	60388100
DCLOO9 HOST AND DEFINED VARIABLES ARE NOT COMPATIBLE FOR ISUB DEFINING	PL/I RM	60388100
DCLO10 DECLARATION OF -identifier-: HOST VARIABLE -identifier- HAS ILLEGAL TYPE FOR DCLO10 DEFINING	PL/I RM	60388100
DCLO11 DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE BASED OR DCLO11 DEFINED	PL/I RM	60388100
DCLO12 DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE OR CONTAIN A DCLO12 VARYING STRING	PL/I RM	60388100

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
DCLO14	DECLARATION OF -identifier-: HOST VARIABLE -identifier- CANNOT BE A MEMBER OF AN ARRAY OF STRUCTURES	PL/I RM	60388100
DCLO15	DECLARATION OF -identifier-: HOST REFERENCE -identifier- HAS WRONG NUMBER OF DIMENSIONS	PL/I RM	60388100
DCLO16	DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND DATATYPE IS ILLEGAL FOR STRING OVERLAY DEFINING	PL/I RM	60388100
DCLO18	DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND ALIGNED ITEMS CANNOT BE STRING OVERLAY DEFINED	PL/I RM	60388100
DCLO19	DECLARATION OF -identifier-: SIMPLE DEFINING IS NOT APPLICABLE AND THIS COMBINATION OF DATATYPES IS ILLEGAL IN STRING OVERLAY DEFINING	PL/I RM	60388100
DCLO20	ASTERISK CANNOT BE USED IN EXTENTS OF BASED VARIABLE -identifier-	PL/I RM	60388100
DCLO21	DECLARATION OF -identifier-: DEFINED VARIABLE CANNOT BE OR CONTAIN A VARYING STRING	PL/I RM	60388100
DCLO22	DECLARATION OF -identifier-: ASTERISK EXTENT IS PERMITTED ONLY FOR PARAMETERS	PL/I RM	60388100
DCLO23	STATIC LABEL VARIABLE -identifier- CANNOT BE INITIALIZED	PL/I RM	60388100
DCLO24	SCALAR VARIABLE -identifier- CANNOT HAVE MULTIPLE INITIAL VALUES	PL/I RM	60388100
DCLO25	DECLARATION OF -identifier-: INITIAL CANNOT BE USED WITH DEFINED OR PARAMETER	PL/I RM	60388100
DCLO26	ATTRIBUTE CONFLICT IN DECLARATION OF -identifier-	PL/I RM	60388100
DCLO27	IDENTIFIER -identifier- HAS MULTIPLE DECLARATIONS IN THE SAME BLOCK	PL/I RM	60388100
DCLO28	EXTERNAL FILE CONSTANT -identifier- HAS MULTIPLE DECLARATIONS IN THE SAME EXTERNAL PROCEDURE	PL/I RM	60388100
DCLO29	DECLARATION OF -identifier-: ITERATION FACTOR IN INITIAL ATTRIBUTE MUST BE OF COMPUTATIONAL TYPE	PL/I RM	60388100
DCLO30	DECLARATION OF -identifier-: ITERATION FACTOR IN INITIAL ATTRIBUTE MUST BE SCALAR	PL/I RM	60388100
DCLO31	DECLARATION OF -identifier-: REFERENCE OR EXPRESSION IN INITIAL ATTRIBUTE MUST BE SCALAR	PL/I RM	60388100
DCLO32	DECLARATION OF -identifier-: REFERENCE OR EXPRESSION IN INITIAL ATTRIBUTE CANNOT BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
DCLO33	PRECISION OF -identifier- EXCEEDS FIXED BINARY MAXIMUM OF 48	PL/I RM	60388100
DCLO34	PRECISION OF -identifier- EXCEEDS FLOAT BINARY MAXIMUM OF 48	PL/I RM	60388100
DCLO35	PRECISION OF -identifier- EXCEEDS FIXED DECIMAL MAXIMUM OF 14	PL/I RM	60388100
DCLO36	PRECISION OF -identifier- EXCEEDS FLOAT DECIMAL MAXIMUM OF 14	PL/I RM	60388100
DCLO37	SCALE FACTOR OF -identifier- OUTSIDE ALLOWABLE RANGE OF +/-255	PL/I RM	60388100
DCLO38	ABSOLUTE VALUE OF ARRAY BOUND * STRIDE IS TOO LARGE	PL/I RM	60388100
DCLO40	DECLARATION OF -identifier- CONTAINS CIRCULAR DEPENDENCIES	PL/I RM	60388100
DCLO41	EXTERNAL DECLARATIONS OF -identifier- CONTAIN CONFLICTING ATTRIBUTES	PL/I RM	60388100
DCLO42	NUMBER OF DIMENSIONS OF -identifier- EXCEEDS 32	PL/I RM	60388100
DCLO43	SUBSCRIPTED LABEL CONSTANT -identifier- MUST BE DECLARED AS LABEL ARRAY BY DECLARE STATEMENT IN SAME BLOCK	PL/I RM	60388100
DCLO44	LIKE ATTRIBUTE CANNOT REFERENCE A STRUCTURE DECLARED WITH LIKE	PL/I RM	60388100
DCLO45	LIKE ATTRIBUTE MUST REFERENCE A STRUCTURE	PL/I RM	60388100
DCLO46	PARAMETER -identifier- OCCURS MORE THAN ONCE IN PARAMETER LIST	PL/I RM	60388100
DCLO47	DECLARATION OF -identifier- DEPENDS ON AN AUTOMATIC OR DEFINED VARIABLE DECLARED IN THE SAME BLOCK	PL/I RM	60388100
DCLO48	STATIC EXTERNAL VARIABLE -identifier- CAN ONLY BE INITIALIZED IN OUTERMOST BLOCK OF MAIN PROCEDURE	PL/I RM	60388100
DCLO49	ABSOLUTE VALUE OF ARRAY BOUND GREATER THAN 131071	PL/I RM	60388100
DCLO50	DECLARATION OF -identifier-: PARAMETER EXTENT MUST BE LITERAL CONSTANT OR ASTERISK	PL/I RM	60388100
DCLO51	STRUCTURE MUST HAVE AT LEAST ONE MEMBER	PL/I RM	60388100
DCLO52	DECLARATION OF -identifier- DEPENDS ON AN AUTOMATIC OR DEFINED VARIABLE	PL/I RM	60388100

MESSAGE

DCT SPECIFIED TWICE
DDest,DNdn,message.
DDest,FM=familyname,PF=filename,UI=userindex.
DDest,TK=track,SC=sector.
DDeee. Uuu,PS=ssssss.
DEAD CODE IN program
DEAD CODE IN program
DEADLOCK.
DEADLOCK CONDITION AND NO DEADLOCK DECLARATIVE
DEADLOCK CONDITION AND NO DEADLOCK DECLARATIVE
DEADSTART DEVICE UNDEFINED.
DEADSTART FILE FORMAT ERROR.
DEADSTART SECTOR ERROR.
DEADSTART SEQUENCING FAILED.
DEBUG ABORTED
DEBUG EXECUTION OPTION SUPPRESSED DUE TO NATURE OF ABOVE FATAL ERRORS
-DEBUG-GARBAGE IN ZZZZDS FILE.
DEBUG-ILLEGAL PARAMETER-p.
DEBUG INTERNAL ERROR
DEBUG LOG FILE RELEASE NOT AVAILABLE
DEBUG MODE TURNED OFF
DEBUG MODE TURNED ON
DEBUG NOT TURNED ON.
DEBUG-ONLY ONE PARAMETER ALLOWED.
DEBUG SUSPENDED
DEBUG TERMINATED
-DEBUG-ZZZZDS FILE NOT FOUND.
DECIMAL POINT IS NOT SPECIFIED FOR THE CONVERSION CODE nnnnn
DECIMAL POINT IS NOT SPECIFIED FOR THE EDIT DESCRIPTOR AT
DECIMAL POINT REQUIRED IN EDIT DESCRIPTOR AT nnnnn
DECK NAME ON ABOVE CARD NOT LAST DECLARED DECK
DECK SPECIFIED ON MOVE OR COPY CARD NOT ON OLDPL. CARD WILL BE IGNORED
DECK STRUCTURE CHANGED
DECLARATIVE STATEMENT OUT OF SEQUENCE
n DECLARE ERRORS
DEDICATED TERMINAL APPLICATION=xxxxxxx SYMBOLIC
NAME=xxxxxxxxxxxxx STATUS=xxxxxxx xxxxxxxxMODE
DEF WITHIN DEF
DEFAULT CHARGE ABORTED.
DEFAULT CHARGE NOT VALID.
DEFAULT CHARGE NULL.
DEFAULT FAMILY USED.
DEFAULT FAMILY USED.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 TAPE MGMT	60463350
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
FORTRAN EXT 4	60497800
UPDATE RM	60449900
MCS 1 RM	60480300
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

DEFAULT REPLACES
DEFECTIVE HOLLERITH CONSTANT. CHECK FOR CHARACTER COUNT ERROR, MISSING " DELIMITER OR LOST CONTIN CARD
DEFERRED BATCH VALIDATION EXCEEDED -
filename.
DEFINE ERROR ON FILE.
DEFINED DEVICE ALREADY EXISTS.
DEFINITION FILE NOT FOUND
DEFN ERROR
DEL
DEL
DELETE FILE ON OPEN FILE - IGNORED
DELETE FILE ON OPEN FILE - IGNORED
**** DELETE NON-EXISTENT USER NUMBER.
DELETE OR REWRITE ON SEQ ACCESS FILE WITH NO VALID READ PRECEDING
DELETE OR REWRITE ON SEQ ACCESS FILE WITH NO VALID READ PRECEDING
DELETE WITHOUT OLD AND NEW LIBS
DELETED TOPHAT MODULE LIST
DELETING username.
DELIMITER
DELIMITER OVERFLOW
DELIMITER WAS NOT RECOGNIZED.
DEMAND EXCEEDED.
DEMAND FILE ERROR.
DEMAND VALIDATION ERROR.
DEMUX ARGUMENT ERROR.
DEMUX COMPLETE.
DEMUX MEMORY OVERFLOW.
DEMUX NT VALUE TOO LARGE.
DEMUX NUMERIC ARGUMENT CONVERSION ERROR.
DEMUX SL VALUE TOO LARGE.
*** DESIRED PATTERN NOT FOUND ***
DESTINATION ALREADY IN USE
DESTINATION DEVICE ERROR.
DESTINATION DEVICE REQUIRED.
DESTINATION FAMILY NOT SPECIFIED.
DESTINATION HOST IN BUFFER REGULATION
LEVEL 0
DESTINATION IS GROUP OR EDITED
DET USED BEFORE INV
DETACH LIMIT EXCEEDED.
DETACHING, JSN=jsn.

<u>MANUAL</u>	<u>PUB. NO.</u>
SORT MERGE 4&1	60497500
FORTTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
APL 2 RM	60454000
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NDL 1 RM	60480000
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
MCS 1 RM	60480300
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310

MESSAGE

DID NOT LOCATE aaaaaa.....--PURGE NOT POSSIBLE
 DID NOT LOCATE parm, PURGE NOT POSSIBLE
 DID NOT LOCATE aaaaaa... - PURGE NOT POSSIBLE
 DID NOT LOCATE aaaaaa... -- PURGE NOT POSSIBLE
 DID NOT LOCATE SUB-SCHEMA TO BE REPLACED --- NEW SUB-SCHEMA HAS BEEN ADDED
 DID NOT LOCATE SUB-SCHEMA TO BE REPLACED---NEW SUB-SCHEMA HAS BEEN ADDED
 DID NOT LOCATE SUB-SCHEMA TO BE REPLACED --- NEW SUB-SCHEMA HAS BEEN ADDED
 DID NOT LOCATE SUB-SCHEMA TO BE REPLACED---NEW SUB-SCHEMA HAS BEEN ADDED
 DID NOT LOCATE SUB--SCHEMA TO BE REPLACED -- NEW SUB-SCHEMA HAS BEEN ADDED
 DID NOT LOCATE SUB-SCHEMA TO BE REPLACED - NEW SUB-SCHEMA HAS BEEN ADDED
 DIGIT DOES NOT FOLLOW +/-
 DIMENSION OF nnnnn IGNORED: PRIOR DIMENSION RETAINED
 DIMENSION ON IGNORED -- PRIOR DIMENSION RETAINED
 DIMENSIONAL RANGE IS EXTENDED FOR EQUIVALENCING PURPOSES
 DIR FILE PARAMETER xxxxx
 DIR FILE PARAMETER xxxxx
 DIRECT ACCESS DEVICE ERROR.
 DIRECT ACCESS FILE ERROR.
 DIRECT ACCESS I/O CANNOT BE FREE FORMAT
 DIRECT ACCESS I/O CANNOT BE NAMEDLIST
 DIRECT ACCESS I/O CANNOT SPECIFY END
 DIRECT CPU INPUT.
 number DIRECT FILES SKIPPED WITH ERRORS.
 number FILES WITH LENGTH ERRORS.
 number DIRECT ACCESS FILES DUMPED.
 number INDIRECT ACCESS FILES DUMPED.
 number DUMPED FILES PURGED.
 number DUMPED FILES NOT PURGED.
 DIRECTIVE ARGUMENT ERROR.
 DIRECTIVE CONTAINS AN INCORRECT DATE/TIME.
 DIRECTIVE ERROR, REPORT ONLY
 DIRECTIVE ERRORS.
 DIRECTIVE ERRORS.
 DIRECTIVE ERRORS.
 n DIRECTIVE ERRORS.
 DIRECTIVE ERRORS.
 DIRECTIVE FILE xxxxxxxx EMPTY.
 DIRECTIVE FORMAT ERROR.
 DIRECTIVE INVALID OR MISSING
 DIRECTIVE KEYWORD NOT VALID.
 DIRECTIVE NOT ALLOWED.
 **** DIRECTIVE NOT AUTHORIZED.

MANUAL	PUB. NO.
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
DDL 3 SUB SCHEM	60482000
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
UPDATE RM	60449900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

DIRECTIVE NOT MEANINGFUL.
DIRECTIVE NOT PRECEDED BY EDIT DIRECTIVE.

DIRECTIVE NOT REACHED.
DIRECTIVE PARAMETER ERROR.
DIRECTIVE RESTRICTED TO PRINTER OUTPUT.
DIRECTIVE RESTRICTED TO TERMINAL OUTPUT.
DIRECTIVE SHOULD HAVE NO PARAMETERS.
DIRECTORY FILE BUSY.
DIRECTORY FILE ENTRY MISSING.
DIRECTORY FILE IS BAD.
DIRECTORY FILE NOT FOUND.
DIRECTORY HEADER FROM THE COPY.

DIRECTORY IS FULL-NO MORE ADDITIONS ALLOWED.
DIRECTORY NOT OPEN - NETFM ERROR.
DIRECTORY TABLE BAD.
DIRECTORY UNUSABLE.

nnnn DISABLED ROLLOUT FILES RECOVERED.
DISK BUSY.
DISK FILE ERROR.
DISK FULL.
STAGING DELAY, FM=familyname, UI=userindex.
DISK FULL.
DISK RETRY COUNT ERROR
DISK UNIT RESERVED.
DISPLAY DUMP NOT ALLOWED TO TERMINAL.
DISPLAY TERMINATED DUE TO INSUFFICIENT BUFFERS
DISREGARD PREVIOUS TEXT?
DIVIDE BY 1 -- IGNORED
DIVIDE INTO ZERO -- RESULTS SET TO ZERO
DIVISION BY CONSTANT ZERO
DIVISION BY ZERO
DJest,DNdn,message.

DJest,FM=familyname,PF=filename,
UI=userindex.
DJest,TK=track,SC=sector.

DJeee, Uuu,PS=sssss.
DJest,Uunit,PS=serialn
DKest,DNdn,message.

DKest,FM=familyname,PF=filename,
UI=userindex.
DKest,TK=track,SC=sector.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
RBF 1 RM	60499600
TEXT EDITOR RM	60436100
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
DKeee, Uuu,PS=ssssss.	NOS 2 OPER HB	60459310
DKest,Uunit,PS=serialn	NOS 2 OPER HB	60459310
DLest,DNdn,message.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 4	60459690
DLest,FM=familyname,PF=filename, UI=userindex.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DLest, NO FT CONTROLLER.	NOS 2 OPER HB	60459310
DLest,TK=track,SC=sector.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DLeee, Uuu,PS=ssssss.	NOS 2 OPER HB	60459310
DLest,lUunit,PS=serialn	NOS 2 OPER HB	60459310
DLFP COMPLETE	NAM 1 RM	60499500
DMest,DNdn,message.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 4	60459690
DMest,FM=familyname,PF=filename, UI=userindex.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMest,TK=track,SC=sector.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DM* TOO SHORT.	NOS 2 RS VOL 3	60459680
DMeee, Uuu,PS=ssssss.	NOS 2 OPER HB	60459310
DMest,Uunit,PS=serialn	NOS 2 OPER HB	60459310
DMPNAD ABORTED - CHANNEL NUMBER INVLAID OR MISSING	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - CVL ERROR CODE = nnB.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - EQUIVALENCE MISSING.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - FILE NAME CONFLICT.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - ILLEGAL CHANNEL NUMBER.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - ILLEGAL DIRECTIVE NAME.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - INVALID ACCESS CODE.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - INVALID NAD ADDRESS.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - INVALID TRUNK ENABLES.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - MORE THAN 10 CHARACTERS IN NAME.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - NAD ADDRESS INVALID OR MISSING	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - NLD ERROR CODE = nnB.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - NUMERIC FIELD MUST NOT BE BLANK.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - TRUNK ENABLES INVALID OR MISSING.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
DMPNAD ABORTED - 8/9 NOT ALLOWED IN OCTAL FIELD.	NOS 2 OPER HB	60459310
DMPNAD COMPLETE.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310

MESSAGE

DMPNAD DUMPING REMOTE NAD xx - GO/DROP.

DMREC COMPLETE.

DMREC FAILED - xxxxxxxx ZZ.

DMREC FAILED - xxxxxxxx ZZ.

DMREC TAPE LABEL ERROR.

DN CANNOT BE ZERO.

DNdn FM familyname FNT/QFT FULL.

DNdn, FM familyname IGNORED - ERROR IDLE.

DNdn FM familyname IGNORED - REMOVABLE.

DNdn FM familyname INCORRECT ACCESS LEVEL

DNdn FM familyname IQFT INTERLOCKED.

DNdn FM familyname MS ERROR.

DNdn FM familyname NO IQFT FILE.

DNdn FM familyname UNDEFINED ERROR.

DO CONCLUSION NOT COMPILED -- DO DEFINITION ERROR

DO CONCLUSION NOT COMPILED -- DO DEFINITION ERROR

DO CONTROL INDEX MUST BE SIMPLE INTEGER VARIABLE

DD/DONT IDENT idname IS NOT YANKED/YANKED NULL DO/DONT

DO-IMPLIED LOOPS IN DATA MUST BE INTEGER

DO INDEX CANNOT BE

DO INDEX MUST BE SIMPLE VARIABLE

DO LIMIT OR REP FACTOR MUST BE AN INTEGER OR OCTAL CONSTANT BETWEEN 1 AND 131K

DO LOOP CONTAINS UNCLOSED IF BLOCK

DO LOOP INCREMENT MAY NOT BE ZERO

DO LOOP MUST TERMINATE WITHIN IF BLOCK

DO LOOP NOT TERMINATED BEFORE END OF PROGRAM

DO LOOP hhhh NOT TERMINATED BEFORE END OF PROGRAM

DO LOOP PREVIOUSLY DEFINED -- ILLEGAL NESTING

DO LOOP hhhh PREVIOUSLY DEFINED -- ILLEGAL NESTING

DO LOOPS TERMINATING ON THIS LABEL ARE IMPROPERLY NESTED

DO PARAMETER CANNOT BE

DO STATEMENT SYNTAX -- EXPECTED CONTROL INDEX -- FOUND E.O.S.

DOLLAR SIGN STATEMENT SEPARATOR IS NON-ANSI USAGE

DOMAIN ERROR

DOUBLE PRECISION AND COMPLEX OPERANDS ARE MIXED

DOUBLY DEFINED FORMAL PARAMETER

DOUBLY DEFINED PARAMETER xxxxxx

DOUBLY SPECIFIED PARAMETER IN FILE STRING

DOUBLY SPECIFIED PARAMETER IN FILE STRING

DOWN.

DOWN, CDCS

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
UPDATE RM	60449900
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200

MESSAGE

DOWN,CDCS
DOWN COMPLETE
DOWN COMPLETE
DOWN IN PROGRESS
DOWN IN PROGRESS
DOWNED BRF TABLE OVERFLOW.
DOWNLINE BLOCK LIMIT (DBL) TOO SMALL
DQest,FM=familyname,PF=filename,
UI=userindex.
DQest,TK=track,SC=sector.

DQest, Uuu,PS=sssss.
DQest,Uunit,PS=serialn
DQest, 2X PPS REQUIRED.
DRD LOAD ERROR
DRD UNLOAD ERROR
DRIVER STACK OVERFLOW.
DROP COMPLETE.
DROP IGNORED.
DROP PROCESSED.
DROPPED
DROPPED BY USER JOB jsn.
DROPPING SUPPORT OF SUMMARY, USE ENQUIRE.
DSDI ARGUMENT ERROR.
DSDI ERROR LIMIT EXCEEDED.
DSFB USED = n.
DSP - CANNOT ROUTE JOB INPUT FILE.

DSP - COMPLETE BIT ALREADY SET.

DSP - DEFERRED ROUTING NOT ALLOWED.

DSP - DEVICE FULL.

DSP - DEVICE UNAVAILABLE.

DSP ERROR ec RETURNED ON JOB ROUTE.
DSP ERROR ec RETURNED ON TASK SUBMIT.
DSP - FILE NAME ERROR.

DSP - FILE NOT ON MASS STORAGE.

DSP - FILE ON REMOVABLE DEVICE.

DSP - FOMSM CODE NOT ALPHANUMERIC.

DSP - I/O SEQUENCE ERROR.

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DSP - IMMEDIATE ROUTING - NO FILE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT DATA DECLARATION.	NOS 2 RS VOL 3	60459680
DSP - INCORRECT DISPOSITION CODE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT EXTERNAL CHARACTERISTICS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT FILE MODE.	NOS 2 RS VOL 3	60459680
DSP - INCORRECT FILE TYPE.	NOS 2 RS VOL 4	60459690
DSP - INCORRECT FILE TYPE.	NOS 2 RS VOL 3	60459680
DSP - INCORRECT INTERNAL CHARACTERISTICS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT JOB ABORT CODE.	NOS 2 RS VOL 4	60459690
DSP - INCORRECT LID.	NOS 2 RS VOL 3	60459680
DSP - INCORRECT ORIGIN TYPE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT REQUEST.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT SERVICE CLASS	NOS 2 RS VOL 4	60459690
DSP - INCORRECT SERVICE CLASS	NOS 2 RS VOL 3	60459680
DSP - INCORRECT SPACING CODE.	NOS 2 RS VOL 4	60459690
DSP - INCORRECT TID.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INCORRECT USER COMMAND.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - INVALID FILE MODE.	NOS 2 RS VOL 4	60459690
DSP - MASS STORAGE ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - QFT FULL.	NOS 2 RS VOL 3	60459680
DSP - QUEUED FILE READ ERROR.	NOS 2 RS VOL 4	60459690
DSP - QUEUED FILE READ ERROR.	NOS 2 RS VOL 3	60459680
DSP - ROUTE TO INPUT NOT IMMEDIATE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - THIS ROUTING NOT ALLOWED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - TOO MANY DEFERRED BATCH JOBS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DSP - UNDEFINED SERVICE CLASS.	NOS 2 RS VOL 4	60459690
DSP - USER ACCESS NOT VALID.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
DUAL RECORDED FILE <i>filenam</i> NOT ATTACHED.	NOS 2 OPER HB	60459310
*** DUE TO THE MANY ERRORS NOTED, ONLY THOSE WHICH ARE FATAL WILL BE LISTED HEREAFTER	FORTRAN EXT 4	60497800
DUMMY-ARG FUNCTION CANNOT HAVE ASSUMED CHARACTER LENGTH	FORTRAN 5 RM	60481300
DUMMY ARGUMENT CAN OCCUR ONLY ONCE IN DEFINITION	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn CAN OCCUR ONLY ONCE IN ddddd DEFINITION	FORTRAN EXT 4	60497800
DUMMY ARGUMENT CANNOT BE EQUIVALENCED	FORTRAN 5 RM	60481300
DUMMY ARGUMENT MAY NOT APPEAR IN SAVE	FORTRAN 5 RM	60481300
DUMMY ARGUMENT nnnnn MUST BEGIN WITH LETTER	FORTRAN EXT 4	60497800
DUMMY ARGUMENT MUST BEGIN WITH LETTER OR STAR	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
DUMMY ARGUMENT nnnnn PREVIOUSLY DEFINED	FORTRAN EXT 4	60497800
DUMMY PARAMETER IN ASF DEFINITION OCCURED TWICE	FORTRAN EXT 4	60497800
npuname, DUMP ABORTED - ABNORMAL RESPONSE.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - BAD DPCB.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - BAD LOAD MODULE.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - BAD PICB DIRECTIVE.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - DUMP INDEX FULL.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - LOAD MOD NOT FOUND.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - PREEMPTED.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - RETRY LIMIT.	NOS 2 OPER HB	60459310
npuname, DUMP ABORTED - TIMEOUT.	NOS 2 OPER HB	60459310
DUMP CDCS JOURNAL LOG NAME = pfn	CDCS 2 DA RM	60485200
DUMP CDCS JOURNAL LOG NAME = pfn	CDCS 2 AP RM	60485300
DUMP COMPLETE.	NOS 2 OPER HB	60459310
DUMP COMPLETE - xx est, RC = rr, FN = ddddddd.	NOS 2 OPER HB	60459310
DUMP DIRECTIVE EXECUTION COMPLETE	CDCS 2 DA RM	60485200
DUMP FILE CONTAINS 63 DUMPS. TAPE IS FULL.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE dumpfile EMPTY.	NOS 2 OPER HB	60459310
DUMP FILE MALFUNCTION-EOI ENCOUNTERED.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE MALFUNCTION-FILE NAME MISMATCH.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE MALFUNCTION-POSITON LOST.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE MALFUNCTION-UNRECOGNIZABLE PFC.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE MUST BE IN WRITE MODE	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP FILE NOT FOUND	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
DUMP MEMORY ERROR - xx est.	NOS 2 OPER HB	60459310
DUMP NN COMPLETE.	NOS 2 OPER HB	60459310
DUMP NN STOPPED.	NOS 2 OPER HB	60459310
DUMP TAPE 'ON CHII EQ JJ UN KK NOT READY (CR WHEN READY).	NOS 2 OPER HB	60459310
DUMP TAPE SPECIFIES NON-STANDARD COMPRESSION.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
DUMP WILL START OVER	TAF 1 RM	60459500
DUMPING filename userindex.	NOS 2 OPER HB	60459310
DUMPING CENTRAL MEMORY.	NOS 2 OPER HB	60459310
DUMPING - DIRECT ACCESS FILES ONLY.	NOS 2 OPER HB	60459310
DUMPING - INDIRECT ACCESS FILES ONLY.	NOS 2 OPER HB	60459310
DUMPS LOST	NOS 2 OPER HB	60459310
DUPLICATE BITS IN MASK.	NOS 2 OPER HB	60459310
DUPLICATE BYTESZ CARD	SORT MERGE 4&1	60497500

MESSAGE

cmd DUPLICATE CHARACTER

cmd DUPLICATE CHARACTER

**** DUPLICATE CHARGE NUMBER.

DUPLICATE CLA ADDRESS.

DUPLICATE COLLATION

**DUPLICATE CS PARAMETER.

DUPLICATE DATA BASE IN TCF - xx.

DUPLICATE DECK dname NEWPL ILLEGAL

DUPLICATE DN.

DUPLICATE DUMP ENTRY ON ADD.

DUPLICATE ENTRY ON ADD.

DUPLICATE FILE NAME.

DUPLICATE FILE NAME.

DUPLICATE FILE NAME

DUPLICATE FILE NAME

DUPLICATE FILE NAME ERROR.

DUPLICATE FILE NAME - FILE IGNORED.

DUPLICATE FILE NAME OF file, JOB ABORTED

DUPLICATE FILENAME

DUPLICATE IDENT CHANGED TO ident

DUPLICATE IDENT NAME

DUPLICATE IDENT NAME IN ADDFILE

DUPLICATE LABEL NAME

DUPLICATE LINE NO

DUPLICATE LOOP INDEX OR DOESNT MATCH ANY SUBSCRIPT VARIABLE

DUPLICATE MESSAGE NAME

DUPLICATE MODIFIER NAME.

DUPLICATE PARAMETER.

DUPLICATE PARAMETER

DUPLICATE PARAMETER

DUPLICATE PARAMETER

DUPLICATE PARAMETERS, BOTH "IN" AND "INOUT"

DUPLICATE PARAMETERS, BOTH "OUT" AND "INOUT"

DUPLICATE PN.

**** DUPLICATE PROJECT NUMBER.

DUPLICATE REPORT OPTION.

**DUPLICATE SB PARAMETER.

DUPLICATE SCRIPT NAME

DUPLICATE SECONDARY OLDPL IGNORED

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
FORM RM	60496200
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
NPS RM	60480500
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
NPS RM	60480500
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
UPDATE RM	60449900

MESSAGE

**DUPLICATE SM PARAMETER.
DUPLICATE STATEMENT LABEL
DUPLICATE UUN - MUST SPECIFY JSN.
DUPLICATE UNIT NUMBERS FOR -CM-
**** DUPLICATE USER NAME.
DUPLICATE VSN ENTRY ON ADD.

DUPLICATED LINES.

DUPLICATED VCB REQUEST.
DURATION TIME TERMINATE.
DURING PROCESSING OF DATABASE PROCEDURE a....
DURING ROLLOUT
DVest,DNdn,message.

DVest,FM=familyname,PF=filename,
UI=userindex.
DVest,TK=track,SC=sector.

DWest,DNdn,message.

DWest,FM=familyname,PF=filename,
UI=userindex.
DWest,TK=track,SC=sector.

DX SPECIFIED TWICE
DXB CONVERSION ERROR ON TRANSACTION SEQUENCE
NUMBER.
Eqxxx, CHECKPOINT ABORTED.
E N D C O B O L M E R G E
E N D C O B O L M E R G E
E N D C O B O L S O R T
E N D C O B O L S O R T
E.O.S. BEFORE END OF HOLLERITH COUNT
E.O.S. BEFORE END OF HOLLERITH COUNT
E TYPE ERROR ECHO, DUP, RMT, OR MACRO ILLEGALLY NESTED.
OCCURRED ON PAGES p1, p2, p3, ..., pn
EC NOT VALIDATED.

ECS ERROR.
ECS.FL TOO SMALL
ECS/LCM REFERENCE MUST BE A STAND-ALONE ARGUMENT TO AN EXTERNAL ROUTINE
ECS LIMITS ERROR ON USER CALL
ECS LOAD ERROR.
ECS OR CY 170 PARITY ERROR
ECS PAR
ECS READ ERROR.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
COMPASS 3 RM	60492600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
LOADER 1 RM	60429800
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
TAF 1 RM	60459500

MESSAGE

ECS READ ERROR
ECS RECORD NOT FOUND.
ECS STORAGE NOT AVAILABLE.
ECS TASK taskname NOW MS RESIDENT.

ECS TRANSFER ERROR
ECS TRANSFER ERROR
ECS WRITE ABORT
ECS WRITE ERROR
ECS WRITE PARITY ERROR ENCOUNTERED.

ED, filename/userindex/length/code.
EDIT
EDIT DESCRIPTOR MISSING AT
..... EDIT DESCRIPTOR REQUIRES COUNT
EDIT FILE NOT IN WRITE MODE.
DO YOU WISH TO CONTINUE?
EDITING COMPLETE.

EDITING COMPLETE.
EI, nn yymmdd.
EI MISMATCH, nn
EJT SYSTEM REQUEST xxxx, JSN=jsn, TN=nn.
..... EL MUST BE T, W, F OR C
ELBP OUT OF RANGE
ELD - message.
ELSEIF EXPRESSION MUST BE LOGICAL
ELSEIF REQUIRES THEN
EL=O ILLEGAL -- IGNORED
filename EMPTY.

EMPTY BLOCK IN VS-RECORD
EMPTY BLOCK IN VS-RECORD
EMPTY CATALOG.
EMPTY COMMON BLOCK
EMPTY DEBUG LOG FILE
EMPTY drawer DRAWER.
EMPTY FILE/ CREATION MODE ASSUMED.
EMPTY FILE (SSF)
EMPTY INPUT FILE
EMPTY INPUT FILE
EMPTY INPUT FILE
EMPTY INPUT FILE. NO COMPILATION.
EMPTY INPUT FILE. NO COMPILATION
EMPTY INPUT FILE---PURGE NOT POSSIBLE

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB TAF 1 RM	60459310 60459500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
LOADER 1 RM	60429800
FORTRAN EXT 4	60497800
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
TEXT EDITOR RM	60436100
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
PL/I RM	60388100
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 TAPE MGMT	60463350
FORTRAN 5 RM	60481300
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
NPS RM	60480500
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QU/CRM DA RM	60482100

MESSAGE

EMPTY INPUT FILE --- PURGE NOT POSSIBLE
EMPTY INPUT FILE---PURGE NOT POSSIBLE
EMPTY MERGE FILE
EMPTY MERGE FILE ... filename
EMPTY NEWSL
EMPTY OR FILE NOT FOUND.
EMPTY SESSION FILE.
EMPTY SORT INPUT FILE.
EMPTY SUB-SCHEMA FILE, DDL ABORTED
EMPTY SUB-SCHEMA FILE, DDL ABORTED
EMPTY SUB-SCHEMA FILE, DDLF ABORTED
EMPTY SUB-SCHEMA FILE, DDLF ABORTED
EMPTY TAPE CATALOG FILE.
ENCODE/DECODE ARE MACHINE DEPENDENT
END est. nn.

END BEFORE TERMINATE IN USER PROGRAM FORCED END OF CDCSBTF RUN
END BEFORE TERMINATE IN USER PROGRAM FORCED END OF CDCSBTF RUN
END CDCSBTF RUN
END CDCSBTF RUN
END COLLECT
END CPn
END LINE ABSENT
END LINE ABSENT
END LPn
END MASS STORAGE TEST.
END NOT LAST
END OF COPY.
END OF DAT TRACK CHAIN.
END OF DATA
END OF DATA ON-FILE
END OF DUMP FILE ENCOUNTERED WHILE
SEARCHING FOR RECORD x.
END OF FILE
-END OF FILE-
END OF FILE REACHED.

END OF INPUT ENCOUNTERED - ABORTED.
END OF SESSION a
END OF SET INCORRECT REQUEST, filename AT
address.
END OF TAPE, filename AT address.

END OF VSN TABLE.
END OR ERR REQUIRES STATEMENT LABEL

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NPS RM	60480500
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
NOS 2 TAPE MGMT	60463350
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
INTER DEBUG RM	60481400
RBF 1 RM	60499600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
TEXT EDITOR RM	60436100
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
FORTRAN 5 RM	60481300

MESSAGE

END PLn
END PROCESSED.
END PROCESSED
END PROGm xxx.
END PROGm xxx.
END SIMULATOR.
END STATEMENT ACTING AS A RETURN IS NON-ANSI
END TEXT EDITING.
ENDCPD COMPLETE.
ENDING NETWORK CONNECTION.
**** ENDING SUPPORT OF STS FUNCTION 01 ***.
ENDSCRIPT MISSING AT END OF INPUT
ENDSCRIPT NOT ALLOWED BEFORE SCRIPT
ENQUIRE ABORTED.
ENQUIRY COMPLETE.
ENTER CFO COMMAND
ENTER E TO TERMINATE LOADING.
 L TO LIST REMAINING FILES.
 GO TO RESUME INCREMENTAL LOAD.
ENTER GO TO CONTINUE CURRENT JOB.
RELIST TO LIST RECOVERABLE JOBS,
OR DESIRED JSN:
ENTER NEXT TRANSACTION.
ENTER TEXT.
ENTER TEXT FILE NAME.
ENTER *YES* OR *NO*.
ENTERED PARAMETER IS NOT VALID.
ENTERING RECOVERY MODE ... WAIT
ENTRY IGNORED - TABLE FULL.
ENTRY INSIDE DO LOOP IS IGNORED
ENTRY INSIDE DO LOOP OR IF BLOCK IS ILLEGAL
ENTRY MUST NOT BE DECLARED EXTERNAL -- IGNORED
ENTRY nnnnn MUST NOT BE DECLARED EXTERNAL -- IGNORED
ENTRY NAME EXPECTED
ENTRY POINT NAMES MUST BE UNIQUE - THIS ONE HAS BEEN PREVIOUSLY USED IN THIS SUBPROGRAM
ENTRY POINT xxxx NOT CALLED
ENTRY POINT NOT FOUND.
ENTRY POINT xxxx NOT LOADED
ENTRY POINT TABLE OVERFLOW.
ENTRY STATEMENT IGNORED IN MAIN PROGRAM
ENTRY STATEMENT IGNORED IN MAIN PROGRAM
ENTRY STATEMENT IS NON-ANSI
ENTRY STATEMENT MAY NOT APPEAR IN A PROGRAM
ENTRY STATEMENT MAY NOT BE LABELED

<u>MANUAL</u>	<u>PUB. NO.</u>
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
TEXT EDITOR RM	60436100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NPS RM	60480500
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORM RM	60496200
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

MESSAGE

ENTRY STATEMENTS MAY NOT OCCUR WITHIN THE RANGE OF A DO STATEMENT

ENVIRONMENT WARNING.

(xxx) ENVIRONMENT WARNING

--EOF--

EOF ENCOUNTERED.

EOF, NO LEGAL CARD

EOI CHANGED BY RECOVERY.

EOI ENCOUNTERED.

EOI NOT ON TRACK CHAIN.

--EOR--

EQest Atrack PF RECOVERY ERROR.

EQest Atrack1 Ttrack2 Ssector LINKAGE ERROR.

EQest BUSY ON ID=id.

EQest,Ccc,link,sec,ann,Stttt,Fqqqq.

or
EQest,Ccc,link,sec,ann,Stttt,Unit
Cylinder, Strack, sector.

EQest, CHcc Account INCOMPLETE TRANSFER.

EQest, CHcc CONTROLLER HUNG BUSY.

EQest,CHcc, CONTROLLER RESERVED.

EQest, CHcc Fcode FUNCTION TIMEOUT.

EQest, CHcc Fcode REJ
Pdriver,Cconvert,Eequip.

EQest, CHch, NOT READY.

EQest, CHcc PRINT ERROR LIMIT EXCEEDED.

EQest, CHcc RESERVED.

EQest, CHcc TURNED OFF.

EQest, CLEARING MST INTERLOCKS.

EQest, COMPARE ERROR.

EQest,DAF INTERLOCKS NOT CLEARED.

EQest,DATA ERROR AT -PHYSICAL POSITION-.
EQest,Rxxxxxx,Tyyy,Szzz.

EQest,DATA EXP www.eeeeeeeeeeeeeee
EQest,DATA READ www.rrrrrrrrrrrrrrrr
EQest,DATA DIFF www.dddddddddddddddd

EQest,DEV.-TYPE ERR--PHYSICAL POSITION-.
EQest,Rxxxxxx,Tyyy,Szzz.

EQest - DEVICE ACCESS ERROR.

EQest nnnn DIRECT ACCESS FILE ERRORS.

EQest nnnn DIRECT ACCESS FILES RECOVERED.

EQest,DNdn,message.

EQest DOWNED BY SYSTEM.

EQest, ERROR IDLE SET.

EQest xx ERROR RETRY UNDERWAY.

MANUAL	PUB. NO.
FORTLAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
SORT MERGE 4&1	60497500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
EQest,EXP. POSITION -PHYSICAL POSITION-. EQest,Rxxxxxxx,Tyyyy,Szzzz.	NOS 2 OPER HB	60459310
EQest. FEED FAILURE.	NOS 2 OPER HB	60459310
EQest FLAWING INCOMPLETE.	NOS 2 OPER HB	60459310
EQest nn FLAWS NOT PROCESSED, list.	NOS 2 OPER HB	60459310
EQest HAS A UNIT DEFINED ON A NONEXISTENT *CM*	NOS 2 OPER HB	60459310
EQest HAS A UNIT DEFINED ON THE WRONG *CM* TYPE.	NOS 2 OPER HB	60459310
EQest,Lsss.....sss. EQest,Lsss.....sss. EQest,Lsss.....sss.	NOS 2 OPER HB	60459310
EQest MUST HAVE A DRIVE DEFINED ON IT.	NOS 2 OPER HB	60459310
EQest OFFED BY SYSTEM.	NOS 2 OPER HB	60459310
EQ OR DN INCORRECT.	NOS 2 OPER HB	60459310
EQest. PF CATALOG SIZE ERROR.	NOS 2 OPER HB	60459310
EQest PF INITIALIZE COMPLETE.	NOS 2 OPER HB	60459310
EQxxx,POS. ERROR AT -PHYSICAL POSITION-. EQxxx,Rxxxxxxx,Tyyyy,Szzzz.	NOS 2 OPER HB	60459310
EQest nnnn PRESERVED FILE ERRORS.	NOS 2 OPER HB	60459310
EQest, nnnn PRINT ERRORS.	NOS 2 OPER HB	60459310
EQest nnnn QUEUED FILE ERRORS.	NOS 2 OPER HB	60459310
EQest nnnn QUEUED FILES IGNORED.	NOS 2 OPER HB	60459310
EQest nnnn QUEUED FILES RECOVERED.	NOS 2 OPER HB	60459310
EQest REDEFINITION COMPLETE.	NOS 2 OPER HB	60459310
EQest - SECURED DEVICE.	NOS 2 OPER HB	60459310
EQest, SECURED DEVICE RECOVERED.	NOS 2 OPER HB	60459310
EQest, SSER, Ttrack, **, filename.	NOS 2 OPER HB	60459310
EQest SYSTEM USAGE OF DEVICE SUSPENDED.	NOS 2 OPER HB	60459310
EQest,TKtrac, INCORRECT LOCAL FILE.	NOS 2 OPER HB	60459310
EQest, TKtrack, MEDIA DEFECT ENCOUNTERED.	NOS 2 OPER HB	60459310
EQest TRACK LIMIT.	NOS 2 OPER HB	60459310
EQest, TRACK LIMIT.	NOS 2 OPER HB	60459310
EQest, TRACK LIMIT ON CHECKPOINT DEVICE	NOS 2 OPER HB	60459310
EQxx TRACK LIMIT ON IOFT.	NOS 2 OPER HB	60459310
EQest nn TRACKS FLAWED.	NOS 2 OPER HB	60459310
EQest, Uunit, PS=serialn.	NOS 2 OPER HB	60459310
EQest, Uuu,PS=ssssss.	NOS 2 OPER HB	60459310
EQest,UNuu, CHECKING RESERVE.	NOS 2 OPER HB	60459310
EQest,UNuu, UNIT RESERVED.	NOS 2 OPER HB	60459310
EQest UNITS SPAN DIFFERENT CHANNELS	NOS 2 OPER HB	60459310
EQest, VALIDATION ERROR ec.	NOS 2 OPER HB	60459310
EQest VERIFICATION FAILURE.	NOS 2 OPER HB	60459310
EQPDECK NOT ON TAPE.	NOS 2 OPER HB	60459310
EQUAL SIGN = IS SPECIFIED FOR A DIGIT	FORTRAN EXT 4	60497800

MESSAGE

EQUAL SIGN MUST BE FOLLOWED BY NAME, NUMBER OR SLASH
EQUAL SIGN MUST BE FOLLOWED BY NAME, NUMBER OR SLASH
EQUAL SIGN MUST BE PRESENT
EQUAL SIGN MUST BE PRESENT
EQUAL SIGN NOT ALLOWED
EQUAL SIGN NOT ALLOWED
EQUATED FILENAME NOT PREVIOUSLY DEFINED
EQUIPMENT xx AT EST est ALREADY RESERVED.
EQUIPMENT NOT AVAILABLE.

EQUIPMENT xx NOT FOUND AT EST est.

EQUIPMENT xx OFF AT EST est.

EQUIPMENT SIZE ERROR.

EQUIPMENT STATUS INCORRECT.

EQUIVALENCE MISSING.

EQUIVALENCED ARRAY HAS SUBSCRIPT LESS THAN DIMENSION LOWER BOUND

EQUIVALENCED ARRAY HAS SUBSCRIPT WHICH EXCEEDS DIMENSION BOUND

EQUIVALENCED COMMON BLOCK EXCEEDS 131071 WORDS

EQest1 EQest2 CONFLICTING DN.

EQest1 EQest2 CONFLICTING PN.

EQest1 EQest2 CONFLICTING UM.

ERASE LIMIT.

ERASE LIMIT, filename AT address.

ERR - ifn ALREADY EXISTS

ERR - CH= MUST SPECIFY A TOTAL COUNT LESS THAN 80

ERR - COLUMN OR UNIT SPECIFIED BUT NO/TEXT//

ERR - COMPILER NAME REQUIRED

ERR - ifn CONNECTED TO TERMINAL

ERR DATA DECL MISSING

ERR - EDITFILE EMPTY - NO INFORMATION TO BE ANALYZED

ERR field ERROR IN BRD PARAMETER

ERR field ERROR IN FIELD MNEMONICS

ERR field ERROR IN FIELD MNEMONICS

ERR field ERROR IN 1ST PARAMETER

ERR field ERROR IN 1ST PARAMETER

ERR field ERROR IN 3RD PARAMETER

ERR - FILE ifn CANNOT BE FOUND

ERR FILE NAME MISSING

ERR - FILE NAME MUST BE ALPHANUMERIC, 7 MAX AND FIRST ALPHABETIC

ERR - FILE NAME REQUIRED

ERR FIRST PARAMETER MISSING

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
RHF SUBSYST. RM	60459990
ALGOL 4 RM	60496600
NAM 1 RM	60499500
RHF SUBSYST. RM	60459990
NAM 1 RM	60499500
RHF SUBSYST. RM	60459990
NAM 1 RM	60499500
RHF SUBSYST. RM	60459990
ALGOL 4 RM	60496600
RHF SUBSYST. RM	60459990
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
RHF SUBSYST. RM	60459990

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ERR FIRST PARAMETER MISSING	NAM 1 RM	60499500
ERR - FROM Annnnnn - INTERNAL ERROR	ALGOL 4 RM	60496600
ERR HEADER AREA ADDRESS MISSING	NAM 1 RM	60499500
ERR - ILLEGAL COLUMN RANGE	ALGOL 4 RM	60496600
ERR - ILLEGAL LINE RANGE	ALGOL 4 RM	60496600
ERR field ILLEGAL REGISTER NAME	RHF SUBSYST. RM	60459990
ERR field ILLEGAL REGISTER NAME	NAM 1 RM	60499500
ERR - lfn IMPROPERLY ATTACHED FOR THIS OPERATION	ALGOL 4 RM	60496600
ERR - INCREMENT MUST BE GREATER THAN 0	ALGOL 4 RM	60496600
ERR - LINE nnnnnn GREATER THAN FORMAT CH COUNT	ALGOL 4 RM	60496600
ERR - LINE NO. GREATER THAN 999999	ALGOL 4 RM	60496600
ERR - LINE NUMBER OUT OF SEQUENCE	ALGOL 4 RM	60496600
ERR - LINE NUMBER REQUIRED	ALGOL 4 RM	60496600
ERR - LINE nnnnnn TRUNCATED TO 80 CHARS	ALGOL 4 RM	60496600
ERR - LINES GREATER THAN 80 CHARS WERE TRUNCATED	ALGOL 4 RM	60496600
ERR - LINES TRUNCATED : CH=nn CHARS LONGEST LINE WAS mm	ALGOL 4 RM	60496600
ERR MAXACN ADDRESS MISSING	RHF SUBSYST. RM	60459990
ERR MAXACN ADDRESS MISSING	NAM 1 RM	60499500
ERR MINACN ADDRESS MISSING	RHF SUBSYST. RM	60459990
ERR MINACN ADDRESS MISSING	NAM 1 RM	60499500
ERR MSG WHICH FOLLOWS HAS TYPE CODE nn	CDCS 2 DA RM	60485200
ERR MUST BE LIST=	RHF SUBSYST. RM	60459990
ERR MUST BE LIST =	NAM 1 RM	60499500
ERR - NO INFORMATION IN EDIT FILE	ALGOL 4 RM	60496600
ERR NSUP ADDRESS MISSING	RHF SUBSYST. RM	60459990
ERR NSUP ADDRESS MISSING	NAM 1 RM	60499500
ERR - ON OR OFF REQUIRED	ALGOL 4 RM	60496600
ERR OP CODE MISSING	RHF SUBSYST. RM	60459990
ERR - OVERWRITE ILLEGAL ON PERM FILE	ALGOL 4 RM	60496600
ERR - PARAM n: COLUMN SPECIFICATION INCOMPLETE	ALGOL 4 RM	60496600
ERR - PARAM n: DUPLICATE PARAMETER	ALGOL 4 RM	60496600
ERR - PARAM n: ILLEGAL LINE NUMBER	ALGOL 4 RM	60496600
ERR - PARAM n: NUMERIC PARAMETER REQUIRED	ALGOL 4 RM	60496600
ERR - PARAM n: /TEXT2/ REQUIRED	ALGOL 4 RM	60496600
ERR - PARAM n: TOO MANY DIGITS	ALGOL 4 RM	60496600
ERR - PARAM n: UNRECOGNIZABLE PARAMETER	ALGOL 4 RM	60496600
ERR PARAMETER MISSING	NAM 1 RM	60499500
ERR - RESERVED FILE NAME	ALGOL 4 RM	60496600
ERR SECOND PARAMETER MISSING	RHF SUBSYST. RM	60459990
ERR SECOND PARAMETER MISSING	NAM 1 RM	60499500
ERR STATUS ADDR MISSING	RHF SUBSYST. RM	60459990
ERR STATUS ADDRESS MISSING	RHF SUBSYST. RM	60459990

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ERR STATUS ADDRESS MISSING	NAM 1 RM	60499500
ERR - TAB= MUST SPECIFY ONLY 1 CHAR	ALGOL 4 RM	60496600
ERR - TABLE LENGTH MUST BE GREATER THAN ZERO	ALGOL 4 RM	60496600
ERR - TABS TOO BIG OR OUT OF ORDER	ALGOL 4 RM	60496600
ERR TEXT AREA ADDRESS MISSING	NAM 1 RM	60499500
ERR TEXT LIMIT IS MISSING	NAM 1 RM	60499500
ERR - /TEXT/ MUST HAVE AT LEAST 1 CHAR	ALGOL 4 RM	60496600
ERR THIRD PARAMETER MISSING	NAM 1 RM	60499500
ERR TIME OUT MISSING	RHF SUBSYST. RM	60459990
ERR - TOO MANY PARAMETERS	ALGOL 4 RM	60496600
ERR - TOO MANY TABS	ALGOL 4 RM	60496600
ERR - UNRECOGNIZABLE COMMAND	ALGOL 4 RM	60496600
ERR WAIT CODE MISSING	RHF SUBSYST. RM	60459990
ERR 2D PARAMETER MISSING	RHF SUBSYST. RM	60459990
ERR 3D PARAMETER MISSING	RHF SUBSYST. RM	60459990
ERR 4TH PARAMETER MISSING	RHF SUBSYST. RM	60459990
ERRONEDUS BUFFER POINTER.	NOS 2 TAPE MGMT	60463350
divname-mmm ERROR AND nn WARNING MESSAGES ISSUED.	NOS 2 OPER HB	60459310
ERROR ASSIGNED VSNS AT MAXIMUM.	NOS 2 TAPE MGMT	60463350
ERROR AT aaaaa IN ddddddd LAST OVERLAY LOADED - (p,s)	FORTRAN 5 RM	60481300
ERROR AT LINE nn CARD NO. nnn COLUMN kkk SYNTAX ERROR	FTN 4-5 CONV RM	60483000
ERROR CODE nnn	FORTRAN EXT 4	60497800
ERROR CODE ec. filename AT address.	NOS 2 RS VOL 3	60459680
+++++ ERROR CONDITION RAISED WITH ONCODE=nnnn	NOS 2 RS VOL 4	60459690
ERROR DATA FIELD ERROR.	PL/I RM	60388100
ERROR DETECTED BY xname - cause - message	NOS 2 TAPE MGMT	60463350
ERROR DIRECTIVE INVALID FROM CURRENT LEVEL.	8-BIT SUBR RM	60495500
ERROR DURING ROLL IN--CDCS ABORTED	NOS 2 TAPE MGMT	60463350
ERROR DURING ROLL IN--CDCS ABORTED	CDCS 2 DA RM	60485200
ERROR DURING ROLL OUT--CDCS ABORTED	CDCS 2 AP RM	60485300
ERROR DURING ROLL OUT--CDCS ABORTED	CDCS 2 DA RM	60485200
ERROR ec DURING ROUTE OF FILE nm.	CDCS 2 AP RM	60485300
ERROR - ENTRY entry	NOS 2 OPER HB	60459310
(-ERROR-)ERROR nnn ON TRANSACTION RECOVERY FILE-SCHEMA sn	NAM 1 TERM INTF	60480600
ERROR EXPECTING ATTR. BOX, KEY, PANEL, TABLE, VAR or)	CDCS 2 DA RM	60485200
ERROR EXPECTING CONSTANT AFTER =	NOS 2 SF RM	60460430
ERROR EXPECTING CONSTANTS AFTER RANGE	NOS 2 SF RM	60460430
ERROR EXPECTING LIST AFTER MATCH	NOS 2 SF RM	60460430
ERROR EXPECTING NAME= OR ROWS= AFTER TABLE	NOS 2 SF RM	60460430
ERROR EXPECTING NORMAL=(keys) OR ABNORMAL=(keys) AFTER KEY	NOS 2 SF RM	60460430

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ERROR EXPECTING NORMAL= OR ABNORMAL= AFTER KEY	NOS 2 SF RM	60460430
ERROR EXPECTING PANEL NAME AFTER PANEL	NOS 2 SF RM	60460430
ERROR EXPECTING PHYSICAL ATTRIBUTE	NOS 2 SF RM	60460430
ERROR EXPECTING PRIMARY OR OVERLAY	NOS 2 SF RM	60460430
ERROR EXPECTING QUOTED DELIMITERS	NOS 2 SF RM	60460430
ERROR EXPECTING STRING AFTER HELP	NOS 2 SF RM	60460430
ERROR EXPECTING TABLE DIMENSION	NOS 2 SF RM	60460430
ERROR EXPECTING TABLE NAME	NOS 2 SF RM	60460430
ERROR EXPECTING TERMINATOR CHARACTER	NOS 2 SF RM	60460430
ERROR EXPECTING TERMINATOR= OR WEIGHT= AFTER BOX	NOS 2 SF RM	60460430
ERROR EXPECTING TYPE= AFTER PANEL	NOS 2 SF RM	60460430
ERROR EXPECTING VAR NAME AFTER VAR	NOS 2 SF RM	60460430
ERROR EXPECTING X, A, 9, N, E, YMD, MDY, DMY OR \$ FORMAT	NOS 2 SF RM	60460430
ERROR EXTENDING LOG FILE LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
ERROR EXTENDING RESTORE LOGFILE	QU/CRM DA RM	60482100
ERROR FIELD DECLARED DIFFERENT SIZE	NOS 2 SF RM	60460430
ERROR FILE ALREADY RESERVED.	NOS 2 TAPE MGMT	60463350
ERROR FILE BUSY.	NOS 2 TAPE MGMT	60463350
ERROR FILE IDENTIFIER CONFLICT.	NOS 2 TAPE MGMT	60463350
ERROR FILE LIMIT.	NOS 2 OPER HB	60459310
ERROR FILE NAME CONFLICT.	NOS 2 TAPE MGMT	60463350
ERROR FILE NOT IN CATALOG.	NOS 2 TAPE MGMT	60463350
ERROR FILE NOT RESERVED.	NOS 2 TAPE MGMT	60463350
ERROR - FILES(S) NOT PROCESSED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR FLAG n	CDCS 2 DA RM	60485200
ERROR FLAG n	CDCS 2 AP RM	60485300
ERROR FLAG NOT SET IN CSUMAP.	NOS 2 OPER HB	60459310
ERROR FLAG NOT SET IN SMMAP.	NOS 2 OPER HB	60459310
ERROR FLAG TERMINATION, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR FLAG TERMINATION, FILE filename AT address	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ERROR - ILLEGAL RECORD TYPE ON SELECT FILE	CDCS 2 DA RM	60485200
ERROR IN libdeck.	NOS 2 OPER HB	60459310
****ERROR IN ACCESS LEVEL.	NOS 2 OPER HB	60459310
ERROR IN ACCOUNT/USER CARD ARGUMENT.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ERROR IN ADD/DELETE VSN.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
ERROR IN ALPHANUMERIC DATA.	NOS 2 OPER HB	60459310
**** ERROR IN ALPHANUMERIC DATA.	NOS 2 OPER HB	60459310
ERROR IN ALTERNATE CATLIST PERMISSION	NOS 2 RS VOL 3	60459680

MESSAGE

ERROR IN ARGUMENT.
ERROR IN ARGUMENTS.
ERROR IN ARGUMENTS.
ERROR IN ARGUMENTS
ERROR IN ATTACHING USER DATABASE.
ERROR IN ATTRIBUTE.
ERROR IN B DIRECTIVE
ERROR IN BACKUP REQUIREMENT.
ERROR IN BD= DIRECTIVE
ERROR IN BLOCK TABLE
ERROR IN BRF PARAMETER IN xxJ FILE.
ERROR IN BT= DIRECTIVE
ERROR IN BUILDING DIRECTORY ENTRIES.
ERROR IN BUILDING RECOVERY TABLES.
ERROR IN BUILDING *RMKDEF* FILE.
ERROR IN C DIRECTIVE
ERROR IN C.GETEP CALL - FATAL
ERROR IN C.GETEP CALL - FATAL
ERROR IN CATALOG DATA.
ERROR IN CHANGE
ERROR IN CHANNEL NUMBER.
ERROR IN CHECKSUM DETECTED.
ERROR IN CHVAL ARGUMENTS.
ERROR IN CN= DIRECTIVE
ERROR IN COL LIMITS -- IGNORED
*** ERROR IN COLUMN nn, MUST BE BLANK OR
COMMA.
ERROR IN CONTROL ARGUMENTS.
ERROR IN CRM CARD ARGUMENTS.
ERROR IN CRM -PUT- (RECORD LOAD).
ERROR IN DATE.
ERROR IN DATE.
ERROR IN DEVICE NUMBER.
ERROR IN DEVICE NUMBER.
ERROR IN DIRECTORY.
ERROR IN DN= DIRECTIVE
ERROR IN DOCMENT ARGUMENTS.
ERROR IN E DIRECTIVE
ERROR IN ED= DIRECTIVE
ERROR IN EDIT PROCESSING.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
ALGOL 4 RM	60496600
TAF 1 RM	60459500
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NAM 1 RM	60499500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 TAPE MGMT	60463350
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
PL/I RM	60388100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310

MESSAGE

ERROR IN EQUIPMENT NUMBER.
ERROR IN ET= DIRECTIVE
ERROR IN EXPIRATION DATE.
ERROR IN F DIRECTIVE
ERROR IN FAMILY NAME.
ERROR IN FCOPY ARGUMENTS.
*** ERROR IN FIELD (xxxxx), MUST BE 5 HEX.
DIGITS.
ERROR IN FILE CATEGORY.
ERROR IN FILE DATA.
ERROR IN FILE SIZE RANGE.
ERROR IN FILE TYPE.
ERROR IN FILENAME LIST.
ERROR IN IAFEX ARGUMENTS.
ERROR IN IAFEX PARAMETER - T.
ERROR IN ID RANGE.
ERROR IN IDENTIFIER.
**** ERROR IN IDENTIFIER.
ERROR IN INDEX DATA.
*** ERROR IN INPUT DIRECTIVE COLUMN 1 ***
ERROR IN IXN CARD ARGUMENTS.
ERROR IN KRONREF ARGUMENTS.
ERROR IN LCF -- SUMMARY SUPPRESSED.
ERROR IN LCF -- SUMMARY SUPPRESSED
ERROR IN LE= DIRECTIVE
ERROR IN LIBRARY ARGUMENTS.
ERROR IN LIMITS ARGUMENT.
ERROR IN LIST PROCESSING.
ERROR IN *LO* SPECIFICATION.
ERROR IN LOADING AAMI.
ERROR IN LOADING HASH CODE filename.
ERROR IN LOADING NAM.
ERROR IN LOADING OVL n,O
ERROR IN LOADING TOTAL.
ERROR IN MODE.
ERROR IN MODIFY ARGUMENTS.
ERROR IN N DIRECTIVE
ERROR IN NCF -- SUMMARY SUPPRESSED.
ERROR IN NCF -- SUMMARY SUPPRESSED

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NDL 1 RM	60480000
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NDL 1 RM	60480000

MESSAGE

ERROR IN NM= DIRECTIVE
ERROR IN NUMERIC DATA.
**** ERROR IN NUMERIC DATA.
ERROR IN *OP* SPECIFICATIONS.
ERROR IN P DIRECTIVE
ERROR IN PARAMETERS.

ERROR IN PASSWOR ARGUMENTS.
ERROR IN PERFORMING SERVO CHECK ON UNITxx.
ERROR IN PERMIT DATA.

ERROR IN PF= DIRECTIVE
ERROR IN PREFERRED RESIDENCE.
ERROR IN PROFILE ARGUMENTS.
ERROR IN PS= DIRECTIVE
ERROR IN R DIRECTIVE
ERROR IN RATE PARAMETER.
ERROR IN READING TASKLIB=filename.

ERROR IN RECORD DUMP.

ERROR IN RESIDENCE.
ERROR IN RETRIEVING VSN.

ERROR IN ROUTE FCN.
EC=error
ERROR IN ROUTE FUNCTION, LFN=filename.

ERROR IN ROUTE, PROGRAM NOT INVOKED
ERROR IN SECHOR PARAMETERS.
ERROR IN SECOND PPS.
ERROR IN SELECTED QUEUE TYPE.
ERROR IN SM= DIRECTIVE
ERROR IN SN= DIRECTIVE
ERROR IN STIMULATOR ARGUMENTS.
ERROR IN SUBMITTED FILE.
ERROR IN SUBSYSTEM.
*****ERROR IN SYMBOL FILE -
ERROR IN SYSTEM TEXT.
ERROR IN T DIRECTIVE
ERROR IN TIME.
ERROR IN TRMDEF ARGUMENT.
ERROR IN U DIRECTIVE
ERROR IN UNIT LIST.
ERROR IN UPROC ARGUMENTS.
ERROR IN USER INDEX RANGE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310

MESSAGE

**** ERROR IN USER NAME.
 ERROR IN X DIRECTIVE
 ERROR IN XEDIT ARGUMENTS.
 ERROR IN 5TH COPYL PARAMETER.
 ERROR IN 5TH COPYL PARAMETER
 ERROR - INCORRECT RECORD LENGTH DATA IN LOG RECORD
 ERROR INVALID DIRECTIVE.
 ERROR INVALID SEQUENCE NUMBER.
 ERROR LIMIT. integer ADDITIONAL ERRORS
 FOUND.
 ERROR LIMIT EXCEEDED.
 ERROR LIMIT EXCEEDED- num ERRORS
 ERROR LOADING -DIO-.
 ERROR LOG PROCESSED.
 ERROR MESSAGES MAY NOT BE SUPPRESSED
 ERROR MORE THAN 256 BOX ELEMENTS
 ERROR MORE THAN 256 VARIABLES
 ERROR MORE THAN 32 ATTRIBUTES
 ERROR MORE THAN 32 KEYS
 ERROR MORE THAN 8 BOXES
 ERROR MORE THAN 8 TABLES
 ERROR. NO PERMISSION TO WRITE NEWPL
 ERROR NO SCRATCH AVAILABLE.
 ERROR NON-MATCHING STATUSES.
 ERROR NOT IN TABLE
 ERROR NUMBER nnn IN DBQRFA
 ERROR NUMBER nnn IN DB\$RSEL
 xxxx ERROR OCCURRED DURING CENTRAL MEMORY
 INITIALIZATION. THE FOLLOWING ADDRESSES
 WERE THE FIRST FAILURES ENCOUNTERED.
 yyyyyy
 zzzzzz

 ERROR ON ACTIVE DEVICES.
 ERROR ON DETACH.
 ERROR ON DEVICE WITH ACTIVE FILES.
 ERROR ON FILE - PROFILa.

 ERROR ON xxJ FILE ARGUMENTS.

 ERROR ON LINK DEVICE.
 ERROR ON OUTPUT FILE.
 ERROR ON ROLLFILE - EXEC RESTARTING.
 ERROR ON SYSTEM DEVICE.
 ERROR ON TRAP FILE ZZZZZ28
 ERROR OPENING DATA FILE

MANUAL	PUB. NO.
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
CDCS 2 DA RM	60485200
NOS 2 TAPE MGMT.	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
UPDATE RM	60449900
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 SF RM	60460430
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
QU/CRM DA RM	60482100

MESSAGE

ERROR OPENING LOG FILE
ERROR ec OPENING PANEL pan.
ERROR OR AREA id VERSION sn
ERROR OR AREA id VERSION sn
ERROR PANEL IMAGE EXCEEDS 64 LINES
ERROR - PARITY - entry
ERROR PROCESSING LIMIT.
ERROR RANGE LOW GT HIGH
ERROR RANGE OR CHAR NOT ALLOWED
ERROR READ DIRECTIVE INVALID.
ERROR READING THE PFC.
ERROR REAL CONSTANT FORMAT
ERROR REQUIRED DATA MISSING.
ERROR, SCAN INCOMPLETE
ERROR SHIFT NOT ALLOWED
ERROR STATUS nnnB ON BACKUP DIRECTORY.

ERROR STRING LENGTH
ERROR TABLE DIMENSION REQUIRED
ERROR TABLE NAME REQUIRED
ERROR TABLE OVERFLOW
ERROR TABLE PARAMETER
ERROR-TERMINATED DAYFILE ON LOCAL FILE.
ERROR TERMINATOR CHAR REQUIRED
ERROR TOO MANY ATTR PARAMETERS
ERROR TOO MANY VAR PARAMETERS
ERROR - TVF READY
ERROR TWO VAR NAMES
ERROR TYPE/FORMAT MISMATCH IN PRECEDING
VAR
ERROR UNEXPECTED END OF FILE
ERROR UNKNOWN KEYWORD
ERROR UNTERMINATED STRING
ERROR VALIDATED USERS AT MAXIMUM.
ERROR VALIDATION TABLE OVERFLOW
ERROR VALUE TYPE MISMATCH
ERROR VAR DECLARED TWICE
ERROR VAR NAME NOT SPECIFIED
ERROR VSN ALREADY ASSIGNED.
ERROR VSN ALREADY IN CATALOG.
ERROR VSN ALREADY RESERVED BY USERNAM.
ERROR VSN BUSY.
ERROR VSN NOT ADDED TO CATALOG.

<u>MANUAL</u>	<u>PUB. NO.</u>
QUJ/CRM DA RM	60482100
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 SF RM	60460430
NAM 1 TERM INTF	60480600
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NOS 2 TAPE MGMT	60463350
FTN 4-5 CONV RM	60483000
NOS 2 SF RM	60460430
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NAM 1 TERM INTF	60480600
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 TAPE MGMT	60463350
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350

MESSAGE

MANUAL PUB. NO.

ERROR VSN NOT ADDED TO FILE.
ERROR VSN NOT AVAILABLE.
ERROR VSN NOT IN CATALOG.
ERROR. WIDTH EXCEEDS 256 CHARACTERS
ERROR WRITING TITLE
ERRORED FILE PARTIALLY DUMPED - filename.
ERRORNOT ALL MODS WERE PROCESSED***
filename - xxx ERRORS AND yy WARNINGS.
lfn - mmm ERRORS AND nn WARNINGS
ERRORS DETECTED DURING SELECTION
ERROR(S) ENCOUNTERED IN DMREC PROCESSING.

nnnnnnnnn ERRORS IN xxxxxxxx
ERRORS IN BINARY - RUN ABORTED
n ERRORS IN INPUT
n ERRORS IN INPUT, NEWPL, COMPILE, SOURCE SUPPRESSED
ERRORS IN INPUT - RUN ABORTED
ERRORS IN INSTALL (CR) TO PROCESS DIFFERENT
DEVICE
n ERRORS IN UPDATE INPUT
ES, filename/userindex/length/code.
ESM ERROR - BUFFERED I/O.
ESTest
ESTest,CHch
or
ESTest,CHch,SMdn
or
ESTest,CHch,SMdn,DRDrd
EST ORDINAL est - NO UDT ENTRY.
EST ORDINAL est OUT OF RANGE.
EST READ ERROR
EST/UDT CHANNEL MISMATCH.
EVENT NAME MUST BE LQ 6 CHARS
EVFU PROBLEM - SEE CDCNET NETWORK LOG FILE
EX SPECIFIED TWICE
EX-1 DWNCODE ILLEGAL
EXCESS CARDS IN SOURCE STATEMENT
EXCESS CONSTANTS IGNORED
EXCESS CONSTANTS IGNORED
EXCESS LEFT PAREN IN I/O LIST
EXCESS LEFT PAREN IN I/O LIST
EXCESS LEFT PAREN IN I/O LIST ITEM SUBSCRIPT
EXCESS LEFT PAREN IN I/O SUBSCRIPT
EXCESS PARAMETERS.
EXCESS RIGHT PAREN IN I/O LIST

NOS 2 TAPE MGMT 60463350
NOS 2 TAPE MGMT 60463350
NOS 2 TAPE MGMT 60463350
UPDATE RM 60449900
FORM RM 60496200
NOS 2 OPER HB 60459310
UPDATE RM 60449900
NOS 2 OPER HB 60459310
NDL 1 RM 60480000
CDCS 2 DA RM 60485200
TAF 1 RM 60459500
NOS 2 OPER HB 60459310
COMPASS 3 RM 60492600
NPS RM 60480500
UPDATE RM 60449900
UPDATE RM 60449900
NPS RM 60480500
NOS 2 OPER HB 60459310

UPDATE RM 60449900
NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310

NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310
NOS 2 OPER HB 60459310
NPS RM 60480500
NOS 2 OPER HB 60459310
FORM RM 60496200
SORT MERGE 4&1 60497500
FTN 4-5 CONV RM 60483000
FORTRAN 5 RM 60481300
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
FORTRAN EXT 4 60497800
FORTRAN 5 RM 60481300
FORTRAN EXT 4 60497800
NOS 2 OPER HB 60459310
FORTRAN 5 RM 60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
EXCESS RIGHT PAREN IN I/O LIST	FORTRAN EXT 4	60497800
EXCESS SUBSCRIPTS ON EQUIVALENCE VARIABLE	FORTRAN 5 RM	60481300
EXCESS SUBSCRIPTS ON EQUIVALENCE VARIABLE nnnnn	FORTRAN EXT 4	60497800
EXCESSIVE PARITY ERRORS.	NOS 2 OPER HB	60459310
EXCHANGE PACKAGE/MEMORY DUMP ON FILE ZZDUMP.	NOS 2 RS VOL 3 NOS 2 RS VOL 4 NOS 2 RS VOL 3	60459680 60459690 60459680
EXEC ABNORMAL. xxx.	NOS 2 OPER HB	60459310
EXEC ABNORMAL. xxxxx.	NOS 2 OPER HB	60459310
EXEC ABORT - SYNTAX ERRORS.	NOS 2 OPER HB	60459310
EXEC IN SINGLE MAINFRAME MODE.	NOS 2 OPER HB	60459310
EXEC IN SINGLE MAINFRAME MODE	NOS 2 OPER HB	60459310
EXEC MMF INITIALIZATION FAILED - - message.	NOS 2 OPER HB	60459310
EXEC MMF INITIALIZATION FAILED - ALL SLAVES OMITTED. or	NOS 2 OPER HB	60459310
EXEC MMF INITIALIZATION FAILED - ATTACH MTOS FAILED. or		
EXEC MMF INITIALIZATION FAILED - DEFINE MTOS FAILED. or		
EXEC MMF INITIALIZATION FAILED - MTOS FILE BUSY. or		
EXEC MMF INITIALIZATION FAILED - SETPPF PROBLEM.		
EXEC MMF INITIALIZATION OK.	NOS 2 OPER HB	60459310
EXEC MMF INITIALIZATION OK	NOS 2 OPER HB	60459310
EXEC - SLAVE i xxxx.	NOS 2 OPER HB	60459310
EXEC - SLAVE N xxxx.	NOS 2 OPER HB	60459310
EXEC - SLAVE i OMITTED - message.	NOS 2 OPER HB	60459310
EXEC - SLAVE i OMITTED - message - STOM FILE ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
EXEC - SLAVE i OMITTED - message.	NOS 2 OPER HB	60459310
EXEC - SLAVE n OMITTED. NO STOM FILE. STOM FILE LENGTH PROBLEM.	NOS 2 OPER HB	60459310
EXEC SMF MODE - ALL SLAVES OMITTED.	NOS 2 OPER HB	60459310
EXECUTABLE STATEMENT ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN 5 RM	60481300
EXECUTABLE STATEMENT ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN EXT 4	60497800
EXECUTE	NOS 2 RS VOL 3	60459680
EXECUTE ONLY FILE.	NOS 2 RS VOL 3	60459680
nnnn EXECUTING JOB FILES RECOVERED.	NOS 2 OPER HB	60459310
EXISTING BREAKPOINT WILL BE REDEFINED	INTER DEBUG RM	60481400
EXISTING SUSPEND FILE WILL BE OVERWRITTEN	INTER DEBUG RM	60481400
EXIT NUMBER GT6	SORT MERGE 4&1	60497500
EXIT NUMBER LT1	SORT MERGE 4&1	60497500
EXITING AUXILIARY FILE WILL BE CLOSED	INTER DEBUG RM	60481400
EXPECTED C\$ DIRECTIVE LABEL -- FOUND	FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
EXPECTED C\$ PARAMETER -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER COUNT -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER COUNT -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA AFTER FORMAT INDICATOR -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA AFTER FORMAT SPECIFIER -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA AFTER I/O CONTROL -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED COMMA OR RIGHT PAREN -- FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA OR SLASH FOUND	FORTRAN 5 RM	60481300
EXPECTED COMMA OR SLASH FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED DO CONTROL INDEX -- FOUND	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND AND IGNORED	FORTRAN 5 RM	60481300
EXPECTED E.O.S. -- FOUND AND IGNORED nnnnn	FORTRAN EXT 4	60497800
EXPECTED E.O.S. OR RETURNS PARAMETER FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED EQUAL SIGN -- FOUND	FORTRAN 5 RM	60481300
EXPECTED FILENAME, FOUND	FORTRAN 5 RM	60481300
EXPECTED FORMAT SPECIFIER -- FOUND	FORTRAN 5 RM	60481300
EXPECTED INTRINSIC FUNCTION NAME -- FOUND	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN BEFORE COUNT -- FOUND	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN BEFORE COUNT -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN FOR AN ARGUMENT LIST -- FOUND	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN FOR AN ARGUMENT LIST, FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN -- FOUND	FORTRAN 5 RM	60481300
EXPECTED LEFT PAREN -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN OR COMMA AFTER ROUTINE NAME FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN OR COMMA FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED LEFT PAREN OR PERIOD -- FOUND	FORTRAN 5 RM	60481300
EXPECTED NAME -- FOUND	FORTRAN 5 RM	60481300
EXPECTED NAME -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED RANGE INDICATOR -- FOUND	FORTRAN 5 RM	60481300
EXPECTED RETURNS FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN AFTER STRING ADDRESS -- FOUND	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN AFTER STRING ADDRESS -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN -- FOUND	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED RIGHT PAREN OR COMMA -- FOUND	FORTRAN 5 RM	60481300
EXPECTED RIGHT PAREN OR COMMA -- FOUND nnnnn	FORTRAN EXT 4	60497800
EXPECTED SLASH -- FOUND	FORTRAN 5 RM	60481300
EXPECTED SYMBOL BUT FOUND nnnnn -- SCAN OF CARD STOPPED	FORTRAN 5 RM	60481300
EXPECTED SYMBOL BUT FOUND nnnnn -- SCAN OF CARD STOPPED	FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
EXPECTED SYMBOL -- FOUND STATEMENT SCAN STOPPED	FORTRAN 5 RM	60481300
EXPECTED VARIABLE OR COMMON BLOCK NAME -- FOUND	FORTRAN 5 RM	60481300
EXPECTING xxxxxx	NOS 2 SF RM	60460430
EXPECTING MONITOR FILE	MCS 1 RM	60480300
EXPECTING PERIOD.	NOS 2 OPER HB	60459310
EXPECTING PERIOD OR COMMA.	NOS 2 OPER HB	60459310
EXPECTING VERB OR VARIABLE, FOUND xxxxxx	NOS 2 SF RM	60460430
EXPONENT EXCEEDS 512	FORTRAN EXT 4	60497800
EXPONENT FIELD ON EDIT DESCRIPTOR AT IS ZERO OR NOT SPECIFIED	FORTRAN 5 RM	60481300
EXPONENT LENGTH IS SPECIFIED FOR THE CONVERSION CODE nnnnn	FORTRAN EXT 4	60497800
EXPONENTIAL PARAMETER ERROR	ALGOL 4 RM	60496600
EXPRESS DUMP COMPLETE (FL USED xxxxxxB).	NOS 2 OPER HB	60459310
EXPRESSION IN INPUT LIST IS ILLEGAL	FORTRAN EXT 4	60497800
..... EXPRESSION NOT CONSANT, OR NOT EVALUATABLE	FORTRAN 5 RM	60481300
EXPRESSION TOO COMPLICATED -- SCAN STOPPED AT	FORTRAN 5 RM	60481300
EXPOO1 AGGREGATE VALUE CANNOT BE ASSIGNED TO SCALAR VARIABLE	PL/I RM	60388100
EXPOO2 RETURN-VALUE CANNOT BE OF TYPE LABEL, ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
EXPOO3 START-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXPOO4 BY-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXPOO5 TO-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXPOO6 WHILE-EXPRESSION IN DO-SPECIFICATION MUST BE SCALAR	PL/I RM	60388100
EXPOO7 EXPRESSION IN IF STATEMENT MUST BE SCALAR	PL/I RM	60388100
EXPOO8 PRECISION P FOR CONSTANT HAS BEEN REDUCED TO LEGAL MAXIMUM	PL/I RM	60388100
EXPOO9 I/O EXPRESSION OR REFERENCE MUST BE SCALAR	PL/I RM	60388100
EXPO10 SCALE FACTOR Q OUT OF RANGE	PL/I RM	60388100
EXPO11 PRECISION P FOR FIXED POINT CONSTANT EXCEEDS LEGAL MAXIMUM	PL/I RM	60388100
EXTENDED MEMORY BLOCK OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
EXTENDED MEMORY ERROR.	NOS 2 OPER HB	60459310
EXTENDED MEMORY ERROR - STORAGE MOVE.	NOS 2 OPER HB	60459310
EXTENDED MEMORY FLAG REGISTER PARITY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
EXTENDED MEMORY LABEL TRACK NOT FOUND.	NOS 2 OPER HB	60459310
EXTENDED MEMORY OUT OF RANGE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
EXTENDED MEMORY PARITY ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
EXTENDED MEMORY PARITY ERROR.	NOS 2 OPER HB	60459310
EXTENDED MEMORY READ ERROR.	NOS 2 RS VOL 3	60459680
EXTENDED MEMORY READ/WRITE PARITY ERRORS.	NOS 2 OPER HB	60459310
EXTENDED MEMORY ROLLIN ERROR.	NOS 2 RS VOL 3	60459680
EXTERNAL ARGUMENT nnnnn MUST BE DEFINED AS EXTERNAL	FORTRAN EXT 4	60497800
EXTERNAL NAME IN ARGUMENT LIST MUST APPEAR IN EXTERNAL STATEMENT	FORTRAN EXT 4	60497800
EXTERNAL UNIT SPECIFIER NOT INTEGER EXPRESSION	FORTRAN 5 RM	60481300

MESSAGE

EXTRA CHARACTER nnnnn AFTER FILE NAME IGNORED
 EXTRA CHARACTERS AFTER UNIT SPECIFIER IGNORED
 EXTRA SEPARATOR
 EXTRA WORKLIST
 EXTRANEOUS COMMA IGNORED
 EXTRANEOUS COMMA IGNORED
 EXTRANEOUS NUMERIC FIELD IN EDIT DESCRIPTOR AT
 EX1, EX2 OWN ILLEGAL
 E=O IS ILLEGAL
 EO1 INPUT NOT COMPILE FILE, UPDATE/MODIFY OUTPUT SPECIFIED...NO OUTPUT GENERATED
 EO2 INPUT NOT SEQUENCED AS SPECIFIED ON CONTROL CARD...NO CONVERSION DONE
 EO3 SYNTAX ERROR IN INPUT STREAM
 EO4 MANUAL CONVERSION MESSAGES ENCOUNTERED
 EO5 FATAL ERROR - NO FURTHER UNIQUE 5 DIGIT LABELS COULD BE GENERATED
 F.P. WITH VARIABLE DIMENSIONS NOT ALLOWED IN A NAMELIST STATEMENT
 F TYPE ERROR NUMBER OF ENTRIES EXCEEDS PERMISSIBLE AMOUNT.
 OCCURRED ON PAGES p1, p2, p3, pn
 FAMILY:
 FAMILY:
 FAMILY FILES ACTIVE.
 FAMILY FOR TERMINAL MUST BE ENTERED.
 FAMILY MASK NOT EQUAL TO 377.
 FAMILY NAME MUST BE ENTERED.
 FAMILY NOT ACTIVE.
 FAMILY NOT FOUND.
 FAMILY NOT FOUND.
 FAMILY NOT FOUND.
 FAMILY NOT FOUND.
 FAMILY NOT FOUND.
 FAMILY NOT FOUND IN SYSTEM.
 FAMILY/PACK NOT FOUND.
 FAST-ATTACH ALTERNATE FILE NOT ALLOWED.
 .FAST ATTACH FILES ON DEVICE.
 nnnn FAST ATTACH FILES RECOVERED.
 FAST-ATTACH PROFILE FILE ILLEGAL.
 FATAL CDCS ERROR -- RUN-UNIT ABORTED
 FATAL CDCS ERROR -- RUN-UNIT ABORTED
 FATAL CIO ERROR STATUS.
 (xxx) FATAL CM ERROR
 (xxx) FATAL CPU ERROR
 d FATAL DIAGNOSTIC(S) ENCOUNTERED
 n FATAL DIRECTIVE ERROR(S)
 FATAL ERROR ISSUED BY THE CST BLDR

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
SORT MERGE 4&1	60497500
NAM 1 RM	60499500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
SORT MERGE 4&1	60497500
FORTRAN 5 RM	60481300
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
FORTRAN EXT 4	60497800
COMPASS 3 RM	60492600
MCS 1 RM	60480300
RBF 1 RM	60499600
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 TAPE MGMT	60463350
NDS 2 OPER HB	60459310
NDS 2 RS VOL 3	60459680
NDS 2 RS VOL 4	60459690
NDS 2 OPER HB	60459310
NDS 2 TAPE MGMT	60463350
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NDS 2 OPER HB	60459310
TAF 1 RM	60459500
NDS 2 OPER HB	60459310
NDS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
SORT MERGE 4&1	60497500
CDCS 2 DA RM	60485200

MESSAGE

n FATAL ERRORS
FATAL ERRORS LOADING SORT
FATAL ERRORS, NO MD CREATED
* FATAL ERRORS - NO TABLES *
FATAL ERRORS PROHIBITED THE CREATION OF THE NEW MD
FATAL INITIALIZATION ERROR.
(xxx) FATAL IOU ERROR
FATAL MAINFRAME ERROR.
(xxx) FATAL MCH ERROR
****FATAL SCHEMA ERROR, UNABLE TO CONTINUE PROCESSING FOR THIS SCHEMA
n FATAL SORT MACRO ERROR(S)
FAULTY PUNCTUATION
FC COMPLETE
FC COMPLETE
FCOPY COMPLETE.
FCT ORDINAL OUT OF RANGE.
FDL ERROR x. ABORT.
FDL ERROR n, LOADING CAPSULE xxxxxxxx
FDL ERROR ec LOADING DBP pn
FDL ERROR N [Dn, LOADING CAPSULE xxxxxxxx
FDL LOAD ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn
FDL LOAD ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn
FDP ABORT - USER VALIDATION ERROR.
FET ADDRESS OUT OF RANGE.
FET ADDRESS OUT OF RANGE AT address.
FET PARAMETER ERROR ON filename AT address.
FET TOO SHORT.

FETCH ITEM/LIST TYPE ERROR
FETCHING FLAW DATA S/N=serialn.
FEX SPECIFIED TWICE
FIELD BEGINNING AT nn NO COMPARE.

FIELD BEYOND RECORD ON LEFT
FIELD BEYOND RECORD ON RIGHT
FIELD LENGTH DUMPED
FIELD LENGTH EXCEEDED FOR CMM.

FIELD LENGTH EXCEEDED FOR LOCKS.

FIELD LENGTH EXCEEDED FOR RECORD.

FIELD LENGTH EXCEEDED FOR USERS.

FIELD LENGTH TOO SHORT FOR BASIC

<u>MANUAL</u>	<u>PUB. NO.</u>
UPDATE RM	60449900
SORT MERGE 4&1	60497500
CDCS 2 DA RM	60485200
MCS 1 RM	60480300
CDCS 2 RM	60481800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
CDCS 2 RM	60481800
SORT MERGE 4&1	60497500
RBF 1 RM	60499600
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
COBOL 5 DH	60482500
CDCS 2 RM	60481800
COBOL 5 RM	60497100
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
FORM RM	60496200
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
TAF 1 RM NOS 2 OPER HB	60459500 60459310
TAF 1 RM NOS 2 OPER HB	60459500 60459310
TAF 1 RM NOS 2 OPER HB	60459500 60459310
TAF 1 RM NOS 2 OPER HB	60459500 60459310
BASIC 3 RM	19983900

MESSAGE

FIELD NOT IN RECORD ON LEFT
FIELD NOT IN RECORD ON RIGHT
FIELD SIZE *60 BITS
FIELD WIDTH IS GREATER THAN 131,071. SCANNING STOPS
FIELD WIDTH IS GREATER THAN 137 CHARACTERS. IT MAY EXCEED THE I/O DEVICE CAPACITY
FIELD WIDTH IS LESS THAN MINIMUM REQUIRED ON EDIT DESCRIPTOR AT hhhhh
FIELD WIDTH NOT SPECIFIED FOR EDIT DESCRIPTOR AT
FIELD WIDTH OF A CONVERSION DESCRIPTOR SHOULD BE AS LARGE AS THE MINIMUM SPECIFIED FOR THAT DESCRIPTOR
FIELD WIDTH OF CONVERSION CODE hhhhh IS ZERO OR NOT SPECIFIED
FIELD WIDTH OF EDIT DESCRIPTOR AT IS ZERO OR NOT SPECIFIED
FILE ALREADY DESTAGED.
DESTAGE ABANDONED.
FILE ALREADY INTERLOCKED.
FILE ALREADY OPEN
FILE ALREADY SPECIFIED
FILE AT LINE NUMBER n.
FILE ATTACH/DEFINE ERROR
FILE fn num BLOCKS REWRITTEN
FILE BOI/EOI/UI MISMATCH.
FILE BUSY PFN= filename UN= username.
FILE BUSY PFN = xxxxxxxx UN = xxxxxxxx.
FILE CANNOT BE RESTORED
FILE CLOSED/UNDEFINED
FILE COUNT PARAM NOT NUMERIC.
FILE DAMAGE
FILE DECLARATION LIST NON-ANSI
FILE EMPTY.
FILE EQUIVALENCE MAY NOT BE O.
FILE ERROR.
FILE ERROR filename.
xxfilen - FILE, ERROR ON LOCK FUNCTION.
xxfilen - FILE, ERROR ON OPEN FUNCTION.
FILE FUNCTION INCORRECT
FILE IDENTIFIER NOT FOUND.
FILE xxJ NOT FOUND.
FILE/JOB NOT FOUND.
FILE LENGTH ERROR.
FILE LENGTH REQUESTED IS TOO LARGE. STANDARD LENGTH OF 2000B SUBSTITUTED

<u>MANUAL</u>	<u>PUB. NO.</u>
FORM RM	60496200
FORM RM	60496200
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
FORM RM	60496200
TEXT EDITOR RM	60436100
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
CDCS 2 RM	60481800
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
CDCS 2 DA RM	60485200
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
APL 2 RM	60454000
FORTRAN 5 RM	60481300
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
TAF 1 RM	60459500
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN EXT 4	60497800

MESSAGE

FILE MSTRDIR NOT AT CONTROL POINT -- RUN ABORTED
FILE NAME CONFLICT.
FILE NAME CONFLICT.
FILE NAME CONFLICT.

FILE NAME CONFLICT.
FILE NAME CONFLICT - filename.
FILE NAME CONFLICT.
.FILE NAME CONFLICT.
FILE NAME CONFLICT.

FILE NAME CONFLICT.
FILE NAME CONFLICT - filename.
FILE NAME CONFLICT.
FILE NAME CONFLICT
FILE NAME CONFLICT - FILE filename.
FILE NAME CONFLICT - LFN.
FILE NAME ERROR
FILE NAME ERROR.

FILE NAME MISMATCH ON TAPE HEADER RECORD.

FILE NAME MISSING.
FILE NAME MUST BE 2-7 CHARACTERS.

FILE NAME -NETDIR- RESERVED.
FILE NAME NOT SET.
FILE NAME TOO LONG.
FILE NOT ALLOWED ON
EQUIPMENT
FILE fn NOT AT CONTROL POINT
FILE NOT ATTACHED - filename.
FILE lfn NOT CLOSED AT STOP RUN AND CANNOT BE CLOSED
FILE lfn NOT CLOSED AT STOP RUN AND CANNOT BE CLOSED
FILE lfn NOT CLOSED AT STOP RUN OR CANCEL - CLOSED BY COBOL
FILE lfn NOT CLOSED AT STOP RUN OR CANCEL - CLOSED BY COBOL
FILE NOT DECLARED
FILE NOT DECLARED
FILE NOT DEFINED
FILE NOT DEFINED -- DEFINITION IGNORED
FILE nnnnn NOT DEFINED -- EQUIVALENCE IGNORED
FILE NOT DISK RESIDENT.
FILE NOT DISK RESIDENT
FILE hash NOT FOUND.

FILE NOT FOUND.

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB TAF 1 RM	60459310 60459500
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
TAF 1 RM	60459500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
FORTAN 5 RM	60481300
FORTAN EXT 4	60497800
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 OPER HB	60459310

MESSAGE

FILE NOT FOUND - filename.
FILE lfn NOT FOUND.
FILE NOT FOUND - filename
FILE NOT FOUND. MUST BE A LOCAL FILE
FILE NOT IN ALTERNATE FAMILY.
FILE NOT ON MASS STORAGE.

FILE NOT OVERLAY FORMAT.
FILE NOT SPECIFIED AS READ MODE
FILE NOT SPECIFIED AS READ MODE
FILE NOT SPECIFIED AS WRITE MODE
FILE NOT SPECIFIED AS WRITE MODE
FILE NOT XEDIT-ABLE.
FILE NUMBER ALREADY IN USE
FILE OPENED INPUT OR I-O DOES NOT EXIST
FILE OPENED INPUT OR I-O DOES NOT EXIST
FILE ORGANIZATION IS NOT IS, DA OR AK.

FILE PARAMETER IS NOT A FILE NAME
FILE PARAMETER IS NOT A FILE NAME
FILE PREVIOUSLY DEFINED -- IGNORED
FILE nnnnn PREVIOUSLY DEFINED -- IGNORED
FILE PROBLEM. RESET UP.
FILE STAGING SUPPRESSED.
FILE STATUS NOT SPECIFIED.
FILE STRING DOES NOT BEGIN WITH -(-
FILE STRING DOES NOT BEGIN WITH -(-
FILE STRING DOES NOT TERMINATE WITH -)-
FILE STRING DOES NOT TERMINATE WITH -)-
FILE STRUCTURES NOT COMPATIBLE.
FILE TCF EMPTY.

FILE TCF NOT FOUND.

FILE TIE ERROR
FILE TOO LONG.

FILE TOO LONG, FILE filename AT address.

FILE TYPE MUST BE AK, DA, OR IS.

FILE TYPE NOT ARF OR BRF.

FILE TYPE NOT SPECIFIED
FILE TYPE NOT SPECIFIED
FILE USAGE NOT SPECIFIED

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
XEDIT 3 RM	60455730
BASIC 3 RM	19983900
COBOL 5 DH	60482500
COBOL 5 RM	60497100
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
APL 2 RM	60454000
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500

MESSAGE

FILE USAGE NOT SPECIFIED
FILE USE CONFLICT
FILE USE CONTRADICTION
FILE WAS ACCEPTED AND PROCESSING WILL CONTINUE
FILENAME CONFLICT.
FILENAME IS GREATER THAN 6 CHARACTERS
FILENAME OF file IS TOO LONG, UPDATE ABORTED
FILENAME ON ABOVE CARD GREATER THAN SEVEN CHARACTERS
FILENAME ON UPDATE CARD GR 7 CHARACTERS
FILENAME PREVIOUSLY DEFINED
FILENAME filename USER INDEX userindex.
nnnn FILES ACTIVATED DNdn FM familyname.
nnnn FILES DEQUEUED DNdn FM familyname.
nnnn FILES DUMPED (A) DNdn FM familyname.
nnnn FILES DUMPED (I) DNdn FM familyname.
nnnn FILES IGNORED DNdn FM familyname.
nnnn FILES MOVED (A) DNdn FM familyname.
nnnn FILES MOVED (I) DNdn FM familyname.
nnn FILE(S) PROCESSED.
nnnn FILES PURGED DNdn FM familyname.
number FILES WITH ERRORS.
number DIRECT ACCESS FILES LOADED.
number INDIRECT ACCESS FILES LOADED.
FINAL ADDRESS OF MOVE OUT OF ARRAY FIELD - PARAMETER NO:
FINAL PF SPACE = n.
FIP - ACN acn NOT WITHIN RANGE.

FIP - CIO ERROR xxB ON filename, reason
FIP - CONNECTION BROKEN ON ACN acn.

FIP - CONVERT MODE N/A FOR filename.

FIP - DISABLE WARNING RECEIVED.

FIP - GT 4 FILE TRANSFERS INITIATED.

FIP - INITIATING XFR OF filename.

FIP - NETOFF DURING FILE TRANSFER.

FIP - NETXFR ERROR, ALL TRANSFER TABLES IN USE.
FIP - NETXFR ERROR, BAD ATTRIB. xxxx FOR COMMAND yy.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORM RM	60496200
FORTRAN 5 RM	60481300
COMPASS 3 RM	60492600
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FIP - NETXFR ERROR, BAD INTERNAL TRANSFER STATE = xxB.	NOS 2 RS VOL 3	60459680
FIP - NETXFR ERROR, BAD PARAMETER DD = xxB.	NOS 2 RS VOL 3	60459680
FIP - filename ON INVALID DEVICE.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - OUTPUT BLOCK NOT DEL ON ACN acn.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - PREMATURE TERMINATION RCVD ON acn.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - PROTOCOL ERROR DETECTED.	RHF SUBSYST. RM NOS 2 OPER HB NOS 2 RS VOL 3	60459990 60459310 60459680
FIP - RHF I/O ERROR xxB ON filename. reason	NOS 2 RS VOL 3	60459680
FIP - SECOND FILE XFR ON ACN acn.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - SYSTEM ERROR. reason. status.	NOS 2 RS VOL 3	60459680
FIP - TIMED OUT WAITING FOR NETWORK.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - TRANSFER OF filename COMPLETE.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - TRANSFER OF filename IN PROGRESS.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIP - XFR COMPLETE, NO ERR, IDLEDOWN.	NOS 2 RS VOL 3	60459680
FIP - XFR TERM WITH ERR, IDLEDOWN.	NOS 2 OPER HB NOS 2 RS VOL 3 RHF SUBSYST. RM	60459310 60459680 60459990
FIRST ADDRESS OF RANGE GREATER THAN SECOND	INTER DEBUG RM	60481400
FIRST CHARACTER OF CONVERSION STRING IS NOT -(-	8-BIT SUBR RM	60495500
FIRST CHARACTER OF CONVERSION STRING IS NOT -(-	FORM RM	60496200
FIRST ITEM IN SELECTOR-EXPRESSION NOT RECOGNIZED	8-BIT SUBR RM	60495500
FIRST ITEM IN SELECTOR-EXPRESSION NOT RECOGNIZED	FORM RM	60496200
FIRST NUM MUST BE LESS THAN 2ND NUM	NPS RM	60480500
FIRST SOURCE LINE IS AFTER SECOND SOURCE LINE.	MODIFY RM	60450100
FIRST TWO CHARACTERS MUST BE LETTERS	CDCS 2 DA RM	60485200
FIRST TWO CHARACTERS MUST BE LETTERS	CDCS 2 AP RM	60485300
FIRST WORD AND LAST WORD ADDRESSES OF DATA TRANSMISSION BLOCK MUST BE IN THE SAME LEVEL	FORTTRAN EXT 4	60497800
FIX EVFU LOAD FILE xxxxxxxx, THEN TYPE K.GO.	NOS 2 OPER HB	60459310
FIXED-POS, LWA-END GROWTH BLOCK PRESENT	COM MEM MGMT 1	60499200
FL BEYOND MFL.	NOS 2 RS VOL 3	60459680
FL OPTION VIOLATED.	NOS 2 OPER HB	60459310
FL REQUEST BEYOND MFL (ECS).	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FL REQUEST EXCEEDS MAX ALLOWED	NPS RM	60480500
FL REQUEST IGNORED	NPS RM	60480500
FL TOO LARGE- nnnnnnB,taskname,tasklibrary.	TAF 1 RM NOS 2 OPER HB	60459500 60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
FL TOO SHORT FOR PROGRAM.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FL TOO SHORT FOR SAMPLES.	NOS 2 OPER HB	60459310
FL TOO SMALL FOR COMPILATION	BASIC 3 RM	19983900
FL TOO SMALL FOR EXECUTION	BASIC 3 RM	19983900
FILE TOO SHORT FOR LOAD.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
FLOATING POINT DESCRIPTOR EXPECTED AFTER SCALE FACTOR DESIGNATOR	FORTRAN EXT 4	60497800
FM NOT LEGAL FAMILY.	NOS 2 OPER HB	60459310
FM OR PN MUST BE SPECIFIED.	NOS 2 OPER HB	60459310
FMT SPECIFIED TWICE	FORM RM	60496200
FNEND MISSING	BASIC 3 RM	19983900
FNIOO1 RETURN-VALUE MUST BE SCALAR	PL/I RM	60388100
FNIOO2 DATA DIRECTED I/O NOT SUPPORTED	PL/I RM	60388100
FNIOO3 BY NAME ASSIGNMENT NOT SUPPORTED	PL/I RM	60388100
FNIOO4 AGGREGATE ARGUMENT -identifier- CANNOT BE PASSED TO UNLIKE PARAMETER	PL/I RM	60388100
FNIOO5 SCALAR ARGUMENT -identifier- CANNOT BE PASSED TO ARRAY PARAMETER	PL/I RM	60388100
FNIOO6 DECLARATION OF -identifier-: UNALIGNED ATTRIBUTE DOES NOT CAUSE PACKING OF VALUES FNIOO6 FOR THIS DATATYPE	PL/I RM	60388100
FNIOO7 MEMBER OF ARRAY OF STRUCTURES CANNOT BE INITIALIZED	PL/I RM	60388100
FNIOO8 INPUT-TARGET VARIABLE OR OUTPUT-SOURCE EXPRESSION MUST BE SCALAR	PL/I RM	60388100
FNT FULL.	NOS 2 RS VOL 4	60459690
FNT IS FULL.	NOS 2 OPER HB	60459310
FO NOT SPECIFIED CORRECTLY.	NOS 2 OPER HB	60459310
FOLLOWED BY AN ILLEGAL ITEM	FORTRAN EXT 4	60497800
FOR NESTED TOO DEEP	BASIC 3 RM	19983900
FOR PARAM MUST BE USED IF FROM IS IN ECS	LOADER 1 RM	60429800
FOR WITHOUT NEXT	BASIC 3 RM	19983900
FORCED NETWORK SHUTDOWN.	NOS 2 OPER HB	60459310
d FORCED d REJECTED	QUERY UPDT 3 RM	60498300
FORCED SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
FORM OF SUBSCRIPT mmmm ON nnnnn NOT DEFINED IN ANSI	FORTRAN EXT 4	60497800
FORMAL PARAMETERS MAY NOT APPEAR IN COMMON OR EQUIV STMTS	FORTRAN EXT 4	60497800
FORMAT CODE MUST BE A, C, D, I, F OR O	INTER DEBUG RM	60481400
FORMAT DESIGNATOR MISSING	FORTRAN EXT 4	60497800
FORMAT ERROR.	NOS 2 OPER HB	60459310
**** FORMAT ERROR.	NOS 2 RS VOL 3	60459680
FORMAT ERROR xxxx.	NOS 2 OPER HB	60459310
FORMAT ERROR.	NOS 2 RS VOL 3	60459680
FORMAT ERROR IN DIRECTIVE.	MODIFY RM	60450100
FORMAT ERROR IN TERMINAL DESCRIPTION FILE.	NOS 2 OPER HB	60459310
FORMAT ERROR IN THE NETWORK DESCRIPTION FILE.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
FORMAT ERROR IN TIME PARAMETER.	NOS 2 OPER HB	60459310

MESSAGE

FORMAT ERROR ON COMMAND.
FORMAT INDICATOR nnnnn IS NAMED LIST NAME
FORMAT INDICATOR nnnnn MUST BE ARRAY
FORMAT INDICATOR MUST NOT BE EXPRESSION
FORMAT ITEM ERROR
FORMAT LABEL PREVIOUSLY REFERENCED AS CONTROL STATEMENT LABEL
FORMAT LABEL PREVIOUSLY REFERENCED AS CONTROL STATEMENT LABEL
FORMAT LABEL PREVIOUSLY REFERENCED AS DO STATEMENT LABEL
FORMAT LABEL PREVIOUSLY REFERENCED AS DO STATEMENT LABEL
FORMAT MISMATCH
FORMAT MUST HAVE STATEMENT LABEL
FORMAT MUST HAVE STATEMENT LABEL
FORMAT: NAME, (SEQUENCE), END
FORMAT REFERENCE ILLEGAL
FORMAT REPLICATOR ERROR
FORMAT REQUIRES UNLABELED TAPE.

FORMAT SPECIFIER IS NAMED LIST NAME
FORMAT STATEMENT ENDS BEFORE END OF HOLLERITH STRING. ERROR SCAN FOR THIS FORMAT STOPS HERE
FORMAT STATEMENT ENDS BEFORE LAST HOLLERITH COUNT IS COMPLETE. ERROR SCAN FOR THIS FORMAT STOPS AT H
FORMAT STRING ERROR
FORMAT UNIT FUNCTION REJECTED.
FOT FULL.
FOT FULL - FILES IGNORED.
FOT FULL - FILES IGNORED
FOT IS FULL.
pfn FOUND.
or
un FOUND.
FOUND nnnnn AFTER FORMAT -- ASSUMED RIGHT PAREN
FOUND SECTION section.
FR COMMAND STACKING ERROR.
FR NOT FOUND.
FRACTIONAL DIGIT COUNT MISSING FROM CONVERSION DESCRIPTOR. DEPENDING ON DESCRIPTOR, ONE OR ZERO ASSUMED.
FRAME AT OR TRACK FROM OR TO IS IN ECS
FREE CARTRIDGE FLAG SET.
FREE CHAIN ERROR.
FREE FILES NOT RELEASED.
FREE FILES RELEASED.
FROM--npuname:
BUFFER THRESHOLD EXCEEDED
FROM sjsn: message
FROM npuname ALARM ON PORT pn LCN = lcn
PKID = pkid CAUSE = cc DIAG = dc

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
LOADER 1 RM	60429800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
FROM ALGEDIT	ALGOL 4 RM	60496600
FROM EVENT TABLE - string	MCS 1 RM	60480300
FROM npuname LINK RESET ON PORT = pn	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM COUPLER cn, ERROR=ec	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM DUPLICATE CLA DETECTED PORT=pn	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM MLIA, ERROR=ec	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM MUST ENABLE TERM TO PREVENT LINE DISC/DISABLE	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM OUT OF RANGE CLA TURNED ON PORT=pn	NOS 2 OPER HB	60459310
FROM npuname MAINTENANCE ALARM PORT=pn, ERROR=ec	NOS 2 OPER HB	60459310
FROM NOP...message.	NOS 2 RS VOL 3	60459680
FROM NOP.	NOS 2 OPER HB	60459310
FROM NOP ... message text	RBF 1 RM	60499600
FROM OPERATOR: termnam	NOS 2 OPER HB	60459310
FROM PROG xxxxxxx - string	MCS 1 RM	60480300
FROM TERMINAL UNKNOWN	MCS 1 RM	60480300
FROM THE AOP - string	MCS 1 RM	60480300
FROM npuname UNKNOWN VALUE OF LCN = lcn, PACKET IGNORED	NOS 2 OPER HB	60459310
FROM npuname X.25 NETWORK (PSN) DOWN ON PORT = pn	NOS 2 OPER HB	60459310
FROZEN CHAIN.	NOS 2 OPER HB	60459310
FSTT READ ERROR.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
FTFS - NETON REJET = rc.	NOS/BE 1 DH	60494400
FTFS - NETWORK SHUTDOWN.	NOS/BE 1 DH	60494400
FTFS - NETXRF ERROR rc - rejmess	NOS/BE 1 DH	60494400
FTN/FBV - BLOCK READ ERROR	FORTRAN EXT 4	60497800
FULL INITIALIZE REQUIRED.	NOS 2 OPER HB	60459310
FUNCTION ENTRY MAY NOT BE TYPE CHARACTER	FORTRAN 5 RM	60481300
FUNCTION ENTRY MUST BE TYPE CHARACTER	FORTRAN 5 RM	60481300
FUNCTION MUST HAVE AT LEAST 1 DUMMY ARGUMENT	FORTRAN EXT 4	60497800
FUNCTION NAME DOES NOT APPEAR AS A VARIABLE IN THIS SUBPROGRAM	FORTRAN EXT 4	60497800
FUNCTION NAME IS NOT ASSIGNED A VALUE	FORTRAN EXT 4	60497800
FUNCTION NAME OR ENTRY OF TYPE WAS NOT ASSIGNED A VALUE	FORTRAN 5 RM	60481300
FUNCTION REFERENCE IN CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
FUNCTION REFERENCED AS SUBROUTINE	FORTRAN 5 RM	60481300
FUNCTION REJECT. filename AT address.	NOS 2 RS VOL 3 NOS 2 OPER HB NOS 2 RS VOL 4	60459680 60459310 60459690
FUNCTION REQUIRES EXPLICIT NULL ARGUMENT LIST	FORTRAN 5 RM	60481300
FUNCTION TIMED OUT = nnnn.	NOS 2 OPER HB NOS 2 OPER HB	60459310 60459310

MESSAGE

FURTHER JCL WILL GO UNDETECTED--INCORRECT OUTPUT MAY RESULT
FWA AND LWA NOT IN SAME ARRAY, EQUIVALENCE CLASS, OR COMMON BLOCK
FWA AND LWA NOT IN SAME ARRAY, EQUIVALENCE CLASS, OR COMMON BLOCK
FWA .GE. LWA+1.

FWA .GE. LWA+1.

FWA-LWA ERROR ON LOADER USER CALL
FWA/LWA .GE. FL.

FWA OR LWA GT HHA
G AND O FILES CANNOT HAVE SAME FILENAME
GARBAGE IN OLDPL HEADER.
GARBAGE IN OLDPL HEADER, UPDATE ABORTED
GENERAL STATUS = nnnn.

GENERATING CATALOG IMAGE.
GENERIC ONLY INTRINSIC...TYPED--TYPING IGNORED
GET ERROR ON PF xxxxxxxx.

GETFNT TABLE TOO LARGE.
GIVING MRL LESS THAN SORT FILE MRL
GIVING MRL LESS THAN SORT FILE MRL
GLOBAL LIBRARY DIRECTORY DEFECTIVE.
GLOBAL LIBRARY DIRECTORY NOT FOUND.
GLOBAL LIBRARY SET CLEARED.
GLOBAL TASK DUMP LIMIT EXHAUSTED.
GO ALREADY RECEIVED.
GO ALREADY RECEIVED.
GO/DROP EQuest - VERIFY DOWN ON ALL MAINFRAMES.
GO FROM JOB jsn
GO FROM OPERATOR
GO RECEIVED.
GO RECEIVED
GO TO STATEMENT CONTAINS NON-ANSI USAGES
GO TO STATEMENT - SYNTAX ERROR
GOSUB NESTED TOO DEEP
GR PARAMETER OUT OF RANGE.
GR PARAMETER USED INCORRECTLY.
GROUP NAME NOT SURROUNDED BY SLASHES
GROUP NAME PREVIOUSLY DEFINED
GROUP NAME nnnnn PREVIOUSLY DEFINED
GROUP NAME PREVIOUSLY REFERENCED IN ANOTHER CONTEXT
GROUP-TYPE 1 BLOCKS ILLEGALLY ACTIVE

<u>MANUAL</u>	<u>PUB. NO.</u>
FTN 4-5 CONV RM	60483000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
COM MEM MGMT 1	60499200
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COM MEM MGMT 1	60499200

MESSAGE

GROUP xxx WILL BE REDEFINED
GROW REQUEST ON FIXED SIZE BLOCK
GROW REQUEST ON FIXED SIZE BLOCK
GS=ssss.
.GT. 10 CHAR
GTR ERRORS.
H/V LIM ERROR
.H VALUE INCORRECT.
HARDWARE REGISTERS NOT FOUND.
HARDWARE RERUN THRESHOLD EXCEEDED
HARDWARE RERUN THRESHOLD EXCEEDED.
termnam HAS AUTO CONTROL STATUS
. HAS ILLEGAL BINARY VALUE
HASH ROUTINE NOT FOUND
HASH ROUTINE PARAMETER REQUIRES LIBRARY NAME
HEADER CARD NOT FIRST STATEMENT
HEADER CARD NOT FIRST STATEMENT -- IGNORED
HEADER CARD NOT FIRST STATEMENT -- IGNORED
HEADER CARD SYNTAX ERROR
HEADS CLEANED, MST ID = 1d.
HELLO, YOU ARE NOW A DIAGNOSTIC OPERATOR.
HELLO, YOU ARE NOW AN NPU OPERATOR.
HELLO - YOU'RE THE AOP
HFM ARGUMENT ERROR.
HFM ILLEGAL REQUEST.
HIP NOT PRESENT.
HLD est.
HN hnn/COUPLER ERROR cec
HOLLERITH ARGUMENT IS NON-ANSI
HOLLERITH ARGUMENT MUST NOT EXCEED 70 CHARACTERS
HOLLERITH CONSTANT APPEARS OTHER THAN IN AN ARGUMENT LIST OF A CALL STATEMENT OR IN A DATA STATEMENT
HOLLERITH CONSTANT EXCEEDS 10 CHARACTERS
HOLLERITH CONSTANT .GT. 10 CHARACTERS, EXCESS CHARACTERS INITIALIZED INTO SUCCEEDING WORDS
HOLLERITH CONSTANT IN EXPRESSION EXCEEDS 10 CHARACTERS
HOLLERITH CONSTANT IN EXPRESSION NON-ANSI
HOLLERITH CONSTANT LONGER THAN 1 WORD
HOLLERITH CONSTANT NON-ANSI
HOLLERITH DIMENSION FOR nnnnn
HOLLERITH STRING DELIMITED BY SYMBOLS IS NON-ANSI
HOME BLOCK COUNT NOT SPECIFIED FOR NEW DA FILE
HOME BLOCK COUNT NOT SPECIFIED FOR NEW DA FILE
HOST AVAILABLE

MANUAL	PUB. NO.
INTER DEBUG RM	60481400
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
RF 1 RM	60499600

MESSAGE

HOST AVAILABLE CONTROL CHARACTER=char
 ENTER INPUT TO CONNECT TO HOST

HOST BUSY

HOST BUSY CONTROL CHARACTER=char
 ENTER char HD TO SEE HOST STATUS

HOST CONNECTED

HOST CONNECTED CONTROL CHARACTER= char
 READY FOR INPUT

HOST CONNECTED CONTROL CHARACTER=char
 TERMINAL DISABLED BY NOP

HOST CONNECTED CONTROL CHARACTER= char
 READY FOR INPUT

HOST DISCONNECTED

HOST DISCONNECTED CONTROL CHARACTER=char
 ENTER INPUT TO CONNECT TO HOST

HOST DISCONNECTED CONTROL CHARACTER=char
 TERMINAL DISABLED BY NOP

HOST IDLE DOWN IN PROGRESS.

HOST NODE nnn MISMATCH BETWEEN EST AND NCF.

HOST NOT AVAILABLE.

xxx/HOST RECORD READ ERROR nn

HOST SHUTDOWN COMPLETE.

HOST UNAVAILABLE

HOST UNAVAILABLE CONTROL CHARACTER=char
 ENTER char HD TO SEE HOST STATUS

HRL SPECIFIED TWICE

HTIME xxxxxxxxxxxx.xxx KCYCLES.

HTIME NOT AVAILABLE.

HUNG IN AUTO RECALL

HUNG PP.

nnnn I/A ROLLOUT FILES RECOVERED.

I= ALREADY SPECIFIED

I/O BUFFER LENGTH SPECIFICATION IS NOT MEANINGFUL--VALUE IGNORED

I/O (CID) ERROR nnn ON CDCS file

I/O (CID) ERROR nnn ON CDCS file

I/O (CID) ERROR nn ON CDCS FILE

..... I/O CONTROL ALREADY SPECIFIED FOR THIS STATEMENT

I/O CONTROL KEYWORD MUST BE POSITIVE INTEGER EXPRESSION

I/O CONTROL KEYWORD PARAMETER CANNOT BE

I/O CONTROL KEYWORD PARAMETER MUST BE TYPE

I/O (CRM) ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn

I/O (CRM) ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn

I/O (CRM) ERROR nnn ON AREA id VERSION vn - AREA DOWN. SCHEMA sn

I/O (CRM) ERROR nnn ON CDCS RESTART IDENTIFIER FILE

I/O (CRM) ERROR nnn ON CDCS RESTART IDENTIFIER FILE

	MANUAL	PUB. NO.
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
RBF 1 RM		60499600
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
RBF 1 RM		60499600
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
RBF 1 RM		60499600
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NPS RM		60480500
NOS 2 OPER HB		60459310
RBF 1 RM		60499600
TAF 1 RM		60459500
NOS 2 RS VOL 3		60459680
FORM RM		60496200
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
BASIC 3 RM		19983900
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
FORM RM		60496200
FORTRAN EXT 4		60497800
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
CDCS 2 AP RM		60485300
FORTRAN 5 RM		60481300
FORTRAN 5 RM		60481300
FORTRAN 5 RM		60481300
FORTRAN 5 RM		60481300
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
CDCS 2 AP RM		60485300
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300

MESSAGE

- I/O ERROR DURING DUMP
I/O ERROR xxxx IN ffffffff
I/O ERROR xxxx IN ffffffff.
I/O ERROR ON MSFCATn, CATALOG CLOSED.
RESPOND GO TO ACKNOWLEDGE.
I/O FILE NOT DEFINED
I/O FILE nnnnn NOT DEFINED
I/O KEYWORD BUFL IS NON-ANSI
I/O LIMIT EXCEEDED
I/O LIMITS EXCEEDED.

I/O LIST IGNORED WHEN USING NAMELIST
I/O LIST IGNORED WHEN USING NAMELIST
I/O ON EXECUTE-ONLY FILE.
I/O ON EXECUTE-ONLY FILE filename AT
address.
I/O ON EXECUTE-ONLY FILE filename AT
address.
I/O SEQUENCE ERROR.
I/O SEQUENCE ERROR.

I/O SEQUENCE ERROR ON FILE filename AT
address.
I/O TIME LIMIT
I/O UNIT DESIGNATOR MUST BE INTEGER
I/O UNIT DESIGNATOR MUST BE SIMPLE VARIABLE
Incorrect SM NUMBER.
IAF CLOSED.
IAF NOT ACTIVE.
IAF REPRIEVED.
IAF TERMINATED.
IAFEX ABNORMAL - xxx,nnnnnn.
IAFEX INITIALIZATION ABORT.
IAUM/SFBM COMPARE ERROR.
IBM FILE ORGANIZATION INVALID IF FT NOT = SQ
ICPD COMPLETE.
IDENT DIRECTIVE MISSING, NO NEWPL REQUESTED, DEFAULT IDENTIFIER OF .NO.ID. USED
IDENT LONGER THAN NINE CHARACTERS
IDENT NAME PREVIOUSLY REFERENCED.
IDENT STATEMENT MISSING.
IDENT xxxxx WILL NOT BE PROCESSED
IDENTIFIERS SEPARATED BY PERIOD IN WRONG ORDER
IDLE
IDLE.
IDLE, CDCS

<u>MANUAL</u>	<u>PUB. NO.</u>
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
FORM RM	60496200
NOS 2 OPER HB	60459310
UPDATE RM	60449900
UPDATE RM	60449900
MODIFY RM	60450100
COMPASS 3 RM	60492600
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200

MESSAGE

IDLE.CDCS
IDLE COMPLETE
IDLE COMPLETE
IDLE IN PROGRESS
IDLE IN PROGRESS
IEL-FORMATTED LIBRARY -- NOT UPDATED, DDL ABORTED
IEL-FORMATTED LIBRARY -- NOT UPDATED, DDL ABORTED
IF xx DOWN ENTER *DOWN,MID=xx*
IF RESULTS IN A SIMPLE TRANSFER
IF RESULTS IN A SIMPLE TRANSFER
IF RESULTS IN A TRANSFER TO THE NEXT LINE
IF RESULTS IN A TRANSFER TO THE NEXT LINE
IGNORE TABLE OVERFLOW.
IGNORING EXTRA LOAD FILE
ILL-FORMATTED LIBRARY--NOT UPDATABLE, DDL ABORTED
ILL-FORMATTED LIBRARY -- NOT UPDATABLE, DDL ABORTED
ILL-FORMATTED LIBRARY--NOT UPDATABLE, DDL ABORTED
ILL-FORMED COMPLEX CONSTANT
ILLEGAL ACTION ON BINARY FILE
ILLEGAL ACTION ON CODED FILE
ILLEGAL APPLICATION.
ILLEGAL APPLICATION, TRY AGAIN xxxxxxxx-APPLICATION:
ILLEGAL APPLICATION, TRY AGAIN. termname - APPLICATION:
ILLEGAL ARGUMENT IN ASC
ILLEGAL ATTRIBUTE
ILLEGAL BIT = 0
ILLEGAL BLOCK IF STRUCTURE
ILLEGAL BLOCK NAME
ILLEGAL BLOCK NAME IN COMMON STATEMENT
ILLEGAL BLOCK NAME IN COMMON STATEMENT
ILLEGAL BOUND
ILLEGAL BUFFER LENGTH FOR FILE -- DEFINITION IGNORED
ILLEGAL BUFFER LENGTH FOR FILE nnnnn -- 2003B USED
ILLEGAL BYTE = 0
ILLEGAL CALL TO DB\$MABT FROM numb
ILLEGAL CARD TYPE
ILLEGAL CDCS CONTROL CARD PARAM
ILLEGAL CHAIN PARAMETER
ILLEGAL CHANNEL NUMBER VALUE:
ILLEGAL CHARACTER
ILLEGAL CHARACTER
ILLEGAL CHARACTER

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
DDL 3 SUB SCHEM	60482000
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
QU/CRM DA RM	60482100
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
BASIC 3 RM	19983900
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
CDCS 2 DA RM	60485200
SORT MERGE 4&1	60497500
CDCS 2 RM	60481800
BASIC 3 RM	19983900
ALGOL 4 RM	60496600
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
NAM 1 RM	60499500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL CHARACTER AFTER RIGHT PAREN	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER COUNT	FORTRAN 5 RM	60481300
ILLEGAL CHARACTER COUNT	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING A, I, L, O, R OR Z DESCRIPTOR. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING FLOATING POINT DESCRIPTOR. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOLLOWS PRECEDING SIGN CHARACTER. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER FOUND IN COMMAND.	NOS 2 OPER HB	60459310
ILLEGAL CHARACTER FOUND IN FILE NAME.	NOS 2 OPER HB	60459310
ILLEGAL CHARACTER FOUND IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL CHARACTER x OCCURS IN COLUMN yy... ACTS AS A LEXICOGRAPHIC SEPARATOR	ALGOL 4 RM	60496600
ILLEGAL CHARACTER. THE REMAINDER OF THIS STATEMENT WILL NOT BE COMPLETED	FORTRAN EXT 4	60497800
ILLEGAL CHARACTERS AFTER TERMINATING RIGHT PARENTHESIS	FORTRAN EXT 4	60497800
ILLEGAL CHECKPOINT NUMBER	QU/CRM DA RM	60482100
ILLEGAL CHR\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL COMMAND	NOS 2 OPER HB	60459310
ILLEGAL COMMAND.	MCS 1 RM	60480300
ILLEGAL COMPARISON	BASIC 3 RM	19983900
ILLEGAL CONSTANT FOLLOWING + OR -	FORTRAN 5 RM	60481300
ILLEGAL CONSTANT FOLLOWING + OR -	FORTRAN EXT 4	60497800
ILLEGAL CONTINUATION	SORT MERGE 4&1	60497500
ILLEGAL CONTROL STATEMENT	LOADER 1 RM	60429800
ILLEGAL CONTROL STATEMENT PARAMETER VALUE.	NOS 2 OPER HB	60459310
ILLEGAL CONTROL STATEMENT IN ADDFILE	UPDATE RM	60449900
ILLEGAL DATA BASE IN xxJ FILE.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
ILLEGAL DATA ON FILE	BASIC 3 RM	19983900
ILLEGAL DATA, RETYPE INPUT	BASIC 3 RM	19983900
ILLEGAL DATE	QU/CRM DA RM	60482100
ILLEGAL DB OPTION -- IGNORED	PL/I RM	60388100
ILLEGAL DELIMITER.	TEXT EDITOR RM	60436100
ILLEGAL DELIMITER ON ABOVE TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL DELIMITER/PARAMETER	QU/CRM DA RM	60482100
ILLEGAL DELIMITER - REENTER TEXT.	TEXT EDITOR RM	60436100
ILLEGAL DELIMITERS	SORT MERGE 4&1	60497500
ILLEGAL DESTINATION NODE NUMBER	NOS 2 OPER HB	60459310
ILLEGAL DEVICE TYPE, DT NOT EQUAL TO O	NPS RM	60480500
**** ILLEGAL DIRECTIVE.	NOS 2 OPER HB	60459310
ILLEGAL DIRECTIVE.	NOS 2 OPER HB	60459310
ILLEGAL DIRECTIVE CODE ON LOG FILE	QU/CRM DA RM	60482100
ILLEGAL ECS REQUEST.	NOS 2 OPER HB	60459310
ILLEGAL EL LEVEL -- IGNORED	PL/I RM	60388100
ILLEGAL ENTRY.	NOS 2 OPER HB	60459310

MESSAGE

ILLEGAL EOF DETECTED.
ILLEGAL EQUALS
ILLEGAL EQUIPMENT.
ILLEGAL ET LEVEL -- IGNORED
ILLEGAL EXIT FROM PERFORM
ILLEGAL EXIT FROM PERFORM
ILLEGAL EXPLICIT LEVEL DECLARATION FOR COMMON MEMBER NAME
..... ILLEGAL EXTENSION OF COMMON BLOCK ORIGIN
ILLEGAL EXTENSION OF COMMON BLOCK ORIGIN
nnnnn ILLEGAL EXTENSION OF XOMMON BLOCK ORIGIN
ILLEGAL EXTERNAL NAME
ILLEGAL FILE COUNT
ILLEGAL FILE NAME - filename.
ILLEGAL FILE NAME.
ILLEGAL FILE NAME.
ILLEGAL FILE NAME
ILLEGAL FILE NAME
ILLEGAL FILE NAME
ILLEGAL FILE NAME
ILLEGAL FILE NUMBER
ILLEGAL FILE TYPE
ILLEGAL FILE TYPE, filename
ILLEGAL FILE TYPE ENCOUNTERED
..... ILLEGAL FILENAME
..... ILLEGAL FIRST ELEMENT OF EXPRESSION
nnnnn ILLEGAL FIRST ELEMENT OF EXPRESSION
ILLEGAL FIRST ITEM TYPE
ILLEGAL FIRST ITEM TYPE
ILLEGAL FL REDUCTION.
ILLEGAL FL REQUEST.
ILLEGAL FL VALUE
ILLEGAL FN NAME
ILLEGAL FORM INVOLVING THE USE OF A COMMA
ILLEGAL FORM INVOLVING THE USE OF A COMMA
ILLEGAL FORM OF EXPONENT
ILLEGAL FORM OF EXPONENT nnnnn
ILLEGAL FORMAT INDICATOR nnnnn
ILLEGAL FORMAT SPECIFIER
ILLEGAL FORMAT SPECIFIER
ILLEGAL G OPTION SYNTAX
ILLEGAL GROW-SHRINK AMOUNT
ILLEGAL IF BLOCK NESTING WITH DO LOOP
ILLEGAL IF STATEMENT -- OBJECT MISSING

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
PL/I RM	60388100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
CYBER COM UTIL	60495600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TEXT EDITOR RM	60436100
BASIC 3 RM	19983900
NPS RM	60480500
NAM 1 RM	60499500
BASIC 3 RM	19983900
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
8-BIT SUBR RM	60495500
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
COM MEM MGMT 1	60499200
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL IF STATEMENT -- OBJECT MISSING	FORTRAN EXT 4	60497800
ILLEGAL INPUT ON FILE	BASIC 3 RM	19983900
ILLEGAL JOURNAL FILE REQUEST.	TAF 1 RM	60459500
ILLEGAL KEY BEGINNING CHARACTER.	TAF 1 RM	60459500
ILLEGAL KEY ORDINAL.	TAF 1 RM	60459500
ILLEGAL KEY VALUE:	ALGOL 4 RM	60496600
ILLEGAL KEY-WORD	NOS 2 OPER HB	60459310
ILLEGAL KEYWORD = keyword.	NOS 2 OPER HB	60459310
ILLEGAL KEYWORD	ALGOL 4 RM	60496600
ILLEGAL LABEL	BASIC 3 RM	19983900
ILLEGAL LABEL FIELD	FORTRAN EXT 4	60497800
ILLEGAL LABELS IN IF STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL LENGTH PARAMETER DESCRIPTION	8-BIT SUBR RM	60495500
ILLEGAL LIBTASK ATTEMPT - filename, username.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
ILLEGAL LINE NO	BASIC 3 RM	19983900
ILLEGAL LINE REF	BASIC 3 RM	19983900
ILLEGAL LIST ITEM ENCOUNTERED IN AN I/O LIST SEQUENCE	FORTRAN EXT 4	60497800
ILLEGAL LO OPTION -- IGNORED	PL/I RM	60388100
ILLEGAL LPAD\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL MARGIN	BASIC 3 RM	19983900
ILLEGAL MASKING OR LOGICAL OPERAND	INTER DEBUG RM	60481400
ILLEGAL MERGE ORDER	ALGOL 4 RM	60496600
ILLEGAL NAME -- ENTRY STATEMENT IGNORED	FORTRAN 5 RM	60481300
ILLEGAL NAME -- ENTRY STATEMENT IGNORED	FORTRAN EXT 4	60497800
ILLEGAL NAMELIST VARIABLE	FORTRAN EXT 4	60497800
ILLEGAL NBYTE = NBIT = 0	ALGOL 4 RM	60496600
ILLEGAL NDA CALL PARAMETER xxxxxxx PARAMETER VALUE ILLEGAL FOR xxxxxxx VALUE NEEDED FOR PARAMETER xxxxxxx INVALID CHARACTER AFTER ITEM xxxxxxx.	NOS 2 OPER HB	60459310
ILLEGAL NESTING OF DO LOOPS	FORTRAN 5 RM	60481300
ILLEGAL NESTING OF DO LOOPS	FORTRAN EXT 4	60497800
ILLEGAL NULL PARAMETER	ALGOL 4 RM	60496600
ILLEGAL NUMBER	BASIC 3 RM	19983900
ILLEGAL NUMBER FOR LOCKS.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
ILLEGAL NUMBER FOR USERS.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
ILLEGAL NUMBER OF ALTERNATE KEYS.	TAF 1 RM	60459500
ILLEGAL NUMBER OF CONTROL CARD PARAMETERS	CDCS 2 DA RM	60485200
ILLEGAL NUMBER ON TRAP DIRECTIVE	LOADER 1 RM	60429800
..... ILLEGAL NUMERIC	FORTRAN 5 RM	60481300
**** ILLEGAL NUMERIC VALUE.	NOS 2 OPER HB	60459310
ILLEGAL OBJECT OF IF -- TROUBLE STARTED AT	FORTRAN 5 RM	60481300

MESSAGE

MANUAL PUB. NO.

ILLEGAL OBJECT OF IF -- TROUBLE STARTED AT nnnnn	FORTRAN EXT 4	60497800
ILLEGAL OBJECT OF LOGICAL IF	FORTRAN 5 RM	60481300
ILLEGAL OBJECT OF LOGICAL IF	FORTRAN EXT 4	60497800
ILLEGAL OPERAND	BASIC 3 RM	19983900
ILLEGAL OPTION	ALGOL 4 RM	60496600
ILLEGAL OR UNKNOWN DEVICE aaaa	RBF 1 RM	60499600
ILLEGAL ORD ARGUMENT	BASIC 3 RM	19983900
ILLEGAL OUTPUT ON FILE	BASIC 3 RM	19983900
ILLEGAL OVL REQUESTED AT numb	CDCS 2 DA RM	60485200
ILLEGAL OWNCODE EXIT	ALGOL 4 RM	60496600
ILLEGAL OWNCODE PARAM	ALGOL 4 RM	60496600
ILLEGAL PARAM ON ABOVE TRAP DIRECTIVE	LOADER 1 RM	60429800
ILLEGAL PARAMETER	NOS 2 OPER HB	60459310
ILLEGAL PARAMETER	NAM 1 RM	60499500
ILLEGAL PARAMETER, param	ALGOL 4 RM	60496600
ILLEGAL PARAMETER IN RA+1 CALL.	TAF 1 RM	60459500
ILLEGAL PERIOD	ALGOL 4 RM	60496600
ILLEGAL PRINT DENSITY SELECTION.	NOS 2 OPER HB	60459310
ILLEGAL PRINT OPTION SELECTION.	NOS 2 OPER HB	60459310
ILLEGAL PRIORITY.	NOS 2 OPER HB	60459310
ILLEGAL PROG NAME	SORT MERGE 4&1	60497500
ILLEGAL PRU SIZE CONTROL CARD PARAMETER	CDCS 2 DA RM	60485200
ILLEGAL PW SPECIFICATION - IGNORED.	NOS 2 RS VOL 3	60459680
ILLEGAL RANGE -- NOT LESS THAN -- TRUNCATED	FORTRAN 5 RM	60481300
ILLEGAL RANGE -- mmmmm NOT LESS THAN nnnnn -- TRUNCATED	FORTRAN EXT 4	60497800
ILLEGAL REASON CODE	NPS RM	60480500
ILLEGAL RECORD LENGTH FOR FILE nnnnn -- DEFAULT USED	FORTRAN EXT 4	60497800
ILLEGAL RECORD LENGTH FOR FILE -- DEFINITION IGNORED	FORTRAN 5 RM	60481300
ILLEGAL RECORD TYPE FOR REWRITE	COBOL 5 OH	60482500
ILLEGAL RECORD TYPE FOR REWRITE	COBOL 5 RM	60497100
ILLEGAL REDIMENSIONS	BASIC 3 RM	19983900
ILLEGAL REFERENCE MODIFICATION	COBOL 5 OH	60482500
ILLEGAL REFERENCE MODIFICATION	COBOL 5 RM	60497100
ILLEGAL REFERENCE TO FORMAT STATEMENT LABEL nnnnn	FORTRAN EXT 4	60497800
ILLEGAL REFERENCE TO LABEL DEFINED ON NON-EXECUTABLE STATEMENT	FORTRAN 5 RM	60481300
ILLEGAL REFERENCE TO STATEMENT LABEL AS A FORMAT	FORTRAN 5 RM	60481300
ILLEGAL REFERENCE TO STATEMENT LABEL nnnnn AS A FORMAT	FORTRAN EXT 4	60497800
ILLEGAL REPEAT CONSTANT	FORTRAN 5 RM	60481300
ILLEGAL REPEAT CONSTANT	FORTRAN EXT 4	60497800
ILLEGAL REQUEST.	NOS 2 RS VOL 3	60459680
ILLEGAL RETURNS PARAMETER	FORTRAN EXT 4	60497800
ILLEGAL - RF AND AM PARAMETERS.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
ILLEGAL - RF AND FM PARAMETERS.	NOS 2 OPER HB	60459310
ILLEGAL RIGHT PAREN	SORT MERGE 4&1	60497500
ILLEGAL - RL AND NO RF PARAMETER.	NOS 2 OPER HB	60459310
ILLEGAL RPAD\$ ARGUMENT	BASIC 3 RM	19983900
ILLEGAL RPT\$ PARAMETER	BASIC 3 RM	19983900
ILLEGAL S OPTION SYNTAX	FORTRAN 5 RM	60481300
ILLEGAL SCHEMA ID CONTROL CARD PARAMETER	CDCS 2 DA RM	60485200
ILLEGAL SCRIPT NAME ON LIST	NPS RM	60480500
ILLEGAL SECOND ITEM TYPE	8-BIT SUBR RM	60495500
ILLEGAL SECOND ITEM TYPE	FORM RM	60496200
ILLEGAL SEPARATOR AFTER nnnnn	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR ENCOUNTERED	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR FOLLOWING DATA CONSTANT	FORTRAN 5 RM	60481300
ILLEGAL SEPARATOR FOLLOWING DATA CONSTANT	FORTRAN EXT 4	60497800
ILLEGAL SEPARATOR IN EXTERNAL STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SET VALUE	BASIC 3 RM	19983900
ILLEGAL STATEMENT	BASIC 3 RM	19983900
ILLEGAL STATEMENT WITHIN A SCRIPT	NPS RM	60480500
ILLEGAL STATEMENT WITHIN IF	BASIC 3 RM	19983900
ILLEGAL STRING	BASIC 3 RM	19983900
ILLEGAL STRING INPUT	ALGOL 4 RM	60496600
ILLEGAL STRING OUTPUT	ALGOL 4 RM	60496600
ILLEGAL SUBSTR PARAMETER	BASIC 3 RM	19983900
ILLEGAL SYNTAX AFTER INITIAL KEYWORD OR NAME	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN CALL STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN COMMON DECLARATION	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IF STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IMPLICIT STATEMENT	FORTRAN EXT 4	60497800
ILLEGAL SYNTAX IN IMPLIED DO SPECIFICATION	FORTRAN EXT 4	60497800
ILLEGAL TASK NAME REQUESTED FOR SCHEDULING.	TAF 1 RM	60459500
ILLEGAL TERMINAL INPUT REQUEST.	TAF 1 RM	60459500
ILLEGAL TERMINATION	SORT MERGE 4&1	60497500
ILLEGAL TIME	QU/CRM DA RM	60482100
ILLEGAL TIP TYPE, NOT A HASP	NPS RM	60480500
ILLEGAL TRANSFER ADDRESS	LOADER 1 RM	60429800
ILLEGAL TRANSFER INTO RANGE OF DO	FORTRAN 5 RM	60481300
ILLEGAL TRANSFER INTO RANGE OF DO	FORTRAN EXT 4	60497800
ILLEGAL TRANSFER TO DO nnnnn TERMINATOR	FORTRAN EXT 4	60497800
ILLEGAL TRANSFER TO FORMAT	FORTRAN 5 RM	60481300
ILLEGAL TRANSFER TO nnnnn FORMAT	FORTRAN EXT 4	60497800
nnnnn -- ILLEGAL TRANSFER TO INSIDE A CLOSED DO LOOP	FORTRAN EXT 4	60497800
..... -- ILLEGAL TRANSFER TO INSIDE A CLOSED DO LOOP OR IF BLOCK	FORTRAN 5 RM	60481300

MESSAGE

ILLEGAL TYPE
ILLEGAL TYPE FOR INDEX xxxx yyyy VALUE
ILLEGAL TYPE SPECIFIED IN IMPLICIT STATEMENT
ILLEGAL USE OF A FUNCTION NAME
ILLEGAL USE OF ASSIGNMENT OPERATOR
ILLEGAL USE OF ASSIGNMENT OPERATOR
ILLEGAL USE OF ENTRY
ILLEGAL USE OF ENTRY nnnnn
ILLEGAL USE OF LEFT PAREN
ILLEGAL USE OF NAMELIST GROUP NAME
ILLEGAL USE OF OPERATOR/OPERAND --
ILLEGAL USE OF OPERATOR / OPERAND -- mmmmm nnnnn
ILLEGAL USE OF PARAMETER
ILLEGAL USE OF THE EQUAL SIGN
ILLEGAL USER.
ILLEGAL USER
ILLEGAL USER/FAMILY.

ILLEGAL USING
cmd ILLEGAL VALUE
ILLEGAL VARIABLE NAME FIELD IN ASSIGN OR ASSIGNED GOTO
ILLEGAL VCB ORDINAL = vcb NVFUFVO.
ILLEGAL VCB ORDINAL = vcb NVFUMVD.
ILLEGAL VCB ORDINAL = vcb NVFUROS.
ILLEGAL VERB IN ABOVE TRAP DIRECTIVE
ILLEGAL 1ST CALL TO CMM
ILLEGSL REQUEST TABLE
ILLOGICAL WORKLIST
IMPLICIT ERROR
IMPLICIT MUST BE FOLLOWED BY A TYPE INDICATOR
IMPLICIT STATEMENT IS NON-ANSI
IMPLICIT STATEMENT MUST OCCUR BEFORE DECLARATIVE STATEMENTS
IMPLICIT STATEMENT MUST OCCUR BEFORE DECLARATIVES
IMPLIED DO INCREMENT MUST BE NUMERIC
IMPLIED DO INDEX MUST BE FOLLOWED BY EQUAL
IMPLIED DO LOWER LIMIT MUST BE NUMERIC
IMPLIED DO NOT TERMINATED
IMPLIED DO UPPER LIMIT MUST BE NUMERIC
IMPLIED I/O UNIT SPECIFIER NOT ALLOWED FOR THIS STATEMENT
IMPLIED LOOP IS REDUCED
IMPLIED LOOP NOT TERMINATED
IMPROPER ACCESSIBILITY.

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
COM MEM MGMT 1	60499200
LOADER 1 RM	60429800
NAM 1 RM	60499500
APL 2 RM	60454000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

IMPROPER FORM OF ENTRY STATEMENT. ONLY ALLOWABLE FORM IS (ENTRY NAME)
IMPROPER LOGIN, TRY AGAIN.
IMPROPER LOGIN, TRY AGAIN FAMILY:
IMPROPER LOGIN, TRY AGAIN. FAMILY:
IMPROPER LOGIN, TRY AGAIN. USER NAME:
IMPROPER MASTER CHARACTER CHANGED TO char
IMPROPER NUMERIC PARAMETER.
IMPROPER OCTAL PARAMETER, parm
IMPROPER RECORD
IMPROPER SYSTEM TEXT FORMAT. BAD SYSTEM TEXT - x=yyyyyyy/zzzzzz
IMPROPER TRUNCATION.
IMPROPER VALIDATION.
IMPROPER VALUE TYPE aaaa
IMPROPERLY SPECIFIED GROUP-ID
IMPROPERLY SPECIFIED GROUP-TYPE
IMPROPERLY SPECIFIED SIZE-CODE
IMS - TRACK FLAWED,EOest,TKtttt.
IN COLLECT MODE (, LEVEL n)
..... IN INPUT LIST IS ILLEGAL
IN LESS THAN FILE WRITE TIME.
INACTIVE DAYFILE NOT FOUND ON DEVICE.
INACTIVE DAYFILE ON DEVICE.
INACTIVE TASK REQUESTED.
INAPPROPRIATE COMMAND
INAPPROPRIATE KEYWORD
INCOMPATIBLE OPERAND TYPES
INCOMPLETE BANNER PAGE.
INCOMPLETE DESTINATION FAMILY/USER.
INCOMPLETE LCF/TERM. REC READ
INCOMPLETE PARAMETER.
INCOMPLETE SYMBOL
INCOMPLETE VS-RECORD AT END-OF-DATA
INCOMPLETE VS-RECORD AT END-OF-DATA
INCONSISTENT PARAMETERS IN FILE STRING
INCONSISTENT PARAMETERS IN FILE STRING
INCORRECT ACCESS LEVEL FOR EQUIPMENT.
INCORRECT APPLICATION ACCOUNTING REQUEST.
INCORRECT ARGUMENT.
INCORRECT ARGUMENT VALUE.
INCORRECT ATTRIBUTE.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
RBF 1 RM	60499600
RBF 1 RM	60499600
UPDATE RM	60449900
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NPS RM	60480500
COMPASS 3 RM	60492600
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
RBF 1 RM	60499600
RBF 1 RM	60499600
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100

MESSAGE

INCORRECT BIT NUMBER.
INCORRECT BYTE NUMBER.
INCORRECT CATALOG UPDATE.
INCORRECT CEVAL REQUEST PARAMETERS.
INCORRECT CHANNEL NUMBER.
INCORRECT CHARACTER.
INCORRECT CHARACTER.
INCORRECT CHARACTER NUMBER.
INCORRECT CHARACTERS IN FILE NAME.
INCORRECT CHARGE.

INCORRECT CMS CALL.
INCORRECT COMBINATION OF QN/SI
xx INCORRECT COMMAND

INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.
INCORRECT COMMAND.

INCORRECT COMMAND
INCORRECT COMMAND.
INCORRECT COMMAND
INCORRECT COMMAND.
INCORRECT COMMAND.

cmd INCORRECT COMMAND
INCORRECT COMMAND FORMAT
INCORRECT COMMON MEMORY MANAGER REQUEST.
INCORRECT COMMON MEMORY MANAGER REQUEST.
INCORRECT CONTROL POINT
INCORRECT CONTROL POINT NUMBER.
INCORRECT COPY.
INCORRECT COUNT.
INCORRECT CPU PRIORITY VALUE.
INCORRECT CS ON INPUT.
deckname - INCORRECT CS, 63 ASSUMED.
INCORRECT CSN.
INCORRECT CSU.
INCORRECT CSU NUMBER.
INCORRECT D.
INCORRECT DATA.
INCORRECT DC CODE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
INCORRECT DC PARAMETER - dc	NOS 2 RS VOL 3	60459680
INCORRECT DEFAULT CHARGE.	NOS 2 OPER HB	60459310
INCORRECT DELIMITER CHARACTER.	XEDIT 3 RM	60455730
INCORRECT DEVICE ACCESS LEVEL	NOS 2 OPER HB	60459310
INCORRECT DEVICE INDEX.	NOS 2 OPER HB	60459310
INCORRECT DEVICE REQUEST.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT DEVICE TYPE.	NOS 2 OPER HB	60459310
INCORRECT DIRECTIVE.	MODIFY RM	60450100
INCORRECT DIRECTIVE.	NOS 2 OPER HB	60459310
INCORRECT DIRECTIVE NAME.	NOS 2 OPER HB	60459310
INCORRECT DOWNED EQUIPMENT	NOS 2 OPER HB	60459310
INCORRECT DUMP REQUESTED.	NOS 2 OPER HB	60459310
INCORRECT END OF JOB OPTION SPECIFIED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT ENTRY.	NOS 2 OPER HB	60459310
INCORRECT ENTRY - EQest.	NOS 2 OPER HB	60459310
INCORRECT ENTRY, TRY AGAIN	NOS 2 RS VOL 3	60459680
INCORRECT EQUIPMENT.	NOS 2 OPER HB	60459310
INCORRECT EQUIPMENT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT EQUIPMENT ON FILE filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT ERROR EXIT ADDRESS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT EST ORDINAL.	NOS 2 OPER HB	60459310
INCORRECT EST PARAMETER	NOS 2 TAPE MGMT	60463350
INCORRECT EXTERNAL CALL.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT FAMILY NAME.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
INCORRECT FAMILY NAME IN EDT.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
INCORRECT FILE MODE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT FILE NAME.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
INCORRECT FILE NAME filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT FILE NUMBER.	NOS 2 OPER HB	60459310
INCORRECT FILE STATUS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT FILE TYPE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
pfn INCORRECT FILE TYPE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
INCORRECT FILE TYPE FOR SPECIFIED CHARACTER SET.	NOS 2 RS VOL 3	60459680
INCORRECT FORMAT FOR EQ ENTRY.	NOS 2 OPER HB	60459310
INCORRECT FORMAT FOR MID.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
INCORRECT FWA FOR LOAD.	TAF 1 RM	60459500
INCORRECT FX PARAMETER.	NOS 2 OPER HB	60459310
INCORRECT HOLL. CODE, RECxxx CDyyyy.	NOS 2 RS VOL 3	60459680
INCORRECT I/O REQUEST ON FILE filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT ID CODE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT IMS REQUEST.	NOS 2 OPER HB	60459310
INCORRECT INCREMENT.	NOS 2 TAPE MGMT	60463350
INCORRECT INPUT FILE.	NOS 2 RS VOL 3	60459680
INCORRECT INPUT FILE SYSTEM SECTOR.	NOS 2 RS VOL 3	60459680
INCORRECT INSTRUCTION.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT JOB ORIGIN TYPE FOR TRMDEF.	NOS 2 RS VOL 3	60459680
INCORRECT JSN.	NOS 2 OPER HB	60459310
INCORRECT JSN ARGUMENT.	NOS 2 RS VOL 3	60459680
INCORRECT JSN PARAMETER.	NOS 2 TAPE MGMT	60463350
INCORRECT LABEL TYPE, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT LID.	NOS 2 OPER HB	60459310
INCORRECT LINE LENGTH.	NOS 2 RS VOL 3	60459680
INCORRECT LINE NUMBER.	NOS 2 OPER HB	60459310
INCORRECT LIST OPTION.	NOS 2 RS VOL 3	60459680
INCORRECT LOAD ADDRESS.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT LOCAL FILE NAME.	NOS 2 RS VOL 3	60459680
INCORRECT MODIFICATION OF filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
INCORRECT MOVE REQUESTED.	NOS 2 OPER HB	60459310
INCORRECT N.	NOS 2 OPER HB	60459310
INCORRECT NOISE SIZE ON filename.	NOS 2 RS VOL 3	60459680
INCORRECT -NR- PARAMETER.	NOS 2 RS VOL 3	60459680
INCORRECT NUMERIC FIELD.	MODIFY RM	60450100
INCORRECT NUMERIC PARAMETER FOR kw.	NOS 2 OPER HB	60459310
INCORRECT OP PARAMETER - op	NOS 2 RS VOL 3	60459680
INCORRECT OPTION.	NOS 2 OPER HB	60459310
INCORRECT */* OPTION.	NOS 2 RS VOL 3	60459680
INCORRECT OPTION ARGUMENT.	NOS 2 RS VOL 3	60459680
INCORRECT OPTION - REENTER.	NOS 2 OPER HB	60459310
INCORRECT ORIGIN TYPE.	NOS 2 OPER HB	60459310
INCORRECT OUTPUT FILENAME.	NOS 2 RS VOL 3	60459680
INCORRECT PAGING REQUEST.	NOS 2 OPER HB	60459310
INCORRECT PARAMETER	XEDIT 3 RM	60455730
INCORRECT PARAMETER.	NOS 2 RS VOL 3	60459680
INCORRECT PARAMETER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
. INCORRECT PARAMETER.	NOS 2 RS VOL 3	60459680
INCORRECT PARAMETER LENGTH OR SEPARATOR.	NOS 2 RS VOL 3	60459680
INCORRECT PASSWORD.	NOS 2 OPER HB	60459310
or		
**** INCORRECT PASSWORD.		
**** INCORRECT PASSWORD IGNORED.	NOS 2 OPER HB	60459310
INCORRECT PFC ADDRESS.	NOS 2 OPER HB	60459310
INCORRECT POSITION IN THE DIRECTORY.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
INCORRECT QUEUE SPECIFIED.	NOS 2 RS VOL 3	60459680
INCORRECT QUEUE TYPE.	NOS 2 RS VOL 3	60459680
INCORRECT -R/NR- PARAMETER.	NOS 2 RS VOL 3	60459680
INCORRECT RANDOM ADDRESS.	NOS 2 RS VOL 4	60459690
INCORRECT REPLY LIMIT REACHED.	NOS 2 RS VOL 3	60459680
INCORRECT REPORT OPTION.	NOS 2 OPER HB	60459310
INCORRECT REQUEST.	NOS 2 RS VOL 3	60459680
INCORRECT RESOURCE COUNT.	NOS 2 RS VOL 3	60459680
INCORRECT - RF AND AM PARAMETERS.	NOS 2 OPER HB	60459310
INCORRECT - RF AND FM PARAMETERS.	NOS 2 OPER HB	60459310
INCORRECT - RL AND NO RF PARAMETER.	NOS 2 OPER HB	60459310
INCORRECT ROLLOUT REQUEST.	NOS 2 OPER HB	60459310
INCORRECT RUBOUT COUNT.	NOS 2 OPER HB	60459310
INCORRECT SAMPLE RATE.	NOS 2 OPER HB	60459310
INCORRECT SB PARAMETER.	NOS 2 OPER HB	60459310
INCORRECT SCHEMA ID ON QRF HEADER	CDCS 2 DA RM	60485200
INCORRECT SDF DEVICE.	NOS 2 OPER HB	60459310
INCORRECT SEPARATOR.	NOS 2 OPER HB	60459310
INCORRECT SERVICE CLASS.	NOS 2 OPER HB	60459310
INCORRECT SERVICE CLASS.	NOS 2 RS VOL 3	60459680
INCORRECT SERVICE CLASS	RBF 1 RM	60499600
INCORRECT SKIP COUNT.	NOS 2 OPER HB	60459310
INCORRECT SL.	NOS 2 OPER HB	60459310
INCORRECT SLL REQUEST.	NOS 2 OPER HB	60459310
INCORRECT SM.	NOS 2 OPER HB	60459310
INCORRECT SM PARAMETER.	NOS 2 OPER HB	60459310
INCORRECT SMP REQUEST.	NOS 2 OPER HB	60459310
INCORRECT SORT PARAMETER.	NOS 2 RS VOL 3	60459680
INCORRECT SSC STATUS RECEIVED.	NOS 2 OPER HB	60459310
INCORRECT ST PARAMETER.	NOS 2 OPER HB	60459310
INCORRECT SU.	NOS 2 OPER HB	60459310
INCORRECT SUB-TRANSACTION CODE - INITIAL TASK.	TAF 1 RM	60459500
INCORRECT SUBFAMILY.	NOS 2 OPER HB	60459310
INCORRECT SYMBOLIC NAME	MCS 1 RM	60480300
INCORRECT SYNTAX.	NOS 2 RS VOL 3	60459680

MESSAGE

INCORRECT SYNTAX FOLLOWING INDICATED ELEMENT
INCORRECT SYSTEM SECTOR.
INCORRECT TAPE DENSITY.
INCORRECT TAPE EST PARAMETER.
INCORRECT TAPE FORMAT.
INCORRECT TASK PERCENTAGE.
INCORRECT TDAM REQUEST.
cmd INCORRECT TERMINAL CLASS

INCORRECT TERMINAL REQUEST.

INCORRECT TERMINAL TYPE.
INCORRECT TERMINAL TYPE FOR TRMDEF.
INCORRECT TOTAL INTERLOCK REQUEST.
INCORRECT USER.

INCORRECT USER ACCESS.
INCORRECT USER ACCESS.
INCORRECT USER ACCESS.
INCORRECT USER ACCESS.
INCORRECT USER COMMAND.
INCORRECT USER INDEX.
cmd INCORRECT VALUE

cmd INCORRECT VALUE
INCORRECT VALUE FOR PP PARAMETER - vvvvvvv.
INCORRECT VSN.
INCORRECT VSN PARAMETER.
INCORRECT WORD COUNT ON TERMINAL OUTPUT.
INCORRECT 1MR FUNCTION.
INCORRECTLY-FORMATTED LIBRARY, lname.
INCORRECTLY FORMATTED TRMDEF data.
decknam - INCORRECTLY NESTED CALL OR COMMON
DECK.
INDEFINITE OPERAND
INDEFINITE SOURCE VALUE NOT REPRESENTABLE
INDEFINITE SOURCE VALUE NOT REPRESENTABLE
INDEFINITE VALUE
INDEFINITE VALUE FOR INTEGER DESTINATION FIELD
INDEFINITE VALUE FOR INTEGER DESTINATION FIELD
INDEX ADDRESS OUT OF RANGE FOR filename AT
address.
num INDEX BLOCKS REWRITTEN
INDEX BUFFER LIMIT.
INDEX ERROR

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
IAF 1 RM	60455250
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
RBF 1 RM	60499600
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
BASIC 3 RM	19983900
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 4	60459690
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
APL 2 RM	60454000

MESSAGE

INPUT DISCARDED
 INPUT DISCARDED ..
 INPUT DISCARDED..
 INPUT ERROR(S) - PROGRAM ABORTED
 INPUT ESCAPE CHAR. REQUIRED - BATCH MODE.
 INPUT FILE EMPTY.
 INPUT FILE EMPTY
 INPUT FILE EMPTY OR MISPOSITIONED
 INPUT FILE EMPTY OR MISPOSITIONED
 INPUT FILE EMPTY OR MISPOSITIONED.
 INPUT FILE EMPTY - RUN ABORTED
 INPUT FILE ERROR.
 INPUT FILE IN NO RERUN STATUS.
 INPUT FILE IN RERUN STATUS.
 INPUT FILE MAY NOT BE SUPPRESSED -- IGNORED
 INPUT FILE NOT FOUND.
 INPUT FILE RECORD TYPE NOT ALLOWED.
 nnnn INPUT FILES RECOVERED.
 INPUT IGNORED
 INPUT KIND ERROR
 INPUT LOST, REENTER LAST LINE.
 INPUT MESSAGE TOO LONG.
 INPUT MRL NOT GIVEN
 INPUT NOT ASSIGNED TO TERMINAL.
 INPUT TRAY EMPTY
 INPUT TYPE CONFLICTS WITH OUTPUT DESIRED
 INPUT TYPE NOT SAME AS SPECIFIED ON CC
 INPUT WITHIN INPUT
 INQUIRE CANNOT SPECIFY BOTH UNIT AND FILE
 INQUIRE MUST SPECIFY UNIT OR FILE
 INQUIRING username.
 INQUIRY COMPLETE.
 INSERTED LINES OVERLAP EXISTING LINES. AT
 nnnnn. ENTER Y TO CONTINUE OR N TO STOP.
 INSTALL ABORTED.
 INSTALL - ARGUMENT ERROR.
 INSTALL FILE NOT FOUND.
 INSTALL FILE NOT MASS STORAGE.
 INSUFFICIENT BUFFER SIZE
 INSUFFICIENT CM FOR SPECIFIED MERGE ORDER xxxxx MORE REQUIRED
 INSUFFICIENT CUBES. NUMBER PROCESSED = n.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NAM 1 TERM INTF	60480600
CDCS 2 DA RM	60485200
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NDL 1 RM	60480000
BASIC 3 RM	19983900
PL/I RM	60388100
COMPASS 3 RM	60492600
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
PL/I RM	60388100
NOS 2 RS VOL 3	60459680
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
NAM 1 TERM INTF	60480600
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FTN 4-5 CONV RM	60483000
FTN 4-5 CONV RM	60483000
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310

MESSAGE

INSUFFICIENT FIELD LENGTH.
INSUFFICIENT FIELD LENGTH FOR MERGE BUFFERS
INSUFFICIENT FIELD LENGTH FOR THIS COMMAND.
INSUFFICIENT FIELD LENGTH, UPDATE ABORT
INSUFFICIENT FL FOR DATA MANAGER.
INSUFFICIENT FL FOR EXECUTION
INSUFFICIENT FL FOR LOAD
INSUFFICIENT LOGICALLY ON PPS DEADSTART
ABORTED.
INSUFFICIENT MEMORY FOR CDCS type
INSUFFICIENT MEMORY FOR CDCS type
INSUFFICIENT MEMORY FOR CM RECOVERY.
INSUFFICIENT NFL SPACE.
INSUFFICIENT RESOURCES ON SYSTEM.
INSUFFICIENT RESOURCES ... RE-ENTER
INSUFFICIENT SCM
INSUFFICIENT SCM FOR OVERLAY-OVERLAY INDEX:
INSUFFICIENT STORAGE FOR LIBRARY GENERATION.
INSUFFICIENT STORAGE FOR SYSTEM TEXT. BAD SYSTEM TEXT - x=yyyyyyy/zzzzzz
INSUFFICIENT STORAGE FOR SYSTEM TEXT. BAD SYSTEM TEXT - X=yyyyyyy/zzzzzz
INSUFFICIENT FIELD LENGTH
INTEGER CONSTANT FOR MULTIPLICATION OR DIVISION EXCEEDS 2**48-1
INTEGER DIVIDE BY ZERO -- RESULTS SET TO ZERO
INTEGER GREATER THAN 2**48-1 IN MULTIPLY OR DIVIDE
INTEGER GREATER THAN 2**48-1 IN REAL EXPRESSION
INTEGER ** NEGATIVE CONSTANT -- RESULTS ZERO
INTEGER ** NEGATIVE CONSTANT -- RESULTS ZERO
INTEGER OPERATION RESULTS IN OVERFLOW
INTEGER OVERFLOW xxxxxx
INTEGER TOO LARGE xxxxxx
INTEGER VALUE TOO LARGE FOR FIELD
INTEGER VALUE TOO LARGE FOR FIELD
INTEGER 0, 1, 2 OR 3 MUST FOLLOW LEVEL
INTEGER 1, 2 OR 3 MUST FOLLOW LEVEL
INTERACTIVE DEBUG REQUIRES OPT=0
INTERACTIVE JOB STEP, DUMP DISABLED.
INTERLOCK NOT AVAILABLE.
pfn INTERLOCKED.
INTERLOCKING, Equest.
INTERLOCKING IQFT, Equest.
INTERMEDIATE IGNORE TABLE OVERFLOW.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
UPDATE RM	60449900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
LOADER 1 RM	60429800
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
SORT MERGE 4&1	60497500
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
COMPASS 3 RM	60492600
COMPASS 3 RM	60492600
NDL 1 RM	60480000
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
INTERNAL DBMSTRD ERROR	CDCS 2 DA RM	60485200
INTERNAL DBMSTRD ERROR ILLEGAL CALL TO DB\$MABT FROM numB	CDCS 2 DA RM	60485200
INTERNAL DOWN COMPLETE	CDCS 2 DA RM	60485200
INTERNAL DOWN COMPLETE	CDCS 2 AP RM	60485300
INTERNAL ERROR - rn.	NOS 2 OPER HB	60459310
INTERNAL ERROR - DB\$MABT	CDCS 2 DA RM	60485200
INTERNAL ERROR - DB\$MABT	CDCS 2 AP RM	60485300
INTERNAL ERROR IN MSI.	NOS 2 OPER HB	60459310
INTERNAL FILE I/O CANNOT BE FREE FORMAT	FORTRAN 5 RM	60481300
INTERNAL FILE I/O CANNOT BE NAMELIST	FORTRAN 5 RM	60481300
INTERNAL FILE NAME = lfn	COBOL 5 DH	60482500
INTERNAL FILE NAME = lfn	COBOL 5 RM	60497100
INTERNAL FILE REQUIRES A FORMAT	FORTRAN 5 RM	60481300
INTERNAL FILE WITHOUT FORMAT OR MISSING COMMA B'FORE I/O LIST	FORTRAN 5 RM	60481300
INTERNAL RECOVER/RESTORE ERROR xxx	QU/CRM DA RM	60482100
INTERNAL RECOVER/RESTORE ERROR xxx	DATA BASE UTL 1	60498800
INTERNAL UNIT SPECIFIER CANNOT BE	FORTRAN 5 RM	60481300
INTERNAL UNIT SPECIFIER CANNOT BE ASSUMED SIZE ARRAY	FORTRAN 5 RM	60481300
INTERNAL UNIT SPECIFIER NOT ALLOWED FOR THIS STATEMENT	FORTRAN 5 RM	60481300
INTERPRET MODE TURNED OFF	INTER DEBUG RM	60481400
INTERPRET MODE TURNED ON	INTER DEBUG RM	60481400
INTERRUPT	APL 2 RM	60454000
INTERRUPT AT LINE n.	TEXT EDITOR RM	60436100
INTERRUPT IGNORED	INTER DEBUG RM	60481400
INTERRUPTED	INTER DEBUG RM	60481400
INTRINSIC FUNCTION NOT ALLOWED AS ACTUAL ARGUMENT	FORTRAN 5 RM	60481300
INTRINSIC FUNCTION REFERENCE MAY NOT USE A FUNCTION NAME AS AN ARGUMENT	FORTRAN EXT 4	60497800
INTRINSIC LEN MUST NOT APPEAR IN PARAMETER CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
INTRINSIC TYPED NON-CONFORMING -- TYPE IGNORED	FORTRAN 5 RM	60481300
INTRODUCED UNIT IN USE.	NOS 2 OPER HB	60459310
INVAILD APPLICATION. TRY AGAIN.	NOS 2 RS VOL 3 IAF 1 RM	60459680 60455250
INVALID xxxxxx	NOS 2 SF RM	60460430
INVALID ACCESS.	NOS 2 TAPE MGMT	60463350
INVALID APPLICATION NAME ON NETON	NAM 1 RM	60499500
INVALID AREA IDENTIFIER id ON CDCS QUICK RECOVERY FILE	CDCS 2 DA RM	60485200
INVALID AREA IDENTIFIER id ON CDCS QUICK RECOVERY FILE	CDCS 2 AP RM	60485300
INVALID ATTRIBUTE.	NOS 2 OPER HB	60459310
INVALID BASE STATEMENT	BASIC 3 RM	19983900
INVALID BASE VALUE	BASIC 3 RM	19983900
INVALID BGD OPTION	FORM RM	60496200
INVALID CHANGE	BASIC 3 RM	19983900
INVALID CHARACTER	CDCS 2 DA RM	60485200

MESSAGE

INVALID CHARACTER
INVALID CN ON ICN/TE/R.
INVALID COD OPTION
INVALID COMBINATION OF PARAMETERS.
INVALID COMMAND.
INVALID COMMAND
INVALID COMMAND aaaaaaa
INVALID CONTROL CARD OPTION
INVALID CONTROL STATEMENT.
INVALID CONTROL STATEMENT OPTION.
INVALID CURSOR_ENCODING
INVALID DATA BASE NAME ON DMS STATEMENT.

INVALID DATA IN INPUT STREAM.
INVALID DATA MANAGER PARAMETER
INVALID DATA ON CDCS TRANSACTION FILE
INVALID DATA ON CDCS TRANSACTION FILE
INVALID DATA TYPE
INVALID DATA TYPE
INVALID DEFAULT CHARGE
INVALID DEVICE SPECIFIED.
INVALID DEVICE TYPE.
INVALID DISPLAY DATA FROM SCOPE 2
INVALID DIVERT DESTINATION
INVALID DOWNED EQUIPMENT.
INVALID ENTRY.
INVALID EST ORDINAL.
INVALID FILE ACCESS LEVEL.
INVALID FILE STATUS.
INVALID FILENAME
INVALID FIRST, LAST OR STEP VALUE
INVALID FMT OPTION
INVALID FORM INVOLVING THE USE OF A COMMA OR REDUNDANT PARENS
INVALID FX PARAMETER.
INVALID JOB FILE
INVALID JOB NAME aaaa
INVALID JOB START INFORMATION.
INVALID KEYWORD
INVALID KEYWORD aaaaaaa
INVALID LEVEL NUMBER SPECIFIED
INVALID LOGICAL TERM
INVALID M VALUE FOR DATA TYPE
INVALID MINACN/MAXACN ON NETON

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
NDL 1 RM	60480000
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
FORM RM	60496200
INTER DEBUG RM	60481400
FORM RM	60496200
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
FORM RM	60496200
FORM RM	60496200
NAM 1 RM	60499500

MESSAGE

INVALID "MOVE_PAST.." OR "CHAR_PAST.." TYPE
INVALID NAME--MAY ONLY BE ALPHABETIC AND
NUMERIC CHARACTERS
INVALID NEW SECURITY ACCESS LEVEL.
INVALID NFN/PFN IN PARAM BLOCK.
INVALID NUMERIC FIELD
INVALID NUMERIC FIELD IN PS ARGUMENT -- IGNORED
+/- INVALID ON REPEAT COUNT
+/- INVALID ON SIZE SPECIFIER
INVALID OPTION.
INVALID OPTION - OP.
INVALID OPTION X.
INVALID PAGING ATTEMPT.
INVALID PARAMETER
INVALID PARAMETER xxxx
INVALID PARAMETER ON PROGRAM CALL CARD.
INVALID PARAMETER TO -C.IOST-
INVALID PARAMETER TO -C.IOST-
INVALID PARAMETER TYPE xxxx
INVALID PARAMETER VALUE.
INVALID PARAMETER VALUE IN FILE STRING
INVALID PARAMETER VALUE IN FILE STRING
INVALID PARAMETER(S) IN JOB STATEMENT.
INVALID PASSWORD
INVALID PROGRAM NUMBER.
INVALID QUALIFIER FOR OVERLAY TRAPS
INVALID RC FROM CR/RCN.
INVALID RECORD LENGTH FOR LOG RECORD
INVALID RELATION-NAME
INVALID RELATION-NAME
INVALID RETRIEVE COUNT
INVALID REW OPTION
INVALID RFM OPTION
INVALID SB PARAMETER.
INVALID SELECTION
INVALID SEQUENCE
INVALID ST PARAMETER.
INVALID STATEMENT LABEL
INVALID SYMBOLIC NAME
INVALID SYNTAX xxxx
INVALID SYNTAX
INVALID -T- TYPE IN ITM
INVALID TASK NAME.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
PL/I RM	60388100
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
COBOL 5 DH	60482500
COBOL 5 RM	60497100
MCS 1 RM	60480300
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
SORT MERGE 481	60497500
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
INTER DEBUG RM	60481400
RBF 1 RM	60499600
FORM RM	60496200
TAF 1 RM	60459500

MESSAGE

INVALID TCF ENTRY.

INVALID TDAM REQUEST.
INVALID TFRMINAL NAME
xxxxxxx - INVALID TEST MODE SOURCE
INVALID TRANSACTION DIRECTORY HEADER -
filename.
INVALID TRAP TYPE xxxx
INVALID x TREATED AS ;
INVALID TRIGGER NUMBER - xxSTTP.
INVALID TYPE FOR STEP - xxxx
INVALID TYPE-ONLY STRING, INTEGER, OR
VARIABLE ALLOWED
INVALID USE OF A CHARACTER STRING
INVALID USER ACCESS.
INVALID USER ACCESS.
INVALID USER/FAMILY NAME aaaaaaa
INVALID VERB OR MISSING "=" IN VARIABLE
ASSIGNMENT
INVALID VERSION NAME vn
INVALID VERSION NAME vn
INVOCATION FILE NOT FOUND
INVOLVED IN CONTRADICTIONARY EQUIVALENCING
INVOLVING IN REDUNDANT EQUIVALENCING
IO ERROR ec ON filename.
IO ERROR xxxx ON yyyyyy.
IO ERROR ec ON ROLLOUT.
IO ERROR xxxx ON ROLLOUT.
IO SECONDS CHARGED BY CDCS yyyyyy.yyy
IO SECONDS CHARGED BY CDCS yyyyyy.yyy
IOU MARGINS SELECTED
(CR) TO CONTINUE.
IOU MARGINS SELECTED DEADSTART ABORTED
IPL NOT FOUND
IPRDECK NOT ON TAPE.
IOFT FILE ERROR DN dn FAMILY familyname.
IOFT NOT FOUND.
IRL OUT OF RANGE
IRL SPECIFIED TWICE
filename IS A LOCAL FILE.
lfn IS AN ILLEGAL FILE NAME
o IS AN ILLEGAL OR DUPLICATE OPTION.
p IS AN ILLEGAL OR DUPLICATE PARAMETER.
npuname IS CONTROLLING NOP.
mnnnn IS DEFINED TO BE A BASIC EXTERNAL FUNCTION

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
NOS 2 SF RM	60460430
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
NOS 2 SF RM	60460430
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
XEDIT 3 RM	60455730
PL/I RM	60388100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800

MESSAGE

..... IS DEFINED TO BE INTRINSIC
nnnnn IS DEFINED TO BE INTRINSIC
pfn IS DIRECT ACCESS.

filename IS EXECUTE ONLY.

..... IS IN BLANK COMMON -- DATA IGNORED
nnnnn IS IN BLANK COMMON -- DATA IGNORED
filenam IS INCONSISTENT.
pfn IS INDIRECT ACCESS.

lfn IS MORE THAN 7 CHARACTERS -- EXCESS IGNORED
..... IS NON-ANSI EDIT DESCRIPTOR
nnnnn IS NOT A LEGAL KEYWORD
nnnnn IS NOT A LEGAL TYPE
deckname IS NOT A VALID DECK NAME
..... IS NOT DEFINED AS INTRINSIC
nnnnn IS NOT IN LABELED COMMON
filename IS READ ONLY.
nnnnn IS SPECIFIED AS CONVERSION CODE
..... IS UNKNOWN C\$ PARAMETER FOR
parameter IS UNRECOGNIZABLE -- IGNORED
ISD ERROR, vvvvv.
REPLY GO TO RETRY - DROP TO OFF DEVICE.
ISF COMPLETE.
IT MAY EXIST IN A DECK NOT MENTIONED ON A COMPILE DIRECTIVE
ITEM xxxxxx IS SUPERSET OF A PREVIOUS ITEM
ITEMIZE COMPLETE.
ITEMIZE COMPLETE
ITEMIZING xxxx
ITEMIZING xxxx
ITEMS IN DIFFERENT LEVELS OF STORAGE MAY NOT BE EQUIVALENCED
ITF, ACN acn, APPLICATION LINKAGE ACCEPTED BY
HOST pid.
ITF, ACN acn, APPLICATION LINKAGE ERROR WITH
HOST pid.
CN acn, REASON CODE = nn - xxxx.
ITF, ACN acn, APPLICATION LINKAGE REJECTED BY
HOST pid
ITF, ACN acn, CONNECTION TO HOST pid
ESTABLISHED.
ITF, ACN c, CONNECTION TO HOST pid BROKEN.
ITF, ACN acn, CONNECTION TO HOST pid ENDED.
ITF, ACN acn, MESSAGE FROM HOST pid - ITF,
ACN acn, xxxx
ITF, ACN acn, RETRANSMITTING TO HOST pid.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
PL/I RM	60388100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
UPDATE RM	60449900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
PL/I RM	60388100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 SF RM	60460430
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RMF USAGE MAN.	60460620

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
ITF, ACN acn. TRANSMISSION RESUMED TO HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3 RMF USAGE MAN.	60459310 60459680 60460620
ITF, CONNECTED TO HOST pid ON ACN c/TCN yy.	NOS 2 RS VOL 3	60459680
ITF, CONNECTING TO HOST pid.	NOS 2 RS VOL 4	60459690
ITF, COULD NOT CONNECT TO HOST pid. ITF, REASON CODE = nn - xxxx.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, COULD NOT CONNECT TO NAM SUBSYSTEM. ITF, REASON CODE = nn - xxxx.	NOS 2 OPER HB	60459310
ITF, COULD NOT CONNECT TO RHF SUBSYSTEM. ITF, REASON CODE = nn - xxxx.	NOS 2 RS VOL 3	60459680
ITF, COULD NOT CONNECT TO RHF SUBSYSTEM. ITF, REASON CODE = nn - xxxx.	NOS 2 OPER HB	60459310
ITF, HOST pid HAS RESPONDED.	NOS 2 RS VOL 3	60459680
ITF, INVALID APPLICATION NAME (MA).	NOS 2 OPER HB	60459310
ITF, INVALID DEFAULT LID (DL).	NOS 2 OPER HB	60459310
ITF, INVALID MANDATORY LTD (ML).	NOS 2 OPER HB	60459310
ITF, INVALID USER ACCESS.	NOS 2 OPER HB	60459310
ITF, NAM DETECTED LOGICAL ERROR. ITF, REASON CODE = nn.	NOS 2 OPER HB	60459310
ITF, NAM NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, NAM NETWORK SHUTDOWN.	NOS 2 OPER HB	60459310
ITF, REPRIEVED FROM ERROR CDDF nn.	NOS 2 OPER HB	60459310
ITF, RHF DETECTED LOGICAL ERROR. ITF, REASON CODE = nn.	NOS 2 OPER HB	60459310
ITF, RHF INPUT BLOCK ERROR DETECTED. ITF, REASON CODE = nn - xxxx.	NOS 2 OPER HB	60459310
ITF, RHF NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, RHF NETWORK SHUTDOWN.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, ASSIGNED TO ACN c/TCN yy.	NOS 2 OPER HB	60459310
ITF, Tnnnn, CONNECTION BROKEN.	NOS 2 OPER HB	60459310
ITF, Tnnnn, CONNECTION FROM xxxxxxxx ACCEPTED.	NOS 2 OPER HB	60459310
ITF, Tnnnn, CONNECTION FROM xxxxxxxx ENDED.	NOS 2 OPER HB	60459310
ITF, Tnnnn, SECURITY CONFLICT ON HOST pid.	NOS 2 OPER HB	60459310
ITF, Tnnnn, TERMINAL CONNECTION ABORTED BY HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ABORTED TO HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ACCEPTED BY HOST pid.	NOS 2 OPER HB	60459310
ITF, Tnnnn, TERMINAL CONNECTION ENDED BY HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION ENDED TO HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL CONNECTION REJECTED BY HOST pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
ITF, Tnnnn, TERMINAL TIMEOUT.	NOS 2 OPER HB	60459310
ITF, TERMINAL TIMEOUT.	NOS 2 RS VOL 3	60459680

MESSAGE

ITF, TERMINAL WILL DISCONNECT IN ONE MINUTE.
ITF, TERMINATED.
ITF, UNDEFINED DEFAULT LID (DL=xxx).
ITF, UNDEFINED MANDATORY LID (ML=xxx).
ITF, WAITING FOR HOST pid TO RESPOND.
+ITM AND -ITM ILLEGAL IN SELECTOR
.IX OR OX NOT DEFINED.
IX SPECIFIED TWICE
I=O IS NOT ALLOWED
xxJ FILE ERROR - CRM DM NOT LOADED.
xxJ FILE ERROR - TAF DM NOT LOADED.
xxJ FILE ERROR - TOTAL DM NOT LOADED.
xxJ FILE NOT FOUND.

JOB ABORTED.
JOB ABORTED
JOB ABORTED
JOB ACTIVE.
JOB ACTIVE.
JOB ALREADY WAITING ON SERVICE CLASS.
JOB ALREADY WAITING ON SERVICE CLASS
JOB CANNOT ACCESS FILE.

JOB CARD ERROR (jobname)

JOB COMMAND ERROR.
JOB DETACHED, JSN=oldjsn
JSN: newjsn, NAMIAF.
JOB DROP IN PROCESS
JOB HUNG IN AUTO RECALL.
JOB HUNG IN AUTORECALL
JOB IN NORERUN STATE ON RECOVERY.

JOB NOT DETACHED.
JOB NOT FOUND.
JOB NOT RECOVERABLE.
JOB NOT REQUESTING RESOURCE.
JOB NOT RERUN.

JOB/PARAM RECORD
COUNT EXCEEDS 200.
JOB REPRIEVED.
JOB RERUN.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORM RM	60496200
NOS 2 RS VOL 3	60459680
FORM RM	60496200
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

JOB STATEMENTS IN
PARAM RECORD EXCEED 200.

JOB STEP ABORT.

JOB STEP ABORT.

JOB STEP EXCEEDS ACCOUNT BLOCK.

JOB STEP LIMIT.

JOB TERMINATED.

JOB UNKNOWN TO SYSTEM

JOB UNKNOWN TO SYSTEM

JOBNAME IS jsn

JOURNAL LOG CLOSED FOR SCHEMA sn

JOURNAL LOG FILE pname FULL

JOURNAL LOG FILE pname FULL

JOURNAL LOG FILE fn HAS BEEN ALLOCATED

JOURNAL LOG FILE fn HAS BEEN DUMPED TO TAPE

JOURNAL LOG FILE HAS BEEN REINITIALIZED

JOURNAL TYPE DOES NOT MATCH xxJ FILE.

JSN CANNOT BE DETACHED.

JSN EQuest TRACK tttt LENGTH ERROR.

JSN LIST FULL.

JSN MORE THAN FOUR CHARACTERS

JSN xxxx NOT FOUND.

JSN NOT FOUND.

JSN OR UJN MUST BE SPECIFIED.

K.BFL=n.
K.CMB=nn.
K.ECS=nnnk.
K.ERO=a.
K.ERO=CRF,xxx.
K.INT=1.
K.INT=CRF,xxxxxxx.
K.INT=CRM,xxxx.
K.MDM=n.
K.MFL=nnnnnnB.
K.REC=a.
K.SCP=nn.
K.TLF=a.

K. COMMAND NOT VALID.

K-DISPLAY COMMAND UNSUCCESSFUL. DROP
IGNORED--command.

K-DISPLAY COMMAND UNSUCCESSFUL. FORMAT
ERROR--command.

K-DISPLAY COMMAND UNSUCCESSFUL. ILLEGAL
COMMAND--command.

K DISPLAY COMMAND UNSUCCESSFUL. SYSTEM
BUSY--command.

K.MAXFL,nnnnnnB.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM NOS 2 OPER HB	60459500 60459310
TAF 1 RM NOS 2 OPER HB	60459500 60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM NOS 2 OPER HB	60459500 60459310

MESSAGE

K.MAXFL REJECTED.

K--NOT KEY OR KEYA

KEY LOCATION MISSING

KEY SPECIFIED TWICE

KEYA NOT DEFINED AT THIS POINT

KEYTYPE MUST BE *I, F, X*

KEYWORD IS ILLEGAL FOR THIS FUNCTION.

KEYWORD NOT FOLLOWED BY = IN FILE STRING

KEYWORD NOT FOLLOWED BY = IN FILE STRING

KEYWORD/VALUE COUNT IN
PARAM RECORD EXCEEDS 200.

KILL

n.nnn KILO CDCS REQUEST REJECTS FOR BUSY.

n.nnn KILO CDCS REQUEST REJECTS FOR MAXR.

n.nnn KILO CDCS REQUESTS FROM TASKS.

n.nnn KILO ITASK RELOADS.

n.nnn KILO LOCK REJECTS-filename.

n.nnn KILO LOCKS-filename.

n.nnn KILO NO COMMUNICATION BLOCKS.

n.nnn KILO NO FL FOR TASK LOAD.

n.nnn KILO NO SUBCONTROL POINTS.

n.nnn KILO OPEN REJECTS-filename.

n.nnn KILO OPENS-filename.

n.nnn KILO STORAGE MOVES OF TASKS.

n.nnn KILO TAF FL INCREASES.

n.nnn KILO TASK RECALLS.

n.nnn KILO TASK RECALLS FOR OUTPUT.

n.nnn KILO TASK RELOADS.

n.nnn KILO TASK ROLLOUT COMPLETES.

n.nnn KILO TASK ROLLOUT STARTS.

n.nnn KILO TRANSACTION ABORTS.

n.nnn KILO TRANSACTIONS PROCESSED.

KL PARAMETER OR CRM CARD NOT SPECIFIED
PROPERLY.

KTSMP COMPLETE.

L= ALREADY SPECIFIED

L-DISPLAY NOT ACTIVE.

L-DISPLAY NOT ASSIGNED.

L-DISPLAY NOT AVAILABLE.

L-DISPLAY NOT AVAILABLE.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350

MESSAGE

lnu/ed, filenameL STATEMENT PARAMETER.
L TYPE ERROR LOCATION FIELD BAD.
OCCURRED ON PAGES p1, p2, p3, ..., pn
LA AND UA BOTH REQUIRED.
****LA AND UA BOTH REQUIRED.
LA GREATER THAN UA.
LA NOT WITHIN LIMIT.
LA VALUE LARGER THAN UA.
****LA VALUE LARGER THAN UA.
LABEL CONTENT ERROR, filename AT address.

LABEL LONGER THAN 7 CHARACTERS xxxx
LABEL MISSING, filename AT address.

LABEL NAME MUST BE LQ 7 CHARS
LABEL NOT EXPIRED.

LABEL PARAMETER ERROR ON OPEN, filename
AT address.

LABEL READ ERROR Cnnnnn.
LABEL TRACK CONFLICT.
LACKING MEMORY FOR CM RECOVERY.
LAST IF RESULTS IN A NULL TRANSFER TO THIS STATEMENT
LAST IF RESULTS IN A NULL TRANSFER TO THIS STATEMENT
LAST RECOVERY POINT IS num
LAST RECOVERY POINT NOT FOUND
LAST RECOVERY POINT NOT FOUND
LAST RESPONSE LINE IS DISCARDED
LAYOUT CALL ERROR
LBL - CIO ERROR.

LCF DOES NOT EXIST.
LCF/TERM NODE MISMATCH
LCF/TERMINAL xxxxxxxx NOT FOUND
LCM/ECS ARRAY SIZE ERROR
LCM/ECS STACK OVERFLOW
LCM FL EXCEEDS 131071 WORDS (LCM=I REQUIRED)
LCM LIMIT EXCEEDED
..... LCM OPTION MUST BE G, I, OR D
LCM SECCED BIT ERROR - QUADRANT q, CSU x.
LDD - ARGUMENT ERROR - address.
LDD - DEVICE ERROR - FILENAM AT address.
LDD - I/O SEQUENCE ERROR.
LDI ID AND FM/UN CONFLICT.
LDLIST OPERATION COMPLETE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF/CRM 1 DM RM	60459510
TAF/CRM 1 DM RM	60459510
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
INTER DEBUG RM	60481400
ALGOL 4 RM	60496600
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
NPS RM	60480500
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310

MESSAGE

LDQ - ARGUMENT ERROR - address.
LDQ - DEVICE ERROR - FILENAM AT address.
LDQ - I/D SEQUENCE ERROR.
LDR-ENTRY POINT NOT FOUND.
LDR ERROR.

LDREQ BEGIN MISSING
LDREQ END MISSING
LDV ERROR LOADING LOADU
LDV ERROR 0004 CANT LOAD PLI in
LEFT SIDE OF EQUAL SIGN IS ILLEGAL
LEFT SIDE OF EQUAL SIGN IS ILLEGAL
LEFT SIDE OF REPLACEMENT STATEMENT IS ILLEGAL
LEFT TERMINATOR MISSING

+++ LENGTH CONFLICT.
LENGTH ERROR
LENGTH ERROR ON OLDPL. UNUSABLE OLDPL OR HARDWARE ERROR
LENGTH IN 52 TABLE .NE. FET.
LENGTH OF CHARACTER FORMAT SPECIFIER MUST BE GREATER THAN 1
LEVEL CONFLICT IN COMMON BLOCK nnnnn
LEVEL CONFLICTS WITH PREVIOUS DECLARATION. ORIGINAL LEVEL RETAINED
LEVEL OF REPEAT NESTING MUST BE LE 3
LEVEL-0 DATA BASE ERROR.
LEVEL-1 INDEX BLOCKS LINKED.
LEVEL-2 DATA BASE ERROR.
LEVEL 3 NAME MAY NOT OCCUR IN THIS STATEMENT
LEVEL 3 NAME nnnnn MAY NOT OCCUR IN THIS STATEMENT

LFG COMPLETE.
LFG ERRORS.
LFM DETECTED ERROR.
LFM ERROR.
LFM INCORRECT REQUEST.

LFN = filename, BFS=0, FWB NZ, FWB IGNORED
LFN IS REQUIRED
LFN IS REQUIRED
LIBEDIT ARGUMENT ERROR(S).
LIBGEN ARGUMENT ERROR.
LIBGEN FILE NAME CONFLICT.
LIBRARY DIRECTORY EMPTY - filename.
LIBRARY DIRECTORY ERROR - filename.
LIBRARY DIRECTORY TOO LONG - filename.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
LOADER 1 RM	60429800
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
LOADER 1 RM	60429800
LOADER 1 RM	60429800
LOADER 1 RM	60429800
PL/I RM	60388100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
NOS 2 OPER HB	60459310
APL 2 RM	60454000
UPDATE RM	60449900
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
SORT MERGE 4&1	60497500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB TAF 1 RM	60459310 60459500

MESSAGE

LIBRARY FILE NOT GENERATED.
LIBRARY FILE NOT GENERATED.
LIBRARY FILE NOT ON MASS STORAGE.
LIBRARY FILE TIME OUT.
LIBRARY FUNCTIONS DATE, TIME AND CLOCK ARE MACHINE DEPENDENT
LIBRARY GENERATION COMPLETE.
LIBRARY GENERATION FILE EMPTY.
LIBRARY NOT FOUND, lname.
LIBRARY TABLE ERROR.
LIBTASK ERROR CONDITION UNKNOWN.
LIBTASK PFM ERROR DETECTED.
LID NOT CHANGED.
LID NOT FOUND.
LID NOT FOUND
LID NOT IN TABLE.
LID TABLE FULL.
LIDDU UTILITY COMPLETE.
LIMIT ERROR
LIMIT LESS THAN INITIAL -- 1 TRIP LOOP
LINE: linenam,st,lt,npuname,port.
LINE: xxxxxxx, DUPLICATE CLA ADDRESS.
LINE FAILED, TERMINAL xxxxxxx
LINE LIMIT EXCEEDED.
LINE MODE IS NOT SUPPORTED, USE SCREEN MODE.
LINE n NOT EXECUTABLE - LINE m WILL BE USED
LINE NOT FOUND.
LINE NUMBER INCREMENT ERROR
LINE NUMBER LIMIT EXCEEDED.
LINE NUMBER LIMIT EXCEEDED
LINE NUMBER NOT FOUND, COMMAND NOT EXECUTED
LINE NUMBER OVERLAP ERROR
LINE NUMBER TOO LARGE
LINE NUMBER ZERO OR INVALID CHARACTER IN NUMERIC FIELD
LINE NUMBERS NOT AVAILABLE
LINE RANGE ERROR
LINE RECOVERED, TERM xxxxxxx
LINE TERMINATORS NOT USED ON A STRANGER
TAPE.
LINE: xxxxxxx, TIP NOT CONFIGURED.
LINE TOO LONG.
LINE lino TRUNCATED
LINE WAS DISCONNECTED WHILE LOANED.

<u>MANUAL</u>	<u>PUB. NO.</u>
*****	*****
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60450310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
APL 2 RM	60454000
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
MODIFY RM	60450100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
UPDATE RM	60449900
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

LINES OUT OF ORDER
n LINES TO EOF.
n LINES TO INTERRUPT.
nnnn LINE(S) TRUNCATED.
nnn LINES TRUNCATED.
xxxxxx LINES TRUNCATED.
LINES TRUNCATED AT 150 CHARACTERS
nnnnn LINES TRUNCATED ON FILE filename
LINK DEVICE CANNOT BE ALTERED.
LINK DEVICE HARDWARE ERROR.
LINK DEVICE LABEL TRACK ERROR.
LINK DEVICE READ ERROR.
LINK DEVICE TABLE ERROR.
LINK DEVICE WRITE ERROR.
LINK RESET ON PORT nn.
LINKED CATALOG NOT ACCESSIBLE.
LIST COMPLETE.

LIST COMPLETE.
LIST DIRECTED I/O IS NON-ANSI
LIST DIRECTED OUTPUT CANNOT END WITH COMMA
LIST OF FILES LENGTH TOO LONG OR ZERO.
LIST OPTION ERROR.
LIST STMT WITHIN A SCRIPT
LIST WRITTEN TO OUTPUT FILE nm.
LISTED BELOW ARE ALL IDENT NAMES WHICH WERE CHANGED DURING THE MERGE
LISTING REMAINING FILES.
LISTLB ABORT.

LISTLB COMPLETE.
LISTPPM - ARGUMENT ERROR.
LISTPPM COMPLETE.
LISTPPM - INVALID DUMP FILE.
LITERAL FOLLOWED BY -T- CODE
LITERAL REPLACEMENT > 80 CHARACTERS
LITERAL STRING IS TOO LONG
LITERAL STRING IS TOO LONG
LLINK: l1name, MESSAGE NOT SENT.
LLINK: l1name,RL-r,typ,nn1/tn1,nn2/tn2.
LLT LINKAGE ERROR
-LO-ERROR, MUST BE in -ECTMWD5IA-.
LO OPTION NOT RECOGNIZED.
npuname, LOAD ABORTED - ABNORMAL RESPONSE.
npuname, LOAD ABORTED - BAD LOAD MODULE.

<u>MANUAL</u>	<u>PUB. NO.</u>
BASIC 3 RM	19983900
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NPS RM	60480500
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
npuname, LOAD ABORTED - BAD LPCB.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - BAD NCB SIZE.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - BAD PICB.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - BAD PICB DIRECTIVE.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - LOAD MOD NOT FOUND.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - PICB NOT FOUND.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - PREEMPTED.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - RETRY LIMIT.	NOS 2 OPER HB	60459310
npuname, LOAD ABORTED - TIMEOUT.	NOS 2 OPER HB	60459310
LOAD COMPLETE FOR xx AT EST est, RESET CODE = rr.	NOS 2 OPER HB	60459310
LOAD ERROR DEADSTART ABORTED	NOS 2 OPER HB	60459310
LOAD ERROR IN HASHING ROUTINE.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
LOAD FILE bbbbbbb FOR xx est IS EMPTY.	NOS 2 OPER HB	60459310
LOAD FILE MISPOSITIONED.	NOS 2 OPER HB	60459310
LOAD FILE POSITION LOST.	NOS 2 OPER HB	60459310
LOAD INTERLOCK ON xx est NOT SET.	NOS 2 OPER HB	60459310
LOADBC ABORT - BAD INITIATION PARAMETERS.	NOS 2 OPER HB	60459310
LOADBC ABORT - xxx ERROR CODE = yyy.	NOS 2 OPER HB	60459310
LOADBC REMOTE NAD LOAD - GO OR DROP.	NOS 2 OPER HB	60459310
LOADER DIRECTIVE MUST BE CONTAINED ON 1 CARD	FORTRAN EXT 4	60497800
LOADER DIRECTIVE MUST BEGIN WITH LEFT PAREN	FORTRAN 5 RM	60481300
LOADER DIRECTIVE MUST BEGIN WITH LEFT PAREN	FORTRAN EXT 4	60497800
LOADER DIRECTIVE OUT OF SEQUENCE. MUST PRECEDE PROGRAM UNIT HEADER LINE	FORTRAN EXT 4	60497800
LOADER ERROR LOADING COBOL SEGMENT	COBOL 5 DH	60482500
LOADER ERROR LOADING COBOL SEGMENT	COBOL 5 RM	60497100
LOADER I/O ERROR nn	LOADER 1 RM	60429800
---LOADER I/O ERROR xx FILE--- lfn	LOADER 1 RM	60429800
LOADER MISSING.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
LOADING filename userindex.	NOS 2 OPER HB	60459310
LOADING filename	NOS 2 OPER HB	60459310
LOADING Ccc,xxxx AUTOLOAD FAILURE, STyyyy.	NOS 2 OPER HB	60459310
LOADING Ccn, cwrecord CONTROLLER RESERVED.	NOS 2 OPER HB	60459310
LOADING Ccc,xxxx FUNCTION TIMED OUT = 0414.	NOS 2 OPER HB	60459310
LOADING Ccc,xxxx TO CENTRAL MEMORY.	NOS 2 OPER HB	60459310
LOADING Ccc,xxx TO CONTROL MODULE.	NOS 2 OPER HB	60459310
LOADING Ccc,xxxx TO CONTROLLER.	NOS 2 OPER HB	60459310
LOADING - DIRECT ACCESS FILES ONLY.	NOS 2 OPER HB	60459310
LOADING ECS taskname.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
LOADING FROM xxx TO yyy.	NOS 2 OPER HB	60459310
LOADING - INDIRECT ACCESS FILES ONLY.	NOS 2 OPER HB	60459310

MESSAGE

LOCAL AREA SECTOR ERROR.
LOCAL FILE xxxxxxxx ALREADY EXISTS.
LOCAL FILE ERROR
LOCAL FILE LIMIT.

LOCAL IN BLOCK DATA -- IGNORED
LOCF ARGUMENT MUST NOT BE
LOCF ARGUMENT MUST NOT BE CONSTANT OR EXPRESSION
LOCKED OBJECT
LOG,nn.
LOG ENTRY TABLE OVERFLOW.

LOG FILE nm HAS BEEN TERMINATED.
LOG FILE HAS NOT BEEN OPENED LOG FILE=xxxxxxx
LOG FILE nm IS PURGED FROM THE CATALOG.
LOG FILE LFN MISSING
LOG FILE lfn MISSING
LOG FILE NAME nm CONTAINS AN ILLEGAL CHARACTER.
LOG FILE NAME MUST BE 1-5 CHARACTERS IN LENGTH.
LOG FILE NAME MUST BE 5 CHARACTERS OR LESS.
LOG FILE NAME SET TO nm.
LOG FILE NOT A PERMANENT FILE LOG FILE=xxxxxxx
LOG FILE NOT CLOSED
LOG FILES OPENED FOR SCHEMA sn
LOG - PPU BUSY.

LOGARITHM PARAMETER ERROR
LOGGED OUT
LOGGING MAINTENANCE REGISTERS.
LOGICAL AND NON-LOGICAL OPERANDS MAY NOT BE MIXED
LOGICAL ERROR - xxxx.
LOGICAL ERROR xx.
LOGICAL ERROR, PFC/SFC = pfcsfc.
LOGICAL EXPRESSION IN 3-BRANCH IF STATEMENT
LOGICAL IF EXPRESSION MUST BE LOGICAL
LOGICAL IF MUST NOT BE OBJECT OF LOGICAL IF
LOGICAL IF MUST NOT BE OBJECT OF LOGICAL IF
LOGICAL OPERAND USED WITH NON-LOGICAL OPERATOR
LOGICAL OPERATOR OR CONSTANT USAGE IS NON-ANSI
LOGIN ABORTED, TRY LATER
LOGIN ABORTED, TRY LATER
LOGIN NOT POSSIBLE - CONTACT NETWORK ADMIN.
LOGIN TERMINATED

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
APL 2 RM	60454000
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
CDCS 2 RM	60481800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
NAM 1 RM	60499500
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
ALGOL 4 RM	60496600
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600

MESSAGE

xxxxxxxLOGON ERROR
LOOP BEGINNING AT THIS CARD NO IS ENTERED FROM OUTSIDE ITS RANGE AND HAS NO EXITS
LOOPS ARE NESTED MORE THAN 50 DEEP
xxxx LOST OUTPUT MESSAGE.
nnnnnnnnn LOST REFERENCES IN xxxxxxxx
LOST STIMOUT DATA.
LOST 7000 COMMUNICATIONS
LOWER BOUND IS .GE. UPPER BOUND FOR CLASS
xx.
LOWER LIMIT .GE. UPPER LIMIT, ONE TRIP LOOP
.LO72 COMPLETE.
LPest, CHcc Account INCOMPLETE TRANSFER.
LPest, CHcc CONTROLLER HUNG BUSY.
LPest, CHcc Fcode FUNCTION TIMEOUT.
LPest, CHcc Fcode REJ Pdriver,Cconvert,Eequip.
LPest, CHcc TURNED OFF.
LPest, CHcc RESERVED.
LPn - DATA ERROR, TYPE GO OR ABT OR RET
LPn - DISK PARITY ERROR, JOB= aaaa
LPn - INAPPROPRIATE COMMAND
hh.mm.ss. LPn JOB NAME jsn xxxxxxxxxx PRU-S
LPn - NOT READY
LPn - TERMINAL FAILURE
LRest, CHcc Account INCOMPLETE TRANSFER.
LRest, CHcc CONTROLLER HUNG BUSY.
LRest, CHcc Fcode FUNCTION TIMEOUT.
LRest, CHcc Fcode REJ
Pdriver,Cconvert,Eequip.
LRest, CHcc TURNED OFF.
LRest, CHcc Emmm PFC ERROR
LRest, CHcc Emmm PFC ERROR.
LRest, CHcc PRINT ERROR LIMIT EXCEEDED.
LRest, CHcc RESERVED.
LRest, nnnn PRINT ERRORS.
LRC ERROR.
LRECL NOT SPECIFIED
LRECL NOT SPECIFIED
LRECL TOO LARGE FOR BLKSIZE
LRECL TOO LARGE FOR BLKSIZE
LRECL TOO SMALL FOR V-RECORD HEADER
LRECL TOO SMALL FOR V-RECORD HEADER
LRL OUT OF RANGE
LRL SPECIFIED TWICE
LSest, CHcc Account INCOMPLETE TRANSFER.
LSest, CHcc CONTROLLER HUNG BUSY.
LSest, CHcc Fcode FUNCTION TIMEOUT.
LSest, CHcc Fcode REJ
Pdriver,Cconvert,Eequip.

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680

MESSAGE

MANUAL

PUB. NO.

LSeSt, CHcc TURNED OFF.		
LSeSt, CHcc Emmm PFC ERROR.	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
LSeSt, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
LSeSt, CHcc RESERVED.	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
LS FOR TERMINAL xxxxxxxx DIFFERS FROM LCF VALUE	NPS RM	60480500
LS FOR TERMINAL xxxxxxxx EXCEEDS AUTO-SPEED MAX	NPS RM	60480500
LSeSt, hnnn PRINT ERRORS.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
LSF NOT AVAILABLE, NETWORK CONNECTION REJECTED.	NOS 2 OPER HB	60459310
LTest, CHcc Acount INCOMPLETE TRANSFER. LTest, CHcc CONTROLLER HUNG BUSY. LTest, CHcc Fcode FUNCTION TIMEOUT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
LTest, CHcc Fcode REJ Pdriver,Cconvert,Eequip.		
LTest, CHcc TURNED OFF.		
LTest, CHcc Eequip PFC ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
LTest, CHcc PRINT ERROR LIMIT EXCEEDED.	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
LTest, CHcc RESERVED.	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
LT OPTION NOT SPECIFIED CORRECTLY.	NOS 2 OPER HB	60459310
LTest, hnnn PRINT ERRORS.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
LX SPECIFIED TWICE	FORM RM	60496200
M SPECIFICATION ILLEGAL FOR DATA TYPE	8-BIT SUBR RM	60495500
M SPECIFICATION ILLEGAL FOR DATA TYPE	FORM RM	60496200
M.T. NOT AVAILABLE ON FILE filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
MACHINE ALREADY IN DIT.	NOS 2 OPER HB	60459310
MAGNET DROPPED DURING RECOVERY.	NOS 2 OPER HB	60459310
MAGNET NOT ACTIVE.	NOS 2 TAPE MGMT	60463350
MAGNET TERMINATION/NO TAPE JOBS.	NOS 2 OPER HB	60459310
MAGNETIC TAPE SUBSYSTEM NOT ACTIVE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
MAGNITUDE OF SUBSCRIPT OF EXCEEDS 2**23-1	FORTRAN 5 RM	60481300
MAINFRAME=	NOS 2 RS VOL 3	60459680
MAINFRAME ID NOT IN ID TABLE	NOS 2 RS VOL 3	60459680
MAINFRAME UNAVAILABLE	NOS 2 RS VOL 3	60459680
MAINLOG - message.	NOS 2 OPER HB	60459310
MAINLOG - *BML* FORMAT INCORRECT.	NOS 2 OPER HB	60459310
MAINLOG - *FR* TIME VALUE ILLEGAL.	NOS 2 OPER HB	60459310
MAINLOG - *OP* OPTION ILLEGAL.	NOS 2 OPER HB	60459310
MAINLOG - TXOT BINARY OUT-FILE NOT ALLOWED.	NOS 2 OPER HB	60459310
MAINS POWER FAILURE.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MAINTENANCE CHANNEL TIMEOUT DEADSTART ABORTED	NOS 2 OPER HB	60459310
MAINTENANCE LOG PROCESSED.	NOS 2 OPER HB	60459310
MAINTENANCE REGISTER ERROR.	NOS 2 OPER HB	60459310
MAJPTR FOUND BAD BLK ID.	NOS 2 OPER HB	60459310
MANAGED MEMORY OVERFLOW. PROC pn	CDCS 2 DA RM	60485200
MANUFACTURING DATA INVALID.	NOS 2 OPER HB	60459310
MARGINALLY WRITTEN TAPE, filename AT address.	NOS 2 RS VOL 3	60459680
MASK ARGUMENT MUST BE NONNEGATIVE AND LESS THAN 61	FORTRAN EXT 4	60497800
MASK EXPRESSION NON-ANSI	FORTRAN 5 RM	60481300
MASK EXPRESSION NON-ANSI	FORTRAN EXT 4	60497800
MASKING EXPRESSION IS NON-ANSI	FORTRAN EXT 4	60497800
MASS STORAGE DIRECTORY NOT WRITTEN.	NOS 2 RS VOL 3	60459680
MASS STORAGE ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
MASS STORAGE ERROR.	NOS 2 RS VOL 3	60459680
MASS STORAGE ERROR.	NOS 2 TAPE MGMT	60463350
MASS STORAGE LIMIT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MASS STORAGE LIMIT	BASIC 3 RM	19983900
MASS STORAGE TABLE OVERFLOW.	NOS 2 OPER HB	60459310
MASTER DIRECTORY ALREADY ATTACHED	CDCS 2 DA RM	60485200
MASTER DIRECTORY ALREADY ATTACHED	CDCS 2 AP RM	60485300
MASTER DIRECTORY MUST BE A PERMANENT FILE	CDCS 2 DA RM	60485200
MASTER DIRECTORY MUST BE A PERMANENT FILE	CDCS 2 AP RM	60485300
MASTER DIRECTORY NOT AVAILABLE	CDCS 2 DA RM	60485200
MASTER DIRECTORY NOT AVAILABLE	CDCS 2 AP RM	60485300
MASTER FILE NOT PRESENT.	NOS 2 OPER HB	60459310
MASTER USER NAME REQUIRED.	NOS 2 OPER HB	60459310
MATRIX DIMENSION ERROR	BASIC 3 RM	19983900
MAX FL REACHED.	NOS 2 OPER HB	60459310
MAX NO. OF AREAS EXCEEDED LOG FILE=xxxxxxx	QU/CRM DA RM	60482100
MAX OUT OF RANGE	FORM RM	60496200
MAX RECORD LENGTH OF FILE lfn REFERENCED IN A DISPLAY STATEMENT MUST EXCEED 1 CHARACTER	COBOL 5 DH	60482500
MAX RECORD LENGTH OF FILE lfn REFERENCED IN A DISPLAY STATEMENT MUST EXCEED 1 CHARACTER	COBOL 5 RM	60497100
MAX SPECIFIED TWICE	FORM RM	60496200
MAXDEV TOO SMALL.	NOS 2 OPER HB	60459310
MAXFL LT HHA + 100, CMM CANNOT FUNCTION	CDM MEM MGMT 1	60499200
MAXIMUM FL ENCOUNTERED - JOB LIST INCOMPLETE.	NOS 2 RS VOL 3	60459680
MAXIMUM NUMBER MIDS ACTIVE.	NOS 2 OPER HB	60459310
MAXIMUM NUMBER OF ARGUMENTS.	NOS 2 OPER HB	60459310
MAXIMUM PARENTHESIS NESTING LEVEL EXCEEDED. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800

MESSAGE

num MAXIMUM SCM WORDS USED
num MAXIMUM SCM WORDS USED
MAXIMUM TERMINALS EXCEEDED.

MAY NOT ADD LWA GROWTH TO FIXED BLOCK
parameter MAY NOT BE EQUIVALENCED
MAY NOT BE FUNCTION, EXTERNAL, F.P. OR IN BLANK COMMON
MAY NOT BE USED IN A DEBUG STATEMENT
MAY NOT INCREASE DABA GT HHA
MAY NOT REDUCE HHA LT DABA
MAY NOT UP HHA IF FIXED BLOCKS PRESENT
parameter MAY ONLY BE EQUIVALENCED TO 0 -- IGNORED
MCS APPLICATION ?
MCS CONNECT TIME hh.mm.ss xxxxxxxx - APPLICATION:
MCS DISABLED BY NETWORK.
MCS DISABLED BY NETWORK.
MCS ENDED dd/mm/yy hh.mm.ss
MCS IDLE DOWN STARTED.
MCS IDLE DOWN STARTED.
MCS INITIATED INCORRECTLY - TRY N.MCS.
MCS INITIATED INCORRECTLY - TRY N.MCS
MCS NETON COMPLETE.
MCS NETON COMPLETE
MCS REPRIEVE.
MCS REPRIEVE
MCS SHUTDOWN COMPLETE.
MCS SHUTDOWN COMPLETE
MCS 1.x date time
MD MUST BE O ,T, OR F
MDD - BYE COMMAND EXECUTED.

MDD - CONSOLE MUST BE UNLOCKED.

MDD - IMPROPER ACCESS ATTEMPT.

MDD - MR ERROR.

MDD - NOT ALLOWED ON THIS MAINFRAME.

MDD -NOT FOUND IN CIP DIRECTORY.

MDD - NOT USED

MDD - VALIDATED.

MEMORY ADDRESS BEYOND CM BOUNDARY.
MEMORY FILE REPLACED

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
COM MEM MGMT 1	60499200
PL/I RM	60388100
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
COM MEM MGMT 1	60499200
PL/I RM	60388100
MCS 1 RM	60480300
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
FDRTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

MEMORY MARGINS SELECTED
(CR) TO CONTINUE

MEMORY MARGINS SELECTED DEADSTART ABORTED.

MEMORY OVERFLOW.

MEMORY OVERFLOW.

MEMORY OVERFLOW.

MEMORY OVERFLOW

MEMORY OVERFLOW DURING ASF EXPANSION

MEMORY OVERFLOW DURING INITIALIZATION.

MEMORY OVERFLOW IN CODE TRANSFORMER

MEMORY OVERFLOW IN END PROCESSOR

*** MEMORY OVERFLOW IN -FAX-

MEMORY OVERFLOW IN INTERNAL ASSEMBLER

MEMORY PARITY

MEMORY REQUEST ERROR.

MEMORY REQUEST FOR ECS NOT ALLOWED.

MEMORY REQUEST WITH D.M.
REQUEST OUTSTANDING.

MERGE ERROR, SECONDARY FILE EMPTY.

MERGE ONLY BUFFERS EXCEED MEMORY LIMITS

MERGE ORDER xx USED

MERGING STIMOUT DATA.

MESSAGE FOR AREA id VERSION vn

MESSAGE FOR USER nn =

MESSAGE FOR USER nn =

MESSAGE LEVEL CODE MUST BE L, P, S, OR PR

MESSAGE LIMIT.

MESSAGE NAME MUST BE LQ 7 CHARS

MESSAGE NOT ALLOWED FOR THIS APPLICATION.

MESSAGE NOT DEFINED OR WRONG TYPE

npuname MESSAGE SENT.

MESSAGE STATUS TABLE OVERFLOW.

MESSAGE TOO LONG

MFL LESS THAN EXTENDED MEMORY MINIMUM CM FL.

MFL MUST BE GREATER THAN BL

MFL MUST BE GREATER THAN BL

MFL REQUEST TOO SMALL, MINIMUM USED.

MFL TOO LARGE -
nnnnnnB,taskname,tasklibrary.

MFLINK - APPLICATION CONNECTION BROKEN.

MFLINK - APPLICATION CONNECTION TIMEOUT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
NOS 2 OPER HB TAF 1 RM	60459310 60459500
PL/I RM	60388100
PL/I RM	60388100
FORTRAN EXT 4	60497800
PL/I RM	60388100
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
TEXT EDITOR RM	60436100
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
INTER DEBUG RM	60481400
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
NPS RM	60480500
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MFLINK - APPLICATION DISABLED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - BLOCK TOO LARGE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CANNOT READ FROM filename.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CANNOT WRITE ON filename.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CONNECT REJECT = nn.	NOS 2 OPER HB	60459310
MFLINK - CONNECTING TO lid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CONNECTION REJECTED BY xxx. REASON CODE = nnn -	NOS 2 OPER HB	60459310
MFLINK - CONNECTION REJECTED BY REMOTE HOST.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - CONTINUATION BLOCK DID NOT FOLLOW.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - ERR/LGL RECEIVED FROM SUBSYSTEM.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - FC/BRK RECEIVED RC=rc.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - FC/NAK RETRY LIMIT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - FILE RETRANSMIT REQUESTED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - FILE TRANSFER IN PROGRESS.	NOS 2 OPER HB	60459310
MFLINK - INCORRECT LID.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID ACCESS VALIDATION.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID COMMAND cmd.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID CONTROL STATEMENT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID DATA DECLARATION.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID DIRECTIVE FILE NAME.	NOS 2 RS VOL 3	60459680
MFLINK - INVALID FILE NAME.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID FILE TYPE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - INVALID PARAMETER xx FOR yy.	NOS 2 RS VOL 3	60459680
MFLINK - INVALID SUPERVISORY MESSAGE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - LID CURRENTLY UNAVAILABLE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - LID DISABLED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - LID NO LONGER AVAILABLE.	NOS 2 RS VOL 3 RMF USAGE MAN.	60459680 60460620
MFLINK - LID UNKNOWN TO SUBSYSTEM.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - LOCAL NETWORK RESOURCE LIMIT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - NETON REJECT = rc.	NOS 2 RS VOL 3 RMF USAGE MAN. NOS/BE 1 DH	60459680 60460620 60494400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MFLINK - NETWORK SEQUENCE ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - NETWORK SHUTDOWN.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - NETXFR ERROR rc - rejmess	NOS 2 RS VOL 3 RMF USAGE MAN. NOS/BE 1 DH	60459680 60460620 60494400
MFLINK - NETXFR STATUS = 0.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - NO CONNECTION RECEIVED.	NOS 2 RS VOL 3 NOS/BE 1 DH	60459680 60494400
MFLINK - NO LID SPECIFIED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - NO PATHS AVAILABLE TO LID.	NOS 2 RS VOL 3 RMF USAGE MAN.	60459680 60460620
MFLINK - NO REMOTE DIRECTIVES FOUND.	NOS 2 RS VOL 3	60459680
MFLINK - PROTOCOL ERROR IN xx.	NOS 2 RS VOL 3	60459680
MFLINK - RECOVERING ST lid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - REMOTE SUBSTEM RESOURCE LIMIT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - REMOTE SUBSYSTEM NOT RESPONDING.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - SUBSYSTEM FULL.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - SUBSYSTEM UNAVAILABLE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - TERMINATING CONNECTION.	NOS 2 OPER HB	60459310
MFLINK - UNKNOWN NETWORK INTERFACE TYPE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFLINK - USER REQUEST SENT.	NOS 2 OPER HB	60459310
MFLINK - WRONG APPLICATION LEVEL.	NOS 2 OPER HB	60459310
MFLINK - TRANSFER IMPOSSIBLE TO ST lid.		
MFLINK - WRONG REMOTE APPLICATION LEVEL.	NOS 2 RS VOL 3	60459680
MFLINK - TRANSFER IMPOSSIBLE TO ST lid.	NOS 2 RS VOL 4	60459690
MFQUEUE - COMPLETE.	NOS 2 OPER HB	60459310
jsn = ROUTED FILE NAME.	NOS 2 RS VOL 3	60459680
MFQUEUE - CONTROL STATEMENT ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE-DIRECTIVE EXCEEDS 256 CHARACTERS	NOS 2 RS VOL 3	60459680
MFQUEUE - DUPLICATE PARAMETER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - FIRST PARAMETER NOT VALID LFN.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - ILLEGAL DC VALUE SPECIFIED.	NOS 2 RS VOL 3	60459680
MFQUEUE - ILLEGAL DD VALUE SPECIFIED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - ILLEGAL ST VALUE SPECIFIED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - INVALID DIRECTIVE NAME.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - INVALID PARAMETER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
MFQUEUE - NO REMOTE DIRECTIVES FOUND.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

MFQUEUE - ST PARAMETER MUST BE SPECIFIED.

MFSTAT REJECTED REQUEST

MGETC/MAXFL REACHED.

MHF, ABORTED

MHF, BUFFER FOR NLD TOO SMALL, LOCAL NAD
CH=xx

MHF, CONNECT BROKEN, RNAD yy, LOCAL NAD
CH=xx

MHF, CONNECT REJECT, RNAD yy, LOCAL NAD
CH=xx

MHF, DEVICE ENABLE SWITCH OFF, LOCAL NAD
CH=xx

MHF, ERROR IN ROUTINE xxxxxxx

MHF, EST/CHANNEL UNAVAILABLE, LOCAL NAD
CH=xx.

MHF, EST ENTRY UP OR NOT RESERVED, NAD
CH=xx

MHF, FILE = NDFMxx DATE = yy/mm/dd

MHF, INIT PARAMETER BAD IN RECORD xxxxxxx.

MHF, INIT PARAMETER RECORD MISSING xxxxxxx

MHF, INVALID NLD RESPONSE yyB, LOCAL NAD
CH=xx

MHF, INVALID STATUS IN EST ENTRY, NAD
CH=xx

MHF, LOCAL NAD FAULT, LOCAL NAD CH=xx.

MHF, LOGGING LOCAL NAD (LOCAL CH=xx).

MHF, LOGGING ND=yy NAD (LOCAL CH=xx).

MHF, NAD ACCESS ERROR (NLD ERROR 4) NAD
CH=xx

MHF, NAD C/W FAULTY - xxxxxxx.

MHF, NAD C/W MISSING - xxxxxxx.

MHF, NAD DUMP FILE BAD - xxxxxxx

MHF, NAD DUMP FILE IN USE, NDFxxxx.

MHF, NAD DUMP RECORD NAME = NDMP Lch

MHF, NAD MAINTENANCE ACCESS DENIED, CH=xx

MHF, NAD ON CHANNEL xx DISABLED

MHF, NAD ON CHANNEL xx DUMPED

MHF, NAD ON CHANNEL xx DUMPED FILE yyyyyy
RECORD zz

	<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 DI		60459390
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
MHF, NAD ON CHANNEL xx LOADED	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
MHF, NAD PROCESSOR STOPPED (DC=yyyy), NAD CH=xx	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
MHF, NDT LENGTH CHANGED.	NOS 2 OPER HB	60459310
MHF, NDT NOT AVAILABLE FROM RHF.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
MHF, NETON REJECT - reason	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
MHF, NO ERROR LOG. LOCAL NAD CH=xx	NOS 2 OPER HB	60459310
MHF, NO EST ENTRY DEFINED. LOCAL NAD CH=xx	NOS 2 DI NOS 2 OPER HB RHF SUBSYST. RM	60459390 60459310 60459990
MHF, RECORD NO.xxxx TIME = hh.mm.ss	NOS 2 OPER HB	60459310
MHF, STARTED	NOS 2 DI NOS 2 OPER HB RHF SUBSYST. RM	60459390 60459310 60459990
MHF, STOPPED	NOS 2 DI NOS 2 OPER HB RHF SUBSYST. RM	60459390 60459310 60459990
MHF, WAIT FOR NAD DUMP FILE - xxxxxxx	NOS 2 DI NOS 2 OPER HB RHF SUBSYST. RM	60459390 60459310 60459990
MHF, WAITING FOR ACCESS TO LOCAL NAD. Ch=xx	NOS 2 DI NOS 2 OPER HB RHF SUBSYST. RM	60459390 60459310 60459990
MICROCODE/EI MISMATCH - MAY CAUSE SYSTEM HANG.	NOS 2 OPER HB	60459310
MICROCODE INITIALIZATION ERROR DEADSTART ABORTED.	NOS 2 OPER HB	60459310
MICROCODE MISMATCH microname.	NOS 2 OPER HB	60459310
MICROCODE, microname, yymmdd NL.	NOS 2 OPER HB	60459310
MID CURRENTLY ACTIVE.	NOS 2 OPER HB	60459310
MID NOT ACTIVE.	NOS 2 OPER HB	60459310
MID NOT SPECIFIED.	NOS 2 OPER HB	60459310
MID SPECIFIED NOT DOWN.	NOS 2 OPER HB	60459310
MID SPECIFIED NOT FOUND.	NOS 2 OPER HB	60459310
MID UNDEFINED IN EXTENDED MEMORY.	NOS 2 OPER HB	60459310
MINIMUM DIGITS IS SPECIFIED FOR THE CONVERSION CODE nnnnn	FORTRAN EXT 4	60497800
MINIMUM REPLACES	SORT MERGE 4&1	60497500
MINIMUM TAF MFL NEEDED = nnnnnnB.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
MISSING AIP ENTRY POINT.	NOS 2 OPER HB	60459310
MISSING AKY CARD.	TAF 1 RM	60459500
MISSING AND, OR, NOT CONNECTOR	FORM RM	60496200
MISSING ATTRIBUTES	SORT MERGE 4&1	60497500
MISSING, BAD, OR OUT OF RANGE LABEL ON DO STATEMENT	FORTRAN EXT 4	60497800
MISSING COMMA AT	FORTRAN 5 RM	60481300
MISSING COMMA AT nnnnn	FORTRAN EXT 4	60497800
MISSING DELIMITER BETWEEN H AND I ... FIRST OPERAND DELETED	ALGOL 4 RM	60496600
MISSING DEMAND FILE ENTRY.	NOS 2 RS VOL 4	60459690

MESSAGE

MISSING DEMAND FILE ENTRY.
MISSING END PARAM
MISSING EQUAL SIGN
MISSING EXECUTE
MISSING FILE PARAMETER
MISSING FILE TYPE
MISSING FILENAME
MISSING HEADER WORD ON xxJ FILE.
MISSING HEADER WORD ON XXJ FILE.
MISSING KEY NAME
MISSING LABEL IN ARITHMETIC IF
MISSING LEFT PAREN
MISSING LEFT PAREN AT
MISSING LEFT PAREN AT nnnnn
MISSING LEFT STRING DELIMITER
MISSING LEFT STRING DELIMITER
MISSING LENGTH PARAMETER
MISSING LINE NO
MISSING LOAD
MISSING -N- SPECIFIER IN OLN
MISSING NAME -- ENTRY STATEMENT IGNORED
MISSING NAME -- ENTRY STATEMENT IGNORED
MISSING NAME IN LEVEL LIST
MISSING NCF RECORD.
MISSING NUMERIC FIELD IN PS ARGUMENT -- IGNORED
MISSING OPERATOR
MISSING OPTION
MISSING OR SYNTAX ERROR IN LIST OF TRANSFER LABELS
MISSING OWNCODE PARAMETER
MISSING PARAMETER
MISSING PARAMETER LIST
MISSING PARAMETER LIST
MISSING PROGRAM STATEMENT -- PROGRAM START. ASSUMED
MISSING PROGRAM STATEMENT -- PROGRAM START ASSUMED
MISSING RELATIONAL OPERATOR IN SELECTOR-EXPRESSION
MISSING RELATIONAL OPERATOR IN SELECTOR-EXPRESSION
jsn MISSING RESOURCE.
jsn MISSING RESOURCE.
MISSING RIGHT PAREN
MISSING RIGHT PAREN AFTER FORMAT IS ASSUMED
MISSING RIGHT PAREN AFTER IMPLIED DO

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
LOADER 1 RM	60429800
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
FORM RM	60496200
NOS 2 OPER HB TAF 1 RM	60459310 60459500
TAF 1 RM NOS 2 OPER HB	60459500 60459310
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
BASIC 3 RM	19983900
LOADER 1 RM	60429800
FORM RM	60496200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
PL/I RM	60388100
FORM RM	60496200
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
MISSING RIGHT PAREN AFTER UNIT IS ASSUMED	FORTRAN EXT 4	60497800
MISSING RIGHT PARENTHESIS	8-BIT SUBR RM	60495500
MISSING RIGHT PARENTHESIS	FORM RM	60496200
MISSING RIGHT PARENTHESIS OR SEMICOLON	8-BIT SUBR RM	60495500
MISSING RIGHT PARENTHESIS OR SEMICOLON	FORM RM	60496200
MISSING RIGHT-SIDE OF SPECIFICATION	FORM RM	60496200
MISSING RIGHT STRING DELIMITER	8-BIT SUBR RM	60495500
MISSING RIGHT STRING DELIMITER	FORM RM	60496200
MISSING SEPARATOR	FORM RM	60496200
MISSING SEPARATOR AFTER CONVERSION ITEM	8-BIT SUBR RM	60495500
MISSING SEPARATOR AFTER CONVERSION ITEM	FORM RM	60496200
MISSING SLASH ON GROUP NAME	FORTRAN 5 RM	60481300
MISSING SLASH ON GROUP NAME	FORTRAN EXT 4	60497800
MISSING SOURCE-1 PARAMETER	8-BIT SUBR RM	60495500
MISSING SOURCE-1 PARAMETER	FORM RM	60496200
MISSING SOURCE-2 OR DESTINATION PARAMETER	8-BIT SUBR RM	60495500
MISSING SOURCE-2 OR DESTINATION PARAMETER	FORM RM	60496200
MISSING SUBSCRIPTS ON nnnnn ARE ASSIGNED VALUE OF ONE	FORTRAN EXT 4	60497800
MISSING SUBSCRIPTS SET TO LOWER BOUND FOR EQUIVALENCE VARIABLE	FORTRAN 5 RM	60481300
MISSING SUBSCRIPTS SET TO 1 FOR EQUIVALENCE VARIABLE nnnnn	FORTRAN EXT 4	60497800
MISSING TERMINATOR	FORM RM	60496200
MISSING UNIT DESIGNATOR IN I/O STATEMENT	FORTRAN EXT 4	60497800
**** MISSING VALUE.	NOS 2 OPER HB	60459310
MISSING VARIABLE OR ARRAY NAME IN LEVEL LIST	FORTRAN EXT 4	60497800
MISSING VSN OR EQUIPMENT ASSIGNMENT.	NOS 2 RS VOL 4	60459690
MISSING VSN OR EQUIPMENT ASSIGNMENT.	NOS 2 RS VOL 3	60459680
MISSPELLED KEYWORD -- mmmmm nnnnn ASSUMED	FORTRAN EXT 4	60497800
MISSPELLED KEYWORD -- nnnnn RETURNS ASSUMED	FORTRAN EXT 4	60497800
deckname - MIXED CHARACTER SET DETECTED.	MODIFY RM	60450100
MIXED CHARACTER SET OPL.	MODIFY RM	60450100
MIXED FUNCTION	APL 2 RM	60454000
MLF REQUEST TOO SMALL, MINIMUM USED.	NOS 2 RS VOL 4	60459690
MLTFPROC ABORT - INVALID SEQ ORD (nn).	NOS 2 RS VOL 3	60459680
MLTFPROC ABORT - SEQ ORD OUT OF RANGE (nn).	NOS 2 RS VOL 3	60459680
MM BLOCK HANDLER ERR, PNTR AT numb	CDCS 2 DA RM	60485200
MMD - BAD OVERLAY LOADED.	NOS 2 OPER HB	60459310
MMF DEVICE ACCESS ERROR.	NOS 2 OPER HB	60459310
MODE=nn	FORTRAN EXT 4	60497800
MODE ERROR.	NOS 2 RS VOL 3	60459680
MODE STMT IN SCRIPT IGNORED	NPS RM	60480500
MODIFICATION COMPLETE.	MODIFY RM	60450100
MODIFICATION/DIRECTIVE ERRORS.	MODIFY RM	60450100

MESSAGE

MANUAL PUB. NO.

MODIFICATION ERRORS.	MODIFY RM	60450100
MODIFIED AFTER yy/mm/dd. hh.mm.ss.	NOS 2 OPER HB	60459310
MODIFIED AFTER yy/mm/dd.hh.mm.ss. BEFORE yy/mm/dd.hh.mm.ss.	NOS 2 OPER HB	60459310
MODIFIED BEFORE yy/mm/dd. hh.mm.ss.	NOS 2 OPER HB	60459310
MODULE NOT ON LIBRARY DEADSTART ABORTED	NOS 2 OPER HB	60459310
MODVAL ABORTED.	NOS 2 OPER HB	60459310
MONITOR CALL ERROR, xxxx nnnnnnnn.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
MONITOR CONDITION REGISTER =xxxx	NOS 2 OPER HB	60459310
MORE CHANNELS THAN MSG FETS.	NOS 2 OPER HB	60459310
MORE DATA AFTER RECORD IN V-UNBLOCKED FILE	8-BIT SUBR RM	60495500
MORE DATA AFTER RECORD IN V-UNBLOCKED FILE	FORM RM	60496200
MORE DATA AFTER VS-RECORD SEGMENT	8-BIT SUBR RM	60495500
MORE DATA AFTER VS-RECORD SEGMENT	FORM RM	60496200
MORE STORAGE REQUIRED BY DO STATEMENT PROCESSOR FOR OPTIMIZATION	FORTRAN EXT 4	60497800
MORE THAN FIVE TASKS IN TASK CHAIN.	TAF 1 RM	60459500
MORE THAN ONE ARF SPECIFIED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
MORE THAN ONE ENTRY POINT ON A *54* TABLE.	TAF 1 RM	60459500
MORE THAN ONE OUT-FILE	SORT MERGE 4&1	60497500
MORE THAN ONE RELATION EXISTS FOR THIS QUERY. PLEASE SPECIFY WHICH OF THE FOLLOWING SHOULD BE USED	QUERY UPDT 3 RM	60498300
MORE THAN ONE RELATIONAL OPERATOR IN A RELATIONAL EXPRESSION	FORTRAN EXT 4	60497800
MORE THAN ONE USER STATEMENT IN TCF.	TAF 1 RM	60459500
MORE THAN 1 OUT-FILE	SORT MERGE 4&1	60497500
MORE THAN 100 WHEN CONDITIONS USED	LOADER 1 RM	60429800
MORE THAN 3 SUBSCRIPT	FORTRAN EXT 4	60497800
MORE THAN 4 xxxx CARDS	NPS RM	60480500
MORE THAN 4 CHANNELS.	NOS 2 OPER HB	60459310
MORE THAN 49 FILES ON PROGRAM CARD OR 63 PARAMETERS ON A SUBROUTINE OR FUNCTION CARD	FORTRAN EXT 4	60497800
MORE THAN 63 ARGUMENTS IN ARGUMENT LIST	FORTRAN EXT 4	60497800
MORE THAN 7 SUBSCRIPTS	FORTRAN 5 RM	60481300
MORE THAN 7 SYSTEM TEXTS SPECIFIED.	COMPASS 3 RM	60492600
MOVE CANT DO THIS	INTER DEBUG RM	60481400
MOVE PACK FROM UNIT xx TO UNIT yy AND SPIN UP.	NOS 2 OPER HB	60459310
MOVE TO GROUP LEVEL ITEM	INTER DEBUG RM	60481400
MREC ABNORMAL TERMINATION.	NOS 2 OPER HB	60459310
MRF PROCESSING COMPLETE, FM=familyname.	NOS 2 OPER HB	60459310
MRL OR FL SET IN FILE STATEMENT IS LARGER THAN RECORD AREA - TRUNCATED TO RECORD AREA SIZE	COBOL 5 RM	60497100
MRL OR FL SET IN FILE STATEMENT IS LARGER THAN RECORD. RECORD AREA - TRUNCATED TO RECORD AREA SIZE	COBOL 5 DH	60482500
MRL PARAMETER ON CRM CARD NOT SPECIFIED PROPERLY.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
MRL UNDEFINED	SORT MERGE 4&1	60497500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
MS ERROR ON DEADSTART FILE.	NOS 2 OPER HB	60459310
MS LIMIT EXCEEDED.	NOS 2 OPER HB	60459310
MS LIMIT EXCEEDED	FORTRAN EXT 4	60497800
MS REDUCTION INVALID - filename.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
MSA DEFINED ON TWO CHANNELS. EST ORDINAL = est.	NOS 2 OPER HB	60459310
MSABT CALL ERROR.	TAF 1 RM	60459500
MSC001 ASSIGNMENT-TARGET CANNOT BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION, AND CANNOT BE MSC001 NAMED CONSTANT	PL/I RM	60388100
MSC002 EXPRESSION IN ASSIGNMENT STATEMENT CANNOT BE OF TYPE ENTRY, FILE, FORMAT, OR CONDITION	PL/I RM	60388100
MSC003 OPERATOR IN COMPARISON OF LOCATOR VALUES MUST BE = OR ^=	PL/I RM	60388100
MSC004 I/O OPERATION INCOMPATIBLE WITH ATTRIBUTES DECLARED FOR FILE	PL/I RM	60388100
MSC005 REFERENCE -identifier- IN REMOTE FORMAT ITEM MUST BE A LOCAL REFERENCE TO A FORMAT MSC005 CONSTANT	PL/I RM	60388100
MSC006 INVALID USE OF OPTIONS(MAIN)	PL/I RM	60388100
MSC007 CONDITION -identifier- CANNOT BE PASSED AS ARGUMENT	PL/I RM	60388100
MSC010 TOO MANY IDENTIFIERS IN PROGRAM - IDENTIFIER TABLE OVERFLOW	PL/I RM	60388100
MSC011 BAD LABEL OR FORMAT PREFIX -identifier-	PL/I RM	60388100
MSC012 UNDECLARED ARRAY OR EXTERNAL FUNCTION -identifier-	PL/I RM	60388100
MSC013 SUBROUTINE-REFERENCE -identifier- IN CALL STATEMENT MUST BE OF TYPE ENTRY	PL/I RM	60388100
MSC014 PRECISION P OF VARIABLE -identifier- MUST BE UNSIGNED NON-ZERO INTEGER	PL/I RM	60388100
MSC016 ARGUMENT IN FUNCTION REFERENCE -identifier- CANNOT BE AN ASTERISK	PL/I RM	60388100
MSC020 DECLARATION OF LABEL CONSTANT ARRAY -identifier-: EXTENTS MUST BE INTEGER CONSTANTS	PL/I RM	60388100
MSC021 ILLEGAL I/O OPTION COMBINATION	PL/I RM	60388100
MSC022 RECORD I/O STATEMENT MUST HAVE FILE-OPTION	PL/I RM	60388100
MSC023 ILLEGAL FILE-DESCRIPTION ATTRIBUTE COMBINATION IN OPEN STATEMENT	PL/I RM	60388100
MSC024 CHARACTER CONFLICT IN PICTURE	PL/I RM	60388100
MSC025 NUMBER OF DIGITS IN PICTURE EXPONENT MUST BE ONE, TWO, OR THREE	PL/I RM	60388100
MSC026 NO DIGITS IN PICTURE MANTISSA	PL/I RM	60388100
MSC027 CONFLICTING CONDITION PREFIXES	PL/I RM	60388100
MSC028 DIVISION BY ZERO ILLEGAL	PL/I RM	60388100
MSC030 CONSTANT EXTENTS REQUIRED	PL/I RM	60388100
MSC031 SUBSCRIPT OF REFERENCE -identifier- IS OUT OF RANGE	PL/I RM	60388100
MSC032 ARRAY -identifier- UPPER BOUND LESS THAN LOWER BOUND	PL/I RM	60388100
MSC033 AREA -identifier- SIZE MUST BE BETWEEN 0 AND 131071	PL/I RM	60388100
MSC034 STRING -identifier- LENGTH MUST BE BETWEEN 0 AND 131071	PL/I RM	60388100
MSC035 ILLEGAL FLOATING POINT CONSTANT	PL/I RM	60388100
MSC036 THIS STATEMENT CANNOT BE COMPILED BECAUSE OF UNRELATED ERROR IN SOME PREVIOUS SOURCE MSC036 STATEMENT	PL/I RM	60388100
MSC037 PROCEDURE CONTAINS TOO MANY AUTOMATIC VARIABLES	PL/I RM	60388100
MSC038 ENTRY CONSTANT OR PARAMETER -identifier- CAN ONLY BE USED FOR PROCEDURE INVOCATION MSC038 AND AS ARGUMENT PASSED TO ENTRY PARAMETER	PL/I RM	60388100
MSC039 SUBROUTINE-REFERENCE -identifier- IN CALL STATEMENT CANNOT BE AN ENTRY POINT WITH MSC039 A RETURNS-DESCRIPTOR	PL/I RM	60388100
MSC040 FUNCTION-REFERENCE -identifier- MUST BE AN ENTRY POINT WITH A RETURNS-DESCRIPTOR	PL/I RM	60388100

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
MSC041 FORM OF RETURN STATEMENT IS INCOMPATIBLE WITH ALL ENTRY POINTS	PL/I RM	60388100
MSC042 FORM OF RETURN STATEMENT IS INCOMPATIBLE WITH AT LEAST ONE ENTRY	PL/I RM	60388100
MSC043 FUNCTION -identifier- DOES NOT CONTAIN SCALAR RETURN STATEMENT	PL/I RM	60388100
MSC044 PROCEDURE WITH OPTIONS(MAIN) CANNOT HAVE PARAMETERS OR RETURNS DESCRIPTOR	PL/I RM	60388100
MSC045 THE MAXIMUM NUMBER OF CHARACTERS IN A PICTURE EXPONENT IS 510	PL/I RM	60388100
MSC046 EXTERNAL NAMES -identifier- -identifier- TRUNCATE TO SAME NAME	PL/I RM	60388100
MSC047 EXTERNAL NAME -identifier- CONTAINS SPECIAL CHARACTER	PL/I RM	60388100
MSC048 LEADING SPECIAL CHARACTER IN EXTERNAL NAME -identifier- CHANGED TO A -3-	PL/I RM	60388100
MSC049 RETURN FROM AN ON-UNIT MUST NOT HAVE A RETURN VALUE	PL/I RM	60388100
MSC050 LENGTH OF THE PICTURE-SPECIFICATION IN P FORMAT ITEM CANNOT EXCEED 1000 CHARACTERS	PL/I RM	60388100
MSC052 COMPILATION ABORTED BECAUSE OF COMPILER ERROR	PL/I RM	60388100
MSER, EQest, CATALOG CHAIN.	NOS 2 OPER HB	60459310
MSER, EQest, INDIRECT CHAIN	NOS 2 OPER HB	60459310
MSER, EQest, PERMITS CHAIN.	NOS 2 OPER HB	60459310
MSER, EQest PF COUNT.	NOS 2 OPER HB	60459310
MSER, EQest, TRACK COUNT.	NOS 2 OPER HB	60459310
MSF CATALOG CHAIN LINKAGE BAD. filename STAGING ERROR, JSN=jsn. FM=familyname, UI=userindex, CSU=id, MST=n, VSN=vsu, ASA=addr, STRM=s.	NOS 2 OPER HB NOS 2 OPER HB	60459310 60459310
MSF CATALOG ERROR FLAGS SET. filename FOR jsn.	NOS 2 OPER HB	60459310
MSF CATALOG INTERLOCKED. DESTAGE DELAYED. FM=familyname, SF=subfamily.	NOS 2 OPER HB	60459310
MSF CATALOG NOT ONLINE. DESTAGE ABANDONED. FM=familyname, SF=subfamily.	NOS 2 OPER HB	60459310
MSF CATALOG OPEN ERROR.	NOS 2 OPER HB	60459310
MSF CATALOG PARITY ERROR.	NOS 2 OPER HB	60459310
MSF CATALOG READ ERROR. DESTAGE ABANDONED. FM=familyname, SF=subfamily.	NOS 2 OPER HB	60459310
MSF CATALOG REPLACE ERROR.	NOS 2 OPER HB	60459310
MSF HARDWARE PROBLEM.	NOS 2 OPER HB	60459310
MSF SYSTEM ERROR.	NOS 2 OPER HB	60459310
MSFCATn FOR FAMILY familyname CLOSED.	NOS 2 OPER HB	60459310
MSI ABORTED INITIALIZE MAY NOT BE COMPLETE.	NOS 2 OPER HB	60459310
MSID CONFLICT WITH SENSE DATA. EST ORDINAL = est. MSA MSID = yy. UNIT MSID = zzz.	NOS 2 OPER HB	60459310
MSSDRVR ABNORMAL, xxx.	NOS 2 OPER HB	60459310
MSSEXEC ACTIVE.	NOS 2 OPER HB	60459310
MSSEXEC SEEKING FL INCREASE.	NOS 2 OPER HB	60459310
MSSEXEC TERMINATING.	NOS 2 OPER HB	60459310
MST ERROR - GO/DROP.	NOS 2 OPER HB	60459310
MST INITIALIZATION ABANDONED. CSU x, MST y, EST ORDINAL=est.	NOS 2 OPER HB	60459310

MESSAGE

MST INITIALIZATION COMPLETE.
CSU x, MST y, EST ORDINAL=est.
MST TRANSFER RATE = xxxxxx.xxx KC.
MT,Ccc,Eec,Hhhhhhhh,B.C. RESTART.

MT,Ccc,Eec,Hhhhhhhh,BAD ERASE.

MT,Ccc,Eec,Hhhhhhhh,BAD RECOVERY-x.

MT,Ccc,Eec,Hhhhhhhh,BLOCK TOO LARGE.

MT,Ccc,Eec,Hhhhhhhh,BUSY.

MT,Ccc,Eec,Hhhhhhhh,CHANNEL ILL.

MT,Ccc,Eec,Hhhhhhhh,CON. REJ.

MT,Ccc,Eec,Hhhhhhhh,CON. REJ. MOI.

MT,Ccc,Eec,Hhhhhhhh,CON. REJ. OFF.

MT,Ccc,Eec,Hhhhhhhh,FNffff,Pyyyy.

MT,Ccc,Eec,Hhhhhhhh,Lbbbb,Bnnnnnn.

MT,Ccc,Eec,Hhhhhhhh,LOAD CHECK.

MT,Ccc,Eec,Hhhhhhhh,MARGINAL, DOWN.

MT,Ccc,Eec,Hhhhhhhh,MARGINAL, OFF.

MT,Ccc,Eec,Hhhhhhhh,NO EOP.

MT,Ccc,Eec,Hhhhhhhh,NOISE.

MT,Ccc,Eec,Hhhhhhhh,NOT READY.

MT,Ccc,Eec,Hhhhhhhh,ON THE FLY.

MT,Ccc,Eec,Hhhhhhhh,POSITION LOST.

MT,Ccc,Eec,Hhhhhhhh,RECOVERED.

	<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690

MESSAGE

MANUAL PUB. NO.

MT,Ccc,Eec,Hhhhhhhh,STATUS.

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

MT,Ccc,Eec,Hhhhhhhh,WRONG PARITY.

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

MT,Ccc-e-uu,vsu,rw,est,Ss,GSgggggggg
MT,Ccc,Dddd...d.
MT,Ccc,Uuu...u,Tttt.
MT,Ccc,Aaaaaaaaa.
MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Pppppppp.
MT,Ccc,Eec,Hhhhhhhh,type.
or
MT,Ccc-e-uu,vsu,rw,est,Ss,GSgggggggg
MT,Ccc,Dddd...d.
MT,Ccc,Aaaaaaaaa.
MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Pppppppp.
MT,Ccc,Eec,Hhhhhhhh,type.
or
MT,Ccc,-e-uu,vsu,rw,est,Ss,GSgggggggg
MT,Ccc,Dddd...d.
MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Pppppppp.
MT,Ccc,Eec,Hhhhhhhh,type.
or
MT,Ccc-e-uu,vsu,rw,est,Ss,GSgggggggg
MT,Ccc,Dddd...d.
MT,Ccc,Uuu...u,Tttt.
MT,Ccc,Fff,Iii,Bnnnnnn,Lbbbb,Pppppppp.
MT,Ccc,Eed,Hhhhhhhh,type.

NOS 2 RS VOL 3 60459680
NOS 2 OPER HB 60459310
NOS 2 RS VOL 4 60459690

MTest,Ccc,TURNED OFF.

NOS 2 OPER HB 60459310

MTest,CAN'T ACCESS DATA

NOS 2 OPER HB 60459310

MTest,ILLEGAL ACC. LVL.

NOS 2 OPER HB 60459310

MTest,NEEDS LABEL

NOS 2 OPER HB 60459310

MT/NT CONFLICT.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

MTest,RING CONFLICT

NOS 2 OPER HB 60459310

MTest,WRONG VSN

NOS 2 OPER HB 60459310

MTR BUSY.

NOS 2 OPER HB 60459310

MTS FIRMWARE LOAD, PART NO.- 12345678.

NOS 2 OPER HB 60459310

FSC FIRMWARE LOAD, PART NO.- 12345678.

639 FIRMWARE LOAD, PART NO. - 12345678.

698 FIRMWARE LOAD, PART NO. - 12345678.

MTS FIRMWARE NOT FOUND.

NOS 2 OPER HB 60459310

FSC FIRMWARE NOT FOUND.

639 FIRMWARE NOT FOUND.

698 FIRMWARE NOT FOUND.

MULTI-FILE NOT ASSIGNED TO MAGNETIC TAPE

COBOL 5 DH 60482500

MULTI-FILE NOT ASSIGNED TO MAGNETIC TAPE

COBOL 5 RM 60497100

MULTI-FILE NOT FOUND, filename AT address.

NOS 2 RS VOL 3 60459680
NOS 2 RS VOL 4 60459690

MULTI-TRACK PHASE ERROR.

NOS 2 RS VOL 3 60459680

MULTI-VOLUME VERSION 4 RELATIVE FILE ILLEGAL

COBOL 5 DH 60482500

MULTI-VOLUME VERSION 4 RELATIVE FILE ILLEGAL

COBOL 5 RM 60497100

MULTIFILE PROCESSING ERROR.

NOS 2 TAPE MGMT 60463350

MULTIPLE A/D PARAMETER, A

SORT MERGE 4&1 60497500

MULTIPLE A/D PARAMETER, D

SORT MERGE 4&1 60497500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
MULTIPLE ASSIGNMENT IS NON-ANSI	FORTRAN 5 RM	60481300
MULTIPLE ASSIGNMENT IS NON-ANSI	FORTRAN EXT 4	60497800
MULTIPLE COMMAS BETWEEN DIRECTIVES	NAM 1 RM	60499500
MULTIPLE CONCURRENT LOGINS PROHIBITED.	NOS 2 RS VOL 3	60459680
MULTIPLE DECIMAL POINT IN EDIT DESCRIPTOR AT	FORTRAN 5 RM	60481300
MULTIPLE DEFINITION OF CURRENT FORMAT LABEL	FORTRAN 5 RM	60481300
MULTIPLE DEFINITION OF CURRENT FORMAT NUMBER	FORTRAN EXT 4	60497800
MULTIPLE DUMP PARAMETER, DUMP, nn	SORT MERGE 4&1	60497500
MULTIPLE IMPLICIT STATEMENTS NOT PERMITTED - IGNORED	FORTRAN EXT 4	60497800
MULTIPLE OCCURENCES OF DUMMY ARGUMENT	FORTRAN 5 RM	60481300
MULTIPLE REPLACEMENT STATEMENT IS NON-ANSI	FORTRAN EXT 4	60497800
MULTIPLE SORT CARD	SORT MERGE 4&1	60497500
MULTIPLE STATEMENT IGNORED AFTER END	FORTRAN EXT 4	60497800
MULTIPLE STATEMENT IGNORED AFTER LOADER DIRECTIVE	FORTRAN EXT 4	60497800
MULTIPLE STATEMENT PER CARD NOT PERMITTED	FORTRAN EXT 4	60497800
MULTIPLE TYPE OR SEQUENCE, name	SORT MERGE 4&1	60497500
MULTIPLE 7000 JOBS NOT ALLOWED	NOS 2 RS VOL 3	60459680
MULTIPLY BY 1 -- IGNORED	FORTRAN EXT 4	60497800
MULTIPLY DEFINED	SORT MERGE 4&1	60497500
MULTIPLY DEFINED AT OWNED EXIT num	SORT MERGE 4&1	60497500
MULTIPLY DEFINED LEVEL FOR COMMON BLOCK NAME -- IGNORED	FORTRAN 5 RM	60481300
MULTIPLY DEFINED LEVEL FOR NAME -- IGNORED	FORTRAN 5 RM	60481300
MULTIPLY DEFINED LEVEL FOR NAME nnnnn -- IGNORED	FORTRAN EXT 4	60497800
MULTIPLY DEFINED STATEMENT LABEL	FORTRAN 5 RM	60481300
MULTIPLY DEFINED STATEMENT LABEL nnnnn	FORTRAN EXT 4	60497800
..... MUST BE A DUMMY-ARG	FORTRAN 5 RM	60481300
..... MUST BE DO CONTROL VARIABLE	FORTRAN 5 RM	60481300
..... MUST BE INTEGER CONSTANT EXPRESSION	FORTRAN 5 RM	60481300
MUST BE SYSTEM ORIGIN.	NOS 2 OPER HB	60459310
MUST BEGIN WITH LETTER	CDCS 2 DA RM	60485200
MUST BEGIN WITH LETTER	CDCS 2 AP RM	60485300
MUST HAVE SYSTEM ORIGIN PRIVILEGES.	NOS 2 RS VOL 3	60459680
MUX FAILURE - NO DRIVERS REMAINING.	NOS 2 OPER HB	60459310
M01 POSSIBLE EXTENDED RANGE DO	FTN 4-5 CONV RM	60483000
M02 DO PARAMETER REDEFINED WITHIN RANGE OF DO	FTN 4-5 CONV RM	60483000
M03 FUNCTIONS -SLITE- AND -SLITET- NOT SUPPORTED IN FTN5	FTN 4-5 CONV RM	60483000
M04 -DATE, JDATE, TIME, CLOCK, SECOND- HAVE NO ARGUMENTS IN FTN5	FTN 4-5 CONV RM	60483000
M05 SYNTAX ERROR IN TWO BRANCH ARITHMETIC IF STATEMENT	FTN 4-5 CONV RM	60483000
M06 SIMPLE VARIABLE USED AS FORMAT SPECIFIER IN I/O STATEMENT	FTN 4-5 CONV RM	60483000
M07 V OR = DESCRIPTOR USED IN FORMAT STATEMENT. CHECK I/O USING THIS FORMAT	FTN 4-5 CONV RM	60483000
M09 FORMAT CONTAINING HOLLERITH DESCRIPTOR USED BY INPUT STATEMENT	FTN 4-5 CONV RM	60483000
M10 NEGATIVE HOLLERITH CONSTANT LARGER THAN 50 CHARS IN DATA STATEMENT	FTN 4-5 CONV RM	60483000

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
M11 FTN4 INTRINSIC FUNCTION USED AS ACTUAL ARGUMENT	FTN 4-5 CONV RM	60483000
M12 TYPE ECS CONVERTED TO LEVEL 3. CHECK CONVERSION	FTN 4-5 CONV RM	60483000
M13 HOLLERITH PARAMETERS - CHECK DEPENDENCY ON TRAINING ZEROS	FTN 4-5 CONV RM	60483000
M14 TYPE MISMATCH	FTN 4-5 CONV RM	60483000
M15 IF EXPRESSION NOT TYPED LOGICAL OR NOT ARITHMETIC IF	FTN 4-5 CONV RM	60483000
M16 SECOND PARAMETER OF READEC NOT IN LEVEL OR IS NUMERIC VALUE	FTN 4-5 CONV RM	60483000
M17 READEC/WRITEC WITHOUT ECS OR LEVEL STATEMENT - NOT CONVERTED	FTN 4-5 CONV RM	60483000
M18 CHECK USAGE OF ASF	FTN 4-5 CONV RM	60483000
M19 DUMMY ARGUMENT REFERENCE MUST BE SIMPLE VARIABLE	FTN 4-5 CONV RM	60483000
M20 NO CONVERSION OF COMPLEX TO REAL - REAL USED AS VARIABLE	FTN 4-5 CONV RM	60483000
M21 FUNCTION IOCHEC . . . MANUAL INSPECTION REQUIRED	FTN 4-5 CONV RM	60483000
M22 LIST(C=O) IGNORED DUE TO NEW SOURCE - CHECK UPDATE/MODIFY DIRECTIVE CONFLICTS	FTN 4-5 CONV RM	60483000
M23 MACHINE DEPENDENT CODING IN ABOVE STATEMENT	FTN 4-5 CONV RM	60483000
M24 SUBSCRIPT OF ARRAY EXCEEDS DIMENSION	FTN 4-5 CONV RM	60483000
M25 PARTIAL LIST DIRECTED READ TREATED DIFFERENT BY FTNS	FTN 4-5 CONV RM	60483000
M26 IMPLICIT STATEMENT DELETED	FTN 4-5 CONV RM	60483000
No EOF detected on last read.	NOS 2 OPER HB	60459310
N EXCEEDS NUMBER OF FILES.	NOS 2 OPER HB	60459310
N TYPE ERROR NEGATIVE RELOCATION ON ENTRY POINT. OCCURRED ON PAGES p1, p2, p3, . . . , pn	COMFASS 3 RM	60492600
NAKY PARAMETER ON THE IXN CARD NOT SPECIFIED PROPERLY.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
NAM ERROR - ILLOGICAL ABT.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
NAM ERROR - INCORRECT ABH.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
NAM FUNCTION NOT FOUND.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
NAM LOGICAL ERROR.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
NAM NOT AVAILABLE.	NOS 2 OPER HB	60459310
	TAF 1 RM	60459500
NAM PHYSICAL ERROR EC=ec.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
NAM REG LEVEL reglv1.	NOS 2 OPER HB	60459310
NAM REJECT.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
NAM VER x.x - nnnn.	NOS 2 OPER HB	60459310
NAME EDIT FILE?	XEDIT 3 RM	60455730
NAME EXCEEDS 7 CHARACTERS -- TRUNCATED TO	FORTRAN 5 RM	60481300
NAME EXCEEDS 7 CHARACTERS -- TRUNCATED TO nnnnn	FORTRAN EXT 4	60497800
NAME IN DATA CONSTANT LIST MUST BE PARAMETER	FORTRAN 5 RM	60481300
NAME IN USE	APL 2 RM	60454000
NAME nnnnn IS IN EQUIV. GROUP THAT HAS LEVEL CONFLICT	FORTRAN EXT 4	60497800
NAME nnnnn IS IN LEVEL EQUIVALENCE GROUP AND MUST BE COMMON	FORTRAN EXT 4	60497800
NAME nnnnn IS LEVEL AND MUST BE COMMON OR DUMMY ARGUMENT	FORTRAN EXT 4	60497800
NAME IS REQUIRED	NOS 2 SF RM	60460430

MESSAGE

NAME LONGER THAN 30 CHARACTERS xxxx
NAME LONGER THAN 7 CHARACTERS xxxx
NAME MUST BE 1 TO 6 CHARACTERS
NAME NOT FOUND
NAME nnnnn NOT IN RETURNS LIST
NAME PREVIOUSLY DEFINED -- ENTRY STATEMENT IGNORED
NAME nnnnn PREVIOUSLY DEFINED -- ENTRY STATEMENT IGNORED
NAME TOO LONG aaaaaaaaaa
NAMelist I/O IS NON-ANSI
NAMelist I/O IS NON-ANSI
NAMelist STATEMENT IS NON-ANSI
NAMelist STATEMENT SYNTAX ERROR
NAMES SEPARATED BY *.* IN WRONG ORDER.
NAMI ILLEGAL KEYWORD/VALUE.
NAMI VERSION n.nnnnnn.
NBR SPECIFIED TWICE
NBYTE AND BIT MISSING
NC EXCEEDS 200B TRACKS.
NC IS NOT A POWER OF 2.
NDLP COMPLETE.
NDLP COMPLETE
NDR - ADDRESS ERROR.
NDR - ILLEGAL CALLER.
NDR - ILLEGAL FUNCTION.
NDR - INVALID CONNECT REQUEST.
NEED AT LEAST xx SUBCONTROL POINTS.
NEED MRL FOR FILE ... filename
NEGATIVE DIMENSION FOR nnnnn -- SET TO 1
NEGATIVE NUMBER TO POWER
NEGATIVE SWITCH INDEX
NESTING NOT CHECKED - ERR ON PREV. REPEAT
NESTING OF REPEAT COUNT IN DATA CONSTANT LIST IS ILLEGAL
NESTING OF REPEAT COUNT IN DATA CONSTANT LIST IS ILLEGAL
NETBDF-BUILD DIRECTORY FILE.
NETBDF-CANNOT DEFINE NEW DIRECTORY-filename.
NETBDF - CONTROL STATEMENT ERROR-JOB ABORTED.
NETBDF-CPU USAGE SECS. MS.
NETBDF-DEFINING DIRECTORY FILE-filename.
NETBDF-DIRECTORY GENERATION COMPLETE.
NETBDF-DUPLICATE CONTROL STATEMENT
PARAMETER-xxxxxxx.

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 SF RM	60460430
APL 2 RM	60454000
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
RBF 1 RM	60499600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NDL 1 RM	60480000
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
ALGOL 4 RM	60496600
NPS RM	60480500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NETBDF-DUPLICATE FILE NAME-xxxxxxx.	NOS 2 OPER HB	60459310
NETBDF-ILLEGAL CONTROL STATEMENT PARAMETER VALUE-xxxxxxx.	NOS 2 OPER HB	60459310
NETBDF-ILLEGAL FILE NAME-filename.	NOS 2 OPER HB	60459310
NETBDF-ILLEGAL SEPARATOR-*x*.	NOS 2 OPER HB	60459310
NETBDF-PFM ERROR-xxx(10)	NOS 2 OPER HB	60459310
NETBDF-PURGED PERMANENT FILE-pfn.	NOS 2 OPER HB	60459310
NETBDF-REQUIRED PARAMETER MISSING-param.	NOS 2 OPER HB	60459310
NETBDF-UNRECOGNIZED CONTROL STATEMENT PARAMETER-param.	NOS 2 OPER HB	60459310
NETBDF-VALUE NOT SPECIFIED FOR PARAMETER-param.	NOS 2 OPER HB	60459310
NETBDF-VALUE SUPPLIED FOR KEYWORD-xxxxxxx.	NOS 2 OPER HB	60459310
NETFM-ADD FAILED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-ADDED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-BAD DIRECTORY FILE.	NOS 2 OPER HB	60459310
NETFM-BAD LFM REQUEST BY NETFM.	NOS 2 OPER HB	60459310
NETFM-BAD PFM REQUEST BY NETFM.	NOS 2 OPER HB	60459310
NETFM-CONTROL STATEMENT ERROR-JOB ABORTED.	NOS 2 OPER HB	60459310
NETFM-CPU USAGE SECS. MS.	NOS 2 OPER HB	60459310
NETFM-DELETE FAILED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-DELETED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-DIRECTORY FILE NOT FOUND.	NOS 2 OPER HB	60459310
NETFM-DIRECTORY NOT OPEN.	NOS 2 OPER HB	60459310
NETFM-DIRECTORY RESTRUCTURE NEEDED.	NOS 2 OPER HB	60459310
NETFM-DUPLICATE CONTROL STATEMENT PARAMETER-xxxxxxx.	NOS 2 OPER HB	60459310
NETFM-DUPLICATE FILE NAME-xxxxxxx.	NOS 2 OPER HB	60459310
NETFM ERROR = nn	NOS 2 OPER HB	60459310
NETFM-ILLEGAL CONTROL STATEMENT PARAMETER VALUE-xxxxxxx.	NOS 2 OPER HB	60459310
NETFM-ILLEGAL FILE NAME-xxxxxxx.	NOS 2 OPER HB	60459310
NETFM-ILLEGAL SEPARATOR-*x*.	NOS 2 OPER HB	60459310
NETFM-INTERNAL I/O ERROR	NOS 2 OPER HB	60459310
NETFM INTERNAL I/O ERROR.	NOS 2 OPER HB	60459310
NETFM-NETFM COMPLETE.	NOS 2 OPER HB	60459310
NETFM-NON-FATAL ERROR(S) ENCOUNTERED.	NOS 2 OPER HB	60459310
NETFM-action PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-PURGE FAILED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-PURGED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-REQUIRED PARAMETER MISSING-param.	NOS 2 OPER HB	60459310
NETFM-UNRECOGNIZED CONTROL STATEMENT PARAMETER-param.	NOS 2 OPER HB	60459310
NETFM-UPDATE FAILED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310
NETFM-UPDATED PF = pfn NF = nfn.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
NETFM-VALUE NOT SPECIFIED FOR PARAMETER-param.	NOS 2 OPER HB	60459310
NETFM-VALUE SUPPLIED FOR KEYWORD-xxxxxxx.	NOS 2 OPER HB	60459310
NETFS - ABNORMAL TERMINATION COMPLETE.	NOS 2 OPER HB	60459310
NETFS - ATTEMPTING NETON.	NOS 2 OPER HB	60459310
NETFS - BAD CONTROL CARD PARAMETER FORMAT.	NOS 2 OPER HB	60459310
NETFS - BAD CONTROL CARD PARAMETER VALUE.	NOS 2 OPER HB	60459310
NETFS - BUILT YY/MM/DD. HH.MM.SS.	NOS 2 OPER HB	60459310
NETFS-CIO READ ERROR ENCOUNTERED. CIO ERROR CODE =ccode PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-CIO WRITE ERROR ENCOUNTERED. CIO ERROR CODE =ccode PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ENTRY CREATED. PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ENTRY DELETED. PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ENTRY NOT CREATED. NETFM ERROR CODE =fcode PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 HB	60459310
NETFS-DIRECTORY ENTRY NOT DELETED. NETFM ERROR CODE =fcode PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ENTRY NOT UPDATED. NETFM ERROR CODE =fcode PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ENTRY UPDATED. PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-DIRECTORY ERROR ENCOUNTERED. NETFM ERROR CODE =fcode	NOS 2 OPER HB	60459310
NETFS-DIRECTORY FILE NOT FOUND.	NOS 2 OPER HB	60459310
NETFS-DIRECTORY IMPROPERLY FORMATTED.	NOS 2 OPER HB	60459310
NETFS-DIRECTORY RESTRUCTURE NEEDED.	NOS 2 OPER HB	60459310
NETFS-DISABLED.	NOS 2 OPER HB	60459310
NETFS-DUPLICATE CONTROL CARD PARAMETER.	NOS 2 OPER HB	60459310
NETFS - DUPLICATE NETON.	NOS 2 OPER HB	60459310
NETFS-FILE SIZE IN BYTES MISMATCH. PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS - ILLEGAL CONTROL CARD PARAMETER.	NOS 2 OPER HB	60459310
NETFS - IMMEDIATE SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NETFS - INVALID CONNECTION REQUEST.	NOS 2 OPER HB	60459310
NETFS - INVALID SUPERVISORY MESSAGE.	NOS 2 OPER HB	60459310
NETFS-MAXIMUM FIELD LENGTH EXCEEDED.	NOS 2 OPER HB	60459310
NETFS - MDI NODE mnode CONNECTION ACCEPTED.	NOS 2 OPER HB	60459310
NETFS - MDI NODE mnode CONNECTION ACTIVATED.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
NETFS - MDI NODE mnode CONNECTION BROKEN.	NOS 2 OPER HB	60459310
NETFS - MDI NODE mnode CONNECTION ENDED.	NOS 2 OPER HB	60459310
NETFS - MDI NODE mnode CONNECTION REJECTED.	NOS 2 OPER HB	60459310
NETFS - MDI NODE mnode PROTOCOL ERROR ecode.	NOS 2 OPER HB	60459310
NETFS - NETON SUCCESSFUL.	NOS 2 OPER HB	60459310
NETFS - NETWORK PROTOCOL ERROR edode.	NOS 2 OPER HB	60459310
NETFS - NETWORK SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NETFS - NIN IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
NETFS-NO CONNECTIONS REMAINING.	NOS 2 OPER HB	60459310
NETFS-NORMAL TERMINATION COMPLETE.	NOS 2 OPER HB	60459310
NETFS-PERMANENT FILE NOT FOUND. PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETFS-UNKNOWN ENTRY POINT NAME. ENTRY POINT NAME =epname PERMANENT FILE NAME =pfn NETWORK FILE NAME =nfn	NOS 2 OPER HB	60459310
NETLS-ABNORMAL TERMINATION COMPLETE.	NOS 2 OPER HB	60459310
NETLS-ATTEMPTING NETON.	NOS 2 OPER HB	60459310
NETLS - BAD CONTROL CARD PARAMETER FORMAT.	NOS 2 OPER HB	60459310
NETLS - BAD CONTROL CARD PARAMETER VALUE.	NOS 2 OPER HB	60459310
NETLS-BUILT YY/MM/DD.HH.MM.SS.	NOS 2 OPER HB	60459310
NETLS-CONTROL STATEMENT ERROR-JOB ABORTED.	NOS 2 OPER HB	60459310
NETLS-DISABLED.	NOS 2 OPER HB	60459310
NETLS-DUPLICATE CONTROL STATEMENT PARAMETER_ xxxxxxx.	NOS 2 OPER HB	60459310
NETLS-DUPLICATE NETON.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN ACCESSING LOG FILE.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN ATTACHING LOG FILE.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN DEFINING LOG FILE.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN PERMITTING ACCESS TO LOG FILE.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN REATTACHING LOG FILE.	NOS 2 OPER HB	60459310
NETLS-ERROR code IN SKIPPING LOG FILE.	NOS 2 OPER HB	60459310
NETLS-EXISTING LOG FILE ATTACHED.	NOS 2 OPER HB	60459310
NETLS-ILLEGAL CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
NETLS-ILLEGAL SEPARATOR-x.	NOS 2 OPER HB	60459310
NETLS-ILLEGAL VALUE-vvvvvvv FOR PARAMETER- xxxxxxx.	NOS 2 OPER HB	60459310
NETLS-IMMEDIATE SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NETLS-INVALID CONNECTION REQUEST.	NOS 2 OPER HB	60459310
NETLS-INVALID SUPERVISORY MESSAGE.	NOS 2 OPER HB	60459310
NETLS-LOG FILE TERMINATION COMPLETE.	NOS 2 OPER HB	60459310
NETLS-LOG FILE TERMINATION REJECTED.	NOS 2 OPER HB	60459310
NETLS-MAXIMUM FIELD LENGTH EXCEEDED.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode CONNECTION ACCEPTED.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NETLS-MDI NODE mnode CONNECTION ACTIVE.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode CONNECTION BROKEN.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode CONNECTION ENDED.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode CONNECTION INACTIVE.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode CONNECTION REJECTED.	NOS 2 OPER HB	60459310
NETLS-MDI NODE mnode PROTOCOL ERROR ecode.	NOS 2 OPER HB	60459310
NETLS-NETLS JOB IS NOT SYSTEM ORIGIN.	NOS 2 OPER HB	60459310
NETLS-NETON SUCCESSFUL.	NOS 2 OPER HB	60459310
NETLS-NETWORK PROTOCOL ERROR ecode.	NOS 2 OPER HB	60459310
NETLS-NETWORK SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NETLS-NEW LOG FILE CREATED.	NOS 2 OPER HB	60459310
NETLS - NIN IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
NETLS-NO CONNECTIONS REMAINING.	NOS 2 OPER HB	60459310
NETLS-NORMAL TERMINATION COMPLETE.	NOS 2 OPER HB	60459310
NETLS-REQUIRED PARAMETER MISSING-xxxxxxx.	NOS 2 OPER HB	60459310
NETLS-UNRECOGNIZED CONTROL STATEMENT PARAMETER-xxxxxxx.	NOS 2 OPER HB	60459310
NETLS-VALUE NOT SPECIFIED FOR PARAMETER-xxxxxx.	NOS 2 OPER HB	60459310
NETLS-VALUE OUTSIDE OF RANGE FOR PARAMETER-xxxxxxx.	NOS 2 OPER HB	60459310
NETMDF-BAD GET ON DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETMDF-BAD OPEN ON DIRECTORY-xxxxxxx.	NOS 2 OPER HB	60459310
NETMDF-CANNOT ATTACH DESTINATION DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETMDF-CANNOT ATTACH SOURCE DIRECTORY-filename,UN=username.	NOS 2 OPER HB	60459310
NETMDF - CONTROL STATEMENT ERROR-JOB ABORTED.	NOS 2 OPER HB	60459310
NETMDF-CPU USAGE SECS. MS.	NOS 2 OPER HB	60459310
NETMDF-DESTINATION DIRECTORY-filename, UN=username.	NOS 2 OPER HB	60459310
NETMDF-DIRECTORY MERGE COMPLETE.	NOS 2 OPER HB	60459310
NETMDF-DUPLICATE CONTROL STATEMENT PARAMETER-xxxxxxx.	NOS 2 OPER HB	60459310
NETMDF-DUPLICATE FILE NAME-xxxxxxx.	NOS 2 OPER HB	60459310
NETMDF-ENTRY ALREADY EXISTS IN THE DIRECTORY. NFN =	NOS 2 OPER HB	60459310
NETMDF-FILE ALREADY EXISTS IN DIRECTORY. NETWORK FILE NAME =	NOS 2 OPER HB	60459310
NETMDF-FILE COULD NOT BE MOVED DUE TO A PFM ERROR. NETMDF-PFN=filename, NFN -	NOS 2 OPER HB	60459310
NETMDF-FILE filename NOT CATLISTABLE. FILE CHARACTERISTICVS NETMDF-MAY BE DIFFERENT FOR THE FILE MOVED TO THIS INDEX.	NOS 2 OPER HB	60459310
NETMDF-ILLEGAL CONTROL STATEMENT PARAMETER VALUE-xxxxxxx.	NOS 2 OPER HB	60459310
NETMDF-ILLEGAL FILE NAME-filename.	NOS 2 OPER HB	60459310
NETMDF-ILLEGAL SEPARATOR-x.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NETMDF-MERGE DIRECTORY FILES.	NOS 2 OPER HB	60459310
NETMDF-NFA ERROR OCCURRED. ERROR CODE=ec.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF ENTRIES ADDED TO DESTINATION- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF ENTRIES IN DESTINATION DIRECTORY- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF ENTRIES IN SOURCE DIRECTORY- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF ENTRIES REPLACED IN DESTINATION- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF FILES ADDED TO DESTINATION- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF FILES IN DESTINATION DIRECTORY- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF FILES IN SOURCE DIRECTORY- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF FILES MOVED TO DESTINATION- n.	NOS 2 OPER HB	60459310
NETMDF-NUMBER OF FILES REPLACED IN DESTINATION- n.	NOS 2 OPER HB	60459310
NETMDF-PERCENTAGE OF NEW DIRECTORY USED-xxx.	NOS 2 OPER HB	60459310
NETMDF-PFM ERROR-xxx(10).	NOS 2 OPER HB	60459310
NETMDF-REQUIRED PARAMETER MISSING-param.	NOS 2 OPER HB	60459310
NETMDF-SOURCE DIRECTORY-filename. UN=username.	NOS 2 OPER HB	60459310
NETMDF-UNRECOGNIZED CONTROL STATEMENT PARAMETER-param.	NOS 2 OPER HB	60459310
NETMDF-VALUE NOT SPECIFIED FOR PARAMETER-param.	NOS 2 OPER HB	60459310
NETMDF-VALUE SUPPLIED FOR KEYWORD-xxxxxxx.	NOS 2 OPER HB	60459310
NETOFF COMPLETE.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
NETON ACCEPTED.	NOS 2 OPER HB	60459310
NETON COMPLETE.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
NETON REJECT.	NOS 2 OPER HB	60459310
NETON REJECTED, TVF ALREADY PRESENT.	NOS 2 OPER HB	60459310
NETON WITH NIN = xxx	NOS 2 OPER HB	60459310
NETRDF-BAD *GET* ON DIRECTORY filename.	NOS 2 OPER HB	60459310
NETRDF-BAD *OPEN* ON DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETRDF-BAD *PUT* ON DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETRDF-CANNOT ATTACH OLD DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETRDF-CANNOT DEFINE NEW DIRECTORY-filename.	NOS 2 OPER HB	60459310
NETRDF - CONTROL STATEMENT ERROR-JOB ABORTED.	NOS 2 OPER HB	60459310
NETRDF-CPU USAGE SECS. MS.	NOS 2 OPER HB	60459310
NETRDF-DIRECTORY filename NOT FOUND.	NOS 2 OPER HB	60459310
NETRDF-DIRECTORY PERFORMANCE DECREASES WHEN NETRDF-SIZE EXCEEDS 80 PERCENT. THIS NETRDF-PROGRAM STRIVES FOR A DIRECTORY SIZE NETRDF-YIELDING 50 PERCENT.	NOS 2 OPER HB	60459310
NETRDF-DIRECTORY RESTRUCTURE COMPLETE.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
NETRDF-DUPLICATE CONTROL STATEMENT PARAMETER-xxxxxxx.	NOS 2 OPER HB	60459310
NETRDF-DUPLICATE FILE NAME-xxxxxxx.	NOS 2 OPER HB	60459310
NETRDF-ILLEGAL CONTROL STATEMENT PARAMETER VALUE-xxxxxxx.	NOS 2 OPER HB	60459310
NETRDF-ILLEGAL FILE NAME-filename.	NOS 2 OPER HB	60459310
NETRDF-ILLEGAL SEPARATOR-**x*.	NOS 2 OPER HB	60459310
NETRDF-NUMBER OF ENTRIES IN DIRECTORY- n.	NOS 2 OPER HB	60459310
NETRDF-NUMBER OF FILES IN DIRECTORY.	NOS 2 OPER HB	60459310
NETRDF-PERCENTAGE OF NEW DIRECTORY USED-xxx.	NOS 2 OPER HB	60459310
NETRDF-PERCENTAGE OF OLD DIRECTORY USED-xxx.	NOS 2 OPER HB	60459310
NETRDF-PFM ERROR-xxx(10), FILE-filename.	NOS 2 OPER HB	60459310
NETRDF-REQUIRED PARAMETER MISSING-param.	NOS 2 OPER HB	60459310
NETRDF-RESTRUCTURE DIRECTORY FILE.	NOS 2 OPER HB	60459310
NETRDF-UNRECOGNIZED CONTROL STATEMENT PARAMETER-param.	NOS 2 OPER HB	60459310
NETRDF-VALUE NOT SPECIFIED FOR PARAMETER-param.	NOS 2 OPER HB	60459310
NETRDF-VALUE SUPPLIED FOR KEYWORD-xxxxxxx.	NOS 2 OPER HB	60459310
NETWORK ACTIVITY TABLE OVERFLOW.	NOS 2 OPER HB	60459310
NETWORK APPLICATION ABORTED, RC5=568. NFETCH: ILLEGAL FIELD MNEMONIC.	NOS 2 RS VOL 3	60459680
NETWORK APPLICATION ABORTED, RC5=569. NSTORE: ILLEGAL FIELD MNEMONIC.	NOS 2 RS VOL 3	60459680
NETWORK CONNECTION ACCEPTED.	NOS 2 OPER HB	60459310
NETWORK CONNECTION ENDED.	NOS 2 OPER HB	60459310
NETWORK CONNECTION ENDED BY LSF.	NOS 2 OPER HB	60459310
NETWORK CONNECTION INITIALIZED.	NOS 2 OPER HB	60459310
NETWORK CONNECTION LOST.	NOS 2 OPER HB	60459310
NETWORK CONNECTION TO LSF TERMINATED PREMATURELY.	NOS 2 OPER HB	60459310
NETWORK FILE NOT FOUND - filename.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
NETWORK IDLE DOWN IN PROGRESS.	NOS 2 OPER HB	60459310
NETWORK INVOCATION NUMBER nin	NOS 2 OPER HB	60459310
NETWORK NETON ERROR, APPLICATION DISABLED.	NOS 2 OPER HB	60459310
NETWORK NETON ERROR, DUPLICATE NETON.	NOS 2 OPER HB	60459310
NETWORK NETON SUCCESSFUL.	NOS 2 OPER HB	60459310
NETWORK NETON UNSUCCESSFUL, NAM IS UNAVAILABLE.	NOS 2 OPER HB	60459310
NETWORK NETON UNSUCCESSFUL, NAM IS BUSY.	NOS 2 OPER HB	60459310
NETWORK PROTOCOL ERROR, REASON CODE IS rc.	NOS 2 OPER HB	60459310
NETWORK REQUESTED IMMEDIATE SHUTDOWN.	NOS 2 OPER HB	60459310
NETWORK SHUT DOWN DETECTED.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
NETWORK SHUTDOWN COMPLETE.	NOS 2 OPER HB	60459310

MESSAGE

NETWORK SHUTDOWN - PLEASE LOGOFF.
NETWORK TYPE DOES NOT SUPPORT ATTRIBUTE
COMMAND.
NEW DESTINATION USER/FAMILY INVALID.
NEW IDENT ON CHANGE DIRECTIVE IS ALREADY KNOWN
NEXT BLOCK MAY BE OUT OF SEQUENCE
NEXT VSN est,vsn.
NEXT WITHOUT FOR
NIL SYMBOL
NIP DUMP TAKEN.
NIP DUMP TAKEN - nnn.
NIP FATAL ERROR PROC = name.
NIP/HGETNWL - BAD NWL BUFFER.
NIP INTERNAL ERROR - rname.
NIP/NETWORK PROTOCOL VIOLATION.
NIP RECEIVED BAD BSN.
NIP RECEIVED BAD PWL.
NIP RECEIVED BLOCK ON PRU CONNECTION.
NIP RECEIVED DBG/STOP.
NIP/REGLL DN=xx SN=yy RL=Z

NIP/SCP ERROR RC=ec JOBID=jobid.
NIP/SST RC=ec, JOBID=jobid.
NIP/hcSTTP ERR AN=app, CN=cn, tn,state.
NIP/ncSTTP ERR HN=hnode, TN=tnode,
ncn,tn,state.
NIP UNABLE TO FIND FAILED APP jobid.
NLDO1 - FET ADDRESS ERROR.
NLDO2 - NOT CALLED FROM SYSTEM LIBRARY.
NLDO3 - INVALID FUNCTION CODE.
NLDO5 - BUFFER ARGUMENT ERROR.
NLDO6 - ABORTED BY SYSTEM.
NLF IS NOT AVAILABLE.
NLF IS NOT SPECIFIED.
NM=filename.
NM REDUCTION INVALID - filename.

NO ACCESS PATHS EXIST
NO ACCOUNT/USER CARD IN xxJ FILE.

NO ACCOUNT/USER CARD ON XXJ FILE.

NO ACTIVE DAYFILE FOUND.
NO ACTIVE LINES WERE FOUND WITHIN THE COPY RANGE. NULL COPY
NO ACTIVITY ON NETWORK CONNECTION.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310

MESSAGE

NO ADMITS.
NO ALTERNATE KEY SPECIFIED ON IXN CARD.

NO APPLICATION ALERT PENDING.
NO APPLICATION IN ALERT Q.
NO ARF DUMP ENTRIES - DUMP IGNORED.

NO ARF DUMP ENTRIES IN DIRECTORY.

NO BITS SPECIFIED.
NO BREAKPOINT xxxx
NO BREAKPOINT #n
NO BREAKPOINTS
NO BRF CARD FOR CRM DATA BASE.
NO BRF CARD FOUND IN xxJ FILE.
NO BYTSIZE PARAMETER
NO CARTRIDGE AVAILABLE IN POOL.
NO CHARACTERS FOUND IN nnnnn DELIMITED HOLLERITH STRING
**** NO CHARGE NUMBER IN EFFECT.
NO CLOSING DELIMITER FOUND
NO COMMA AFTER LOWER LIMIT
NO COMMON BLOCK xxxx
**NO COMPILATION
NO CONTROL STATEMENT TERMINATOR.
NO CONTROLWARE ON CHANNEL.
NO CONVERSION SPEC SEEN
NO COSETS EXIST
NO CRM CARD FOUND IN xxJ FILE.

NO DATA BASE ID FOR DATA MANAGER.

NO DATA BASE NAME IN xxJ FOR TOTAL.

NO DATA FOUND FOR USERNAME.

NO DAYFILE FOUND.
NO -DD- DEFINED FOR -CM-.
NO DECK NAME ON DECK DIRECTIVE
NO DEVICES IN THE FAMILY.
NO DIGIT PRECEDED X-FIELD. 1X ASSUMED
NO DIMENSION FOUND FOR EQUIVALENCE VARIABLE
NO DIMENSION FOUND FOR EQUIVALENCE VARIABLE nnnnn
NO DIRECTIVES.
NO DIRECTIVES.

NO DIRECTIVES PROCESSED.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 TAPE MGMT	60463350
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
TAF 1 RM	60459500
TAF 1 RM	60459500
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
PL/I RM	60388100
COMPASS 3 RM	60492600
NOS 2 OPER HB	60459310
FORM RM	60496200
QUERY UPDT 3 RM	60498300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

NO DIVERTS IN AFFECT FOR THIS QUEUE
NO DUMP FILE FOR xx est IS AVAILABLE.
NO DUMP RECORD WITH SPECIFIED VSN.

NO EMPTY CARTRIDGES AVAILABLE IN FAMILY.
NO EMPTY CARTRIDGES IN GROUP.
NO EMPTY CUBE IN FAMILY/POOL.
NO EMPTY CUBES. NUMBER PROCESSED=n.
NO END CARD. END LINE ASSUMED
NO ENTRIES FOUND.
NO ENTRY POINT xxxx
NO EQUATE STRING
NO EQUIPMENT AVAILABLE.
divnam-NO ERRORS ENCOUNTERED.
filename - NO ERRORS ENCOUNTERED.
ifn - NO ERRORS ENCOUNTERED
NO EXCEPTION PROCESS PROVIDED
NO EXCEPTION PROCESS PROVIDED
NO EXECUTABLE STATEMENT n
NO EXTEND OF USER-OWNED FILE.
NO EXTENDED MEMORY.

NO FILE NAME SPECIFIED.
NO FILE NAME SPECIFIED ON CRM CARD.
NO FILE NAME SPECIFIED ON IXN CARD.

NO FILE OR GROUP xxxx
NO FILE SPACE. ADD ANOTHER FILE STMT
NO FILE STRING GIVEN
NO FILE STRING GIVEN
NO FILES FOUND.
NO FILES FOUND
NO FILES FOUND FOR SPECIFIED DUMP FILE.

NO FILES PROCESSED.
NO FILES TO DUMP.

NO FORMAT FIELD SPECIFIED
NO GENERAL STATUS RECEIVED.
NO GROUP #n
NO GROUP xxxx
NO GROUPS
NO H-H LOGICAL LINK TO DESTINATION.
NO HDR1 LABEL RETURNED ON OPEN.

<u>MANUAL</u>	<u>PUB. NO.</u>
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NDL 1 RM	60480000
COBOL 5 DH	60482500
COBOL 5 RM	60497100
INTER DEBUG RM	60481400
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
BASIC 3 RM	19983900
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680

MESSAGE

NO HOSE CONNECTED.
NO HOST AVAILABLE
NO HOST AVAILABLE
NO HOST AVAILABLE CONTROL CHARACTER=char
ENTER char HD TO SEE HOST STATUS
NO HOST CONNECTED
NO HOST CONNECTED
NO HOST CONNECTED CONTROL CHARACTER=char
ENTER INPUT TO CONNECT TO HOST
NO HOST CONNECTED CONTROL CHARACTER=char
TERMINAL DISABLED BY NOP
NO HOST SELECTED
NO HOST SELECTED CONTROL CHARACTER=char
ENTER char HN=NODE NUMBER or
HS=NAME TO SELECT HOST
NO *IF IN PROGRESS.
NO INACTIVE QUEUED FILES PRESENT.
NO INACTIVE QUEUES ON DEVICE.
NO INFORMATION ON LOG FILE
NO INITIALIZE REQUESTS SET FOR MSI.
NO INPUT FILE FOUND.
NO INPUT FILE, Q MODE, UPDATE ABORT
NO INPUT FILE SPACE AVAILABLE
NO INPUT FILE SPECIFIED
NO INTERLOCK.
NO JOB CHARACTERISTICS SPECIFIED.
NO JOBS FOUND.
NO JSN-S RECOVERED.
NO KEY LENGTH SPECIFIED ON CRM CARD.

NO LABEL xxxx
NO LEGAL CARD
NO LEGAL PARAMETER
NO LINE NUMBER ON LINE
NO LINE NUMBER ON SORT FILE.
NO LINE TERMINATOR AT EOR(S).
NO LINES FOUND
NO LINK DEVICE DEFINED.
NO LOG FILE EXISTS TO BE TERMINATED.
NO LOOKUP IMPLEMENTED
NO MANUFACTURER OR SCRATCH LABEL.
NO MASS STORAGE AVAILABLE.

NO MATCH OF LOOP INDEX AND SUBSCRIPT
NO MATCH ON FAMILY/SUBFAMILY.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NAM 1 TERM INTF	60480600
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NAM 1 TERM INTF	60480600
NAM 1 RM	60499500
TAF 1 RM	60459500
TAF/CRM 1 DM RM	60459510
NOS 2 RS VOL 3	60459680
NAM 1 RM	60499500
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
UPDATE RM	60449900
NOS 2 OPER HB	60459310
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTAN EXT 4	60497800
NOS 2 OPER HB	60459310

MESSAGE

NO MATCHING FAMILY LABEL.
NO MATCHING LEFT PARENTHESIS
NO MATCHING RIGHT PARENTHESIS
NO MATCHING RIGHT PARENTHESIS IN ARGUMENT LIST
NO MATCHING RIGHT PARENTHESIS IN SUBSCRIPT
NO MAXIMUM RECORD LENGTH SPECIFIED ON THE
CRM CARD.
*** NO MEANINGFUL DATA IN BUFFER ***
NO MESSAGES FOUND
NO MONITOR FILE DEFINED
NO MONITOR RESPONSE.
NO MORE RECORDS OF TYPE x TO PROCESS.
NO MORE TRANSMISSIONS ALLOWED
NO MSF SPACE.
DESTAGE ABANDONED.
FM=familyname, SF=subfamily, CSU=id.
NO NAME AND NO EQUATE STRING
NO NAME AND NO SEQUENCE
NO NAME DIRECTIVE
NO NEW FILE.
NO NPUS ARE BEING SUPERVISED.
NO NPUS UNDER YOUR CONTROL.
NO. OF MANUAL CHANGES REQUIRED = nn
NO OLDPL, NOT CREATION RUN, UPDATE ABORT
NO ONLINE DIAGNOSTICS PRESENT.
NO OUTPUT FILE EXISTING.
NO OUTPUT FILE EXISTS.
NO OUTPUT FILE PRESENT.
NO OUTPUT FILE SPECIFIED
NO OVERLAY (xxxx)
NO OVERLAYS
NO OWNCODE EXIT PARAMS
NO PARAMETERS
NO PARAMETERS
NO PARAMETERS SUPPLIED TO SUBROUTINE
NO PARAMETERS SUPPLIED TO SUBROUTINE
NO PATH TO THE ENTIRE RANGE OF DO
NO PATH TO THE ENTIRE RANGE OF DO
NO PATH TO THIS STATEMENT
NO PATH TO THIS STATEMENT
NO PERMANENT DAYFILES.
NO PERMITS.
NO PREVIOUS C\$ IF DIRECTIVE
NO PRIMARY FILE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FTN 4-5 CONV RM	60483000
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
SORT MERGE 4&1	60497500
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680

MESSAGE

NO *PROBE* DATA AVAILABLE.
NO *PROBE* DATA ON FILE.
NO PROCEDURE NAME xxxx
NO PROGRAM xxxx
NO PROGRAM VARIABLE xxxx
**** NO PROJECT NUMBER IN EFFECT.
NO QUEUED FILES FOUND.
NO READ/DESTINATION FILE SPECIFIED
NO READ FILE FOUND - filename.
NO RECORD FOUND FOR GIVEN VSN - DATE/TIME.

NO RECORD QUALIFIED
NO RECOVERABLE JOBS.
NO RELATION EXISTS
NO REPLACE DIRECTIVE
NO REPORT GENERATED.
NO RESPONSE FROM OTHER MAINFRAME
NO ROOM IN TABLE FOR xxxxxx
NO SCR ON MAINFRAME.
NO SDAL DATA ON FILE.
NO SEQ FORMAT SPECIFIED
NO SEQUENCE
NO SEQUENCE NUMBER FOUND ON FOLLOWING STATEMENT -- COMMENT ASSUMED
NO SHARED DEVICES FOR THIS MACHINE.
NO SOURCE FILE SPECIFIED.
NO SOURCE, OLD OR NEW LIBRARY
NO SPACE FOR ARF/BRF BUFFER.

NO SPACE IN DIT.
NO STATUS PARAMETER
NO STATUS PARAMETER
NO SUCH APPLICATION ON HOST NOW.
NO SUCH COMMAND
NO SUCH CSUMAP OR SUB-CATALOG.
NO SUCH FILE
NO SUCH SMMAP OR SUBCATALOG.
NO SUCH SUBCATALOG.
NO SYMBOL FILE FOR CODE PROCEDURE
NO SYMBOLS FOR OVERLAY (m,n)
NO SYMBOLS FOR P.xxxx
NO SYSTEM DEVICE DEFINED.
NO SYSTEM PRIVILEGES
NO TAPE EQUIPMENT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
QUERY UPDT 3 RM	60498300
NOS 2 RS VOL 3	60459680
QUERY UPDT 3 RM	60498300
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 OPER HB	60459310

MESSAGE

filename - NO TEMP DEVICE FOUND.
NO TERM UNDER THIS USER.
NO TERM/USER CONNECTED TO THIS APPLICATION.
NO TERMINALS DEFINED.
NO TERMINALS IN NETWORK FILE - filename.
NO TERMINATOR
NO TERMINATOR IN ABOVE LOAD SEQUENCE
NO TERMINATOR IN COMMAND CALL.
NO TERMINATOR ON CONTROL CARD
NO TERMINATOR ON CONTROL CARD
xxxxxxx - NO TIMOUT JUMP ADDRESS
NO TRANSACTION NAME IS DEFINED IN TASK
LIBRARY.
NO TRANSFER ADDRESS
NO TRAP #n
NO xxxx TRAP yyyy
NO TRAPS
NO TTYS ASSIGNED.
NO USER COMMAND EXECUTED.
**** NO USER INDICES AVAILABLE.
NO VALID DUMP FOUND ON DUMP FILE.
NO VERSION DATA ON FILE.
NO WORKING STORAGE AREA PROVIDED
NO WORKING STORAGE AREA PROVIDED
NO WRITE ENABLE, filename AT address.
NO WRITE PERMISSION ON QRF FOR SCHEMA sn
NO 52 TABLE IN CONTROLWARE RECORD.
NO 667x MULTIPLEXER.
NO 7000 JOB ACTIVE
NO 77 TABLE IN CONTROLWARE RECORD.
NODE CARD MISSING
NOISE BLOCK PROCESSING IN EFFECT.
n NOISE BLOCKS DELETED.
n NOISE BLOCKS PADDED.
NOISE SIZE IGNORED FOR PE/GE.
NON-ACTIVE GROUP-ID SPECIFIED
NON-ANSI BLANK LINES OCCURRED IN THIS PROGRAM UNIT
NON-ANSI FORM OF BLOCK DATA STATEMENT
NON-ANSI FORM OF DATA STATEMENT
NON-ANSI FORM OF TYPE DECLARATION
NON-ANSI HOLLERITH FORM
NON-ANSI SYNTAX IN THIS DATA STATEMENT

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NPS RM	60480500
TAF 1 RM	60459500
LOADER 1 RM	60429800
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
CDCS 2 RM	60481800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
COM MEM MGMT 1	60499200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
NON-ANSI TYPE COMBINATIONS WITH nnnnn OPERATOR	FORTRAN EXT 4	60497800
NON-BUFFERED EQ-S CHECKPOINTED RECOVERY ABORTED.	NOS 2 OPER HB	60459310
NON-BUFFERED EQ-S CHECKPOINTED. RECOVERY ABORTED.	NOS 2 RS VOL 3	60459680
NON-CONFORMING RETYPING OF	FORTRAN 5 RM	60481300
NON DIMENSIONED NAME APPEARS FOLLOWED BY LEFT PAREN	FORTRAN EXT 4	60497800
NON-DUMMY ARGUMENT CANNOT BE LEVELED	FORTRAN 5 RM	60481300
NON-EXECUTABLE CODE	ALGOL 4 RM	60496600
NON-EXISTENT EDIT VERB SPECIFIED	NOS 2 RS VOL 3	60459680
NON-EXISTENT UNLOAD-ID	COM MEM MGMT 1	60499200
n NON-FATAL DIRECTIVE ERROR(S)	SORT MERGE 4&1	60497500
n NON-FATAL SORT MACRO ERROR(S)	SORT MERGE 4&1	60497500
NON-FORMAT INPUT	ALGOL 4 RM	60496600
NON FROZEN FRAGMENT.	NOS 2 OPER HB	60459310
NON IMAGE REFERENCED	BASIC 3 RM	19983900
NON-INNER LOOP BEGINNING AT THIS CARD IS ENTERED	FORTRAN EXT 4	60497800
NON-MATCHING CONVERSION.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
NON-MATCHING DENSITY.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
NON-NULL LABEL FIELD ON CONTINUATION LINE	FORTRAN 5 RM	60481300
NON-NUMERIC	SORT MERGE 4&1	60497500
NON-OCT/HEX DIGIT IN OCT/HEX CONSTANT -- IGNORED	FORTRAN 5 RM	60481300
NON-OCTAL DIGIT IN OCTAL CONSTANT -- IGNORED	FORTRAN 5 RM	60481300
NON-OCTAL DIGIT IN OCTAL CONSTANT -- IGNORED	FORTRAN EXT 4	60497800
NON-STANDARD NAME WITH NO SEQUENCE	SORT MERGE 4&1	60497500
NON-STANDARD RETURN STATEMENT MAY NOT APPEAR IN A FUNCTION SUBPROGRAM	FORTRAN EXT 4	60497800
NON-54 TABLE OVERLAY LOADED	COM MEM MGMT 1	60499200
NON-585 PRINTER DIRECTIVE FOR 585 CONNECTION	NOS 2 OPER HB	60459310
NONEXECUTABLE WORD LOADING A SEGMENT	LOADER 1 RM	60429800
NONEXISTENT APPLICATION ID	NAM 1 RM	60499500
n NONFATAL ERRORS	UPDATE RM	60449900
NONFATAL ERRORS IN SCRIPT RUN	NPS RM	60480500
NONNUMERIC STRING	BASIC 3 RM	19983900
NONSHARED DEVICE ACTIVE IN DAT.	NOS 2 OPER HB	60459310
NOP: termname, ASSIGNED CONTROL OF npuname.	NOS 2 OPER HB	60459310
NOP: termname, CONTROL RELEASED OF npuname.	NOS 2 OPER HB	60459310
NORERUN/RERUN INCORRECT FROM INTERACTIVE JOBS.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
(xxx) NOS/VE IOU ERROR.	NOS 2 OPER HB	60459310
NOSEC SPECIFIED TWICE	FORM RM	60496200
NOT ALL DATA BASE FILES UPPED.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
NOT ALL EQUIPMENT SERVICEABLE.	NOS 2 INSTAL HB	60459320
	NOS 2 RS VOL 3	60459680

MESSAGE

NOT ALL ITEMS IN THIS COMMON BLOCK OCCUR IN LEVEL STATEMENTS
NOT ALL VARIABLES IN MPAR.
/ NOT ALLOWED IN FORMATTED I/O OR UNFORMATED INPUT LIST
NOT ALLOWED ON FILE
NOT ALLOWED ON FILE
NOT AUXILIARY PACK.
NOT AVAILABLE.
NOT AVAILABLE.
NOT CONTROL MODULE EST ORDINAL.
filename NOT DECLARED NRANDOM.
type: element, NOT DEFINED.
NOT ENOUGH ARGUMENTS.
NOT ENOUGH ARGUMENTS
NOT ENOUGH DATA, REENTER OR TYPE IN MORE
NOT ENOUGH MASS STORAGE.
NOT ENOUGH MEMORY FOR INITIALIZATION
NOT ENOUGH PP-S FOR DEADSTART.
NOT ENOUGH ROOM IN WORKING STORAGE TO HOLD ALL OVERLAY CONTROL CARD INFORMATION
NOT EVERY NAME IN COMMON BLOCK nnnnn IS IN A LEVEL STATEMENT
jsn/ujn NOT FOUND.
filename NOT FOUND.
filename NOT FOUND.
filename NOT FOUND.
or
username NOT FOUND.
jsn NOT FOUND.
n NOT FOUND.
filenam NOT FOUND.
xxxxxxx NOT FOUND.
xxxxxxxxxxxxxxxxxxxx NOT FOUND.
jsn NOT FOUND
xxxxxxx NOT FOUND IN DIRECTORY.

filename NOT FOUND. NAME EDIT FILE?
xxx NOT FOUND ON DEVICE.
ENTER ALTERNATE DEVICE LOCATION.
..... NOT I/O CONTROL KEYWORD
xxxxxxx NOT IN DIRECTORY.

<name> NOT IN LIBRARY SET
xxx NOT IN PP LIB.

xxx NOT IN PP LIB. CALLED BY yyy.

xxx NOT IN PPLIB
filename NOT IN WRITE MODE.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
RBF 1 RM	60499600
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

xxxxxx NOT INITIALIZED BY TOTAL.
STATUS IS yyyy.

xxxx NOT INTEGER

wd NOT LEGAL FIRST INPUT WORD

..... NOT LEGAL I/O CONTROL KEYWORD FOR THIS STATEMENT

NOT LOADED - xx est.

**** NOT MASTER USER.

.NOT. MAY NOT BE PRECEDED BY NAME, CONSTANT, OR RIGHT PARENS

filenam NOT ON MAGNETIC TAPE.

filename NOT ON MASS STORAGE.

filename NOT ON MASS STORAGE.

type element NOT SUPERVISED.

type: element, NOT UNDER YOUR CONTROL.

NOT VALID TO DOWNGRADE DATA.

NOT VALIDATED AS AOP, NON AOP ASSUMED

NOT VALIDATED FOR EXTENDED MEMORY MINIMUM CM.

NOT VALIDATED FOR REQUESTED ACCESS LEVEL.

NOT VALIDATED FOR REQUESTED APPLICATION.

NOT VALIDATED FOR WRITING UNLABELED TAPES.

NOT VALIDATED TO CHANGE ACCESS LEVEL.

NOT VALIDATED TO SET XD/XT.

yyyy NOT WITHIN ALLOWABLE RANGE FOR CLASS .

NOT YET IMPLEMENTED xxxxxx

NOT YET NETTED ON

NOT 7155/7255 CONTROLLER FOR DUMP.

NOTE FAILURE, THEN TYPE IN CFD,JSN.GO.

NOTE FAILURE, THEN TYPE IN CFD, JSN. GO.

NOTE - SELECTION PHASE SUPPRESSED. SELECT CLAUSE WILL HAVE NO EFFECT

NOTICE*** DATA READ ERROR.

NOTICE*** RECOVERY BOUNDARY.

NP GREATER THAN 8.

NP NOT ALLOWED.

NPU: npuname, status, node
GO IS REQUIRED.

NPU: npuname, status, node.
CONNECTION BROKEN. SUPERVISION LOST.

NPU: npunanme, status, node.
SUPERVISION GAINED.
CCP VERSION: ver, LEVEL: lev,
VARIANT: var,
PREVIOUS CS NODE: pcn,
PREVIOUS NS NODE: pnn.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NPU: npuname, DUMP OPTION CHANGED.	NOS 2 OPER HB	60459310
NPU IS ACTIVE, TRY LATER.	NOS 2 OPER HB	60459310
NPU IS NOT CONFIGURED.	NOS 2 OPER HB	60459310
NPU IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
NPU: npuname, n1 LINES DISABLED.	NOS 2 OPER HB	60459310
NPU: npuname, n11 LOGICAL LINKS DISABLED.	NOS 2 OPER HB	60459310
NPU: npuname, nnn, MESSAGE MAY HAVE BEEN LOST.	NOS 2 OPER HB	60459310
NPU: npuname, MESSAGE NOT SENT.	NOS 2 OPER HB	60459310
NPU npuname, NCF VERSION MISMATCH.	NOS 2 OPER HB	60459310
NPU: npuname, status, node, NEEDGO, dump.	NOS 2 OPER HB	60459310
xxx/NPU RECORD READ ERROR nn	NPS RM	60480500
NPU: npuname, nt TERMINALS DISABLED.	NOS 2 OPER HB	60459310
NPU: npuname, nt TERMINALS DISABLED ON LINE: line.	NOS 2 OPER HB	60459310
NPU: npuname, ntr TRUNKS DISABLED.	NOS 2 OPER HB	60459310
NPU: UNKNOWN,status,node SUPERVISION REQUEST FROM UNKNOWN NPU	NOS 2 OPER HB	60459310
NS/ BAD NCF DIRECTORY RECORD.	NOS 2 OPER HB	60459310
NS/ BAD NCF NPU XREF RECORD.	NOS 2 OPER HB	60459310
NS/ BAD NCF PHYLINK RECORD.	NOS 2 OPER HB	60459310
NS/ BAD NLF DIRECTORY RECORD.	NOS 2 OPER HB	60459310
NS/ CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OPER HB	60459310
NS DISABLED.	NOS 2 OPER HB	60459310
NS/ npuname, DUMP/LOAD xxxxxx REQUESTED.	NOS 2 OPER HB	60459310
NS/ npuname, DUMP NPyxxxx COMPLETED.	NOS 2 OPER HB	60459310
NS/ npuname, DUMP NPyxxxx SAVED.	NOS 2 OPER HB	60459310
NS/ npuname, DUMP STARTED.	NOS 2 OPER HB	60459310
NS/ DUPLICATE CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
NS DUPLICATE NETON.	NOS 2 OPER HB	60459310
NS/ GRADUAL SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NS/ npuname, HALT code AT address.	NOS 2 OPER HB	60459310
NS/ ILLEGAL CONTROL STATEMENT PARAMETER VALUE.	NOS 2 OPER HB	60459310
NS/ npuname, ILLEGAL xpcb DIRECTIVE.	NOS 2 OPER HB	60459310
NS/ ILLEGAL USER ACCESS.	NOS 2 OPER HB	60459310
NS/ IMMEDIATE SHUTDOWN REQUESTED.	NOS 2 OPER HB	60459310
NS/ npuname, LOAD COMPLETED.	NOS 2 OPER HB	60459310
NS/ npuname, LOADING loadname.	NOS 2 OPER HB	60459310
NS/ LOGICAL ERROR RC=rc.	NOS 2 OPER HB	60459310
NS/ NCB ENTRY NOT FOUND IN NCF.	NOS 2 OPER HB	60459310
NS/ NCF - yy/mm/dd, hh.mm.ss.	NOS 2 OPER HB	60459310
NS/ NCF NOT AVAILABLE.	NOS 2 OPER HB	60459310
NS/ NDLP VERSION n.n, LEVEL mln.	NOS 2 OPER HB	60459310

MESSAGE

	MANUAL	PUB. NO.
NS/ NIN IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
NS/ NLF - yy/mm/dd, hh.mm.ss.	NOS 2 OPER HB	60459310
NS/ NLF NOT AVAILABLE.	NOS 2 OPER HB	60459310
NS NOT RESPONDING TO NPU INIT REQUEST.	NOS 2 OPER HB	60459310
NS/ PROTOCOL ERROR - NP=xx, NB=yy, SM=hhhh, STATE=pss.	NOS 2 OPER HB	60459310
NS/ npuname, RECEIVED NPU/DT/A code RC=rc.	NOS 2 OPER HB	60459310
NS/ npuname, SAM LOAD COMPLETED.	NOS 2 OPER HB	60459310
NS/ npuname, SAM LOAD STARTED.	NOS 2 OPER HB	60459310
NS/ SHUTDOWN COMPLETED.	NOS 2 OPER HB	60459310
NS/ SM ABH ERROR.	NOS 2 OPER HB	60459310
NS/ SM NETWORK ABH ERROR.	NOS 2 OPER HB	60459310
NS/ SM NETWORK ADDRESS ERROR.	NOS 2 OPER HB	60459310
NS/SM NETWORK DUMP RESPONSE ERROR.	NOS 2 OPER HB	60459310
NS/ SM NETWORK PFC/SFC/LT/CC ERROR.	NOS 2 OPER HB	60459310
NS/ SM PFC/SFC ERROR.	NOS 2 OPER HB	60459310
NS TRYING NETON.	NOS 2 OPER HB	60459310
NS/ UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
NTest,Ccn, 200 IPS GCR DRIVE ON 1X PPS.	NOS 2 OPER HB	60459310
NT DENSITY CONFLICT.	NOS 2 RS VOL 3	60459680
NTest DENSITY MISMATCH.	NOS 2 OPER HB	60459310
NTest DRIVE CONFLICT.	NOS 2 OPER HB	60459310
NT DRIVE CONFLICT.	NOS 2 RS VOL 3	60459680
NULL ADDFILE	UPDATE RM	60449900
NULL DATA STATEMENT IS IGNORED	FORTRAN EXT 4	60497800
NULL DECK NAME	UPDATE RM	60449900
NULL DESCRIPTION FILE.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
NULL IDENT	UPDATE RM	60449900
NULL INPUT	FTN 4-5 CONV RM	60483000
NULL LINE - IN CREATION MODE	XEDIT 3 RM	60455730
NULL LOADER DIRECTIVE IS IGNORED	FORTRAN EXT 4	60497800
NULL PARAMETER IN CHAR STRING	SORT MERGE 4&1	60497500
NULL PP	FORTRAN EXT 4	60497800
NULL PROGRAM IGNORED AFTER program	FORTRAN EXT 4	60497800
NULL STATEMENT WITH LABEL -- CONTINUE ASSUMED	FORTRAN EXT 4	60497800
NULL TRANSFER STATEMENT -- TRANSFER IGNORED	FORTRAN 5 RM	60481300
NULL TRANSFER STATEMENT -- TRANSFER IGNORED	FORTRAN EXT 4	60497800
NUMBER NOT WITHIN LEGAL RANGE	NPS RM	60480500
NUMBER OF ACTUAL PARAMENTERS PLUS RETURNS EXCEED 63	FORTRAN EXT 4	60497800
NUMBER OF ARGUMENTS IN REFERENCE TO IS NOT CONSISTENT	FORTRAN 5 RM	60481300
NUMBER OF ARGUMENTS IN REFERENCE TO nnnnn IS NOT CONSISTENT	FORTRAN EXT 4	60497800
NUMBER OF BITS TOO LARGE.	NOS 2 OPER HB	60459310

MESSAGE

MANUAL

PUB. NO.

NUMBER OF CHARACTERS IN AN ENCODE/DECODE STATEMENT MUST BE AN INTEGER CONSTANT OR VARIABLE	FORTRAN EXT 4	60497800
NUMBER OF COLUMNS MUST RANGE FROM 0 to 511	NOS 2 SF RM	60460430
NUMBER OF CYCLES TOO LARGE.	NOS 2 OPER HB	60459310
NUMBER OF LINE REGULATIONS = nnnnnnnn.	NOS 2 OPER HB	60459310
NUMBER OF ROWS MUST RANGE FROM 0 TO 63	NOS 2 SF RM	60460430
NUMBER OF SUBSCRIPTS IS INCOMPATIBLE WITH THE NUMBER OF DIMENSIONS DURING EQUIVALENCING	FORTRAN EXT 4	60497800
NUMBER SYNTAX	ALGOL 4 RM	60496600
NUMERIC BLOCK NAME NOT PERMITTED	FORTRAN EXT 4	60497800
NUMERIC FIELD EXPECTED	FORM RM	60496200
NUMERIC FIELD FOLLOWING TAB SETTING DESIGNATOR IS EQUAL TO ZERO. COLUMN ONE WILL BE ASSUMED	FORTRAN EXT 4	60497800
NUMERIC FIELD MUST NOT BE BLANK.	NOS 2 OPER HB	60459310
NUMERIC FIELD OMITTED FROM PRECEDING SCALE FACTOR. ZERO SCALE FACTOR ASSUMED	FORTRAN EXT 4	60497800
NUMERIC INPUT ERROR	ALGOL 4 RM	60496600
NUMERIC LITERAL EXPONENT .GE. 512	8-BIT SUBR RM	60495500
NUMERIC LITERAL EXPONENT .GE. 512	FORM RM	60496200
NUMERIC LITERAL OUT OF RANGE (INFINITE)	8-BIT SUBR RM	60495500
NUMERIC LITERAL OUT OF RANGE (INFINITE)	FORM RM	60496200
NV/CONTROL STATEMENT PARAMETER SYNTAX ERROR.	NOS 2 OPER HB	60459310
NV/DUPLICATE CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
NV/INVALID CONTROL STATEMENT PARAM VALUE.	NOS 2 OPER HB	60459310
NV/LCF yy/mm/dd, hh.mm.ss.	NOS 2 OPER HB	60459310
NV/LCF title.	NOS 2 OPER HB	60459310
NV/NIN IS NOT SPECIFIED.	NOS 2 OPER HB	60459310
NV/UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
NV/VER nnn-xxx.	NOS 2 OPER HB	60459310
NVF ATTEMPTING NETON.	NOS 2 OPER HB	60459310
NVF FAILURE.	NOS 2 OPER HB	60459310
NVF NETON ATTEMPT FAILED.	NOS 2 OPER HB	60459310
NVF NETON SUCCESSFUL.	NOS 2 OPER HB	60459310
NVFPVD - NO AST ENTRY	NOS 2 OPER HB	60459310
NVFDNT - SM NOT ROUTED	NOS 2 OPER HB	60459310
NVFOROC - PARAMETER LIST TOO SHORT.	NOS 2 OPER HB	60459310
NVFTACC - CANNOT FIND PDCT ENTRY FOR termname.	NOS 2 OPER HB	60459310
NVFTACC - CANNOT FIND PTAC ENTRY FOR termname.	NOS 2 OPER HB	60459310
NVFTETC - CANNOT FIND PDCT ENTRY FOR termname.	NOS 2 OPER HB	60459310
NVFTITE - CANNOT FIND PDCT ENTRY FOR termnam.	NOS 2 OPER HB	60459310
NVFTPVD - CANNOT FIND AST ENTRY FOR termname.	NOS 2 OPER HB	60459310
NVFTURT - CANNOT FIND PTAC ENTRY.	NOS 2 OPER HB	60459310
NVFTURT - CANNOT FIND RAU ENTRY.	NOS 2 OPER HB	60459310
NVFTVVD - CANNOT FIND PTAC ENTRY.	NOS 2 OPER HB	60459310

MESSAGE

NVFDVDCD - ERRONEOUS READLS CALL.
NWO1, nnn,epppbbssssssss.
NWO1, nnn,FFee,CSR+cccc.
Q TYPE ERROR OPERATION FIELD BAD.
OCCURRED ON PAGES p1, p2, p3, pn
OBJECT CODE END LINE MISSING
OBJECT OF GO TO....DID NOT APPEAR IN ASSIGN STATEMENT
OBJECT OF GO TO MISSING
OBJECT OF GO TO MISSING
OBJECT OF GO TO NOT INTEGER VARIABLE
OBJECT OF GO TO NOT INTEGER VARIABLE
OBJECT OF IF IS ILLEGAL DO TERMINATOR
OBJECT OF IF IS ILLEGAL DO TERMINATOR
OBJECT OF LOGICAL IF IS ILLEGAL DO TERMINATOR
**** OBSOLETE DIRECTIVE IGNORED.
OBSOLETE FORM
OCCURRENCES OF ASTERISK OR DOLLAR SIGN NON-ANSI COMMENT LINES
n OCCURRENCES OF PHRASE FOUND.
OCT/HEX DATA TYPE NOT DEFINED IN ANSI
OCTAL CONSTANT OR R,L FORMS OF HOLLERITH CONSTANT IS NON-ANSI
OCTAL DATA TYPE NOT DEFINED IN ANSI
OCTAL DATA TYPE NOT DEFINED IN ANSI
OCTAL DIGITS REQUIRED
OFF TASK taskname-LIBRARY llibraryname.
OFFLINE MAINTENANCE NOT AVAILABLE.
OFFSW, x FROM JOB jsn
OFFSW, x FROM OPERATOR
npuname/OLD: ALREADY INITIATED.
OLD CHECKSUM MISMATCH
OLD IDENT MISMATCH
OLD LIB-DIRECTORY DO NOT MATCH
OLD LIBRARY NOT FOUND
OLD MASTER FILE EMPTY OR MISPOSITIONED
OLD MASTER FILE EMPTY OR MISPOSITIONED
OLD MD FILE lfn NOT AT CP
OLD MD LFN CANNOT BE THE SAME AS NEW MD LFN
OLD MD lfn SPECIFIED WITH CREATION RUN INPUT
OLD RELATIVE FILE EMPTY - NO HEADER
OLD RELATIVE FILE EMPTY - NO HEADER
npuname/OLD: REQUEST INITIATED.
OLD-STYLE SEGMENTATION NOT SUPPORTED
OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
TEXT EDITOR RM	60436100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 INSTAL HB	60459320
MCS 1 RM	60480300
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200

MESSAGE

OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO. DDL ABORTED
OLD SUB-SCHEMA FILE BAD, SUB-SCHEMA LENGTH IS ZERO. DDLF ABORTED
OLD SUB-SCHEMA FILE BAD, SUBSCHEMA LENGTH IS ZERO. DOLF ABORTED
npuname/OLD: TST - NO PRIOR
REQUEST COMMAND.
OLDPL CHECKSUM ERROR
***OLDPL READ ERROR - ATTEMPTING RECOVERY ***
OLDPLS HAVE DIFFERENT CHARACTER SETS
OMISSION OF FIELD SEPARATOR AFTER HOLLERITH STRING IS NON-ANSI
ON EXPRESSION OUT OF RANGE
ON, OF NOT SPECIFIED CORRECTLY.
ON, OF OPTION VIOLATED.
ON,*OF* OPTION VIOLATED.
ON, OFF NOT SPECIFIED CORRECTLY.
ONE MRL (MAX RCD LENGTH) PARAM IS REQUIRED
ONE OF THE FOLLOWING NON-ANSI FORMS HAS BEEN USED -- EW.DDE, EW.DEE, IW.Z, OW.Z
ONE OPTION MUST BE SPECIFIED WHEN OP IS
SPECIFIED.
ONE-ORIGIN BIT MAY NOT BE ZERO
ONE-ORIGIN BYTE MAY NOT BE ZERO
ONLY *BLOCK* or *RECORD* CAN FOLLOW FILE
NAME.
ONLY CORRECT PARAMETERS ARE *ON* OR *OFF*.
ONLY END OR NULL AFTER SEQUENCE
ONLY LIST DIRECTED OUTPUT STATEMENTS MAY END WITH A COMMA
ONLY LIST DIRECTED OUTPUT STATEMENTS MAY END WITH A COMMA
ONLY ONE C\$ ELSE ALLOWED IN C\$ IF GROUP
ONLY ONE INPUT FILE ALLOWED
ONLY ONE SYMBOLIC NAME IN EQUIVALENCE GROUP
ONLY 1 LABEL IN IF STATEMENT
ONLY 1 MERGE FILE
ONLY 19 CONTINUATION CARDS ARE PERMITTED
ONLY 19 CONTINUATION LINES ARE PERMITTED
ONLY 49 FILES ARE ALLOWED -- EXCESS IGNORED
ONLY 50 FILES ARE PERMITTED -- EXCESS IGNORED
ONLY 500 COMMON BLOCK ARE PERMITTED
ONLY 500 COMMON BLOCKS ARE PERMITTED
ONLY 500 DUMMY ARGUMENTS ARE PERMITTED -- EXCESS IGNORED
ONLY 6 CTRS ALLOWED PER SCRIPT
ONLY 63 DUMMY ARGUMENTS ARE PERMITTED -- EXCESS IGNORED
ONLY 7 SYSTEMS TEXTS ALLOWED
ONLY 9 PAREN LEVELS ALLOWED
ONLY 9 PAREN LEVELS ALLOWED

MANUAL	PUB. NO.
QU/CRM DA RM	60482100
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
SORT MERGE 4&1	60497500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
NPS RM	60480500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800

MESSAGE

ONSW.x FROM JOB jsn.
OP OPTION NOT VALID.
OPEN xxx ERROR nn
OPEN ERROR ON COPY OF THE DIRECTORY.
..... OPERAND CANNOT BE CONVERTED TO TYPE
OPERAND HAS MODE NOT ALLOWED IN THIS CONTEXT
OPERAND OF // OPERATOR MUST BE TYPE CHARACTER
OPERAND OF ** OPERATOR MUST NOT BE TYPE CHARACTER
OPERAND OVERFLOW
OPERAND TO ** OPERATOR MUST NOT BE LOGICAL
OPERAND TO ** OPERATOR MUST NOT BE LOGICAL
OPERATION INVALID FROM ALTERNATE INPUT.
OPERATION ON ACTIVE CHANNEL
OPERATIONAL STATE NOT REACHED.
OPERATOR DROP.

OPERATOR DROP.

OPERATOR DROP OR KILL
OPERATOR IDLE OF EXEC.
OPERATOR IMPL REQUIRED.
OPERATOR INPUT TERMINATION.
OPERATOR KILL.

OPERATOR KILL..
OPERATOR OVERRIDE.

OPERATOR OVERRIDE.

OPERATOR RERUN.
OPERATOR RERUN.
OPERATOR RERUN
OPERATOR TERMINATION.

OPLEDIT COMPLETE.
OPLEDIT ERRORS..
OPT LEVEL NO 0, 1, 2, OR 3
OPTION CODE MUST BE B, D, E, I, R, T, OR W
OPTION OUT-OF-PLACE
+ OR - SIGN MUST BE FOLLOWED BY A CONSTANT
OSB NOT FOUND ON DEVICE.
ENTER ALTERNATE DEVICE TYPE - M
1=66X, 2=67X, 3=DISK
OT, IF SPECIFIED, MUST BE SY OR BC.
OUT OF RANGE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NPS RM	60480500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
ALGOL 4 RM	60496600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MODIFY RM	60450100
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 1 RM VOL 1	60435400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
MODIFY RM	60450100
MODIFY RM	60450100
FORTRAN 5 RM	60481300
INTER DEBUG RM	60481400
SORT MERGE 4&1	60497500
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

xxxx OUT OF RANGE
"OUT" REQUIRED FOR SET_SIZE
OUTCHARACTER ERROR
OUTPUT BUSY.
OUTPUT FILE NAME CONFLICT.
OUTPUT FILE NAME MUST BE 1-7 CHARACTERS IN LENGTH.
OUTPUT FILE NAME SET TO nm.
OUTPUT FILE RELEASED.
OUTPUT FILE nm ROUTED TO THE PRINTER.
OUTPUT INCOMPLETE
OUTPUT LINE LIMIT EXCEEDED. LIST OPTIONS 3 AND 4 DEFEATED
OUTPUT TRAY FULL.
xxxx OUTSIDE -131071 TO 131071
OVCAP DIRECTIVE CAN APPEAR ONLY WITH SUBROUTINES
OVCAPS ARE MACHINE DEPENDENT
OVER..
OVER ..
OVER-INDEXED ARRAY
OVER 10 VALID CHARS BETWEEN KEYWD SEP
OVER 100 KEYS
OVER 100 SEQUENCE
OVER 500 SUP MSGS QUEUED FOR APP
n OVERLAPPING CORRECTIONS
OVERLAPPING INSERT OR DELETE.
OVERLAPPING MODIFICATION.
OVERLAY DIRECTIVE MUST BEGIN WITH LEFT PAREN
OVERLAY FILE EMPTY.
OVERLAY FILE NOT FOUND.
OVERLAY FILE NOT PRESENT OVERLAY INDEX :
ovInam OVERLAY LOAD ERROR.
xxxxxxxxxxx OVERLAY LOAD ERROR
OVERLAY LOAD INCREASED HHA
OVERLAY LOST.
OVERLAY NOT FOUND.
overlay OVERLAY NOT FOUND.
OVERLAY NOT FOUND IN LIBRARY - ovIname.
OVERLAY NOT FOUND ON FILE OVERLAY INDEX :
OVERLAY (m,n) NOT LOADED
OVL

MANUAL	PUB. NO.
NPS RM	60480500
NOS 2 SF RM	60460430
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
UPDATE RM	60449900
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
NAM 1 RM	60499500
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NAM 1 RM	60499500
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
COM MEM MGMT 1	60499200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
ALGOL 4 RM	60496600
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680

MESSAGE

OVRLAYS ARE MACHINE DEPENDENT
OWN= ALREADY SPECIFIED
OWNCODE NOT FOUND, entry
OWNCODE > 6 PARAMS
P.F. DEVICE dn DUMPED.
P.F. DEVICE dn LOADED.
xxx Ppppp SYSTEM ERROR.
P TYPE ERROR CONSULT LISTING FOR REASON BEHIND P-ERROR.
OCCURRED ON PAGES p1, p2, p3, pn
PACK COMPLETE.
PACK packname LOADED.
PACK PARAMETER ERROR.
PACKED DATE/TIME CONVERSION ERROR.
PACKNAME packname DUMPED.
PAGE DESCRIPTOR NOT FOUND.
PAGE TABLE AREA VERIFY ERROR DEADSTART
ABORTED
PAGING COMPLETE.
PANEL - ERROR IN xxxxxx CAN'T OPEN FILE
yyyyyy
PANEL - ERROR IN xxxxxx DECLARATIONS
PANEL - ERROR IN xxxxxx END OF FILE DURING
DEFINITIONS
PANEL - ERROR IN xxxxxx NO DEFINITION ON
IMAGE
PANEL - ERROR IN xxxxxx SCREEN IMAGE
PANEL - ERROR IN xxxxxx UNRECOGNIZED
PARAMETER yyy
PAPER FAULT.
PARAM AFTER END
PARAM STATEMENTS IN
PARAM RECORD EXCEED 40
PARAMETER ADDRESS ERROR.
PARAMETER BLOCK BUSY.
PARAMETER CHARACTER COUNT EXCEEDED.
PARAMETER COUNT ERROR
PARAMETER DOUBLY SPECIFIED
PARAMETER ERROR
PARAMETER ERROR - PARAM.
PARAMETER FIRST IS GREATER THAN PARAMETER
LAST IN DIRECTIVE.
PARAMETER FORMAT ERROR.
PARAMETER FORMAT ERROR
PARAMETER FTCB/NTCB MUST BE LESS THAN
LCBL/TCBL IN DIRECTIVE.
PARAMETER n IN ERROR

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORM RM	60496200
SORT MERGE 4&1	60497500
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
SORT MERGE 4&1	60497500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NAM 1 RM	60499500
NOS 2 OPER HB	60459310
SYMPL 1 RM	60496400

MESSAGE

PARAMETER IS NOT A DATA ITEM
PARAMETER IS NOT A DATA ITEM
PARAMETER KIND ERROR - PARAMETER NO. :
PARAMETER LIST CONFLICT
PARAMETER MISMATCH
PARAMETER MISMATCH
PARAMETER MISSING
xxxx PARAMETER MISSING
PARAMETER MISSING
p PARAMETER MUST BE FOLLOWED BY AN EQUAL SIGN.
PARAMETER MUST BE NORMAL OR ABNORMAL
PARAMETER MUST BE ON OR OFF
PARAMETER OLDEST MUST BE BETWEEN FWA AND LWA OF CIO BUFFER.
PARAMETER ON NON-STANDARD RETURN STATEMENT IS NOT A RETURNS FORMAL PARAMETER
PARAMETER *ON* OR *OFF* REQUIRED.
PARAMETER OPTION COUNT EXCEEDED.
PARAMETER REFERENCED BEFORE FIRST SUBROUTINE CALL
PARAMETER REQUIRES INTEGER EXPONENTIATION
PARAMETER SPECIFIED TWICE
PARAMETER SYMBOL MISSING
PARAMETER TOO LONG.
PARAMETER TRUNCATED xxxx
PARAMETER TYPE ERROR - PARAMETER NO. :
PARAMETER TYPE OR CHARACTER LENGTH CANNOT BE MODIFIED AFTER PARAMETER STATEMENT
PARAMETER VALUE MISSING
PARAMETER VALUE NOT SPECIFIED.
PARAMETERS CE AND CP ARE MUTUALLY EXCLUSIVE.
PARAMETERS *ON* AND *OFF* ARE MUTUALLY EXCLUSIVE.
PARAM(S) MISSING ON ABOVE TRAP DIRECTIVE
PAREN REPEAT LIST IS NOT PERMITTED
PAREN REPEAT LIST IS NOT PERMITTED
PARENTHESIS MISPLACED
n PARITY/BLOCK TOO LARGE ERRORS.
PARITY ERROR.
PARITY ERROR
PARITY ERROR IN CATALOG IMAGE dm ct.
PARITY ERROR IN MESSAGE
PARITY ERROR IN TAPE WITH VSN=vsn.
PARITY ERROR, JOB HUNG.

<u>MANUAL</u>	<u>PUB. NO.</u>
8-BIT SUBR RM	60495500
FORM RM	60496200
ALGOL 4 RM	60496600
BASIC 3 RM	19983900
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
NPS RM	60480500
FORM RM	60496200
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
NAM 1 RM	60499500
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
ALGOL 4 RM	60496600
FORTRAN 5 RM	60481300
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
PARITY ERROR ON DATA RCVD FROM EXT CHANNEL.	NOS 2 OPER HB	60459310
PARITY ERROR ON DATA XMTD FROM EXTERNAL PP.	NOS 2 OPER HB	60459310
PARITY ERROR - RESTARTED FROM kk.	NOS 2 RS VOL 3	60459680
PARSE TERMINATED BY NEST STACK OVERFLOW	FTN 4-5 CONV RM	60483000
PARSE TERMINATED BY QUALIFICATION STACK OVERFLOW	FTN 4-5 CONV RM	60483000
PASSn COMPILER ERROR	PL/I RM	60388100
** PASS 2 MEMORY OVERFLOW **	FORTRAN EXT 4	60497800
PASS 2 MEMORY OVERFLOW AT SOURCE LINE nnnn IN compram	FORTRAN EXT 4	60497800
PASSIVE DEVICE ON TERM CARD	NPS RM	60480500
PASSON ABNORMAL 0	NOS 2 OPER HB	60459310
PASSON ABNORMAL 01	NOS 2 OPER HB	60459310
PASSON ABNORMAL 02	NOS 2 OPER HB	60459310
PASSON ABNORMAL 03	NOS 2 OPER HB	60459310
PASSON ABNORMAL 04	NOS 2 OPER HB	60459310
PASSON ABNORMAL 05	NOS 2 OPER HB	60459310
PASSON ABNORMAL 06	NOS 2 OPER HB	60459310
PASSON ABNORMAL 07	NOS 2 OPER HB	60459310
PASSON ABNORMAL 08	NOS 2 OPER HB	60459310
PASSON ABNORMAL 09	NOS 2 OPER HB	60459310
PASSON ABNORMAL 10	NOS 2 OPER HB	60459310
PASSON ABNORMAL 11	NOS 2 OPER HB	60459310
PASSON ABNORMAL 12	NOS 2 OPER HB	60459310
PASSON ABNORMAL 13	NOS 2 OPER HB	60459310
PASSON ABNORMAL 14	NOS 2 OPER HB	60459310
PASSON ABNORMAL 15	NOS 2 OPER HB	60459310
PASSON ABNORMAL 16	NOS 2 OPER HB	60459310
PASSON ABNORMAL 17	NOS 2 OPER HB	60459310
PASSON ABNORMAL 18	NOS 2 OPER HB	60459310
PASSON ABNORMAL 19	NOS 2 OPER HB	60459310
PASSON ABNORMAL 20	NOS 2 OPER HB	60459310
PASSON ABNORMAL 21	NOS 2 OPER HB	60459310
PASSON ABNORMAL 22	NOS 2 OPER HB	60459310
PASSON ABNORMAL 23	NOS 2 OPER HB	60459310
PASSON ABNORMAL 24	NOS 2 OPER HB	60459310
PASSON ABNORMAL 25	NOS 2 OPER HB	60459310
PASSON ABNORMAL 26	NOS 2 OPER HB	60459310
PASSON ABNORMAL 27	NOS 2 OPER HB	60459310
PASSWORD:	MCS 1 RM	60480300
PASSWORD:	RBF 1 RM	60499600
PASSWORD RANDOMIZATION NOT PERMITTED FROM BATCH.	NOS 2 RS VOL 3	60459680
**** PASSWORD REQUIRED.	NOS 2 OPER HB	60459310
PASSWORD TOO LONG.	NOS 2 RS VOL 3	60459680

MESSAGE

PASSWORD TOO SHORT.
PASSWORD TOO SHORT.
PASSWORD VERIFICATION ERROR. PASSWORD NOT CHANGED.
PATH TURNED OFF - SEE MPA OUTPUT
PAUSE FROM JOB jsn
PAUSE FROM OPERATOR
PAUSE IGNORED FROM TERMINAL
PAUSE MAY NOT BE A DO TERMINAL
PD ARGUMENT NOT 6 OR 8
PD ARGUMENT NOT 6 or 8 -- IGNORED
nnnn PER CENT CPU USAGE.

nnnnnn.nnn PERCENT CPU UTILIZATION.
PERCENT PARAMETER NOT SPECIFIED PROPERLY.

PERMANENT DAYFILE DEFINED AS filename.
PERMANENT DAYFILE LIST COMPLETE.
pfn PERMANENT ERROR.

PERMANENT FILE BUSY.
PERMANENT FILE NOT FOUND.
PERMANENT FILE PROBLEM.
PERMANENT SUSPEND FILE WILL BE RETURNED
PERMIT LIMIT EXCEEDED.

PERMIT RI RANGE ERR filename userindex.
PF LENGTH ERROR userindex filename.
PF LINKAGE ERROR.
PF xxxxxxx - NOT ON xxJ FILE.

PF PROBLEM.
PF xxxxxxx - READ ONLY.

PF SPACE RELEASED = n.
PF SPECIFIED BUT NOT UI.
PF STAGING DISABLED.

PF UTILITY ACTIVE.

PF UTILITY ACTIVE
PF WAIT ON AREA an (vn)
PF WAIT ON AREA an (vn)
PF WAIT ON AREA an
PF WAIT ON PROCEDURE LIBRARY
PFATC ABORTED.
PFATC COMPLETE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
PL/I RM	60388100
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 RM	60481800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFATC - NO FILES PROCESSED.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
PFATC - PARITY ERR filename userindex.	NOS 2 OPER HB	60459310
PFATC - PREMATURE EOF DETECTED.	NOS 2 OPER HB	60459310
PFATC - TAPE PARITY ERROR.	NOS 2 OPER HB	60459310
PFC RELOAD ERROR. pfn FOR jsn NOT FOUND ON MSF. REPLY GO TO CONTINUE.	NOS 2 OPER HB	60459310
PFC VERIFICATION ERROR.	NOS 2 OPER HB	60459310
PFCAT ABORTED.	NOS 2 OPER HB	60459310
PFCAT COMPLETE.	NOS 2 OPER HB	60459310
PFCAT - UNKNOWN DEVICE NUMBER filename userindex.	NOS 2 OPER HB	60459310
PFCOPY ABORTED.	NOS 2 OPER HB	60459310
PFCOPY - CATALOG CONTROL WORD MISSING.	NOS 2 OPER HB	60459310
PFCOPY COMPLETE.	NOS 2 OPER HB	60459310
PFCOPY - DATA CONTROL WORD ERROR.	NOS 2 OPER HB	60459310
PFCOPY - FILE NAME CHANGED TO ZZZZZLF.	NOS 2 OPER HB	60459310
PFCOPY - FILE NAME CHANGED TO ZZZZZTF.	NOS 2 OPER HB	60459310
PFCOPY - NO DEVICE FOR FILE filename userindex.	NOS 2 OPER HB	60459310
PFCOPY - NO FILES PROCESSED.	NOS 2 OPER HB	60459310
PFCOPY - PARITY ERR filename userindex.	NOS 2 OPER HB	60459310
PFCOPY - PREMATURE EOF DETECTED.	NOS 2 OPER HB	60459310
PFCOPY - SYSTEM SECTOR TOO LONG.	NOS 2 OPER HB	60459310
PFCOPY - SYSTEM SECTOR TRUNCATED.	NOS 2 OPER HB	60459310
PFDUMP yy/mm/dd. hh.mm.ss.	NOS 2 OPER HB	60459310
PFDUMP - ABORT REPRIEVE BEGUN.	NOS 2 OPER HB	60459310
PFDUMP - ABORT REPRIEVE COMPLETED.	NOS 2 OPER HB	60459310
PFDUMP ABORTED.	NOS 2 OPER HB	60459310
PFDUMP - ACCESS LEVEL LIMITS OUT OF RANGE.	NOS 2 OPER HB	60459310
PFDUMP - ACCESS LEVELS NOT ALLOWED ON ARCHIVE FILE EQUIPMENT.	NOS 2 OPER HB	60459310
PFDUMP - BAD SYSTEM SECTOR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - CATALOG READ ERROR, FM=familyname, DNdn, CTct, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - CATALOG READ ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - CATALOG READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP COMPLETE.	NOS 2 OPER HB	60459310
PFDUMP - DAPF BUSY, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - DAPF READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DAPF READ ERROR, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - DAPF READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310

MESSAGE

MANUAL

PUB. NO.

PFDUMP - DAPF TOO LONG, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TOO LONG, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TOO LONG, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TOO SHORT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TOO SHORT, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TOO SHORT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DAPF TRUNCATED, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - DEVICE ERROR IDLE SET, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - DEVICE ERROR IDLE SET, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP DEVICE dn FAMILY familyname.	NOS 2 OPER HB	60459310
PFDUMP DEVICE MASK dm.	NOS 2 OPER HB	60459310
PFDUMP - DEVICE dn NOT FOUND.	NOS 2 OPER HB	60459310
PFDUMP - DEVICE NOT FOUND, FN=filename, UI=userindex, DNdn.	NOS 2 OPER HB	60459310
PFDUMP DEVICE dn PACK packname.	NOS 2 OPER HB	60459310
PFDUMP - IAPF READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF READ ERROR, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - IAPF READ ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO LONG, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO LONG, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO LONG, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO SHORT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO SHORT, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TOO SHORT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - IAPF TRUNCATED, FN=filename, UI=userindex, PRU=pru.	NOS 2 OPER HB	60459310
PFDUMP - NO FILES PROCESSED.	NOS 2 OPER HB	60459310
PFDUMP - NO FILES SELECTED.	NOS 2 OPER HB	60459310
PFDUMP - OPERATOR DISABLED filename.	NOS 2 OPER HB	60459310
PFDUMP - ORPHAN PFC ENCOUNTERED, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - PERMANENT ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - PERMIT FORMAT ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - PERMIT READ ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFDUMP - PERMIT READ ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - PERMIT READ ERROR, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFDUMP - RD/WT ERROR ON UCDDT UPDATE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - READ ERROR ON REQS.	NOS 2 OPER HB	60459310
PFDUMP - READ ERROR ON RESS - ABORT.	NOS 2 OPER HB	60459310
PFDUMP - STAGED FILE RESCAN KILLED, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - TEMPORARY ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - VERIFY ERROR ON UCDDT UPDATE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFDUMP - ZERO LENGTH FILE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD yy/mm/dd. hh.mm.ss.	NOS 2 OPER HB	60459310
PFLDAD ABORTED.	NOS 2 OPER HB	60459310
PFLDAD - ALTERNATE DEVICE NOT FOUND, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD - ARCHIVE FILE FORMAT ERROR.	NOS 2 OPER HB	60459310
PFLDAD - ASSIGN TAPE.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG IMAGE FORMAT ERROR.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG READ ERROR, FM=familyname, DNdn, CTct, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG READ ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG READ ERROR, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG WRITE ERROR, FM=familyname, DNdn, CTct, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG WRITE ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD - CATALOG WRITE ERROR, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - DAPF WRITE ERROR, FM=familyname, DNdn, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - DAPF WRITE ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD - DAPF WRITE ERROR, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD DEVICE dn FAMILY familyname.	NOS 2 OPER HB	60459310
PFLDAD - DEVICE dn NOT FOUND.	NOS 2 OPER HB	60459310
PFLDAD DEVICE dn PACK packname.	NOS 2 OPER HB	60459310
PFLDAD - ERROR IDLE DETECTED, FM=familyname, DNdn, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - ERROR IDLE DETECTED, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLDAD - ERROR IDLE DETECTED, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - ERROR IDLE SET, FM=familyname, DNdn, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310
PFLDAD - ERROR IDLE SET, PN=packname, EQest, Tttt, Sssss.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFLoad - EXCESSIVE PARITY ERRORS.	NOS 2 OPER HB	60459310
PFLoad - EXTRACT OPTION REQUIRES CIR.	NOS 2 OPER HB	60459310
PFLoad-FILE TRUNCATED, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - IAPF WRITE ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFLoad - IAPF WRITE ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - IAPF WRITE ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFLoad - INCORRECT NAME/INDEX, 00000000000000000000.	NOS 2 OPER HB	60459310
PFLoad - LABEL BAD, ASSIGN NEW TAPE.	NOS 2 OPER HB	60459310
PFLoad-MISSING EOR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - NO DEVICE FOR FILE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - NO EOI FOR FILE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - NO FILES SELECTED.	NOS 2 OPER HB	60459310
PFLoad - NO SPACE FOR FILE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - PARITY ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - PERMIT WRITE ERROR, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFLoad - PERMIT WRITE ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - PERMIT WRITE ERROR, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFLoad - PERMITS MISSING, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - PERMITS PRESENT THAT SHOULD NOT BE, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - PFC INCONSISTENT WITH ARCHIVE CONTENTS, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - SELECTED FILES NOT ON ARCHIVE FILE.	NOS 2 OPER HB	60459310
PFLoad - SYSTEM SECTOR TOO LONG, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - SYSTEM SECTOR TRUNCATED, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - TAPE ERROR, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - TAPE PARITY ERROR.	NOS 2 OPER HB	60459310
PFLoad - TRACK LIMIT, FM=familyname, DNdn, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFLoad - TRACK LIMIT, FN=filename, UI=userindex.	NOS 2 OPER HB	60459310
PFLoad - TRACK LIMIT, PN=packname, EQest, Ttttt, Sssss.	NOS 2 OPER HB	60459310
PFM ABORTED.	NOS 2 RS VOL 3	60459680
PFM ARGUMENT ERROR.	NOS 2 RS VOL 4	60459690
PFM ERROR nnn ATTACHING pfn	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PFM ERROR nnn ATTACHING pfn	CDCS 2 AP RM	60485300
PFM ERROR ec ATTACHING fn	CDCS 2 RM	60481800
PFM ERROR ec ATTACHING FILE nm.	NOS 2 OPER HB	60459310
PFM ERROR ec DURING CHANGE OF FILE nm.	NOS 2 OPER HB	60459310
PFM ERROR ec DURING INTERNAL CATLIST.	NOS 2 OPER HB	60459310
PFM ERROR ec DURING PURGE OF FILE nm.	NOS 2 OPER HB	60459310
PFM ERROR ec PFN= filename UN= username.	NOS 2 OPER HB	60459310
PFM ERROR xx PFN = xxxxxxx UN = xxxxxxx	MCS 1 RM	60480300
PFM EXCESS ACTIVITY.	NOS 2 RS VOL 4	60459690
PFM INCORRECT REQUEST.	NOS 2 RS VOL 4	60459690
PFN ERROR ec ATTACHING fn	CDCS 2 DA RM	60485200
PFN=filename, FAMILY=familyname UI=userindex - DEFINE ERROR.	NOS 2 OPER HB	60459310
PFN=filename, FAMILY=familyname, UI=userindex - ALREADY PERMANENT.	NOS 2 OPER HB	60459310
PFN=filename, FAMILY=familyname UI=userindex - DEFINE ERROR.	NOS 2 OPER HB	60459310
PFN=filename, FAMILY=familyname, UI=userindex - ALREADY PERMANENT.	NOS 2 OPER HB	60459310
PFU - ALTERNATE DEVICE NOT FOUND.	NOS 2 OPER HB	60459310
PFU - BUFFER ARGUMENT ERROR ON filename AT address.	NOS 2 OPER HB	60459310
PFU - BUFFER CTL WORD ERROR ON filename AT address.	NOS 2 OPER HB	60459310
PFU - CATALOG TRACK NOT FOUND.	NOS 2 OPER HB	60459310
PFU - CONTROL POINT ERROR FLAG DETECTED ffff.	NOS 2 OPER HB	60459310
PFU - DUPLICATE FILE, filename AT address.	NOS 2 OPER HB	60459310
PFU - FILE NOT FOUND, filename AT address.	NOS 2 OPER HB	60459310
PFU - I/O SEQUENCE ERROR ON filename AT address.	NOS 2 OPER HB	60459310
PFU - NO DEVICE SPECIFIED.	NOS 2 OPER HB	60459310
PFU - NOT SPECIAL SYSTEM JOB.	NOS 2 OPER HB	60459310
PFU - PARAMETER ERROR.	NOS 2 OPER HB	60459310
PFU - ROLLOUT FLAG DETECTED.	NOS 2 OPER HB	60459310
PFU - TRACK FLAWED, EQest, Tktttt.	NOS 2 OPER HB	60459310
PFU - TRACK INTERLOCK CLEAR ON filename AT address.	NOS 2 OPER HB	60459310
PFU - TRACK INTERLOCK SET ON filename AT address.	NOS 2 OPER HB	60459310
PHRASE NOT FOUND.	TEXT EDITOR RM	60436100
PHRASE NOT FOUND	APL 2 RM	60454000
PIM - ARGUMENT ERROR.	NOS 2 OPER HB	60459310
PIM - INCORRECT REQUEST.	NOS 2 OPER HB	60459310
PIPx ERROR nec	NOS 2 OPER HB	60459310
PK, PT OPTION VIOLATED.	NOS 2 OPER HB	60459310
PLn - DATA ERROR, TYPE GO OR ABT OR RET	RBF 1 RM	60499600

MESSAGE

PLn - DISK PARITY ERROR, JOB= aaaa
PL ERROR IN DECK deckname.
PL ERROR IN DECK.
PLn - INAPPROPRIATE COMMAND
hh.mm.ss. PLn JOB NAME jsn xxxxxxxxxxxx PRU-S
PLn - LIMIT EXCEEDED
PL MUST NOT EXCEED 999999999
PLn - NOT READY
PLn - TERMINAL FAILURE
PLEASE SPECIFY WHICH OF THE FOLLOWING SHOULD BE USED
**PLI CONTROL CARD ERRORS
PLI NEEDS AT LEAST 56000B CM FL
nnnn PLOT FILES RECOVERED.
PLS HAVE DIFFERENT CONTROL CHARACTERS, ABORT
PLT INCREASE NOT POSSIBLE
PLUS SIGN IS A NON-ANSI CHARACTER
PM LPr MESSAGE
PM MESSAGE.
POINTER ERROR.
ttt POINTER WORD ERROR.
PORT PRESET FAILED ON MMF LINK.
POS OUT OF RANGE
POS SPECIFIED TWICE
POSITION ERROR ON-filename.
POSITION LOST.
POSITION LOST, filename AT address.
POSITION OR REPEAT COUNT NOT VALID WITH 0
POSSIBLE BLOCKAGE AMONG CM RESIDENT TASKS.
POSSIBLE ILLEGAL TRANSFER FROM OUTSIDE CURRENT DO
POSTAMBLE ERROR.
POT LINK TABLE OVERFLOW.
POTENTIALLY BLOCKED TASKS DETECTED.
POWER DOWN.
REPLY GO TO RETRY - DROP TO OFF DEVICE.
POWER/ENVIRONMENT NORMAL.
POWER FAILURE.
POWER TOO LARGE
(xxx) POWER WARNING
PP ABORT.

<u>MANUAL</u>	<u>PUB. NO.</u>
RBF 1 RM	60499600
MODIFY RM	60450100
NOS 2 RS VOL 4	60459690
RBF 1 RM	60499600
RBF 1 RM	60499600
RBF 1 RM	60499600
FORTRAN 5 RM	60481300
RBF 1 RM	60499600
RBF 1 RM	60499600
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
PL/I RM	60388100
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PP ABORT	FORTRAN EXT 4	60497800
PP BUSY.	NOS 2 OPER HB	60459310
PP CALL ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
PP CALL ERROR.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
PP CALL ERROR	BASIC 3 RM	19983900
PP HUNG.	NOS 2 OPER HB	60459310
PPpp NOT RESPONDING DEADSTART ABORTED.	NOS 2 OPER HB	60459310
PP pp STOPPED ON PARITY ERROR - PPM.	NOS 2 OPER HB	60459310
PPR LOAD ERROR.	NOS 2 OPER HB	60459310
PPU ABORT	BASIC 3 RM	19983900
PPU BUSY.	NOS 2 OPER HB	60459310
PPU ERROR.	NOS 2 OPER HB	60459310
PPU NOT FOUND.	NOS 2 OPER HB	60459310
n PRAMETER OBSOLETE, IGNORED	COMPASS 3 RM	60492600
PRE 446 BINARY CANNOT BE EXECUTED	COBOL 5 DH	60482500
PRE 446 BINARY CANNOT BE EXECUTED	COBOL 5 RM	60497100
PRECEDING CHARACTER ILLEGAL AT THIS POINT IN STRING. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
PRECEDING CHARACTER ILLEGAL. SCALE FACTOR EXPECTED. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
PRECEDING FIELD DESCRIPTOR IS NON-ANSI	FORTRAN EXT 4	60497800
PRECEDING FIELD WIDTH IS ZERO	FORTRAN EXT 4	60497800
PRECEDING FIELD WIDTH SHOULD BE 7 OR MORE	FORTRAN EXT 4	60497800
PRECEDING HOLLERITH COUNT IS EQUAL TO ZERO. ERROR SCAN FOR THIS FORMAT STOPS HERE	FORTRAN EXT 4	60497800
PRECEDING HOLLERITH INDICATOR IS NOT PRECEDED BY A COUNT. SCANNING STOPS HERE	FORTRAN EXT 4	60497800
PRECEDING SCALE FACTOR EXCEEDS THE LIMIT OF REPRESENTATION WITHIN THE MACHINE	FORTRAN EXT 4	60497800
nnnn PREINITIAL JOB FILES RECOVERED.	NOS 2 OPER HB	60459310
PREMATURE E.O.S.	FORTRAN 5 RM	60481300
PREMATURE E.O.S.	FORTRAN EXT 4	60497800
PREMATURE E.O.S. -- EXPECTED BLOCK NAME	FORTRAN 5 RM	60481300
PREMATURE E.O.S. -- EXPECTED BLOCK NAME	FORTRAN EXT 4	60497800
PREMATURE E.O.S. -- EXPECTED SYMBOL	FORTRAN EXT 4	60497800
PREMATURE E.O.S. -- EXPECTED SYMBOL OR SLASH	FORTRAN 5 RM	60481300
PREMATURE E.O.S. -- EXPECTED VARIABLE AT	FORTRAN 5 RM	60481300
PREMATURE E.O.S. -- EXPECTED VARIABLE AT nnnnn	FORTRAN EXT 4	60497800
PREMATURE E.O.S. IN ENCODE OR DECODE	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN ENCODE OR DECODE	FORTRAN EXT 4	60497800
PREMATURE E.O.S. IN I/O CONTROL LIST	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN I/O LIST ITEM SUBSCRIPT	FORTRAN 5 RM	60481300
PREMATURE E.O.S. IN I/O SUBSCRIPT	FORTRAN EXT 4	60497800
PREMATURE E.O.S. OR EXTRA TRAILING SEPARATOR	FORTRAN 5 RM	60481300
PREMATURE E.O.S. OR EXTRA TRAILING SEPARATOR nnnnn	FORTRAN EXT 4	60497800
PREMATURE E.O.S. OR MISSING RIGHT PAREN	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PREMATURE E.O.S. OR MISSING RIGHT PAREN	FORTRAN EXT 4	60497800
PREMATURE END OF FILE ON dumpfile.	NOS 2 OPER HB	60459310
PREMATURE END OF RECORD ON OLD PROGRAM LIBRARY	UPDATE RM	60449900
PREMATURE EOF.	NOS 2 OPER HB	60459310
PREMATURE *EOF* ENCOUNTERED.	NOS 2 OPER HB	60459310
** PREMATURE EOF ON -REFMAP- FILE	FORTRAN EXT 4	60497800
PREMATURE EOR/EOF ON SOURCE FILE.	NOS 2 RS VOL 3	60459680
PRESENT USE IN CONTEXT OF THIS NAME DOES NOT MATCH PREVIOUS OCCURRENCES IN DEBUG STMTS	FORTRAN EXT 4	60497800
PRESENT USE OF THIS LABEL CONFLICTS WITH PREVIOUS USES	FORTRAN EXT 4	60497800
PRESET NOT ALLOWED.	NOS 2 OPER HB	60459310
PREVIOUS COMMAND INCOMPLETE, TRY AGAIN.	NOS 2 OPER HB	60459310
PREVIOUS DEFINITION OF STATEMENT FUNCTION IS OVERRIDDEN	FORTRAN 5 RM	60481300
PREVIOUS DEFINITION OF STATEMENT FUNCTION nnnnn IS OVERRIDDEN	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO DO LABEL IS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO DO LABEL nnnnn IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO FORMAT LABEL nnnnn IS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO FORMAT LABEL nnnnn IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS REFERENCE TO LABEL IS ILLEGAL	FORTRAN 5 RM	60481300
PREVIOUS REFERENCE TO THIS DO LABEL IS ILLEGAL	FORTRAN EXT 4	60497800
PREVIOUS TRANSFER TO nnnnn IS FROM OUTSIDE CURRENT DO	FORTRAN EXT 4	60497800
..... PREVIOUSLY DECLARED EXTERNAL -- IGNORED	FORTRAN 5 RM	60481300
..... PREVIOUSLY DECLARED INTRINSIC -- IGNORED	FORTRAN 5 RM	60481300
nnnnn PREVIOUSLY DEFINED AS EXTERNAL	FORTRAN EXT 4	60497800
PREVIOUSLY DIMENSIONED ARRAY. FIRST DIMENSIONS WILL BE RETAINED	FORTRAN EXT 4	60497800
..... PREVIOUSLY TYPED NON-CONFORMING -- PREVIOUS TYPE OVERRIDDEN	FORTRAN 5 RM	60481300
..... PREVIOUSLY USED IN EXECUTABLE OR CONFLICTING DECLARATIVE	FORTRAN 5 RM	60481300
PRINT ERROR.	NOS 2 OPER HB	60459310
nnnn PRINT FILES RECOVERED.	NOS 2 OPER HB	60459310
PRINTER NOT LOGGED IN	NOS 2 OPER HB	60459310
PRIOR TAPE ASSIGNMENT LOST.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
PRIVATE PACK/PERMIT UN CONFLICT.	NOS 2 OPER HB	60459310
PRM ERROR ec ATTACHING fn	CDCS 2 DA RM	60485200
PROBE CONTROL STATEMENT ERROR.	NOS 2 OPER HB	60459310
PROBE DATA DISABLED.	NOS 2 OPER HB	60459310
PROBE NOT ENABLED.	NOS 2 OPER HB	60459310
PROBE REPORT COMPLETE.	NOS 2 OPER HB	60459310
PROBE TABLES NOT AVAILABLE.	NOS 2 OPER HB	60459310
PROBE VERSION MISMATCH.	NOS 2 OPER HB	60459310
PROCESSING COMPLETE.	NOS 2 OPER HB	60459310
PROCESSING COMPLETE ON NPxxxxx.	NOS 2 OPER HB	60459310
PROCESSING DUMP FILE.	NOS 2 OPER HB	60459310
dmp yy/mm/dd. hh.mm.ss.		

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
PROCESSING INPUT DIRECTIVES.	NOS 2 OPER HB	60459310
PROCESSING OPTION NOT APPLICABLE.	NOS 2 RS VOL 3	60459680
PROCESSOR DETECTED MALFUNCTION	NOS 2 RS VOL 3	60459680
PROCESSOR FAULT STATUS ERROR DEADSTART ABORTED.	NOS 2 OPER HB	60459310
PROCESSOR NOT RESPONDING FATAL ERROR - DEADSTART ABORT.	NOS 2 OPER HB	60459310
PROCESSOR STATE ERROR	NOS 2 RS VOL 4	60459690
PROCESSOR STATE ERROR	NOS 2 RS VOL 3	60459680
PROFILE ABORTED.	NOS 2 OPER HB	60459310
PROFILE FILE CREATE COMPLETE.	NOS 2 OPER HB	60459310
PROFILE FILE DATA BASE ERROR.	NOS 2 OPER HB	60459310
PROFILE FILE INQUIRY COMPLETE.	NOS 2 OPER HB	60459310
PROFILE FILE INTERLOCKED	NOS 2 OPER HB	60459310
PROFILE FILE LIST COMPLETE.	NOS 2 OPER HB	60459310
PROFILE FILE REFORMAT COMPLETE.	NOS 2 OPER HB	60459310
PROFILE FILE RELEASED.	NOS 2 OPER HB	60459310
PROFILE FILE SOURCE COMPLETE.	NOS 2 OPER HB	60459310
PROFILE FILE UPDATE COMPLETE.	NOS 2 OPER HB	60459310
PROGxxx - CHECKPOINT TAKEN AT hh.mm.ss	MCS 1 RM	60480300
PROGRAM ABNORMAL. xxx.	NOS 2 OPER HB	60459310
****PROGRAM ABORT****	CDCS 2 RM	60481800
PROGRAM ABORTED **	CDCS 2 DA RM	60485200
PROGRAM ALREADY RUNNING	MCS 1 RM	60480300
* PROGRAM CONTAINS SEQUENCES THAT ARE TOO LONG. CANNOT BE COMPILED	FORTRAN EXT 4	60497800
PROGRAM FILE EMPTY.	NOS 2 RS VOL 3	60459680
PROGRAM HAS COMPLETED	INTER DEBUG RM	60481400
PROGRAM xxx HAS n ENTRIES - yyy WILL BE TRACED	INTER DEBUG RM	60481400
PROGRAM HAS NO INVOCATION FILE	MCS 1 RM	60480300
PROGRAM LENGTH EXCEEDS 2**17-1	FORTRAN 5 RM	60481300
PROGRAM LENGTH EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
PROGRAM LIBRARY EMPTY.	MODIFY RM	60450100
PROGRAM NAME NOT KNOWN	MCS 1 RM	60480300
PROGRAM NOT ON TAPE - xxxx	NOS 2 INSTAL HB	60459320
PROGRAM xxxx NOT CALLED	INTER DEBUG RM	60481400
PROGRAM xxxx NOT LOADED	INTER DEBUG RM	60481400
PROGRAM OR SUBROUTINE NAME MAY NOT BE REFERENCED IN A DECLARATIVE STATEMENT	FORTRAN EXT 4	60497800
PROGRAM START. (INPUT,OUTPUT) ASSUMED WHEN HEADER STATEMENT IS DEFECTIVE OR OMITTED	FORTRAN EXT 4	60497800
PROGRAM STOP.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
PROGRAM STOP AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
**** PROJECT COUNT LIMIT EXCEEDED.	NOS 2 OPER HB	60459310
PROJECT EPILOGUE NOT FOUND.	NOS 2 OPER HB	60459310

MESSAGE

**** PROJECT NUMBER ACTIVE.
**** PROJECT NUMBER DOES NOT EXIST.
PROJECT NUMBER EXPIRED.
**** PROJECT NUMBER INACTIVE.
PROJECT PROLOGUE NOT FOUND.
PROTECTED WORKSPACE
PROTOCOL VIOLATION, NPU DUMP REQUEST SENT
PRU LIMIT.
PRU LIMIT, FILE filename AT address.
PRUS REQUESTED UNAVAILABLE.
PS.LT.4 -- IGNORED
PSU ALREADY NETTED ON - GO/DROP
PSU - COMMENCING IDLE-DOWN
PSU DISABLED IN NVF - GO/DROP
PSU - FATAL ERROR nn
PSU - IDLE-DOWN COMPLETE
PSU- IDLE-DOWN IN PROGRESS
PSU - IMMEDIATE SHUTDOWN COMPLETE
PSU REPRIEVED
PSU - REQUEST *K* DISPLAY
PSU - WAITING FOR NETWORK
PT .LT. 4
PTFS - APPLICATION CONNECTION BROKEN.
PTFS - APPLICATION CONNECTION TIMEOUT.
PTFS - APPLICATION DISABLED.
PTFS - BLOCK TOO LARGE.
PTFS - CHARGE REQUIRED.
PTFS - CHARGE RESTRICTED TO DEFAULT.
PTFS - CONTINUATION BLOCK DID NOT FOLLOW.
PTFS - DEFAULT CHARGE IS NULL.
PTFS - DIRECTIVE TOO LONG.
PTFS - ERR/LGL RECEIVED FROM SUBSYSTEM.
PTFS - ERROR IN ARGUMENTS.
PTFS - ERROR IN EXPIRATION DATE
PTFS - EXECUTE ONLY FILE.
PTFS - FC/BRK RECEIVED RC=rc.
PTFS - FC/NAK RETRY LIMIT.
PTFS - FILE ALREADY PERMANENT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
APL 2 RM	60454000
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
PL/I RM	60388100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
*****	*****
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
PTFS - FILE IS DIRECT ACCESS.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - FL TOO SHORT FOR PROGRAM.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - HOST NOT SPECIFIED TYPE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INCOMPLETE CONTINUED DIRECTIVE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID keyword=value.	NOS 2 RS VOL 3	60459680
PTFS - INVALID ACCESS VALIDATION.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID ALTERNATE CATLIST PERMISSION.	NOS 2 RS VOL 3	60459680
PTFS - INVALID BACKUP/RESIDENCE REQUIREMENT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID COMMAND cmd.	NOS 2 OPER HB	60459310
PTFS - INVALID COMMAND.	NOS 2 OPER HB	60459310
PTFS - INVALID DATA DECLARATION TYPE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID DEVICE SPECIFICATION.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID DIRECTIVE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID MODE/CATEGORY.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID xxxxxx=NO VALUE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - INVALID PARAMETER xx FOR yy.	NOS 2 OPER HB	60459310
PTFS - INVALID SUPERVISORY MESSAGE.	NOS 2 OPER HB	60459310
PTFS - LID UNAVAILABLE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - MISSING CHARGE/PROJECT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - MISSING USER NAME.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - MULTIPLE FILE TRANSFERS REQUESTED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - NETON REJECT = rc.	NOS 2 OPER HB	60459310
PTFS - NETWORK SEQUENCE ERROR.	NOS 2 OPER HB	60459310
PTFS - NETWORK SHUTDOWN.	NOS 2 OPER HB	60459310
PTFS - NETXFR ERROR rc - rejmess	NOS 2 OPER HB	60459310
PTFS - NO CONNECTION RECEIVED.	NOS 2 OPER HB	60459310
PTFS - error message returned by NOS	NOS 2 RS VOL 3	60459680
PTFS - PARAMETERS CE AND CP ARE MUTUALLY EXCLUSIVE.	NOS 2 RS VOL 3 RMF USAGE MAN.	60459680 60460620
PTFS - PF_NAME REQUIRED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - PF REQUEST COMPLETE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
PTFS - PROTOCOL ERROR IN nn.	NOS 2 OPER HB	60459310
PTFS - RECOVERY DIRECTIVE AFTER FILE TRANSFER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

PTFS - RHF I/O ERROR.
PTFS - SECONDARY USER DIRECTIVES DISABLED.
PTFS - SUBSYSTEM FULL.
PTFS - SUBSYSTEM UNAVAILABLE.
PTFS - UNKNOWN ACCESS LEVEL NAME.
PTFS - UNKNOWN NETWORK INTERFACE TYPE.
PTFS - USER DIRECTIVE REQUIRED FIRST.

nnnn PUNCH FILES RECOVERED.
PURGE COMPLETE.
PURGING filename userindex.
PUT DEVICE ON LINE.
RESPOND GO TO RETRY - DROP TO OFF DEVICE.
PUT FAILURE, X=x, Y=y.
RESPOND GO TO ACKNOWLEDGE.
PW .LT. 50 OR .GT. 136
PWL RECEIVED FROM PIP WITH HN=hn, TN=tn,
CN=cn.

Q PARAMETER TOO LARGE -
MAXIMUM ALLOWABLE VALUE SUBSTITUTED.
Q PARAMETER TOO SMALL -
MINIMUM ALLOWABLE VALUE SUBSTITUTED.
QAC BUFFER ARGUMENT ERROR.
QAC ERROR ENCOUNTERED.
QAC ERROR ENCOUNTERED.
QAC INCORRECT PARAMETER BLOCK SIZE.
QAC INCORRECT QUEUE ORDINAL.
QAC INCORRECT REQUEST.
QAC REQUEST COMPLETION BIT SET.
QAL SPECIFIED TWICE
QALTER COMPLETE.
QAP - BUFFER ARGUMENT ERROR.
QAP - BUFFER ARGUMENT ERROR.
QAP - INCORRECT REQUEST.

QAP - USER ACCESS NOT VALID.
QDUMP ABORTED.
QDUMP COMPLETE.
QF LENGTH ERROR filename.
OFF UNABLE TO INTERLOCK MST
QFM ARGUMENT ERROR.
QFM BUFFER ARGUMENT ERROR.
QFM BUFFER TOO SMALL.
QFM EOI BAD ON ATTACHED FILE.
QFM ERROR ON ERRNNN FILE.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QFM FILE ALREADY ATTACHED.	NOS 2 OPER HB	60459310
QFM FILE IGNORED filename.	NOS 2 OPER HB	60459310
QFM FILE NAME ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
QFM FOT FULL.	NOS 2 OPER HB	60459310
QFM I/O SEQUENCE ERROR.	NOS 2 RS VOL 4 NOS 2 OPER HB	60459690 60459310
QFM INCORRECT EQUIPMENT.	NOS 2 RS VOL 4	60459690
QFM INCORRECT QUEUE FILE ORDINAL.	NOS 2 RS VOL 4	60459690
QFM INCORRECT REQUEST.	NOS 2 RS VOL 4 NOS 2 OPER HB	60459690 60459310
QFM INTERLOCK ERROR.	NOS 2 OPER HB	60459310
QFM IQFT INTERLOCK ABORT.	NOS 2 OPER HB	60459310
QFM NO IQFT TRACK AVAILABLE.	NOS 2 OPER HB	60459310
QFM RANDOM ADDRESS ERROR.	NOS 2 OPER HB	60459310
QFM SYSTEM SECTOR ERROR.	NOS 2 OPER HB	60459310
QFM TRACK MISMATCH.	NOS 2 OPER HB	60459310
QFM USER ACCESS NOT VALID.	NOS 2 RS VOL 4 NOS 2 OPER HB	60459690 60459310
QFT FULL.	NOS 2 OPER HB	60459310
QFT FULL DETECTED BY QFM.	NOS 2 OPER HB	60459310
QFT LIMIT ON LOAD.	NOS 2 OPER HB	60459310
QFT/LOCAL FMT IS FULL.	NOS 2 OPER HB	60459310
QFT THRESHOLD LIMIT.	NOS 2 OPER HB	60459310
QFTLIST/QALTER ABORTED.	NOS 2 OPER HB	60459310
QGET COMPLETE.	NOS 2 RS VOL 3	60459680
QLOAD ABORTED.	NOS 2 OPER HB	60459310
QLOAD - nnnn ACTIVE FILES LOADED.	NOS 2 OPER HB	60459310
QLOAD - nnnn ERRxxx FILES CREATED.	NOS 2 OPER HB	60459310
QLOAD - nnnn FILES IGNORED.	NOS 2 OPER HB	60459310
QLOAD - nnnn FILES LISTED.	NOS 2 OPER HB	60459310
QLOAD - nnnn INACTIVE FILES LOADED.	NOS 2 OPER HB	60459310
QLOAD OPERATION COMPLETE.	NOS 2 OPER HB	60459310
QLOAD TERMINATED.	NOS 2 OPER HB	60459310
QMOVE ABORTED.	NOS 2 OPER HB	60459310
QMOVE COMPLETE.	NOS 2 OPER HB	60459310
QREC COMPLETE.	NOS 2 OPER HB	60459310
QREC/QLIST ABORTED.	NOS 2 OPER HB	60459310
QRF BLOCK CONTAINS INVALID AREA ID	CDCS 2 DA RM	60485200
QRF BLOCK CONTAINS INVALID VERSION NAME	CDCS 2 DA RM	60485200
QRF BLOCK READ FOR UNDEFINED INDEX FILE	CDCS 2 DA RM	60485200
QRF EMPTY	CDCS 2 DA RM	60485200
QRF IS NOT A PERMANENT FILE	CDCS 2 DA RM	60485200
QRF IS NOT EMPTY INITIALLY	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QTF, ABORT - RESTART ATTEMPTED.	NOS 2 OPER HB	60459310
QTF, -n- qfn ACQUIRED, DC=dc, ST=did, DD=sid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn ASSIGNED TO CONNECTION NUMBER p.	NOS 2 OPER HB	60459310
QTF, ASTERISK NOT VALID HERE.	NOS 2 OPER HB	60459310
QTF, -n- qfn CONNECTING TO pid.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn CONNECTION REJECTED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, END OF INCLUDE FILE.	NOS 2 OPER HB	60459310
QTF, -n- qfn EVICTED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, nnnn FILES TRANSFERRED.	NOS 2 OPER HB	60459310
QTF, FROM source - xxx	NOS 2 OPER HB	60459310
QTF, INCLUDE FILE filename NOT FOUND.	NOS 2 OPER HB	60459310
QTF, INCORRECT CHARACTER.	NOS 2 OPER HB	60459310
QTF, INCORRECT COMMAND.	NOS 2 OPER HB	60459310
QTF, INCORRECT RANGE VALUE.	NOS 2 OPER HB	60459310
QTF, INCORRECT SEPARATOR.	NOS 2 OPER HB	60459310
QTF, INCORRECT VERB.	NOS 2 OPER HB	60459310
QTF, INCORRET PARAMETER.	NOS 2 OPER HB	60459310
QTF, INCORRET SELECTION CLASS.	NOS 2 OPER HB	60459310
QTF, -n- qfn INVALID QUALIFIER OR PARAMETER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn INVALID USER ACCESS.	NOS 2 OPER HB	60459310
QTF, -n- qfn LOG FILE NOT SENT - DSP ERROR CODE = nnnB.	NOS 2 OPER HB	60459310
QTF, ** NOT VALID HERE.	NOS 2 OPER HB	60459310
QTF, *** NOT VALID HERE.	NOS 2 OPER HB	60459310
QTF, PID NOT DEFINED.	NOS 2 OPER HB	60459310
QTF, -n- qfn QUEUED AS xxxxxxxx ON pid.	NOS 2 OPER HB	60459310
QTF, -n- qfn xxxx REJECTED BY REMOTE HOST. QTF, -n- qfn VALUE = (yyyy).	NOS 2 OPER HB	60459310
QTF, -n- qfn REQUEUED.	NOS 2 OPER HB	60459310
QTF, -n- qfn REQUIRED PARAMETER MISSING.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn SENT TO PID xxx, PID yyy RESPONDING.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn TRANSFER REJECTED BY REMOTE HOST.	NOS 2 OPER HB	60459310
QTF, -n- qfn UNEXPECTED ACQUIRE ERROR CODE = nnnB.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, -n- qfn UNRECOGNIZED DISPOSITION CODE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF, WAITING FOR NAM.	NOS 2 OPER HB	60459310
QTF, -n- qfn WRONG APPLICATION LEVEL.	NOS 2 OPER HB	60459310
QTF, -n- qfn WRONG REMOTE APPLICATION LEVEL.	NOS 2 OPER HB	60459310
*QTFPROC ABORT - DELAY OUT OF RANGE.	NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
*QTFPROC ABORT - INVALID DELAY.	NOS 2 OPER HB	60459310
QTFPROC ENDED - JOB NOT BATCH ORIGIN, CANNOT USE SEQUENCER FOR RERUN.	NOS 2 OPER HB	60459310
QTFPROC ENDED - NETON RETRY LIMIT.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn CONNECTION BROKEN.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), CONNECTION NUMBER NOT IN SUPERVISORY MESSAGE.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn CONNECTION TIMED OUT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ESTABLISHED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ABORTED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn CONNECTION TO pid ENDED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), COUNT OF ACTIVE CONNECTIONS DECREMENTED BELOW ZERO.	NOS 2 RS VOL 3	60459680
QTF(S), -n- qfn ERROR IN FILE TRANSFER.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), FATAL LFM ERROR = nnB.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn FC/BRK RECEIVED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn FC/NAK RETRY COUNT EXCEEDED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S) -n- qfn FIRST KEYWORD IS NOT *ROUTE*.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S) -n- qfn INCORRECT EC FOR THIS QUEUE TYPE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S) -n- qfn INCORRECT VALUF (xxx).	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S) -n- qfn INCORRECT VALUE (xxx=yyy).	NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
QTF(S), INITIATED.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn INVALID ATTRIBUTE IGNORED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn INVALID SEQUENCE RECEIVED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), JOB ORIGIN ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn MESSAGE FROM REMOTE HOST - QTF(S), -n- qfn xxx.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), NETON REJECT, CODE nn - xxxx.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn NETWORK BLOCKS OUT OF SEQUENCE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), NETWORK IDLEDOWN IN PROGRESS.	NOS 2 OPER HB	60459310
QTF(S), NETWORK MESSAGE BLOCK SIZE ERROR.	NOS 2 OPER HB	60459310
QTF(S), NETWORK SHUTDOWN.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn NETXFR ERROR rc - rejmess	NOS 2 OPER HB NOS 2 RS VOL 3 RMF USAGE MAN. NOS/BE 1 DH	60459310 60459680 60460620 60494400
QTF(S) -n- qfn NO USERNAME FOR *DC=WT/TT* FILE.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
QTF(S), -n- qfn QUEUED AS xxxx FROM pid.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn RECEIVING, DC=dc, ST=did, DO=sid.	NOS 2 OPER HB	60459310
QTF(S) -n- qfn ROUTE ERROR nnB-xxxx.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), SUPERVISORY MESSAGE RECEIVED FOR INACTIVE ACN. QTF(S), HDR = first two words of header	NOS 2 RS VOL 3	60459680
QTF(S), -n- qfn TRANSFER xxxxxxxxxx BY REMOTE HOST.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn REASON CODE = nnnnnn.	NOS 2 RS VOL 3	60459680
QTF(S), -n- qfn REASON CODE = nnnnnn - yyy.		
QTF(S), nn TRANSFERS ACTIVE (xxx).	NOS 2 OPER HB	60459310
QTF(S), -n- qfn UNKNOWN *PI* PARAMETER, DEFAULT USED.	NOS 2 RS VOL 3	60459680
QTF(S), -n- qfn UNKNOWN STATE-OF-TRANSFER SENT BY REMOTE HOST.	NOS 2 OPER HB	60459310
QTF(S), -n- qfn REASON CODE = nnnnnn - (CONTACT SITE ANALYST).	NOS 2 RS VOL 3	60459680
QTF(S), -n- qfn UNRECOGNIZED COMMAND RECEIVED xx.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QTF(S), -n- qfn UNRECOGNIZED MESSAGE RECEIVED.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
QUEUE DISABLED - MESSAGE DISCARDED	MCS 1 RM	60480300
QUEUE FILE ASSIGN ERROR.	NOS 2 OPER HB	60459310
QUEUE FILE UTILITY COMPLETE.	NOS 2 OPER HB	60459310
QUEUE STATUS INDEFINITE.	NOS 2 OPER HB	60459310
nnnn QUEUED FILES INTERLOCKED.	NOS 2 OPER HB	60459310
QUEUES UNRECOVERABLE THIS DEVICE.	NOS 2 OPER HB	60459310
QUEUE7 ARGUMENT ERROR	NOS 2 RS VOL 3	60459680
QUICK RECOVERY FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
QUIESCE DATA UNIT SENT.	NOS 2 OPER HB	60459310
R TYPE ERROR DATA ORIGIN OUTSIDE BLOCK OR IN BLANK COMMON. OCCURRED ON PAGES p1, p2, p3, ..., pn	COMPASS 3 RM	60492600
RA + 65B INCORRECT-ICM CALLED FROM nnnnnn	COM MEM MGMT 1	60499200
xxxxxxx RANDOM ACCESS ERROR.	NOS 2 TAPE MGMT	60463350
RANDOM ACTION BEYOND EOF	BASIC 3 RM	19983900
RANDOM ADDRESS ERROR.	NOS 2 OPER HB	60459310
RANDOM ADDRESS NOT ON FILE filename AT address.	NOS 2 RS VOL 4	60459690
RANDOM FILE EMPTY	BASIC 3 RM	19983900
RANDOM INDEX ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
RANDOM READ.	NOS 2 OPER HB	60459310
RANDOM WRITE.	NOS 2 OPER HB	60459310
RANGE ADDRESSES IN DIFFERENT MEMORIES	INTER DEBUG RM	60481400
RANGE INDICATOR nnnnn MUST BE A LETTER	FORTRAN EXT 4	60497800
RANGE INDICATOR NOT 1 LETTER -- TRUNCATED TO	FORTRAN 5 RM	60481300
RANGE INDICATOR mmmmm NOT 1 LETTER -- TRUNCATED TO nnnnn	FORTRAN EXT 4	60497800

MESSAGE

RANGE OF DEBUG VARIABLES NOT ALLOWED
RANK ERROR
RA+1 CALL ERROR.
RA+1 CALL PARAMETER ADDRESS OUTSIDE FL.
RA+1 CALL WITH ILLEGAL FUNCTION CODE.
RBF CONNECT TIME hh.mm.ss. LOGGED OUT
RBF DISK ERROR, CANNOT REDUCE SIZE.
RBF ENDED.
RBF ENDED, yy/mm/dd hh:mm:ss
RBF ENDED yy/mm/dd. hh/mm/ss DUE TO TERMINAL INACTIVITY
RBF NOT ENABLED.
RBF NOT STARTED PROPERLY.
RBF VER 1.x-STARTED yy/mm/dd. hh:mm:ss
RD AND UI/UN NOT ALLOWED.
RDeee Cxx Pnn Fyyyy REJECT.
RDest CCn Ppn Fffff REJECT.
RDF CARRIER LOST.
RDF DATE BEFORE PURGE DATE.
RDF FILE ERROR - BAD RECORD LENGTH.
RDF FILE ERROR - MISSING HEADER.
RDF FILE ERROR - UNIDENTIFIED DATA.
RDF INITIATED.
RDF TERMINATED
RDF TIME-OUT.
RDPFC, ERROR IDLE, DN dv.
RDPFC, PF UTILITY ACTIVE, DN dv.
READ AFTER WRITE, filename AT address.

READ ERROR - FILE DUMPED.
READ ERROR - FILE IGNORED.
READ ERROR ON TAPE.

READ FILE BUSY - filename.
READ FILE EMPTY.
READ ID BURST
READ ID BURST FAILURE, filename AT address.

READ ... NEXT WITH UNDEFINED CURRENT REC POINTER
READ . . . NEXT WITH UNDEFINED CURRENT REC POINTER
READ ON FILE OPENED FOR OUTPUT
READ ON FILE OPENED FOR OUTPUT
READ PYRAMID PARITY ERROR.
READ RECOVERED-DATA LOST BEFORE THE FOLLOWING CARD IMAGE
READ WITHOUT DATA

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
APL 2 RM	60454000
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
BASIC 3 RM	19983900

MESSAGE

READ/WRITE ERROR ON TAPE.

READING filename userindex.

READING INPUT

READY..

READY

READY DROP, filename AT address.

REASSIGN ADL.

REASSIGN ADL

REBUILD FILE ZZZZZDT

RECFM NOT SPECIFIED

RECFM NOT SPECIFIED

RECLAIM ABORTED.

RECLAIM ARGUMENT ERROR.

RECLAIM COMPLETE.

RECORD LENGTH EXCEEDS 131071 COLUMNS

RECORD LENGTH EXCEEDS 137 COLUMNS -- MAY EXCEED I/O DEVICE

RECORD LENGTH EXCEEDS 137 COLUMNS -- MAY EXCEED I/O DEVICE

RECORD LENGTH EXCEEDS 2**17-1 COLUMNS

RECORD LENGTH FOR FILE EXCEEDS 'MAX.RECL' B -- DEFINITION IGNORED

RECORD LENGTH FOR FILE nnnnn EXCEEDS 2**17-1 -- DEFAULT USED

RECORD LENGTH FOR FILE EXCEEDS 37777B -- DEFINITION IGNORED

RECORD LENGTH IS GREATER THAN 131,071

RECORD LENGTH ON OLD RELATIVE FILE DIFF THAN PROGRAM

RECORD LENGTH ON OLD RELATIVE FILE DIFF THAN PROGRAM

RECORD NOT FOUND rtype/rname

RECORD NOT FOUND.

RECORD NOT FOUND.

RECORD NOT FOUND.

RECORD NOT FOUND

RECORD NUMBER ERROR.

RECORD TOO LARGE ON filename.

RECORD TOO LONG.

RECORD TYPE NOT PRINTABLE ON AN ADVANCING FILE

RECORD TYPE NOT PRINTABLE ON AN ADVANCING FILE

RECORDING MODE BINARY ON ADVANCING FILE

RECORDING MODE BINARY ON ADVANCING FILE

n RECORDS NOT REPLACED.

nnnn RECORDS RELEASED

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
TEXT EDITOR RM	60436100
RBF 1 RM	60499600
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
INTER DEBUG RM	60481400
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
COBOL 5 DH	60482500

MESSAGE

nnnn RECORDS RELEASED
nnnn RECORDS RETURNED
nnnn RECORDS RETURNED
n RECORDS SPLITS OCCURRED.
RECOVER/RESTORE ABORT, JOB REPRIEVED
RECOVER/RESTORE ABORT, JOB REPRIEVED
xx - RECOVERABLE DATA BASE.
RECOVERABLE FILE PARAMETER MUST BE *R* OR *N*
RECOVERABLE RUN UNIT DELETED - username.
RECOVERING PF.EQest, TRK track.
RECOVERY ABORT, INVALID MASTER DIRECTORY
RECOVERY ABORT - WRITE ERROR
RECOVERY COMPLETE.
RECOVERY COMPLETE.
RECOVERY COMPLETE.
RECOVERY COMPLETE...CONTINUE
RECOVERY COMPLETED FOR SCHEMA sn
RECOVERY COMPLETED FOR SCHEMA sn
RECOVERY, EQest.
RECOVERY FILE INCONSISTENT
RECOVERY FILE INITIALIZATION ERROR
RECOVERY : ILLEGAL x AFTER 'FOR' REPLACED BY yy
RECOVERY IMPOSSIBLE.
RECOVERY IMPOSSIBLE.
RECOVERY IMPOSSIBLE FOR SCHEMA sn
RECOVERY IMPOSSIBLE FOR SCHEMA sn
RECOVERY IN PROGRESS.
RECOVERY NOT POSSIBLE NOW BECAUSE DATA BASE FILE IS DOWN. SELECT DESIRED OPTION FROM FOLLOWING LIST BY ENTERING LETTER.
A WAIT 5 MINUTES AND TRY AGAIN. TAF WILL WAIT 5 MINUTES BEFORE ATTEMPTING RERUN OF TRANSACTION.
B LOG OFF. THE PREVIOUS RECOVERABLE INFORMATION WILL REMAIN INTACT. LOG IN AT A LATER TIME TO ATTEMPT RERUN.
C ALLOW ENTRY OF NEXT TRANSACTION. THE PREVIOUS RECOVERABLE INFORMATION WILL BE LOST.
RECOVERY POINT num NOT FOUND
RECOVERY : 'QRRAY' REPLACED BY 'ARRAY'
RECOVERY RERUN.
RECOVERY, RERUNNING TRANSACTION.
RECOVERY STARTED FOR SCHEMA sn

<u>MANUAL</u>	<u>PUB. NO.</u>
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NOS 2 OPER HB	60459310
NOS 2 OPER HB TAF 1 RM	60459310 60459500
NOS 2 RS VOL 3 NOS 2 OPER HB	60459680 60459310
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB TAF 1 RM	60459310 60459500
ALGOL 4 RM	60496600
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
CDCS 2 DA RM	60485200

MESSAGE

RECOVERY STARTED FOR SCHEMA sn
RECOVERY, TRANSACTION NOT RERUNNABLE, ENTER
NEXT TRANSACTION.
RECOVERY, WAITING MMF DEADSTART IN PROGRESS.
RECURSION DEPTH EXCEEDED 400.
RECURSIVE CALL ON COMDECK dname IGNORED. FATAL ERROR
RECURSIVE CALL TO ENTRY POINT xxxx
RECURSIVE DEFINITION OF STATEMENT FUNCTION
RECURSIVE DEFINITION OF STATEMENT FUNCTION nnnnn
RECURSIVE FN
RECURSIVE *IF,S ILLEGAL.
RECURSIVE READ OF xxxx
..... REDEFINES A DD CONTROL INDEX
REDEFINITION OF COLLATE
REDEFINITION OF PARAMETER nnnnn USED AS DIMENSION INDICATOR IS NON-ANSI
REDUNDANT CONVERSION IGNORED.
REDUNDANT EQUIVALENCE SPECIFICATION FOR
REDUNDANT EQUIVALENCE SPECIFICATION FOR nnnnn
..... REDUNDANTLY DECLARED IN SAVE
REENTRY TABLE OVERFLOW.
REF SPECIFIED TWICE
REFERENCE INSIDE TRAPPER
REFERENCE MADE TO INCORRECT TERMINAL NAME.
REFERENCE MOD OUT OF RANGE
REFERENCE TO B.E.F. nnnnn REQUIRES AN ARGUMENT LIST
REFERENCE TO EXTERNAL REQUIRES AN ARGUMENT LIST
REFERENCE TO FUNCTION nnnnn REQUIRES AN ARGUMENT LIST
REFERENCE TO INTRINSIC nnnnn REQUIRES AN ARGUMENT LIST
REFERENCE TO LINKAGE SECTION ITEM NOT IN USING LIST
REFERENCE TO LINKAGE SECTION ITEM NOT IN USING LIST
REFERENCE TO STATEMENT FUNCTION nnnnn HAS A NULL PARAMETER
REFERENCE TO VARIABLE AS A FUNCTION OR ARRAY
REFERENCE TO VARIABLE nnnnn AS A FUNCTION OR ARRAY
REFERENCED LABEL IS MORE THAN FIVE CHARACTERS
REFERENCES AFTER LINE nnnn LOST INCREASE FL BY ffffB
REFORMAT COMPLETE.
REFOO1 ASSIGNMENT-TARGET MUST BE VARIABLE OR PSEUDOVARIABLE
REFOO2 ASSIGNMENT-TARGET MUST BE SCALAR
REFOO3 INDEX -identifier- IN DO MUST BE VARIABLE OR PSEUDOVARIABLE
REFOO4 INDEX -identifier- IN DO MUST BE SCALAR
REFOO6 WRONG NUMBER OF ARGUMENTS IN FUNCTION REFERENCE -identifier-
REFOO7 SUBROUTINE-REFERENCE -identifier- HAS WRONG NUMBER OF ARGUMENTS
REFOO8 ARGUMENT -identifier- AND PARAMETER MUST HAVE SAME NUMBER OF DIMENSIONS

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 AP RM	60485300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
COMPASS 3 RM	60492600
UPDATE RM	60449900
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
BASIC 3 RM	19983900
MODIFY RM	60450100
INTER DEBUG RM	60481400
FORTRAN 5 RM	60481300
BASIC 3 RM	19983900
FORTRAN EXT 4	60497800
MODIFY RM	60450100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
FORM RM	60496200
LOADER 1 RM	60429800
TAF 1 RM	60459500
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100
PL/I RM	60388100

MESSAGE	MANUAL	PUB. NO.
REF009 REFERENCE TO VARIABLE -identifier- HAS WRONG NUMBER OF SUBSCRIPTS	PL/I RM	60388100
REF010 BASED REFERENCE -identifier- REQUIRES A LOCATOR-QUALIFIER OR AN IMPLICIT LOCATOR	PL/I RM	60388100
REF011 REFERENCE TO A NON-BASED VARIABLE -identifier- CANNOT BE LOCATOR-QUALIFIED	PL/I RM	60388100
REF012 SCALE-FACTOR Q ILLEGAL IN -identifier- BUILTIN FUNCTION REFERENCE BECAUSE RESULT IS FLOAT	PL/I RM	60388100
REF013 VARIABLE -identifier- BEING FREED MUST BE UNSUBSCRIPTED	PL/I RM	60388100
REF014 VARIABLE -identifier- BEING FREED MUST BE BASED OR CONTROLLED	PL/I RM	60388100
REF015 VARIABLE -identifier- BEING FREED CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF016 VARIABLE -identifier- BEING ALLOCATED CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF017 VARIABLE -identifier- BEING ALLOCATED MUST BE BASED OR CONTROLLED	PL/I RM	60388100
REF018 IN-OPTION IN FREE STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF019 IN-OPTION IN FREE STATEMENT MUST REFERENCE AN AREA VARIABLE	PL/I RM	60388100
REF020 IN-OPTION IS ILLEGAL IN FREEING A CONTROLLED VARIABLE	PL/I RM	60388100
REF021 IN-OPTION IN ALLOCATE STATEMENT MUST REFERENCE AN AREA VARIABLE	PL/I RM	60388100
REF022 IN-OPTION IN ALLOCATE STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF023 IN-OPTION MUST REFERENCE A VARIABLE	PL/I RM	60388100
REF024 SET-OPTION IN READ OR LOCATE STATEMENT MUST REFERENCE A SCALAR POINTER VARIABLE	PL/I RM	60388100
REF025 SET-OPTION MUST REFERENCE A VARIABLE	PL/I RM	60388100
REF026 SET-OPTION IN ALLOCATE STATEMENT MUST REFERENCE A SCALAR VARIABLE	PL/I RM	60388100
REF027 SET-OPTION IN ALLOCATE STATEMENT MUST REFERENCE A LOCATOR VARIABLE	PL/I RM	60388100
REF028 GOTO STATEMENT MUST REFERENCE A LABEL CONSTANT OR VARIABLE	PL/I RM	60388100
REF029 LABEL-REFERENCE IN GOTO STATEMENT MUST BE SCALAR	PL/I RM	60388100
REF030 IDENTIFIER IN PROGRAMMER-NAMED CONDITION MUST BE OF TYPE CONDITION	PL/I RM	60388100
REF033 OPERAND -identifier- MUST BE SCALAR	PL/I RM	60388100
REF034 REFERENCE IN I/O CONDITION MUST BE A FILE CONSTANT OR VARIABLE	PL/I RM	60388100
REF036 REFERENCE -identifier- IN FILE-OPTION MUST BE A FILE CONSTANT OR VARIABLE	PL/I RM	60388100
REF037 VARIABLE -identifier- IN LOCATE STATEMENT MUST BE BASED	PL/I RM	60388100
REF038 VARIABLE -identifier- IN FROM- OR INTO-OPTION MUST BE UNSUBSCRIPTED AND CANNOT BE A MEMBER OF A STRUCTURE	PL/I RM	60388100
REF039 LABEL REFERENCE -identifier- IN GOTO STATEMENT CANNOT BE A FORMAT CONSTANT	PL/I RM	60388100
REF040 REFERENCE -identifier- IN SET- OR KEYTO-OPTION MUST BE SCALAR	PL/I RM	60388100
REF041 REFERENCE IN SET- OR KEYTO-OPTION MUST BE A VARIABLE OR PSEUDOVARIBLE	PL/I RM	60388100
REF042 ILLEGAL STRING OPTION	PL/I RM	60388100
REF043 VARIABLE IN KEYTO-OPTION MUST BE OF TYPE CHARACTER	PL/I RM	60388100
REF044 VARIABLE IN INTO- OR FROM-OPTION MUST BE STATIC, AUTOMATIC, CONTROLLED, OR BASED	PL/I RM	60388100
REF045 OFFSET -identifier- REQUIRES REFERENCE TO SCALAR AREA	PL/I RM	60388100
REF046 REFERENCE -identifier- TO AN UNDECLARED STRUCTURE	PL/I RM	60388100
REF047 STRUCTURE-QUALIFIED REFERENCE -identifier- MUST BE PROPERLY QUALIFIED	PL/I RM	60388100
REF048 REFERENCE -identifier- MUST BE PROPERLY STRUCTURE-QUALIFIED	PL/I RM	60388100
REF049 BASED ALLOCATION WHICH SETS OFFSET VARIABLE REQUIRES IN-OPTION IN ALLOCATION OR AREA-REFERENCE IN OFFSET ATTRIBUTE	PL/I RM	60388100
REF050 ALLOCATION OF BASED VARIABLE REQUIRES SET-OPTION OR ASSUMED SET-OPTION	PL/I RM	60388100
REF051 REMOTE FORMAT -identifier- IS NONLOCAL	PL/I RM	60388100
RELATION CODE MUST BE EQ, NE, GT, GE, LT, OR LE	INTER DEBUG RM	60481400

MESSAGE

RELATIONAL OPERATOR NOT RECOGNIZED
RELATIONAL OPERATOR NOT RECOGNIZED
RELATIVE ADDRESS OUTSIDE BLOCK
RELATIVE FILE CREATED WITH PRUF=YES BUT
RE-OPENED AS NON PRUF
RELATIVE FILE CREATED WITH PRUF=YES BUT RE-OPENED AS NON PRUF
RELATIVE FILE HEADER NOT VALID
RELATIVE FILE HEADER NOT VALID
RELEASE DATE USED = n.
-RELEASE- RECORD-NAME NOT IN CURRENT SD
-RELEASE- RECORD-NAME NOT IN CURRENT SD
RELEASE TIME USED = n.
-RELEASE- USED IMPROPERLY
-RELEASE- USED IMPROPERLY
REMOVABLE DEVICE CONFLICT.
REMOVABLE DEVICE/NO ACTIVE DAYFILES.
REMOVABLE PACKS OVERCOMMITMENT.
RENAME NOT ALLOWED FOR PROC OR TEXT RECORD.
RENAME OF PROC TYPE NOT ALLOWED.
REPEAT..
REPEAT..
REPEAT..
REPEAT COUNT IS NOT ALLOWED BEFORE THE EDIT DESCRIPTOR
REPEAT COUNT IS NOT ALLOWED BEFORE THE FIELD DESCRIPTOR nnnnn
REPEAT COUNT NOT VALID
REPEAT ENTRY.
REPEAT LABEL NOT PREVIOUSLY DEFINED
REPLACE ERROR.

REPLACE ERROR - STATUS = xyzB
filename REPLACED
REPORTR - BAD DM PARAMETER NO DUMP ASSUMED
REPORTR - BAD INPUT FILE PROGRAM ABORTED
REPORTR - COMPLETED
REPORTR - CONTROL CARD ERROR, PROGRAM ABORTED
REPORTR - DUMP TIME INTERVAL ERROR, PROGRAM ABORTED
REPORTR - EMPTY INPUT FILE, PROGRAM ABORTED
REPORTR - ILLEGAL NUMBER ON CONTROL CARD
REPORTR - INVALID REPORT NUMBER, PROGRAM ABORTED
REPORTR - NO SERVICE MESSAGE TRAFFIC
REPORTR - TIME SLICE INTERVAL ERROR, PROGRAM ABORTED
REPORTR - ZERO TIME RECORD NOT FOUND

<u>MANUAL</u>	<u>PUB. NO.</u>
8-BIT SUBR RM	60495500
FORM RM	60496200
INTER DEBUG RM	60481400
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3 TAF 1 RM	60459680 60459500
MCS 1 RM	60480300
RBF 1 RM	60499600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORM RM	60496200
NOS 2 OPER HB	60459310
NPS RM	60480500
NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
NOS 2 OPER HB	60459310
XEDIT 3 RM	60455730
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
REPOSITION CORRECTED ERROR.	NOS 2 RS VOL 3	60459680
REPOSITION CORRECTED ERROR, filename AT address.	NOS 2 RS VOL 3	60459680
REPRIEVE BLOCK ERROR.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
REPRIEVE CHECKSUM BAD.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
REPRIEVE PROCESSING COMPLETE	NOS 2 OPER HB	60459310
REQUEST filename, eq.	NOS 2 OPER HB	60459310
REQUEST COMPLETE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
REQUEST DISPLAY. (xxx)	NOS 2 OPER HB	60459310
REQUEST *I* DISPLAY.	NOS 2 OPER HB	60459310
REQUEST IS VALID ONLY FROM A NETWORK TERMINAL.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
REQUEST *K* DISPLAY.	NOS 2 OPER HB NOS 2 RS VOL 4	60459310 60459690
REQUEST UNDEFINED ON DEVICE, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
REQUESTED ECS NOT AVAILABLE.	NOS 2 OPER HB TAF 1 RM	60459310 60459500
REQUESTED MEMORY NOT FOUND.	NOS 2 OPER HB	60459310
REQUESTED RESTORATION NOT FOUND.	NOS 2 OPER HB	60459310
REQUESTED SECTION section.	NOS 2 RS VOL 3	60459680
REQUESTING DUMP FILE.	NOS 2 OPER HB	60459310
jsn REQUEUED	NOS 2 OPER HB	60459310
REQUIRED FILE(S) MISSING. PROGRAM ABORTED	CDCS 2 DA RM	60485200
REQUIRED FILES NOT AT CONTROL POINT	CDCS 2 DA RM	60485200
REQUIRED FL EXCEEDS JOB MAX.	NOS 2 OPER HB	60459310
REQUIRED FL EXCEEDS VALIDATED LIMIT.	NOS 2 RS VOL 3	60459680
REQUIRED PARAMETER MISSING xxxxxx	NOS 2 SF RM	60460430
REQUIRED PARAMETER MISSING	RBF 1 RM	60499600
xx REQUIRES DE/DP WITH CPU PORT.	NOS 2 OPER HB	60459310
RERUN	FORTRAN EXT 4	60497800
RESCAN CATALOG TRACK FOR STAGED FILES. ENTER K. GO - CONTINUE RESCAN. K. SKIP - SCAN NEXT CATALOG TRACK.	NOS 2 OPER HB	60459310
RESEQ COMMAND ERROR.	NOS 2 RS VOL 3	60459680
RESEQ ERRORS.	NOS 2 RS VOL 3	60459680
RESEQ NUMERIC PARAM ERROR.	NOS 2 RS VOL 3	60459680
RESERVED FILE NAME.	MODIFY RM	60450100
RESERVED FILE NAME.	NOS 2 RS VOL 3	60459680
RESERVED FILE NAME.	TEXT EDITOR RM	60436100
RESERVED FILE NAME.	XEDIT 3 RM	60455730
RESERVED FILE NAME	NOS 2 RS VOL 3	60459680
RESET DISK SPACE RELEASE INHIBIT DATES.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RESET STATE ENCOUNTERED.	NOS 2 OPER HB	60459310
RESEX ABORT - OPERATOR TERMINATION.	NOS 2 RS VOL 3	60459680
RESEX ABORT - OPERATOR TERMINATION.	NOS 2 RS VOL 4	60459690
RESEX ABORT - SYSTEM RESOURCE LIMIT.	NOS 2 RS VOL 3	60459680
RESEX ABORT - SYSTEM RESOURCE LIMIT.	NOS 2 RS VOL 4	60459690
RESEX ABORT - TERMINAL INTERRUPT.	NOS 2 RS VOL 3	60459680
RESEX ABORT - TERMINAL INTERRUPT.	NOS 2 RS VOL 4	60459690
RESEX FAILURE.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RESIDENT CENTRAL LIBRARY EMPTY.	NOS 2 OPER HB	60459310
RESOURCE DEMAND ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE ENVIRONMENT ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE ENVIRONMENT ERROR.	NOS 2 RS VOL 4	60459690
RESOURCE NEGATIVE SHARE COUNT.	NOS 2 RS VOL 4	60459690
RESOURCE NEGATIVE SHARE COUNT.	NOS 2 RS VOL 3	60459680
RESOURCE PF ERROR ec filename.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RESOURCE SCRATCH FILE ERROR.	NOS 2 RS VOL 3	60459680
RESOURCE SCRATCH FILE ERROR.	NOS 2 RS VOL 4	60459690
RESOURCE TYPE ERROR.	NOS 2 RS VOL 3	60459680
RESPONSE QUALIFIER MUST BE LINE OR SEQ	INTER DEBUG RM	60481400
RESTART IDENTIFIER FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
jsn RESTARTED FROM yy/mm/dd. hh.mm.ss.	NOS 2 RS VOL 3	60459680
RESTORE LOGFILE NOT PF WITH EXTEND PERMISSION	QU/CRM DA RM	60482100
RESTORING ADDRESSES S/N=serialn.	NOS 2 OPER HB	60459310
RESULT OF CONSTANT EVALUATION WILL BE OUT OF RANGE OR INDEFINITE	FORTRAN EXT 4	60497800
RESULTS OF CONSTANT USED WITH nnnnn OPERATOR INFINITE OR INDEFINITE	FORTRAN EXT 4	60497800
RESUMING 7000 MODE..	NOS 2 RS VOL 3	60459680
RETRY APPLICATION SWITCH.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
RETRY DETACHES.	NOS 2 OPER HB	60459310
RETURN ACTS AS END	FORTRAN EXT 4	60497800
RETURN BEFORE GOSUB	BASIC 3 RM	19983900
RETURN EXECUTED AFTER AT END DETECTED	COBOL 5 DH	60482500
RETURN EXECUTED AFTER AT END DETECTED	COBOL 5 RM	60497100
-RETURN- FILE-NAME NOT CURRENT SD	COBOL 5 DH	60482500
-RETURN- FILE-NAME NOT CURRENT SD	COBOL 5 RM	60497100
RETURN IN MAIN PROGRAM	FORTRAN EXT 4	60497800
RETURN IN MAIN PROGRAM -- ACTS AS END	FORTRAN 5 RM	60481300
RETURN STATEMENT APPEARS IN MAIN PROGRAM	FORTRAN EXT 4	60497800
-RETURN- USED IMPROPERLY	COBOL 5 DH	60482500
-RETURN- USED IMPROPERLY	COBOL 5 RM	60497100
RETURNS LIST ERROR	FORTRAN EXT 4	60497800
RETURNS LIST NOT PERMITTED IN FUNCTION STATEMENT	FORTRAN EXT 4	60497800

MESSAGE

RETURNS OR EXTERNAL NAMES MAY NOT APPEAR IN DECLARATIVE STATEMENTS
RETURNS PARAMETER nnnnn MUST BE NUMERIC LABEL
RETURNS PARAMETER nnnnn NOT ALLOWED IN THIS STATEMENT
RETURNS PARAMETERS IN CALL STATEMENT
REW SPECIFIED TWICE
REWRITE RL DOES NOT EQUAL OLD RL
REWRITE RL DOES NOT EQUAL OLD RL
filenam REWRITTEN
RFL BEYOND MFL.

RFM NOT SPECIFIED
RFM SPECIFIED TWICE
RHF, jobn ACNacn ACCOUNTING OVERFLOW-ADD
32767 TO message
RHF, jobn ACNacn DISCONNECT BLOCKS
SENT=bssss RECEIVED=brrrr
RHF, jobn ACKS SENT=kssss, ACKS RECD=
krrrr, PATH ID=id, CH=cc
RHF, APPLICATION DISABLED FOR NETON

RHF, jobn APPLICATION IS NOT NETTED ON

RHF, APPLICATION NOT VALIDATED FOR
CTRL/INFO/R.
RHF, jobn APPLICATION NOT VALIDATED FOR
CTRL/INFO/R.
RHF, BAD TCU ON PATH id, PATH TURNED OFF.

RHF, jobn BUFFER ADDRESS ERROR IN
CTRL/INFO/R.
RHF, BUFFER ADDRESS ERROR IN CTRL/INFO/R.
RHF, jobn CONNECT TO applnam LID=lid
PID=pid REJECTED
RHF, jobn - rejmess.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORM RM	60496200
COBOL 5 DH	60482500
COBOL 5 RM	60497100
XEDIT 3 RM	60455730
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990

DESTINATION DOES NOT RESPOND.

LID NOT DEFINED AT SOURCE.

LID/PID/NAD UNAVAILABLE AT
DESTINATION.

LID/PID/NAD/DISABLED AT SOURCE.

MESSAGE

MANUAL

PUB. NO.

NAD RESOURCE LIMIT REACHED.
NO NEW CONNECT REQUESTS - MAX REACHED.

REMOTE RHF SHUTDOWN IN PROGRESS.

REQUESTED APPLICATION NOT AVAILABLE.

RHF SHUTDOWN IN PROGRESS.

SUBSYSTEM PASSWORD REMOTE REJECT.

UNKNOWN REMOTE RHF REJECT CODE xx.

RHF, jobn CONNECTED TO applnam LID=lld
PID=pid ACN=acn PATH ID=id CH=cc.

RHF, jsn COULD NOT BE ABORTED.

RHF, DUPLICATE NETON REQUEST.

RHF, FATAL SSF ERROR. FC=fc, RC=rc.

RHF, jsn FATAL SSF ERROR. FC = fc, RC = rc.

RHF, FATAL SSF ERROR. FC = fc, RC = rc.

RHF, FET PRAM. FET = address.

RHF, INVALID APPLICATION CALL TO RHF.

RHF, jobn INVALID APPLICATION CALL TO RHF.

RHF, INVALID APPLICATION NAME ON NETON.

RHF, jobn INVALID APPLICATION TABLE
ADDRESS.

RHF, INVALID APPLICATION TABLE ADDRESS.

RHF, INVALID CONTROL MESSAGE FOR applnam ON
ACN acn RECEIVED.

RHF, INVALID FET PRAM. FET = address.

RHF, jsn INVALID FET PRAM. FET = ADDRESS

RHF, jsn INVALID HEADER ADDRESS address

RHF, jsn INVALID HEADER ADDRESS address.

RHF, INVALID HEADER ADDRESS address.

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

NOS 2 RS VOL 3 60459680

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680

RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

NOS 2 RS VOL 3 60459680

NOS 2 RS VOL 3 60459680
RHF SUBSYST. RM 60459990

NOS 2 OPER HB 60459310

NOS 2 OPER HB 60459310
RHF SUBSYST. RM 60459990

MESSAGE

RHF, INVALID MINACN/MAXACN ON NETON.

RHF, INVALID SSF UCP ADDRESS address
RHF, jsn INVALID SSF UCP ADDRESS address.

RHF, INVALID SSF UCP ADDRESS address.

RHF, INVALID TEXT ADDRESS address.
RHF, jsn INVALID TEXT ADDRESS address.

RHF, INVALID TEXT ADDRESS address.

RHF, LID TABLE EMPTY.

RHF, MHF APPLICATION DISABLED.

RHF, MHF APPLICATION NOT DEFINED.

RHF, NAD CODE CONVERSION ENABLED
(EST=est,NB=yy,NP=zz).

RHF, NAD CODE CONVERSION NOT AVAILABLE
(EST=est).

RHF, NAD on ESTest HAS BEEN TURNED OFF.

RHF, jobn NETOFF AS applnam.

RHF, jobn NETON AS applnam ACCEPTED
ACN=m1na/maxa.

RHF, jobn NETON AS applnam REJECTED ACN -
m1na/maxa.
RHF, jobn - rejmess.

	MANUAL	PUB. NO.
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
RHF SUBSYST. RM		60459990
NOS 2 RS VOL 3		60459680
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 RS VOL 3		60459680
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990
NOS 2 OPER HB		60459310
RHF SUBSYST. RM		60459990

APPLICATION DISABLED FOR NETON

DUPLICATE NETON REQUEST

INVALID APPLICATION NAME ON NETON

INVALID MINACN/MAXACN ON NETON

NETON SECURITY VIOLATION

NO MORE SPACE FOR NETON

RHF, NETON SECURITY VIOLATION

NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990

RHF, NO APPLICATION ADDRESS IN RHF
CALL--EXTRA CHARGE

MESSAGE

RHF, jobn NO APPLICATION ADDRESS IN RHF
CALL--EXTRA CHARGE

RHF, NO ERROR LOG, RNAD yy, LOCAL NAD
CH= xx

RHF, NO MORE aname SPACE FOR NETON

RHF, NO MORE TABLE SPACE FOR NETON

RHF, jsn NOT IN RHF*S TABLES.

RHF, QUEUED MESSAGE LIMIT EXCEEDED

RHF, jobn QUEUED MESSAGE LIMIT EXCEEDED

RHF, REJECTED CONTROL MESSAGE FOR applnam ON
ACNacn RECEIVED

RHF, REMOTE CONNECT REQUEST FROM apiname ON
pid TO applnam LID=lid
RHF, NAD=nn, CH=cc, BUFF=b, TCU=nnnn,
DEST=d, PATH ID=id, ACC=cccc
RHF, REQUEST ACCEPTED.

RHF, REMOTE CONNECT REQUEST FROM apiname ON
pid TO applnam LID=lid
RHF, NAD=nn, CH=cc, BUFF=b, TCU=nnnn,
DEST=d, PATH ID=id, ACC=cccc
RHF, REQUEST REJECTED - rejmess.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990
NOS 2 OPER HB	60459310
RHF SUBSYST. RM	60459990

INVALID PASSWORD ppppppp

PATH OR NAD UNAVAILABLE

PID/LID NOT AVAILABLE

REQUESTED APPLICATION UNAVAILABLE

RHF SHUTDOWN IN PROGRESS

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RHF, SSF ERROR, jsn NOT IN SYSTEM.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHF, THE FOLLOWING CONTROL MESS. IS FOR AN UNKNOWN PATH. RHF, xx...xx	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHF, THE FOLLOWING CONTROL MESS. IS NOT SUPPORTED. RHF, xx...xx	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHF, THE FOLLOWING CONTROL MESS. WAS REJECTED BY THE NAD. RHF, xx...xx	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH01 - INVALID FUNCTION CODE.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH02 - INVALID PARAMETER BUFFER ADDRESS.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH03 - USER NOT SYSTEM ORIGIN.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH04 - CALLED FROM CP O.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH05 - NOT CALLED BY SUBSYSTEM CONTROL POINT.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH06 - NO SUBSYSTEM CONTROL TABLE FOUND	RHF SUBSYST. RM	60459990
RHH07 - INVALID SUBSYSTEM NUMBER	RHF SUBSYST. RM	60459990
RHH10 - NO LOCAL NADS.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH11 - NAD TABLE OUT OF RANGE.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH12 - CHANNEL NOT FOUND ERROR IN LNT ORDINAL ord.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH13 - CONFIGURATION ERROR.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH21 - MORE THAN ONE LNT WITH SAME CHANNEL.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH22 - INVALID EST ORDINAL.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RHH23 - EST IS NOT A NAD.	NOS 2 OPER HB RHF SUBSYST. RM	60459310 60459990
RIGHT PARENTHESIS IS FOLLOWED BY A NAME, CONSTANT, OR LEFT PARENTHESIS	FORTRAN EXT 4	60497800
RIGHT TERMINATOR MISSING	NPS RM	60480500
RING OUT STATUS HAS BEEN FORCED.	NOS 2 OPER HB	60459310
RING PORT TABLE OVERFLOW.	NOS 2 OPER HB	60459310
RM ... (See also CRM messages.)	***** *****	***** *****
RMS/AL GE 10 DISABLE UNITS NOT UNDER TEST ON CHch.	NOS 2 OPER HB	60459310
nnnn ROLLOUT ERROR FILES RECOVERED.	NOS 2 OPER HB	60459310
ROLLOUT FILE BAD.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
nnnn ROLLOUT FILES RECOVERED.	NOS 2 OPER HB	60459310
ROLLOUT OF *DSSC* JOB NOT ALLOWED.	NOS 2 OPER HB	60459310
ROUTE COMMAND ERROR.	NOS 2 RS VOL 3	60459680
ROUTE COMPLETE.	NOS 2 RS VOL 3	60459680
ROUTE COMPLETE. JSN IS jsn.	NOS 2 RS VOL 3	60459680

MESSAGE

ROUTE *DC* INCOMPATIBLE WITH *EC*.
ROUTE INCORRECT *DO* PARAMETER.
ROUTE INCORRECT *EC* PARAMETER.
ROUTE INCORRECT *FC* PARAMETER.
ROUTE INCORRECT *IC* PARAMETER.
ROUTE INCORRECT KEYWORD.
ROUTE INCORRECT *OT* PARAMETER.
ROUTE INCORRECT SPACING CODE.
ROUTE INCORRECT *ST* PARAMETER.
ROUTE *OT* NOT ALLOWED.
ROUTE *PRI* IGNORED.
ROUTE *REP* GT 31. DEFAULT USED.
ROUTE *ST* IGNORED.
ROUTE *TID* AND *FM/UN* CONFLICT.
ROUTE *TID/FM/UN* and *ID* CONFLICT.
ROUTE *TID=xx - VALUE IGNORED.
ROUTE UNDEFINED SERVICE CLASS.
ROUTE UNKNOWN PI PARAMETER, DEFAULT USED.
filename ROUTED. JOB
NAME - jobname.
filename ROUTED. JSN IS jsn.
ROUTING FAILURE - MESSAGE DISCARDED
RPV-ADDRESS OUT OF RANGE.
RPV-CALLED WITHOUT AUTO-RECALL.
RPV-INCORRECT CALL.
RPV-INCORRECT FUNCTION CODE.
RPV-INCORRECT PENDING INTERRUPT.
RPV-INCORRECT PENDING RA+1 REQUEST.
RPV-LWA OF CHECKSUM .LT. FWA.
RPV-PARAMETER BLOCK TOO SHORT.
RPV - PREVIOUS ERROR CONDITIONS RESET.
RPV-UNDEFINED MASK.
RTIME nnnnnn.nnn SECS.
RUN COMPLETE.
RUN TIME EXCEEDED. NPS TERMINATED
RUN UNIT ABORT, CDCS CMM OVERFLOW
RUN UNIT ABORT, CDCS CMM OVERFLOW
RUN-UNIT TERMINATED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED
RUN-UNIT TERMINATED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED
RWCS ERROR IN BODY-NEXT-GROUP ROUTINE
RWCS ERROR IN BODY-NEXT-GROUP ROUTINE
RWCS ERROR IN BODY-PAGING ROUTINE
RWCS ERROR IN BODY-PAGING ROUTINE

	<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
MCS 1 RM		60480300
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680
NPS RM		60480500
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
CDCS 2 DA RM		60485200
CDCS 2 AP RM		60485300
COBOL 5 DH		60482500
COBOL 5 RM		60497100
COBOL 5 DH		60482500
COBOL 5 RM		60497100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
RWCS ERROR IN SPACING ROUTINE	COBOL 5 DH	60482500
RWCS ERROR IN SPACING ROUTINE	COBOL 5 RM	60497100
RX SPECIFIED TWICE	FORM RM	60496200
S CODE IS SPECIFIED	FORTRAN EXT 4	60497800
S/N MISMATCH - serialn JOB ABORTED.	NOS 2 OPER HB	60459310
S OPTION ILLEGAL WITH A, X, OR Q.	MODIFY RM	60450100
S T A R T C O B O L M E R G E	COBOL 5 DH	60482500
S T A R T C O B O L M E R G E	COBOL 5 RM	60497100
S T A R T C O B O L S O R T	COBOL 5 DH	60482500
S T A R T C O B O L S O R T	COBOL 5 RM	60497100
npuname, SAM LOAD ABORTED - ABNORMAL RESPONSE.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - BAD LOAD MODULE.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - BAD PICB.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - BAD PICB DIRECTIVE.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - BAD SPCB.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - LOAD MOD NOT FOUND.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - PICB NOT FOUND.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - PREEMPTED.	NOS 2 OPER HB	60459310
npuname, SAM LOAD ABORTED - TIMEOUT.	NOS 2 OPER HB	60459310
SAMPLE FWA .GE. LWA.	NOS 2 OPER HB	60459310
filename SAVED	XEDIT 3 RM	60455730
SC, IF SPECIFIED, MUST BE BC IF OT=BC.	NOS 2 OPER HB	60459310
SC, IF SPECIFIED, MUST BE SY, NS, OR BC.	NOS 2 OPER HB	60459310
SC ONLY PARAMETER VALID WITH USN.	NOS 2 RS VOL 3	60459680
SCALAR FORMAT SPECIFIER MUST BE INTEGER	FORTRAN 5 RM	60481300
SCANNING MEMORY.	NOS 2 OPER HB	60459310
SCANNING RESOURCE DEMAND FILE.	NOS 2 OPER HB	60459310
SCHEMA/AREA ID id TOO LARGE	CDCS 2 DA RM	60485200
SCHEMA sn DBREC JOB REQUEST	CDCS 2 DA RM	60485200
SCHEMA sn DBREC JOB REQUEST	CDCS 2 AP RM	60485300
SCHEMA ID MISMATCH ON CDCS file	CDCS 2 DA RM	60485200
SCHEMA ID MISMATCH ON CDCS file	CDCS 2 AP RM	60485300
SCHEMA ID MISMATCH ON QRF FOR SCHEMA	CDCS 2 DA RM	60485200
SCHEMA NAME/ID ON LOGFILE DOES NOT MATCH MD	CDCS 2 DA RM	60485200
SCHEMA NOT UP - CDCS TRANSACTION ROLL BACK NOT COMPLETE SCHEMA sn	CDCS 2 DA RM	60485200
SCHEMA NOT UP - CDCS TRANSACTION ROLL BACK NOT COMPLETE SCHEMA sn	CDCS 2 AP RM	60485300
SCLI,node,C1,port,blkst.	NOS 2 OPER HB	60459310
SCLI,node,C2, charst.		
SCLI,node,C3,blocksrt,padrjct,aarjct.		
SCM ARRAY SIZE ERROR	ALGOL 4 RM	60496600
'SCM' COMMON BLOCK LENGTH EXCEEDS 131071	FORTRAN 5 RM	60481300
SCM STACK OVERFLOW	ALGOL 4 RM	60496600

MESSAGE

SCNQ,node,C1,statistics1.
SCNQ,node,C2,statistics2.
SCNQ,node,C3,statistics3.
SCNQ,node,C4,statistics4.

SCP INCORRECT TRANSFER ADDRESS.

SCP PROBLEM - TAKE DEADSTART DUMP.

nnnn SCP ROLLIN FILES RECOVERED.

nnnn SCP ROLLOUT FILES RECOVERED.

SCP TERMINATION PROCESSING.

SCRIPT COMPLETE

xxx SCRIPT EXITED BY TERMINAL xxxxxxxx

SCRIPT NAME MUST BE LQ 3 CHARS

SCRIPT xxx NOT ON SL

SCRIPT STATEMENT MISSING

SCRIPT TOO LONG

SCRIPT -- 7 CHAR MASK NEEDED, ISEND LOGIN

SCRIPTS CANNOT FOLLOW TASK DEFINITIONS.

SCTD UTILITY COMPLETE.

SCTU,node,C1,port,blkst.

SCTU,node,C2,charst.

SCTU,node,C3,blocksrt.

SDF INSTALLATION COMPLETE.

SDSPLAY UTILITY COMPLETE.

SEARCH INVALID ON DESTINATION SPEC

SECOND SELECTOR-EXPRESSION ITEM NOT RECOGNIZED

SECOND SELECTOR-EXPRESSION ITEM NOT RECOGNIZED

SECONDARY APPLICATION ABORTED CONNECTION.

SECONDARY APPLICATION CONNECTION LIMIT.

SECONDARY APPLICATION FAILED.

SECONDARY APPLICATION NETTED OFF.

SECONDARY APPLICATION NOT AVAILABLE.

SECONDARY APPLICATION PROCESSING COMPLETE.

SECONDARY APPLICATION REFUSED CONNECTION.

SECONDARY OLDPL NOT RANDOM

nnnnnn.nnn SECONDS CP TIME

SECURE FILES - CHECKPOINT ABORT.

SECURE MEMORY, DUMP DISABLED.

SECURE MEMORY, DUMP DISABLED.

SECURE MEMORY, DUMP DISABLED.

SECURITY CONFLICT.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
UPDATE RM	60449900
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690

MESSAGE

SECURITY VIOLATION
SECURITY VIOLATION APP jobid.
SECURITY VIOLATION ON FILE filename AT
address.
SEE DAYFILE-UNABLE TO LOAD pfn.
SEE JOB DAYFILE.
SEGLOAD INPUT FILE EMPTY OR MOSPOSITIONED
SEG+PROGRAM+COMMON BLK TOTAL GT 8192
SEGRES TOO LARGE
SELECTED CUBE
NUMBER PROCESSED = n.
SELECTED CUBE NOT ASSIGNED AS EXPECTED
NUMBER PROCESSED = n.
SELECTED CUBE NOT EMPTY
NUMBER PROCESSED = n.
SELECTED CUBE NOT UNASSIGNED
NUMBER PROCESSED = n.
SELECTED DEVICE NOT MASS STORAGE.
SELECTION ERRORS, UPDATE PHASE SUPPRESSED
SELECTOR-EXPRESSION NOT TERMINATED BY COLON
SELECTOR-EXPRESSION NOT TERMINATED BY COLON
SEND DATA BIT NOT SET.
SEND TO TERMINAL NOT LOGGED IN.
/ SEPARATOR MISSING
SEPARATOR MISSING AT
SEPARATOR MISSING. SEPARATOR ASSUMED HERE
SEQUENCE MODE IS NON-ANSI
SEQUENCE NUMBER EXCEEDS 131071
SEQUENCE NUMBER OUT OF ORDER - dudd.
SEQUENCE NUMBER OUT OF ORDER - dntd.
SEQUENCE NUMBER OUT OF ORDER
SEQUENCING BAD AFTER ADDRESS nnnnnn IN
RECORD TYPE x.
SEQUENTIAL POSITIONING.
SEQUENTIAL READ.
SEQUENTIAL WRITE.
SERIAL NUMBER = xxxxxxxxxx
SERIAL NUMBER FIELD MISSING
SERIAL NUMBER INVALID
SERIAL NUMBER NOT FOUND
SERIAL NUMBER TOO LARGE
SERVICE CLASS FULL.
SERVICE CLASS FULL
SERVICE CLASS REQUIRED WITH JSN.
SERVICE LIMIT EXCEEDED.

	<u>MANUAL</u>	<u>PUB. NO.</u>
NAM 1 RM		60499500
NOS 2 OPER HB		60459310
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 4		60459690
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
LOADER 1 RM		60429800
LOADER 1 RM		60429800
LOADER 1 RM		60429800
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
CDCS 2 DA RM		60485200
8-BIT SUBR RM		60495500
FORM RM		60496200
NOS 2 OPER HB		60459310
TAF 1 RM		60459500
NPS RM		60480500
FORTRAN 5 RM		60481300
FORTRAN EXT 4		60497800
FORTRAN 5 RM		60481300
UPDATE RM		60449900
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
FORTRAN 5 RM		60481300
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
NOS 2 OPER HB		60459310
MCS 1 RM		60480300
MCS 1 RM		60480300
MCS 1 RM		60480300
MCS 1 RM		60480300
MCS 1 RM		60480300
NOS 2 RS VOL 3		60459680
RBF 1 RM		60499600
NOS 2 RS VOL 3		60459680
NOS 2 RS VOL 3		60459680

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SFM LINK FAST ATTACH FILE NOT FOUND.	NOS 2 OPER HB	60459310
SFM SYSTEM SECTOR ERROR.	NOS 2 OPER HB	60459310
SFM TRACK INTERLOCK ERROR.	NOS 2 RS VOL 4	60459690
SFM UNABLE TO INTERLOCK DEVICE.	NOS 2 RS VOL 4	60459690
SFM - UNCORRECTABLE RMS ERROR.	NOS 2 RS VOL 4	60459690
SFM UNRECOVERABLE LINK DEVICE ERROR.	NOS 2 OPER HB	60459310
SFMCATn FOR FAMILY familyname CLOSED.	NOS 2 OPER HB	60459310
SFOPEN PANEL xxxxxxxx BAD ENTRY FORMAT	NOS 2 SF RM	60460430
SFOPEN PANEL xxxxxxxx BAD GROUP NAME	NOS 2 SF RM	60460430
SFOPEN PANEL xxxxxxxx BAD LIBRARY LIST	NOS 2 SF RM	60460430
SFP CALL ERROR.	NOS 2 RS VOL 3	60459680
SFP/DOO BAD ERROR TEXT.	NOS 2 RS VOL 3	60459680
SFP/DOO ERROR TEXT NOT FOUND.	NOS 2 RS VOL 3	60459680
SFP/DOO ERROR TEXT NOT ON MASS STORAGE.	NOS 2 RS VOL 3	60459680
SFP/DOO INVALID MESSAGE NUMBER.	NOS 2 RS VOL 3	60459680
SFP/xxx INCORRECT FUNCTION CODE.	NOS 2 RS VOL 3	60459680
SFP/xxx INCORRECT ORIGIN CODE.	NOS 2 RS VOL 3	60459680
SFP/xxx PARAMETER ERROR.	NOS 2 RS VOL 3	60459680
SFP/PFE I/O SEQUENCE ERROR.	NOS 2 RS VOL 3	60459680
SFP/RPV UNABLE TO RESET, NOT REPRIEVED.	NOS 2 RS VOL 3	60459680
SFP/SRP SPECIAL REQUEST PROCESSING ERROR.	NOS 2 RS VOL 3	60459680
SFP/STS UNKNOWN DEVICE TYPE/NAME.	NOS 2 RS VOL 3	60459680
SFSREA PANEL xxxxxxxx NOT OPENED	NOS 2 SF RM	60460430
SFSWRI PANEL xxxxxxxx NOT OPENED	NOS 2 SF RM	60460430
SFSWRI PANEL xxxxxxxx NOT PRIMARY	NOS 2 SF RM	60460430
SH/ISD ON NON-EXISTENT AN.	NOS 2 OPER HB	60459310
SHALL WE RETRY THE CDCS REQUEST-ANSWER Y OR N	QUERY UPDT 3 RM	60498300
SHARE TABLE ERROR.	NOS 2 RS VOL 3	60459680
jsn SHARE TABLE MISMATCH.	NOS 2 RS VOL 3	60459680
jsn SHARE TABLE MISMATCH.	NOS 2 RS VOL 4	60459690
SHARED DEVICE ACTIVE IN DAT.	NOS 2 OPER HB	60459310
SHIFT ARGUMENT MUST BE GREATER THAN -61 AND LESS THAN 61	FORTRAN EXT 4	60497800
SHIFT COUNT MUST BE BETWEEN -60 AND 60	FORTRAN 5 RM	60481300
SHORT FORMS OF LOGICAL OPERATORS OR CONSTANTS NOT ALLOWED	FORTRAN EXT 4	60497800
.SHUTDOWN IMMINENT.	NOS 2 OPER HB	60459310
SHUTDOWN IN PROGRESS	RBF 1 RM	60499600
SHUTDOWN WARNING.	NOS 2 OPER HB	60459310
SHUTTLE ERROR.	NOS 2 OPER HB	60459310
REPLY GO TO RETRY - DROP TO OFF DEVICE.		
SI CODED FORMAT INCORRECT.	NOS 2 RS VOL 4	60459690
SI DAMAGE	APL 2 RM	60454000
SIGNED COUNT ALLOWED ONLY BEFORE P EDIT DESCRIPTOR	FORTRAN 5 RM	60481300
SIGNED COUNT ALLOWED ONLY BEFORE P OR X CODE	FORTRAN EXT 4	60497800

MESSAGE

SIMPLE VARIABLE OR CONSTANT FOLLOWED BY LEFT PARENTHESIS

SIN-CDS ERROR

SINGLE FRAME ERROR.

SINGLE WORD CONSTANT MATCHED WITH DOUBLE OR COMPLEX VARIABLE. PRECISION LOST

SIP - ADDRESS NOT IN FL xxxx

SIP - CH/CONFLICT xx -ABORT-

SIP - MORE THAN 2-PIPS -ABORT-

SIP - Nx BAD FCT/CODE xxxx

SIP - Nx BAD MSG/LTH STIM xxxx

SIP - Nx BAD NPU MEM/ADR xxxx

SIP - Nx BAD PPU ORDER xxxx

SIP - Nx CH xx ACT/EMPTY NO FCT

SIP - Nx CH xx ACTIVE AFT/1SEC

SIP - Nx CHxx FULL ON OUTPUT

SIP - Nx CHxx IMPROP/CH/RELEASE

SIP - Nx CHxx INACTIVE TO OUT

SIP - Nx CHxx IS EMPTY TO INP

SIP - Nx CHxx NO EQ/NUM xx

SIP - Nx CHxx NO RESPONSE PIP

SIP - Nx CH STILL EMPTY AFT/1SEC

SIP - Nx COUP WRONG FOR NPU STATUS

SIP - Nx INP/BUF ALREADY EMPTY

SIP - Nx MXLTH TOO BIG FOR O-BUF

SIP - NO MATCH NPID=xxxx -ABORT-

SIP - NO MSG TERM FROM PIP

SIP - NPU SIMULATION DROP

SIP - PARAM/LIST BAD -ABORT-

SIP - STIM ABORTED NO ACT/NPUS

SIZE-CODE VIOLATION

*** SIZE EXCEEDS CIO BUFFER LIMIT ***

SIZE OF ARRAY EXCEEDS 1048568

SIZE OF ARRAY EXCEEDS 131071

SIZE PARAMETER NOT NUMERIC TYPE

SKF est,nn.

SKIP COUNT FOR X CODE IS PRECEDED BY nnnnn

SKP est,nn.

SKR est,nn.

SL LIST TOO BIG - CONSULT UCLOAD IMS

SL NOT SPECIFIED CORRECTLY.

SL NOT VALIDATED.

SLASH MUST BE FOLLOWED BY AN OCTAL OR INTEGER CONSTANT

SLAVE MODE - LOADING MSSSLV.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
NPS RM	60480500
COM MEM MGMT 1	60499200
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
8-BIT SUBR RM	60495500
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
LOADER 1 RM	60429800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310

MESSAGE

	MANUAL	PUB. NO.
SLL ARGUMENT ERROR.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SLTC ERROR	CDCS 2 DA RM	60485200
SLTC ERROR	CDCS 2 AP RM	60485300
SLV1 ABNORMAL - xxx.	NOS 2 OPER HB	60459310
/SLV1 ABNORMAL - xxx.	NOS 2 OPER HB	60459310
SLV1 ACTIVE, EXEC xxxx.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SLV1 - ERROR TERMINATION (1).	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SLV1 - IDLED DOWN.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SLV1, MTBSPFN xxxx.	NOS 2 OPER HB	60459310
SLV1, MTOSPFN xxxx.	NOS 2 OPER HB	60459310
SLV1, STOMNO1 xxxx.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SMF IS ALREADY CONNECTED TO IAF	NOS 2 OPER HB	60459310
SMMAP ERROR FLAG NOT SET.	NOS 2 OPER HB	60459310
SMMAP OPEN ERROR.	NOS 2 OPER HB	60459310
SMMAP PARITY ERROR.	NOS 2 OPER HB	60459310
SMP - ABORTED DUE TO ROLLOUT REQUEST	NOS 2 RS VOL 3	60459680
SMP ERROR xxxxxxxxxxxxxxxxxxxxxxx.	NOS 2 OPER HB	60459310
SOLICITATION LIMIT EXCEEDED	MCS 1 RM	60480300
SORT CANNOT USE SPECIFIED/DEFAULT-CM- SORT USING xxxxx CM WORDS INSTEAD	SORT MERGE 4&1	60497500
SORT MERGE ABORT	SORT MERGE 4&1	60497500
SORT/MERGE WITHIN SORT/MERGE	COBOL 5 DH	60482500
SORT/MERGE WITHIN SORT/MERGE	COBOL 5 RM	60497100
SOURCE ALREADY IN USE	MCS 1 RM	60480300
SOURCE CHARACTER NOT 0 OR 1, TO BIT STRING	8-BIT SUBR RM	60495500
SOURCE CHARACTER NOT 0 OR 1, TO BIT STRING	FORM RM	60496200
SOURCE EXPONENT TOO LARGE, NOT REPRESENTABLE	8-BIT SUBR RM	60495500
SOURCE EXPONENT TOO LARGE, NOT REPRESENTABLE	FORM RM	60496200
SOURCE STATEMENT SYNTAX ERROR	COBOL 5 DH	60482500
SOURCE STATEMENT SYNTAX ERROR	COBOL 5 RM	60497100
SPCW CALL ERROR.	NOS 2 RS VOL 3	60459680
nnnn SPECIAL FILES RECOVERED.	NOS 2 OPER HB	60459310
SPECIAL REQUEST PROCESSING ERROR.	NOS 2 RS VOL 3	60459680
SPECIFIED CHANNEL IS IN USE.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SPIN DOWN UNIT xx.	NOS 2 OPER HB	60459310
SPURIOUS CHARACTERS AFTER CONTINUE IGNORED	FORTRAN EXT 4	60497800
SQUARE ROOT PARAMETER ERROR	ALGOL 4 RM	60496600
SR-m-2 yyyy yyyy yyyy yyyy yyyy.	NOS 2 OPER HB	60459310
SR-m-1 yyyy yyyy yyyy yyyy yyyy yyyy.		
SR-m-0 yyyy yyyy yyyy yyyy yyyy yyyy.		
SRU LIMIT	NOS 2 RS VOL 3	60459680
ENTER S TO CONTINUE OR STOP TO END JOB STEP.		
TYPED AHEAD INPUT MUST BE REENTERED.		

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SSEXEC SEEKING FL INCREASE.	NOS 2 OPER HB	60459310
SSF FUNCTION nn RECEIVED ERROR mm FOR zzzzzz.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
SSUMAP READ ERROR.	NOS 2 OPER HB	60459310
SSUSE ABNORMAL, xxx.	NOS 2 OPER HB	60459310
SSUSE - ARGUMENT ERROR.	NOS 2 OPER HB	60459310
SSUSE COMPLETE. or SSUSE COMPLETED.	NOS 2 OPER HB	60459310
ST NOT SPECIFIED CORRECTLY.	NOS 2 OPER HB	60459310
ST NOT SPECIFIED CORRECTLY.	NOS 2 OPER HB	60459310
STACK DEPTH EXCEEDED	UPDATE RM	60449900
STACK PURGING NOT DESELECTABLE.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
pfm STAGE INITIATED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
STAGING DELAY, FM=famname, UI=userin. DISK FULL. REPLY GO TO CONTINUE.	NOS 2 OPER HB	60459310
STANDARD NAME AFTER SEQUENCE	SORT MERGE 481	60497500
STAR DUMMY ARGUMENT ILLEGAL IN FUNCTION	FORTRAN 5 RM	60481300
STARTING ADDRESS OF MOVE OUT OF ARRAY - PARAMETER NO. :	ALGOL 4 RM	60496600
STATEMENT BUFFER FULL.	NOS 2 OPER HB	60459310
STATEMENT CAN TRANSFER TO ITSELF	FORTRAN 5 RM	60481300
STATEMENT CAN TRANSFER TO ITSELF	FORTRAN EXT 4	60497800
STATEMENT FUNCTION ACTUAL ARGUMENT MUST AGREE IN TYPE WITH DUMMY ARGUMENT	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DEFINITION MUST OCCUR BEFORE FIRST EXECUTABLE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DEFINITION MUST OCCUR BEFORE FIRST EXECUTABLE	FORTRAN EXT 4	60497800
STATEMENT FUNCTION DUMMY ARGUMENT ... CANNOT BE AN ARRAY	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY ARGUMENT CANNOT BE ASSUMED LENGTH	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY PARAMETER MUST BE USED AS SIMPLE VARIABLE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY PARAMETER NOT SIMPLE VARIABLE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION DUMMY PARAMETER nnnnn NOT SIMPLE VARIABLE	FORTRAN EXT 4	60497800
STATEMENT FUNCTION HAS NULL DEFINITION -- IGNORED	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn HAS NULL DEFINITION -- IGNORED	FORTRAN EXT 4	60497800
STATEMENT FUNCTION INDIRECTLY REFERENCES ITSELF	FORTRAN 5 RM	60481300
STATEMENT FUNCTION INVALID IN DATA VARIABLE LIST	FORTRAN 5 RM	60481300
STATEMENT FUNCTION -- MISPLACED EQUAL SIGN	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn -- MISPLACED EQUAL SIGN	FORTRAN EXT 4	60497800
STATEMENT FUNCTION OF TYPE CANNOT ACCEPT RESULT OF TYPE	FORTRAN 5 RM	60481300
STATEMENT FUNCTION nnnnn REFERENCE -- RIGHT PAREN MISSING	FORTRAN EXT 4	60497800
STATEMENT IS NOT DEFINED IN ANSI	FORTRAN 5 RM	60481300
STATEMENT IS NOT DEFINED IN ANSI	FORTRAN EXT 4	60497800
STATEMENT LABEL CONTAINS NON-DIGIT	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn CONTAINS NON-DIGIT	FORTRAN EXT 4	60497800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
STATEMENT LABEL EXCEEDS 5 DIGITS	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn EXCEEDS 5 DIGITS	FORTRAN EXT 4	60497800
STATEMENT LABEL EXPECTED BUT NOT FOUND	FORTRAN 5 RM	60481300
STATEMENT LABEL EXPECTED BUT NOT FOUND	FORTRAN EXT 4	60497800
STATEMENT LABEL IGNORED	FORTRAN EXT 4	60497800
STATEMENT LABEL MUST BE NUMERIC	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn MUST BE NUMERIC	FORTRAN EXT 4	60497800
STATEMENT LABEL REFERENCED BUT NOT DEFINED	FORTRAN 5 RM	60481300
STATEMENT LABEL nnnnn REFERENCED BUT NOT DEFINED	FORTRAN EXT 4	60497800
STATEMENT LABEL WITH NO STATEMENT	FTN 4-5 CONV RM	60483000
STATEMENT LABEL ZERO IGNORED	FORTRAN EXT 4	60497800
STATEMENT LABEL ZERO IS ILLEGAL	FORTRAN EXT 4	60497800
STATEMENT LABELS NOT AVAILABLE	INTER DEBUG RM	60481400
STATEMENT MISPLACED	FORTRAN 5 RM	60481300
nnnnn STATEMENT MISPLACED	FORTRAN EXT 4	60497800
STATEMENT TOO COMPLEX	BASIC 3 RM	19983900
STATEMENT TOO LONG.	NOS 2 OPER HB	60459310
STATEMENT TOO LONG	FORTRAN EXT 4	60497800
STATEMENT TRANSFERS TO ITSELF	FORTRAN 5 RM	60481300
STATEMENT TRANSFERS TO ITSELF	FORTRAN EXT 4	60497800
STATEMENT WORD TOO LONG	NPS RM	60480500
STATEMENTS BEGINNING AT THE BELOW LINE NUMBERS ARE UNREACHABLE (DEAD CODE), AND WILL NOT BE PROCESSED	FORTRAN 5 RM	60481300
STATEMENTS BEGINNING AT THE BELOW LINE NUMBERS ARE UNREACHABLE (DEAD CODE), AND WILL NOT BE PROCESSED.	FORTRAN EXT 4	60497800
STATEMENTS BEGINNING AT THE BELOW LINE NUMBERS ARE UNREACHABLE (DEAD CODE), AND WILL NOT BE PROCESSED	NOS 2 RS VOL 3	60459680
STATION DOWN	NOS 2 OPER HB	60459310
STATISTICS FLUSH NOT AVAILABLE	NOS 2 OPER HB	60459310
STATUS/CONTROL REGISTERS NOT FOUND.	NOS 2 RS VOL 3	60459680
STATUS ERROR, filename AT address.	NOS 2 RS VOL 4	60459690
STATUS RETURN NOT COMP-2	8-BIT SUBR RM	60495500
STEP CONDITION.	NOS 2 RS VOL 3	60459680
STIM - EMPTY SCRIPT LIBRARY	NOS 2 RS VOL 4	60459690
STIM - HASP CR OR LP NOT DEFINED IN LCF	NPS RM	60480500
STIM - ILLEGAL INPUT CARD, xxxxxx	NPS RM	60480500
STIM INITIALIZING NETWORK	NPS RM	60480500
STIM RUN COMPLETE	NPS RM	60480500
STIM - TOO MANY ACTIVE REPEATS	NPS RM	60480500
STIMULATION COMPLETE.	NOS 2 OPER HB	60459310
STIMULATOR RUN STARTED	NPS RM	60480500
STOP RUN NOT ENCOUNTERED IN PROGRAM	COBOL 5 DH	60482500
STOP RUN NOT ENCOUNTERED IN PROGRAM	COBOL 5 RM	60497100
STORAGE INCOMPATIBILITY FOR ARRAY	ALGOL 4 RM	60496600

MESSAGE

STORAGE MODULE ERROR.
STORAGE MODULE IS TURNED OFF.
STORAGE NOT AVAILABLE.
-STP DUMP TOO LONG
STRING ADDRESS CANNOT BE
STRING ADDRESS CANNOT BE CHARACTER
STRING ADDRESS MUST BE ARRAY ELEMENT OR SIMPLE VARIABLE
STRING/CONSTANT TOO LONG
STRING DELIMITER MISSING
STRING ELEMENT ERROR
STRING LITERAL NOT ALLOWED LEFT OF RELATION
STRING NOT FOUND
STRING NOT IN NUMERIC SYNTACTIC FORM
STRING NOT IN NUMERIC SYNTACTIC FORM
STRING OVERFLOW xxxxxx
STRING OVERFLOW
STRING OVERFLOW - STRING WILL BE TRUNCATED
STRING RELATION IS NOT .EQ. OR .NE.
STRING RELATION IS NOT .EQ. OR .NE.
STRING TERMINATOR MISSING
STRING TOO LONG.
STRING TOO LONG
SU NOT SPECIFIED CORRECTLY.
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY
EXISTS--FILE NOT UPDATED
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY
EXISTS--FILE NOT UPDATED
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY EXISTS --- FILE NOT UPDATED
SUB-SCHEMA WITH THE SAME NAME AS THE NEW SUB-SCHEMA ALREADY EXISTS -- FILE NOT UPDATED
SUBFAMILY ALREADY DEFINED.
SUBMIT COMPLETE. JSN IS jobseq
SUBMIT ERROR - RETRY
SUBMIT FILE EMPTY.
SUBMIT NOT CALLED FROM HELLO7
SUBROUTINE APPEARED IN TYPE DECLARATION
SUBROUTINE CANNOT BE TYPED -- TYPING IGNORED
SUBROUTINE ENTRY MAY NOT APPEAR IN A DECLARATIVE STATEMENT
SUBROUTINE NAME REFERRED TO BY CALL IS USED ELSEWHERE AS A NON-SUBROUTINE NAME
SUBROUTINE nnnnn REFERENCE AS A FUNCTION
SUBROUTINE REFERENCED AS A FUNCTION
SUBSCRIPT DOES NOT CONFORM TO ANSI STANDARD

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
FORM RM	60496200
ALGOL 4 RM	60496600
FORM RM	60496200
XEDIT 3 RM	60455730
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 SF RM	60460430
BASIC 3 RM	19983900
INTER DEBUG RM	60481400
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
QU/CRM DA RM	60482100
DDL 2 SUB SCHEM	60498500
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
DDL 3 SUB SCHEM	60482000
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
SUBSCRIPT ERROR	BASIC 3 RM	19983900
nnnnn SUBSCRIPT EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
SUBSCRIPT nnnnn EXCEEDS 2**17-1	FORTRAN EXT 4	60497800
SUBSCRIPT mmmmm FOR nnnnn NOT INTEGER -- TRUNCATED	FORTRAN EXT 4	60497800
nnnnn SUBSCRIPT LESS THAN 1 OR EXCEEDS DIMENSION	FORTRAN EXT 4	60497800
SUBSCRIPT nnnnn MUST BE NON-ZERO NUMERIC INTEGER CONSTANT	FORTRAN EXT 4	60497800
SUBSCRIPT OF IS NOT A NUMERIC TYPE	FORTRAN 5 RM	60481300
SUBSCRIPT OF IS NOT TYPE INTEGER	FORTRAN 5 RM	60481300
SUBSCRIPT OF VIOLATES LOWER DIMENSION BOUND	FORTRAN 5 RM	60481300
SUBSCRIPT OF VIOLATES UPPER DIMENSION BOUND	FORTRAN 5 RM	60481300
SUBSCRIPT mmmmm ON nnnnn MUST NOT BE LOGICAL	FORTRAN EXT 4	60497800
SUBSCRIPT OUT OF RANGE	INTER DEBUG RM	60481400
SUBSCRIPT OUT OF RANGE	COBOL 5 DH	60482500
SUBSCRIPT OUT OF RANGE	COBOL 5 RM	60497100
..... SUBSCRIPT OUTSIDE OF ARRAY BOUNDS	FORTRAN 5 RM	60481300
SUBSCRIPTS IN DATA MUST BE INTEGER	FORTRAN 5 RM	60481300
SUBSTRING EXPRESSION NOT INTEGER	FORTRAN 5 RM	60481300
SUBSTRING ILLEGAL FOR OPERAND	FORTRAN 5 RM	60481300
SUBSTRING ILLEGAL FOR PARAMETER	FORTRAN 5 RM	60481300
SUBSTRINGED VARIABLE NOT TYPE CHARACTER	FORTRAN 5 RM	60481300
SUBSYSTEM ABORTED.	NOS 2 RS VOL 3	60459680
	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 4	60459690
SUBSYSTEM NOT FOUND.	NOS 2 OPER HB	60459310
SUP est.	NOS 2 OPER HB	60459310
SUPERFLUOUS SCALE FACTOR ENCOUNTERED BEFORE THE CURRENT SCALE FACTOR	FORTRAN EXT 4	60497800
nnnn SUSPENDED ROLLOUT FILES RECOVERED.	NOS 2 OPER HB	60459310
SVC: svcname,EN=enum,DI=dinum,stip.	NOS 2 OPER HB	60459310
SWITCH BOUNDS ERROR	ALGOL 4 RM	60496600
****SYMBOL FILE NOT PROVIDED - OCTAL DUMP REPLACING	ALGOL 4 RM	60496600
SYMBOL TABLE OVERFLOW	FORTRAN EXT 4	60497800
SYMBOL TOO BIG	NOS 2 INSTAL HB	60459320
SYMBOLIC CONSTANT IN COMPLEX CONSTANT NOT ANSI	FORTRAN 5 RM	60481300
SYMBOLIC-NAME ?	MCS 1 RM	60480300
SYMBOLIC NAME HAS TOO MANY CHARACTERS	FORTRAN EXT 4	60497800
-SYMPL- BAD EXP CALL TO FTN	SYMPL 1 RM	60496400
-SYMPL- BAD LOADER CALL	SYMPL 1 RM	60496400
-SYMPL- cccccccccc COMPILED cp secs	SYMPL 1 RM	60496400
-SYMPL- COMPILER ABORT	SYMPL 1 RM	60496400
SYMPL COMPILER ERROR nnnn -- error text	SYMPL 1 RM	60496400
-SYMPL- EMPTY INPUT FILE	SYMPL 1 RM	60496400
-SYMPL- ERRORS IN TEXT GENERATION	SYMPL 1 RM	60496400
-SYMPL- INSUFFICIENT FL	SYMPL 1 RM	60496400

MESSAGE

-SYMPL- INSUFFICIENT LCM FL
-SYMPL- INSUFFICIENT SCM FL
-SYMPL- MORE THAN 1 Z PARAMETERS
-SYMPL- MORE THAN 16 TEXTS ON USE TEXT
-SYMPL- MORE THAN 32 SYMPL TEXTS ON Y FILES
-SYMPL- MORE THAN 7 Y PARAMETERS
-SYMPL- SYMPL TEXT NOT FOUND
-SYMPL- SYMPL TEXT NOT WRITTEN
-SYMPL- Y FILE NOT ON RANDOM DEVICE
SYNCHRONIZE LOAD RECEIVED.
command SYNTAX ERROR.
SYNTAX ERROR.
SYNTAX ERROR
SYNTAX ERROR
SYNTAX ERROR
SYNTAX ERROR, ASDEBUG ABORT.
SYNTAX ERROR - ASLABEL ABORT.
SYNTAX ERROR AT COMMA
SYNTAX ERROR IN ARGUMENT LIST
SYNTAX ERROR IN ASF DEFINITION
SYNTAX ERROR IN BLOCK NAME
SYNTAX ERROR IN BLOCK NAME
SYNTAX ERROR IN DATA CONSTANT LIST
SYNTAX ERROR IN DATA CONSTANT LIST
SYNTAX ERROR IN DATA ITEM LIST
SYNTAX ERROR IN DATA STATEMENT
SYNTAX ERROR IN DATA STATEMENT
SYNTAX ERROR IN DIMENSION DECLARATION
SYNTAX ERROR IN DIMENSION STATEMENT
SYNTAX ERROR IN DIRECTIVE.
SYNTAX ERROR IN DUMMY ARGUMENT LIST OF STATEMENT FUNCTION
SYNTAX ERROR IN EQUIVALENCE STATEMENT
SYNTAX ERROR IN EQUIVALENCE STATEMENT
SYNTAX ERROR IN GO TO STATEMENT
SYNTAX ERROR IN GO TO STATEMENT
SYNTAX ERROR IN I/O CONTROL LIST AT
SYNTAX ERROR IN I/O IMPLIED DO
SYNTAX ERROR IN I/O IMPLIED DO
SYNTAX ERROR IN IMPLIED DO NEST
SYNTAX ERROR IN IMPLIED DO NESTING
SYNTAX ERROR IN INPUT/OUTPUT STATEMENT
SYNTAX ERROR IN LID.

<u>MANUAL</u>	<u>PUB. NO.</u>
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
SYMPL 1 RM	60496400
NOS 2 OPER HB	60459310
TEXT EDITOR RM	60436100
NOS 2 OPER HB	60459310
APL 2 RM	60454000
MCS 1 RM	60480300
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
SYNTAX ERROR IN LOADER DIRECTIVE	FORTRAN EXT 4	60497800
SYNTAX ERROR IN NAMELIST	FORTRAN 5 RM	60481300
SYNTAX ERROR IN NAMELIST	FORTRAN EXT 4	60497800
SYNTAX ERROR IN PROGRAM CARD -- SCAN STOPPED AT nnnnn	FORTRAN EXT 4	60497800
SYNTAX ERROR IN PROGRAM UNIT NAME	FORTRAN 5 RM	60481300
SYNTAX ERROR IN PROGRAM UNIT NAME	FORTRAN EXT 4	60497800
SYNTAX ERROR IN SUBSCRIPT LIST, MUST BE OF FORM CON1*VAR*CON2	FORTRAN EXT 4	60497800
SYNTAX ERROR IN SUBSTRING EXPRESSION FOR	FORTRAN 5 RM	60481300
SYNTAX ERROR ON DIMENSION INDICATOR FOR nnnnn	FORTRAN EXT 4	60497800
SYNTAX ERROR, SSDEBUG ABORT.	NOS 2 OPER HB	60459310
SYNTAX ERROR - SSLABEL ABORT.	NOS 2 OPER HB	60459310
SYNTAX ERRORS IN INPUT	FTN 4-5 CONV RM	60483000
SYNTAX...NO DIGIT AFTER -E- IN NUMERIC LITERAL	8-BIT SUBR RM	60495500
SYNTAX...NO DIGIT AFTER -E- IN NUMERIC LITERAL	FORM RM	60496200
SYNTAX OF DO MUST BE I=M1,M2,M3 OR M1,M2	FORTRAN 5 RM	60481300
SYNTAX OF DO MUST BE I=M1,M2,M3 OR M1,M2	FORTRAN EXT 4	60497800
SYNOO1 SYNTAX ERROR	PL/I RM	60388100
SYNOO1 *** END OF PROGRAM INSIDE A COMMENT		
SYNOO1 *** FIRST STATEMENT NOT A LEGAL PROC. NO PROC.: PROCEDURE OPTIONS(MAIN); ASSUMED		
SYNOO1 *** PROGRAM MUST BE A COMPLETE EXTERNAL PROCEDURE. END CARDS SUPPLIED		
SYNOO1 *** THE CLOSURE NAME CANNOT BE FOUND, STATEMENT IGNORED		
SYNOO2 ALLOCATION WITH SET- OR IN-OPTION IS ALLOWED ONLY FOR BASED VARIABLES	PL/I RM	60388100
SYNOO3 BY OR TO ILLEGAL WITH INDEX OF NON-COMPUTATIONAL TYPE	PL/I RM	60388100
SYNOO4 LARGEST INTEGER PERMITTED IN CERTAIN CONTEXTS IS 16383	PL/I RM	60388100
SYSEDIT ARGUMENT ERROR.	NOS 2 OPER HB	60459310
SYSPARAMETER ERROR -F-	ALGOL 4 RM	60496600
SYSPARAMETER ERROR -Q-	ALGOL 4 RM	60496600
SYSTEM ABORT.	NOS 2 OPER HB	60459310
SYSTEM ABORT.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
SYSTEM ABORT.	NOS 2 OPER HB	60459310
SYSTEM ABORT OF TASK..	TAF 1 RM	60459500
SYSTEM ACTIVITY PROHIBITS LIBRARY CHANGE.	NOS 2 OPER HB	60459310
SYSTEM BUILT WITH LIBDnn.	NOS 2 OPER HB	60459310
or		
SYSTEM BUILT WITH LIBDnn. (UNDEFINED)		
SYSTEM BUSY.	NOS 2 OPER HB	60459310
SYSTEM CHECKPOINT ABORT.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
SYSTEM CLOSED	NAM 1 TERM INTF	60480600
SYSTEM CONTROL POINT FAILURE.	NOS 2 OPER HB	60459310
SYSTEM DAYFILE PROCESSED.	NOS 2 OPER HB	60459310
SYSTEM EDIT COMPLETE - CHANGE n.	NOS 2 OPER HB	60459310
SYSTEM ERR, EOI ON LIBRARY - name	LOADER 1 RM	60429800
SYSTEM ERROR.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM ERROR.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM ERROR LOADING - name	LOADER 1 RM	60429800
SYSTEM ERROR - NOTIFY SITE ANALYST.	NOS 2 RS VOL 3	60459680
xxx SYSTEM ERROR Pyyyy	NOS 2 OPER HB	60459310
SYSTEM FILE DESTROYED.	NOS 2 OPER HB	60459310
SYSTEM FILE ERROR IN CLD.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM FILE ERROR IN DIRECTORY.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM FILE ERROR IN PLD.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM FILE ERROR IN RCL.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM FILE ERROR IN RPL.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM FILE FORMAT ERROR.	NOS 2 OPER HB	60459310
SYSTEM FILE PARITY ERROR.	NOS 2 OPER HB	60459310
SYSTEM FILE RESERVED.	NOS 2 OPER HB	60459310
SYSTEM FULL.	NOS 2 RS VOL 3	60459680
SYSTEM LIBRARY CHANGE INCORRECT.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM NOT IN ENGR MODE.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
SYSTEM PROCEDURE ACCESS ERROR.	NOS 2 RS VOL 3	60459680
SYSTEM PROLOGUE NOT FOUND.	NOS 2 RS VOL 3	60459680
SYSTEM PROLOGUE NOT FOUND.	NOS 2 OPER HB	60459310
SYSTEM SECTOR ERROR.	NOS 2 OPER HB	60459310
	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
SYSTEM SECTOR ERROR - FILE IGNORED.	NOS 2 OPER HB	60459310
SYSTEM SOFTWARE RERUN THRESHOLD EXCEEDED	NOS 2 RS VOL 4	60459690
SYSTEM SOFTWARE RERUN THRESHOLD EXCEEDED.	NOS 2 RS VOL 3	60459680
SYSTEM TABLE FILE DESTROYED.	NOS 2 OPER HB	60459310
SYSTEM TAPE PARITY ERROR.	NOS 2 OPER HB	60459310
SYSTEM TASK LIBRARY MISSING TASK, taskname.	TAF 1 RM	60459500
	NOS 2 OPER HB	60459310
SYSTEM TEXT NOT FOUND. BAD SYSTEM TEST - X=yyyyyy/zzzzzz	COMPASS 3 RM	60492600
SYSTEM TOO BIG FOR MASS STORAGE.	NOS 2 OPER HB	60459310
T CODE IS NULL OR ZERO, COLUMN POINTER RESET AT 1	FORTRAN EXT 4	60497800
T CODE RESETS COLUMN POINTER, OVERLAYING CURRENT LINE	FORTRAN EXT 4	60497800
nnnn T/E ROLLOUT FILES RECOVERED.	NOS 2 OPER HB	60459310
T EDIT DESCRIPTOR FOLLOWED BY ZERO OR NON-DIGIT	FORTRAN 5 RM	60481300
TAB SETTING DESIGNATOR IS NON-ANSI	FORTRAN EXT 4	60497800
TAB SETTING IS GREATER THAN 131,071. SCANNING STOPS	FORTRAN EXT 4	60497800

MESSAGE

TAB SETTING MAY EXCEED RECORD SIZE, DEPENDING ON USE
 TAB STOPS NONE.
 TAB STOPS t1 t2 ... tn
 TABLE ADDRESS ERROR
 TABLE MANAGER LOGIC ERROR
 TABLE OVERFLOW.
 TABLE OVERFLOW xxxxxx
 TABLE OVERFLOW (ARLSZ) - SIMPLIFY EXPRESSION OR SEE ANALYST
 TABLE OVERFLOW (CONSTORS) - SIMPLIFY STATEMENT OR SEE ANALYST
 TABLE OVERFLOW DURING OPTIMIZATION
 TABLE OVERFLOW -- INCREASE FIELD LENGTH AND RERUN
 TABLE OVERFLOW -- INCREASE FIELD LENGTH AND RERUN
 TABLE OVERFLOW, INCREASE FL
 TABLE OVERFLOW (MXFRSTB) - SIMPLIFY EXPRESSION OR SEE ANALYST
 TABLE OVERFLOW (MXOSE) - SIMPLIFY EXPRESSION OR SEE ANALYST
 TABLE OVERFLOW ON INPUT.
 TABLE OVERFLOW-TOO MANY TASKS.
 TABLES OVERLAP, INCREASE FL
 TABULATION ERROR
 TAF COMMUNICATIONS RECOVERY FILE NOT FOUND
 - filename.
 TAF/CRM CRM STATUS nnnnB IN FUNCTION
 yyyyyyy.
 TAF/CRM DATA MANAGER NOT LOADED IN TAF.

 TAF/CRM FUNCTION CODE NOT VALID.

 TAF/CRM RECOVERY FILE INCONSISTENT

 TAF/CRM TAF status nnn IN FUNCTION yyyyyyy.
 TAF DATA NOT WITHIN UCP FL.

 TAF ERROR CODE NOT DEFINED.

 TAF FIELD LENGTH DUMP RELEASED.
 TAF FUNCTION CODE NOT VALID.

 TAF IDLE.
 TAF IDLE (GO OR DROP).

 TAF IDLING DOWN.
 TAF INTERNAL ERROR.

 TAF NOT PRESENT (GO OR DROP).

 TAF RECOVERY REQUEST ERROR.

 TAF SUBSYSTEM BUSY

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
TEXT EDITOR RM	60436100
TEXT EDITOR RM	60436100
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310

MESSAGE

TAF SUBSYSTEM NOT DEFINED AS A SCP

TAF TAPE REQUEST DB = db DUMP.

TAF TERMINATE.

TAF TRANSACTION NAME UNKNOWN.

TAF TRANSACTION NOT RERUNNABLE.

TAF TWO OUTSTANDING REQUESTS.

TAF USER NOT VALID FOR TAF ACCESS.

TAF USER NUMBER ACTIVE.

TAPE BLANK LABELED.

TAPE BLOCK DEFINITION ERROR.

TAPE CATALOG FILE INTERLOCKED.

TAPE CLEANER FAULT. filename AT address.

TAPE ERR STAT status.

TAPE ERROR - GO,JSN/DROP,JSN.

TAPE FILE IS NOT ALLOWED

no TAPE FILES RECOVERED.

TAPE FORMAT PROBABLY WRONG.

TAPE FUNC REJ function.

TAPE MUST BE REQUESTED AS LABELED.

TAPE NOT READABLE.

TAPE NUMBER FILE EMPTY.

TAPE READ/WRITE ERROR (BLANK).

TAPE READ/WRITE ERROR (BLANK)

TAPE STATUS ERROR
STATUS = xxxx

TAPE VSN=xxxxxx IS BAD PLEASE REPLACE.

TAPES ASSIGNED AT MAGNET TERMINATION.

TARGET/SOURCE OVERLAP IN CHARACTER ASSIGNMENT STATEMENT

TASK CEASE WITH REQUESTED ABORTED.

TASK EDITING COMPLETE.

TASK LIBRARY DIRECTORY EMPTY.

TASK LIBRARY DIRECTORY EMPTY - llibraryname.

TASK LIBRARY DIRECTORY ERROR - llibraryname.

TASK LIBRARY DIRECTORY ERRORS.

TASK LIBRARY DIRECTORY TOO LONG.

TASK LIBRARY DIRECTORY TOO LONG -
llibraryname.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 INSTAL HB	60459320
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 INSTAL HB	60459320
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 INSTAL HB	60459320
TAF/CRM 1 DM RM	60459510
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310

MESSAGE

TASK NOT VALIDATED FOR REQUEST.
TASK PERCENTAGE UNEQUAL TO 100.
taskname - TASK RECOVERED.
taskname - TASK RECOVERY FAILED.
TASK REQUEST ARGUMENT ERROR.
TASK REQUESTED CEASE BEFORE DM FINISHED.
TASK TIME LIMIT.
nnn TASKS NOT LOADED INTO ECS.
TC INCORRECT TERMINAL CLASS
TC INCORRECT TERMINAL CLASS
TCB CHAINS EXCEED MAXIMUM NUMBER OF TCBS
PER LCB.
TCS INCORRECT REQUEST.
TDU TERMINATED WITH ERRORS
pfn TEMPORARY ERROR, TRY LATER.
TERM: termnam,un,ltime,aname,acn/ctime,dt.
TERM
TERM
TERM CARD, HASP TRML RANGE ERROR
TERM CARD MISSING
TERM: term, UNACTIONED COMMAND.
TERM: trmname,st,dt/tc,hnid,linenam/a1/a2.
TERMINAL BUSY.
TERMINAL CHARACTER CONVERTED TO RIGHT PAREN
TERMINAL CHARACTER nnnnn CONVERTED TO RIGHT PAREN
TERMINAL DEFINITION NOT FOUND
TERMINAL DELIMITER...MISSING
TERMINAL DELIMITER nnnnn MISSING
TERMINAL DESTINATION ONLY- MESSAGE DISCARDED
TERMINAL DISABLED BY NOP.
TERMINAL DISABLED BY NOP
TERMINAL DISABLED - MESSAGE DISCARDED
xxxxxxx TERMINAL FAILED
TERMINAL INTERRUPT.
TERMINAL MODEL NOT YET SPECIFIED
TERMINAL NODE OF LLINK l1name, NOT
SUPERVISED.
TERMINAL NOT ACTIVE.
TERMINAL NOT AVAILABLE.
TERMINAL NOT CONNECTED
TERMINAL NOT VALIDATED FOR PSU

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NAM 1 TERM INTF	60480600
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NPS RM	60480500
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
TAF 1 RM	60459500
RBF 1 RM	60499600
MCS 1 RM	60480300
NPS RM	60480500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 SF RM	60460430
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
MCS 1 RM	60480300
NOS 2 OPER HB	60459310

MESSAGE

xxxxxxx TERMINAL RECOVERED
TERMINAL RIGHT PAREN MISSING
TERMINAL TABLE OVERFLOW.
TERMINAL TIME OUT - JSN=aaaa.
TERMINAL TIMEOUT IN nn SECONDS.
TERMINAL TIMEOUT, OPTION B ASSUMED.
TERMINALS CANNOT CONNECT ON HOST-HOST LOGICAL LINK.
TERMINATE ENCOUNTERED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED
TERMINATE ENCOUNTERED BEFORE CDCS COMMIT OR DROP REQUEST - DROP ASSUMED
xxxxxxx TERMINATED.
TERMINATED AT STMT nnn IN procedure
TERMINATION IN PROGRESS.

TERMINATOR MISSING
TEST CONVERSION ERROR
TEST FIELD EXTENDS PAST END OF RECORD
TEST FIELD EXTENDS PAST END OF RECORD
TEST FIELD NOT IN RECORD, ON LEFT
TEST FIELD NOT IN RECORD, ON LEFT
TEST FIELD NOT IN RECORD, ON RIGHT
TEST FIELD NOT IN RECORD, ON RIGHT
TEST MODE, NETWORK NOT USED.
TEST MODE, NETWORK NOT USED
TEST NOT ALLOWED HERE
TFM INVALID REQUEST.
TFM UTILITY ACTIVE.
TFSP ABORTED.
TFSP COMPLETE.
TFU - ARGUMENT ERROR.
TFU - INCORRECT REQUEST.
TFU - USER ACCESS NOT VALID.

THE ABOVE CALLED COMMON DECK WAS NOT FOUND
THE ABOVE CARD AFFECTS A DECK OTHER THAN THE DECLARED DECK
THE ABOVE DIRECTIVE IS ILLEGAL AFTER A DECK HAS BEEN DECLARED
THE ABOVE DIRECTIVE IS ILLEGAL DURING A CREATION RUN
THE ABOVE DIRECTIVE IS ILLEGAL IN AN ALTERNATE FILE-IGNORED
THE ABOVE LISTED DIRECTIVES CANNOT EXIST IN THE YANKDECK AND HAVE BEEN PURGED DURING EDITING
THE ABOVE OPERATION IS NOT LEGAL WHEN REFERENCING THE YANKDECK
THE ABOVE SPECIFIED LINE WAS NOT ENCOUNTERED

THE AREA ID/NAME IS id/name
THE AREA ID/NAME IS id/name
THE CDCS file IS EMPTY - MUST BE ALLOCATED

<u>MANUAL</u>	<u>PUB. NO.</u>
NPS RM	60480500
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
PL/I RM	60388100
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
FORTRAN 5 RM	60481300
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
FORM RM	60496200
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
UPDATE RM	60449900
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200

MESSAGE

THE CDCS file IS EMPTY - MUST BE ALLOCATED
THE CONTROL VARIABLE OF A DO OR DO IMPLIED LOOP MUST BE A SIMPLE INTEGER VARIABLE
THE EXPRESSION IN A LOGICAL IF IS NOT TYPE LOGICAL
THE EXPRESSION IN AN IF STATEMENT IS TYPE COMPLEX
THE FIELD FOLLOWING STOP OR PAUSE MUST BE 5 OR LESS OCTAL DIGITS OR A QUOTE-DELIMITED STRING
THE FOLLOWING LABEL WAS NOT FOUND
THE FORMAT OF THIS END LINE DOES NOT CONFORM TO ANSI SPECIFICATIONS
THE INITIAL LINE OF THE COPY RANGE WAS NOT FOUND. NULL COPY
THE NON-STANDARD RETURN STATEMENT IS NON-ANSI
THE OPERATOR INDICATED (-,+,*,./, OR **) MUST BE FOLLOWED BY A CONSTANT, NAME, OR LEFT PARENTHESIS
THE REPORT FOOTING AND THE LAST PAGE FOOTING OVERLAP SO THE REPORT FOOTING IS SUPPRESSED BY THE RWCS
THE REPORT FOOTING AND THE LAST PAGE FOOTING OVERLAP SO THE REPORT FOOTING IS SUPPRESSED BY THE RWCS
THE REPORT HEADING AND THE FIRST PAGE HEADING OVERLAP SO THE PAGE HEADING IS SUPPRESSED BY THE RWCS
THE REPORT HEADING AND THE FIRST PAGE HEADING OVERLAP SO THE PAGE HEADING IS SUPPRESSED BY THE RWCS
THE REPORT IS ALREADY INITIATED SO THIS INITIATE IS IGNORED BY THE RWCS
THE REPORT IS ALREADY INITIATED SO THIS INITIATE IS IGNORED BY THE RWCS
THE REPORT IS NOT INITIATED SO THIS TERMINATE IS IGNORED BY THE RWCS
THE REPORT IS NOT INITIATED SO THIS TERMINATE IS IGNORED BY THE RWCS
THE REPORT WAS NOT INITIATED SO THE RWCS INITIATED IT BEFORE PROCESSING THIS GENERATE
THE REPORT WAS NOT INITIATED SO THE RWCS INITIATED IT BEFORE PROCESSING THIS GENERATE
THE SCHEMA/ID NAME IS id/name
THE SCHEMA/ID NAME IS id/name
THE SCHEMA/ID NAME IS sn/sid
THE STATEMENT IN A LOGICAL IF MAY BE ANY EXECUTABLE STATEMENT OTHER THAN A DO OR ANOTHER LOGICAL IF
THE STATION IS NOT LOGGED INTO SCOPE 2
THE SYNTAX OF DO PARAMETERS MUST BE I=M1,M2,M3 OR I=M1,M2
THE TERMINAL LINE OF THE COPY RANGE WAS NOT FOUND. COPY ENDS AT END OF SPECIFIED DECK
THE TERMINAL LINE SPECIFIED WAS NOT ENCOUNTERED
THE TERMINAL STATEMENT OF DO PRECEDED THE DO DEFINITION
THE TERMINAL STATEMENT OF DO hnnnn PRECEDED THE DO DEFINITION
THE TERMINAL STATEMENT OF THIS DO PRECEDES IT
THE TYPE COMBINATION OF THE OPERANDS OF A RELATIONAL OR ARITHMETIC OPERATOR (OTHER THAN **) IS NON-ANSI
THE TYPE COMBINATION OF THE OPERANDS OF AN EQUAL-SIGN OPERATOR IS NON-ANSI
THE TYPE COMBINATION OF THE OPERANDS OF AN EXPONENT OPERATOR IS NON-ANSI
THE TYPE OF THIS IDENTIFIER IS NOT LEGAL FOR ANY EXPRESSION
THE UPPER LIMIT AND CONTROL VARIABLES OF THIS DO ARE THE SAME, PRODUCING A NON-TERMINATING LOOP
THE VALUE OF THE PARITY INDICATOR IN A BUFFER I/O STATEMENT MUST BE O OR 1
THE WORD TYPE IS NOT PERMITTED
THERE IS NO PATH TO THIS STATEMENT
THIRD CHARACTER MUST BE NUMERIC
THIRD CHARACTER MUST BE NUMERIC
THIRD COL VALUE OUT OF RANGE -- IGNORED

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 AP RM	60485300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NPS RM	60480500
FORTRAN EXT 4	60497800
UPDATE RM	60449900
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
COBOL 5 DH	60482500
COBOL 5 RM	60497100
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
FORTRAN EXT 4	60497800
UPDATE RM	60449900
UPDATE RM	60449900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
PL/I RM	60388100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
THIRD COL VALUE WITHIN THE FIRST TWO -- IGNORED	PL/I RM	60388100
THIS ASSIGN STATEMENT HAS IMPROPER FORMAT, ONLY ALLOWABLE IS (ASSIGN LABEL TO VARIABLE)	FORTRAN EXT 4	60497800
THIS CONNECTION IS ALREADY LOANED.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
THIS DO LOOP WILL NOT EXECUTE	FORTRAN 5 RM	60481300
THIS FORM OF AN I/O STATEMENT DOES NOT CONFORM TO ANSI SPECIFICATIONS	FORTRAN EXT 4	60497800
THIS FORM OF DATA STATEMENT NOT PERMITTED	FORTRAN EXT 4	60497800
THIS FORMAT DECLARATION IS NON-ANSI	FORTRAN EXT 4	60497800
THIS IF DEGENERATES INTO A SIMPLE TRANSFER TO THE LABEL INDICATED	FORTRAN EXT 4	60497800
THIS IS NOT A FORTRAN STATEMENT	FORTRAN 5 RM	60481300
THIS IS NOT A FORTRAN STATEMENT	FORTRAN EXT 4	60497800
THIS IS NOT AN ARRAY - PARAMETER NO. :	ALGOL 4 RM	60496600
THIS NAME MAY NOT BE USED IN A DATA STMT	FORTRAN EXT 4	60497800
THIS OPERATOR (.NOT. OR A RELATIONAL) MUST BE FOLLOWED BY A CONSTANT, NAME, LEFT PAREN, + OR -	FORTRAN EXT 4	60497800
THIS PROGRAM UNIT CALLS ITSELF	FORTRAN EXT 4	60497800
THIS STATEMENT BRANCHES TO ITSELF	FORTRAN EXT 4	60497800
THIS STATEMENT FORM IS OBSOLETE. USE A LEVEL 3 STATEMENT	FORTRAN EXT 4	60497800
THIS STATEMENT HAS NO INITIAL LINE -- INITIAL ASSUMED	FORTRAN 5 RM	60481300
THIS STATEMENT MAKES AN ILLEGAL TRANSFER INTO A PREVIOUS DO LOOP	FORTRAN EXT 4	60497800
THIS STATEMENT MAY NOT BE A DO TERMINAL	FORTRAN 5 RM	60481300
THIS STATEMENT MAY NOT BE A DO TERMINAL	FORTRAN EXT 4	60497800
THIS STATEMENT MAY REDEFINE A CURRENT LOOP CONTROL VARIABLE OR PARAMETER, OPTIMIZATION INHIBITED	FORTRAN EXT 4	60497800
THIS STATEMENT MUST BE CONTAINED ON 1 CARD	FORTRAN 5 RM	60481300
THIS STATEMENT REDEFINES A CURRENT LOOP CONTROL VARIABLE OR PARAMETER	FORTRAN EXT 4	60497800
THIS STATEMENT REDEFINES A DO CONTROL INDEX	FORTRAN EXT 4	60497800
THIS STATEMENT REDEFINES A DO INDEX PARAMETER	FORTRAN EXT 4	60497800
THIS STATEMENT REQUIRES AN I/O LIST	FORTRAN EXT 4	60497800
THIS STATEMENT TYPE IS ILLEGAL IN BLOCK DATA SUBPROGRAM	FORTRAN EXT 4	60497800
THIS STATEMENT TYPE IS NON-ANSI	FORTRAN EXT 4	60497800
THIS SUBPROGRAM HAS TOO MANY DO LOOPS	FORTRAN EXT 4	60497800
THIS TERM IS NOT CONNECTED.	NOS 2 OPER HB	60459310
THIS UPDATE REQUIRED n WORDS OF CORE	UPDATE RM	60449900
THRESHOLD ERROR	ALGOL 4 RM	60496600
TIME AND DATE PARAMETERS REQUIRE EACH OTHER	QU/CRM DA RM	60482100
TIME LIMIT.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
TIME LIMIT ENTER T TO CONTINUE OR STOP TO END JOB STEP. TYPED AHEAD INPUT MUST BE REENTERED.	NOS 2 RS VOL 3	60459680
TIME LIMIT.	NOS 2 OPER HB NOS 2 RS VOL 3	60459310 60459680
TIME LIMIT	INTER DEBUG RM	60481400
TIME LIMIT EXCEEDED	BASIC 3 RM	19983900
TIME LIMIT EXCEEDED	FORTRAN EXT 4	60497800
TIME LIMIT UP.	NOS 2 OPER HB	60459310

MESSAGE

TIME yyddd hh.mm.ss NOT FOUND BEFORE EOI ****
xxxxxx - TIMED OUT
TIMEOUT.
TIMEOUT
TIMEOUT
TIP NOT CONFIGURED.
TL EDIT DESCRIPTOR BACKSPACED BEYOND 1ST COLUMN -- COLUMN POINTER RESET AT 1
TL NOT VALIDATED.
TLD OVERFLOW.
TLX - ARGUMENT ERROR.
TLX - RPV ALREADY SET.
TMS DISABLED.
TMS PROCESSING INHIBITED.
TN MUST BE SPECIFIED.
TN OR DN MUST BE SPECIFIED.
TN REQUIRES EITHER LO=T OR LO=X.
TO ADDRESS IS LESS THAN FROM ADDRESS
TO ASSUMED FOR
TO ASSUMED FOR nnnnn
TO KEYWORD EXPECTED
TO TERMINAL MUST BE CONNECTED
TO TERMINAL UNKNOWN
TOO FEW CONSTANTS -- VARIABLES FROM nnnnn MAY NOT BE INITIALIZED
TOO FEW CONSTANTS -- VARIABLES FROM NOT INITIALIZED
TOO FEW LEFT PAREN
TOO FEW LEFT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT
TOO FEW LEFT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
TOO FEW PARAMETERS
TOO FEW RIGHT PAREN
TOO FEW RIGHT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT
TOO FEW RIGHT PAREN OR PREVIOUS SYNTAX ERROR -- SCAN STOPPED AT nnnnn
..... TOO HIGH -- SHORT LOOPS SELECTED
TOO MANY xxxxxx
TOO MANY ACTIVE EVENT NAMES
TOO MANY ARGUMENTS.
TOO MANY ARGUMENTS
TOO MANY BITS SPECIFIED.
TOO MANY BRANCHES IN TASK CHAIN REQUESTED.
TOO MANY BREAKPOINTS
TOO MANY xxxx CHARACTERS

MANUAL	PUB. NO.
CDCS 2 DA RM	60485200
NPS RM	60480500
IAF 1 RM	60455250
NOS 2 RS VOL 3	60459680
MCS 1 RM	60480300
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
MCS 1 RM	60480300
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 SF RM	60460430
NPS RM	60480500
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
INTER DEBUG RM	60481400
NPS RM	60480500

MESSAGE

TOO MANY CHARACTERS
TOO MANY CHARACTERS
TOO MANY CHARACTERS IN FILE NAME.
**** TOO MANY CHARACTERS IN VALUE.
TOO MANY CHBS -- INCREASE L.CHB
TOO MANY DATA BASE NAMES.

TOO MANY -DD- UNITS DEFINED.
TOO MANY -DD- UNITS DEFINED
TOO MANY xxxx DIGITS
TOO MANY DIGITS IN Z, S, N, OR P FIELD -- OVERFLOW
TOO MANY DIGITS IN Z, S, N, OR P FIELD -- OVERFLOW
TOO MANY DOWNLINE BLOCKS OUTSTANDING
TOO MANY EVENT DECLARATIONS
TOO MANY/FEW SUBSCRIPTS
TOO MANY FILE NAMES OR VSN-S SPECIFIED.

TOO MANY FILENAMES IN LIST.
TOO MANY FILES
TOO MANY FILES
TOO MANY FILES IN TOTAL DATA BASE.

TOO MANY FORMALS
TOO MANY GROUPS
TOO MANY HOST LIDS.
TOO MANY LABELED COMMON BLOCKS, ONLY 125 BLOCKS ARE ALLOWED
TOO MANY LABELS IN LOGICAL IF
TOO MANY LIBRARY NAMES SPECIFIED.
TOO MANY LOCAL FILES.
TOO MANY MUX PORTS.
TOO MANY NESTED COMMAND SEQUENCES
TOO MANY NEW TRANSACTIONS ON TRANSACTION
DIRECTORY - filename.
..... TOO MANY OCCURRENCES
TOO MANY OPL FILES.:
..... TOO MANY OPTIONS
TOO MANY OPTIONS ARE SPECIFIED.
TOO MANY OUTPUT FILES
TOO MANY OWNCODE ENTRIES
TOO MANY PARAMETERS.
TOO MANY PARAMETERS.
TOO MANY PARAMETERS
TOO MANY PARAMETERS
TOO MANY PARAMETERS

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
UPDATE RM	60449900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NPS RM	60480500
8-BIT SUBR RM	60495500
FORM RM	60496200
NPS RM	60480500
NPS RM	60480500
INTER DEBUG RM	60481400
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
BASIC 3 RM	19983900
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
TAF 1 RM	60459500
FORTRAN 5 RM	60481300
MODIFY RM	60450100
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
FORM RM	60496200
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
INTER DEBUG RM	60481400
8-BIT SUBR RM	60495500
FORM RM	60496200

MESSAGE

TOO MANY PARENTHESIS LEVELS
TOO MANY PASSWORDS
TOO MANY PASSWORDS
TOO MANY PERMANENT FILES.

TOO MANY RA+1 CALLS.
TOO MANY SCREEN SIZES SPECIFIED, MAXIMUM 4
TOO MANY SCRIPT NAMES
TOO MANY SCRIPTS ON SCRIPT LIBRARY
TOO MANY SECONDARY OLDPLS SPECIFIED
TOO MANY SUBSCRIPTS IN ARRAY REFERENCE
TOO MANY SUBSCRIPTS ON hnnnn
TOO MANY TAF JOURNAL FILES IN xxJ FILE.

TOO MANY TERMINALS.
TOO MANY TERMINATED LOG FILES EXIST.
PROVIDE NAME
TOO MANY TRACE LEVELS
TOO MANY TRAPS
TOO MANY USER LIBRARIES SPECIFIED.
TOO MANY WHENS ON TRACK DIRECTIVE
TOO MANY 7000 JOBS...SUBMIT LATER
TOO MUCH DATA, RETYPE INPUT
TOO MUCH INDIRECT ACCESS FILE SPACE.

TOO SMALL BUFFER SPACE
TOP SPECIFIED TWICE
TOTAL ASSIGNED COUNT ERROR.
TOTAL ASSIGNED COUNT ERROR.
TOTAL DATA MANAGER NOT LOADED.
TOTAL DATA MANAGER SUCCESSFULLY LOADED.

TOTAL DEMAND COUNT ERROR.
TOTAL DEMAND COUNT ERROR.
TOTAL DID NOT RECOVER PROPERLY
STATUS IS yyyy.
TOTAL RECORD LENGTH IS GREATER THAN 131,071. SCANNING STOPS
TOTAL RECORD LENGTH IS GREATER THAN 137 CHARACTERS. IT MAY EXCEED THE I/O DEVICE CAPACITY
TOTAL VALIDATION ERRORS = n.
TRACK ALREADY ASSIGNED.
TRACK LIMIT.

TRACK LIMIT - FILE IGNORED.
TRACK LIMIT, LVLX.
TRACK LIMIT ON SDF DEVICE.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORM RM	60496200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
NOS 2 SF RM	60460430
NPS RM	60480500
NPS RM	60480500
UPDATE RM	60449900
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
NOS 2 RS VOL 3	60459680
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
FORM RM	60496200
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
TRAILER BLOCK COUNT ERROR, filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
TRAN. SEQ. zzzzzzzzB with ID xxxxx MIGHT BE BAD.	TAF 1 RM	60459500
TRANSACTION DIRECTORY EMPTY.	TAF 1 RM	60459500
TRANSACTION DIRECTORY EMPTY - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY ERROR.	TAF 1 RM	60459500
TRANSACTION DIRECTORY ERROR - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY TOO LONG - filename.	TAF 1 RM	60459500
TRANSACTION DIRECTORY TOO LONG.	TAF 1 RM	60459500
TRANSACTION RECOVERY FILE fn HAS BEEN ALLOCATED	CDCS 2 DA RM	60485200
TRANSACTION SESSION ENDED.	TAF 1 RM	60459500
TRANSFER INTO DEF	BASIC 3 RM	19983900
TRANSFER INTO RANGE OF DD	FORTRAN 5 RM	60481300
TRANSFER OUT OF DEF	BASIC 3 RM	19983900
TRANSLATING SESSION FILE.	NOS 2 OPER HB	60459310
TRANSLATING STIMULATOR OUTPUT.	NOS 2 OPER HB	60459310
TRANSLATION STRUCTURE OVERFLOW	FTN 4-5 CONV RM	60483000
d TRANSMISSION(S) ALLOWED	QUERY UPDT 3 RM	60498300
TRAP ADDRESS IS OUTSIDE FIELD LENGTH	LOADER 1 RM	60429800
TRAP NUMBER IGNORED IN THIS CONTEXT	INTER DEBUG RM	60481400
TRAP #n, type, qualifiers, WILL BE CLEARED	INTER DEBUG RM	60481400
TRIP COUNT IS LESS THAN ONE	FORTRAN 5 RM	60481300
TRIP COUNT OF MUST BE POSITIVE	FORTRAN 5 RM	60481300
TRIP COUNT TOO HIGH -- SHORT LOOPS SELECTED	FORTRAN 5 RM	60481300
TRIVIAL DO LOOP -- IGNORED	FORTRAN EXT 4	60497800
TRIVIAL EQUIVALENCE GROUP WITH ONLY 1 MEMBER IS IGNORED	FORTRAN 5 RM	60481300
TRIVIAL EQUIVALENCE GROUP WITH ONLY 1 MEMBER IS IGNORED	FORTRAN EXT 4	60497800
TRIVIAL PROGRAM UNIT IGNORED	FORTRAN EXT 4	60497800
TRIVIAL RANGE -- SAME AS	FORTRAN 5 RM	60481300
TRIVIAL RANGE -- mmmmm SAME AS nnnnn	FORTRAN EXT 4	60497800
TRMDEF COMPLETE.	NOS 2 RS VOL 3	60459680
TRMDEF ERRORS.	NOS 2 RS VOL 3	60459680
TRMDEF REQUIRES JOB TO BE ON-LINE	NOS 2 RS VOL 3	60459680
TRT LENGTH ERROR.	NOS 2 OPER HB	60459310
TRUNCATION AT n	XEDIT 3 RM	60455730
TRUNK: trunk, CE DIAG TEST IN PROGRESS.	NOS 2 OPER HB	60459310
TRUNK: trunk, DUPLICATE CLA ADDRESS.	NOS 2 OPER HB	60459310
TRUNK: trunk, IN DESIRED STATE ALREADY.	NOS 2 OPER HB	60459310
TRUNK: trunk, LAST PATH TO CS.	NOS 2 OPER HB	60459310
TRUNK: trunk LIP NOT CONFIGURED.	NOS 2 OPER HB	60459310
TRUNK: trkname,st,lt,npunam1/p1,npunam2/p2.	NOS 2 OPER HB	60459310
TSB LOGICAL ERROR	MCS 1 RM	60480300

MESSAGE

TTest, ASSIGNED TO filename, VSN=vsrn.
TTest, Fnf, FUNCTION TIMEOUT.
TT OPTION REQUIRES USER NUMBER.

TTL SPECIFIED TWICE
TURN OFF EQest ON ALL OTHER MF.
TVF ATTEMPTING NETON.
TVF ERMSG, ABT=nn, ADR=address, TEXT=aaaa,
TERMINAL=termname.
TVF NETOFF, NAM NOT PRESENT.
TVF NETON SUCCESSFUL.
TVF RC=ec, ABT=nn, ADR=addr, TEXT=aaaa,
TERMINAL=termnam.
TVF TEST COMPLETE
TWO-BRANCH IF STATEMENT IS NON-ANSI
TWO CONTROLLER TYPES ON SAME CHANNEL.
TY NOT ALLOWED.
TYPE MUST BE FOLLOWED BY A TYPE INDICATOR
TYPEAHEAD OVERFLOW, REENTER INPUT.
TYPING OF nnnnn IGNORED -- PRIOR TYPING RETAINED
T76 RETURNED UNKNOWN ERROR OF nn
U TYPE ERROR UNDEFINED SYMBOL. VALUE ASSUMED O.
UA NOT WITHIN LIMIT.
UCCR, mi, est, xxxxxx.xxxKCDs.
UCLP, mi, est, xxxxxx.xxxKLNS.
UCLV, mi, est, xxxxxx.xxxKLNS.
UCP CALL ERROR
DETAIL STATUS=nnn (optional).
UCP CALL ERROR.
UCP TERMINATION PROCESSING.
UCPC, mi, est, xxxxxx.xxxKCDs.
UEM CKP FILE READ ERROR---EQOOOB.
UEM CMR POINTERS INVALID
UEM DEVICE NOT IN EST
UN MUST BE SPECIFIED.
UN=username NOT VALID ON FM=family.

UN OR ID MUST BE GIVEN WITH MDPFN
UN OR ID MUST BE GIVEN WITH MDPFN
UNABLE TO ACCESS DISK (CR) TO PROCESS
DIFFERENT DEVICE.
UNABLE TO ATTACH COMMUNICATION FILE.
UNABLE TO ATTACH MRF, FM=familyname.
UNABLE TO ATTACH MRF, MF=familyname.
UNABLE TO ATTACH NAM BINARIES.

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NAM 1 TERM INTF	60480600
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 OPER HB	60459310
FORTRAN EXT 4	60497800
NOS 2 RS VOL 3	60459680
COMPASS 3 RM	60492600
TAF/CRM 1 DM RM	60459510
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

UNABLE TO ATTACH TOTAL BINARIES.

UNABLE TO ATTACH TOTAL DBMOD BINARIES.

UNABLE TO CONNECT WITH EXEC.

UNABLE TO CREATE DBREC JOB - NO JOB/ATTACH DATA

UNABLE TO CREATE DBREC JOB - NO JOB/ATTACH DATA

UNABLE TO DEFINE filename.

UNABLE TO DEFINE COMMUNICATION FILE.

UNABLE TO DROP JOB.

UNABLE TO INSTALL CTI READ ONLY SWITCH
ACTIVE

UNABLE TO OPEN CATALOG.

UNABLE TO OPEN CSUMAP.

UNABLE TO OPEN SMMAP.

UNABLE TO PROCESS REQUEST.

UNABLE TO PROCESS TERMINAL FILE.

UNABLE TO READ COMMUNICATION FILE.

UNABLE TO READ IQFT FILE.

UNABLE TO READ MRF, FM=familyname.

UNABLE TO REATTACH CSUMAP.

UNABLE TO REATTACH MSF CATALOG.

UNABLE TO REATTACH SFM CATALOG.

UNABLE TO REATTACH SM MAP.

UNABLE TO RECOVER YOUR JOB

UNABLE TO SUBMIT DBREC JOB - I/O ERROR nnn

UNABLE TO SUBMIT DBREC JOB - I/O ERROR nnn

UNABLE TO TURN OFF *TMS* CATALOG FOR
ffffff.

UNABLE TO TURN ON *TMS* CATALOG FOR fffffff.

UNACTIONED COMMAND.

UNALTERED GO TO EXECUTED

UNALTERED GO TO EXECUTED

UNASSIGNED CHANNEL

UNAVAILABLE.

UNBALANCED xxxxxx

UNBALANCED PARENS

UNBALANCED TEXT/ENDTEXT DIRECTIVES

UNCHECKED EOF

UNCHECKED PARITY

UNCORRECTABLE MSM ERROR.

UNCORRECTABLE RMS ERROR
FILE NAME 1fn
FET ADDRESS addr
RMS ERROR INFORMATION LOST

RECORDED ADDR PPPP qqqq
RBRxxxx RByyyy PRUzzzz
DETAIL STS dddd dddd dddd
dddd dddd dddd dddd dddd
STATUS ssss cccc
EQxx TRYnn ADDR aaa bbb ccc

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 TAPE MGMT	60463350
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
FORTRAN 5 RM	60481300
UPDATE RM	60449900
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
(xxx) UNCORRECTED IOU ERROR	NOS 2 OPER HB	60459310
UNCORRECTED PROCESSOR ERROR THRESHOLD EXCEEDED.	NOS 2 OPER HB	60459310
UNDECLARED INTRINSIC OR EXTERNAL FUNCTION USED AS ACTUAL ARGUMENT	FORTRAN 5 RM	60481300
UNDEFINED FIELD	SORT MERGE 4&1	60497500
UNDEFINED FUNCTION	APL 2 RM	60454000
UNDEFINED I/O FILE	SORT MERGE 4&1	60497500
UNDEFINED IN-FILE	SORT MERGE 4&1	60497500
UNDEFINED IN REF	BASIC 3 RM	19983900
UNDEFINED KEY(S)	SORT MERGE 4&1	60497500
UNDEFINED LINE REF	BASIC 3 RM	19983900
UNDEFINED ORIGIN TYPE.	NOS 2 OPER HB	60459310
UNDEFINED ORIGIN TYPE	NOS 2 RS VOL 3	60459680
UNDEFINED OUT-FILE	SORT MERGE 4&1	60497500
UNDEFINED SEQUENCE	SORT MERGE 4&1	60497500
UNDEFINED SERVICE CLASS.	NOS 2 OPER HB	60459310
UNDEFINED SERVICE CLASS.	NOS 2 RS VOL 3	60459680
UNDEFINED SERVICE CLASS	RBF 1 RM	60499600
UNDEFINED STATEMENT LABEL(S), SEE LIST BELOW	FORTRAN EXT 4	60497800
UNEXPECTED xxxxxx	NOS 2 SF RM	60460430
UNEXPECTED DATA UNIT RECEIVED.	NOS 2 OPER HB	60459310
UNEXPECTED SM, Y, Z, FAMILY OR SUBFAMILY..	NOS 2 OPER HB	60459310
UNEXPECTED STATE ENCOUNTERED.	NOS 2 OPER HB	60459310
UNEXPECTED TAPE CATALOG ERROR.	NOS 2 TAPE MGMT	60463350
UNFORMATED I/O NOT ALLOWED IN THIS STATEMENT	FORTRAN EXT 4	60497800
UNIDENTIFIED DATA UNIT ID.	NOS 2 OPER HB	60459310
UNIDENTIFIED PROGRAM FORMAT.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
UNIT xx Chyy LABEL READ ERROR.	NOS 2 OPER HB	60459310
UNIT xx Chyy LABEL VERIFICATION ERROR.	NOS 2 OPER HB	60459310
UNIT DESIGNATOR EXCEEDS 2 DIGITS	FORTRAN EXT 4	60497800
UNIT DESIGNATOR nnnnn NOT SIMPLE INTEGER VARIABLE OR CONSTANT	FORTRAN EXT 4	60497800
UNIT HAS MOTION PROBLEMS.	NOS 2 RS VOL 3	60459680
UNIT HUNG UP ON EOP OR BUSY, filename AT address.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
UNIT NOT AVAILABLE.	NOS 2 OPER HB	60459310
UNIT NUMBER MUST BE BETWEEN 1 AND 99 INCLUSIVE	FORTRAN EXT 4	60497800
UNIT NUMBER OR PARITY INDICATOR MUST BE AN INTEGER CONSTANT OR VARIABLE	FORTRAN EXT 4	60497800
UNIT PROBLEMS.	NOS 2 RS VOL 3	60459680
UNIT est SERVO TIMING = nnn. ACCEPTABLE RANGE IS 325 TO 345.	NOS 2 OPER HB	60459310
UNIT xx SERVO TIMING IN PROGRESS.	NOS 2 OPER HB	60459310
UNIT SPECIFIER FILE NAME GREATER THAN 7 CHARACTERS	FORTRAN 5 RM	60481300
UNIT SPECIFIER MISSING	FORTRAN 5 RM	60481300

MESSAGE

UNIT SPECIFIER NOT LEGAL FILE NAME
UNIT SPECIFIER OUTSIDE RANGE 0 - 999
UNIVAC TRANSLATE TABLE -C.XTAB- NOT IN CORE
UNIVAC TRANSLATE TABLE -C.XTAB- NOT IN CORE
UNIVERSAL SAVE DECLARED -- OTHER SAVE STATEMENTS ARE REDUNDANT
UNKNOWN ACCESS CATEGORY NAME.
UNKNOWN ACCESS LEVEL NAME.

****UNKNOWN ACCESS LEVEL NAME.
- UNKNOWN ACTION IN SYMBOL FILE
UNKNOWN APPLICATION
UNKNOWN APPLICATION ATTEMPTING TERMINATION.
UNKNOWN BLOCK OR BAD POINTER ADDR
UNKNOWN BLOCK OR BAD POINTER ADDR
UNKNOWN CODE ccc, FILE filename, RECORD
recordnumber, LINE linenumber.
UNKNOWN COMMAND.
UNKNOWN COMMAND
UNKNOWN COMMAND
UNKNOWN DECK.
UNKNOWN DESTINATION
UNKNOWN DEVICE TYPE - filename.
UNKNOWN DUMP FILE WILL BE OVERWRITTEN.
UNKNOWN EDIT DESCRIPTOR

UNKNOWN FILE FORMAT.

UNKNOWN FORM -- BLANK ASSUMED
UNKNOWN FORM - BLANK ASSUMED
UNKNOWN FORMAT CODE nnnnn -- SCAN RESUMES AT NEXT SEPARATOR
UNKNOWN IDENTIFIER idname
UNKNOWN KEYWORD xxxxxx
UNKNOWN MODIFIER
UNKNOWN NAMED TRANSACTION UNIT REQUESTED FOR
SCHEDULING.
UNKNOWN OPTION - x.
UNKNOWN OPTION
UNKNOWN PARAMETER - kw.
UNKNOWN PARAMETER
UNKNOWN PARAMETER
UNKNOWN PARAMETER
UNKNOWN PARAMETER - PP.
UNKNOWN PARAMETER SYMBOL
UNKNOWN PROGRAM NAME
UNKNOWN QUEUE NAME

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
COBOL 5 DH	60482500
COBOL 5 RM	60497100
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
COBOL 5 DH	60482500
COBOL 5 RM	60497100
NOS 2 RS VOL 3	60459680
NOS 2 TAPE MGMT	60463350
MCS 1 RM	60480300
INTER DEBUG RM	60481400
MODIFY RM	60450100
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
UPDATE RM	60449900
NOS 2 SF RM	60460430
MODIFY RM	60450100
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 TAPE MGMT	60463350
NPS RM	60480500
MCS 1 RM	60480300
MCS 1 RM	60480300

MESSAGE

	MANUAL	PUB. NO.
UNKNOWN SCRIPT TERMINAL TYPE	NPS RM	60480500
UNKNOWN SECONDARY APPLICATION.	NOS 2 RS VOL 3	60459680
UNKNOWN SEPARATOR - kw.	NOS 2 OPER HB	60459310
UNKNOWN SERVICE CLASS	NOS 2 OPER HB	60459310
UNKNOWN SUBSYSTEM.	NOS 2 OPER HB	60459310
UNKNOWN SYMBOLIC NAME	MCS 1 RM	60480300
UNKNOWN TERMINAL NAME	MCS 1 RM	60480300
UNLABELED TAPE REQUIRED - filename.	NOS 2 RS VOL 3	60459680
UNMATCHED PARAMETER COUNT IN A REFERENCE TO THIS STATEMENT FUNCTION	FORTRAN EXT 4	60497800
UNMATCHED PARAMETER COUNT TO STATEMENT FUNCTION	FORTRAN 5 RM	60481300
UNMATCHED PARAMETER COUNT TO STATEMENT FUNCTION nnnnn	FORTRAN EXT 4	60497800
UNMATCHED PARENTHESIS	FORTRAN EXT 4	60497800
UNMATCHED SYSTEM DEVICES.	NOS 2 OPER HB	60459310
UNNECESSARY CIO FCT. nnn ON filename AT address.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
..... UNRECOGNIZABLE	FORTRAN 5 RM	60481300
UNRECOGNIZABLE CIO ERROR CODE.	TAF 1 RM	60459500
UNRECOGNIZABLE DIRECTIVE.	NOS 2 OPER HB	60459310
UNRECOGNIZABLE HEADER TYPE.	TAF 1 RM NOS 2 OPER HB	60459500 60459310
UNRECOGNIZABLE KEYWORD	NAM 1 RM	60499500
UNRECOGNIZABLE LABEL.	NOS 2 OPER HB	60459310
UNRECOGNIZABLE TYPE SPECIFIED.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED BACKSPACE CODE.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED CODE SET PARAMETER.	NOS 2 RS VOL 3	60459680
UNRECOGNIZED CODE SET SPECIFIED	8-BIT SUBR RM	60495500
UNRECOGNIZED CODE SET SPECIFIED	FORM RM	60496200
UNRECOGNIZED COMMAND.	NOS 2 OPER HB	60459310
UNRECOGNIZED COMPOUND DELIMITER 'skip' ... IGNORED EXCEPT LAST '	ALGOL 4 RM	60496600
UNRECOGNIZED CONTROL STATEMENT PARAMETER.	NOS 2 OPER HB	60459310
UNRECOGNIZED DATA TYPE	FORM RM	60496200
UNRECOGNIZED DIRECTIVE	FORM RM	60496200
UNRECOGNIZED KEYWORD	NPS RM	60480500
UNRECOGNIZED KEYWORD IN FILE STRING	8-BIT SUBR RM	60495500
UNRECOGNIZED KEYWORD IN FILE STRING	FORM RM	60496200
UNRECOGNIZED MOVE-COMPARE TYPE	8-BIT SUBR RM	60495500
UNRECOGNIZED OPERATION	FORM RM	60496200
UNRECOGNIZED OPERATOR	FORTRAN EXT 4	60497800
UNRECOGNIZED OPTION	FORM RM	60496200
UNRECOGNIZED PARAMETER	FORM RM	60496200
UNRECOGNIZED SM - xxxx.	NOS 2 OPER HB	60459310
UNRECOGNIZED SM. PFC/SFC = pfcsfc.	NOS 2 OPER HB	60459310
UNRECOGNIZED STATEMENT	FORTRAN EXT 4	60497800

MESSAGE

UNRECOGNIZED STATEMENT--CHECK FOR JCL IN INPUT STREAM
UNRECOGNIZED TERMINAL MODEL.

UNRECOGNIZED TERMINATION CONDITION.

UNRECOGNIZED UCP ABORTED BY IAF

UNRECOVERABLE DISK ERROR - jsn

UNRECOVERABLE ERROR CONDITION OCCURRED.

UNRECOVERABLE ERROR ON filename.

UNRECOVERABLE ERROR ON WRITE FILE

UNRECOVERABLE ERROR ON WRITE FILE

UNRECOVERABLE ERROR WRITING TITLE

UNRECOVERABLE INPUT FILE ERROR

UNRECOVERABLE READ.

UNRECOVERABLE READ ERROR.

UNRECOVERABLE WRITE.

UNRECOVERABLE WRITE ERROR.

UNRECOVERED MASS STORAGE ERROR.

UNRECOVERED PARITY ERROR - filename
ENTER K.GO - CONTINUE ON NEW REEL.
K.END - ABORT DUMP.
K.DISABLE - CONTINUE ON ONE FILE.

UNSATISFIED EXT

UNSATISFIED EXTERNAL REFERENCE

UNSUPPORTED VALUE ON - xx.

UNTERMINATED PROCEDURE CALL.

UNTIL CANNOT BE LESS THAN START

UNUSUAL END-OF-FILE ENCOUNTERED.

UP, CDCS

UP, CDCS

UP COMPLETE

UP COMPLETE

UP IN PROGRESS

UP IN PROGRESS

UPDATE COMPLETE.

UPDATE COMPLETE

UPDATE CONTROL STATEMENT ERROR(S)

UPDATE/CREATION MODE CONFLICT.

UPDATE CREATION RUN

n UPDATE ERRORS, JOB ABORTED

**** UPDATE NOT ALLOWED BY INQUIRE.

UPDATE UTILITY CONTROL DATE.

UPDATED - type/name

UPDATED - type/name

UPDATING username.

<u>MANUAL</u>	<u>PUB. NO.</u>
FTN 4-5 CONV RM	60483000
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
8-BIT SUBR RM	60495500
FORM RM	60496200
FORM RM	60496200
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
FORTNAN EXT 4	60497800
BASIC 3 RM	19983900
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
LOADER 1 RM	60429800
NOS 2 RS VOL 3	60459680
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
UPDATE RM	60449900
UPDATE RM	60449900
XEDIT 3 RM	60455730
UPDATE RM	60449900
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CYBER COM UTIL	60495600
NOS 2 OPER HB	60459310

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
UPROC COMPLETE.	NOS 2 RS VOL 3	60459680
USAGE CONFLICT -- CANNOT BE STATEMENT FUNCTION	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn CANNOT BE STATEMENT FUNCTION	FORTRAN EXT 4	60497800
USAGE CONFLICT -- IS AND CANNOT BE	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn IS mmmmm AND CANNOT BE sssss	FORTRAN EXT 4	60497800
USAGE CONFLICT -- PREVIOUSLY DEFINED AS DD TERMINAL	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS DD TERMINAL	FORTRAN EXT 4	60497800
USAGE CONFLICT -- PREVIOUSLY DEFINED AS FORMAT	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY DEFINED AS FORMAT	FORTRAN EXT 4	60497800
USAGE CONFLICT -- PREVIOUSLY USED AS	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS mmmmm	FORTRAN EXT 4	60497800
USAGE CONFLICT -- PREVIOUSLY USED AS A FORMAT LABEL	FORTRAN 5 RM	60481300
USAGE CONFLICT -- nnnnn PREVIOUSLY USED AS A FORMAT LABEL	FORTRAN EXT 4	60497800
**** USE *FILINFO* IN PLACE OF *PRM* CALL ****.	NOS 2 RS VOL 3	60459680
**** USE *FILINFO* IN PLACE OF *STS* CALL ****.	NOS 2 RS VOL 3	60459680
USE OF A NUMBER AS LABELED COMMON BLOCK NAME IS NON-ANSI	FORTRAN EXT 4	60497800
USE OF THIS PROGRAM OR SUBROUTINE NAME IN AN EXPRESSION	FORTRAN EXT 4	60497800
USE SCOPY FOR FILE STRUCTURE.	NOS 2 RS VOL 3	60459680
USER: un,termnam,ltime,aname/acn,ctime,dt.	NOS 2 OPER HB	60459310
USER ACCESS NOT POSSIBLE-CONTACT NETWORK ADMIN.	NOS 2 RS VOL 3	60459680
USER ACCESS NOT POSSIBLE - CONTACT NETWORK ADMIN.	RBF 1 RM	60499600
USER ACCESS NOT VALID.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
USER ACCESS NOT VALID.	NOS 2 OPER HB NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459310 60459680 60459690
USER ACCESS NOT VALID.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
USER ACCESS NOT VALID.	NOS 2 OPER HB	60459310
USER ACCESS NOT VALID.	NOS 2 RS VOL 3	60459680
USER ACCESS NOT VALID.	NOS 2 OPER HB	60459310
USER ACCESS NOT VALID.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
USER ACCESS NOT VALID.	NOS 2 OPER HB	60459310
USER ACCESS NOT VALID.	NOS 2 OPER HB NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459310 60459680 60459690
USER BREAK TWO ENCOUNTERED.	NOS 2 RS VOL 3	60459680
USER CANNOT SWITCH FROM SECONDARY APPLICATION.	NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
USER COMMAND HAS NOT BEEN EXECUTED.	NOS 2 RS VOL 3	60459680
USER CONDITION REGISTER =xxxx.	NOS 2 OPER HB	60459310
USER DATABASE MISSING.	NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
USER DAYFILE PROCESSED.	NOS 2 RS VOL 3	60459680
USER DIRECTIVE INCORRECT.	NOS 2 RS VOL 3	60459680
USER ECS DISABLED.	NOS 2 OPER HB	60459310
USER ECS IMPROPERLY ALLOCATED.	NOS 2 OPER HB	60459310
USER ECS SYSTEM SECTOR ERROR.	NOS 2 OPER HB	60459310
USER EM SPACE UNAVAILABLE.	NOS 2 OPER HB	60459310
USER INDEX userindex B PURGED.	NOS 2 OPER HB	60459310
USER INDEX NOT ON DEVICE.	NOS 2 OPER HB	60459310
USER INDEX OUT OF RANGE.	NOS 2 OPER HB	60459310
**** USER INDEX PREVIOUSLY DEFINED.	NOS 2 OPER HB	60459310
nnn USER INDICES PURGED.	NOS 2 OPER HB	60459310
USER LIBRARY NOT FOUND.	NOS 2 RS VOL 3	60459680
USER LIBRARY NOT ON MASS STORAGE.	NOS 2 RS VOL 3	60459680
USER NAME:	MCS 1 RM	60480300
USER NAME:	RBF 1 RM	60499600
**** USER NAME ALREADY EXISTS.	NOS 2 OPER HB	60459310
USER NAME NOT FOUND.	NOS 2 OPER HB	60459310
USER NOT ACTIVE.	NOS 2 OPER HB	60459310
USER NOT SYSTEM ORIGIN.	NOS 2 OPER HB	60459310
	NOS 2 OPER HB	60459310
USER NOT VALIDATED FOR DETACHED SERVICE CLASS.	NOS 2 RS VOL 3	60459680
USER NOT VALIDATED FOR INTERACTIVE SERVICE CLASS.	NOS 2 RS VOL 3	60459680
USER NOT VALIDATED FOR SECONDARY APPLICATION.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
USER NUMBER INCORRECT.	NOS 2 OPER HB	60459310
**** USER NUMBER LIMIT.	NOS 2 OPER HB	60459310
USER PROGRAM INTERRUPT PENDING	INTER DEBUG RM	60481400
USER PROLOGUE NOT FOUND.	NOS 2 OPER HB	60459310
USER PROLOGUE NOT FOUND	NOS 2 RS VOL 3	60459680
USER RECOVER ROUTINE COMPLETED, x REQUESTED	INTER DEBUG RM	60481400
USER RETRY LIMIT.	NOS 2 RS VOL 3	60459680
USER RETRY LIMIT	RBF 1 RM	60499600
USER SECURITY COUNT EXHAUSTED.	NOS 2 OPER HB	60459310
USER SECURITY COUNT EXHAUSTED.	NOS 2 RS VOL 3	60459680
	NOS 2 RS VOL 4	60459690
USER STATEMENT DOES NOT APPEAR IN TCF.	TAF 1 RM	60459500
USER STATEMENT NOT VALID ON FAMILY.	TAF 1 RM	60459500
USER VALIDATION LIMIT EXCEEDED.	NOS 2 RS VOL 3	60459680
users USERS tasks TASKS.	NOS 2 OPER HB	60459310
USING MRL EXCEEDS SORT FILE MRL	COBOL 5 DH	60482500
USING MRL EXCEEDS SORT FILE MRL	COBOL 5 RM	60497100
UTILITY COMPLETE.	NOS 2 OPER HB	60459310

MESSAGE

V-BLOCK HAS SHORT RECORD FRAGMENT
 V-BLOCK HAS SHORT RECORD FRAGMENT
 V-BLOCK LENGTH EXCEEDS BLOCK SIZE
 V, FO, XI OPTION VIOLATED.
 V-RECORD LENGTH EXCEEDS BLOCK SIZE
 V-RECORD LENGTH LESS THAN 4 BYTES
 V-RECORD LENGTH LESS THAN 4 BYTES
 V TYPE ERROR BIT COUNT ERROR ON VFD (MUST BE 0 _ COUNT _ 60).
 OCCURRED ON PAGES p1, p2, p3, ..., pn
 VALID LO OPTIONS ARE LO, LO=A, LO=T or LO=X.
 VALID ONLY FOR HELP DISPLAY.
 VALID OPTIONS ARE A, B, OR C.
 VALIDATING SB=subfamily CSU=id.
 VALIDATING SB=subfamily SM=id.
 VALIDATION DENIED - DEVICE NOT FOUND.
 VALIDATION DENIED - DEVICE ON OR IN USE.
 VALIDATION FILE BUSY - TRY AGAIN LATER
 VALUE ERROR.
 VALUE ERROR
 cmd VALUE INAPPROPRIATE
 cmd VALUE INAPPROPRIATE
 VALUE MISSING
 VALUE OF ARRAY SUBSCRIPT IS .LT. 1 OR .GT. DIMENSIONALITY IN IMPLIED DO NEST
 VALUE OF P5 GT 6
 VALUE OF UNEXPECTED TYPE
 VALUE OUT-OF-RANGE
 VALUE OUT OF RANGE OR INDEFINITE
 VALUE RANGE NOT ALLOWED xxxxxx
 VALUE TOO LARGE
 VALUE TOO LARGE
 VALUE TOO LARGE FOR FIELD WIDTH
 VALUE TOO LARGE FOR FIELD WIDTH
 VARIABLE DIMENSION ARRAY nnnnn MUST BE DUMMY ARGUMENT
 VARIABLE DIMENSION INDICATOR nnnnn IS NOT INTEGER
 VARIABLE DIMENSION INDICATOR nnnnn MUST BE DUMMY ARGUMENT
 VARIABLE DIMENSION NOT PERMITTED IN NAMELIST
 VARIABLE HAS NO DIMENSION BOUND -- IGNORED
 VARIABLE nnnnn HAS NO DIMENSION INDICATOR -- IGNORED
 VARIABLE xxxxxx HAS NOT BEEN DECLARED
 VARIABLE IN ASSIGN OR ASSIGNED GO TO IS ILLEGAL

MANUAL	PUB. NO.
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
NOS 2 OPER HB	60459310
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
COMPASS 3 RM	60492600
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
MODIFY RM	60450100
APL 2 RM	60454000
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
RBF 1 RM	60499600
RBF 1 RM	60499600
FORTRAN EXT 4	60497800
SORT MERGE 4&1	60497500
RBF 1 RM	60499600
RBF 1 RM	60499600
INTER DEBUG RM	60481400
NOS 2 SF RM	60460430
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NOS 2 SF RM	60460430
FORTRAN EXT 4	60497800

MESSAGE

VARIABLE NAMES NOT AVAILABLE
VARIABLE NAMES NOT AVAILABLE FOR xxx
VARIABLE NOT DECLARED IN LABEL COMMON
VARIABLE NOT INTEGER
VARIABLE nnnnn NOT INTEGER
VARIABLE RANGE ERR/TBL-tn
VARIABLE RANGE ERR/TBL ERR - tn
VARIABLE nnnnn REFERENCED AS ARRAY
VARIABLE SUBSCRIPTS MAY NOT APPEAR WITHOUT DO LOOPS
VARIABLE ** ZERO -- RESULT ASSUMED ONE
VE ENTRY REQUIRED

VEJ - BUFFER ARGUMENT ERROR.

VEJ - INCORRECT REQUEST.

VER n.n - min.
VERB xxxxxx APPEARS TWICE
VERIFY ARGUMENT ERROR.
VERIFY ERROR ON EST ENTRY est.
VERIFY ERRORS.
VERIFY FILE NAME CONFLICT - filename.
VERIFY FL ABOVE USER LIMIT.
VERIFY GOOD.
VERIFYING ADDRESSES S/N=serialn.
VERSION AFFECTED IS vn
VERSION AFFECTED IS vn
VERSION MISMATCH ON MEMORY FILE.
VERSION ON SELECT FILE DOES NOT MATCH MD
VERY LONG CONSTANT
VLAPFC - INVALID LINK.
VOLUME LABEL ERROR.
VOLUNTEERED APPLICATION IGNORED
VOLUNTEERED USER/PASSWORD IGNORED
VS-RECORD FINAL SEGMENT MISSING
VS-RECORD FINAL SEGMENT MISSING
VS-RECORD FOUND IN TYPE V FILE
VS-RECORD FOUND IN TYPE V FILE
VS-RECORD INITIAL SEGMENT MISSING
VS-RECORD INITIAL SEGMENT MISSING
VSN ALREADY EXISTS.

VSN ALREADY IN CSUMAP.
VSN - xxxxxx ALREADY IN DIRECTORY.

<u>MANUAL</u>	<u>PUB. NO.</u>
INTER DEBUG RM	60481400
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 SF RM	60460430
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
CDCS 2 DA RM	60485200
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
RBF 1 RM	60499600
RBF 1 RM	60499600
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
8-BIT SUBR RM	60495500
FORM RM	60496200
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310

MESSAGE

VSN AND DATE/TIME CANNOT CO-EXIST ON LOAD
DIRECTIVE.

VSN ASSIGNED DOES NOT MATCH VSN REQUESTED.

VSN xxxxxx BUSY.

VSN DOES NOT EXIST.

VSN FILE ERROR.

VSN FILE ERROR.

VSN IS NOT FIRST REEL.

VSN NOT FOUND.

VSN NOT FOUND IN CSUMAP.

VSN OPTION VIOLATED.

VSN OR DATE/TIME NOT SPECIFIED.

VSN TABLE OVERFLOW.

VSN TOO LONG

VSN or X-Y NOT IN SUBFAMILY.

VWBT EMPTY - FALSE INVOKE OF NVFVWF.

WAIT

WAIT..

WAIT..

WAIT DEMAND FILE ATTACH.

WAIT FNT SPACE.

WAIT FOR CATALOG INTERLOCK.

WAIT FOR FILE STAGING.

WAIT FOR MSS INTERLOCK.

WAIT FOR PF UTILITY ON est.

nnnn WAIT QUEUE FILES RECOVERED.

WAIT SCRATCH ASSIGNMENT.

WAIT IMT COMPLETE.

WAITING

pfh WAITING ALTERNATE STORAGE EXEC.

WAITING FOR CDCS

WAITING FOR CDCS

WAITING FOR CFO.GO.

WAITING FOR CFO.GO.

WAITING FOR *CMS* TO FINISH.

WAITING FOR DATABASE NON-BUSY.

WAITING FOR ECS.

WAITING FOR EXEC.

WAITING FOR FILE filename.

<u>MANUAL</u>	<u>PUB. NO.</u>
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
RBF 1 RM	60499600
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 TAPE MGMT	60463350
NOS 2 OPER HB	60459310
TAF 1 RM	60459500
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

WAITING FOR xxxI INTERLOCK.
WAITING FOR INTERLOCK.
WAITING FOR MACHINE ID=XX.
WAITING FOR MAGNET.

WAITING FOR NETWORK.
WAITING FOR NETWORK
WAITING FOR NFL.

WAITING FOR PN=packname, type.

WAITING FOR READY UNIT est.
WAITING FOR RESOURCE FILE.

WAITING FOR RESOURCES.

WAITING FOR SERVICE CLASS TO CHANGE TO x.
WAITING FOR STORAGE.
WAITING FOR STORAGE.

WAITING FOR STORAGE (ECS).
WAITING FOR STORAGE (EM).
WAITING FOR TVF TO BE ENABLED.
WAITING FOR VALIDATION FILE.
WAITING FOR VSN= vsn, type.

WAITING FOR J5C00B WORDS
WAITING - GLOBAL INTERLOCK.
WAITING - INACCESSIBLE DEVICE.

WAITING ON TRACK LIMIT.

WAITING - RECOVERY INTERLOCK.
WAITING - SERVICE LIMIT.
WAITING FROM MULTI QUEUED TASK.
WARNING, CST SIZE EXCLUDING CAPSULES NEAR MAXIMUM OF num OCTAL WORDS
WARNING, CST SIZE OF ALL CAPSULES IS NEAR MAXIMUM OF num OCTAL WORDS
WARNING, CURRENT SCHEMA MAY NOT BE PRIOR ONE USED FOR MD AND/OR SUB-SCHEMA
WARNING DIM AFTER REFERENCE
WARNING---EMPTY SUB-SCHEMA FILE
WARNING --- EMPTY SUB-SCHEMA FILE
WARNING---EMPTY SUB-SCHEMA FILE
WARNING - EMPTY SUB-SCHEMA FILE
WARNING - EMPTY SUB-SCHEMA FILE

<u>MANUAL</u>	<u>PUB. NO.</u>
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
UPDATE RM	60449900
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 OPER HB	60459310
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
TAF 1 RM	60459500
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
BASIC 3 RM	19983900
QU/CRM DA RM	60482100
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
DDL 3 SUB SCHEM	60482000

MESSAGE

WARNING, FOR CDCS CORE LENGTH NOTE CST TOTAL SIZE OF num OCTAL WORDS

WARNING-FUNCTION REDEFINITION

WARNING-FUNCTION REFERENCE BEFORE DEFINITION

WARNING - LOG RECORDS OUT OF TIME SEQUENCE ... EOI ASSUMED ****

nnnnnnnnn WARNING MESSAGES IN xxxxxxxx

***** WARNING ***** NO MOD DIRECTIVE FOR THESE OBJECT PGMS

***** WARNING ***** NO OBJECT TEXT FOR THESE MOD DIRECTIVES

WARNING -- TERMINATOR MISSING

WAS LAST CHARACTER SEEN AFTER TROUBLE. REMAINDER OF STATEMENT IGNORED

WILL YOU ACCEPT THE FILE-ANSWER Y OR N

=WITH NO FOLLOWING VALUE -- IGNORED

WORD ADDRESS NOT FOUND.

WORKING STORAGE AREA TOO SMALL

WORKING STORAGE AREA TOO SMALL

WPE UNRECOVERED - ABORT.

WRITE-DOWN OF DATA PROHIBITED.

WRITE-DOWN PROHIBITED ON FILE, filename AT address.

WRITE FUNCTION NOT COMPLETE.

WRITE ID BURST

WRITE ID BURST FAILURE, filename AT address.

WRITE ON READ-ONLY FILE filename AT address.

WRITE OVER LABEL ILLEGAL.

WRITE REQUEST ON READ-ONLY FILE.

WRITE TAPE MARK ERROR.

WRITE TAPE MARK FAILURE, filename AT address.

WRITE VERIFY FAILURE, filename AT address.

WRITEDOWN PROHIBITED ON FILE FILENAME AT address.

WRITING INTO RA+1

WRITING MEMORY.

WRITING SUMMARY.

WRNG - ADD WONT REPLACE OR BYPASS LINES

WRNG - AN ABORT PROCESSING WAS PERFORMED - GO ON

WRNG - CHECKING MODE ALREADY OFF - GO ON

WRNG - CHECKING MODE ALREADY ON - GO ON

WRNG - EDIT FILE NOT SAVED

WRNG - NO SUCH LINES

MANUAL	PUB. NO.
CDCS 2 DA RM	60485200
BASIC 3 RM	19983900
BASIC 3 RM	19983900
CDCS 2 RM	60481800
COMPASS 3 RM	60492600
NOS 2 INSTAL HB	60459320
NOS 2 INSTAL HB	60459320
PL/I RM	60388100
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
NOS 2 OPER HB	60459310
8-BIT SUBR RM	60495500
FORM RM	60496200
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 4	60459690
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 TAPE MGMT	60463350
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
INTER DEBUG RM	60481400
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600

MESSAGE

WRNG - TABS GREATER THAN CH VALUE CLEARED
WRNG - TEXT TRUNCATED TO 20 CHARS - AUTOMATIC VETO SET
WRNG - xxxxxxxx TRUNCATED FROM LONG LINE
WRONG ENTRY WHILE READING VSN ENTRIES.
WRONG PARITY, filename AT address.
**** WRONG SYMBOL FILE - OCTAL DUMP REPLACING
WRONG TYPE FILE
WRONG VSN USED.
WS FULL
WS NOT FOUND
WSA NOT ALIGNED ON WORD BOUNDARY
WSA NOT ALIGNED ON WORD BOUNDARY
X CODE PRECEDED BY NON-DIGIT -- 1 X ASSUMED
X CODE PRECEDED BY ZERO -- X CODE IGNORED
X CODE RESETS COLUMN POINTER, OVERLAYING CURRENT LINE
X-FIELD PRECEDED BY A ZERO. NO SPACING OCCURS
X OR Q INCORRECT WITHOUT COMPILE.
X,Y OPTION VIOLATED.
XD/XT EXCEEDS MAXIMUM.
XEDIT version.
XEDIT INTERNAL ERROR (ERD).
NOTIFY CONSULTANT.
XI, YI OPTION VIOLATED.
XL BUFFER/FET PARAMETER ERROR, filename
AT address.
X=0 IS NOT ALLOWED
Y,*Z* OPTION VIOLATED.
YANK, SELYANK, OR YANKDECK ident NOT KNOWN
YOU ARE NOT THE CONTROLLING NOP.
YOU CAN'T DISCONNECT YOURSELF
YOU DELETED THE ENTIRE FILE.
YOU NOW HAVE AUTO CONTROL STATUS.
YOUR PASSWORD WILL BE EXPIRED yy/mm/dd.
ZERO FIELD
ZERO INCREMENT FOR INDEX xxxx IN DO LOOP
ZERO IS AN ILLEGAL UNIT NUMBER
ZERO IS SPECIFIED AS REPEAT COUNT
ZERO IS SPECIFIED AS REPEAT COUNT AT
ZERO IS SPECIFIED AS REPEAT COUNT. SCANNING STOPS
ZERO LENGTH CHARACTER OR HOLLERITH STRING
ZERO LENGTH SPECIFIED ON HOLLERITH CONSTANT

<u>MANUAL</u>	<u>PUB. NO.</u>
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
ALGOL 4 RM	60496600
TAF 1 RM NOS 2 OPER HB	60459500 60459310
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
ALGOL 4 RM	60496600
APL 2 RM	60454000
TAF 1 RM NOS 2 OPER HB	60459500 60459310
APL 2 RM	60454000
APL 2 RM	60454000
8-BIT SUBR RM	60495500
FORM RM	60496200
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
MODIFY RM	60450100
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
XEDIT 3 RM	60455730
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3 NOS 2 RS VOL 4	60459680 60459690
FORTRAN 5 RM	60481300
NOS 2 OPER HB	60459310
UPDATE RM	60449900
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
XEDIT 3 RM	60455730
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
SORT MERGE 4&1	60497500
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800

MESSAGE

ZERO LEVEL RIGHT PARENTHESIS MISSING. SCANNING STOPS
ZERO MRL/FL ILLEGAL
ZERO OR NEGATIVE COUNT
ZERO STATEMENT LABELS ARE ILLEGAL
ZERO SWITCH INDEX
ZERO TO A NEGATIVE POWER
ZERO ** ZERO -- RESULTS INDEFINITE
ZERO ** ZERO -- RESULTS INDEFINITE
ZZdbAnn - ACTIVE ARF.
ZZdbBnn - BRf RECOVERY
FILE.
ZZdbDIR UNREADABLE.

ZZZZLD NOT ON MASS STORAGE.
001/001 INVALID FO
002/002 FIT/FILE ORGANIZATION MISMATCH
020/016 INVALID BT
022/018 W RECORDS DISALLOWED ON BT=E/K
025/021 BT=I, RT NE W
026/022 SQ BTS REQUIRE MBL
030/024 INVALID RT
031/025 RT=F/Z AND FL=O
032/026 RT=T AND HL OR TL=O
033/027 RT=D AND LL=O/RT=T AND CL=O
034/028 RT=T/D, PTL ON FIRST PUTP EXCLUDES CONTROL FIELD
035/029 RT=T/D, MRL EXCLUDES CONTROL FIELD
036/030 RL INCONSISTENT WITH RECORD DESCRIPTION
037/031 RT=D/T AND CL/LL>6
040/032 REDUNDANT OPEN
047/039 OPEN EXTEND ON TAPE FILE
051/041 SETFIT DISALLOWED ON OPEN FILE
060/048 REDUNDANT CLOSE
070/056 OUTPUT REQUEST, PD=INPUT OR READ ONLY PERMISSION
071/057 INPUT REQUEST, PD=OUTPUT
1DD ABT.
1HP - UNAUTHORIZED CALL.
1HY UNAUTHORIZED CALL.

1IS - INCORRECT REQUEST.
1MB CALL ERROR.
1MB ESM CHANNEL HANG
1MB INCOMPLETE ESM SECDED READ.
1MR - EQest, TKyyy AND MCR NOT FOUND
1MR ERROR FLAG TERMINATION.

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
FORM RM	60496200
INTER DEBUG RM	60481400
FORTRAN EXT 4	60497800
ALGOL 4 RM	60496600
BASIC 3 RM	19983900
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
TAF 1 RM	60459500
TAF 1 RM	60459500
TAF 1 RM	60459500
NOS 2 OPER HB	60459310
NOS 2 RS VOL 3	60459680
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
CRM/BAM 1 RM	60495700
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310
NOS 2 OPER HB	60459310

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
1MT PROBABLY LOST.	NOS 2 OPER HB	60459310
1RM INCORRECT REQUEST.	NOS 2 OPER HB	60459310
1RU LABEL ERROR, m, EQest.	NOS 2 OPER HB	60459310
1RU LABEL ERROR, n, EQest.	NOS 2 OPER HB	60459310
1RU LABEL ERROR, m, EQest.	NOS 2 OPER HB	60459310
1ST VALUE GE 2ND	NPS RM	60480500
1TM - NO TPM AVAILABLE.	NOS 2 OPER HB	60459310
1TM - RDest Ccn Ppn Fffff REJECT.	NOS 2 OPER HB	60459310
1TM - RDF CANNOT BE RUN ON MAINFRAME.	NOS 2 OPER HB	60459310
1TM - RDF TERMINATED.	NOS 2 OPER HB	60459310
1TM - RDF TIME-OUT.	NOS 2 OPER HB	60459310
1TO ABORT nn,pppp.	NOS 2 OPER HB	60459310
1XM - UNAUTHORIZED CALL.	NOS 2 OPER HB	60459310
100/064 CANNOT SEQUENTIALLY POSITION BEYOND FILE BOUNDS	CRM/BAM 1 RM	60495700
104/068 UNABLE TO FLUSH BUFFER	CRM/BAM 1 RM	60495700
110/072 FILE NOT OPEN	CRM/BAM 1 RM	60495700
111/073 NO CHECK ON LAST REQUEST	CRM/BAM 1 RM	60495700
113/075 GET/PUT CANNOT BE USED IF SBF=YES	CRM/BAM 1 RM	60495700
115/077 OUTSTANDING FATAL ERROR ON THE FILE	CRM/BAM 1 RM	60495700
116/078 GET FOLLOWS AN OUTPUT OPERATION. FO=SQ	CRM/BAM 1 RM	60495700
120/080 INVALID KEY/WORD ADDRESS/RECORD NUMBER	CRM/BAM 1 RM	60495700
130/088 RT=W BAD CONTROL WORD, FILE DEFECTIVE OR MISPOSITIONED	CRM/BAM 1 RM	60495700
135/093 RMS READ PARITY ERROR	CRM/BAM 1 RM	60495700
136/094 RMS WRITE PARITY ERROR	CRM/BAM 1 RM	60495700
137/095 SQ READ PARITY ERROR	CRM/BAM 1 RM	60495700
140/096 SQ WRITE PARITY ERROR	CRM/BAM 1 RM	60495700
141/097 EXCESS DATA IS FATAL TO PUTP	CRM/BAM 1 RM	60495700
142/098 EXCESS DATA	CRM/BAM 1 RM	60495700
143/099 INSUFFICIENT DATA	CRM/BAM 1 RM	60495700
144/100 INCOMPLETE PARTIAL PUT SEQUENCE	CRM/BAM 1 RM	60495700
150/104 FILE NOT ON RMS	CRM/BAM 1 RM	60495700
152/106 LT=S, DT=RMS	CRM/BAM 1 RM	60495700
154/108 BT=K/E ON PRU TYPE DEVICE	CRM/BAM 1 RM	60495700
157/111 S-TAPE BUT MBL>5120 CHARACTERS	CRM/BAM 1 RM	60495700
162/114 INVALID CONVERSION	CRM/BAM 1 RM	60495700
165/117 ILLEGAL FILE NAME	CRM/BAM 1 RM	60495700
167/119 RECORD LENGTH OUTSIDE MIN-MAX RANGE - REQUEST IGNORED	CRM/BAM 1 RM	60495700
170/120 RECORD SIZE EXCEEDS BLOCK SIZE OR IS NEGATIVE	CRM/BAM 1 RM	60495700
173/123 INVALID RL/PTL/MBL/MNB	CRM/BAM 1 RM	60495700
207/135 MINIMUM RECORD SIZE EXCEEDS MAXIMUM	CRM/BAM 1 RM	60495700
245/165 FUNCTION DISALLOWED ON THIS FO	CRM/BAM 1 RM	60495700
254/172 PARTIALS NOT SUPPORTED FOR FO=WA	CRM/BAM 1 RM	60495700

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
255/173 RECORD SPECIFICATION NOT COMPATIBLE WITH SBF=YES	CRM/BAM 1 RM	60495700
256/174 PARTIALS NOT SUPPORTED FOR RT=R	CRM/BAM 1 RM	60495700
300/192 NO READ PERMISSION	CRM/BAM 1 RM	60495700
301/193 NO WRITE OR MODIFY PERMISSION	CRM/BAM 1 RM	60495700
302/194 NO EXTEND OR ALLOCATE PERMISSION	CRM/BAM 1 RM	60495700
312/202 INVALID LABEL GROUP	CRM/BAM 1 RM	60495700
315/205 FILE ORGANIZATION IS NOT SEQUENTIAL	CRM/BAM 1 RM	60495700
316/206 TOO MANY LABELS	CRM/BAM 1 RM	60495700
320/208 INVALID LABEL SEQUENCE	CRM/BAM 1 RM	60495700
321/209 DATA STRUCTURES MUST BE WORD ALLIGNED	CRM/BAM 1 RM	60495700
325/213 STANDARD LABELS NOT ALLOWED ON MASS STORAGE	CRM/BAM 1 RM	60495700
326/214 GETL/PUTL ILLEGAL ON UNLABELED FILE	CRM/BAM 1 RM	60495700
327/215 GETL ATTEMPTED BEYOND END OF LABELS	CRM/BAM 1 RM	60495700
330/216 INVALID PARAMETER VALUE (LA, LBL, ULP)	CRM/BAM 1 RM	60495700
332/218 FILE REQUEST LABEL TYPE DISAGREES WITH LT FIELD OF FIT	CRM/BAM 1 RM	60495700
346/230 CMM NOT AVAILABLE AND THERE IS NO LIST OF FILES ADDRESS	CRM/BAM 1 RM	60495700
347/231 FDL ERROR CODE nnn ON CAPSULE yyy	CRM/BAM 1 RM	60495700
352/234 FILE TO BE CLOSED IS NOT KNOWN	CRM/BAM 1 RM	60495700
354/236 BUFFER SPACE SUPPLIED IS INSUFFICIENT FOR I/O	CRM/BAM 1 RM	60495700
355/237 CODE MODULES REQUIRED FOR I/O NOT LOADED	CRM/BAM 1 RM	60495700
356/238 TRIVIAL ERROR LIMIT REACHED	CRM/BAM 1 RM	60495700
357/239 UNABLE TO OBTAIN SPACE FOR BUFFER	CRM/BAM 1 RM	60495700
403/259 SKIPBL DISALLOWED	CRM/BAM 1 RM	60495700
404/260 SKIPFL DISALLOWED FOR RT=U	CRM/BAM 1 RM	60495700
406/262 REPLACE ATTEMPTED ON TAPE FILE	CRM/BAM 1 RM	60495700
407/263 FO=SQ REPLACE ATTEMPTED WHEN FP=EOR	CRM/BAM 1 RM	60495700
410/264 FO=SQ REPLACE ATTEMPTED WHEN LOP*GET	CRM/BAM 1 RM	60495700
411/265 FO=SQ REPLACE ENCOUNTERED EOS/EOP/BOI	CRM/BAM 1 RM	60495700
412/266 FO=SQ REPLACE ILLEGAL FOR THIS RT - USE RT=F/W	CRM/BAM 1 RM	60495700
413/267 FO=SQ REPLACE ILLEGAL FOR THIS BT - USE BT=C	CRM/BAM 1 RM	60495700
452/298 FILE POSITIONING ERROR	CRM/BAM 1 RM	60495700
556/366 OPEN FAILURE	CRM/BAM 1 RM	60495700
60459680 DESTAGE DELAYED, FM=familyname, SF=subfamily, CSU=id.	NOS 2 OPER HB	60459310
667x MALFUNCTION.	NOS 2 OPER HB	60459310
712/458 NEGATIVE OR OVERSIZED ARGUMENT -- WSA, SKP, OR LA	CRM/BAM 1 RM	60495700
713/459 NEGATIVE OR OVERSIZED ARGUMENT -- RL, ST, OR LBL	CRM/BAM 1 RM	60495700
714/460 NEGATIVE EX OR DX PARAMETER	CRM/BAM 1 RM	60495700
715/461 NEGATIVE OR OVERSIZED ARGUMENT -- WA OR KA	CRM/BAM 1 RM	60495700
716/462 NEGATIVE OR OVERSIZED ARGUMENT -- PTL OR KP	CRM/BAM 1 RM	60495700
717/463 NEGATIVE OR OVERSIZED ARGUMENT -- MKL, POS, GPS, OR TRM	CRM/BAM 1 RM	60495700
720/464 DEVICE CAPACITY EXCEEDED	CRM/BAM 1 RM	60495700

MESSAGE

721/465 ERROR DETECTED BY OPERATING SYSTEM
8/9 NOT ALLOWED ON OCTAL FIELD.
OOO F ERROR LIMIT EXCEEDED
O - IN CREATION MODE.
O INTERNAL ERROR. UNSUCCESSFUL OBTAIN IN RECREATES
1 A SPACE OR , EXPECTED
OO1 DUPLICATE LABEL/ELEMENT-NAME
OO1 ERROR IN COMPUTED GO TO STATEMENT - INDEX VALUE INVALID
OO1 ERROR IN COMPUTED GO TO STATEMENT - INDEX VALUE INVALID
OO1 F EMPTY SOURCE FILE
1 INTERNAL ERROR. UNABLE TO MODIFY DIAGNOSTIC..param
OO1 c INVALID CHARACTER MASK
OO1 INVALID FO
OO1 LONG IDENTIFIER - FIRST 12 CHARACTERS USED
OOO1 NONEXISTENT LFN - xxxxxxx
1 TYPE ERROR LOCATION SYMBOL BAD. SYMBOL NOT DEFINED.
OCCURRED ON PAGES p1, p2, p3, ..., pn
O1 OOOOOf01
OO2 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INDEFINITE; or ARGUMENT INFINITE
OO2 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INDEFINITE; or ARGUMENT INDEFINITE
2 BRANCH IF IS NON-ANSI
2 CHARACTERS USED OUTSIDE A STRING OR NAME MUST BE LETTER, DIGIT)
= (' , OR SPACE
OO2 F SOURCE WORD LONGER THAN 80 CHARACTERS
OO2 FIT/FILE ORGANIZATION MISMATCH
2 INTERNAL ERROR. UNABLE TO DELETE DIAGNOSTIC..param
OO2 c INVALID OCTAL LITERAL
OO2 INVALID STATEMENT NAME
OO2 SYMPL TEXT CONTAINS EMBEDDED -PROC- OR -FUNC-
2 TYPE ERROR ADDRESS ERROR ON SYMBOL DEFINITION.
OCCURRED ON PAGES p1, p2, p3, ..., pn
O2 ddccOoff02
3 A VALUE SHOULD FOLLOW THIS KEYWORD
OO3 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
OO3 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
3 BRANCH IF HAS EXPRESSION
3 BRANCH IF MISSING LABEL
3 BRANCH IF NOT DEFINED FOR LOGICAL RESULTS
OOO3 COMPILATION ERROR AT STATEMENT -number-
OO3 c DELIMITER MISSING FOLLOWING n
OO3 F APPLICATION GLOBAL DIVISION MISSING
3 INTERNAL ERROR. UNABLE TO STORE DIAGNOSTIC..param
OO3 INVALID STATEMENT DECLARATION
OOO3 OVERLAY NOT FOUND - xxxxxxx, OVERLAY NOT FOUND - (nn,nn)

<u>MANUAL</u>	<u>PUB. NO.</u>
CRM/BAM 1 RM	60495700
NOS 2 OPER HB	60459310
MCS 1 RM	60480300
XEDIT 3 RM	60455730
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
SYMPL 1 RM	60496400
LOADER 1 RM	60429800
COMPASS 3 RM	60492600
IMF 1 AP RM	60484500
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SORT/MERGE 5 RM	60484800
MCS 1 RM	60480300
CRM/AAM 2 RM	60499300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
SYMPL 1 RM	60496400
COMPASS 3 RM	60492600
IMF 1 AP RM	60484500
SDRT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
PL/I RM	60388100
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
LOADER 1 RM	60429800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3 TYPE ERROR DUPLICATE MACRO DEFINITION. NEW ONE OVERRIDES. OCCURRED ON PAGES p1, p2, p3,, pn	COMPASS 3 RM	60492600
003 UNDECLARED IDENTIFIER USE DELETED	SYMPL 1 RM	60496400
03 00000ff03	IMF 1 AP RM	60484500
004 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
004 ARGUMENT ZERO; ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
004 F APPLICATION-NAME PARAGRAPH MISSING	MCS 1 RM	60480300
004 ILLEGAL OCTAL OR HEX CONSTANT	SYMPL 1 RM	60496400
0004 INSUFFICIENT FL, or INSUFFICIENT FL - nnnnnn NEEDED	LOADER 1 RM	60429800
4 INTERNAL ERROR. IDENTIFIER OBTAIN FAILED IN CONSCH	IMF SCHEMA DEF.	60484400
004 MATCHING DELIMITER MISSING n	QUERY UPDT 3 RM	60498300
004 MISSING COLON AFTER ELEMENT NAME	NDL 1 RM	60480000
4 TYPE ERROR BAD FORMAL PARAMETER NAME IGNORED. OCCURRED ON PAGES p1, p2, p3,, pn	COMPASS 3 RM	60492600
4 UNDEFINED COLLATING SEQUENCE	SORT/MERGE 5 RM	60484800
005 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
005 ARGUMENT ABS VALUE .GT. 1; ARGUMENT INFINITE; ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
5 CHARACTER AFTER KEYWORD MUST BE SPACE OR =	SORT/MERGE 5 RM	60484800
005 COMMAND NOT FULLY EDITED	DATA CAT 2 RM	60483200
005 F INVALID CHARACTERS IN FILE NAME	MCS 1 RM	60480300
005 n FIRST CHARACTER INVALID	QUERY UPDT 3 RM	60498300
5 NO STORE PERMISSION. RECORD NOT LOADED OR RELOADED..param	IMF SCHEMA DEF.	60484400
0005 OVERLAY HEADER NOT CORRECT	LOADER 1 RM	60429800
005 -TERM- MISSING	SYMPL 1 RM	60496400
5 TYPE ERROR CPU OPERATION SYNTAX INCORRECTLY SPECIFIED. OCCURRED ON PAGES p1, p2, p3,, pn	COMPASS 3 RM	60492600
05 00000ff05	IMF 1 AP RM	60484500
006 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
006 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
006 BAD STATUS CONSTANT USE	SYMPL 1 RM	60496400
006 F INVALID CHARACTERS IN DATA NAME	MCS 1 RM	60480300
006 FIRST BLOCK IS NOT A FSTT	CRM/AAM 2 RM	60499300
006 INVALID CHARACTER IN n	QUERY UPDT 3 RM	60498300
6 INVALID KEYWORD DETECTED	SORT/MERGE 5 RM	60484800
6 RECORD INCOMPLETE VIEW OF CORRESPONDING SENTENCE..param	IMF SCHEMA DEF.	60484400
0006 REQUEST FORMAT ERROR	LOADER 1 RM	60429800
6 TYPE ERROR LOCATION FIELD MEANINGLESS.	COMPASS 3 RM	60492600
006 UNKNOWN KEYWORD OR DELIMETER	NDL 1 RM	60480000
06 00000ff06	IMF 1 AP RM	60484500
007 ARGUMENT VECTOR ZERO; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
007 ARGUMENT VECTOR ZERO; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
007 BAD NESTING OF PARENTHESES OR BRACKETS	SYMPL 1 RM	60496400
7 CHARACTER SYMBOL IS NON-ANSI	FORTRAN 5 RM	60481300
7 CHARACTER SYMBOL nnnnn IS NON-ANSI	FORTRAN 5 RM	60481300

MESSAGE

7 CHARACTER SYMBOL nnnnn IS NON-ANSI
7 CHARACTER SYMBOLIC NAME IS NON-ANSI
7 CORRESPONDING SENTENCE ALREADY LOADED OR RELOADED..param
0007 E-BIT WITH AUTO-RECALL
007 EQUAL NOT ASSOCIATED WITH KEYWORD
007 F INVALID CHARACTERS IN SYMBOLIC NAME
007 INVALID CHARACTER IN NAME OR KEYWORD n
7 TYPE ERROR ADDRESS VALUE EXCEEDS FIELD SIZE, RESULT TRUNCATED.
OCCURRED ON PAGES p1, p2, p3, ..., pn
7 UNLESS IN A STRING, = SHOULD FOLLOW ONLY A KEYWORD
07 00cc00ff07
008 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
008 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
008 F INVALID CHARACTERS IN ROUTINE NAME
008 ILLEGAL CHARACTER IN INPUT - IGNORED
008 n IS INVALID NAME
8 NO OBTAIN PERMISSION. RECORD NOT UNLOADED..param
08 0CMERRO010
008 PUNCTUATION ERROR
8 TYPE ERROR MISSING OR EXTRA ADDRESS SUBFIELD.
OCCURRED ON PAGES p1, p2, p3, ..., pn
OCCURRED ON PAGES p1, p2, p3, ..., pn
009 CHARACTER STRING LONGER THAN 240 BYTES - 240 USED
009 F INVALID CHARACTERS IN CONDITION NAME
9 INTERNAL ERROR. SENTENCE OBTAIN FAILED IN CONSCH
009 INVALID KEYWORD
009 n MISPLACED DECIMAL POINT
9 () MUST ENCLOSE A VALUE
09 0CMERRO011
0009 SIGNAL ERROR
9 UNABLE TO ATTACH FILE.
9 UNABLE TO ATTACH FILE.
009 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
009 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
010 CHANGE KEYWORD, OLD VALUE=xxxx
10 CHARACTER AFTER = MUST BE LETTER, DIGIT (\$ ' OR SPACE
010 F INVALID CHARACTERS IN QUEUE NAME
10 FUNCTION NOT PERMITTED ON THIS RECORD TYPE.
10 FUNCTION NOT PERMITTED ON THIS RECORD TYPE.
010 n HAS DUPLICATE DECIMAL POINT
010 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE
010 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE
10 INTERNAL ERROR. ROLE OBTAIN FAILED IN CONSCH
010 INVALID VALUE

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
LOADER 1 RM	60429800
NDL 1 RM	60480000
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
COMPASS 3 RM	60492600
SORT/MERGE 5 RM	60484800
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
NDL 1 RM	60480000
COMPASS 3 RM	60492600
SYMPL 1 RM	60496400
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
QUERY UPDT 3 RM	60498300
SORT/MERGE 5 RM	60484800
IMF 1 AP RM	60484500
PL/I RM	60388100
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
DATA CAT 2 RM	60483200
SORT/MERGE 5 RM	60484800
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
QUERY UPDT 3 RM	60498300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000

MESSAGE

O10 LAST WORD PROCESSED SHOWN BELOW
10 OCMERROO12
O10 -PROC- OR -FUNC- NAME CANNOT BE A RESERVED WORD
11 ATTEMPT TO OPEN AN ALREADY OPEN EXTERNAL SCHEMA.
11 ATTEMPT TO OPEN AN ALREADY OPEN EXTERNAL SCHEMA.
O11 F USER-DEFINED NAME TOO LONG FOR ITS TYPE
OO11 I/O ERROR STATUS
O11 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE
O11 INFINITE ARGUMENT; INDEFINITE ARGUMENT, ARGUMENT (REAL) OUT OF RANGE ARGUMENT
O11 (IMAG) OUT OF RANGE
O11 n IS INVALID FIXED POINT LITERAL
11 KEYWORD -OBJECT- MISSING. INSTEAD FOUND..param
O11 NO PERIOD FOUND BEFORE ASTERISK
O11 SYMPL TEXT CONTAINS XDEF
11 THIS VALUE SHOULD BE A STRING (DELIMITED WITH 'S)
12 CONCEPTUAL SCHEMA HAS NOT BEEN INITIALIZED.
12 CONCEPTUAL SCHEMA HAS NOT BEEN INITIALIZED.
O12 F INVALID NON-NUMERIC LITERAL
O12 ILLEGAL ARRAY IDENTIFIER USE DELETED
12 INVALID OBJECT NAME..param
O12 n IS INVALID FLOATING POINT LITERAL
OO12 LOADABLE AREA LS 100B
O12 NESTED DEFINE
12 OCMERROO14
O12 ZERO ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
O12 ZERO ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
O13 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
O13 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
13 DUPLICATE OBJECT NAME..param
13 EXTERNAL SCHEMA HAS NOT BEEN INITIALIZED.
13 EXTERNAL SCHEMA HAS NOT BEEN INITIALIZED.
O13 F NON-NUMERIC LITERAL TOO LONG
O13 ILLEGAL STATUS LIST IDENTIFIER USE DELETED
OO13 INCONSISTENT CMM USAGE
O13 n NEEDS ALPHA CHARACTER
13 OCMERROO15
13 THIS COMMA SHOULD BE FOLLOWED BY A LETTER, DIGIT, SPACE , OR (
14 ATTEMPT TO OPEN AN UNKNOWN CONCEPTUAL SCHEMA.
14 ATTEMPT TO OPEN AN UNKNOWN CONCEPTUAL SCHEMA.
O14 n COMPLEX NUMBER MISSING IMAGINARY PORTION
O14 F INITIATION MUST SPECIFY AUTOMATIC OR EXPLICIT
O14 ILLEGAL COMMON IDENTIFIER USE DELETED
O14 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE

<u>MANUAL</u>	<u>PUB. NO.</u>
DATA CAT 2 RM	60483200
IMF 1 AP RM	60484500
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
SYMPL 1 RM	60496400
SDRT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
NDL 1 RM	60480000
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
SYMPL 1 RM	60496400
LOADER 1 RM	60429800
QUERY UPDT 3 RM	60498300
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
O14 INFINITE ARGUMENT; INDEFINITE ARGUMENT; ABS (REAL PART) TOO LARGE; or ABS (IMAG PART) TOO LARGE	FORTRAN EXT 4	60497800
14 KEYWORD -NOTATION- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
14 OCMERROO16	IMF 1 AP RM	60484500
O14 STATEMENT OUT OF SEQUENCE	NDL 1 RM	60480000
14 THIS CHARACTER MUST BE A LETTER, DIGIT (' SPACE OR ,	SORT/MERGE 5 RM	60484800
15 ATTEMPT TO OPEN AN UNKNOWN EXTERNAL SCHEMA.	IMF SCHEMA DEF.	60484400
15 ATTEMPT TO OPEN AN UNKNOWN EXTERNAL SCHEMA.	IMF 1 AP RM	60484500
O15 F TEST MAY ONLY BE USED WITH AUTOMATIC	MCS 1 RM	60480300
O15 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
O15 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
O15 n INVALID COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
15 KEYWORD -SENTENCE- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
15 OCMERROO17	IMF 1 AP RM	60484500
O15 REQUESTED LINES NOT PRESENT FOR CATEGORY	DATA CAT 2 RM	60483200
O15 REQUIRED LABEL MISSING	NDL 1 RM	60480000
O15 SEMICOLON MISSING AFTER ARRAY DECLARATION	SYMPL 1 RM	60496400
15 TOO MANY PARAMETER POSITIONS HAVE BEEN SPECIFIED	SORT/MERGE 5 RM	60484800
O16 CRUD AT START OF STATEMENT DELETED	SYMPL 1 RM	60496400
O16 DEFINE-NAME CANNOT BE A RESERVED WORD	NDL 1 RM	60480000
O16 F APPLICATION PROGRAM DIVISION MISSING	MCS 1 RM	60480300
O16 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE BASE IN	FORTRAN 5 RM	60481300
O16 EXPONENTIATION; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
O16 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN EXT 4	60497800
O16 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
O16 n INCOMPLETE COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
16 KEYWORD -ROLE- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
16 OCMERROO20	IMF 1 AP RM	60484500
O17 ARGUMENT INFINITE or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
O17 ARGUMENT INFINITE or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
17 CHARACTER AFTER) MUST BE SPACE) OR ,	SORT/MERGE 5 RM	60484800
O17 F SEARCHING FOR NEXT AREA A STATEMENT	MCS 1 RM	60480300
17 IBN MUST BE OMITTED FOR THIS METAIB RUN.	IMF SCHEMA DEF.	60484400
17 IBN MUST BE OMITTED FOR THIS METAIB RUN.	IMF 1 AP RM	60484500
O17 ILLEGAL KEYWORD USE DELETED	SYMPL 1 RM	60496400
17 INVALID SENTENCE NAME	IMF SCHEMA DEF.	60484400
O17 n IS INCOMPLETE FLOATING POINT LITERAL	QUERY UPDT 3 RM	60498300
O17 LABEL NOT REQUIRED FOR THIS STMT -- IGNORED	NDL 1 RM	60480000
O18 ARGUMENT VECTOR O.O; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
O18 ARGUMENT VECTOR O.O; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
O18 ARRAY ITEM DECLARATION LIST LACKS -END-	SYMPL 1 RM	60496400
18 CHARACTER AFTER (MUST BE A LETTER, DIGIT \$ ' (OR SPACE	SORT/MERGE 5 RM	60484800
O18 ELEMENT-NAME IS TOO LONG	NDL 1 RM	60480000
O18 F UNEXPECTED EOF ON SOURCE FILE	MCS 1 RM	60480300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
O18 ILLEGAL DATA TYPE	QUERY UPDT 3 RM	60498300
18 INTERNAL ERROR DURING METAIB GENERATION.	IMF SCHEMA DEF.	60484400
18 INTERNAL ERROR DURING METAIB GENERATION.	IMF 1 AP RM	60484500
18 INVALID ROLE NAME..param	IMF SCHEMA DEF.	60484400
O19 DUPLICATE DECLARATION IDENTIFIER ERROR	SYMPL 1 RM	60496400
O19 F DIVISION, SECTION, PARA BEGIN COLS 8-11	MCS 1 RM	60480300
O19 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN 5 RM	60481300
O19 POWER; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT		
O19 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN EXT 4	60497800
O19 POWER; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT		
19 INTERNAL ERROR WHILE READING OR WRITING TABLES.	IMF SCHEMA DEF.	60484400
19 INTERNAL ERROR WHILE READING OR WRITING TABLES.	IMF 1 AP RM	60484500
19 INVALID IDENTIFIER NAME..param	IMF SCHEMA DEF.	60484400
O19 NO KEYWORD ASSOCIATED WITH VALUE	NDL 1 RM	60480000
O19 SYNTAX TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
19 THE HIGH AND LOW VALUES OF THIS RANGE MUST BE AN INTEGER, R1, R2, R3, R1G, EF OR EFG	SORT/MERGE 5 RM	60484800
O20 CONSECUTIVE COMMAS NOT ALLOWED	NDL 1 RM	60480000
O20 DELETE KEYWORD, OLD VALUE=xxxx	DATA CAT 2 RM	60483200
O20 F DUPLICATE USER-DEFINED NAME	MCS 1 RM	60480300
20 IMF HAS NOT BEEN INITIALIZED.	IMF SCHEMA DEF.	60484400
20 IMF HAS NOT BEEN INITIALIZED.	IMF 1 AP RM	60484500
O20 -c- IS NOT A VALID PERMANENT FILE NAME	QUERY UPDT 3 RM	60498300
O20 ITEM DECLARATION IDENTIFIER ERROR	SYMPL 1 RM	60496400
20 KEYWORD -USING- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
O020 RECORD (SIGNALLED)	PL/I RM	60388100
O20 REQUESTED CATEGORY NOT DEFINED	DATA CAT 2 RM	60483200
20 THE HIGH AND LOW VALUES OF THIS RANGE MUST BE A STRING	SORT/MERGE 5 RM	60484800
O20 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
O20 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
21 CHARACTER FOLLOWING AN INTEGER MUST BE) . . . SPACE OR LETTER	SORT/MERGE 5 RM	60484800
21 CIO ERROR RETURNED TO EFM MODULE.	IMF SCHEMA DEF.	60484400
21 CIO ERROR RETURNED TO EFM MODULE.	IMF 1 AP RM	60484500
O21 DECLARATION DISCARDED - SCAN RESUMES AT SEMICOLON	SYMPL 1 RM	60496400
O21 F OPERATOR CLAUSE REQUIRES SIGNATURE OR PASSWORD	MCS 1 RM	60480300
O21 FLOATING OVERFLOW IN D**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX	FORTRAN 5 RM	60481300
O21 POWER; IMAG(Z)*LOG(D) TOO LARGE; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT		
O21 FLOATING OVERFLOW IN D**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER;	FORTRAN EXT 4	60497800
O21 IMAG(Z)*LOG(D) TOO LARGE; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT		
21 INVALID CONSTRAINT NAME..param	IMF SCHEMA DEF.	60484400
O21 MISSING -END- STATEMENT	NDL 1 RM	60480000
O21 c -MOVE DESTINATION- MAY NOT BE LITERAL OR DESCRIBED ITEM	QUERY UPDT 3 RM	60498300
O021 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)	PL/I RM	60388100
O22 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
O22 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; OR INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800

MESSAGE

22 EXPECTING ASCENDING/ IMMATERIAL. INSTEAD FOUND..param
022 F APPLICATION DATA DIVISION HEADER MISSING
022 FIRST CHARACTER AFTER PERIOD NOT AN ASTERISK
022 c n INVALID SYNTAX
022 ITEM DECLARATION TYPE ERROR - I ASSUMED
22 POSITIONAL VALUES ARE NOT ALLOWED IN A VALUE-SET
0022 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)
22 THE METABASE IS NOT VALID.
22 THE METABASE IS NOT VALID.
23 A PERIOD CANNOT BE USED IN A PARAMETER-LIST
023 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
023 ARGUMENT TOO LARGE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE
023 ELEMENT-NAME MUST BEGIN WITH A LETTER
023 F SERIAL NUMBER REQUIRES SUPPLIED OR GENERATED
0023 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)
023 SYMPL TEXT CONTAINS EXECUTABLE STATEMENTS
023 c TAG-NUMBER OUT OF RANGE OR SELECT MISSING
23 THE METABASE TABLE ADDRESS OR LENGTH IS INVALID.
23 THE METABASE TABLE ADDRESS OR LENGTH IS INVALID.
23 THE ROLE NAME LIST CONTAINS NO ROLE NAMES
24 A RANGE IS ONLY ALLOWED AS A VALUE FOR ENR, KEY OR SUM PARAMETERS
24 CONFLICT WITH IMF INTERNAL TABLES DIT AND SDIT.
24 CONFLICT WITH IMF INTERNAL TABLES DIT AND SDIT.
024 F SUPPLIED SERIAL NUMBER REQUIRES IN PHRASE
24 KEYWORD -IN- MISSING. INSTEAD FOUND..param
024 OCTAL LITERAL TOO BIG
0024 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)
024 SIGNED PRESET ILLEGAL FOR THIS TYPE - IGNORED
024 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
024 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
025 CHARACTER MASK TOO BIG
25 EXPECTING CONSTRAINT TYPE. INSTEAD FOUND..param
025 F REQUIRED KEYWORD MISSING
025 MISSING NFILE/LFILE STMT -- MUST BE 1ST IN DIV.
x25 NETWORK (PSN) DOWN ON PORT xx.
0025 RECORD (RECORD LENGTH NOT EQUAL TO RECORD AREA LENGTH)
025 REQUESTED CATEGORIES NOT DEFINED
025 SCAN RESUMES AT -BEGIN-
25 THE EXTERNAL SCHEMA IS NOT OPEN.
25 THE EXTERNAL SCHEMA IS NOT OPEN.
25 UNLESS \$CHAR(N) IS USED, ONLY ONE SET OF NESTED PARENTHESES IS ALLOWED
025 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT

MANUAL	PUB. NO.
IMF SCHEMA DEF.	60484400
MCS 1 RM	60480300
NDL 1 RM	60480000
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
SORT/MERGE 5 RM	60484800
PL/I RM	60388100
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NDL 1 RM	60480000
MCS 1 RM	60480300
PL/I RM	60388100
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
MCS 1 RM	60480300
NDL 1 RM	60480000
NOS 2 OPER HB	60459310
PL/I RM	60388100
DATA CAT 2 RM	60483200
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
025 ZERO ARGUMENT; NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
26 ATTEMPT TO ACTIVATE FILES THAT ARE ALREADY ACTIVE.	IMF SCHEMA DEF.	60484400
26 ATTEMPT TO ACTIVATE FILES THAT ARE ALREADY ACTIVE.	IMF 1 AP RM	60484500
026 DECIMAL LITERAL TOO BIG	QUERY UPDT 3 RM	60498300
026 DP INTEGER EXCEEDS 96 BITS; 2ND ARGUMENT ZERO; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
026 DP INTEGER EXCEEDS 96 BITS; 2ND ARGUMENT ZERO; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
026 F INVALID INTEGER LITERAL	MCS 1 RM	60480300
026 MISSING SEMICOLON	SYMPL 1 RM	60496400
26 OWNER ITEM LIST DOES NOT CONTAIN AN IDENTIFIER	IMF SCHEMA DEF.	60484400
26 UNLESS WITHIN A STRING, NEITHER . NOR = IS ALLOWED WITHIN A VALUE-SET	SORT/MERGE 5 RM	60484800
027 F MAXIMUM INTEGER VALUE IS 32767	MCS 1 RM	60480300
27 INFOBASE IS INVALID DUE TO INVALID CONSTRAINTS	IMF 1 AP RM	60484500
027 ITEM PRESET ERROR	SYMPL 1 RM	60496400
027 NAME GENERATION SUPPRESSED. -NCIR- TOO LARGE	NDL 1 RM	60480000
027 PERFORM IS ONLY DIRECTIVE EXECUTED FOR THIS TRANSMISSION	QUERY UPDT 3 RM	60498300
27 THIS VALUE SHOULD BE A FILE OR PROC NAME	SORT/MERGE 5 RM	60484800
27 UNEXPECTED END OF INPUT	IMF 1 AP RM	60484500
27 UNEXPECTED END OF INPUT ENCOUNTERED	IMF SCHEMA DEF.	60484400
028 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
028 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
028 DIRECTIVE KEYWORD MISSING AFTER c	QUERY UPDT 3 RM	60498300
028 F STARTS PHRASE REQUIRES AT, WITH OR AFTER	MCS 1 RM	60480300
028 GROUP NOT ALLOWED FOR X.25 LINES	NDL 1 RM	60480000
28 OBJECT NOTATION HAS INCOMPATIBLE SCALE FACTOR	IMF SCHEMA DEF.	60484400
28 REPAIR MODE INVALID FOR VALID INFOBASE	IMF 1 AP RM	60484500
028 SYMPL TEXT CONTAINS LABEL	SYMPL 1 RM	60496400
029 BASED, XDEF OR XREF ARRAYS NEED IDENTIFIER	SYMPL 1 RM	60496400
029 ERRONEOUS DIRECTIVE AND REST OF TRANSMISSION IGNORED	QUERY UPDT 3 RM	60498300
029 F STARTING CHARACTER BEYOND SEGMENT	MCS 1 RM	60480300
29 ITEM LENGTH NOT COMPATIBLE WITH OBJECT NOTATION	IMF SCHEMA DEF.	60484400
029 KEYWORD NOT ALLOWED ON THIS STATEMENT	NDL 1 RM	60480000
029 NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
029 NEGATIVE ARGUMENT; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
29 NETFUNC: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
29 PARENTHESES MUST BE MATCHED IN THE PARAMETER-LIST	SORT/MERGE 5 RM	60484800
29 USER RECORD ADDRESS GIVEN FOR UNKNOWN RECORD ID.	IMF SCHEMA DEF.	60484400
29 USER RECORD ADDRESS GIVEN FOR UNKNOWN RECORD ID.	IMF 1 AP RM	60484500
030 ARGUMENT TOO LARGE, FLOATING OVERFLOW; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
030 ARGUMENT TOO LARGE, FLOATING OVERFLOW; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
030 ARRAY ITEM DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
030 DELETE SUCCESSFULLY COMPLETED	DATA CAT 2 RM	60483200
030 F FIELD LENGTH BEYOND SEGMENT	MCS 1 RM	60480300

MESSAGE

030 INVALID CHARACTER IN SOURCE-WORD
30 INVALID INFORMATION BASE PROCEDURE NAME..param
30 INVALID INFORMATION PROCEDURE NAME..param
030 INVALID RT
030 MISSING VALUE
30 NETON: DUPLICATE NETON REQUEST
030 NO DATA SELECTED FOR REQUEST
30 OCMERROO36
30 TOO FEW SETS GIVEN FOR THE KEYWORD ENDED HERE
031 ARRAY ITEM DECLARATION TYPE ERROR
031 F EXTENDS REQUIRES FOR, TO OR THROUGH
031 INTEGER OVERFLOW; ZERO TO THE ZERO POWER; or ZERO TO THE NEGATIVE POWER
031 INTEGER OVERFLOW; ZERO TO THE ZERO POWER; or ZERO TO THE NEGATIVE POWER
031 INVALID USE OF SIGN
031 NAME GENERATION SUPPRESSED, ROOT NAME TOO LONG
31 NP\$GET: REQUEST INVALID BEFORE NETON
31 NUMBER OF ITEMS IN OWNER/MEMBER LISTS NOT EQUAL
31 RECORD ID IS INCORRECT.
31 RECORD ID IS INCORRECT.
031 RT=F/Z AND FL=0
31 TOO MANY VALUE-SETS GIVEN FOR THIS KEYWORD-VALUE-LIST
32 ACCESS PATH ID IS INCORRECT.
32 ACCESS PATH ID IS INCORRECT.
032 BAD ARRAY BOUND VALUES - ASSUMED [0:0]
032 ERROR IN IMAGINARY PORTION OF COMPLEX NUMBER
032 F LITERAL MUST BE INTEGER OR NONNUMERIC
032 NAME GENERATION SUPPRESSED, NO PORT FOR GROUP
32 NP\$PUT: REQUEST INVALID BEFORE NETON
032 RT=T AND HL OR TL=0
32 THIS VALUE SHOULD BE AN INTEGER
033 ARRAY BOUND SYNTAX ERROR
33 CORRESPONDING ITEMS DO NOT HAVE SAME OBJECT TYPE
33 COSET ID IS INCORRECT.
33 COSET ID IS INCORRECT.
033 F SOURCE-DESTINATION DIVISION HEADER MISSING
033 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE
033 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
033 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE
033 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT
033 MAXIMUM SOURCE-WORD LENGTH EXCEEDED
33 NETWAIT: REQUEST INVALID BEFORE NETON
033 PREVIOUSLY DEFINED TITLE OVER-WRITTEN
033 RT=D AND LL=0/RT=T AND CL=0

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
CRM/AAM 2 RM	60499300
NDL 1 RM	60480000
NAM 1 RM	60499500
DATA CAT 2 RM	60483200
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
NAM 1 RM	60499500
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
CRM/AAM 2 RM	60499300
SORT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
NDL 1 RM	60480000
NAM 1 RM	60499500
CRM/AAM 2 RM	60499300
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
NAM 1 RM	60499500
NDL 1 RM	60480000
CRM/AAM 2 RM	60499300

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
	33 TOO MANY VALUES SPECIFIED IN THIS VALUE-SET	SORT/MERGE 5 RM	60484800
	034 F INVALID SYMBOLIC NAME TYPE	MCS 1 RM	60480300
	34 NETDBG: REQUEST INVALID BEFORE NETON	NAM 1 RM	60499500
	34 NO PERMISSION TO PERFORM REQUESTED FUNCTION.	IMF SCHEMA DEF.	60484400
	34 NO PERMISSION TO PERFORM REQUESTED FUNCTION.	IMF 1 AP RM	60484500
	034 PARTWORD SPECIFICATION ERROR IN ARRAY ITEM DECLARATION - DEFAULT TAKEN	SYMPL 1 RM	60496400
	34 RECORD MISSING ITEMS NEEDED FOR STORE PERMISSION	IMF SCHEMA DEF.	60484400
	034 STORED ONLY FIRST 45 CHAR -- IGNORED REST	NDL 1 RM	60480000
	34 TOO FEW VALUES SPECIFIED IN THIS VALUE-SET	SORT/MERGE 5 RM	60484800
	034 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
	034 ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
	035 F QUEUE DIVISION HEADER MISSING	MCS 1 RM	60480300
	035 FIRST BIT ALIGNMENT WRONG IN ARRAY ITEM DECLARATION - 0 USED	SYMPL 1 RM	60496400
	035 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 035 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
	035 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER; 035 INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
	35 KEYWORD -PRECISION- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
	035 NO ON CALL OPTION SPECIFIED	QU/CRM DA RM	60482100
	035 NO ON CALL OPTION SPECIFIED	DDL 2 QU SUBSCH	60498600
	35 ONLY A ,) .. OR SPACE CAN FOLLOW A PARAMETER VALUE	SORT/MERGE 5 RM	60484800
	035 RT=T/D, MRL EXCLUDES CONTROL FIELD	CRM/AAM 2 RM	60499300
	35 STRUCTURE POINTER MISSING FROM INTERNAL TABLE.	IMF SCHEMA DEF.	60484400
	35 STRUCTURE POINTER MISSING FROM INTERNAL TABLE.	IMF 1 AP RM	60484500
	035 SUPERFLUOUS DATA AFTER END STMT, IGNORED	NDL 1 RM	60480000
	035 VALID DELIMITER NOT FOUND	QUERY UPDT 3 RM	60498300
	036 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
	036 ARGUMENT TOO LARGE, ACCURACY LOST; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
	036 DUPLICATE ON CALL OPTION	QU/CRM DA RM	60482100
	036 F STARTS/EXTENDS INSTANCE RANGE ERROR	MCS 1 RM	60480300
	036 ILLEGAL ARRAY ITEM BOUNDARY - DEFAULT TAKEN	SYMPL 1 RM	60496400
	36 NO IDENTIFIER SPECIFIED FOR SENTENCE	IMF SCHEMA DEF.	60484400
	36 RECORD ID IS NOT VALID FOR COSET OR ACCESS PATH.	IMF SCHEMA DEF.	60484400
	36 RECORD ID IS NOT VALID FOR COSET OR ACCESS PATH.	IMF 1 AP RM	60484500
	036 RL INCONSISTENT WITH RECORD DESCRIPTION	CRM/AAM 2 RM	60499300
	036 UNRECOGNIZABLE STATEMENT	QUERY UPDT 3 RM	60498300
	037 n DOUBLE PRECISION INVALID IN COMPLEX NUMBER	QUERY UPDT 3 RM	60498300
	37 For NOS 1 only CANNOT REVERSE UPDATE AFTER CONSTRAINT VIOLATION	IMF SCHEMA DEF.	60484400
	37 For NOS 2 only STRUCTURES IN INCONSISTENT STATE	IMF SCHEMA DEF.	60484400
	037 F SELECT MUST SPECIFY INPUT, OUTPUT OR SUBQUEUES	MCS 1 RM	60480300
	37 FILE NAME TRUNCATED TO 7 CHARACTERS..param	IMF SCHEMA DEF.	60484400
	037 ILLEGAL SENSE LITE NUMBER	FORTRAN EXT 4	60497800
	037 INTEGER-1 FOR RECORD CONTAINS MUST INCLUDE KEYS	QU/CRM DA RM	60482100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
037 INTEGER-1 FOR RECORD CONTAINS MUST INCLUDE KEYS	DDL 2 QU SUBSCH	60498600
037 MAXIMUM ARRAY SIZE EXCEEDED	SYMPL 1 RM	60496400
037 NAME GENERATION SUPPRESSED, NI TOO LARGE	NDL 1 RM	60480000
37 NOS 1: CANNOT REVERSE UPDATE AFTER CONSTRAINT VIOLATION.	IMF 1 AP RM	60484500
37 NOS 2: STRUCTURES IN INCONSISTENT STATE	IMF 1 AP RM	60484500
037 RT=D/T AND CL/LL > 6	CRM/AAM 2 RM	60499300
37 THIS PARAMETER VALUE MUST BE A SET OR A RANGE	SORT/MERGE 5 RM	60484800
38 A USER INTERRUPT TERMINATED IMF.	IMF SCHEMA DEF.	60484400
38 A USER INTERRUPT TERMINATED IMF.	IMF 1 AP RM	60484500
038 F BASED REQUIRES SOURCE/DESTINATION/CONTENTS/TIME	MCS 1 RM	60480300
038 ILLEGAL SENSE LITE NUMBER	FORTRAN EXT 4	60497800
38 KEYWORD -FILE- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
038 NAME GENERATION SUPPRESSED, PORT TOO LARGE	NDL 1 RM	60480000
038 TOO MANY PRESET GROUPS	SYMPL 1 RM	60496400
038 c TRANSM-ID ALREADY EXISTS	QUERY UPDT 3 RM	60498300
039 ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
039 ARGUMENT NEGATIVE; ARGUMENT INFINITE; or ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
039 ARRAY PRESET SYNTAX ERROR	SYMPL 1 RM	60496400
039 DUPLICATE DECLARATION, OVERRIDES PREVIOUS ONE	NDL 1 RM	60480000
039 F SELECT REQUIRES ROUTE CLAUSE	MCS 1 RM	60480300
039 -a- IS AN UNKNOWN SESSION NAME AND/OR DIRECTIVE	QUERY UPDT 3 RM	60498300
39 KEYWORD -CONSISTS-MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
040 -COMMON- MUST BE AT OUTER SCOPE ONLY	SYMPL 1 RM	60496400
040 DELETE OF REFERENCE TO THIS ENTRY IN catname	DATA CAT 2 RM	60483200
040 F INVALID TIME LITERAL	MCS 1 RM	60480300
040 ILLEGAL SENSE SWITCH NUMBER	FORTRAN 5 RM	60481300
040 ILLEGAL SENSE SWITCH NUMBER	FORTRAN EXT 4	60497800
040 c INVALID SUBSCRIPT	QUERY UPDT 3 RM	60498300
40 KEYWORD FOR HOST LANGUAGE MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
40 NETON: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
040 POSSIBLE MISSING STMT(S) PRECEDING THIS ONE	NDL 1 RM	60480000
040 REDUNDANT OPEN	CRM/AAM 2 RM	60499300
0040 TRANSMIT (SIGNALLED)	PL/I RM	60388100
041 ARGUMENT TOO LARGE, ACCURACY LOST; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
041 ARGUMENT TOO LARGE, INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
041 BAD COMMON DECLARATION IGNORED	SYMPL 1 RM	60496400
041 CONSOLE EXPECTED HERE TO OWN PASSIVE DEVICES	NDL 1 RM	60480000
041 F MEDIUM REQUIRES CENTRAL OR DISK	MCS 1 RM	60480300
41 INTERNAL ERROR WITHIN SAP MODULE.	IMF SCHEMA DEF.	60484400
41 INTERNAL ERROR WITHIN SAP MODULE.	IMF 1 AP RM	60484500
041 INVALID USE OF LAST/NEXT	QUERY UPDT 3 RM	60498300
41 SKIPPING TEXT BEGINNING WITH..param	IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
41 SKIPPING TEXT BEGINNING WITH .param	IMF 1 AP RM	60484500
0041 TRANSMIT (OUTPUT)	PL/I RM	60388100
042 BAD XREF OR XDEF IGNORED	SYMPL 1 RM	60496400
042 ERROR IN SUBSCRIPT DIMENSIONING	QUERY UPDT 3 RM	60498300
042 F STATUE REQUIRES ENABLED OR DISABLED	MCS 1 RM	60480300
042 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
042 INFINITE ARGUMENT or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
42 NP\$GET: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
42 SCAN RESUMES AFTER .param	IMF SCHEMA DEF.	60484400
42 SCAN RESUMES AFTER .param	IMF 1 AP RM	60484500
42 THE FILE ADDRESS IS NOT VALID.	IMF SCHEMA DEF.	60484400
42 THE FILE ADDRESS IS NOT VALID.	IMF 1 AP RM	60484500
0042 TRANSMIT (INPUT)	PL/I RM	60388100
043 BAD BASED DECLARATION IGNORED	SYMPL 1 RM	60496400
43 DUPLICATE INFORMATION BASE PROCEDURE NAME .param	IMF SCHEMA DEF.	60484400
043 F APPLICATION PROCESSING DIVISION HEADER MISSING	MCS 1 RM	60480300
43 FILE ADDRESSING RANGE IS EXCEEDED.	IMF SCHEMA DEF.	60484400
43 FILE ADDRESSING RANGE IS EXCEEDED.	IMF 1 AP RM	60484500
43 IN\$PUT: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
043 SUBSCRIPT BEYOND RANGE	QUERY UPDT 3 RM	60498300
0043 TRANSMIT (OUTPUT) - SOME REC. MGR. ERROR. SEE DAYFILE	PL/I RM	60388100
044 F USE REQUIRES WHEN OR EVERY	MCS 1 RM	60480300
044 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN 5 RM	60481300
044 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
044 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE DOUBLE	FORTRAN EXT 4	60497800
044 POWER; INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
44 LIMIT OF 5 OPEN INFOBASES IS EXCEEDED	IMF SCHEMA DEF.	60484400
44 NETWAIT: PREVIOUS REQUEST INCOMPLETE	NAM 1 RM	60499500
44 THE LIMIT OF 15 FILES HAS BEEN EXCEEDED	IMF SCHEMA DEF.	60484400
0044 TRANSMIT (INPUT) - SOME REC. MGR. ERROR. SEE DAYFILE	PL/I RM	60388100
044 c UNDEFINED DATA-NAME	QUERY UPDT 3 RM	60498300
044 XDEF OR XREF LIST CRUD DELETED	SYMPL 1 RM	60496400
045 c DATA-NAME BEING USED	QUERY UPDT 3 RM	60498300
045 F SELECT PARAGRAPH MISSING	MCS 1 RM	60480300
045 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER;	FORTRAN 5 RM	60481300
045 INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
045 FLOATING OVERFLOW; ZERO TO THE ZERO POWER; ZERO TO THE NEGATIVE POWER; NEGATIVE TO THE REAL POWER;	FORTRAN EXT 4	60497800
045 INFINITE ARGUMENT; or INDEFINITE ARGUMENT		
45 INTERNAL ERROR DUE TO INCORRECT EML KEY LENGTH.	IMF SCHEMA DEF.	60484400
45 INTERNAL ERROR DUE TO INCORRECT EML KEY LENGTH.	IMF 1 AP RM	60484500
45 NETOFF: NETOFF DURING FILE TRANSFER	NAM 1 RM	60499500
45 ROLE LIST HAS DUPLICATE REFERENCE TO ROLE NAME .param	IMF SCHEMA DEF.	60484400
045 SYMPL TEXT CONTAINS SWITCH DECLARATION	SYMPL 1 RM	60496400
046 COMMON LIST SCAN RESUMES AT NEXT -ARRAY- OR -ITEM-	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
046 F INVALID NAME TYPE	MCS 1 RM	60480300
046 FLOATING OVERFLOW IN I**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX 046 POWER; IMAG(Z)*LOG(I) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN 5 RM	60481300
046 FLOATING OVERFLOW IN I**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER; 046 IMAG(Z)*LOG(I) TOO LARGE; INFINITE ARGUMENT; or INDEFINITE ARGUMENT	FORTRAN EXT 4	60497800
46 INTERNAL ERROR DUE TO INVALID EML ENTRY NUMBER.	IMF SCHEMA DEF.	60484400
46 INTERNAL ERROR DUE TO INVALID EML ENTRY NUMBER.	IMF 1 AP RM	60484500
46 INTERNAL ERROR. EML SEARCH FOR DFM IN INITSUB	IMF SCHEMA DEF.	60484400
046 c PRECEDING FIELD WAS VARIABLE LENGTH	QUERY UPDT 3 RM	60498300
047 F INITIATION MAY BE SPECIFIED ONLY ONCE	MCS 1 RM	60480300
047 FLOATING OVERFLOW IN X**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX 047 POWER; IMAG(Z)*LOG(X) TOO LARGE; or INFINITE OR INDEF ARGUMENT	FORTRAN 5 RM	60481300
047 FLOATING OVERFLOW IN X**REAL(Z); ZERO TO THE ZERO OR NEGATIVE POWER; NEGATIVE TO THE COMPLEX POWER; 047 IMAG(Z)*LOG(X) TOO LARGE; or INFINITE OR INDEF ARGUMENT	FORTRAN EXT 4	60497800
47 IMF CANNOT READ THE BLOCK.	IMF SCHEMA DEF.	60484400
47 IMF CANNOT READ THE BLOCK.	IMF 1 AP RM	60484500
47 INVALID NAME FOR HOST LANGUAGE..param	IMF SCHEMA DEF.	60484400
047 c SHOULD PRECEDE -AS-	QUERY UPDT 3 RM	60498300
047 SYMPL TEXT CONTAINS INNER SCOPE VARIABLE	SYMPL 1 RM	60496400
48 DUPLICATE SENTENCE NAME..param	IMF SCHEMA DEF.	60484400
048 -END- ENDS BAD COMMON LIST	SYMPL 1 RM	60496400
048 F INVALID SYMBOLIC NAME OR TYPE	MCS 1 RM	60480300
048 FATAL ERROR ENCOUNTERED DURING PROGRAM EXECUTION DUE TO COMPILATION ERROR	FORTRAN EXT 4	60497800
48 IMF CANNOT WRITE FPT.	IMF SCHEMA DEF.	60484400
48 IMF CANNOT WRITE FPT.	IMF 1 AP RM	60484500
048 SPECIFY MISSING CONDITIONAL EXPRESSION	QUERY UPDT 3 RM	60498300
049 COMMA MISSING AT END OF RECORD - COMMA ASSUMED; NAMELIST DATA TERMINATED BY EOF NOT \$; 049 or CONSTANTS MISSING AT END OF RECORD - NEXT RECORD READ	FORTRAN 5 RM	60481300
049 COMMA MISSING AT END OF RECORD - COMMA ASSUMED; NAMELIST DATA TERMINATED BY EOF. NOT \$; or CONSTANTS 049 MISSING AT END OF RECORD - NEXT RECORD READ	FORTRAN EXT 4	60497800
049 -DEF- DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
049 F INVALID QUEUE NAME OR TYPE	MCS 1 RM	60480300
49 IMF CANNOT WRITE THE BLOCK.	IMF SCHEMA DEF.	60484400
49 IMF CANNOT WRITE THE BLOCK.	IMF 1 AP RM	60484500
49 NP\$LOC: NO ENTRY WITH MATCHING ACN	NAM 1 RM	60499500
49 RSE REQUIRES ACCESS PATH WITH ASCENDING ORDER	IMF 1 AP RM	60484500
049 -c- SESSION-ID OR LEVEL NUMBER TOO LONG	QUERY UPDT 3 RM	60498300
050 BAD FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
050 DELETE catname REF IN - catname	DATA CAT 2 RM	60483200
50 DIALOG PARAMETER CAN ONLY BE SPECIFIED IN A CONTROL STATEMENT	SORT/MERGE 5 RM	60484800
050 F SIZE MAY BE SPECIFIED ONLY ONCE PER QUEUE	MCS 1 RM	60480300
050 FATAL ERROR IN LOADER	FORTRAN 5 RM	60481300
050 FATAL ERROR IN LOADER	FORTRAN EXT 4	60497800
50 IMF CANNOT EXTEND THE FILE.	IMF SCHEMA DEF.	60484400
50 IMF CANNOT EXTEND THE FILE.	IMF 1 AP RM	60484500

MESSAGE

0050 KEY (SIGNALLED)
50 NP\$ON: INVALID PROCESS NUMBER
050 NUMBER OF FILES PERMITTED TO BE OPEN SIMULTANEOUSLY HAS BEEN EXCEEDED
050 RELATION-NAME IS MISSING
050 RELATION - NAME IS MISSING
050 SESSION REACHED DIRECTIVE LIMIT
50 UNKNOWN INFORMATION BASE PROCEDURE..param
051 F INVALID NAME IN COMMAND
051 n ILLEGAL NUMERIC ITEM FOLLOWING c
51 IMF CANNOT READ EMPTY BLOCK.
51 IMF CANNOT READ EMPTY BLOCK.
051 JOIN MISSING
051 JOIN MISSING
0051 KEY (KEYED RECORD NOT FOUND)
51 NP\$XFER: NWL HAS OVERFLOWED
51 ONLY 3 VALUES CAN BE GIVEN IN KEY/SUM VALUE-SET IF F..L FORMAT IS USED
051 PROGRAM BEGINS BADLY
051 Set by user via subroutine SYSTEM or SYSTEMC
051 Set by user via subroutine SYSTEM or SYSTEMC
051 SETFIT DISALLOWED ON OPEN FILE
51 UNKNOWN SENTENCE NAME..param
052 EQ MISSING
052 ERROR IN DIRECTORY DESCRIPTION OF ITEM
052 F ROUTING ALREADY SPECIFIED FOR QUEUE NAME
052 FILE NOT CLOSED AFTER LAST UPDATE/CONDITION QUESTIONABLE
52 FILE, PROC AND COL-SEQ NAMES MUST BEGIN WITH A LETTER
52 -FROM- OPTION NOT ALLOWED FOR GROUP ITEM
52 IMF CANNOT OPEN OLD FILE.
52 IMF CANNOT OPEN OLD FILE.
0052 KEY (ATTEMPT TO ADD DUPLICATE KEY)
52 NETFUNC: INVALID FUNCTION CODE USED
052 -PRGM- DECLARATION LACKS IDENTIFIER
052 Set by user via subroutine SYSTEM or SYSTEMC. Error numbers larger than 135 become e
052 SET BY USER VIA SUBROUTINE SYSTEM OR SYSTEMC. ERROR NUMBERS LARGER than 217 become e
052 IN THIS TABLE BECOME ERROR 52
053 CONVERSION FUNCTION NOT PROVIDED
053 F CONTENTS REQUIRES FIELD NAME
53 IMF CANNOT READ FPT.
53 IMF CANNOT READ FPT.
053 INVALID RELATIONAL OPERATORS
053 INVALID RELATIONAL OPERATORS
0053 KEY (KEY SEQUENCE ERROR)
053 NO HOME RECORD

<u>MANUAL</u>	<u>PUB. NO.</u>
PL/I RM	60388100
NAM 1 RM	60499500
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
QUERY UPDT 3 RM	60498300
IMF 1 AP RM	60484500
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
PL/I RM	60388100
NAM 1 RM	60499500
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CRM/AAM 2 RM	60499300
IMF SCHEMA DEF.	60484400
QU/CRM DA RM	60482100
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
CRM/AAM 2 RM	60499300
SORT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
PL/I RM	60388100
NAM 1 RM	60499500
SYMPL 1 RM	60496400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
PL/I RM	60388100
CRM/AAM 2 RM	60499300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
53 NO SUITABLE DATA TYPE FOR NOTATION. ROLE IGNORED..param	IMF SCHEMA DEF.	60484400
053 NOT ENOUGH FL FOR SORT/MERGE	FORTRAN 5 RM	60481300
053 NOT ENOUGH FL FOR SORT/MERGE	FORTRAN EXT 4	60497800
053 -PRGM- DECLARATION ERROR - CRUD PRECEDES SEMICOLON	SYMPL 1 RM	60496400
53 VALUES ALLOWED FOR THE FASTIO PARAMETER ARE YES AND NO	SORT/MERGE 5 RM	60484800
054 DATA TRUNCATED DURING CONVERSION	QUERY UPDT 3 RM	60498300
054 F QUEUE IN ROUTE IS NOT SUBQUEUE OF SELECT	MCS 1 RM	60480300
054 FILE ILLEGALLY EXTENDED (EOI MOVED)	CRM/AAM 2 RM	60499300
54 IMF CANNOT RETURN FILE.	IMF SCHEMA DEF.	60484400
54 IMF CANNOT RETURN FILE.	IMF 1 AP RM	60484500
054 INVALID DATA NAME	QU/CRM DA RM	60482100
054 INVALID DATA NAME	DDL 2 QU SUBSCH	60498600
54 ITEM AND RECORD NAMES NOT UNIQUE	IMF SCHEMA DEF.	60484400
0054 KEY (KEY CONVERSION ERROR)	PL/I RM	60388100
054 MIXED I/O MODES - DIRECT SEQUENTIAL	DDL 2 QU SUBSCH	60498600
054 MIXED IO MODES - DIRECT OR SEQUENTIAL; CODED, BINARY, BUFFER AFTER	FORTRAN 5 RM	60481300
054 DIRECT OR SEQUENTIAL; CODED, BINARY, BUFFER ON LFN - xxxxxxxx		
54 MORE THAN 100 INPUT FILES GIVEN, ONLY THE FIRST 100 SORTED	SORT/MERGE 5 RM	60484800
054 XDEF OR XREF LIST SCAN RESUMES AT LEGAL ENTRY	SYMPL 1 RM	60496400
55 CONSTRAINT/IDENTIFIER ITEMS MISSING. NO STORE PERM..param	IMF SCHEMA DEF.	60484400
055 DATA INCOMPATIBLE WITH DATA TYPE	QUERY UPDT 3 RM	60498300
055 DUPLICATE COMMON BLOCK DECLARATION IN SYMPL TEXT	SYMPL 1 RM	60496400
055 END-OF-FILE ENCOUNTERED, FILENAME - - - - xxxxxxxx	FORTRAN 5 RM	60481300
055 END-OF-FILE ENCOUNTERED, FILENAME ---- xxxxxxxx	FORTRAN EXT 4	60497800
055 F FROM USED ONLY WITH SOURCE CRITERION	MCS 1 RM	60480300
055 FILE NONEXISTENT, CANNOT OPEN-OLD	CRM/AAM 2 RM	60499300
55 IMF READ INCORRECT RECORD.	IMF SCHEMA DEF.	60484400
55 IMF READ INCORRECT RECORD.	IMF 1 AP RM	60484500
0055 KEY (KEY SPECIFICATION ERROR)	PL/I RM	60388100
055 RIGHT PARANTHESIS MISSING	DDL 2 QU SUBSCH	60498600
055 RIGHT PARENTHESIS MISSING	QU/CRM DA RM	60482100
056 EMPTY FILE OPENED FOR READ-ONLY	CRM/AAM 2 RM	60499300
056 -END- ENDS BAD XDEF OR XREF LIST	SYMPL 1 RM	60496400
056 F TO USED ONLY WITH DESTINATION CRITERION	MCS 1 RM	60480300
56 FILE IS FULL--NO EMPTY BLOCKS REMAIN.	IMF SCHEMA DEF.	60484400
56 FILE IS FULL--NO EMPTY BLOCKS REMAIN.	IMF 1 AP RM	60484500
56 IF THE FIRST VALUE OF A SEQ5 IS A RANGE THEN ALL OTHER VALUES OF THAT SEQ5 MUST BE RANGES OF THE SAME LENGTH	SORT/MERGE 5 RM	60484800
056 INVALID RELATION NAME	QU/CRM DA RM	60482100
056 INVALID RELATION NAME	DDL 2 QU SUBSCH	60498600
56 NO ACCESS PATH. RECORD NOT UNLOADED..param	IMF SCHEMA DEF.	60484400
056 c UNSUPPORTED DATA TYPE	QUERY UPDT 3 RM	60498300
056 WRITE FOLLOWED BY READ, FILENAME - - - - xxxxxxxx	FORTRAN 5 RM	60481300

MESSAGE

056 WRITE FOLLOWED BY READ, FILENAME ---- xxxxxxxx
057 AREA SPECIFICATION SPANS SCM/LCM
057 AREA SPECIFICATION SPANS SCM/LCM
57 CONFLICT BETWEEN FPT AND FILE LENGTH.
57 CONFLICT BETWEEN FPT AND FILE LENGTH.
57 CORRESPONDING SENTENCE ALREADY UNLOADED .param
057 F BEFORE-AFTER USED ONLY WITH TIME CRITERION
0057 KEY (NO SPACE AVAILABLE TO ADD KEYED RECORD)
057 SYMPL TEXT DUPLICATE DECLARATION OVERRIDES
57 WHEN LOW .HIGH IS USED AS A VALUE FOR SEQ5 LOW MUST BE LESS THAN HIGH
058 BUFFER DESIGNATION BAD -- FWA.GT.LWA
058 BUFFER DESIGNATION BAD - FWA.GT.LWA
058 F INVALID CONDITION NAME
058 a - LOGICAL OPERATOR REQUIRES LOGICAL TYPE CPERAND
58 NO STORE PERM. CANNOT RELOAD USING THIS EXT SCHEMA .param
58 ONLY SINGLE CHARACTER STRINGS OR \$CHAR CAN BE USED AS VALUES FOR SEQ5
058 SYMPL TEXT CONTAINS FORMAL PARAMETER
58 WRONG FPT ON OPEN NEW FILE.
58 WRONG FPT ON OPEN NEW FILE.
059 BUFFER SPECIFICATION BAD -- FWA.GT.LWA
059 BUFFER SPECIFICATION BAD - FWA.GT.LWA
59 DATA ITEM NOT IN NEW EXTERNAL SCHEMA .param
059 F FOR USED ONLY WITH CONTENTS CRITERION
59 FOR \$CHAR(N), N MUST BE A POSITIVE DECIMAL INTEGER
059 -FUNC- DECLARATION TYPE ERROR I ASSUMED
059 LOGICAL USAGE IS INVALID ARITHMETIC OPERAND
59 TRY TO OPEN INVALID FILE--UPDATED AND NOT CLOSED.
59 TRY TO OPEN INVALID FILE--UPDATED AND NOT CLOSED.
060 BFS EXCEEDS ALLOCATED STATIC SIZE, LFN - xxxxxxxx
060 BFS EXCEEDS ALLOCATED STATIC SIZE, LFN-xxxxxxx
060 BFS EXCEEDS ALLOCATED STATIC SIZE, LFN-xxxxxxx
060 CONSTANT TOO LARGE, SIGNIFICANCE LOST
60 CONTRADICTORY VALUES FOR LO PARAMETER SHOULD NOT BE SPECIFIED
060 DELETE catname
060 F CONDITION NAME NOT DEFINED IN BASED PHRASE
60 INSUFFICIENT CMM BUFFERS
60 INSUFFICIENT CMM BUFFERS
60 INTERNAL ERROR IN SCANNER
060 REDUNDANT CLOSE
060 RELATION NAME LONGER THAN 30 CHARACTERS-NAME TRUNCATED
060 RELATION NAME LONGER THAN 30 CHARACTERS - NAME TRUNCATED
060 TWO SUCCESSIVE OPERATORS USED

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
IMF SCHEMA DEF.	60484400
MCS 1 RM	60480300
PL/I RM	60388100
SYMPL 1 RM	60496400
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
MCS 1 RM	60480300
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
SYMPL 1 RM	60496400
SORT/MERGE 5 RM	60484800
DATA CAT 2 RM	60483200
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
IMF SCHEMA DEF.	60484400
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300

MESSAGE

061 F SERIAL NUMER DATA NAME INVALID
61 FILE NAMES MUST NOT EXCEED 7 CHARACTERS IN LENGTH
061 c ILLEGAL USE OF OPERATOR
061 PARAMETERS ON EXPLICIT OPEN INCONSISTENT WITH USE OF LFN - xxxxxxxx
061 PARAMETERS ON EXPLICIT OPEN INCONSISTENT WITH USE OF LFN-xxxxxxx.
061 RELATION NAME NOT UNIQUE
061 RELATION NAME NOT UNIQUE
061 SCAN RESUMES AT SEMICOLON
61 THE LIMIT OF 60 ROLES HAS BEEN EXCEEDED
61 TREE FULL--ROOT LEVEL EQUALS THE MAXIMUM.
61 TREE FULL--ROOT LEVEL EQUALS THE MAXIMUM.
62 BAD TML LEVEL INDICATOR.
62 BAD TML LEVEL INDICATOR.
062 DUPLICATE FORMAL PARAMETER IN LIST
62 DUPLICATE PRIME
062 F ON INPUT, ON OUTPUT LIMITED TO ONE EACH
062 FILENAME NOT DECLARED-xxxxxxx
062 INVALID UNIT
062 LEFT/RIGHT PARENTHESIS NOT BALANCED
062 MAX QUALIFICATION LEVELS FOR DATA NAME REACHED
062 MAX QUALIFICATION LEVELS FOR DATA NAME REACHED
62 THE MAXIMUM LENGTH OF A LINE IS 240 CHARACTERS
063 DUPLICATE PARAMETER - PRIOR DECLARATION THIS SCOPE
063 END-OF-FILE ENCOUNTERED, FILENAME-xxxxxxx
063 END-OF-FILE ENCOUNTERED ON FILE xxxxxxxx
063 ERROR IN SUBSCRIPT
063 ERROR IN SUBSCRIPT
063 F INJECTION/COLLECTION/RESPONSE QUEUE INVALID
63 INTERNAL ERROR. NO SUITABLE PRIME IN SDLRTN
063 c MUST PRECEDE OPERAND/OPERATOR
63 TML FUNCTION NOT AVAILABLE.
63 TML FUNCTION NOT AVAILABLE.
63 VALUES ALLOWED FOR THE DIALOG PARAMETER ARE YES AND NO
64 A SPACE OR , MUST FOLLOW THE SORT OR MERGE VERBS IN DIR. FILES
064 ERROR IN PARENTHESIS
064 ERROR IN PARENTHESIS
064 F INVALID OPERATOR NAME
064 ILLEGAL BUF LEN SPECIFIED ON PROGRAM STATEMENT
064 ILLEGAL BUG LEN SPECIFIED ON PROGRAM STATEMENT
064 c ILLEGAL DATA-NAME
64 INTERNAL ERROR. NO PRIMES FOR RANDOMIZER IN SDLRTN
64 NO TML CURRENT ENTRY.

<u>MANUAL</u>	<u>PUB. NO.</u>
MCS 1 RM	60480300
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
MCS 1 RM	60480300
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SORT/MERGE 5 RM	60484800
SORT/MERGE 5 RM	60484800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
64 NO TML CURRENT ENTRY.	IMF 1 AP RM	60484500
064 PARAMETER LIST SYNTAX ERROR	SYMPL 1 RM	60496400
65 A PERIOD MUST FOLLOW SORT5 OR MERGE	SORT/MERGE 5 RM	60484800
065 CYCLING NOT ALLOWED	QU/CRM DA RM	60482100
065 CYCLING NOT ALLOWED	DDL 2 QU SUBSCH	60498600
065 END-OF-FILE ENCOUNTERED. FILENAME-xxxxxxx	FORTRAN EXT 4	60497800
065 END-OF-FILE ENCOUNTERED ON FILE xxxxxxx	FORTRAN 5 RM	60481300
065 F RANGE VALUES MUST BE INTEGER	MCS 1 RM	60480300
065 OPERATOR MUST SEPARATE OPERANDS	QUERY UPDT 3 RM	60498300
065 -PROC- DECLARATION LACKS IDENTIFIER	SYMPL 1 RM	60496400
65 UNABLE TO FIND PREVIOUS LEVEL RECORD IN GROUP FOR..param	IMF SCHEMA DEF.	60484400
066 CONSTANT MISSING; INVALID COMPLEX CONSTANT	FORTRAN EXT 4	60497800
066 F INVALID DATA NAME OR TYPE	MCS 1 RM	60480300
66 FOLLOWING ITEM IS DUPLICATE REFERENCE TO ROLE..param	IMF SCHEMA DEF.	60484400
066 KEYWORD -DIVISION- EXPECTED, NOT FOUND	QU/CRM DA RM	60482100
066 KEYWORD - DIVISION - EXPECTED, NOT FOUND	QU/CRM DA RM	60482100
066 MISSING; VARIABLE NAME NOT FOUND-xxxxxxx;	FORTRAN EXT 4	60497800
066 NAMELIST NAME NOT FOUND - xxxxxxx, INCORRECT	FORTRAN EXT 4	60497800
066 NAMELIST NAME NOT FOUND-xxxxxxx; INCORRECT SUBSCRIPT; TOO MANY CONSTANTS; , (\$ OR = EXPECTED,	FORTRAN 5 RM	60481300
066 MISSING; VARIABLE NAME NOT FOUND-xxxxxxx; CONSTANT MISSING;		
066 INVALID COMPLEX CONSTANT		
066 NAMELIST NAME NOT FOUND-xxxxxxx; INCORRECT SUBSCRIPT; TOO MANY CONSTANTS; , (\$ OR = EXPECTED,	FORTRAN EXT 4	60497800
066 MISSING; VARIABLE NAME NOT FOUND-xxxxxxx; or CONSTANT MISSING		
066 -PROC- DECLARATION SYNTAX ERROR	SYMPL 1 RM	60496400
066 SUBSCRIPT; TOO MANY CONSTANTS; , (\$ OR = EXPECTED,	FORTRAN EXT 4	60497800
066 TOO MANY RIGHT PARENTHESES	QUERY UPDT 3 RM	60498300
67 ALL DIRECTIVE FILE NAMES MUST BE UNIQUE	SORT/MERGE 5 RM	60484800
067 DBI BELONGS TO AREA WITH MULTIPLE RECORDS - NOT ALLOWED IN RELATION	QU/CRM DA RM	60482100
067 DBI BELONGS TO AREA WITH MULTIPLE RECORDS - NOT ALLOWED IN RELATION	DDL 2 QU SUBSCH	60498600
067 DECODE RECORD LENGTH .LE. 0 or DECODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN 5 RM	60481300
067 DECODE RECORD LENGTH .LE. 0 or DECODE LCM RECORD .GT. 150 CHARACTERS	FORTRAN EXT 4	60497800
067 F ALIAS REQUIRED FOR TYPE QUEUE OR JOURNAL	MCS 1 RM	60480300
067 c FUNCTION REQUIRES PARENTHESIZED PARAMETER LIST	QUERY UPDT 3 RM	60498300
67 ITEM NOT IN OLD EXTERNAL SCHEMA..param	IMF SCHEMA DEF.	60484400
67 NP\$XFER: NIP NOT AVAILABLE AT A SCP	NAM 1 RM	60499500
067 UNDECLARED LABEL OR PROCEDURE IDENTIFIER	SYMPL 1 RM	60496400
068 F NO DESTINATIONS FOR OTHERWISE ROUTING	MCS 1 RM	60480300
68 FETCH ILLEGAL FIELD MNEMONIC	NAM 1 RM	60499500
068 FORMAL IDENTIFIER LACKS DECLARATION	SYMPL 1 RM	60496400
068 * ILL-PLACED NUMBER OR SIGN or * ILLEGAL FUNCTIONAL LETTER	FORTRAN 5 RM	60481300
068 *ILL-PLACED NUMBER OR SIGN or *ILLEGAL FUNCTIONAL LETTER	FORTRAN EXT 4	60497800
068 c IS OR HAS INVALID FUNCTION PARAMETER	QUERY UPDT 3 RM	60498300
68 LINES CONTINUING THE SORT5 OR MERGE PARAMETER-LIST MUST BEGIN WITH A PERIOD	SORT/MERGE 5 RM	60484800
68 NO CONVERSION FOR NEW DATA TYPE...param	IMF SCHEMA DEF.	60484400

MESSAGE

068 SOURCE DBI NOT IN SAME AREA AS PREVIOUS TARGET DBI
069 F DUPLICATE OR INVALID USE OF TYPE
69 FILE NAMES CAN CONTAIN ONLY LETTERS AND DIGITS
069 *IMPROPER PARENTHESES NESTING
069 * IMPROPER PARENTHESIS NESTING
69 NUMBER OF IDENTIFIER VIOLATIONS..param
069 PARAMETER NOT USED IN THIS SCOPE
069 SOURCE AND TARGET DBI IN SAME FILE
069 SOURCE AND TARGET DBI IN SAME FILE
69 STORE ILLEGAL FIELD MNEMONIC
069 TRANSMISSION NOT RECORDED-IT HAS UNRECORDABLE DIRECTIVE
0070 ENDFILE
070 * EXCEEDED RECORD SIZE
070 *EXCEEDED RECORD SIZE
070 F EXPLICIT INITIATION REQUIRES OPERATOR
070 ILLEGAL -DEF- IDENTIFIER - NO EXPANSION
70 INVALID PASSWORD LITERAL. DEFAULT PASSWORD USED
70 LENGTH MUST BE SPECIFIED IF TYPE IS SPECIFIED
070 OUTPUT REQUEST, PD=INPUT OR READ ONLY PERMISSION
070 PARENTHEICAL NESTING EXCEEDS LIMIT NEAR c n
70 QTENDT: REQUEST INVALID BEFORE QTOPEN
070 SOURCE AND TARGET DBI CHARACTERISTICS MUST BE IDENTICAL
070 SOURCE AND TARGET DBI CHARACTERISTICS MUST BE IDENTICAL
071 DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS
071 DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS
0071 ENDFILE - END OF DATA
071 ENTRY -PROC- MAY NOT CALL ITSELF
071 F INVALID LIST COMPONENT TYPE
071 INPUT REQUEST, PD=OUTPUT
71 KEY LENGTH FOR KEY OF KEYTYPE REAL MUST BE 10
71 NUMBER OF CONSTRAINT VIOLATIONS..param
71 QTGET: REQUEST INVALID BEFORE QTOPEN
071 RELATIONAL OPERATOR MUST FOLLOW c
071 * SPECIFIED FIELD WIDTH ZERO
071 *SPECIFIED FIELD WIDTH ZERO or *BAD VALUE FOR = OR V
072 -ANY- ONLY LEGAL ON TARGET ITEM IN JOIN
072 -ANY- ONLY LEGAL ON TARGET ITEM IN JOIN
072 CHARACTER USAGE IS INVALID ARITHMETIC OPERAND
072 END OF RECORD SEEN BEFORE -TERM- FOUND
0072 ENDFILE - FILE AT BDI
072 F DUPLICATE MESSAGES CLAUSE-SYMB NAME AND LIST
072 * FIELD WIDTH .LE. DECIMAL WIDTH

<u>MANUAL</u>	<u>PUB. NO.</u>
QU/CRM DA RM	60482100
MCS 1 RM	60480300
SORT/MERGE 5 RM	60484800
FORTRAN EXT 4	60497800
FORTRAN 5 RM	60481300
IMF SCHEMA DEF.	60484400
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
NAM 1 RM	60499500
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
SYMPL 1 RM	60496400
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
CRM/AAM 2 RM	60499300
QUERY UPDT 3 RM	60498300
NAM 1 RM	60499500
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
PL/I RM	60388100
SYMPL 1 RM	60496400
MCS 1 RM	60480300
CRM/AAM 2 RM	60499300
SORT/MERGE 5 RM	60484800
IMF SCHEMA DEF.	60484400
NAM 1 RM	60499500
QUERY UPDT 3 RM	60498300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
PL/I RM	60388100
MCS 1 RM	60480300
FORTRAN 5 RM	60481300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
072 *FIELD WIDTH .LE. DECIMAL WIDTH	FORTRAN EXT 4	60497800
72 NUMBER OF INVALID CONSTRAINTS..param	IMF SCHEMA DEF.	60484400
72 ONLY THE VALUES A OR D ARE ALLOWED FOR KEY ORDER	SORT/MERGE 5 RM	60484800
72 QTPUT: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
073 c DIRECTIVE-ID MUST BE NUMERIC, 3 DIGITS LONG	QUERY UPDT 3 RM	60498300
073 F DUPLICATE MADE CLAUSE-SYMBOLIC NAME AND LIST	MCS 1 RM	60480300
073 * HOLLERITH FORMAT WITH LIST	FORTRAN 5 RM	60481300
073 *HOLLERITH FORMAT WITH LIST	FORTRAN EXT 4	60497800
73 INFOBASE INVALID DUE TO INVALID CONSTRAINTS	IMF SCHEMA DEF.	60484400
73 QTLINK: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
073 TARGET DBI WITH SUBSCRIPT ANY MUST BE REPEATING ALTERNATE KEY	QU/CRM DA RM	60482100
073 TOO MANY SUBSCRIPTS FOR ARRAY OR ARRAY ITEM REFERENCE	SYMPL 1 RM	60496400
73 UNEQUAL FL FOR INPUT AND OUTPUT FILES WITH RT=F OR RT=Z	SORT/MERGE 5 RM	60484800
074 DATA NAME UNDEFINED	QU/CRM DA RM	60482100
074 DATA NAME UNDEFINED	DDL 2 QU SUBSCH	60498600
074 F DUPLICATE PASSWORD CLAUSE-SYMB NAME AND LIST	MCS 1 RM	60480300
074 ILLEGAL FILE-NAME AFTER -FROM-	QUERY UPDT 3 RM	60498300
74 INFOBASE IS VALID	IMF SCHEMA DEF.	60484400
074 MUST HAVE CMM FOR MULTIPLE ACCESS	CRM/AAM 2 RM	60499300
74 QTTIP: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
074 TOO MANY SUBSCRIPTS FOR SWITCH REFERENCE	SYMPL 1 RM	60496400
74 VALUES ALLOWED FOR THE EL PARAMETER ARE T, W, F OR C	SORT/MERGE 5 RM	60484800
75 DATA ITEM TRUNCATED IN NEW EXTERNAL SCHEMA..param	IMF SCHEMA DEF.	60484400
075 DIRECTIVE RANGE IS NEGATIVE	QUERY UPDT 3 RM	60498300
075 F DUPLICATE STATE CLAUSE-SYMBOLIC NAME AND LIST	MCS 1 RM	60480300
075 MULTIPLY DEFINED/IMPROPERLY QUALIFIED DATA NAME	QU/CRM DA RM	60482100
075 MULTIPLY DEFINED/IMPROPERLY QUALIFIED DATA NAME	DDL 2 QU SUBSCH	60498600
075 NOT ENOUGH SUBSCRIPTS FOR ARRAY OR ARRAY ITEM REFERENCE	SYMPL 1 RM	60496400
75 QTCMD: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
075 UBS MAY NOT BE USED FOR MULTIPLE ACCESS	CRM/AAM 2 RM	60499300
75 VALUES ALLOWED FOR THE LO PARAMETER ARE OFF, S AND A	SORT/MERGE 5 RM	60484800
076 BAD SUBSCRIPT LIST	SYMPL 1 RM	60496400
076 F OUTPUT BASED ON DESTINATION ONLY	MCS 1 RM	60480300
76 NO RECORD OCCURRENCES STORED FOR RECORD..param	IMF SCHEMA DEF.	60484400
076 PERFORM TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
76 QTLEND: REQUEST INVALID BEFORE QTOPEN	NAM 1 RM	60499500
076 SUBSCRIPT MUST APPEAR ON SUBSCRIPTABLE ITEM	QU/CRM DA RM	60482100
076 SUBSCRIPT MUST APPEAR ON SUBSCRIPTABLE ITEM	DDL 2 QU SUBSCH	60498600
76 VALUES ALLOWED AS EXPRESSIONS ARE INTEGER, R1, R2, R3, R1G, EF OR EFG	SORT/MERGE 5 RM	60484800
77 ALL RECORD OCCURRENCES VIOLATE IDENTIFIER..param	IMF SCHEMA DEF.	60484400
077 F THROUGH VALUE # OR = START VALUE	MCS 1 RM	60480300
077 ILLEGAL LABEL OR PROCEDURE IDENTIFIER USE DELETED	SYMPL 1 RM	60496400

MESSAGE

077 c INVALID QU DIRECTIVE
077 INVALID RESTRICT CLAUSE. SCANNING RESUMES AT NEXT RELATION ENTRY
77 \$NULL SHOULD NOT BE USED AS A VALUE WITHIN A SET OF VALUES
77 QTSUP: REQUEST INVALID BEFORE QTOPEN
078 F MEDIUM DISK REQUIRES RESIDENCY
078 * ILLEGAL DATA IN FIELD ***
078 *ILLEGAL DATA IN FIELD .'.
78 KEYWORD -RECORD- MISSING. INSTEAD FOUND..param
078 STATUS SWITCH DECLARATION LACKS STATUS LIST IDENTIFIER
078 SUBSCRIPT VALUE TOO LARGE
078 SUBSCRIPT VALUE TOO LARGE
078 TL=d. THIS TRANSMISSION WAS d. EXCESS IGNORED.
78 VALUES ALLOWED FOR THE ST PARAMETER ARE R1, R2, R3, R1G, EF DR EFG
079 BAD LABEL USE IN STATUS SWITCH
079 * DATA OVERFLOW ***
079 *DATA OVERFLOW .'.
079 F INVOKE REQUIRES INVOCATION FILE
79 KEYWORD -ON- MISSING. INSTEAD FOUND..param
079 ONCE ILLEGAL WITH ABSOLUTE LINE NUMBER
79 VALUES ALLOWED FOR THE RETAIN PARAMETER ARE YES AND NO
080 DIRECT/INDIRECT USE OF CHARACTER DATA IS ILLEGAL
080 F NO STATUS/MESSAGES FOR TYPE QUEUE OR JOURNAL
080 c INVALID PICTURE
80 KEYWORD -SELECTING/OMITTING- MISSING. INSTEAD FOUND..param
80 OWNRL AND OWNFL SHOULD NOT BOTH BE SPECIFIED FOR THE SAME SORT
80 QTOPEN: DUPLICATE QTOPEN
080 STATUS SWITCH ERROR - VALUE TOO LARGE
080 TOO MANY SUBSCRIPTS
080 TOO MANY SUBSCRIPTS
080 UNDEFINEDFILE (SIGNALLED)
081 DIRECT/INDIRECT USE OF CHARACTER DATA IS ILLEGAL
081 F OPERATOR MAY NOT BE DEDICATED
81 KEYWORD -REPORT/RECORDS- MISSING. INSTEAD FOUND..param
081 MURAL SIZE EXCEEDS MAX
81 QTOPEN: NIT NUM-TERMS FIELD IS ZERO
081 STATUS SWITCH ERROR - DUPLICATE STATUS CONSTANT VALUES
081 SUBSCRIPTABLE QUALIFIER OMITTED
081 SUBSCRIPTABLE QUALIFIER OMITTED
81 SUM AND KEY FIELDS MAY NOT OVERLAP
081 UNDEFINEDFILE (ATTRIBUTE CONFLICT)
082 DATA ITEM NOT IN RECORD OF RESTRICT
082 DATA ITEM NOT IN RECORD OF RESTRICT

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
SORT/MERGE 5 RM	60484800
NAM 1 RM	60499500
MCS 1 RM	60480300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
SORT/MERGE 5 RM	60484800
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
NAM 1 RM	60499500
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
PL/I RM	60388100
FORTRAN 5 RM	60481300
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
NAM 1 RM	60499500
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SORT/MERGE 5 RM	60484800
PL/I RM	60388100
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600

MESSAGE

O82 F INVALID OR MISPLACED SYNTAX
O82 c INSERTION CHARACTERS EXCEED 63
 82 INVALID FILE NAME..param
 82 LINES IN A DIRECTIVE FILE MUST BE NO LONGER THAN 100 CHARACTERS IN LENGTH
O82 QTOPEN: NETON REJECTED
O82 STATUS SWITCH ERROR - MISSING STATUS CONSTANT
O82 UNDEFINEDFILE (FILE TYPE NOT SUPPORTED)
O83 BEGIN/END MISMATCH, PROBABLY DISASTER
O83 F ALIAS IS NAME ONLY WITH TYPE QUEUE OR JOURNAL
O83 LITERAL IS OF WRONG DATA TYPE
 83 NO RECORDS ARE TO BE PROCESSED
O83 OUTPUT FILE LINE LIMIT EXCEEDED
O83 OUTPUT FILE LINE LIMIT EXCEEDED
O83 QTOPEN: NETWORK NOT AVAILABLE
 83 REP. VALUE OF A SUM FIELD MUST BE AN INTEGER
O83 UNDEFINEDFILE (OPEN STATEMENT PARAMETER ERROR)
O83 c - ZERO REPEAT COUNT TREATED AS ONE
O84 F AT LEAST ONE SYMBOLIC NAME REQUIRED
O84 -IF- EXPRESSION NOT BOOLEAN
O84 QTSUP: SUPERVISORY MESSAGE REJECTED
 84 RECORD CLAUSE CONTAINS NO RECORD NAMES
O84 RECORD NOT IN RELATION OR OUT OF ORDER
O84 RECORD NOT IN RELATION OR OUT OF ORDER
O84 c - REPEAT COUNT MUST BE NUMERIC
O84 UNDEFINEDFILE (BAD OPTION INTRODUCED)
 84 VALUES ALLOWED FOR DWNT PARAMETER MUST BE OLD OR NEW
O85 ENCODE CHARACTER/RECORD .LE. 0 or ENCODE LCM RECORD .GT. 150 CHARACTERS
O85 ENCODE CHARACTER/RECORD .LE. 0 or ENCODE LCM RECORD .GT. 150 CHARACTERS
O85 F AT LEAST ONE QUEUE REQUIRED
 85 IN A KEY/SUM VALUE-SET USING FIRST..LAST, FIRST MUST BE LESS THAN LAST
O85 n INVALID PICTURE - MUST BE CHARACTER LITERAL
O85 MORE THAN ONE RESTRICT CLAUSE FOR THIS RECORD
O85 MORE THAN ONE RESTRICT CLAUSE FOR THIS RECORD
 85 RECORD CLAUSE DOES NOT CONTAIN RECORD NAME..param
O85 UNDEFINEDFILE (DATASET ALREADY IN USE)
O85 -WHILE- EXPRESSION NOT BOOLEAN
O86 F NO RESIDENCY FOR COMPOUND QUEUE
 86 INTERNAL ERROR IN LOAD UTILITY
O86 INVALID BLOCK TYPE
O86 INVALID BLOCK TYPE
 86 INVALID DATA-TYPE FOR SUM FIELD SPECIFIED
O86 NO READ PERMISSION

<u>MANUAL</u>	<u>PUB. NO.</u>
MCS 1 RM	60480300
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
SORT/MERGE 5 RM	60484800
NAM 1 RM	60499500
SYMPL 1 RM	60496400
PL/I RM	60388100
SYMPL 1 RM	60496400
MCS 1 RM	60480300
QU/CRM DA RM	60482100
IMF SCHEMA DEF.	60484400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NAM 1 RM	60499500
SORT/MERGE 5 RM	60484800
PL/I RM	60388100
QUERY UPDT 3 RM	60498300
MCS 1 RM	60480300
SYMPL 1 RM	60496400
NAM 1 RM	60499500
IMF SCHEMA DEF.	60484400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
MCS 1 RM	60480300
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
IMF SCHEMA DEF.	60484400
PL/I RM	60388100
SYMPL 1 RM	60496400
MCS 1 RM	60480300
IMF SCHEMA DEF.	60484400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
0086 UNDEFINEDFILE (SOME CRM ERROR. SEE DAYFILE)	PL/I RM	60388100
87 CRM ERROR..param	IMF SCHEMA DEF.	60484400
087 -DEF- IDENTIFIER EXPANSION NEST TOO DEEP - IDENTIFIER DELETED	SYMPL 1 RM	60496400
087 F VALUE NOT REPRESENTABLE IN FIELD	MCS 1 RM	60480300
087 INVALID RECORD TYPE	QU/CRM DA RM	60482100
87 LINES OF A DIR FILE MUST BEGIN WITH SORT OR MERGE VERB, OR BE A CONTINUATION	SORT/MERGE 5 RM	60484800
087 PRIVACY VIOLATION. WRITING ON CATALOG NOT ALLOWED	QUERY UPDT 3 RM	60498300
0087 UNDEFINEDFILE (FILE TITLE CONTAINS AN INVALID CHARACTER OR HAS A LENGTH OF ZERO)	PL/I RM	60388100
88 BYTE/BIT POSITION OR LENGTH OF A SUM/KEY FIELD MUST BE AN INTEGER	SORT/MERGE 5 RM	60484800
88 CRM ERROR ON FILE..param	IMF SCHEMA DEF.	60484400
088 FORMAT/ALTER DIRECTIVE MISSING	QUERY UPDT 3 RM	60498300
088 MISSING -DO- HAS BEEN FOUND	SYMPL 1 RM	60496400
088 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
088 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
89 DUE TO CRM ERROR, UNABLE TO PROCESS RECORD..param	IMF SCHEMA DEF.	60484400
089 LIST EXCEEDS DATA, FILENAME-xxxxxxx	FORTRAN EXT 4	60497800
089 LIST EXCEEDS DATA, READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
089 MISSING -THEN- HAS BEEN FOUND	SYMPL 1 RM	60496400
89 SEQN VALUE MUST NOT BE ONE OF THE PREDEFINED KEY-TYPES	SORT/MERGE 5 RM	60484800
089 n - SESSION-ID OR KEYWORD OFF MISSING	QUERY UPDT 3 RM	60498300
0089 UNDEFINEDFILE (CRM ERROR ON FILE OPENING)	PL/I RM	60388100
90 KEYWORD -DIRECTORY- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
090 n...MISSING -AND- IN DESCRIBE	QUERY UPDT 3 RM	60498300
090 MISSING -DO-	SYMPL 1 RM	60496400
090 PARITY ERROR ON FILE xxxxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
090 PARITY ERROR READING (BINARY) FILE-xxxxxxx	FORTRAN EXT 4	60497800
90 RECOVERY IMPOSSIBLE. STRUCTURES INCONSISTENT FOR..param	IMF SCHEMA DEF.	60484400
90 SEQR AND SEQA MAY BE SPECIFIED ONLY ONCE FOR EACH COLLATING SEQUENCE	SORT/MERGE 5 RM	60484800
91 DUE TO CRM ERROR, UNABLE TO CHECK CONSTRAINTS	IMF SCHEMA DEF.	60484400
091 n...MISSING -AS- IN DESCRIBE	QUERY UPDT 3 RM	60498300
091 MISSING -THEN-	SYMPL 1 RM	60496400
91 SEQN MUST BE SPECIFIED BEFORE ANY OTHER SEQ PARAMETER CAN BE GIVEN	SORT/MERGE 5 RM	60484800
091 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
091 WRITE FOLLOWED BY READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
092 ERROR IN INITIAL VALUE EXPRESSION OF INDUCTION VARIABLE	SYMPL 1 RM	60496400
092 n...MISSING -BY- IN DESCRIBE	QUERY UPDT 3 RM	60498300
092 PARITY ERROR READING (CODED) FILE-xxxxxxx	FORTRAN 5 RM	60481300
092 PARITY ERROR READING (CODED) FILE-xxxxxxx	FORTRAN EXT 4	60497800
0092 UNDEFINEDFILE (RECORD MANAGER, MODULE NOT LOADED)	PL/I RM	60388100
92 USER MRL < ES REC LEN. RECORD PADDED TO ES REC LEN..param	IMF SCHEMA DEF.	60484400
92 VALUES ALLOWED FOR SEQR AND SEQA ARE YES AND NO	SORT/MERGE 5 RM	60484800
093 n ILLEGAL DATA TYPE	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
093 PARITY ERROR ON FILE-xxxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
093 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
93 SEQN SHOULD NOT BE GIVEN WITHOUT GIVING SEQS OR SEQR BEFORE THE NEXT SEQN	SORT/MERGE 5 RM	60484800
093 -STEP- EXPRESSION ERROR	SYMPL 1 RM	60496400
93 USER MRL < ES REC LEN. USER REC TRUNCATED TO ES LEN. .param	IMF SCHEMA DEF.	60484400
094 c OCCURRING POINTER NAME NOT PREVIOUSLY DESCRIBED	QUERY UPDT 3 RM	60498300
094 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN 5 RM	60481300
094 PARITY ERROR ON LAST READ ON FILE-xxxxxxx	FORTRAN EXT 4	60497800
094 -UNTIL- EXPRESSION ERROR	SYMPL 1 RM	60496400
94 VALUES ALLOWED IN SEQS PARAMETER ARE STRINGS AND \$CHAR(N)	SORT/MERGE 5 RM	60484800
95 KEYWORD -OUTPUT- MISSING. INSTEAD FOUND. .param	IMF SCHEMA DEF.	60484400
095 PARITY ERROR ON FILE xxxxxx DURING PREVIOUS WRITE	FORTRAN 5 RM	60481300
095 n PICTURE SPECIFICATION ERROR	QUERY UPDT 3 RM	60498300
95 QTLINK: NO SUPPORT A-TO-A	NAM 1 RM	60499500
95 TWO RANGES OF CHARACTERS USED IN THE SAME SEQS MUST BE THE SAME LENGTH	SORT/MERGE 5 RM	60484800
095 -WHILE- EXPRESSION ERROR	SYMPL 1 RM	60496400
096 -ALL- NEEDED TO ERASE ENTIRE REPORT OR SESSION	QUERY UPDT 3 RM	60498300
096 BAD -GOTO- DELETED	SYMPL 1 RM	60496400
96 BOTH -INPUT DIR- AND -RECORD- CLAUSES PRESENT	IMF SCHEMA DEF.	60484400
096 PARITY ERROR ON FILE xxxxxx DURING PREVIOUS READ	FORTRAN 5 RM	60481300
96 VALUE GIVEN IN THE \$CHAR FUNCTION MUST BE AN INTEGER	SORT/MERGE 5 RM	60484800
097 BAD REPLACEMENT STATEMENT DELETED	SYMPL 1 RM	60496400
97 CHARACTERS GIVEN IN A SINGLE COLLATING SEQUENCE MUST APPEAR ONLY ONCE	SORT/MERGE 5 RM	60484800
097 INDEX NUMBER ERROR	FORTRAN 5 RM	60481300
097 INDEX NUMBER ERROR	FORTRAN EXT 4	60497800
97 INTERNAL ERROR. OBTAIN OBJECT-TYPE FAILED SDLRTN	IMF SCHEMA DEF.	60484400
097 NON-NUMERIC EDIT INPUT FOR a	QUERY UPDT 3 RM	60498300
98 COL-SEQUENCE NAMES LONGER THAN 10 CHARACTERS ARE TRUNCATED	SORT/MERGE 5 RM	60484800
098 DEFAULT RECAP LINE-NUMBER USED	QUERY UPDT 3 RM	60498300
098 FILE ORGANIZATION ERR OR FILE NOT OPEN	FORTRAN 5 RM	60481300
098 FILE ORGANIZATION OR ERR OR FILE NOT OPEN	FORTRAN EXT 4	60497800
98 KEYWORD -CONSTRAINT- MISSING. INSTEAD FOUND. .param	IMF SCHEMA DEF.	60484400
098 PARTWORD SPECIFICATIONS AFTER FIRST 3 IGNORED	SYMPL 1 RM	60496400
099 DEFAULT TITLE LINE-NUMBER USED	QUERY UPDT 3 RM	60498300
099 ITEM DISCARDED - SCAN RESUMES AT COMMA	SYMPL 1 RM	60496400
99 NUMBER OF KEY AND SUM CHARACTERS MUST BE NO MORE THAN 255	SORT/MERGE 5 RM	60484800
99 QTGET: NETWORK LOGICAL ERROR	NAM 1 RM	60499500
99 REMAINING TEXT IGNORED BEGINNING WITH. .param	IMF SCHEMA DEF.	60484400
99 REMAINING TEXT IGNORED BEGINNING WITH. .param	IMF 1 AP RM	60484500
099 SOURCE WORD LONGER THAN 255 CHARACTERS, UNABLE TO CONTINUE COMPILATION - DDLF ABORTED	CDCS 2 DA RM	60485200
099 SOURCE WORD LONGER THAN 255 CHARACTERS, UNABLE TO CONTINUE COMPILATION - DDLF ABORTED	FORTRAN DBF RM	60482200
099 WRONG INDEX TYPE	FORTRAN 5 RM	60481300

MESSAGE

099 WRONG INDEX TYPE
100 A SINGLE ITEM IN A MATRIX CANNOT BE ERASED
100 CANNOT SEQUENTIALLY POSITION BEYOND FILE BOUNDS
100 CONSTRAINT CLAUSE CONTAINS NO CONSTRAINT NAMES
100 EMPTY INPUT FILE
100 EMPTY INPUT FILE
100 EMPTY INPUT FILE
100 EMPTY INPUT FILE
100 EMPTY INPUT FILE
100 HANGING -IF- CLAUSE
100 IDENTIFICATION HEADER NOT FIRST CARD OF PROGRAM
100 IDENTIFICATION HEADER NOT FIRST CARD OF PROGRAM
100 INDEX IS FULL
100 INDEX IS FULL
0100 INSUFFICIENT FL FOR LOAD
100 SCHEMA DECLARATION IS INCORRECT
100 SCHEMA DECLARATION IS INCORRECT
100 SIGNED NUMERIC CHARACTER FIELD IS TOO SHORT
100 VALUE OUT OF RANGE
101 DEFECTIVE INDEX CONTROL WORD
101 DEFECTIVE INDEX CONTROL WORD
101 EMPTY INPUT FILE
101 EMPTY INPUT FILE
0101 EMPTY LOAD
101 ERROR IN SUB-SCHEMA CLAUSE
101 ERROR IN SUB-SHEMA CLAUSE
101 HANGING -FOR- CLAUSE
101 c ILLEGAL FILE NAME
101 sn IS AN INVALID SCHEMA NAME
101 KEYWORD NOT ALLOWED WITH CTYP SPECIFIED
101 LEFT PARENTHESIS MISSING
101 LEFT PARENTHESIS MISSING
101 NO PARAMETER CAN BE SPECIFIED MORE THAN ONCE ON A LINE
101 TITLE DIVISION DECLARATION INCORRECT
101 TITLE DIVISION DECLARATION INCORRECT
101 UNKNOWN CONSTRAINT NAME ..param
102 CONSTRAINT ALREADY VALID. NOT CHECKED..param
102 DATA-NAME NOT UNIQUE
102 DATA - NAME NOT UNIQUE
102 DUPLICATE PARAMETER SPECIFIED
102 DUPLICATE PORT NUMBER
102 c DUPLICATE-REPORT NAME

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN EXT 4	60497800
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
IMF SCHEMA DEF.	60484400
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
SORT/MERGE 5 RM	60484800
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
LOADER 1 RM	60429800
DDL 2 QU SUBSCH	60498600
QU/CRM DA RM	60482100
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
NDL 1 RM	60480000
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
SORT/MERGE 5 RM	60484800
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
IMF SCHEMA DEF.	60484400
IMF SCHEMA DEF.	60484400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SORT/MERGE 5 RM	60484800
NDL 1 RM	60480000
QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
102 HANGING -ELSE-	SYMPL 1 RM	60496400
102 INVALID SCHEMA NAME	CDCS 2 DA RM	60485200
102 INVALID SCHEMA NAME	DDL 2 SCHEMA	60498400
102 INVALID SUBSCHEMA NAME	FORTRAN DBF RM	60482200
102 INVALID SUBSCHEMA NAME	CDCS 2 AP RM	60485300
102 MISSING PERIOD	CDCS 2 DA RM	60485200
0102 NO TRANSFER ADDRESS	LOADER 1 RM	60429800
102 RECORD LENGTH EXCEEDS SPACE ALLOCATED	FORTRAN 5 RM	60481300
102 RECORD LENGTH EXCEEDS SPACE ALLOCATED	FORTRAN EXT 4	60497800
0103 ATTEMPT TO LOAD MORE THAN ONE PROGRAM ON ABS LOAD	LOADER 1 RM	60429800
103 DATA DIVISION HEADER NOT SPECIFIED	QU/CRM DA RM	60482100
103 DATA DIVISION HEADER NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
103 EITHER AN INPUT FILE, OWN1 OR OWN2 MUST BE GIVEN	SORT/MERGE 5 RM	60484800
103 EXTRA -END- FOUND, -BEGIN- FOR SUBPROGRAM ASSUMED	SYMPL 1 RM	60496400
103 NO SUITABLE RECORD TYPE FOR SENTENCE..param	IMF SCHEMA DEF.	60484400
103 RECORD MANAGER ERROR xxx ON FILE xxxxxxxx, RECORD xxxxxxxx	FORTRAN 5 RM	60481300
103 REQUIRED PARAMETER MISSING	NDL 1 RM	60480000
103 RIGHT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
103 RIGHT PARENTHESIS MISSING	CDCS 2 AP RM	60485300
103 SCHEMA LFN WAS NOT SPECIFIED	CDCS 2 DA RM	60485200
103 SUB-SCHEMA DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
103 SUB-SCHEMA DECLARATION IS INCORRECT	DDL 2 SUB SCHEM	60498500
103 c UNKNOWN REPORT NAME	QUERY UPDT 3 RM	60498300
103 6RM/7DM I/O ERR NUMBER xxx	FORTRAN EXT 4	60497800
104 CONSTRAINT NOT CHECKED ..param	IMF SCHEMA DEF.	60484400
104 EITHER AN OUTPUT FILE, OWN3 OR OWN4 MUST BE GIVEN	SORT/MERGE 5 RM	60484800
104 EXTRANEIOUS DATA FOLLOWING RIGHT PARENTHESIS	FORTRAN DBF RM	60482200
104 EXTRANEIOUS DATA FOLLOWING RIGHT PARENTHESIS	CDCS 2 AP RM	60485300
104 FIT -XN- DID NOT INDICATE INDEX FOR AREA -an-	CDCS 2 DA RM	60485200
104 ILLEGAL UNDECLARED PARAMETER USE DELETED	SYMPL 1 RM	60496400
104 INDEX KEY UNKNOWN	FORTRAN 5 RM	60481300
104 INDEX KEY UNKNOWN	FORTRAN EXT 4	60497800
0104 INSUFFICIENT ECS FL FOR LOAD	LOADER 1 RM	60429800
104 INVALID SCHEMA NAME	CDCS 2 DA RM	60485200
104 INVALID SCHEMA NAME	DDL 2 SUB SCHEM	60498500
104 c IS NOT AN ERASABLE ITEM	QUERY UPDT 3 RM	60498300
104 THE FOLLOWING WORD IS NOT VALID IN THE INDICATED STATEMENT LINE	QU/CRM DA RM	60482100
104 THE FOLLOWING WORD IS NOT VALID IN THE INDICATED STATEMENT LINE	DDL 2 QU SUBSCH	60498600
104 TIPTYPE NOT COMPATIBLE WITH LTYPE	NDL 1 RM	60480000
105 ALIAS DIVISION DECLARATION IS INCORRECT	CDCS 2 DA RM	60485200
105 ALIAS DIVISION DECLARATION IS INCORRECT	DDL 2 SUB SCHEM	60498500
105 AREA NAME NOT SPECIFIED	QU/CRM DA RM	60482100

MESSAGE

105 AREA NAME NOT SPECIFIED
105 AT LEAST ONE AREA MUST BE SPECIFIED FOR A SCHEMA
105 CATALOG FILE ERROR o DN a
105 DATA CONTROL CLAUSE INCOMPLETE
105 DATA CONTROL CLAUSE INCOMPLETE
105 -FOR- STATEMENT INDUCTION VARIABLE ERROR
105 LSPEED VALID FOR ASYNC NON-AUTO-REC LINES ONLY
105 NO INVOKE STATEMENT WAS FOUND IN PRECEDING PROGRAM UNIT
105 NO INVOKE STATEMENT WAS FOUND IN PRECEDING PROGRAM UNIT
105 RECORD LENGTH NEGATIVE
105 RECORD LENGTH NEGATIVE
105 USER MRL < ES REC LEN. USER REC TRUNCATED TO USER MRL..param
106 AD DECLARATION IS INCORRECT
106 AD DECLARATION IS INCORRECT
106 FILE-LIMIT CLAUSE ILLEGAL WITH SEQUENTIAL FILE
106 FILE-LIMIT CLAUSE ILLEGAL WITH SEQUENTIAL FILES
106 -IF- EXPRESSION ERROR
106 INVALID RECORD NAME
106 INVALID RECORD NAME
106 an IS AN INVALID AREA NAME
106 LINE NUMBER a NOT IN RANGE 1 TO d
106 PARAMETER NOT ALLOWED WITH TIPTYPE SPECIFIED
O106 TRANSFER POINT NOT FOUND (name)
106 USER MRL > ES REC LEN. USER REC PADDED..param
107 ALL REQUIRED PERMANENT FILE INFORMATION HAS NOT BEEN SPECIFIED
107 COLUMN NUMBER a NOT IN RANGE 1 TO d
107 CRM ERROR ON DIRECTORY FILE..param
107 DUPLICATE XDEF OR XREF DECLARATIONS FOR IDENTIFIER
107 ILLEGAL PARAMETER VALUE
107 ILLEGAL PARAMETER VALUE
107 INCORRECT PARAMETER VALUE
O107 INSUFFICIENT FL FOR EXECUTION
107 INVALID FILE ORGANIZATION
107 INVALID NAME IN ALIAS DIVISION
107 INVALID NAME IN ALIAS DIVISION
107 INVALID NAME IN ALIAS STATEMENT
107 INVALID NAME IN ALIAS STATEMENT
107 MODE=O INVALID ON OPEN RELATION
107 MODE=O INVALID ON OPEN RELATION
107 NOT ALL INFO REQUIRED FOR AN AREA WAS SPECIFIED
107 PARAMETER NOT VALID ON FIXED CONFIG LINES
107 PROCEDURE NAME TABLE OVERFLOW, **DDL ABORTED**

<u>MANUAL</u>	<u>PUB. NO.</u>
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SYMPL 1 RM	60496400
NDL 1 RM	60480000
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
DDL 2 QU SUBSCH	60498600
QU/CRM DA RM	60482100
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
LOADER 1 RM	60429800
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SORT/MERGE 5 RM	60484800
LOADER 1 RM	60429800
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
CDCS 2 RM	60481800
NDL 1 RM	60480000
CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
107 PROCEDURE NAME TABLE OVERFLOW, **DDL ABORTED**	DDL 2 SCHEMA	60498400
108 EQUAL SIGN MISSING	FORTRAN DBF RM	60482200
108 EQUAL SIGN MISSING	CDCS 2 DA RM	60485200
108 ILLEGAL LEVEL NUMBER a OR A -BREAK- IS MISSING	QUERY UPDT 3 RM	60498300
108 INTEGER FOR FILE LIMIT NOT VALID	QU/CRM DA RM	60482100
108 INTEGER FOR FILE LIMIT NOT VALID	DDL 2 QU SUBSCH	60498600
108 PARAMETER VALID ON 2780 TERMINALS ONLY	NDL 1 RM	60480000
108 PERIOD MISSING	CDCS 2 DA RM	60485200
108 RESERVED WORD -BECOMES- IS MISSING	CDCS 2 DA RM	60485200
108 RESERVED WORD - BECOMES - IS MISSING	DDL 2 SUB SCHEM	60498500
108 TOO FEW/MANY PARAMETERS	SORT/MERGE 5 RM	60484800
108 TOO FEW OR TOO MANY PARAMETERS	FORTRAN 5 RM	60481300
108 TOO FEW OR TOO MANY PARAMETERS	FORTRAN EXT 4	60497800
108 UNABLE TO COMPLETE UNLOAD	IMF SCHEMA DEF.	60484400
108 UNKNOWN SOURCE WORD	FORTRAN DBF RM	60482200
108 UNKNOWN SOURCE WORD	CDCS 2 AP RM	60485300
108 kw/an WAS ALREADY SPECIFIED FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
108 XDEF -PROC- OR -FUNC- NOT FULLY DECLARED	SYMPL 1 RM	60496400
109 AT LEAST ONE SUBSCHEMA MUST BE SPECIFIED FOR A SCHEMA	CDCS 2 DA RM	60485200
109 BAD FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
109 COMPUTED RECORD SIZE IS GREATER OR LESS THAN THE RECORD CONTAINS SIZE, COMPUTED SIZE IS USED	QU/CRM DA RM	60482100
109 COMPUTED RECORD SIZE IS GREATER OR LESS THAN THE RECORD CONTAINS SIZE, COMPUTED SIZE IS USED	DDL 2 QU SUBSCH	60498600
109 DUPLICATE ALIAS NAME	CDCS 2 DA RM	60485200
109 DUPLICATE ALIAS NAME	DDL 2 SUB SCHEM	60498500
109 DUPLICATE CLUSTER ADDRESS	NDL 1 RM	60480000
109 EMPTY INPUT DIRECTORY FILE..param	IMF SCHEMA DEF.	60484400
109 c ILLEGAL DATA-NAME	QUERY UPDT 3 RM	60498300
109 INVALID MODE	FORTRAN DBF RM	60482200
109 INVALID MODE	CDCS 2 AP RM	60485300
109 KEYWORD (xxxxxxx) INVALID	FORTRAN 5 RM	60481300
109 KEYWORD (xxxxxxx) INVALID	FORTRAN EXT 4	60497800
110 A ROUTINE CALLED OUT OF SEQUENCE	FORTRAN 5 RM	60481300
110 A ROUTINE CALLED OUT OF SEQUENCE	FORTRAN EXT 4	60497800
110 ALIAS-NAME-1 UNKNOWN	CDCS 2 DA RM	60485200
110 ALIAS - NAME-1 UNKNOWN	DDL 2 SUB SCHEM	60498500
110 CALL OUT OF SEQUENCE	SORT/MERGE 5 RM	60484800
110 EQUAL SIGN MISSING	FORTRAN DBF RM	60482200
110 EQUAL SIGN MISSING	CDCS 2 AP RM	60485300
110 FILE NOT OPEN	CRM/AAM 2 RM	60499300
110 -FROM- MISSING AFTER c	QUERY UPDT 3 RM	60498300
110 INTEGER FOR INDEX LEVEL NOT VALID	QU/CRM DA RM	60482100
110 INTEGER FOR INDEX LEVEL NOT VALID	DDL 2 QU SUBSCH	60498600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
110 ssn IS AN INVALID SUBSCHEMA NAME	CDCS 2 DA RM	60485200
110 KEYWORD -REPAIR- MISSING. INSTEAD FOUND .param	IMF 1 AP RM	60484500
110 PARAMETER NOT VALID WITH TC SPECIFIED	NDL 1 RM	60480000
110 REDUNDANT FORMAL PARAMETER DECLARATION	SYMPL 1 RM	60496400
111 AREA UNSPECIFIED OR UNRECOGNIZABLE KEYWORD	CDCS 2 DA RM	60485200
111 AREA UNSPECIFIED OR UNRECOGNIZABLE KEYWORD	DDL 2 SCHEMA	60498400
111 BAD PARAMETER LIST	SYMPL 1 RM	60496400
111 INTEGER FOR INDEX BLOCK NOT VALID	QU/CRM DA RM	60482100
111 INTEGER FOR INDEX BLOCK NOT VALID	DDL 2 QU SUBSCH	60498600
111 INVALID NAME GIVEN FOR SMSSEQN	SORT/MERGE 5 RM	60484800
111 INVALID QUALIFIER NAME	FORTRAN DBF RM	60482200
111 INVALID QUALIFIER NAME	CDCS 2 DA RM	60485200
111 INVALID QUALIFIER NAME	FORTRAN DBF RM	60482200
111 INVALID QUALIFIER NAME	CDCS 2 DA RM	60485200
111 KEYWORD -FILE- IS MISSING	FORTRAN 5 RM	60481300
111 LCM BLOCK COPY ERROR	FORTRAN EXT 4	60497800
111 LCM BLOCK COPY ERROR	QUERY UPDT 3 RM	60498300
111 LEVEL NUMBER MISSING AFTER c	FORTRAN DBF RM	60482200
111 SUB-SCHEMA NOT AVAILABLE	CDCS 2 AP RM	60485300
111 SUBSCHEMA NOT AVAILABLE	IMF SCHEMA DEF.	60484400
111 -SYNONYMS-/-NO SYNONYMS- CLAUSE IS MISSING	NDL 1 RM	60480000
111 VALUE NOT VALID WITH STIP SPECIFIED	CDCS 2 DA RM	60485200
112 AREA NOT UNIQUE	DDL 2 SCHEMA	60498400
112 AREA NOT UNIQUE	SYMPL 1 RM	60496400
112 BOOLEAN ILLEGAL IN ARITHMETIC CONTEXT	FORTRAN EXT 4	60497800
112 ECS UNIT HAS LOST POWER OR IS IN MAINTENANCE MODE	FORTRAN DBF RM	60482200
112 EXTRANEIOUS DATA IN PARAMETER LIST	CDCS 2 AP RM	60485300
112 EXTRANEIOUS DATA IN PARAMETER LIST	QU/CRM DA RM	60482100
112 INTEGER FOR INDEX PADDING NOT VALID	DDL 2 QU SUBSCH	60498600
112 INTEGER FOR INDEX PADDING NOT VALID	QUERY UPDT 3 RM	60498300
112 n INVALID INTEGER AFTER -TO-	CDCS 2 DA RM	60485200
112 MAXIMUM NUMBER OF PASSWORDS EXCEEDED	SORT/MERGE 5 RM	60484800
112 ONLY SINGLE CHARACTER LITERALS CAN BE USED AS PARAMETERS OF SMSSEQS	CDCS 2 DA RM	60485200
112 REALM DIVISION NOT SPECIFIED, DEFAULTED TO -ALL-	DDL 2 SUB SCHEM	60498500
112 REALM DIVISION NOT SPECIFIED, DEFAULTED TO -ALL-	IMF SCHEMA DEF.	60484400
112 UNABLE TO REPORT IDENTIFIER VIOLATIONS	NDL 1 RM	60480000
112 VALUE NOT VALID WITH TIPTYPE SPECIFIED	NDL 1 RM	60480000
113 -AUTOREC- NOT VALID ON FIXED CONFIG LINES	SYMPL 1 RM	60496400
113 COMMON LIST LACKS -END-	FORTRAN EXT 4	60497800
113 ECS READ PARITY ERROR	CDCS 2 DA RM	60485200
113 ILL FORMED MODIFY ADD OR DELETE HEADER	QU/CRM DA RM	60482100
113 INTEGER FOR DATA PADDING NOT VALID	DDL 2 QU SUBSCH	60498600
113 INTEGER FOR DATA PADDING NOT VALID		

MESSAGE

113 INVALID ERASE DIRECTIVE
113 KEY PARAMETER MISSING
113 KEY PARAMETER MISSING
113 NO OBJECT TYPE EXISTS WITH THE FOLLOWING NAME..param
113 PROCEDURE LIBRARY CLAUSE INCOMPLETE
113 REALM DIVISION TITLE IS INCORRECT
113 REALM DIVISION TITLE IS INCORRECT
113 RECORD LENGTH IS GREATER THAN MAXIMUM RL - 5000
114 ALL PVC-S MUST BE SPECIFIED BEFORE ANY SVC-S
114 BASED LIST LACKS -END-
114 CONNEC CHARACTER CODE CONVERSION IS OUT OF RANGE
114 CONNEC CHARACTER CODE CONVERSION IS OUT OF RANGE
114 INCOMPLETE PROCEDURE CLAUSE
114 INCOMPLETE PROCEDURE CLAUSE
114 INTEGER FOR NUMBER OF BLOCKS NOT VALID
114 INTEGER FOR NUMBER OF BLOCKS NOT VALID
114 INVALID RELATIONAL OPERATOR
114 INVALID RELATIONAL OPERATOR
114 INVALID STATEMENT-REALM OR ALIAS STATEMENT EXPECTED
114 INVALID STATEMENT - REALM OR ALIAS STATEMENT EXPECTED
114 KEYWORD -INVOKE- MISSING. INSTEAD FOUND..param
114 KEYWORD -SCHEMA- IS MISSING
114 REALM DESCRIPTION IS INCOMPLETE, DEFAULTED TO -ALL-
114 REALM DESCRIPTION IS INCORRECT, DEFAULTED TO -ALL-
114 SESSION-ID MISSING AFTER c
114 SUM FIELDS MAY NOT BE GREATER THAN 60 BITS
115 ARGUMENT INFINITE or ARGUMENT TOO SMALL
115 ARGUMENT INFINITE or ARGUMENT TOO SMALL, RESULT UNDERFLOW
115 DATA-PADDING CLAUSE LEGAL FOR IS/AK FILES ONLY
115 DATA-PADDING CLAUSE LEGAL FOR IS 1AK FILES ONLY
115 INVALID ITEM NAME
115 INVALID ITEM NAME
115 INVALID REALM NAME
115 INVALID REALM NAME
115 n INVALID TAB NUMBER
115 MAXIMUM NUMBER OF TERMINALS EXCEEDED FOR THE LINE
115 OUTSTANDING FATAL ERROR ON THE FILE
115 RETAIN AND SUMMING MAY NOT BE SPECIFIED AT THE SAME TIME
115 UNABLE TO FIND SCHEMA sn IN MD
115 UNKNOWN EXTERNAL SCHEMA
115 UNKNOWN EXTERNAL SCHEMA
115 XDEF OR XREF LIST LACKS -END-

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
IMF SCHEMA DEF.	60484400
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
SORT/MERGE 5 RM	60484800
NDL 1 RM	60480000
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
IMF 1 AP RM	60484500
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
NDL 1 RM	60480000
CRM/AAM 2 RM	60499300
SORT/MERGE 5 RM	60484800
CDCS 2 DA RM	60485200
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
SYMPL 1 RM	60496400

MESSAGE

116 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
116 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
116 BAD COMMON LIST DECLARATION DELETED
116 DUPLICATE REALM NAME
116 DUPLICATE REALM NAME
116 DUPLICATE REALM NAME
116 IMPLEMENTOR NAME FOR LOG FILE INVALID
116 wd IS AN UNKNOWN SOURCE WORD IN THE MODIFY CLAUSE
116 ITEM IS NOT DEFINED AS A KEY FOR THIS REALM
116 ITEM IS NOT DEFINED AS A KEY FOR THIS REALM
116 LITERAL VALUES NOT UNIQUE
116 LITERAL VALUES NOT UNIQUE
116 MAX NUMBER OF DEVICES EXCEEDED FOR TERMINAL
116 MRL/FL IS NOT LARGE ENOUGH TO ACCOMMODATE THE SPECIFIED KEYS
116 TAB c NOT SPECIFIED
116 UNKNOWN CONCEPTUAL SCHEMA NAME..param
116 UNKNOWN CONCEPTUAL SCHEMA NAME..param
117 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
117 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
117 BAD BASED ARRAY DECLARATION DELETED
117 DUPLICATE SIGN IN COMPLEX NUMBER
117 FASTIO PARAMETER DISABLED FOR FILES NOT ON MASS STORAGE
117 INTEGER FOR BLOCK CONTAINS NOT VALID
117 INTEGER FOR BLOCK CONTAINS NOT VALID
117 INTERNAL ERROR. OBTAIN/MODIFY EDITION IN UTILCTL
117 INVALID LOG FILE NAME
117 PERIOD MISSING
117 PERIOD MISSING
117 PUT OR REPLACE OF LARGER RECORD ILLEGAL AFTER GETN
117 RECORD DIVISION TITLE IS INCORRECT
117 RECORD DIVISION TITLE IS INCORRECT
117 STIP OR TC MUST BE SPECIFIED
117 UNABLE TO FIND SUBSCHEMA ssn IN MASTER DIRECTORY
118 ARGUMENT TOO SMALL
118 ARGUMENT TOO SMALL, RESULT UNDERFLOW
118 BASED LIST SCAN RESUMES WITH -ARRAY-
118 FASTIO PARAMETER WAS SPECIFIED BUT COULD NOT BE PROCESSED
118 INTEGER FOR RECORD CONTAINS NOT VALID
118 INTEGER FOR RECORD CONTAINS NOT VALID
118 INTERNAL DML ERROR
118 INTERNAL DML ERROR
118 INVALID PRIVACY KEY

MANUAL	PUB. NO.
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
NDL 1 RM	60480000
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
SORT/MERGE 5 RM	60484800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
IMF SCHEMA DEF.	60484400
DDL 2 SCHEMA	60498400
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
NDL 1 RM	60480000
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400
SORT/MERGE 5 RM	60484800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
IMF SCHEMA DEF.	60484400

MESSAGE

118 INVALID PRIVACY KEY
118 wd IS AN INAPPROPRIATE SOURCE WORD IN THE CONTEXT USED
118 wd IS AN INVALID SOURCE WORD IN THE ADD/DELETE CLAUSE
118 -n- IS NOT A VALID ERASE OPTION OR DATA-NAME
118 LEND NUMBER NOT SPECIFIED, DEFAULTED TO -O1-
118 LEVEL NUMBER NOT SPECIFIED, DEFAULTED TO -O1-
118 LIBRARY NAME UNSPECIFIED
118 NEN VALUE MUST BE LESS THAN OR EQUAL TO NCIR
119 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
119 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
119 COMMA OR RIGHT PARENTHESIS NOT FOUND
119 COMMA OR RIGHT PARENTHESIS NOT FOUND
119 COMPUTED RECORD SIZE GREATER THAN BLOCK SIZE, COMPUTED SIZE ASSUMED
119 COMPUTED RECORD SIZE GREATER THAN BLOCK SIZE, COMPUTED SIZE ASSUMED
119 -END- ENDS BAD BASED ARRAY LIST
119 FIRST ENTRY IN RECORD DIVISION IS NOT A RECORD ENTRY, UNABLE TO CONTINUE-COMPILATION ABORTED
119 FIRST ENTRY IN RECORD DIVISION IS NOT A RECORD ENTRY UNABLE TO CONTINUE - JOB ABORTED
119 ILL FORMED END MODS CLAUSE
119 PARAMETER VALUE NOT A VALID NPU NAME
119 PROCEDURE UNSPECIFIED
119 PROCEDURE UNSPECIFIED
119 RECORD STATEMENT NOT SPECIFIED, UNABLE TO CONTINUE COMPILATION
119 RECORD STATEMENT NOT SPECIFIED, UNABLE TO CONTINUE - COMPILATION ABORTED
119 UNABLE TO COMPLETE RELOAD
119 UNKNOWN SESSION IDENTIFIER
120 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
120 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE
120 DUPLICATE LOGICAL LINK DEFINITION
120 INDEX-PADDING CLAUSE LEGAL FOR IS FILES ONLY
120 INDEX-PADDING CLAUSE LEGAL FOR IS FILES ONLY
120 INVALID RECORD NAME
120 INVALID RECORD NAME
120 INVALID RECORD NAME
120 lfn IS AN INVALID LOGICAL FILE NAME
120 MISMATCH ON DIRECTORY FILE WHILE PROCESSING..param
120 RECORD NAME NOT UNIQUE
120 RECORD NAME NOT UNIQUE
120 c UNDEFINED USER CATALOG
120 ZERO LENGTH -DEF- STRING IGNORED
121 ARGUMENT INDEFINITE
121 ARGUMENT INDEFINITE
121 CHARACTER ITEM LENGTH OMITTED - 1 ASSUMED

<u>MANUAL</u>	<u>PUB. NO.</u>
IMF 1 AP RM	60484500
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
FORTRAN DBF RM	60482200
CDCS 2 AP RM	60485300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
NDL 1 RM	60480000
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
NDL 1 RM	60480000
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
CDCS 2 DA RM	60485200
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN EXT 4	60497800
SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
121 DUPLICATE ENTRY IN SESSION	QUERY UPDT 3 RM	60498300
121 DUPLICATE RECORD NAME	FORTRAN DBF RM	60482200
121 DUPLICATE RECORD NAME	CDCS 2 DA RM	60485200
121 DUPLICATE RECORD NAME	DDL 2 SUB SCHEM	60498500
121 INDEX-LEVEL CLAUSE LEGAL FOR IS FILES ONLY	QU/CRM DA RM	60482100
121 INDEX-LEVEL CLAUSE LEGAL FOR IS FILES ONLY	DDL 2 QU SUBSCH	60498600
121 INVALID OR DUPLICATE CHARGE/ACCOUNT SPECIFIED	CDCS 2 DA RM	60485200
121 KEYWORD -LOGGING- IS MISSING	CDCS 2 RM	60481800
121 LAST ITEM IN RECORD MUST BE AN ELEMENTARY ITEM	CDCS 2 DA RM	60485200
121 LAST ITEM IN RECORD MUST BE AN ELEMENTARY ITEM	DDL 2 SCHEMA	60498400
121 NCNAME NOT A VALID COUPLER OR NPU NAME	NDL 1 RM	60480000
121 PREMATURE END-OF-DATA ON DIRECTORY..param	IMF SCHEMA DEF.	60484400
121 PRIVACY TYPE MUST BE LITERAL OR ARRAY NAME	FORTRAN DBF RM	60482200
121 PRIVACY TYPE MUST BE LITERAL OR ARRAY NAME	CDCS 2 AP RM	60485300
122 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
122 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
122 BAD ARRAY ENTRY SIZE	SYMPL 1 RM	60496400
122 CANNOT LOCATE OWNER REALM IN THE SCHEMA	FORTRAN DBF RM	60482200
122 CANNOT LOCATE OWNER REALM IN THE SCHEMA	CDCS 2 DA RM	60485200
122 EXPECTING INTEGER COUNT. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
122 INVALID PARAMETER	FORTRAN DBF RM	60482200
122 INVALID PARAMETER	CDCS 2 AP RM	60485300
122 pfn IS AN INVALID PERMANENT FILE NAME OR IS INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
122 RECORD NAME INVALID	QU/CRM DA RM	60482100
122 RECORD NAME INVALID	DDL 2 QU SUBSCH	60498600
122 REPORT SPECIFICATION LIST FULL	QUERY UPDT 3 RM	60498300
122 VARIABLE DIMENSION GROUP MUST BE THE LAST ITEM ENTRY IN A RECORD	CDCS 2 DA RM	60485200
122 VARIABLE DIMENSION GROUP MUST BE THE LAST ITEM ENTRY IN A RECORD	DDL 2 SCHEMA	60498400
123 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN 5 RM	60481300
123 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
123 BRACKET NEST TOO DEEP	SYMPL 1 RM	60496400
123 CANNOT DELETE OLD INTERNAL SCH DUE TO EXTERNAL SCH..param	IMF SCHEMA DEF.	60484400
123 DUPLICATE PARAMETER	FORTRAN DBF RM	60482200
123 DUPLICATE PARAMETER	CDCS 2 AP RM	60485300
123 INVALID LEVEL NUMBER	CDCS 2 DA RM	60485200
123 INVALID LEVEL NUMBER	DDL 2 SUB SCHEM	60498500
123 id IS AN INVALID ID/UN OR IS INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
123 id IS AN INVALID PERMANENT FILE NAME OR IS INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 RM	60481800
123 MAXIMUM NUMBER OF COUPLERS EXCEEDED (2 PER NPU)	NDL 1 RM	60480000
123 SDA PROC NAME GREATER THAN 7 CHARACTERS	QU/CRM DA RM	60482100
123 SDA PROC NAME GREATER THAN 7 CHARACTERS	DDL 2 QU SUBSCH	60498600
123 -SECTIONS- MISSING AFTER -HORIZ- OR -VERT-	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
124 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN 5 RM	60481300
124 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
124 DUPLICATE LOC VALUE	NDL 1 RM	60480000
124 ILLEGAL EXPRESSION TYPE ON LEFT SIDE	SYMPL 1 RM	60496400
124 INDEX-BLOCK CLAUSE LEGAL FOR IS FILES ONLY	QU/CRM DA RM	60482100
124 INDEX-BLOCK CLAUSE LEGAL FOR IS FILES ONLY	DDL 2 QU SUBSCH	60498600
124 INVALID DATA-NAME	CDCS 2 DA RM	60485200
124 INVALID DATA-NAME	DDL 2 SUB SCHEM	60498500
124 INVALID ITEM NAME	FORTRAN DBF RM	60482200
124 INVALID ITEM NAME	CDCS 2 DA RM	60485200
124 pw IS AN INVALID PASSWORD	CDCS 2 DA RM	60485200
124 PRIVACY PARAMETER LITERAL IS GREATER THAN 30 CHARACTERS	FORTRAN DBF RM	60482200
124 PRIVACY PARAMETER LITERAL IS GREATER THAN 30 CHARACTERS	CDCS 2 AP RM	60485300
124 n UNRECOGNIZABLE PAGE-SIZE KEYWORD	QUERY UPDT 3 RM	60498300
125 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
125 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
125 BAD BEAD FUNCTION	SYMPL 1 RM	60496400
125 DATA-NAME NOT UNIQUE	CDCS 2 DA RM	60485200
125 DATA-NAME NOT UNIQUE	DDL 2 SUB SCHEM	60498500
125 DUPLICATE NODE NUMBER	NDL 1 RM	60480000
125 ERROR IN PAGE-NUMBER DIRECTIVE	QUERY UPDT 3 RM	60498300
125 ILLEGAL CHARACTER IN PERM FILE NAME	QU/CRM DA RM	60482100
125 ILLEGAL CHARACTER IN PERM FILE NAME	DDL 2 QU SUBSCH	60498600
125 wd IS IN ERROR IN THE LOG OPTIONS CLAUSE	CDCS 2 DA RM	60485200
125 ITEM NAME NOT UNIQUE	FORTRAN DBF RM	60482200
125 ITEM NAME NOT UNIQUE	CDCS 2 DA RM	60485200
125 PRIVACY PARAMETER NOT SPECIFIED	FORTRAN DBF RM	60482200
125 PRIVACY PARAMETER NOT SPECIFIED	CDCS 2 AP RM	60485300
126 ARGUMENT INDEFINITE	FORTRAN 5 RM	60481300
126 ARGUMENT INDEFINITE	FORTRAN EXT 4	60497800
126 ERROR IN DATE DIRECTIVE	QUERY UPDT 3 RM	60498300
126 INSUFFICIENT FIELD LENGTH - DML ABORTED	FORTRAN DBF RM	60482200
126 INSUFFICIENT FIELD LENGTH - DML ABORTED	CDCS 2 AP RM	60485300
126 INVALID AREA IN WITHIN CLAUSE	CDCS 2 DA RM	60485200
126 INVALID AREA IN WITHIN CLAUSE	DDL 2 SCHEMA	60498400
126 wd IS IN ERROR IN THE INDEX CLAUSE	CDCS 2 RM	60481800
126 ITEM SIZE GREATER THAN MAXIMUM SIZE ALLOWED	FORTRAN DBF RM	60482200
126 ITEM SIZE GREATER THAN MAXIMUM SIZE ALLOWED	CDCS 2 DA RM	60485200
126 NON-EXISTENT AREA NAME SPECIFIED	CDCS 2 DA RM	60485200
126 OPERATOR OR OPERAND MISSING IN EXPRESSION	SYMPL 1 RM	60496400
126 REQUIRED SUPLINK STATEMENT MISSING	NDL 1 RM	60480000
126 THE NUMBER OF ON CALL STATEMENTS EXCEEDS 8	QU/CRM DA RM	60482100

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
126 THE NUMBER OF ON CALL STATEMENTS EXCEEDS 8	DDL 2 QU SUBSCH	60498600
126 VALUE OF LEVEL NUMBER IS LESS THAN THE FIRST ITEM DEFINED IN THE RECORD	CDCS 2 DA RM	60485200
126 VALUE OF LEVEL NUMBER IS LESS THAN THE FIRST ITEM DEFINED IN THE RECORD	DDL 3 SUB SCHEM	60482000
127 AREA UNDEFINED IN WITHIN CLAUSE	CDCS 2 DA RM	60485200
127 AREA UNDEFINED IN WITHIN CLAUSE	DDL 2 SCHEMA	60498400
127 ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
127 ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
127 CONSTRAINTS INCONSISTENT FOR VERSION -vn-	CDCS 2 DA RM	60485200
127 DML LANGUAGE VERSION (LV) DIFFERS FROM SUB-SCHEMA	FORTRAN DBF RM	60482200
127 DML LANGUAGE VERSION (LV) DIFFERS FROM SUB-SCHEMA	CDCS 2 AP RM	60485300
127 ERROR IN TIME DIRECTIVE	QUERY UPDT 3 RM	60498300
127 INVALID ITEM LENGTH	FORTRAN DBF RM	60482200
127 INVALID ITEM LENGTH	CDCS 2 DA RM	60485200
127 INVALID KEY NAME	QU/CRM DA RM	60482100
127 INVALID KEY NAME	DDL 2 QU SUBSCH	60498600
127 wd IS IN ERROR IN THE PROCEDURE LIBRARY CLAUSE	CDCS 2 RM	60481800
127 LONG CHARACTER STRING - 240 BYTES USED	SYMPL 1 RM	60496400
127 NO LOGICAL LINKS DEFINED TO THIS NPU	NDL 1 RM	60480000
127 PICTURE LITERAL GREATER THAN 30 CHARACTERS; RIGHT MOST CHARACTERS TRUNCATED	CDCS 2 DA RM	60485200
127 PICTURE LITERAL GREATER THAN 30 CHARACTERS; RIGHT MOST CHARACTERS TRUNCATED	DDL 2 SUB SCHEM	60498500
128 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GE. 1.0	FORTRAN 5 RM	60481300
128 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT .GT. 1.0	FORTRAN EXT 4	60497800
128 BAD -LOC- FUNCTION	SYMPL 1 RM	60496400
128 FIT -XN- INDICATES INDEX FOR AREA -an- BUT NO INDEX INPUT TO MD FOR AREA	CDCS 2 DA RM	60485200
128 INVALID FORTRAN LABEL	FORTRAN DBF RM	60482200
128 INVALID FORTRAN LABEL	CDCS 2 AP RM	60485300
128 INVALID USAGE TYPE, DEFAULTED TO -DISPLAY-	CDCS 2 DA RM	60485200
128 LENGTH SPECIFIED FOR NON-CHARACTER ITEM	FORTRAN DBF RM	60482200
128 LENGTH SPECIFIED FOR NON-CHARACTER ITEM	CDCS 2 DA RM	60485200
128 LOGLINK (LLNAME) DOES NOT TERMINATE AT THIS NPU	NDL 1 RM	60480000
128 NUMBER OF IMAGES NOT WITHIN ALLOWABLE RANGE	QUERY UPDT 3 RM	60498300
128 ON CALL PROCEDURE NAME GREATER THAN 7 CHARACTERS	QU/CRM DA RM	60482100
129 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
129 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
129 BAD -ABS- FUNCTION	SYMPL 1 RM	60496400
129 CALL NOT SPECIFIED	QU/CRM DA RM	60482100
129 CALL NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
129 END= IS NOT VALID IN FORTRAN 4	CDCS 2 AP RM	60485300
129 INVALID AREA NAME	CDCS 2 DA RM	60485200
129 INVALID AREA NAME	DDL 2 SCHEMA	60498400
129 vn IS AN INVALID VERSION NAME	CDCS 2 DA RM	60485200
129 JOURNAL LOGS ARE SPECIFIED INCORRECTLY	CDCS 2 RM	60481800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
129 LLNAME VALUE NOT A VALID LOGICAL LINK NAME	NDL 1 RM	60480000
129 NUMBER OF SECTIONS NOT WITHIN ALLOWABLE RANGE	QUERY UPDT 3 RM	60498300
129 USAGE DOES NOT AGREE WITH THE USAGE IN THE GROUP ITEM	CDCS 2 DA RM	60485200
129 USAGE DOES NOT AGREE WITH THE USAGE IN THE GROUP ITEM	DDL 2 SUB SCHEM	60498500
130 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN 5 RM	60481300
130 ARGUMENT INFINITE; ARGUMENT INDEFINITE; or ARGUMENT TOO LARGE	FORTRAN EXT 4	60497800
130 BAD INDUCTION VARIABLE TYPE	SYMPL 1 RM	60496400
130 DUPLICATE TRUNK DEFINITION	NDL 1 RM	60480000
130 ERR= IS NOT VALID IN FORTRAN 4	CDCS 2 AP RM	60485300
130 INVALID DIMENSION BOUND	FORTRAN DBF RM	60482200
130 INVALID DIMENSION BOUND	CDCS 2 DA RM	60485200
130 INVALID OCCURRENCE VALUE	CDCS 2 DA RM	60485200
130 INVALID OCCURRENCE VALUE	DDL 2 SUB SCHEM	60498500
130 lfn IS AN INVALID LFN	CDCS 2 RM	60481800
130 ON CALL PROCEDURE NAME NOT SPECIFIED	QU/CRM DA RM	60482100
130 ON CALL PROCEDURE NAME NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
130 RT=W, BAD CONTROL WORD, FILE DEFECTIVE OR MISPOSITIONED	CRM/AAM 2 RM	60499300
130 c UNDEFINED SYNTAX TABLE OR PROCEDURE	QUERY UPDT 3 RM	60498300
130 VERSION NAME MASTER EXPECTED	CDCS 2 DA RM	60485200
131 ARGUMENT INFINITE; ARGUMENT INDEFINITE; ARGUMENT TOO LARGE; or ARGUMENT ODD MULTIPLE OF 90	FORTRAN 5 RM	60481300
131 ARGUMENT INFINITE; ARGUMENT INDEFINITE; ARGUMENT TOO LARGE; or ARGUMENT ODD MULTIPLE OF 90	FORTRAN EXT 4	60497800
131 INVALID LIBRARY FILENAME	DDL 2 SCHEMA	60498400
131 sn IS THE SCHEMA NAME IN THE SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
131 sn IS THE SCHEMA NAME IN THE SCHEMA DIRECTORY	CDCS 2 RM	60481800
131 NUMBER OF BLOCKS CLAUSE LEGAL FOR DA FILES ONLY	QU/CRM DA RM	60482100
131 PARAMETER NOT ALLOWED FOR 2741 TERMINALS	NDL 1 RM	60480000
131 THE SECOND OCCURRENCE VALUE EITHER EXCEEDS THE MAXIMUM VALUE ALLOWED OR IT IS LESS THAN THE FIRST OCCURRENCE	DDL 2 SUB SCHEM	60498500
131 THE SECOND OCCURRENCE VALUE IS LESS THAN THE FIRST OCCURRENCE	CDCS 2 DA RM	60485200
131 THE UPPER DIMENSION BOUND IS LESS THAN THE LOWER BOUND	FORTRAN DBF RM	60482200
131 THE UPPER DIMENSION BOUND IS LESS THAN THE LOWER BOUND	CDCS 2 DA RM	60485200
131 c TOO MANY OPTIONS IN DIRECTIVE, TABLE OVERFLOW	QUERY UPDT 3 RM	60498300
131 TRANSACTION PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
131 VARIABLE IN -TEST- IS NOT AN INDUCTION VARIABLE	SYMPL 1 RM	60496400
132 AB, CN, B1, B2, CT, BS, EB, EL MUST ALL BE UNIQUE	NDL 1 RM	60480000
132 DUPLICATE CHARACTER IN CSOWN CALL	FORTRAN 5 RM	60481300
132 DUPLICATE REPORT ENTRY	QUERY UPDT 3 RM	60498300
132 sn IS NOT A UNIQUE SCHEMA NAME	CDCS 2 DA RM	60485200
132 LEVEL NUMBER NOT SPECIFIED	QU/CRM DA RM	60482100
132 LEVEL NUMBER NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
132 LIBRARY NOT UNIQUE FILE NAME	DDL 2 SCHEMA	60498400
132 -TEST- ILLEGAL OUTSIDE LOOP	SYMPL 1 RM	60496400
132 THE FIRST OCCURRENCE VALUE EXCEEDS THE VALUE ALLOWED	DDL 2 SUB SCHEM	60498500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
132 TRANSACTION IDENTIFIER EXCEEDS 10 CHARACTERS	CDCS 2 AP RM	60485300
133 BLOCK LOGGING LFN lfn IS NOT UNIQUE	CDCS 2 RM	60481800
133 DEPENDING ON DATA-NAME IS INVALID	CDCS 2 DA RM	60485200
133 EXCEEDED THE MAXIMUM NUMBER OF DIMENSIONS ALLOWED	FORTRAN DBF RM	60482200
133 EXCEEDED THE MAXIMUM NUMBER OF DIMENSIONS ALLOWED	CDCS 2 DA RM	60485200
133 INVALID LEVEL NUMBER	QU/CRM DA RM	60482100
133 INVALID LEVEL NUMBER	DDL 2 QU SUBSCH	60498600
133 IRRECONCILABLE STATUS OPTION	FORTRAN 5 RM	60481300
133 -vn- IS A DUPLICATE VERSION NAME	CDCS 2 DA RM	60485200
133 PARAMETER NOT ALLOWED WITH DT SPECIFIED	NDL 1 RM	60480000
133 SCAN RESUMES AT -BEGIN-, -ITEM- OR SEMICOLON	SYMPL 1 RM	60496400
133 UNKNOWN REPORT ENTRY IN a	QUERY UPDT 3 RM	60498300
133 VERSION PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
133 WORD ADDRESSABLE FILE ORGANIZATION ILLEGAL	CDCS 2 DA RM	60485200
133 WORD ADDRESSABLE FILE ORGANIZATION ILLEGAL	DDL 2 SCHEMA	60498400
134 num AREAS ARE IN SCHEMA, BUT MD INPUT DIFFERS	CDCS 2 DA RM	60485200
134 BEAD FUNCTION NEEDS IDENTIFIER	SYMPL 1 RM	60496400
134 DATA NAME OR FILLER NOT SPECIFIED OR RESERVED WORD USED	QU/CRM DA RM	60482100
134 DATA NAME OR FILLER NOT SPECIFIED OR RESERVED WORD USED	DDL 2 QU SUBSCH	60498600
134 DEPENDING ON DATA-NAME IS UNDEFINED IN CURRENT RECORD	CDCS 2 DA RM	60485200
134 DEPENDING ON DATA-NAME IS UNDEFINED IN CURRENT RECORD	DDL 2 SUB SCHEM	60498500
134 PARAMETER NOT ALLOWED FOR M4A TERMINALS	NDL 1 RM	60480000
134 n SPECIFIED COLLATING SEQ MUST BE DATA-NAME/LITERAL	QUEFY UPDT 3 RM	60498300
134 STATUS OPTION INCOMPATIBLE WITH OLD FILE	FORTRAN 5 RM	60481300
134 VERSION-NAME EXCEEDS 7 CHARACTERS	CDCS 2 AP RM	60485300
135 A VARIABLE-OCCURRENCE DATA ITEM IS NOT ALLOWED TO BE A SUBORDINATE OF A DATA ITEM WITH AN OCCURS CLAUSE	CDCS 2 DA RM	60485200
135 A VARIABLE - OCCURRENCE DATA ITEM IS NOT ALLOWED TO BE A SUBROUTINE OF A DATA ITEM WITH AN OCCURS CLAUSE	DDL 2 SUB SCHEM	60498500
135 DEPENDING ON ITEM PIC SIZE EXCEEDS 6	QU/CRM DA RM	60482100
135 DEPENDING ON ITEM PIC SIZE EXCEEDS 6	DDL 2 QU SUBSCH	60498600
135 DUPLICATE STATUS IDENTIFIER	SYMPL 1 RM	60496400
135 FIRST KEY SPECIFICATION MUST FOLLOW -ON-	QUERY UPDT 3 RM	60498300
135 FORM CHANGE ON OPENED FILE	FORTRAN 5 RM	60481300
135 LOCK TYPE PARAMETER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
135 PARAMETER NOT ALLOWED WITH STIP/TC SPECIFIED	NDL 1 RM	60480000
135 RMS READ PARITY ERROR	CRM/AAM 2 RM	60499300
135 UNABLE TO OPEN SCHEMA FILE	CDCS 2 DA RM	60485200
136 BAD RECL VALUE	FORTRAN 5 RM	60481300
136 INCORRECT HN VALUE	NDL 1 RM	60480000
136 INTEGER FOR OCCURS NOT SPECIFIED	QU/CRM DA RM	60482100
136 INTEGER FOR OCCURS NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
136 n KEY SPECIFICATION NOT VALID DATA-NAME	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
136 LEVEL NUMBER NOT GREATER THAN 0 AND NOT LESS THAN 100	CDCS 2 DA RM	60485200
136 LEVEL NUMBER NOT GREATER THAN 0 AND NOT LESS THAN 100	DDL 2 SCHEMA	60498400
136 LOCK TYPE LITERAL IS INVALID - SHOULD BE EITHER EXCLUSIVE OR PROTECTED	CDCS 2 AP RM	60485300
136 RMS WRITE PARITY ERROR	CRM/AAM 2 RM	60499300
136 SCHEMA/SUBSCHEMA FILE IS NOT ATTACHED TO CP	CDCS 2 DA RM	60485200
136 SEMICOLON ENDS COMMENT	SYMPL 1 RM	60496400
136 USAGE TYPE OF THE DEPENDING ON NAME IS INVALID	CDCS 2 DA RM	60485200
136 USAGE TYPE OF THE DEPENDING ON NAME IS INVALID	DDL 2 SUB SCHEM	60498500
137 BLANK OPTION ON UNFORMATTED FILE	FORTRAN 5 RM	60481300
137 -CONTROL- STATEMENT SYNTAX ERROR	SYMPL 1 RM	60496400
137 DEPENDING ON NAME NOT SPECIFIED	QU/CRM DA RM	60482100
137 DEPENDING ON NAME NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
137 INVALID KEY NAME	CDCS 2 DA RM	60485200
137 INVALID KEY NAME	DDL 2 SUB SCHEM	60498500
137 wd IS NOT A UNIQUE AREA PFN/IO	CDCS 2 RM	60481800
137 wd IS NOT A UNIQUE PFN/ID PACK COMBINATION	CDCS 2 DA RM	60485200
137 KEYWORD UPON MUST PRECEDE OUTPUT FILE SPECIFICATION	QUERY UPDT 3 RM	60498300
137 RESTART IDENTIFIER NOT VALID FORTRAN NAME	CDCS 2 AP RM	60485300
137 ROUNDED TO NEXT RECOMMENDED VALUE (PARAM/VALUE)	NDL 1 RM	60480000
138 BAD BUFL VALUE	FORTRAN 5 RM	60481300
138 CHARACTER IN REAL CONSTANT IS NOT D OR E	SYMPL 1 RM	60496400
138 DOUBLE PRECISION MUST BE SPECIFIED IN FORTRAN 5	FORTRAN DBF RM	60482200
138 DOUBLE PRECISION MUST BE SPECIFIED IN FORTRAN 5	CDCS 2 DA RM	60485200
138 INVALID INDEX NAME	CDCS 2 DA RM	60485200
138 wd IS NOT A UNIQUE INDEX PFN/ID	CDCS 2 RM	60481800
138 ITEM IN MAJOR KEY IS INVALID	CDCS 2 AP RM	60485300
138 NO TRANSACTION RECOVERY FILE WAS FOUND FOR SCHEMA -sn-, CLAUSE INVALID	CDCS 2 DA RM	60485200
138 NUMBER OF BLOCKS VALUE NOT BETWEEN 1 AND 16777215	QU/CRM DA RM	60482100
138 NUMBER OF BLOCKS VALUE NOT BETWEEN 1 AND 16777215	DDL 2 QU SUBSCH	60498600
138 c SPECIFICATION FOR COLLATING SEQ NOT DEFINED	QUERY UPDT 3 RM	60498300
138 TYPE CLAUSE OVERRIDES THE PICTURE SPECIFICATION FOR THIS ITEM ENTRY	DDL 2 SCHEMA	60498400
138 TYPE CLAUSE OVERRIDES THE PICTURE SPECIFICATON FOR THIS ITEM ENTRY	CDCS 2 DA RM	60485200
138 VALUE NOT ALLOWED WITH DT SPECIFIED	NDL 1 RM	60480000
139 ALTERNATE KEY SPECIFIED FOR SEQUENTIAL FILE	CDCS 2 DA RM	60485200
139 ALTERNATE KEY SPECIFIED FOR SEQUENTIAL FILE	DDL 2 SCHEMA	60498400
139 BAD OPEN OPTION	FORTRAN 5 RM	60481300
139 DEPENDING ON ITEM HAS WRONG USAGE	QU/CRM DA RM	60482100
139 DEPENDING ON ITEM HAS WRONG USAGE	DDL 2 QU SUBSCH	60498600
139 -DO- VALUE IS NOT UNIQUE FOR DEVICE TYPE	NDL 1 RM	60480000
139 FORMAL PARAMETER PRESET IS IGNORED	SYMPL 1 RM	60496400
139 INDEX NAME IS NOT UNIQUE	CDCS 2 DA RM	60485200
139 INDEX NAME IS NOT UNIQUE	DDL 2 SUB SCHEM	60498500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
139 INSERT, DELETE, AND UPDATE REQUIRE MODIFY PERMISSION	QUERY UPDT 3 RM	60498300
139 wd IS NOT A UNIQUE PROCEDURE LIBRARY PFN/ID	CDCS 2 RM	60481800
139 SAME AS MASTER INVALID FOR AREA IN MASTER VERSION	CDCS 2 DA RM	60485200
140 AREA an AND SCHEMA ENTRY LOGGING INFO MISMATCH	CDCS 2 DA RM	60485200
140 DATA NAME TABLE OVERFLOW - INCREASE YOUR FIELD LENGTH	QU/CRM DA RM	60482100
140 DATA NAME TABLE OVERFLOW-INCREASE YOUR FIELD LENGTH	DDL 2 QU SUBSCH	60498600
140 ERROR DURING FILE CLOSING	FORTRAN 5 RM	60481300
140 c INVALID KEY	QUERY UPDT 3 RM	60498300
140 LEVEL NUMBER IS OUT OF RANGE, HAS BEEN READJUSTED TO AN -O2- LEVEL	CDCS 2 DA RM	60485200
140 LEVEL NUMBER IS OUT OF RANGE, HAS BEEN TO AN -O2- LEVEL	DDL 2 SUB SCHEM	60498500
140 OCCURS CLAUSE INVALID ON A RESULT CLAUSE	CDCS 2 DA RM	60485200
140 OCCURS CLAUSE INVALID ON A RESULT CLAUSE	DDL 2 SCHEMA	60498400
140 PL AND CP STREAM VALUES ARE NOT UNIQUE	NDL 1 RM	60480000
140 -XREF- PRESET IS ILLEGAL	SYMPL 1 RM	60496400
141 BAD ARGUMENT TO ICHAR	FORTRAN 5 RM	60481300
141 BAD LEVEL NUMBER - ITEM IGNORED	QU/CRM DA RM	60482100
141 BAD LEVEL NUMBER - ITEM IGNORED	DDL 2 QU SUBSCH	60498600
141 BLANK COMMON PRESET IS ILLEGAL	SYMPL 1 RM	60496400
141 DATA DESCRIPTION ENTRY WAS NOT TERMINATED WITH A PERIOD	CDCS 2 DA RM	60485200
141 DATA DESCRIPTION ENTRY WAS NOT TERMINATED WITH A PERIOD, PERIOD ASSUMED	DDL 2 SUB SCHEM	60498500
141 DATA-NAME OR -SAME- MUST FOLLOW THE KEYWORD -USING-	QUERY UPDT 3 RM	60498300
141 MULTIPLE RESULT CLAUSES	CDCS 2 DA RM	60485200
141 MULTIPLE RESULT CLAUSES	DDL 2 SCHEMA	60498400
141 STREAM VALUE IS NOT UNIQUE FOR DEVICE TYPE	NDL 1 RM	60480000
141 UNABLE TO LOCATE AREA an IN THE SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
142 ALIAS ENTRY TYPE NOT SPECIFIED	FORTRAN DBF RM	60482200
142 ALIAS ENTRY TYPE NOT SPECIFIED	CDCS 2 DA RM	60485200
142 ALIAS ENTRY TYPE NOT SPECIFIED	DDL 3 SUB SCHEM	60482000
142 BAD CLOSE PARAMETER	FORTRAN 5 RM	60481300
142 BASED ARRAY ITEM PRESET IS ILLEGAL	SYMPL 1 RM	60496400
142 EXCESS DATA	CRM/AAM 2 RM	60499300
142 wd IS AN INVALID SET/PACK/FAMILY NAME	CDCS 2 DA RM	60485200
142 wd IS AN INVALID SET/PACK NAME	CDCS 2 RM	60481800
142 MAXIMUM NUMBER OF DEVICES EXCEEDED	NDL 1 RM	60480000
142 NO ASSIGN CLAUSE SPECIFIED FOR LOG FILE	QU/CRM DA RM	60482100
142 PRIMARY KEY OR ONLY ONE ALTERNATE KEY SHOULD BE SPECIFIED	QUERY UPDT 3 RM	60498300
143 ACCESS CHANGE ON OPENED FILE	FORTRAN 5 RM	60481300
143 AN ITEM IS THE ONLY ALIAS TYPE THAT CAN BE QUALIFIED	FORTRAN DBF RM	60482200
143 AN ITEM IS THE ONLY ALIAS TYPE THAT CAN BE QUALIFIED	CDCS 2 DA RM	60485200
143 BAD P FUNCTION	SYMPL 1 RM	60496400
143 DATA IS THE ONLY ENTRY TYPE THAT CAN BE QUALIFIED	CDCS 2 DA RM	60485200
143 INSUFFICIENT DATA	CRM/AAM 2 RM	60499300

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
143	wd IS AN INVALID VOLUME SERIAL NUMBER	CDCS 2 DA RM	60485200
143	c LINE-NUMBER IS INTEGER OR INTEGER ITEM ONLY	QUERY UPDT 3 RM	60498300
143	PROCEDURE UNSPECIFIED FOR RESULT CLAUSE	CDCS 2 DA RM	60485200
143	PROCEDURE UNSPECIFIED FOR RESULT CLAUSE	DDL 2 SCHEMA	60498400
143	-TA- VALUE IS NOT UNIQUE	NDL 1 RM	60480000
143	WORD OCCURS NOT ALLOWED BY AN INTEGER	DDL 2 QU SUBSCH	60498600
143	WORD OCCURS NOT FOLLOWED BY AN INTEGER	QU/CRM DA RM	60482100
144	CANNOT SPECIFY BOTH MFAM AND DFAM	NDL 1 RM	60480000
144	INDEX FILE ALREADY SPECIFIED FOR AREA -an-	CDCS 2 DA RM	60485200
144	INVALID PROCEDURE NAME - NAME TRUNCATED	CDCS 2 DA RM	60485200
144	INVALID PROCEDURE NAME - NAME TRUNCATED	DDL 2 SCHEMA	60498400
144	id IS THE ID OF A SCHEMA WITH MISSING MD INFO	CDCS 2 RM	60481800
144	LENGTH OF CHARACTER ITEM IS GREATER THAN 240 BYTES - 240 USED	SYMPL 1 RM	60496400
144	c ONLY DEFINED ITEMS MAY BE EVALUATED	QUERY UPDT 3 RM	60498300
144	PICTURE TYPE DOES NOT CORRESPOND TO USAGE TYPE	QU/CRM DA RM	60482100
144	xxxx SUBSCRIPT OF ARRAY nnn = yyy, DECLARED LOWER WAS 1111, UPPER WAS uuuu	FORTRAN 5 RM	60481300
144	UNKNOWN QUALIFIER NAME	FORTRAN DBF RM	60482200
144	UNKNOWN QUALIFIER NAME	CDCS 2 DA RM	60485200
144	UNKNOWN QUALIFIER NAME	DDL 2 SUB SCHEM	60498500
145	-c- ILLEGAL PASSWORD	QUERY UPDT 3 RM	60498300
145	INVALID DATANAME FOR KEY	CDCS 2 DA RM	60485200
145	INVALID DATANAME FOR KEY	DDL 2 SCHEMA	60498400
145	parameter INVALID IN THE FOLLOWING CLAUSE	CDCS 2 DA RM	60485200
145	parameter INVALID IN THE FOLLOWING CLAUSE	DDL 2 SUB SCHEM	60498500
145	parm INVALID IN THE FOLLOWING STATEMENT	FORTRAN DBF RM	60482200
145	parm INVALID IN THE FOLLOWING STATEMENT	CDCS 2 DA RM	60485200
145	NO PROCEDURES IN SCHEMA, LIB SHOULD NOT BE SPECIFIED	CDCS 2 DA RM	60485200
145	NO SUBSCRIPT FOR ARRAY ITEM - LOWER ARRAY BOUND USED	SYMPL 1 RM	60496400
145	OCCURS INTEGER GREATER THAN 262142	QU/CRM DA RM	60482100
145	STARTING CHARACTER POSITION OF xxxx SHOULD BE .GT. ZERO	FORTRAN 5 RM	60481300
145	VALUE FOR MUSER AND DUSER CANNOT BE ZERO	NDL 1 RM	60480000
146	CANNOT SPECIFY BOTH MUSER AND DUSER	NDL 1 RM	60480000
146	CHARACTER LENGTH OF xxxx SHOULD BE .GT. ZERO	FORTRAN 5 RM	60481300
146	CIRCULAR DEF NAME EXPANSION - EXPANSION IGNORED	SYMPL 1 RM	60496400
146	INVALID PROCEDURE NAME	CDCS 2 DA RM	60485200
146	INVALID PROCEDURE NAME	DDL 2 SCHEMA	60498400
146	PROCEDURES IN SCHEMA, LIB MUST BE SPECIFIED	CDCS 2 DA RM	60485200
146	RECORD SIZE NOT EQUAL THROUGHOUT THE AREA, LARGEST ONE IS USED FOR MRL	QU/CRM DA RM	60482100
146	RECORD SIZE NOT EQUAL THROUGHOUT THE AREA, LARGEST ONE IS USED FOR MRL	DDL 2 QU SUBSCH	60498600
146	SUBSCHEMA STATEMENT NOT SPECIFIED - COMPILATION ABORTED	FORTRAN DBF RM	60482200
146	SUBSCHEMA STATEMENT NOT SPECIFIED - COMPILATION ABORTED	CDCS 2 DA RM	60485200
146	TITLE DIVISION NOT SPECIFIED - COMPILATION ABORTED	CDCS 2 DA RM	60485200

MESSAGE

146 TITLE DIVISION NOT SPECIFIED - JOB ABORTED
146 n UNKNOWN P.F. PARAMETER
146 USER HEADER LENGTH ERROR
147 CHECKSUM ERROR IN DATA OR INDEX BLOCK
147 ENTRY -PROC- OR -FUNC- NOT ALLOWED IN A -PRGM-
147 INVALID TAPE TYPE SPECIFIED
147 LITERAL GREATER THAN 256
147 MAPPL OR PAPPL CANNOT BE A RESERVED APPL NAME
147 NEW CHARACTER LENGTH OF xxxx EXCEEDS OLD LENGTH OF xxxx
147 ONCE ILLEGAL WITH MULTIPLE SECTIONS
147 SCHEMA KEYWORD MISSING
147 SCHEMA KEYWORD MISSING
147 SS - KEYWORD MISSING
147 SS - KEYWORD MISSING
147 USING CLAUSE VALID ONLY FOR DA FILE. PRIMARY KEY
147 USING CLAUSE VALID ONLY FOR DA FILE. PRIMARY KEY
148 CANNOT SPECIFY BOTH MAPPL AND PAPPL
148 ILLEGAL CHARACTER IN PARAMETERIZED -DEF- TEXT
148 INTERNAL FILE RECORD LENGTH .LE. ZERO
148 INVALID SCHEMA OR SUB-SCHEMA NAME
148 INVALID SCHEMA OR SUBSCHEMA NAME
148 INVALID SCHEMA OR SUBSCHEMA NAME
148 ONCE WILL BE IGNORED
148 PF R VALUE INVALID
148 PRIMARY KEY DEFINED FOR AK FILE MUST BE OF TYPE FIXED INT-1 (NO INT-2)
148 PRIMARY KEY DEFINED FOR AK FILE MUST BE OF TYPE FIXED INT=1 (NO INT-2)
148 SCHEMA sn HAS ALREADY APPEARED IN A MODIFY SCHEMA CLAUSE
149 ALTERNATE KEY CANNOT BE SPECIFIED BEFORE THE PRIMARY KEY
149 APPLICATION NAME SPECIFIED IS A RESERVED NAME
149 DUPLICATE CHANGE CLAUSE
149 DUPLICATE CHANGE PROCEDURE CLAUSE
149 ILLEGAL COMPARISON IN -CONTROL IF-
149 INTERNAL FILE LCM RECORD EXCEEDS 150 CHARACTERS
149 NO PICTURE SPECIFICATION FOR ELEMENTARY ITEM
149 NO PICTURE SPECIFICATION FOR ELEMENTARY ITEM
149 VALID EXPRESSION MISSING
149 WITHIN - KEYWORD MISSING
149 WITHIN - KEYWORD MISSING
150 FILE NOT ON RMS
150 INDEX PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED
150 INTERNAL FILE I/O LIST EXCEEDS FILE SIZE
150 c IS INVALID SEPARATOR

<u>MANUAL</u>	<u>PUB. NO.</u>
DDL 2 SUB SCHEM	60498500
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
CRM/AAM 2 RM	60499300
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
NDL 1 RM	60480000
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN DBF RM	60482200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
NDL 1 RM	60480000
CDCS 2 DA RM	60485200
CDCS 2 RM	60481800
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300

MESSAGE

150 KEY LENGTH CANNOT BE GREATER THAN 240 CHARACTERS
150 KEYWORD -INTERNAL- MISSING. INSTEAD FOUND..param
150 NCIR MUST BE LESS THAN OR EQUAL TO NSVC
150 NO PROCEDURE LIBRARY WAS FOUND FOR SCHEMA sn, CLAUSE IS INVALID
150 OPTION NOT SPECIFIED FOR SCHEMA sn, CHANGE CLAUSE INVALID
150 TOO MANY DEF PARAMETERS
150 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD
150 UNABLE TO COMPLETE ENTRY-ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD
151 BOTH ENDS OF TRUNK CONNECTED TO SAME NPU
151 DIRECT ACCESS OPEN HAS NO RECL PARAMETER
151 EITHER -AREA- OR-PROCEDURE-MUST FOLLOW CHANGE
151 ILLEGAL CONDITIONAL DIRECTIVE IGNORED
151 INVALID CHANGE OPTION
151 INVALID PROCEDURE-NAME IN CHECK CLAUSE - NAME TRUNCATED
151 INVALID PROCEDURE - NAME IN CHECK CLAUSE - NAME TRUNCATED
151 NOT SORT, MERGE OR OUTPUT SORT ASSUMED
151 ONE CHARACTER DELIMITER ONLY
151 PERIOD FOUND
151 PERIOD FOUND
151 RECORD SIZE GREATER THAN 6
151 RECORD SIZE GREATER THAN 6
152 AREA an HAS ALREADY APPEARED IN A CHANGE CLAUSE
152 DUPLICATES NOT ALLOWED ON PRIMARY KEYS - DEFAULTED TO NOT ALLOWED
152 DUPLICATES VALID WITH PRIMARY KEY ONLY FOR IS FILE
152 LABEL IS ILLEGAL AS A VALUE PARAMETER
152 MUTUALLY EXCLUSIVE PARAMETER(S) HAVE BEEN USED
152 RETURNED FROM OWNCODE WITHOUT CALLING SMRTN
152 REWIND PROHIBITED ON DIRECT FILE -- IGNORED
152 TITLE DIVISION TITLE IS INCORRECT
152 TITLE DIVISION TITLE IS INCORRECT
152 VALUE OF RECORD SIZE GREATER THAN 262142, 512 ASSUMED
152 VALUE OF RECORD SIZE GREATER THAN 262142, 512 ASSUMED
152 WARNING- LAST KEY NOT SORTED 25 LIMIT EXCEEDED
153 AREA an DOES NOT HAVE AN INDEX FILE SPECIFIED, CHANGE IS INVALID
153 ARGUMENT TO CSOWN NOT TYPE CHARACTER
153 ARRAY IS ILLEGAL AS A VALUE PARAMETER
153 DUPLICATES WITH FIRST OR INDEXED VALID ONLY FOR ALTERNATE KEY
153 DUPLICATES WITH FIRST OR INDEXED VALUE ONLY FOR ALTERNATE KEY
153 EXCESSIVE NUMBER OF ERRORS FOUND (n). PROCESSING TERMINATED.
153 c GREATER THAN PAGE-SIZE WHICH IS d LINES
153 INDEX LEVEL SPECIFIED GREATER THAN 2 CHARACTERS
153 INDEX LEVEL SPECIFIED GREATER THAN 2 CHARACTERS

<u>MANUAL</u>	<u>PUB. NO.</u>
CDCS 2 DA RM	60485200
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
CDCS 2 RM	60481800
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SYMPL 1 RM	60496400
NDL 1 RM	60480000
SORT/MERGE 5 RM	60484800
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SORT/MERGE 5 RM	60484800
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600

MESSAGE

153 TOTAL LENGTH OF FAC EXCEEDS MAX (124 HEX DIGITS)
153 UNKNOWN SOURCE WORD
153 UNKNOWN SOURCE WORD
154 EITHER A PFN OR INDEX CLAUSE MUST FOLLOW A CHANGE AREA CLAUSE
154 ILLEGAL OPTION IN CHANGE AREA CLAUSE
154 INDEX LEVEL VALUE NOT BETWEEN 1 AND 64, 1 ASSUMED
154 INDEX LEVEL VALUE NOT BETWEEN 1 AND 64, 1 ASSUMED
154 -PROC- OR -FUNC- IS ILLEGAL AS A VALUE PARAMETER
154 SMRTN CANNOT BE USED WHEN USING SM5 PROCEDURES
154 THIS LOGICAL LINK DOES NOT SPAN OVER ONE TRUNK
154 UNALLOCATED RECORD LENGTH GREATER THAN 150
154 UNDEFINED KEY
154 UNDEFINED KEY
154 1ST LITERAL RANGE OPTION INVALID
154 1ST LITERAL RANGE OPTION INVALID
155 ASSIGN CLAUSE REQUIRED FOR LOG FILE
155 -AT LINE DATA-NAME- FOR FOOTINGS AND HEADINGS ONLY
155 COMMON BASED ARRAY DECLARATION ERROR
155 INDEX BLOCK SPECIFIED GREATER THAN 5 CHARACTERS
155 INDEX BLOCK SPECIFIED GREATER THAN 5 CHARACTERS
155 INVALID PERMANENT FILE NAME
155 NO CONSOLES DEFINED ON THIS TERMINAL
155 RETURN CODE MUST BE IN THE RANGE 0-3
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES MATCH THE SCHEMA NAME IN THE SCHEMA
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES MATCH THE SCHEMA NAME IN THE SCHEMA
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES NOT MATCH THE SCHEMA NAME IN THE SCHEMA
155 SCHEMA NAME SPECIFIED IN THE SUB-SCHEMA DOES NOT MATCH THE SCHEMA NAME IN THE SCHEMA
155 SEQUENTIAL I/O ATTEMPTED ON DIRECT FILE
155 SET OR PACK CLAUSE NEEDED BEFORE VSN CLAUSE
155 SETNAME WITHOUT VSN OR VSN WITHOUT SETNAME CLAUSE IS ILLEGAL
156 CODED I/O ATTEMPTED ON xxxx FILE xxxx
156 DTEA NOT ALLOWED WHEN DCE IS NOT SPECIFIED
156 INDEX BLOCK VALUE NOT BETWEEN 1 AND 32767, 512 ASSUMED
156 INDEX BLOCK VALUE NOT BETWEEN 1 AND 32768, 512 ASSUMED
156 REDEFINING A REDEFINES ENTRY IS INVALID, MUST USE THE DATA NAME OF THE ENTRY THAT ORIGINALLY DEFINED THE AREA
156 REDEFINING A REDEFINES ENTRY IS INVALID, MUST USE THE DATA NAME OF THE ENTRY THAT ORIGINALLY DEFINED THE AREA
156 SCHEMA FILE CLAUSE NEEDED BEFORE ADD CLAUSE
156 SYMPL TEXT IS NOT A -PRGM- OR -PROC-
156 TAG NUMBER REQUIRED WHEN SELECT IS SPECIFIED
156 2ND LITERAL RANGE OPTION INVALID
156 2ND LITERAL RANGE OPTION INVALID

<u>MANUAL</u>	<u>PUB. NO.</u>
NDL 1 RM	60480000
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SYMPL 1 RM	60496400
SORT/MERGE 5 RM	60484800
NDL 1 RM	60480000
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
IMF SCHEMA DEF.	60484400
NDL 1 RM	60480000
SORT/MERGE 5 RM	60484800
FORTRAN DBF RM	60482200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
FORTRAN 5 RM	60481300
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
FORTRAN 5 RM	60481300
NDL 1 RM	60480000
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
157 CHECK OPTION UNSPECIFIED	CDCS 2 DA RM	60485200
157 CHECK OPTION UNSPECIFIED	DDL 2 SCHEMA	60498400
157 DATA PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED	QU/CRM DA RM	60482100
157 DATA PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED	DDL 2 QU SUBSCH	60498600
157 EDITING CHARACTERS NOT ALLOWED IN PICTURE	CDCS 2 DA RM	60485200
157 EDITING CHARACTERS NOT ALLOWED IN PICTURE	DDL 2 SUB SCHEM	60498500
157 ILLEGAL PORT ASSIGNMENT ON THIS NODE ID SHOWN	NDL 1 RM	60480000
157 INVALID KEYWORD FOR COLSEQ	FORTRAN 5 RM	60481300
157 KEYWORD -PFN- IS MISSING	CDCS 2 DA RM	60485200
157 SELECT TAG MISSING	QUERY UPDT 3 RM	60498300
157 XREF SWITCH ERROR	SYMPL 1 RM	60496400
158 BUFFER SIZE MUST BE INTEGER, L262144	DDL 2 SCHEMA	60498400
158 ILLEGAL CHARACTER IN PICTURE	QU/CRM DA RM	60482100
158 ILLEGAL CHARACTER IN PICTURE	CDCS 2 DA RM	60485200
158 ILLEGAL CHARACTER IN PICTURE	DDL 3 SUB SCHEM	60482000
158 ILLEGAL CHARACTER IN PICTURE	DDL 2 SUB SCHEM	60498500
158 ILLEGAL CHARACTER IN PICTURE	NDL 1 RM	60480000
158 ILLEGAL VALUE AS A CONTROL CHARACTER	DDL 2 QU SUBSCH	60498600
158 INDEX PADDING PERCENT GREATER THAN 2 CHARACTERS, 5 ASSUMED	CDCS 2 DA RM	60485200
158 INVALID TRANSACTION UNIT LIMIT	FORTRAN 5 RM	60481300
158 OVER 1499 CHARACTERS IN REPEATED CHARACTER STRING	QUERY UPDT 3 RM	60498300
158 TOO MANY SELECTS - TABLE OVERFLOW	SYMPL 1 RM	60496400
158 UNMATCHED -CONTROL IF-	DDL 2 SCHEMA	60498400
159 BUFFER SIZE CLAUSE MUST SAY -WORDS-	SYMPL 1 RM	60496400
159 -DEF- PARAMETER ERROR	DDL 2 QU SUBSCH	60498600
159 ILLEGAL CHARACTER IN PICTURE	CDCS 2 DA RM	60485200
159 INVALID TRANSACTION UPDATE LIMIT	NDL 1 RM	60480000
159 MAXIMUM NUMBER OF USER STATEMENTS EXCEEDED	CDCS 2 DA RM	60485200
159 PICTURE SIZE EXCEEDS MAXIMUM OF 32767 CHARACTERS	DDL 2 SUB SCHEM	60498500
159 PICTURE SIZE EXCEEDS MAXIMUM OF 65535 CHARACTERS	QU/CRM DA RM	60482100
159 REPEAT COUNT IN PARENTHESES EXCEEDS MAXIMUM OF 2047	FORTRAN 5 RM	60481300
159 SCRATCH FILE xxxx CANNOT BE CLOSED WITH STATUS=KEEP	QUERY UPDT 3 RM	60498300
159 TOO MANY BREAKS - TABLE OVERFLOW	FORTRAN 5 RM	60481300
160 ILLEGAL USE OF ASTERISK AS STRING DELIMITER IN FORMAT	CDCS 2 DA RM	60485200
160 -dt- IS AN INVALID DEVICE TYPE	QUERY UPDT 3 RM	60498300
160 -LINE I BEYOND- IS INVALID FOR TITLE	CDCS 2 DA RM	60485200
160 ONLY VALID SEQUENCES ARE ASCII, COBOL OR DISPLAY	DDL 2 SCHEMA	60498400
160 ONLY VALID SEQUENCES ARE ASCII OR COBOL	SYMPL 1 RM	60496400
160 ([OR < NESTING TOO DEEP)	DDL 2 QU SUBSCH	60498600
160 REPEAT COUNT IN PARENTHESES EXCEEDS MAXIMUM OF 2047	NDL 1 RM	60480000
160 STIP IS REQUIRED WHEN TC IS OF TYPE USER	QU/CRM DA RM	60482100
160 SYNTACTICAL ERROR IN PICTURE	CDCS 2 DA RM	60485200
160 SYNTACTICAL ERROR IN PICTURE		

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
160 SYNTACTICAL ERROR IN PICTURE	DDL 2 SUB SCHEM	60498500
161 EXCEEDS REPEAT COUNT IN EDITED PICTURE	DDL 3 SUB SCHEM	60482000
161 EXCEEDS REPEAT COUNT IN EDITED PICTURE	QU/CRM DA RM	60482100
161 EXCESS REPEAT COUNT IN EDITED PICTURE	QU/CRM DA RM	60482100
161 EXCESS REPEAT COUNT IN EDITED PICTURE	CDCS 2 DA RM	60485200
161 MISSING PARAMETERS FOR USER DEFINED TIPTYPE	NDL 1 RM	60480000
161 NO VALID WITHIN CLAUSE SPECIFIED IN THE CURRENT RECORD	CDCS 2 DA RM	60485200
161 NO VALID WITHIN CLAUSE SPECIFIED IN THE CURRENT RECORD	DDL 2 SCHEMA	60498400
161 NON EXISTENT OVCAP	FORTRAN 5 RM	60481300
161 -ON ALL PAGES- CANNOT BE USED WITH PART OF THE HEADING	QUERY UPDT 3 RM	60498300
161 ([OR < NEST MISMATCH)	SYMPL 1 RM	60496400
161 RESTART IDENTIFIER FILE CANNOT BE SELECTED WITHOUT TRANSACTION FILE	CDCS 2 DA RM	60485200
161 SYNTACTICAL ERROR IN PICTURE	DDL 2 QU SUBSCH	60498600
162 CALL UNSPECIFIED IN ENCODING	CDCS 2 DA RM	60485200
162 CALL UNSPECIFIED IN ENCODING	DDL 2 SCHEMA	60498400
162 -DEF- PARAMETER TOO LONG	SYMPL 1 RM	60496400
162 DETAIL AT ABS. LINE-NUMBER INVALID WITH VERTICAL SECTIONS	QUERY UPDT 3 RM	60498300
162 EXCESS REPEAT COUNT IN EDITED PICTURE	DDL 2 QU SUBSCH	60498600
162 JOURNAL/TRANSACTION PFN MUST BE 6 CHARACTERS	CDCS 2 DA RM	60485200
162 MAXIMUM OF 63 INSERTION CHARACTERS ALLOWED IN PICTURE	QU/CRM DA RM	60482100
162 MAXIMUM OF 63 INSERTION CHARACTERS ALLOWED IN PICTURE	CDCS 2 DA RM	60485200
162 MAXIMUM OF 63 INSERTION CHARACTERS ALLOWED IN PICTURE	DDL 3 SUB SCHEM	60482000
162 MAXIMUM OF 63 INSERTION CHARACTERS ALLOWED IN PICTURE	QU/CRM DA RM	60482100
162 OVCAP....IS ALREADY LOADED	FORTRAN 5 RM	60481300
162 TSPEED INCOMPATIBLE FOR THIS AUTOREC INDICATOR	NDL 1 RM	60480000
163 -DEF- PARAMETER COUNT ERROR	SYMPL 1 RM	60496400
163 c INVALID AFTER -AT LINE DATA-NAME-	QUERY UPDT 3 RM	60498300
163 NON-EXISTENT VERSION NAME SPECIFIED	CDCS 2 DA RM	60485200
163 NON NUMERIC WITHIN PARENTHESES	QU/CRM DA RM	60482100
163 NON NUMERIC WITHIN PARENTHESES	CDCS 2 DA RM	60485200
163 NON NUMERIC WITHIN PARENTHESES	DDL 3 SUB SCHEM	60482000
163 NON NUMERIC WITHIN PARENTHESES	QU/CRM DA RM	60482100
163 OVCAP....WAS NEVER LOADED	FORTRAN 5 RM	60481300
163 UNSPECIFIED ENCODING PROCEDURE	CDCS 2 DA RM	60485200
163 UNSPECIFIED ENCODING PROCEDURE	DDL 2 SCHEMA	60498400
163 VALUE OUT OF RANGE	NDL 1 RM	60480000
164 FDL ERROR xx DURING LOAD OR UNLOAD OF OVCAP....	FORTRAN 5 RM	60481300
164 INVALID ENCODING PROCEDURE NAME - NAME TRUNCATED	CDCS 2 DA RM	60485200
164 INVALID ENCODING PROCEDURE NAME - NAME TRUNCATED	DDL 2 SCHEMA	60498400
164 MAXIMUM NUMBER OF VERSIONS EXCEEDED	CDCS 2 DA RM	60485200
164 -NO- FOR SELECT ONLY	QUERY UPDT 3 RM	60498300
164 NON NUMERIC WITHIN PARENTHESES	DDL 2 QU SUBSCH	60498600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
164 NUMERIC ITEM GREATER THAN 18	QU/CRM DA RM	60482100
164 NUMERIC ITEM GREATER THAN 18	CDCS 2 DA RM	60485200
164 NUMERIC ITEM GREATER THAN 18	QU/CRM DA RM	60482100
164 NUMERIC ITEM GREATER THAN 18	DDL 2 SUB SCHEM	60498500
164 RECOVERY AT SEMICOLON	SYMPL 1 RM	60496400
165 BAD -DEF- ACTUAL PARAMETER	SYMPL 1 RM	60496400
165 DEPENDING ON NAME IN RECORD CONTAINS CLAUSE IS INVALID	QU/CRM DA RM	60482100
165 DEPENDING ON NAME IN RECORD CONTAINS CLAUSE IS INVALID	DDL 2 QU SUBSCH	60498600
165 ILLEGAL FILE NAME	CRM/AAM 2 RM	60499300
165 IN THE PRIOR ITEM ENTRY THE USAGE AND/OR PICTURE CLAUSE MUST BE SPECIFIED	CDCS 2 DA RM	60485200
165 IN THE PRIOR ITEM ENTRY THE USAGE AND OR PICTURE CLAUSE MUST BE SPECIFIED	DDL 2 SUB SCHEM	60498500
165 INSUFFICIENT JOB CONTROL INFORMATION SPECIFIED	CDCS 2 DA RM	60485200
165 INVALID SEQUENCE	FORTRAN 5 RM	60481300
165 INVALID SEQUENCE	FORTRAN EXT 4	60497800
165 NUMBER OF FUNCTION PARAMETERS IN ERROR	QUERY UPDT 3 RM	60498300
165 RESULT NOT SPECIFIED IN ACTUAL/VIRTUAL CLAUSE	CDCS 2 DA RM	60485200
165 RESULT NOT SPECIFIED IN ACTUAL/VIRTUAL CLAUSE	DDL 2 SCHEMA	60498400
166 BAD UNDECLARED PROC OR LABEL LIST	SYMPL 1 RM	60496400
166 CONVERSION ERROR, c IGNORED	QUERY UPDT 3 RM	60498300
166 FIT INCOMPLETE - CANNOT CREATE FILE	CRM/AAM 2 RM	60499300
166 INTEGER IN RECORD BLOCK CONTAINS CLAUSE IS INVALID	QU/CRM DA RM	60482100
166 INTEGER IN RECORD BLOCK CONTAINS CLAUSE IS INVALID	DDL 2 QU SUBSCH	60498600
166 INVALID DENSITY OPTION SPECIFIED	CDCS 2 DA RM	60485200
166 INVALID SUBSCRIPT IN CLASS MATRIX	FORTRAN DBF RM	60482200
166 INVALID SUBSCRIPT IN CLASS MATRIX	CDCS 2 DA RM	60485200
166 INVALID SUBSCRIPT IN CLASS MATRIX	DDL 2 SUB SCHEM	60498500
166 RESERVED COL- SEQ	FORTRAN 5 RM	60481300
166 RESERVED COL SEQ	FORTRAN EXT 4	60497800
166 VIRTUAL RESULT CANNOT BE SPECIFIED WITH EITHER ENCODING/DECODING OR CALL CLAUSES	CDCS 2 DA RM	60485200
166 VIRTUAL RESULT CANNOT BE SPECIFIED WITH EITHER ENCODING/DECODING OR CALL CLAUSES	DDL 2 SCHEMA	60498400
167 ALPHABETIC OR ALPHANUMERIC PICTURE NOT ALLOWED WITH USAGE IS COMP, COMP-1, OR COMP-2	CDCS 2 DA RM	60485200
167 ALPHABETIC OR ALPHANUMERIC PICTURE NOT ALLOWED WITH USAGE IS COMP, COMP-1, OR COMP-2	DDL 2 SUB SCHEM	60498500
167 H, ', ", ILLEGAL INPUT FORMATS	FORTRAN 5 RM	60481300
167 INTEGER VALUE IN RECORD BLOCK CONTAINS IS GREATER THAN 262142, 5120 ASSUMED	QU/CRM DA RM	60482100
167 INTEGER VALUE IN RECORD BLOCK CONTAINS IS GREATER THAN 262142, 5120 ASSUMED	DDL 2 QU SUBSCH	60498600
167 INVALID TAPE/DENSITY COMBINATION	CDCS 2 DA RM	60485200
167 RECORD LENGTH OUTSIDE MIN-MAX RANGE -- REQUEST IGNORED	CRM/AAM 2 RM	60499300
167 SYMPL TEXT CONTAINS -LABEL- OR INNER -PROC-	SYMPL 1 RM	60496400
167 THIS REPORT CONTAINS NO EXECUTABLE STATEMENT	QUERY UPDT 3 RM	60498300
168 BREAK DIRECTIVE MISSING -ON-	QUERY UPDT 3 RM	60498300
168 *DECIMAL POINT MISSING	FORTRAN 5 RM	60481300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
168 DUPLICATE TAPE TYPE/DENSITY CLAUSE	CDCS 2 DA RM	60485200
168 PICTURE CLAUSE IS NOT ALLOWED WITH USAGE IS INDEX	CDCS 2 DA RM	60485200
168 PICTURE CLAUSE IS NOT ALLOWED WITH USAGE IS INDEX	DDL 2 SUB SCHEM	60498500
168 -TERM- ENCOUNTERED PREMATURELY - NEXT LINE BEGINS A NEW SUBPROGRAM	SYMPL 1 RM	60496400
168 USAGE CLAUSE IS INCOMPLETE	QU/CRM DA RM	60482100
168 USAGE CLAUSE IS INCOMPLETE	DDL 2 QU SUBSCH	60498600
169 ATTRIBUTE SPECIFIED TO UNKNOWN VARIABLE	SYMPL 1 RM	60496400
169 CHARACTER TO NUMERIC (C) CONVERSION ILLEGAL	QUERY UPDT 3 RM	60498300
169 EMPTY INPUT FILE	QU/CRM DA RM	60482100
169 EMPTY INPUT FILE	DDL 2 QU SUBSCH	60498600
169 EMPTY SCHEMA DIRECTORY	FORTRAN DBF RM	60482200
169 EMPTY SCHEMA DIRECTORY	CDCS 2 DA RM	60485200
169 EMPTY SCHEMA DIRECTORY	DDL 2 SUB SCHEM	60498500
169 FORMAT VARIABLE DOES NOT CONTAIN ASSIGNED FORMAT	FORTRAN 5 RM	60481300
169 INVALID OR DUPLICATE JOB CONTROL USER NAME	CDCS 2 DA RM	60485200
170 DATA TRUNCATED DURING CONVERSION FOR --- C	QUERY UPDT 3 RM	60498300
170 DUPLICATES INVALID FOR ACTUAL OR DIRECT ORGANIZATION OR INDEXED WHERE ALTERNATE KEY EXISTS	QU/CRM DA RM	60482100
170 DUPLICATES INVALID FOR ACTUAL OR DIRECT ORGANIZATION OR INDEXED WHERE ALTERNATE KEY EXISTS	DDL 2 QU SUBSCH	60498600
170 IN THE PRIOR ITEM ENTRY THE PICTURE CLAUSE IS NOT ALLOWED IN A GROUP ITEM	CDCS 2 DA RM	60485200
170 IN THE PRIOR ITEM ENTRY THE PICTURE CLAUSE IS NOT ALLOWED IN A GROUP ITEM	DDL 2 SUB SCHEM	60498500
170 INVALID OR DUPLICATE JOB CONTROL FAMILY NAME	CDCS 2 DA RM	60485200
170 NAME GREATER THAN 30 CHARACTERS - NAME TRUNCATED	CDCS 2 DA RM	60485200
170 NAME GREATER THAN 30 CHARACTERS - NAME TRUNCATED	DDL 2 SCHEMA	60498400
170 RECORD SIZE EXCEEDS BLOCK SIZE OR IS NEGATIVE	CRM/AAM 2 RM	60499300
170 SCALAR ITEMS MAY NOT BE INERT OR REACTIVE	SYMPL 1 RM	60496400
170 ZERO LENGTH HOLLERITH STRING	FORTRAN 5 RM	60481300
171 BAD FILENAME GIVEN	FORTRAN 5 RM	60481300
171 CALL PROCEDURE-NAME UNSPECIFIED	CDCS 2 DA RM	60485200
171 CALL PROCEDURE - NAME UNSPECIFIED	DDL 2 SCHEMA	60498400
171 INCORRECT HASHING ROUTINE	CRM/AAM 2 RM	60499300
171 INSUFFICIENT FIELD LENGTH, INCREASE YOUR CB, DDL ABORTED	DDL 2 SUB SCHEM	60498500
171 INSUFFICIENT FIELD LENGTH - INCREASE YOUR FL --- DDL ABORTED	FORTRAN DBF RM	60482200
171 INSUFFICIENT FIELD LENGTH, INCREASE YOUR FL, DDL ABORTED	CDCS 2 DA RM	60485200
171 INVALID OR DUPLICATE JOB CONTROL PASSWORD	CDCS 2 DA RM	60485200
171 -LINE O- ILLEGAL LINE-NUMBER	QUERY UPDT 3 RM	60498300
171 ONLY ITEMS AND ARRAYS HAVE ATTRIBUTES	SYMPL 1 RM	60496400
171 UNRECOGNIZABLE/MISPLACED SOURCE STATEMENT	QU/CRM DA RM	60482100
171 UNRECOGNIZABLE/MISPLACED SOURCE STATEMENT	DDL 2 QU SUBSCH	60498600
172 BAD ATTRIBUTE OR LEVEL SPECIFICATION LIST	SYMPL 1 RM	60496400
172 ERRONEOUS KL OR RKP FIELD SPECIFIED	CRM/AAM 2 RM	60499300
172 RECORD CODE CLAUSE INCOMPLETE	CDCS 2 DA RM	60485200
172 RECORD CODE CLAUSE INCOMPLETE	DDL 2 SCHEMA	60498400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
172 REDEFINED NAME IS EITHER MISSING OR INVALID	CDCS 2 DA RM	60485200
172 REDEFINED NAME IS EITHER MISSING OR INVALID	DDL 2 SUB SCHEM	60498500
172 SEPARATOR MISSING IN FRONT	FORTRAN 5 RM	60481300
172 -VERSION- CANNOT BE RECORDED	QUERY UPDT 3 RM	60498300
173 FAST FOR LOOP INDUCTION VARIABLE ERROR	SYMPL 1 RM	60496400
173 ILLEGAL CONDITION AFTER UNTIL, PERFORM IGNORED	QUERY UPDT 3 RM	60498300
173 INVALID OR NON-EXISTENT LEVEL NUMBER	CDCS 2 DA RM	60485200
173 INVALID OR NON-EXISTENT LEVEL NUMBER	DDL 2 SCHEMA	60498400
173 PICTURE ON GROUP ITEM IS INVALID	QU/CRM DA RM	60482100
173 PICTURE ON GROUP ITEM IS INVALID	DDL 2 QU SUBSCH	60498600
173 REDEFINED NAME DOES NOT EXIST	CDCS 2 DA RM	60485200
173 REDEFINED NAME DOES NOT EXIST	DDL 2 SUB SCHEM	60498500
173 SCALE FORMAT MISSING IN FORMAT	FORTRAN 5 RM	60481300
174 BAD GLOBAL ATTRIBUTE SPECIFICATION	SYMPL 1 RM	60496400
174 BUFFER SIZE SHOULD BE MORE THAN ONE PRU -- DEFAULT SIZE (65 WORDS) USED	DDL 2 SCHEMA	60498400
174 FIT INCOMPLETE FOR BFS CALCULATION	CRM/AAM 2 RM	60499300
174 OCCURS CANNOT BE SPECIFIED FOR FILLER ITEMS	QU/CRM DA RM	60482100
174 OCCURS CANNOT BE SPECIFIED FOR FILLER ITEMS	DDL 2 QU SUBSCH	60498600
174 ORIGINALLY DEFINED ITEM CANNOT CONTAIN AN OCCURS	CDCS 2 DA RM	60485200
174 ORIGINALLY DEFINED ITEM CANNOT CONTAIN AN OCCURS	DDL 2 SUB SCHEM	60498500
174 REPEAT MUST BE FOLLOWED BY INTEGER-VALUE ARITH EXPRESSION	QUERY UPDT 3 RM	60498300
174 WTSET ARGUMENT INVALID	FORTRAN 5 RM	60481300
175 HASH OVERFLOW TABLE SIZE EXCEEDED	QU/CRM DA RM	60482100
175 HASH OVERFLOW TABLE SIZE EXCEEDED	DDL 2 QU SUBSCH	60498600
175 INVALID CHARACTER CODE IN CSOWN CALL	FORTRAN 5 RM	60481300
175 INVALID LEVEL NUMBER FOR REDEFINES	CDCS 2 DA RM	60485200
175 INVALID LEVEL NUMBER FOR REDEFINES	DDL 2 SUB SCHEM	60498500
175 LEVEL ONLY APPLIES TO COMMON AND BASED ARRAYS	SYMPL 1 RM	60496400
175 ON/OFF MUST FOLLOW VETO	QUERY UPDT 3 RM	60498300
175 REQUESTED DATA OR INDEX BUFFER TOO LARGE	CRM/AAM 2 RM	60499300
176 n ARRAY PRESET ERROR, PRESET UNPREDICTABLE	QUERY UPDT 3 RM	60498300
176 BAD USE OF LEVEL 3 VARIABLE	SYMPL 1 RM	60496400
176 INDICATED POINT LOCATION GREATER THAN 31	QU/CRM DA RM	60482100
176 INVALID NAME OR INTEGER	CDCS 2 DA RM	60485200
176 LEVEL NUMBER OF DATA-NAME IS NOT IDENTICAL TO DATA-NAME-2	CDCS 2 DA RM	60485200
176 MAXRECSZ IN FSTT EXCEEDS MRL IN FIT, WSA MAY BE TOO SHORT	CRM/AAM 2 RM	60499300
176 SUBSTRING STARTING ARGUMENT .GT. ENDING, ILLEGAL FOR OPERAND	FORTRAN 5 RM	60481300
177 DEPENDING ON ITEM NOT IN FIXED PART OF RECORD	QU/CRM DA RM	60482100
177 INDUCTION VARIABLE MUST BE SCM RESIDENT	SYMPL 1 RM	60496400
177 REDEFINED ITEM CANNOT CONTAIN AN OCCURS OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200
177 SUBSCRIPT OUT OF BOUND	QUERY UPDT 3 RM	60498300
178 -CONTROL WEAK- ONLY APPLIES TO EXTERNAL SYMBOLS	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
178 KEY NAME OR DEPENDING ON NAME UNDEFINED	QU/CRM DA RM	60482100
178 SUBSCRIPT ERROR	QUERY UPDT 3 RM	60498300
178 THE SIZE OF THE REDEFINED ITEM IS NOT THE SAME AS THE ORIGINALLY DEFINED ITEM	CDCS 2 DA RM	60485200
179 ARRAY ENTRY-SIZE TOO LARGE	SYMPL 1 RM	60496400
179 RECORD CONTAINS DATA NAME NOT WITHIN RECORD	QU/CRM DA RM	60482100
179 UNABLE TO COPY AREA ENTRIES FROM THE SCHEMA, SCHEMA IS INVALID	CDCS 2 DA RM	60485200
179 UNABLE TO COPY AREA ENTRIES FROM THE SCHEMA, SCHEMA IS INVALID	FORTRAN DBF RM	60482200
179 UPPER BOUND OF ARRAY DEFINITION MISSING	QUERY UPDT 3 RM	60498300
180 FIELD(S) TOO LONG FOR CENTERING	QUERY UPDT 3 RM	60498300
180 KEY NAME NOT WITHIN SPECIFIED AREA	QU/CRM DA RM	60482100
180 RESERVED WORD -RENAMES- IS MISSING	CDCS 2 DA RM	60485200
180 TOO MANY ARRAY DIMENSIONS	SYMPL 1 RM	60496400
181 PF ID/UN NAME INVALID	QU/CRM DA RM	60482100
181 RECURSIVE -PROC- OR -FUNC- CALL NOT ALLOWED	SYMPL 1 RM	60496400
181 SUBSCRIPT NAME UNDEFINED OR TYPE INVALID	QUERY UPDT 3 RM	60498300
181 UNABLE TO FIND DATA-NAME-2	CDCS 2 DA RM	60485200
182 A 66 LEVEL ENTRY CANNOT RENAME A 66 OR 88 LEVEL ITEM	CDCS 2 DA RM	60485200
182 ERROR IN REAL CONSTANT	SYMPL 1 RM	60496400
182 -FILLER- INVALID DATA-NAME	QUERY UPDT 3 RM	60498300
182 PF PW NAME INVALID	QU/CRM DA RM	60482100
183 DATA-NAME-1 AND DATA-NAME-3 CANNOT CONTAIN AN OCCURS CLAUSE OR BE SUBORDINATE TO AN ITEM WITH AN OCCURS	CDCS 2 DA RM	60485200
183 MAX QUALIFICATION LEVEL EXCEEDED	QUERY UPDT 3 RM	60498300
183 PF CY NUMBER INVALID	QU/CRM DA RM	60482100
183 XREF OR XDEF LABEL WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
184 INVALID SEQUENCE OPTION	QU/CRM DA RM	60482100
184 NONE OF THE ITEMS WITHIN THE RANGE CAN BE VARIABLE-OCCURRENCE DATA-ITEMS	CDCS 2 DA RM	60485200
184 c NOT FULLY QUALIFIED	QUERY UPDT 3 RM	60498300
184 XREF OR XDEF SWITCH WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
185 DATA-NAME-2 AND DATA-NAME-3 CANNOT BE THE SAME NAME	CDCS 2 DA RM	60485200
185 -c- IS NOT A VALID PERMANENT FILE ID	QUERY UPDT 3 RM	60498300
185 RECORD CONTAINS AND RECORD TYPE DO NOT AGREE	QU/CRM DA RM	60482100
185 XDEF -PROC- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
186 BLOCK CONTAINS AND BLOCK TYPE DO NOT AGREE	QU/CRM DA RM	60482100
186 DATA-NAME-3 IS DEFINED BEFORE DATA-NAME-2	CDCS 2 DA RM	60485200
186 -c- IS NOT A VALID PERMANENT FILE CYCLE NUMBER	QUERY UPDT 3 RM	60498300
186 XDEF -FUNC- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
187 -CONTROL FASTLOOP- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
187 INCOMPATIBLE BLOCK AND RECORD TYPE	QU/CRM DA RM	60482100
187 MISSING BEFORE, AFTER, ON ERROR DURING OPTION IN CALL STATEMENT	CDCS 2 DA RM	60485200
187 -c- PASSWORD TOO LONG	QUERY UPDT 3 RM	60498300
187 UNABLE TO FIND DATA-NAME-3	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
188 -CONTROL SLOWLOOP- WILL NOT BE SUPPORTED IN FUTURE VERSIONS	SYMPL 1 RM	60496400
188 DATA-NAME-3 CANNOT BE SUBORDINATE TO DATA-NAME-2	CDCS 2 DA RM	60485200
188 -c-, -n-...P.F. PARAMETERS NOT ALLOWED	QUERY UPDT 3 RM	60498300
189 BOTH REC CONTAINS DEP ON AND OCCURS DEP ON CAN'T BE SPECIFIED	QU/CRM DA RM	60482100
189 LOC OF -LABEL- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
189 NO -SAME- LIST TO REFER TO	QUERY UPDT 3 RM	60498300
189 TARGET DATA ITEM MUST BE AN ELEMENTARY ITEM OR VECTOR	CDCS 2 DA RM	60485200
190 KEY MUST BE LITERAL CONSTANT	QUERY UPDT 3 RM	60498300
190 KEYWORD VALUE NOT SPECIFIED FOR CONDITION-NAME ENTRY	CDCS 2 DA RM	60485200
190 LOC OF -SWITCH- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
190 RECORD-TYPE MUST BE TRAILER-COUNT	QU/CRM DA RM	60482100
191 BAD INTEGER SUBSCRIPT	CDCS 2 DA RM	60485200
191 ILLEGAL RECORD NAME SPECIFIED	QUERY UPDT 3 RM	60498300
191 LITERAL IS EITHER MISSING OR INVALID	CDCS 2 DA RM	60485200
191 LOC OF -PROC- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
192 DEPENDING ON ITEM NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
192 LITERALS ARE NOT IN ASCENDING ORDER	CDCS 2 DA RM	60485200
192 LOC OF -FUNC- IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
192 SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
192 TOO FEW PARAMETERS FOR UPDATE, INSERT, OR DELETE	QUERY UPDT 3 RM	60498300
193 -BIT- BEAD FUNCTION ON A CHARACTER ITEM IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
193 DEPENDING ON ITEM POSITION DIFFERS WITHIN THE AREA	QU/CRM DA RM	60482100
193 ILLEGAL SEQUENCE OF DIRECTIVES, NO FILE UPDATE DONE	QUERY UPDT 3 RM	60498300
193 ITEM IS NOT SUBORDINATE TO THE GROUP THAT DEFINED IT AS A KEY	CDCS 2 DA RM	60485200
194 -BYTE- BEAD FUNCTION ON A NON-CHARACTER ITEM IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
194 INVALID RECORD QUALIFICATION	CDCS 2 DA RM	60485200
194 KEY ITEMS CANNOT CONTAIN AN OCCURS CLAUSE	CDCS 2 DA RM	60485200
194 PERMANENT CATALOG IS NOT THE CURRENT CATALOG	QUERY UPDT 3 RM	60498300
194 TRAILER LENGTH OF A T TYPE RECORD IS NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
195 HEADER LENGTH OF A T TYPE RECORD IS NOT EQUALLY DEFINED THROUGHOUT THE AREA	QU/CRM DA RM	60482100
195 PERIOD FOUND, SCAN RESUMES	CDCS 2 DA RM	60485200
195 PRESET TYPE DIFFERENT FROM ITEM TYPE IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
195 THIS TRANSMISSION ALREADY EXISTS	QUERY UPDT 3 RM	60498300
195 UNABLE TO LOCATE KEY ENTRY	CDCS 2 DA RM	60485200
196 DATA-NAME IN USING MUST REFERENCE AREA ITEM	QUERY UPDT 3 RM	60498300
196 INVALID DATANAME AFTER BY	CDCS 2 DA RM	60485200
196 KEY SIZE IS NOT EQUALLY DEFINED WITHIN THE AREA	QU/CRM DA RM	60482100
196 LEVEL 66 ITEM ENTRIES MUST BE DEFINED AT THE END OF THE RECORD DESCRIPTION	CDCS 2 DA RM	60485200
196 P FUNCTION SET TO A CONSTANT IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
197 CUT OF SCOPE GOTO IS MACHINE DEPENDENT	SYMPL 1 RM	60496400
197 KEY VALUE MUST BE STORED IN TEMPORARY ITEM	QUERY UPDT 3 RM	60498300

MESSAGE

197 RELATIVE KEY WORD POSITION IS NOT EQUALLY DEFINED WITHIN THE AREA
197 UNDEFINED DATANAME AFTER BY
198 DATANAME FOLLOWING BY IS OCCURRING ITEM
198 EXPLICIT CONSTANTS 6, 10, 18, 42, 60 IN EXECUTABLE CODE MAY BE MACHINE DEPENDENT
198 ILLEGAL KEY SPECIFIED
198 RELATIVE KEY POSITION IN RKW IS NOT EQUALLY DEFINED WITHIN THE AREA
199 BLOCK TYPE TAKES PRECEDENCE OVER BLOCK-CONTAINS
199 BLOCK TYPE TAKES PRECEDENCE OVER BLOCK-CONTAINS
199 EXCEEDING ARRAY ENTRY SIZE IS MACHINE DEPENDENT
199 FORM = 'BUFFER' NONCOMPATIBLE WITH DIRECT FILE
199 FORM='BUFFERED' NONCOMPATIBLE WITH DIRECT FILE
199 MAXIMUM OF 14 CHARACTERS ARE ALLOWED FOR COMP-1
199 MAXIMUM OF 14 CHARACTERS ARE ALLOWED FOR COMP-1
199 NEXT IS INVALID FOR DISPLAY DIRECTIVE
199 VALUE MUST BE SPECIFIED FOR CODE
199 VALUE MUST BE SPECIFIED FOR RECDRD CODE60485200 60485200 200
 kkkkkk INVALID IN FOLLOWING CLAUSE, SEARCHING FOR PERIOD
0200 ATTEMPT TO LOAD SUPPRESSED BINARY
200 BAD FSTT LINKED TO FIT
200 BPI WRITE INCORRECT.

200 DIRECT CODED READ an
 BINARY WRITE

200 kkkkkk INVALID IN FOLLOWING CLAUSE, SEARCHING FOR PERIOD
200 kkkkkk INVALID IN FOLLOWING CLAUSE, SEARCHING FOR PERIOD
200 KEYWORD -TERM- MISSING. INSTEAD FOUND..param
200 -MODULE- AND -FASTFOR- WILL BE RESERVED IN FUTURE VERSIONS
200 - NO INPUT FILE
200 - NO INPUT JOBNAME
200 NON-RECOGNIZABLE DATA TYPE
200 keyword catname NOT FOUND
200 RECORD STRUCTURE CAUSES MAXIMUM NUMBER OF COMMON BLOCKS TO BE EXCEEDED
200 RECORD STRUCTURE CAUSES MAXIMUM NUMBER OF COMMON BLOCKS TO BE EXCEEDED
200 SEQUENTIAL FILE MAY NOT HAVE ALTERNATE KEY
200 SEQUENTIAL FILE MAY NOT HAVE ALTERNATE KEY
200 SYNCHRONIZED LEFT IS ASSUMED
200 SYNCHRONIZED LEFT IS ASSUMED
200 WRITE ATTEMPTED ON UNOPENED FILE xxxx
201 AN ALIASED NAME MUST BE REFERENCED BY THE ALIAS-NAME SPECIFIED IN
 THE ALIAS DIVISION
201 AN ALIASED NAME MUST BE REFERENCED BY THE ALIAS-NAME SPECIFIED IN THE ALIAS DIVISION
201 AN ALIASED NAME MUST BE REFERENCED BY THE ALIAS-NAME SPECIFIED IN THE ALIAS STATEMENT
201 ARRAY ITEM OVERLAY CANNOT BE A CONSTANT
201 DIRECT WRITE ATTEMPTED ON SEQUENTIAL FILE xxxx

MANUAL	PUB. NO.
QU/CRM DA RM	60482100
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
QUERY UPDT 3 RM	60498300
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
LOADER 1 RM	60429800
CRM/AAM 2 RM	60499300
NOS 2 RS VOL 3	60459680
NOS 2 RS VOL 4	60459690
FORTRAN 5 RM	60481300
DDL 2 SCHEMA	60498400
DDL 3 SCHEMA	60481900
IMF SCHEMA DEF.	60484400
SYMPL 1 RM	60496400
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
DATA CAT 2 RM	60483200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
FORTRAN DBF RM	60482200
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300

MESSAGE

201 FILE CONTAINS BAD BLOCKS
201 FOR ACTUAL KEY FILE, KEY MUST BE INTEGER
201 FOR ACTUAL KEY FILE, KEY MUST BE INTEGER
201 - INVALID OR MISSING KEYWORD-kw
201 ONLY CONSTANTS ARE VALID FOR ARRAY PRESET
201 PICTURE SPECIFICATION MUST BE ENCLOSED IN QUOTES
201 PICTURE SPECIFICATION MUST BE ENCLOSED IN QUOTES
202 BINARY WRITE ATTEMPTED ON xxxx FILE xxxx
202 FILE IS RUINED
202 - jn IS AN INVALID JOBNAME
202 MAXIMUM AREA COUNT EXCEEDED
202 MAXIMUM AREA COUNT EXCEEDED
202 MAXIMUM ITEM COUNT EXCEEDED
O202 OVERLAY DIRECTIVE NOT FIRST
202 PF M NAME INVALID
202 PF M NAME INVALID
202 RECORD NOT CONTAINED IN THIS AREA
202 RECORD NOT CONTAINED IN THIS AREA
202 TOO MANY SPECIFICATIONS IN ITEM DECLARATION
202 -UPDATE-, -DELETE-, AND -DISPLAY KEY- INVALID ON SEQ. FILE
203 ARRAY ITEM LENGTH MUST BE A CONSTANT
203 ATTEMPT TO WRITE NON-POSITIVE RECORD NUMBER
203 INVALID LITERAL IN VALUE CLAUSE
203 INVALID LITERAL IN VALUE CLAUSE
203 - id IS AN INVALID RUN-UNIT-ID
203 MAXIMUM RECORD COUNT EXCEEDED
203 MAXIMUM RECORD COUNT EXCEEDED
203 MIP FUNCTION ATTEMPTED WITHOUT MIP FILE
O203 NO SUCH PROGRAM CALL NAME - name
203 ONLY ONE KEY MAY BE SPECIFIED
203 PF SN OR PN NAME INVALID
203 PF SN OR PN NAME INVALID
204 ERROR IN ARRAY ITEM SPECIFICATION, SECOND PART
204 INDEX FILE NAME INVALID
204 INDEX FILE NAME INVALID
204 - t IS AN INVALID TIME FIELD
204 KEY POSITION OUT OF RANGE
204 MAXIMUM ITEM COUNT EXCEEDED
204 MAXIMUM ITEM COUNT EXCEEDED
O204 NOT CONTROL-CARD-CALLABLE-name
204 NOT ENOUGH ROOM FOR THIS LITERAL IN INTERNAL TABLE
204 NOT ENOUGH ROOM FOR THIS LITERAL IN INTERNAL TABLE

<u>MANUAL</u>	<u>PUB. NO.</u>
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 RM	60481800
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
FORTRAN 5 RM	60481300
CRM/AAM 2 RM	60499300
CDCS 2 RM	60481800
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 2 SUB SCHEM	60498500
LOADER 1 RM	60429800
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SYMPL 1 RM	60496400
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CRM/AAM 2 RM	60499300
LOADER 1 RM	60429800
QUERY UPDT 3 RM	60498300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
SYMPL 1 RM	60496400
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
CDCS 2 DA RM	60485200
CRM/AAM 2 RM	60499300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400

MESSAGE

204 READ ATTEMPTED ON UNOPENED FILE xxxx
204 TRANSMISSION MAY CONTAIN ONLY ONE KEY REFERENCE
204 UNKNOWN COSET .param
205 -BY- OR -PROCEDURE- MUST FOLLOW RECORD CODE
205 -BY- OR -PROCEDURE- MUST FOLLOW RECORD CODE
205 CLOSING ANGLE BRACKET EXPECTED IN ARRAY ITEM DECLARATION
205 DIRECT READ ATTEMPTED ON SEQUENTIAL FILE xxxx
205 DIRECTIVE-ID TOO LONG
205 keyword catname HIERARCHY ERROR
205 - num IS AN INVALID RECOVERY POINT NUMBER
205 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED
205 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED
205 MINIMUM RECORD SIZE OUT OF RANGE
205 PF PARAMETER INVALID
205 PF PARAMETER INVALID
205 RECORD IS NOT USED IN CORRECT CONTEXT WITHIN COSET
0205 USER NOT AUTHORIZED FOR PROGRAM - name
206 BINARY READ ATTEMPTED ON xxxx FILE xxxx
206 FATAL ERRORS OCCURRED -- FOLLOWING STATEMENTS IGNORED
206 FATAL ERRORS OCCURRED--FOLLOWING STATEMENTS IGNORED
206 FILLER ITEM VALID ONLY IN OVERLAY-TYPE ARRAY ITEM DECLARATIONS
206 INTEGER MUST BE SPECIFIED FOR PROCEDURE VALUE
206 INTEGER MUST BE SPECIFIED FOR PROCEDURE VALUE
206 KEY NOT CONTAINED WITHIN RECORD
206 LIBRARY NAME INVALID
206 LIBRARY NAME INVALID
206 c UNKNOWN TRANSMISSION-ID
0206 USEP INVALID FOR ABS LOAD
207 ATTEMPT TO READ NON-POSITIVE RECORD NUMBER
207 - DUPLICATE KEYWORD - kw
207 DUPLICATE LFN
207 DUPLICATE LFN
207 FROM OPTION INVALID WITH GIVEN DIRECTIVES OR DATA-NAMES
207 MINIMUM RECORD SIZE EXCEEDS MAXIMUM
207 REDEFINES ENTRY DOES NOT IMMEDIATELY FOLLOW ENTRY BEING DEFINED
207 SPECIFICATION OF ARRAY ENTRY SIZE ILLEGAL FOR A OR U ARRAYS - IGNORED
207 VALID RANGE FOR INTEGER VALUE IS ITO 1023
207 VALID RANGE FOR INTEGER VALUE IS 1 TO 1023
208 DESTINATION OVERLAPS KEY FIELD
208 ITEM SPECIFIED AS OVERLAY IS NOT DEFINED IN THIS ARRAY DECLARATION
208 LIST EXCEEDS RECORD LENGTH FOR FILE xxxx
208 NON-EMBEDDED DATANAME ILLEGAL FOR THIS FILE TYPE

<u>MANUAL</u>	<u>PUB. NO.</u>
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
IMF 1 AP RM	60484500
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
QUERY UPDT 3 RM	60498300
DATA CAT 2 RM	60483200
CDCS 2 DA RM	60485200
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
IMF 1 AP RM	60484500
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CRM/AAM 2 RM	60499300
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200
QU/CRM DA RM	60482100
DDL 2 QU SUBSCH	60498600
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
SYMPL 1 RM	60496400
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
SYMPL 1 RM	60496400
FORTRAN 5 RM	60481300
CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
208 NON-EMBEDDED DATANAME ILLEGAL FOR THIS FILE TYPE	DDL 2 SCHEMA	60498400
208 ONLY 64 AREAS ALLOWED IN A SUBSCHEMA	QU/CRM DA RM	60482100
208 ONLY 64 AREAS ALLOWED IN A SUBSCHEMA	DDL 2 QU SUBSCH	60498600
209 ARRAY ITEM OVERLAY CLASSES ARE INCOMPATIBLE	SYMPL 1 RM	60496400
209 - BEGIN/END TIMES OUT OF ORDER	CDCS 2 DA RM	60485200
209 CMM ERROR IN CODED DIRECT-ACCESS OUTPUT	FORTRAN 5 RM	60481300
209 INDEX FILE PF PARAMETER INVALID WITH AREA TEMPORARY	QU/CRM DA RM	60482100
209 INDEX FILE PF PARAMETER INVALID WITH AREA TEMPORARY	DDL 2 QU SUBSCH	60498600
209 INTEGER VALUES NOT UNIQUE FOR PROC	CDCS 2 DA RM	60485200
209 INTEGER VALUES NOT UNIQUE FOR PROC	DDL 2 SCHEMA	60498400
209 REQUESTED DATA MAY NOT BE IN DISPLAY FORMAT	QUERY UPDT 3 RM	60498300
210 A RECORD HAS BEEN PREVIOUSLY DEFINED FOR THIS REALM	FORTRAN DBF RM	60482200
210 A RECORD HAS BEEN PREVIOUSLY DEFINED FOR THIS REALM	CDCS 2 DA RM	60485200
0210 BAD REQUEST NO. IN USER CALL	LOADER 1 RM	60429800
210 DATA-NAMES REFERENCE > 1 RECORD NAME	QUERY UPDT 3 RM	60498300
210 DIRECT ACCESS ON SEQUENTIAL FILE	FORTRAN 5 RM	60481300
210 FILE CARD FOR AREA MISSING	CDCS 2 DA RM	60485200
210 INVALID EXTERNAL SCHEMA NAME..param	IMF SCHEMA DEF.	60484400
210 INVALID EXTERNAL SCHEMA NAME..param	IMF 1 AP RM	60484500
210 LENGTH OF REAL ITEM FORCED TO A FULL WORD	SYMPL 1 RM	60496400
210 LIBRARY NOT SPECIFIED	QU/CRM DA RM	60482100
210 LIBRARY NOT SPECIFIED	DDL 2 QU SUBSCH	60498600
210 NO FILE CARD FOR AREA-DEFAULT VALUES USED	DDL 2 SCHEMA	60498400
210 keyword SAME NAME AS ENTRY CATALOGUE NAME	DATA CAT 2 RM	60483200
0211 CANNOT PROCESS ENTRY REQUEST - PARAM AREA OVERRITTEN	LOADER 1 RM	60429800
211 EXTERNAL SCHEMA NAME DIFFERS FROM INVOKE STATEMENT	IMF 1 AP RM	60484500
211 FORMATTED WRITE ON UNFORMATTED FILE	FORTRAN 5 RM	60481300
211 INVALID SYNTAX FOR EXECUTE DIRECTIVE	QUERY UPDT 3 RM	60498300
211 LENGTH OF SUBFIELD EXCEEDS LENGTH OF ORIGINAL FIELD - DECLARATION DISCARDED	SYMPL 1 RM	60496400
211 NO DATA ITEMS DEFINED FOR THIS RECORD	FORTRAN DBF RM	60482200
211 NO DATA ITEMS DEFINED FOR THIS RECORD	CDCS 2 DA RM	60485200
211 NO RECORD CODE SPECIFIED FOR MULTIPLE RECORD TYPES	CDCS 2 DA RM	60485200
211 NO RECORD CODE SPECIFIED FOR MULTIPLE RECORD TYPES	DDL 2 SCHEMA	60498400
211 PRIMARY KEY PREVIOUSLY DEFINED	QU/CRM DA RM	60482100
211 PRIMARY KEY PREVIOUSLY DEFINED	DDL 2 QU SUBSCH	60498600
212 CMM ERROR IN CODED DIRECT-ACCESS INPUT	FORTRAN 5 RM	60481300
212 DATANAME FOR KEY NOT DEFINED IN RECORD WITHIN THIS AREA	CDCS 2 DA RM	60485200
212 INVALID STATEMENT - END STATEMENT EXPECTED	FORTRAN DBF RM	60482200
212 INVALID STATEMENT - END STATEMENT EXPECTED	CDCS 2 DA RM	60485200
212 -n- IS NOT VALID FOLLOWING HELP	QUERY UPDT 3 RM	60498300
212 NO PRIMARY KEY SPECIFIED FOR AAM OR SORTED SEQ FILE	QU/CRM DA RM	60482100
212 NO PRIMARY KEY SPECIFIED FOR AAM OR SORTED SEQ FILE	DDL 2 QU SUBSCH	60498600

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
212 PERMISSION HAS NOT BEEN GRANTED FOR THIS FUNCTION	IMF 1 AP RM	60484500
212 PREVIOUS ARRAY ITEM DECLARATION DID NOT SPECIFY PLUS OR OVERLAY	SYMPL 1 RM	60496400
213 DIRECT ACCESS ON SEQUENTIAL FILE	FORTRAN 5 RM	60481300
213 EXTRANEIOUS DATA FOLLOWING COMPLETE IML STATEMENT..param	IMF 1 AP RM	60484500
213 INVALID STATEMENT FOLLOWING END STATEMENT	FORTRAN DBF RM	60482200
213 INVALID STATEMENT FOLLOWING END STATEMENT	CDCS 2 DA RM	60485200
213 NO KEY ALLOWED FOR THIS FILE	QU/CRM DA RM	60482100
213 NO KEY ALLOWED FOR THIS FILE	DDL 2 QU SUBSCH	60498600
213 RECORD CODE ALREADY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
213 RECORD CODE ALREADY SPECIFIED FOR THIS AREA	DDL 2 SCHEMA	60498400
213 SPECIFIED ITEM LENGTH EXCEEDS MAXIMUM ALLOWABLE - DEFAULT TAKEN	SYMPL 1 RM	60496400
213 USE REQUIRES PARENTHESESIZED PARAMETER LIST	QUERY UPDT 3 RM	60498300
214 DATANAME NOT DEFINED IN ANY OF THE SPECIFIED RECORDS	CDCS 2 DA RM	60485200
214 DATANAME NOT DEFINED IN ANY OF THE SPECIFIED RECORDS	DDL 2 SCHEMA	60498400
214 FORMATTED READ ON UNFORMATTED FILE	FORTRAN 5 RM	60481300
214 LEFT ANGLE BRACKET EXPECTED FOR ARRAY ITEM - DECLARATION DISCARDED	SYMPL 1 RM	60496400
214 NO END STATEMENT	FORTRAN DBF RM	60482200
214 NO END STATEMENT	CDCS 2 DA RM	60485200
214 NO END STATEMENT	FORTRAN DBF RM	60482200
214 OPEN AND CLOSE PROCEDURES MUST BE SPECIFIED WITH SEARCH	QU/CRM DA RM	60482100
214 OPEN AND CLOSE PROCEDURES MUST BE SPECIFIED WITH SEARCH	DDL 2 QU SUBSCH	60498600
214 PERFORM SESSION NAME SAME AS RECORDING SESSION NAME	QUERY UPDT 3 RM	60498300
215 COMMA OR EQUAL MISSING	FORTRAN DBF RM	60482200
215 COMMA OR EQUAL MISSING	CDCS 2 DA RM	60485200
215 EMBEDDED HYPHENS NOT ALLOWED IN -a- PARAMETER	QUERY UPDT 3 RM	60498300
215 FILLER ITEMS CANNOT BE PRESET	SYMPL 1 RM	60496400
215 MORE THAN ONE RECORD NAMED KEY-FIELD FOR SAME AREA	QU/CRM DA RM	60482100
215 MORE THAN ONE RECORD NAMED KEY-FILED FOR SAME AREA	DDL 2 QU SUBSCH	60498600
215 NO VALUE ACCEPTED OR ALL DELETED	DATA CAT 2 RM	60483200
215 ONE AND ONLY ONE PRIMARY KEY MUST BE SPECIFIED	CDCS 2 DA RM	60485200
215 ONE AND ONLY ONE PRIMARY/SORT KEY MUST BE SPECIFIED	DDL 2 SCHEMA	60498400
215 OUTSTANDING FATAL ERROR IN ALTERNATE FIT	CRM/AAM 2 RM	60499300
215 UNDEFINED WEIGHT PASSED TO CHAR	FORTRAN 5 RM	60481300
216 ACCESS PATH UNKNOWN OR NOT VALID FOR THIS RECORD..param	IMF 1 AP RM	60484500
216 DATA CONTROL ALREADY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
216 DATA CONTROL ALREADY SPECIFIED FOR THIS AREA	DDL 2 SCHEMA	60498400
216 EOF BEFORE COMPLETION OF TRANSMISSION	QUERY UPDT 3 RM	60498300
216 LEFT PARENTHESIS EXPECTED IN ARRAY ITEM DECLARATION - DECLARATION DISCARDED	SYMPL 1 RM	60496400
216 RECORD NAMED KEY-FIELD MUST BE LAST RECORD IN AREA	QU/CRM DA RM	60482100
216 RECORD NAMED KEY - FIELD MUST BE LOST RECORD IN AREA	DDL 2 QU SUBSCH	60498600
216 STATEMENT CONTAINS EXTRANEIOUS INFORMATION	FORTRAN DBF RM	60482200
216 STATEMENT CONTAINS EXTRANEIOUS INFORMATION	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
216 SUBSTRING ERROR ON NAMELIST ITEM xxxx IN GROUP yyyy	FORTRAN 5 RM	60481300
217 ILLEGAL NUMERIC DATA, DISPLAY SUPPRESSED	QUERY UPDT 3 RM	60498300
217 INTERNAL DDLF ERROR	FORTRAN DBF RM	60482200
217 INTERNAL DDLF ERROR	CDCS 2 DA RM	60485200
217 NAME EXCEEDS MAXIMUM LENGTH. NAME TRUNCATED..param	IMF SCHEMA DEF.	60484400
217 NAMELIST ITEM xxxx IN GROUP yyyy, ITEM LENGTH	FORTRAN 5 RM	60481300
217 RECORD CODE DATANAME SIZE MUST BE LESS THAN 240 CHARS	CDCS 2 DA RM	60485200
217 RECORD CODE DATANAME SIZE MUST BE LESS THAN 240 CHARS	DDL 2 SCHEMA	60498400
217 RECORD NAME KEY-FIELD INVALID WITH SEQUENTIAL FILES	DDL 2 QU SUBSCH	60498600
217 RECORD NAMED KEY-FIELD INVALID WITH SEQUENTIAL FILES	QU/CRM DA RM	60482100
217 STATUS LIST NOT DEFINED IN CURRENT OR PREVIOUS TEXTS	SYMPL 1 RM	60496400
218 DEFAULT VARIABLE BEHAVIOR WILL CHANGE IN FUTURE VERSIONS	SYMPL 1 RM	60496400
218 MNR VALUE INCORRECT ON FILE CARD FOR THE ABOVE AREA - DEFAULT VALUE USED	CDCS 2 DA RM	60485200
218 MORE THAN ONE ITEM/GROUP SPECIFIED FOR RECORD NAMED KEY-FIELD	QU/CRM DA RM	60482100
218 MORE THAN ONE ITEM/GROUP SPECIFIED FOR RECORD NAMED KEY-FIELD	DDL 2 QU SUBSCH	60498600
218 NON-EMBEDDED KEY CANNOT BE SPECIFIED IN CONJUNCTION WITH ALTERNATE KEYS	DDL 2 SCHEMA	60498400
218 PASSWORD TRUNCATED TO 7 CHARACTERS..param	IMF SCHEMA DEF.	60484400
218 TRANSMISSION-ID a ALREADY EXISTS	QUERY UPDT 3 RM	60498300
218 TYPE CHARACTER IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
218 TYPE CHARACTER IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
219 C NOT IN RANGE OF ALLOWED INCREMENTS	QUERY UPDT 3 RM	60498300
219 KEY ITEM CANNOT BE TYPE COMPLEX	CDCS 2 DA RM	60485200
219 THE LOW:HIGH BOUNDS FEATURE IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
219 THE LOW:HIGH BOUNDS FEATURE IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
0220 EMPTY LOAD FILE - filename	LOADER 1 RM	60429800
220 n INVALID INTEGER AFTER -BY-	QUERY UPDT 3 RM	60498300
220 keyword NO VALUE ON FILE	DATA CAT 2 RM	60483200
220 TYPE BOOLEAN IS NOT VALID IN FORTRAN 4	FORTRAN DBF RM	60482200
220 TYPE BOOLEAN IS NOT VALID IN FORTRAN 4	CDCS 2 DA RM	60485200
220 XN VALUE MISSING ON FILE CARD FOR ALTERNATE KEYS - DEFAULT VALUE USED	CDCS 2 DA RM	60485200
221 ALTERNATE KEYS ARE NOT SPECIFIED - XN VALUE ON FILE CARD IS IGNORED	CDCS 2 DA RM	60485200
221 DUPLICATION OF a-a WOULD WRITE OVER OR PAST a-a	QUERY UPDT 3 RM	60498300
0221 LOAD FILE NOT SPECIFIED	LOADER 1 RM	60429800
222 DUP OF a-a WOULD REQUIRE TRANSMISSION-ID a	QUERY UPDT 3 RM	60498300
0222 FILE CONNECTED - name	LOADER 1 RM	60429800
222 NO AREA SPECIFIED IN SCHEMA	CDCS 2 DA RM	60485200
222 NO AREA SPECIFIED IN SCHEMA	DDL 2 SCHEMA	60498400
223 CHECKSUM ERROR IN FSST	CRM/AAM 2 RM	60499300
223 HMB VALUE MISSING ON FILE CARD FOR A DA FILE - DEFAULT VALUE OF 512 USED	CDCS 2 DA RM	60485200
223 KEY SHOULD NOT BE SPECIFIED FOR AK FILE	QUERY UPDT 3 RM	60498300
224 FILE CARD MUST SPECIFY KEY TYPE, LENGTH AND POS FOR NON-EMBEDDED KEY	DDL 2 SCHEMA	60498400
224 NO READ PERMISSION FOR INDEX FILE, USE REJECTED	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
225 ACTUAL/VIRTUAL RESULT INVALID ON DATA-AGGREGATES OR THEIR COMPONENTS	CDCS 2 DA RM	60485200
225 ACTUAL-VIRTUAL RESULT INVALID ON DATA-AGGREGATES OR THEIR COMPONENTS	DDL 2 SCHEMA	60498400
225 MODIFY/EXTEND PERM FOR AREA BUT NOT INDEX	QUERY UPDT 3 RM	60498300
225 keyword VALUE NOT NUMERIC	DATA CAT 2 RM	60483200
226 AREA NOT DECLARED AS MULTIPLY INDEXED	QUERY UPDT 3 RM	60498300
226 CHECK VALUE OPTION IS NOT ALLOWED FOR COMPLEX DATA ITEMS	CDCS 2 DA RM	60485200
227 -DESCRIBE-D ITEMS NOT ALLOWED IN AN -IF- CONDITION	QUERY UPDT 3 RM	60498300
228 FIELD OVERLAP IN PAGE HEADING(S)	QUERY UPDT 3 RM	60498300
229 a MULTIPLY DEFINED ON CONTROL CARD. LAST WILL BE USED	QUERY UPDT 3 RM	60498300
230 a PARAMETER ON CONTROL CARD MISSING. FATAL ERROR	QUERY UPDT 3 RM	60498300
230 keyword SENSITIVE FIELD DELETED	DATA CAT 2 RM	60483200
231 CONVERSION NOT POSSIBLE FOR CHECK LITERAL	CDCS 2 DA RM	60485200
231 CONVERSION NOT POSSIBLE FOR CHECK LITERAL	DDL 2 SCHEMA	60498400
231 I OR P PARAMETER MUST BE PRESENT ON CONTROL CARD	QUERY UPDT 3 RM	60498300
232 PICTURE, VALUE PHRASE, OR PROCEDURE MAY BE SPECIFIED ONCE EACH IN CHECK CLAUSE	CDCS 2 DA RM	60485200
232 PICTURE, VALUE PHRASE, OR PROCEDURE MAY BE SPECIFIED ONCE EACH IN CHECK CLAUSE	DDL 2 SCHEMA	60498400
232 UNRECOGNIZED CONTROL CARD OPTION a	QUERY UPDT 3 RM	60498300
233 INVALID DELIMITER ON CONTROL CARD FOLLOWING -a-	QUERY UPDT 3 RM	60498300
233 TABLE OVERFLOW - TOO MANY LITERALS SPECIFIED, **DDL ABORTED**	CDCS 2 DA RM	60485200
233 TABLE OVERFLOW - TOO MANY LITERALS SPECIFIED, **DDL ABORTED**	DDL 2 SCHEMA	60498400
234 CONTROL CARD ERROR -- a MUST BE FOLLOWED BY =LFN	QUERY UPDT 3 RM	60498300
234 KEY MUST BE SPECIFIED FOR NON-SEQUENTIAL FILE	DDL 2 SCHEMA	60498400
234 NO PRIMARY KEY SPECIFIED	CDCS 2 DA RM	60485200
235 keyword VALUE IS AN INVALID CODE. CODES ALLOWED-xxxx	DATA CAT 2 RM	60483200
236 LITERALS SPECIFIED IN CHECK VALUE CLAUSE MUST BE IN ASCENDING ORDER	CDCS 2 DA RM	60485200
236 LITERALS SPECIFIED IN CHECK VALUE CLAUSE MUST BE IN ASCENDING ORDER	DDL 3 SCHEMA	60481900
236 PREPARE/PREVIEW/COMPILE CANT BE FOLLOWED BY ANY DIRECTIVE	QUERY UPDT 3 RM	60498300
236 PREPARE/PREVIEW/COMPILE CANT BE FOLLOWED BY ANY DIRECTIVE	QUERY UPDT 3 RM	60498300
237 INTEGER-2 INVALID	CDCS 2 DA RM	60485200
237 INTEGER-2 INVALID	DDL 2 SCHEMA	60498400
238 DATA-BASE-DATA-NAME IS NOT UNIQUE WITHIN THIS RECORD	CDCS 2 DA RM	60485200
238 DATA-BASE-DATA-NAME IS NOT UNIQUE WITHIN THIS RECORD	DDL 2 SCHEMA	60498400
238 MISSING TABLE a	QUERY UPDT 3 RM	60498300
239 THE ITEM ASSOCIATED WITH CLAUSE MUST HAVE TYPE OR PICTURE CLAUSE SPECIFIED	DDL 2 SCHEMA	60498400
239 THE ITEM ASSOCIATED WITH THIS CLAUSE MUST HAVE TYPE OR PICTURE CLAUSE SPECIFIED	CDCS 2 DA RM	60485200
239 VALUE SUPPLIED HAS WRONG TYPE -- VARIABLE a	QUERY UPDT 3 RM	60498300
240 ILLEGAL FILE NAME a	QUERY UPDT 3 RM	60498300
240 ITEM ASSOCIATED WITH THIS CLAUSE BE DESCRIBED WITH A VIRTUAL RESULT CLAUSE	DDL 2 SCHEMA	60498400
240 ITEM ASSOCIATED WITH THIS CLAUSE CANNOT BE DESCRIBED WITH A VIRTUAL RESULT CLAUSE	CDCS 2 DA RM	60485200
0240 OVERLAY OR DVCAP CARD NOT SEPARATE SECTION	LOADER 1 RM	60429800
241 PARAMETER a NOT FOUND IN THE DEFINE OR SPECIFY LIST	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
0241 SYNTAX ERROR ON OVERLAY OR OVCAP CARD	LOADER 1 RM	60429800
242 ENTRY FOR VARIABLE a HAS ILLEGAL TYPE VALUE	QUERY UPDT 3 RM	60498300
0243 ILLEGAL LEVEL NUMBER	LOADER 1 RM	60429800
243 ILLEGAL LOGICAL VALUE a	QUERY UPDT 3 RM	60498300
244 NO TRANSMISSIONS ALLOWED, THE FIRST ID WOULD BE a	QUERY UPDT 3 RM	60498300
0244 PRIMARY OVERLAY NOT PRECEDED BY (O,O) OVERLAY	LOADER 1 RM	60429800
245 FUNCTION NOT VALID FOR THIS FO	CRM/AAM 2 RM	60499300
0245 SECONDARY OVERLAY NOT PRECEDED BY ITS PRIMARY	LOADER 1 RM	60429800
245 UNIVERSAL AND SEPARATOR CHARS CANNOT BE THE SAME	QUERY UPDT 3 RM	60498300
246 n ILLEGAL UNIVERSAL CHARACTER	QUERY UPDT 3 RM	60498300
0246 INCONSISTENT FILE USAGE - name	LOADER 1 RM	60429800
246 THE OCCURS CANNOT BE USED WITH RESULT CLAUSE	CDCS 2 DA RM	60485200
246 THE OCCURS CANNOT BE USED WITH RESULT CLAUSE	DDL 2 SCHEMA	60498400
247 INTEGER MUST BE GREATER THAN O	CDCS 2 DA RM	60485200
247 INTEGER MUST BE GREATER THAN O	DDL 2 SCHEMA	60498400
247 c - USER NUMBER TOO LONG	QUERY UPDT 3 RM	60498300
248 ITEM NOT DEFINED IN THIS RECORD	CDCS 2 DA RM	60485200
248 ITEM NOT DEFINED IN THIS RECORD	DDL 2 SCHEMA	60498400
248 c - PASSWORD TOO LONG	QUERY UPDT 3 RM	60498300
249 -c- IS AN ILLEGAL PERMANENT FILE NAME	QUERY UPDT 3 RM	60498300
249 ITEM MUST BE AN INTEGER	CDCS 2 DA RM	60485200
249 ITEM MUST BE AN INTEGER	DDL 2 SCHEMA	60498400
250 FILE RMS LIMIT EXCEEDED (AK)	CRM/AAM 2 RM	60499300
0250 INSUFFICIENT FOL DIRECTORY SPACE	LOADER 1 RM	60429800
250 ITEM IS A DATA AGGREGATE COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200
250 ITEM IS A DATA AGGREGATE COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	DDL 2 SCHEMA	60498400
250 -c- SET NAME TOO LONG OR NULL	QUERY UPDT 3 RM	60498300
250 THE LIMIT OF 250 WORDS PER STRUCTURE EXCEEDED	IMF SCHEMA DEF.	60484400
251 ATTEMPT TO USE OLD REPORT TABLE FILE. TERMINATED	QUERY UPDT 3 RM	60498300
251 ITEM CANNOT BE A VIRTUAL RESULT	CDCS 2 DA RM	60485200
251 ITEM CANNOT BE A VIRTUAL RESULT	DDL 2 SCHEMA	60498400
252 SYSTEM RMS LIMIT REACHED	CRM/AAM 2 RM	60499300
253 CONVERSION ERROR ON RECORD CODE LITERAL	CDCS 2 DA RM	60485200
253 CONVERSION ERROR ON RECORD CODE LITERAL	DDL 2 SCHEMA	60498400
253 EXTEND/APPEND PERMISSION NEEDED ON LOGFILE	QUERY UPDT 3 RM	60498300
253 FILE LIMIT REACHED - RECORD NOT INSERTED	CRM/AAM 2 RM	60499300
254 CHECK VALUE CLAUSE NOT SPECIFIED IN DEPENDING ON ITEM	CDCS 2 DA RM	60485200
254 CHECK VALUE CLAUSE NOT SPECIFIED IN DEPENDING ON ITEM	DDL 2 SCHEMA	60498400
254 CREATE AND USE MUST SPECIFY A DIRECTORY WITH -OF-	QUERY UPDT 3 RM	60498300
255 CANNOT FIND THE NEEDED LOGFILE	QUERY UPDT 3 RM	60498300
255 DEPENDING ON ITEM IS A COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
255 DEPENDING ON ITEM IS A COMPONENT OF A REPEATING GROUP OF VARIABLE DIMENSION	DDL 2 SCHEMA	60498400
256 FOR AK FILE, KL MUST BE SET IN FILE CARD AND MUST BE LESS THAN 49	DDL 2 SCHEMA	60498400
256 FOR AK FILE, KL MUST BE SET IN FILE CARD AND MUST BE LESS THAN 9	CDCS 2 DA RM	60485200
256 P.F. ERROR o ON -a-	QUERY UPDT 3 RM	60498300
257 -a- NOT FOUND. CHECK PF PARAMETERS	QUERY UPDT 3 RM	60498300
257 PROCEDURE LIBRARY MUST BE SPECIFIED	DDL 2 SCHEMA	60498400
258 -a- BUSY. TRY AGAIN LATER	QUERY UPDT 3 RM	60498300
258 NESTING OF REPEATING GROUPS MORE THAN THREE LEVELS DEEP NOT SUPPORTED	CDCS 2 DA RM	60485200
258 NESTING OF REPEATING GROUPS MORE THAN THREE LEVELS DEEP NOT SUPPORTED	DDL 3 SCHEMA	60481900
259 CHECK VALUE FOR DEPENDING ON ITEM MUST BE GREATER THAN ZERO	CDCS 2 DA RM	60485200
259 CHECK VALUE FOR DEPENDING ON ITEM MUST BE GREATER THAN ZERO	DDL 2 SCHEMA	60498400
259 LFN -a- ALREADY IN USE	QUERY UPDT 3 RM	60498300
260 ENCODING/DECODING CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
260 ENCODING/DECODING CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	DDL 2 SCHEMA	60498400
260 P.F. -a- NOT KNOWN BY THE SYSTEM. CHECK PARAMETERS	QUERY UPDT 3 RM	60498300
261 CALL CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
261 CALL CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	DDL 2 SCHEMA	60498400
261 -a- UNAVAILABLE. FILE IS ATTACHED ELSEWHERE	QUERY UPDT 3 RM	60498300
262 -a- ALREADY ATTACHED	QUERY UPDT 3 RM	60498300
262 CHECK CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	CDCS 2 DA RM	60485200
262 CHECK CLAUSE CANNOT BE SPECIFIED WITH GROUP ITEMS	DDL 2 SCHEMA	60498400
263 USER -SEARCH- EXIT REQUIRES -OPEN- AND -CLOSE- EXITS	QUERY UPDT 3 RM	60498300
264 ACCESS-CONTROL ENTRIES MUST BE CONTIGUOUS	CDCS 2 DA RM	60485200
264 -FILE- CARD TRUNCATED RECORDS FROM d CHARS TO d CHARS	QUERY UPDT 3 RM	60498300
265 ACCESS-CONTROL UPDATE PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
265 TAG OR LEVEL NUMBER MISSING	QUERY UPDT 3 RM	60498300
266 ACCESS-CONTROL RETRIEVAL PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
266 SYSTEM ABORT DUE TO CP TIME LIMIT	QUERY UPDT 3 RM	60498300
267 INVALID ACCESS-CONTROL DBP NAME	CDCS 2 DA RM	60485200
267 SYSTEM ABORT DUE TO ARITHMETIC MODE ERROR	QUERY UPDT 3 RM	60498300
268 ACCESS-CONTROL LITERAL LONGER THAN 30 CHARACTERS - INVALID	CDCS 2 DA RM	60485200
268 SYSTEM ABORT DUE TO A PP REQUESTED ABORT	QUERY UPDT 3 RM	60498300
269 ACCESS-CONTROL DBP NAME LONGER THAN 7 CHARACTERS - INVALID	CDCS 2 DA RM	60485200
269 SYSTEM ABORT DUE TO AN EXPLICIT ABORT REQUEST BY -QU-	QUERY UPDT 3 RM	60498300
270 INVALID/MISSING ACCESS-CONTROL LOCK	CDCS 2 DA RM	60485200
270 SYSTEM ABORT DUE TO A PP CALL ERROR	QUERY UPDT 3 RM	60498300
271 SYSTEM ABORT DUE TO AN OPERATOR DROP	QUERY UPDT 3 RM	60498300
272 SYSTEM ABORT DUE TO AN OPERATOR KILL	QUERY UPDT 3 RM	60498300
273 SYSTEM ABORT DUE TO AN OPERATOR RERUN	QUERY UPDT 3 RM	60498300
274 SYSTEM ABORT DUE TO AN ECS PARITY ERROR	QUERY UPDT 3 RM	60498300
275 SYSTEM ABORT DUE TO A REQUIRED BUT MISSING RECALL STATUS	QUERY UPDT 3 RM	60498300
276 SYSTEM ABORT DUE TO -HUNG IN AUTO RECALL-	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
277 SYSTEM ABORT DUE TO EXCEEDED MASS STORAGE LIMIT	QUERY UPDT 3 RM	60498300
278 SYSTEM ABORT DUE TO AN EXCEEDED I/O TIME LIMIT	QUERY UPDT 3 RM	60498300
279 SYSTEM ABORT DUE TO A PROGRAM STOP	QUERY UPDT 3 RM	60498300
279 UNQUALIFIED ITEM NAME IS CONSIDERED UNDEFINED	CDCS 2 DA RM	60485200
279 UNQUALIFIED ITEM NAME IS CONSIDERED UNDEFINED	DDL 2 SCHEMA	60498400
280 **DDL ABORTED, TOO MANY SYNTAX ERRORS	CDCS 2 DA RM	60485200
280 **DDL ABORTED**, TOO MANY SYNTAX ERRORS	DDL 2 SCHEMA	60498400
280 SYSTEM ABORT DUE TO AN EXCEEDED FILE LIMIT	QUERY UPDT 3 RM	60498300
281 MISSING CLOSING PARENTHESIS	CDCS 2 DA RM	60485200
281 MISSING CLOSING PARENTHESIS	DDL 3 SCHEMA	60481900
281 SYSTEM ABORT DUE TO UNKNOWN CAUSE	QUERY UPDT 3 RM	60498300
282 KEY INFORMATION FROM FILE CARD INCONSISTENT WITH KEY ITEM DECLARATION, ITEM DECLARATION VALUES USED	CDCS 2 DA RM	60485200
282 KEY INFORMATION FROM FILE CARD INCONSISTENT WITH KEY ITEM DECLARATION, ITEM DECLARATION VALUES USED	DDL 2 SCHEMA	60498400
282 -n- MAY NOT FOLLOW -ANY-	QUERY UPDT 3 RM	60498300
283 KEY MAY BE NESTED AT MOST ONE LEVEL	CDCS 2 DA RM	60485200
283 KEY MAY BE NESTED AT MOST ONE LEVEL	DDL 2 SCHEMA	60498400
283 -n- MAY NOT FOLLOW -NO-	QUERY UPDT 3 RM	60498300
284 -n- INVALID REPORT PRODUCTION STEP	QUERY UPDT 3 RM	60498300
284 MAXIMUM RECORD ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
284 MAXIMUM RECORD ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	DDL 2 SCHEMA	60498400
285 MAXIMUM ITEM ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
285 MAXIMUM ITEM ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	DDL 2 SCHEMA	60498400
285 SYSTEM ABORT DUE TO MASS STORAGE TRACK LIMIT	QUERY UPDT 3 RM	60498300
286 ITEM SIZE EXCEEDS THE MAXIMUM OF 32767	CDCS 2 DA RM	60485200
286 ITEM SIZE EXCEEDS THE MAXIMUM OF 32767	DDL 2 SCHEMA	60498400
286 SYSTEM ABORT DUE TO ERROR-FLAG SETTING -- o	QUERY UPDT 3 RM	60498300
287 MAXIMUM RECORD SIZE EXCEEDED FOR THE PREVIOUS RECORD	CDCS 2 DA RM	60485200
287 MAXIMUM RECORD SIZE EXCEEDED FOR THE PREVIOUS RECORD	DDL 3 SCHEMA	60481900
287 -PART- OR -FULL- MUST BE SPECIFIED FOR THE -DIAG- DIRECTIVE	QUERY UPDT 3 RM	60498300
288 -a- HAS BAD -AT LINE N- VALUE	QUERY UPDT 3 RM	60498300
288 MAXIMUM DATA CONTROL ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	CDCS 2 DA RM	60485200
288 MAXIMUM DATA CONTROL ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE	DDL 2 SCHEMA	60498400
289 INVALID PICTURE SPECIFICATION FOR CHARACTER ITEM	QUERY UPDT 3 RM	60498300
289 MAXIMUM ITEM COUNT EXCEEDED	CDCS 2 DA RM	60485200
290 MAXIMUM ITEM COUNT EXCEEDED	DDL 3 SCHEMA	60481900
290 MAXIMUM RECORD COUNT EXCEEDED	CDCS 2 DA RM	60485200
290 MAXIMUM RECORD COUNT EXCEEDED	DDL 2 SCHEMA	60498400
290 THE PARAMETER VALUE FOR a MUST BE AN INTEGER	QUERY UPDT 3 RM	60498300
291 -c- IS AN INVALID PACK NAME	QUERY UPDT 3 RM	60498300
291 MAXIMUM AREA COUNT EXCEEDED	CDCS 2 DA RM	60485200
291 MAXIMUM AREA COUNT EXCEEDED	DDL 2 SCHEMA	60498400

MESSAGE

292 -c- IS AN INVALID DEVICE SPECIFICATION
292 MAXIMUM RELATION COUNT EXCEEDED
292 MAXIMUM RELATION COUNT EXCEEDED
293 INTERNAL ERROR- MOVEC CALLED WITH NEGATIVE LENGTH FROM o
293 MAXIMUM ITEM COUNT FOR A RECORD EXCEEDED
294 SEQUENTIAL FILE ORGANIZATION IS NOT SUPPORTED
294 THE -OS- DIRECTIVE IS NOT SUPPORTED IN BATCH MODE. IGNORED.
295 MAXIMUM RELATION ENTRY LENGTH EXCEEDED - SIMPLIFY SOURCE
295 THE -OS- DIRECTIVE REQUIRES A CONTROL STATEMENT
296 CONTROL STATEMENT LENGTH EXCEEDS 79 CHARS. REQUEST IGNORED
296 FATAL ERRORS. NO SCHEMA CREATED - **DDL ABORTED**
296 FATAL ERRORS. NO SCHEMA CREATED - **DDL ABORTED**
297 NO SPACE AVAILABLE. -OS- DIRECTIVE IGNORED
297 ONLY ONE CHECK CLAUSE IS ALLOWED
297 ONLY ONE CHECK CLAUSE IS ALLOWED
298 FIELD IN LINE EXTENDS BEYOND PAGE OR SECTION WIDTH
298 TYPE, PICTURE, OR OCCURS MUST BE SPECIFIED FOR DATA SUB-ENTRY
298 TYPE, PICTURE, OR OCCURS MUST BE SPECIFIED FOR DATA SUB-ENTRY
299 -n- IS NOT A VALID FILE NAME
0300 DIRECTIVE OR UNRECOGNIZABLE INPUT IN ABS LOAD
300 INVALID PICTURE LENGTH----GREATER THAN 18 CHARACTERS
300 INVALID PICTURE LENGTH ---- GREATER THAN 18 CHARACTERS
300 KEYWORD -JOURNAL- IS MISSING
300 KEYWORD -OF- MUST FOLLOW -c-
300 NO READ PERMISSION
0300 OVERFLOW
300 RECORD parm NOT FOUND IN SCHEMA
300 RECORD NOT FOUND IN SCHEMA
300 RECORD parm NOT FOUND IN SCHEMA
300 RECORD NOT FOUND IN SCHEMA
300 THE FOLLOWING NOTATION DESCRIPTION IS INVALID..param
0301 BAD LOADER INPUT OR DIRECTIVE SYNTAX ERROR
301 INVALID CHARACTER IN A NUMERIC PICTURE SPECIFICATION
301 INVALID CHARACTER IN A NUMERIC PICTURE SPECIFICATION
301 MAXIMUM ARRAY ELEMENTS IN SUB-SCHEMA GREATER THAN IN SCHEMA
301 MAXIMUM ARRAY ELEMENTS IN SUBSCHEMA GREATER THAN IN SCHEMA
301 MAXIMUM OCCURS IN SUBSCHEMA GREATER THAN IN SCHEMA
301 MAXIMUM OCCURS IN SUBSCHEMA GREATER THAN IN SCHEMA
301 MAXIMUM OCCURS IN SUBSCHEMA GREATER THAN IN SCHEMA
301 NO WRITE OR MODIFY PERMISSION
0301 OVERFLOW (IN EXECUTION OF IN-LINE CODE)
301 SCHEMA sn WAS PREVIOUSLY SPECIFIED IN A SCHEMA CLAUSE

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
PL/I RM	60388100
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
IMF SCHEMA DEF.	60484400
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 2 SCHEMA	60498400
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
CRM/AAM 2 RM	60499300
PL/I RM	60388100
CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
301 THE FOLLOWING SIZE SPECIFICATION IS NOT ALLOWED..param	IMF SCHEMA DEF.	60484400
301 THE SUB-SCHEMA IS REQUIRED TO HAVE PERMANENT FILE PARAMETERS	QUERY UPDT 3 RM	60498300
302 INVALID CHARACTER IN A FLOATING POINT PICTURE-SPECIFICATION	CDCS 2 DA RM	60485200
302 INVALID CHARACTER IN A FLOATING POINT PICTURE - SPECIFICATION	DDL 3 SCHEMA	60481900
302 INVALID CHARACTER IN A FLOATING POINT PICTURE - SPECIFICATION	DDL 2 SCHEMA	60498400
302 LOG FILE NAME MUST BE 7 CHARACTERS LONG	CDCS 2 DA RM	60485200
302 NO EXTEND OR ALLOCATE PERMISSION	CRM/AAM 2 RM	60499300
0302 OVERFLOW (EXP ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
302 SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	FORTRAN DBF RM	60482200
302 SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	CDCS 2 DA RM	60485200
302 SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	DDL 3 SUB SCHEM	60482000
302 SUBSCHEMA ITEM DOES NOT APPEAR IN SCHEMA	DDL 2 SUB SCHEM	60498500
302 USE/CREATE/INVOKE MUST BE LAST DIRECTIVE IN THE TRANSMISSION	QUERY UPDT 3 RM	60498300
0303 ABSOLUTE INPUT IN USER CALL	LOADER 1 RM	60429800
303 INVALID BINARY DIGIT IN A DECIMAL NUMERIC PICTURE-SPECIFICATION	CDCS 2 DA RM	60485200
303 INVALID BINARY DIGIT IN A DECIMAL NUMERIC PICTURE - SPECIFICATION	DDL 3 SCHEMA	60481900
303 INVALID BINARY DIGIT IN A DECIMAL NUMERIC PICTURE - SPECIFICATION.	DDL 2 SCHEMA	60498400
303 -c- IS NOT VALID AS A PERMANENT FILE PARAMETER	QUERY UPDT 3 RM	60498300
303 ITEM NOT IN SCHEMA CANNOT HAVE VARIABLE OCCURS	CDCS 2 DA RM	60485200
303 ITEM NOT IN SCHEMA CANNOT HAVE VARIABLE OCCURS	DDL 3 SUB SCHEM	60482000
303 ITEM NOT IN SCHEMA CANNOT HAVE VARIABLE OCCURS	DDL 2 SUB SCHEM	60498500
303 KEYWORD -SIZE- IS MISSING	CDCS 2 DA RM	60485200
0303 OVERFLOW (SINH ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
303 SECOND INTEGER NOT ALLOWED FOR SIZE IN NOTATION..param	IMF SCHEMA DEF.	60484400
0304 ABS INPUT IN RELOCATABLE LOAD	LOADER 1 RM	60429800
304 ABS INPUT IN RELOCATABLE LOAD	LOADER 1 RM	60429800
304 -c- IS A DUPLICATE PERMANENT FILE PARAMETER	QUERY UPDT 3 RM	60498300
304 num IS AN INVALID SIZE	CDCS 2 DA RM	60485200
304 KEY ITEM FOR REALM parm NOT FOUND IN SCHEMA	FORTRAN DBF RM	60482200
304 KEY ITEM FOR REALM NOT FOUND IN SUBSCHEMA	CDCS 2 DA RM	60485200
304 KEY ITEM FOR REALM parm NOT FOUND IN SUBSCHEMA	CDCS 2 DA RM	60485200
304 KEY ITEM FOR REALM NOT FOUND IN SUBSCHEMA	DDL 3 SUB SCHEM	60482000
304 KEY ITEM FOR REALM NOT FOUND IN SUBSCHEMA	DDL 2 SUB SCHEM	60498500
304 NOT ALLOWED TO CREATE OVERFLOW BLOCKS (DA)	CRM/AAM 2 RM	60499300
0304 OVERFLOW (COSH ARGUMENT GREATER THAN 741.67)	PL/I RM	60388100
304 THE FOLLOWING EXCEEDS THE MAXIMUM SIZE ALLOWED..param	IMF SCHEMA DEF.	60484400
304 TWO'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	CDCS 2 DA RM	60485200
304 TWOS COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	DDL 2 SCHEMA	60498400
304 TWO'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	DDL 3 SCHEMA	60481900
0305 ABS INPUT NOT (0,0) LEVEL OVERLAY	LOADER 1 RM	60429800
305 AT LEAST ONE FILE MUST BE SPECIFIED IN THE ALLOCATE ENTRY	CDCS 2 DA RM	60485200
305 EMBEDDED PRIMARY KEY FOR AK REALM NOT IDENTICAL	CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
305 EMBEDDED PRIMARY KEY FOR AK REALM NOT IDENTICAL	DDL 3 SUB SCHEM	60482000
305 EMBEDDED PRIMARY KEY FOR AK REALM NOT IDENTICAL	DDL 2 SUB SCHEM	60498500
305 ONES COMPLEMENT NOT SUPPORTED IN THIS RELEASE	DDL 2 SCHEMA	60498400
305 ONE'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE	DDL 3 SCHEMA	60481900
305 ONE'S COMPLEMENT NOT SUPPORTED IN THIS RELEASE OF DDL	CDCS 2 DA RM	60485200
305 QU ABORT DUE TO FATAL DIAGNOSTIC	QUERY UPDT 3 RM	60498300
305 SIZE GIVEN BY PRECISION AND SCALE EXCEEDS MAXIMUM	IMF SCHEMA DEF.	60484400
0306 ABS INPUT LOAD ADR LT RA+100	LOADER 1 RM	60429800
306 -a- CANNOT BE CALLED WITH THE -OS- DIRECTIVE	QUERY UPDT 3 RM	60498300
306 DOUBLY DEFINED DECIMAL POINT	CDCS 2 DA RM	60485200
306 DOUBLY DEFINED DECIMAL POINT	DDL 3 SCHEMA	60481900
306 DOUBLY DEFINED DECIMAL POINT	DDL 2 SCHEMA	60498400
306 JOURNAL LOG FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
306 SECOND INTEGER EXCEEDS MAXIMUM FOR THIS NOTATION	IMF SCHEMA DEF.	60484400
306 TYPE OF REPEATING ITEM DOES NOT AGREE WITH THE TYPE OF REPEATING ITEM IN SCHEMA	DDL 3 SUB SCHEM	60482000
306 TYPE OF REPEATING ITEM DOES NOT AGREE WITH THE TYPE OF REPEATING ITEM IN SCHEMA	DDL 2 SUB SCHEM	60498500
306 TYPE OF REPEATING ITEM DOES NOT AGREE WITH TYPE OF REPEATING ITEM IN SCHEMA	FORTRAN DBF RM	60482200
306 TYPE OF REPEATING ITEM DOES NOT AGREE WITH TYPE OF REPEATING ITEM IN SCHEMA	CDCS 2 DA RM	60485200
307 DECIMAL POINT IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
307 DECIMAL POINT IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
307 DECIMAL POINT IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
307 ILLEGAL ITEM CONVERSION	FORTRAN DBF RM	60482200
307 ILLEGAL ITEM CONVERSION	CDCS 2 DA RM	60485200
307 ILLEGAL ITEM CONVERSION	DDL 2 SUB SCHEM	60498500
307 ILLEGAL ITEM CONVERSION	DDL 3 SUB SCHEM	60482000
307 NO TRANSACTION RECOVERY FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
0307 OVERFLOW (OCCURRED DURING EXPONENTIATION)	PL/I RM	60388100
0307 OVERLAY CARD ENCOUNTERED DURING USER-CALL LOAD	LOADER 1 RM	60429800
307 READ-ONLY MODE DISABLES c	QUERY UPDT 3 RM	60498300
308 INVALID TRANSACTION RECOVERY NAME	CDCS 2 DA RM	60485200
308 POINT SPECIFIER IS INVALID IN THE EXPONENT PART OF A FLOATING-POINT NUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
308 POINT SPECIFIER IS INVALID IN THE EXPONENT PART OF A FLOATING-POINT NUMERIC PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
308 POINT SPECIFIER IS INVALID IN THE EXPONENT PART OF A FLOATING-POINT NUMERIC PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
308 READ-ONLY MODE LIMITS TARGETS TO TEMPORARY ITEMS	QUERY UPDT 3 RM	60498300
308 REALM parm NOT FOUND IN SCHEMA	FORTRAN DBF RM	60482200
308 REALM NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
308 REALM parm NOT FOUND IN SCHEMA	CDCS 2 DA RM	60485200
308 REALM NOT FOUND IN SCHEMA	DDL 3 SUB SCHEM	60482000
308 REALM NOT FOUND IN SCHEMA	DDL 2 SUB SCHEM	60498500
309 DEPENDS ON CLAUSE DOES NOT AGREE WITH SCHEMA	CDCS 2 DA RM	60485200
309 DEPENDS ON CLAUSE DOES NOT AGREE WITH SCHEMA	DDL 3 SUB SCHEM	60482000
309 DEPENDS ON CLAUSE DOES NOT AGREE WITH SCHEMA	DDL 2 SUB SCHEM	60498500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
309 INCOMPATIBLE SUB-SCHEMA. PLEASE RECOMPILE	QUERY UPDT 3 RM	60498300
309 NO QUICK RECOVERY FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
309 SIGN SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
309 SIGN SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
309 SIGN SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
0310 FIXEDOVERFLOW	PL/I RM	60388100
0310 FIXEDOVERFLOW (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
0310 HARDWARE DEFICIENCY - program	LOADER 1 RM	60429800
310 INSUFFICIENT FL FOR DDL PASS 2	CDCS 2 DA RM	60485200
310 INSUFFICIENT FL FOR DDL PASS 2	DDL 3 SUB SCHEM	60482000
310 INSUFFICIENT FL FOR DDL PASS 2	DDL 2 SUB SCHEM	60498500
310 INSUFFICIENT FL FOR DDL PASS 2	FORTRAN DBF RM	60482200
310 INVALID QUICK RECOVERY FILE NAME	CDCS 2 DA RM	60485200
310 INVALID SIGN SPECIFIER IN 4 FLOATING-POINT PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
310 INVALID SIGN SPECIFIER IN 4 FLOATING-POINT PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
310 NO ROOM FOR HANDLING THIS CATALOG FILE	QUERY UPDT 3 RM	60498300
310 SIGN SPECIFIER MUST BE LOCATED TO THE LEFT OF ALL DIGITS IN THE EXPONENT PART OF A FLOATING-POINT PIC-SPEC	DDL 2 SCHEMA	60498400
311 CANNOT DUPLICATE TO A CATALOG OF SMALLER TL	QUERY UPDT 3 RM	60498300
311 INVALID SIGN SPECIFIER IN A FLOATING-POINT PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
311 NEW GROUP ITEM NAME MUST NOT APPEAR IN SCHEMA OR REPEATING GROUPS DO NOT AGREE	CDCS 2 DA RM	60485200
311 NEW GROUP ITEM NAME MUST NOT APPEAR IN SCHEMA OR REPEATING GROUPS DO NOT AGREE	DDL 3 SUB SCHEM	60482000
311 NEW GROUP ITEM NAME MUST NOT APPEAR IN SCHEMA OR REPEATING GROUPS DO NOT AGREE	DDL 2 SUB SCHEM	60498500
311 NO RESTART IDENTIFIER FILE EXISTS FOR THE CURRENT SCHEMA	CDCS 2 DA RM	60485200
312 CANNOT RECORD ON A CATALOG OF SMALLER TL	QUERY UPDT 3 RM	60498300
312 EXPONENT SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
312 EXPONENT SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
312 EXPONENT SPECIFIER IS INVALID IN AN ALPHA OR ALPHANUMERIC PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	FORTRAN DBF RM	60482200
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	CDCS 2 DA RM	60485200
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	DDL 2 SUB SCHEM	60498500
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	DDL 3 SUB SCHEM	60482000
312 HIERARCHY OF SUB-SCHEMA ITEM DIFFERS FROM CORRESPONDING ITEM IN SCHEMA	CDCS 2 DA RM	60485200
312 INVALID RESTART IDENTIFIER FILE NAME	QUERY UPDT 3 RM	60498300
313 CANNOT FORMAT/ALTER REPORTS ON CATALOG OF SMALLER TL	CDCS 2 DA RM	60485200
313 DOUBLY DEFINED EXPONENT SPECIFIER	DDL 3 SCHEMA	60481900
313 DOUBLY DEFINED EXPONENT SPECIFIER	DDL 2 SCHEMA	60498400
313 DOUBLY DEFINED EXPONENT SPECIFIER	CDCS 2 DA RM	60485200
313 ITEM item-name DOES NOT QUALIFY AS A VALID CONCATENATED KEY	DDL 3 SUB SCHEM	60482000
313 ITEM item-name DOES NOT QUALIFY AS A VALID CONCATENATED KEY	CDCS 2 DA RM	60485200
313 NO JOURNAL LOG FILES EXIST FOR THE CURRENT SCHEMA	FORTRAN DBF RM	60482200
313 NO RECORD ENTRIES WERE SPECIFIED FOR REALM parm	CDCS 2 DA RM	60485200
313 NO RECORD ENTRIES WERE SPECIFIED FOR REALM parm		

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
314 INVALID JOURNAL LOG FILE NAME	CDCS 2 DA RM	60485200
314 REPETITION SPECIFIER IS IN AN INVALID LOCATION IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
314 REPETITION SPECIFIER IS IN AN INVALID LOCATION IN THE PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
314 REPETITION SPECIFIER IS IN AN INVALID LOCATION IN THE PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
314 SPECIFIED -FROM- FILE CANNOT BE FOUND	QUERY UPDT 3 RM	60498300
314 WARNING: SS SIZE GR SCHEMA SIZE - MAY CAUSE TRUNCATION ERRORS AT EXECUTION TIME	CDCS 2 DA RM	60485200
314 WARNING: SS SIZE GR SCHEMA SIZE - MAY CAUSE TRUNCATION ERRORS AT EXECUTION TIME	FORTRAN DBF RM	60482200
314 WARNING: SS SIZE GR SCHEMA SIZE - MAY CAUSE TRUNCATION ERRORS AT EXECUTION TIME	DDL 3 SUB SCHEM	60482000
315 ENTRY POINT -a- NOT FOUND FOR AREA -a-	QUERY UPDT 3 RM	60498300
315 INTERNAL ERROR. STORE EDITION FAILED IN UTILCTL	IMF SCHEMA DEF.	60484400
315 INVALID PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
315 INVALID PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
315 INVALID PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
315 LAST CHARACTER IN JOURNAL LOG FILE NAME MUST BE 1 OR 2	CDCS 2 DA RM	60485200
315 SUB-SCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	CDCS 2 DA RM	60485200
315 SUB-SCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	DDL 3 SUB SCHEM	60482000
315 SUBSCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	FORTRAN DBF RM	60482200
315 SUBSCHEMA ITEM CANNOT DIFFER FROM SCHEMA ITEM WITH CHECK IS PICTURE OPTION	CDCS 2 DA RM	60485200
316 DUPLICATE EXTERNAL SCHEMA NAME	IMF SCHEMA DEF.	60484400
316 FLOATING-POINT PICTURE SPECIFICATION IS MISSING EXPONENT PART	CDCS 2 DA RM	60485200
316 FLOATING-POINT PICTURE SPECIFICATION IS MISSING EXPONENT PART	DDL 3 SCHEMA	60481900
316 FLOATING-POINT PICTURE SPECIFICATION IS MISSING EXPONENT PART	DDL 2 SCHEMA	60498400
316 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
316 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	DDL 3 SUB SCHEM	60482000
316 THE RELATION NAME c FOLLOWING VIA IS NOT DEFINED	QUERY UPDT 3 RM	60498300
316 TRANSACTION RECOVERY FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
317 ILLEGAL CHARACTERISTICS IN A PICTURE LITERAL	DDL 3 SCHEMA	60481900
317 ILLEGAL CHARACTERISTICS IN A PICTURE LITERAL	DDL 2 SCHEMA	60498400
317 ILLEGAL CHARACTERS IN A PICTURE LITERAL	CDCS 2 DA RM	60485200
317 INTERNAL ERROR - DBP ENTRY POINT LIST OVERFLOW	QUERY UPDT 3 RM	60498300
317 ITEM TYPE NOT COMPATIBLE WITH OBJECT NOTATION	IMF SCHEMA DEF.	60484400
317 QUICK RECOVERY FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
318 DOUBLY DEFINED SIGN IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
318 DOUBLY DEFINED SIGN IN THE PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
318 DOUBLY DEFINED SIGN IN THE PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
318 INTERNAL ERROR - NO AREA TABLE	QUERY UPDT 3 RM	60498300
318 INVALID PICTURE-USAGE COMBINATION	IMF SCHEMA DEF.	60484400
318 RESTART IDENTIFIER FILE WAS PREVIOUSLY SPECIFIED	CDCS 2 DA RM	60485200
319 EMPTY INPUT FILE	CDCS 2 DA RM	60485200
319 ENTRY POINT -a- NOT FOUND	QUERY UPDT 3 RM	60498300
319 INVALID REPETITION CHARACTER IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
319	INVALID REPETITION CHARACTER IN THE PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
319	INVALID REPETITION CHARACTER IN THE PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
320	ILLEGAL FIRST WORD ON INPUT	CDCS 2 DA RM	60485200
320	NO DESCRIBE ENTRY FOR THE FILE c	QUERY UPDT 3 RM	60498300
320	SIGN SPECIFIER IS NOT THE RIGHT OR LEFT MOST CHARACTER IN THE PICTURE SPECIFICATION	CDCS 2 DA RM	60485200
320	SIGN SPECIFIER IS NOT THE RIGHT OR LEFT MOST CHARACTER IN THE PICTURE SPECIFICATION	DDL 3 SCHEMA	60481900
320	SIGN SPECIFIER IS NOT THE RIGHT OR LEFT MOST CHARACTER IN THE PICTURE SPECIFICATION	DDL 2 SCHEMA	60498400
0320	ZERODIVIDE	PL/I RM	60388100
0320	ZERODIVIDE (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
321	DATA STRUCTURES MUST BE WORD ALLIGNED	CRM/AAM 2 RM	60499300
321	DOUBLY DEFINED SYMBOL	CDCS 2 DA RM	60485200
321	DOUBLY DEFINED SYMBOL	DDL 3 SCHEMA	60481900
321	DOUBLY DEFINED SYMBOL	DDL 2 SCHEMA	60498400
321	INTERNAL ERROR - DISCOUNT ENTRY NEGATIVE	QUERY UPDT 3 RM	60498300
321	NO DIRECTIVES WERE VALIDATED FOR SCHEMA sn	CDCS 2 DA RM	60485200
321	THE RSE DOES NOT FOLLOW SYNTAX SPECIFICATIONS	IMF 1 AP RM	60484500
322	INTERNAL ERROR - MISSING RANK ENTRY	QUERY UPDT 3 RM	60498300
322	wd IS AN INVALID SOURCE WORD OR INAPPROPRIATE IN THE CONTEXT USED	CDCS 2 DA RM	60485200
322	NUMBER OF ROLES IN CONSTRAINT LISTS NOT EQUAL	IMF SCHEMA DEF.	60484400
322	SEPARATE SIGN IS NOT SUPPORTED BY CDCS	CDCS 2 DA RM	60485200
322	SEPARATE SIGN IS NOT SUPPORTED BY CDCS	DDL 3 SCHEMA	60481900
322	SEPARATE SIGN IS NOT SUPPORTED BY CDCS	DDL 2 SCHEMA	60498400
323	INTEGER-1 IS ILLEGAL SIZE	CDCS 2 DA RM	60485200
323	INTEGER-1 IS ILLEGAL SIZE	DDL 3 SCHEMA	60481900
323	INTEGER-1 IS ILLEGAL SIZE	DDL 2 SCHEMA	60498400
323	NO RELATION CONNECTS THE AREAS WHICH ARE REFERENCED	QUERY UPDT 3 RM	60498300
323	TRANSACTION RECOVERY FILE NAME MUST BE 7 CHARACTERS LONG	CDCS 2 DA RM	60485200
324	EXPONENT SPECIFIERS (E OR K) ARE NOT SUPPORTED BY CDCS 1	DDL 2 SCHEMA	60498400
324	EXPONENT SPECIFIERS (E OR K) ARE NOT SUPPORTED BY CDCS 1.0	CDCS 2 DA RM	60485200
324	EXPONENT SPECIFIERS (E OR K) ARE NOT SUPPORTED BY CDCS 1.0	DDL 3 SCHEMA	60481900
324	NO USE ENTRY FOR THE FILE n	QUERY UPDT 3 RM	60498300
324	PROCESSING DIRECTION NOT CONSISTENT WITH REQUEST	CRM/AAM 2 RM	60499300
325	LFN -c- HAS NOT BEEN DESCRIBED	QUERY UPDT 3 RM	60498300
325	PRIVACY LOCK OF THIS LOCK TYPE IS ALREADY STORED	IMF SCHEMA DEF.	60484400
325	RECORD BUFFER OVERFLOW, ***DDL ABORTED***	CDCS 2 DA RM	60485200
325	RECORD BUFFER OVERFLOW, ***DDL ABORTED***	DDL 3 SCHEMA	60481900
325	RECORD BUFFER OVERFLOW, *** DDL ABORTED ***	DDL 2 SCHEMA	60498400
326	AREA -a- DOES NOT HAVE ANY PERMANENT FILE PARAMETERS	QUERY UPDT 3 RM	60498300
326	SIGN OVER-PUNCH (T) MUST OCCUPY THE RIGHT-MOST DIGIT POSITION	CDCS 2 DA RM	60485200
326	SIGN OVER-PUNCH (T) MUST OCCUPY THE RIGHT-MOST DIGIT POSITION	DDL 3 SCHEMA	60481900
326	SIGN OVER-PUNCH (T) MUST OCCUPY THE RIGHT-MOST DIGIT POSITION	DDL 2 SCHEMA	60498400
327	FATAL ERRORS OCCURRED - - FOLLOWING STATEMENTS IGNORED	CDCS 2 DA RM	60485200

MESSAGE	MANUAL	PUB. NO.
327 FATAL ERRORS OCCURRED -- FOLLOWING STATEMENTS IGNORED	DDL 3 SCHEMA	60481900
327 -a- IS NOT AN ACTIVE AREA NAME. PLEASE RE-ENTER	QUERY UPDT 3 RM	60498300
328 -a- IS NOT A VALID P.F. PARAMETER	QUERY UPDT 3 RM	60498300
329 TOO MANY PASSWORDS FOR -a-	QUERY UPDT 3 RM	60498300
330 DEPEND ON ITEM LESS THAN 1 FOR ARRAY SUBSCRIBED BY LAST	QUERY UPDT 3 RM	60498300
330 INVALID/MISSING KEY-NAME	CDCS 2 DA RM	60485200
330 INVALID/MISSING KEY-NAME	DDL 2 SCHEMA	60498400
330 INVALID/MISSING KEY-NAME	DDL 3 SCHEMA	60481900
0330 UNDERFLOW	PL/I RM	60388100
0330 UNDERFLOW (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
331 CONCATENATED KEY-NAME IS DOUBLY DEFINED	CDCS 2 DA RM	60485200
331 CONCATENATED KEY-NAME IS DOUBLY DEFINED	DDL 3 SCHEMA	60481900
331 CONCATENATED KEY-NAME IS DOUBLY DEFINED	DDL 2 SCHEMA	60498400
331 SYSTEM ABORT DUE TO A USER ABORT OR AN OPERATOR DROP	QUERY UPDT 3 RM	60498300
331 THE CONCEPTUAL SCHEMA HAS NO EXTERNAL SCHEMAS	IMF SCHEMA DEF.	60484400
332 DATA-NAMES BRACKET (</>) MISSING	CDCS 2 DA RM	60485200
332 DATA-NAMES BRACKET (</>) MISSING	DDL 3 SCHEMA	60481900
332 DATA-NAMES BRACKET (</>) MISSING	DDL 2 SCHEMA	60498400
332 -c- PARAMETERS MUST BE OF CONSISTENT DATA TYPE	QUERY UPDT 3 RM	60498300
332 UNABLE TO OPEN METABASE	IMF SCHEMA DEF.	60484400
0332 UNDERFLOW (EXP ARGUMENT LESS THAN -675.82)	PL/I RM	60388100
333 DATA-NAMES MUST BE CONSECUTIVE AND CONTIGUOUS (NO PADDING)	CDCS 2 DA RM	60485200
333 DATA-NAMES MUST BE CONSECUTIVE AND CONTIGUOUS (NO PADDING)	DDL 3 SCHEMA	60481900
333 DATA-NAMES MUST BE CONSECUTIVE AND CONTIGUOUS (NO PADDING)	DDL 2 SCHEMA	60498400
333 ILLEGAL CALL TO DIAGNOSTIC ROUTINE	CRM/AAM 2 RM	60499300
333 ITEM SIZE EXCEEDS 2047 CHARACTERS	QUERY UPDT 3 RM	60498300
333 THE CONCEPTUAL SCHEMA HAS HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
334 kkkkkk IS UNDEFINED	CDCS 2 DA RM	60485200
334 kkkkkk IS UNDEFINED	DDL 3 SCHEMA	60481900
334 kkkkkk IS UNDEFINED	DDL 2 SCHEMA	60498400
334 NUMBER OF ITEMS IN ARRAY OUT OF RANGE	QUERY UPDT 3 RM	60498300
334 THE EXTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
334 TOTAL OF OPEN FILES NOT EQUAL TO TOTAL OF FIT ADDRESSES	CRM/AAM 2 RM	60499300
335 HIERARCHY TABLE OVERFLOW	CRM/AAM 2 RM	60499300
335 kkkkkk IS A REPEATING ITEM - NOT ALLOWED	CDCS 2 DA RM	60485200
335 kkkkkk IS A REPEATING ITEM-NOT ALLOWED	DDL 3 SCHEMA	60481900
335 kkkkkk IS A REPEATING ITEM-NOT ALLOWED	DDL 2 SCHEMA	60498400
335 NO SUITABLE STRUCTURE TO SUPPORT NAVIGATION	IMF SCHEMA DEF.	60484400
336 AT LEAST ONE DATA-NAME MUST BE SPECIFIED FOR A CONCATENATED KEY	CDCS 2 DA RM	60485200
336 AT LEAST ONE DATA-NAME MUST BE SPECIFIED FOR A CONCATENATED KEY	DDL 3 SCHEMA	60481900
336 BAD FIT ADDRESS	CRM/AAM 2 RM	60499300
336 EMPTY -EXECUTE FROM- FILE	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
336 THE INTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
337 INTERNAL ERROR IN IS/DA/AK 1.X	CRM/AAM 2 RM	60499300
337 INTERNAL ERROR - NO TABLES FOR THE EXECUTE DIRECTIVE	QUERY UPDT 3 RM	60498300
337 MORE THAN 64 DATA-NAMES NOT ALLOWED IN A CONCATENATED KEY	CDCS 2 DA RM	60485200
337 MORE THAN 64 DATA-NAMES NOT ALLOWED IN A CONCATENATED KEY	DDL 3 SCHEMA	60481900
337 MORE THAN 64 DATA-NAMES NOT ALLOWED IN A CONCATENATED KEY	DDL 2 SCHEMA	60498400
337 THE CONCEPTUAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
0337 UNDERFLOW (OCCURRED DURING EXPONENTIATION)	PL/I RM	60388100
338 KEYS MUST BE DEFINED IN FIRST RECORD TYPE WITHIN THE AREA	CDCS 2 DA RM	60485200
338 THE EXTERNAL SCHEMA HAS BEEN DELETED	IMF SCHEMA DEF.	60484400
338 UPDATING IS ALLOWED AGAINST A SINGLE AREA ONLY	QUERY UPDT 3 RM	60498300
339 AREA TO BE UPDATED IS NOT THE CURRENT TARGET AREA	QUERY UPDT 3 RM	60498300
0340 BAD LINK BINARY TABLE	LOADER 1 RM	60429800
340 CANNOT FIND SPECIFIED RELATION NAME	QUERY UPDT 3 RM	60498300
340 COMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
340 COMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	DDL 3 SCHEMA	60481900
0340 SIZE (NORMAL)	PL/I RM	60388100
341 DECOMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	CDCS 2 DA RM	60485200
341 DECOMPRESSION PREVIOUSLY SPECIFIED FOR THIS AREA	DDL 3 SCHEMA	60481900
0341 PROCEDURE DISALLOWED IN USER-CALL LOAD	LOADER 1 RM	60429800
0341 SIZE (I/O)	PL/I RM	60388100
341 THE AREA NAME SPECIFIED IS NOT VALID	QUERY UPDT 3 RM	60498300
0342 PROCEDURE CALL MUST BE SINGLE CARD LOAD SEQUENCE	LOADER 1 RM	60429800
0342 SIZE (ARITHMETIC TO CHARACTER STRING CONVERSION)	PL/I RM	60388100
342 SYSTEM OR DATA-BASE-PROCEDURE MUST BE USED FOR BOTH USAGE MODES	CDCS 2 DA RM	60485200
342 SYSTEM OR DATA-BASE-PROCEDURE MUST BE USED FOR BOTH USAGE MODES	DDL 3 SCHEMA	60481900
342 -a- USED BY RELATION, CANNOT BE RETURNED	QUERY UPDT 3 RM	60498300
343 COMPRESSION OR DECOMPRESSION CLAUSE MISSING	CDCS 2 DA RM	60485200
343 COMPRESSION OR DECOMPRESSION CLAUSE MISSING	DDL 3 SCHEMA	60481900
343 COULD NOT ATTACH LIBRARY OF DATABASE PROCEDURES	QUERY UPDT 3 RM	60498300
0343 PROCEDURE DISALLOWED IN RELOCATABLE LOAD	LOADER 1 RM	60429800
0343 SIZE (ARITHMETIC TO ARITHMETIC I/O CONVERSION)	PL/I RM	60388100
344 n CANNOT FOLLOW - UPDATE AREANAME	QUERY UPDT 3 RM	60498300
344 SYSTEM OR DATA-BASE-PROCEDURE NOT SPECIFIED	CDCS 2 DA RM	60485200
344 SYSTEM OR DATA-BASE-PROCEDURE NOT SPECIFIED	DDL 3 SCHEMA	60481900
345 COMPRESSION/DECOMPRESSION CLAUSE NOT CONTIGUOUS	CDCS 2 DA RM	60485200
345 COMPRESSION/DECOMPRESSION CLAUSE NOT CONTIGUOUS	DDL 3 SCHEMA	60481900
345 INSUFFICIENT CMM SPACE AVAILABLE	CRM/AAM 2 RM	60499300
345 THE AREA TO BE USED CANNOT BE ISOLATED	QUERY UPDT 3 RM	60498300
346 CALL TO -a- TRAPPED WHILE EXECUTING -a-	QUERY UPDT 3 RM	60498300
346 CMM NOT AVAILABLE AND THERE IS NO LIST OF FILES ADDRESS	CRM/AAM 2 RM	60499300
346 INVALID ITEM ENTRY. SKIPPING TEXT BEGINNING WITH..param	IMF SCHEMA DEF.	60484400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
346 INVALID TYPE OPTION - - SKIPPING TO PERIOD	CDCS 2 DA RM	60485200
346 INVALID TYPE OPTION -- SKIPPING TO PERIOD	DDL 3 SCHEMA	60481900
347 DUPLICATE ALTERNATE KEY ON INSERT	QUERY UPDT 3 RM	60498300
347 FDL ERROR CODE xxx ON CAPSULE yyy	CRM/AAM 2 RM	60499300
348 MISSING -ON UPDATE- PROCEDURE. TRANSMISSION TERMINATED	QUERY UPDT 3 RM	60498300
349 DISPLAY KEY REFERENCES MORE THAN ONE AREA	QUERY UPDT 3 RM	60498300
350 ONLY ONE OUTPUT LFN CAN BE SPECIFIED WITH -UPON-	QUERY UPDT 3 RM	60498300
0350 STRINGRANGE (SIGNALLED)	PL/I RM	60388100
351 INTERNAL ERROR. OBTAIN RECORD/STRUCTURE IN SUBSRTN	IMF SCHEMA DEF.	60484400
351 ONLY ONE COLLATING SEQUENCE CAN BE SPECIFIED WITH -USING-	QUERY UPDT 3 RM	60498300
0351 STRINGRANGE (IN SUBSTR OF A CHARACTER STRING)	PL/I RM	60388100
352 FILE TO BE CLOSED IS NOT KNOWN	CRM/AAM 2 RM	60499300
352 INTERNAL ERROR. OBTAIN SEN/REC IN INITSUB/LISTSUB	IMF SCHEMA DEF.	60484400
352 REDUNDANT USE OF -UNIQUE- IGNORED	QUERY UPDT 3 RM	60498300
0352 STRINGRANGE (IN SUBSTR OF A BIT STRING)	PL/I RM	60388100
353 ONLY ONE SET OF KEYS MAY BE SPECIFIED WITH -ON-	QUERY UPDT 3 RM	60498300
354 BUFFER SPACE SUPPLIED IS INSUFFICIENT FOR I/O	CRM/AAM 2 RM	60499300
354 -n- INVALID IN SORT DIRECTIVE SYNTAX	QUERY UPDT 3 RM	60498300
355 CANNOT FIND DESCRIPTION OF SOURCE FILE	QUERY UPDT 3 RM	60498300
355 CODE MODULES REQUIRED FOR I/O NOT LOADED	CRM/AAM 2 RM	60499300
356 FILE NAME MISSING	QUERY UPDT 3 RM	60498300
356 TRIVIAL ERROR LIMIT REACHED	CRM/AAM 2 RM	60499300
357 INDEFINITE OR INFINITE OPERAND ENCOUNTERED	QUERY UPDT 3 RM	60498300
357 INTERNAL ERROR. OBTAIN ROLE FAILED IN LISTSUB	IMF SCHEMA DEF.	60484400
357 UNABLE TO OBTAIN SPACE FOR BUFFER	CRM/AAM 2 RM	60499300
358 ORIGINAL MRL DOES NOT MATCH CURRENT MRL FOR SUBSCHEMA -a-	QUERY UPDT 3 RM	60498300
359 -a- NOT FIRST SAVED DIRECTIVE	QUERY UPDT 3 RM	60498300
0360 AREA RAISED IN ALLOCATE STATEMENT	PL/I RM	60388100
360 ORIGINAL KL DOES NOT MATCH KL FOR SUBSCHEMA -a-	QUERY UPDT 3 RM	60498300
0361 AREA RAISED IN ASSIGNMENT STATEMENT	PL/I RM	60388100
361 VALID ERASE OPTION OR DATA NAME OMITTED	QUERY UPDT 3 RM	60498300
0362 AREA (SIGNALLED)	PL/I RM	60388100
362 -c- MUST BE LITERAL OR DEFINED ITEM	QUERY UPDT 3 RM	60498300
363 -c- NOT ON FILE TO BE SORTED	QUERY UPDT 3 RM	60498300
364 AMBIGUOUS RELATIONS IN BATCH MODE - COMMAND IGNORED	QUERY UPDT 3 RM	60498300
365 -OF- ILLEGAL FOR DEFINED, DESCRIBED, OR SPECIFIED ITEMS	QUERY UPDT 3 RM	60498300
366 c MUST BE WORD ALIGNED	QUERY UPDT 3 RM	60498300
367 - n- IS INVALID OPTION OF-EXHIBIT-	QUERY UPDT 3 RM	60498300
368 VERIFY LIST DID NOT REFERENCE EXACTLY ONE AREA	QUERY UPDT 3 RM	60498300
369 VERIFY LIST CLEARED DUE TO DATANAME ERROR	QUERY UPDT 3 RM	60498300
370 CANNOT HAVE MULTIPLE DISPLAY-FROM-OR-KEYIN-FILES	QUERY UPDT 3 RM	60498300
0370 CANNOT PROCESS FILES REQUEST - 1ST RECORD OF ZZZZZDF TOO BIG	LOADER 1 RM	60429800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
370 FATAL I/O ERROR	CRM/AAM 2 RM	60499300
0370 STORAGE (SIGNALLED)	PL/I RM	60388100
0371 CANNOT PROCESS STAT REQUEST - ILL-FORMATTED ZZZZZDG FILE	LOADER 1 RM	60429800
0371 STORAGE (CMM IS UNABLE TO ALLOCATE SPACE FOR CRM OR OTHER ROUTINE OUTSIDE OF PL/I)	PL/I RM	60388100
371 -c- TRUNCATED TO 4095 CHARACTERS	QUERY UPDT 3 RM	60498300
372 FO=IS INDEX STRUCTURE FULL 15 LEVELS	CRM/AAM 2 RM	60499300
372 MORE THAN 64 AREAS IN USE	QUERY UPDT 3 RM	60498300
0372 STORAGE (UNABLE TO ALLOCATE A BASED VARIABLE)	PL/I RM	60388100
373 MORE THAN 59 RELATIONS IN USE	QUERY UPDT 3 RM	60498300
0373 STORAGE (UNABLE TO ALLOCATE A CONTROLLED VARIABLE)	PL/I RM	60388100
374 -c- IS NOT AN AREA ITEM	QUERY UPDT 3 RM	60498300
0374 STORAGE (UNABLE TO ALLOCATE AN AUTOMATIC VARIABLE OR A TEMPORARY)	PL/I RM	60388100
375 FILENAME -<N.> IS AN INVALID MOVE DESTINATION	QUERY UPDT 3 RM	60498300
0375 STORAGE (UNABLE TO ALLOCATE A TEMPORARY)	PL/I RM	60388100
376 REMAINDER OF ENTRY IGNORED	QUERY UPDT 3 RM	60498300
377 CDCS DATA-NAMES REFERENCE > 1 RECORD	QUERY UPDT 3 RM	60498300
378 IF DIRECTIVE REFERENCES KEYS FROM > RECORD NAME	QUERY UPDT 3 RM	60498300
379 -c- INVALID ACCESS KEY	QUERY UPDT 3 RM	60498300
380 AREA-NAME NOT SUPPLIED FOR ACCESS KEY	QUERY UPDT 3 RM	60498300
381 AREA -c- IS NOT IN USE	QUERY UPDT 3 RM	60498300
382 -c- IS NOT THE CURRENT CATALOG	QUERY UPDT 3 RM	60498300
383 NO AREA OPTION SPECIFIED IN -FOR- CLAUSE	QUERY UPDT 3 RM	60498300
384 ACCESS KEY ALREADY EXISTS FOR FILE -a-. NEW ONE IGNORED	QUERY UPDT 3 RM	60498300
385 NOT IN CDCS CATALOG MODE. NOT ACCESS KEY ALLOWED	QUERY UPDT 3 RM	60498300
386 NOT IN CDCS DATABASE MODE. NO KEY ACCESS ALLOWED	QUERY UPDT 3 RM	60498300
387 FIRST PARAMETER MUST BE A DEFINED INTEGER	QUERY UPDT 3 RM	60498300
388 SECOND PARAMETER MUST BE 1 TO 30 ALPHANUMERIC CHARACTERS	QUERY UPDT 3 RM	60498300
389 DATANAME MUST FOLLOW THE KEYWORD -SETTING-	QUERY UPDT 3 RM	60498300
390 DATANAME MUST FOLLOW THE KEYWORD -USING-	QUERY UPDT 3 RM	60498300
391 ONLY ONE -MOVE- CLAUSE ALLOWED	QUERY UPDT 3 RM	60498300
392 -TO- MUST SEPARATE EXPRESSION AND DESTINATION IN MOVE	QUERY UPDT 3 RM	60498300
393 -USING- MUST SPECIFY A PRIMARY, ALTERNATE, OR MAJOR KEY	QUERY UPDT 3 RM	60498300
394 SEARCH KEY MISSING	QUERY UPDT 3 RM	60498300
395 CDCS MUST BE INVOKED IN ORDER TO EXECUTE THE CURRENT DIRECTIVE	QUERY UPDT 3 RM	60498300
396 -c- FROM RESTRICT CLAUSE HAS NOT BEEN DEFINED	QUERY UPDT 3 RM	60498300
397 c AND AREA ITEM SPECIFICATIONS DO NOT MATCH FOR RESTRICT	QUERY UPDT 3 RM	60498300
398 INSUFFICIENT PARAMETERS FOR -STORE- OR -MODIFY-	QUERY UPDT 3 RM	60498300
399 -MODIFY- OR -REMOVE- BY KEY ILLEGAL ON SEQUENTIAL FILE	QUERY UPDT 3 RM	60498300
400 ALL OR ENTRY NAME EXPECTED, NOT SPECIFIED	CDCS 2 DA RM	60485200
400 ALL OR ENTRY NAME EXPECTED, NOT SPECIFIED	DDL 3 SCHEMA	60481900
400 ALL OR ENTRY NAME EXPECTED, NOT SPECIFIED	DDL 2 SCHEMA	60498400
400 AREA OR RELATION IGNORED ON -USE- FOR CDCS SUBSCHEMA	QUERY UPDT 3 RM	60498300

MESSAGE

400 FIRST STATEMENT NOT A FUNCTION
400 GENERATE LANGUAGE MISSING
400 INVALID/NON-UNIQUE RELATION NAME
400 INVALID/NON-UNIQUE RELATION NAME
400 INVALID/NON-UNIQUE RELATION NAME
400 KEYWORD -COBOL- MISSING. INSTEAD FOUND..param
400 NO COMMANDS SPECIFIED
400 NO REQUEST INPUT
400 RN DECLARATION IS INCORRECT
400 RN DECLARATION IS INCORRECT
400 RN DECLARATION IS INCORRECT
400 SYNTAX-NO ENTRY HEADER
0400 UNBALANCED PARENTHESES
400 \$UTILITY TRANSACTION
401 INVALID RELATION NAME
401 INVALID RELATION NAME
401 INVALID RELATION NAME
401 INVALID RELATION NAME
401 KEYWORD -LIBRARY- MUST APPEAR AFTER THE -FROM-
0401 MISSING PARAMETER
401 RELATION NAME LONGER THAN 30 CHARACTERS---NAME TRUNCATED
401 RELATION NAME LONGER THAN 30 CHARACTERS -- NAME TRUNCATED
401 RELATION NAME LONGER THAN 30 CHARACTERS -- NAME TRUNCATED
401 UNKNOWN ENTRY NAME
401 UNKNOWN ENTRY NAME
401 UNKNOWN ENTRY NAME
402 AREA OR RELATION CANNOT BE RETURNED WHEN CDCS IS INVOKED
0402 ILLEGAL SEPARATOR
402 MISSING KEYWORD IN EXHIBIT SYNTAX
402 MISSING KEYWORD IN EXHIBIT SYNTAX
402 MISSING KEYWORD IN EXHIBIT SYNTAX
402 RELATION NAME IS NOT UNIQUE
402 RELATION NAME IS NOT UNIQUE
402 RELATION NAME IS NOT UNIQUE
402 RELATION NAME NOT UNIQUE
402 RESERVED WORD JOIN MISSING
402 RESERVED WORD JOIN MISSING
402 RESERVED WORD JOIN MISSING
403 kkkkkk DBI IS INVALID/ UNDEFINED
403 kkkkkk DBI IS INVALID/UNDEFINED
403 kkkkkk DBI IS INVALID/UNDEFINED
403 INVALID/MISSING SCHEMA NAME

<u>MANUAL</u>	<u>PUB. NO.</u>
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
IMF SCHEMA DEF.	60484400
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
DATA CAT 2 RM	60483200
LOADER 1 RM	60429800
DAT CAT 2 DA RM	60483300
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
DDL 3 SUB SCHEM	60482000
DDL 2 SUB SCHEM	60498500
FORTRAN DBF RM	60482200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
DDL 2 SCHEMA	60498400
CDCS 2 DA RM	60485200

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
403	INVALID/MISSING SCHEMA NAME	DDL 3 SCHEMA	60481900
403	INVALID/MISSING SCHEMA NAME	DDL 2 SCHEMA	60498400
403	KEYWORD -EXTERNAL- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
403	SKIPBL DISALLOWED	CRM/AAM 2 RM	60499300
403	UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	FORTRAN DBF RM	60482200
403	UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	CDCS 2 DA RM	60485200
403	UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	DDL 3 SUB SCHEM	60482000
403	UNABLE TO FIND CORRESPONDING RELATION ENTRY IN THE SCHEMA	DDL 2 SUB SCHEM	60498500
403	-a- UNAVAILABLE, FILE IS ARCHIVED	QUERY UPDT 3 RM	60498300
0403	name - UNRECOGNIZABLE DIRECTIVE	LOADER 1 RM	60429800
404	AREA parm TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN A REALM STATEMENT	FORTRAN DBF RM	60482200
404	AREA parm TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN A REALM STATEMENT	CDCS 2 DA RM	60485200
404	AREA parameter TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN THE RD DIVISION	CDCS 2 DA RM	60485200
404	AREA parameter TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN THE RD DIVISION	DDL 3 SUB SCHEM	60482000
404	AREA parameter TRAVERSED IN THE SCHEMA MUST BE SPECIFIED IN THE RD DIVISION	DDL 2 SUB SCHEM	60498500
404	kkkkkk DBI SUBSCRIPTS IN ERROR	CDCS 2 DA RM	60485200
404	kkkkkk DBI SUBSCRIPTS IN ERROR	DDL 3 SCHEMA	60481900
404	kkkkkk DBI SUBSCRIPTS IN ERROR	DDL 2 SCHEMA	60498400
404	FATAL CDCS ERROR: SUBSCHEMA RETURNED	QUERY UPDT 3 RM	60498300
0404	INCOMPLETE PARAMETER	LOADER 1 RM	60429800
404	KEYWORD -SCHEMA- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
404	RELATION ENTRIES MISSING IN SCHEMA	CDCS 2 DA RM	60485200
404	RELATION ENTRIES MISSING IN SCHEMA	DDL 3 SCHEMA	60481900
404	RELATION ENTRIES MISSING IN SCHEMA	DDL 2 SCHEMA	60498400
404	SKIPFL DISALLOWED FOR RT=U	CRM/AAM 2 RM	60499300
405	CANNOT RUN INTERACTIVE ON NOS	QUERY UPDT 3 RM	60498300
405	CONSTRAINTS ENTRY MISSING IN SCHEMA	CDCS 2 DA RM	60485200
405	CONSTRAINTS ENTRY MISSING IN SCHEMA	DDL 3 SCHEMA	60481900
405	ILLEGAL BLANK CARD	DATA CAT 2 RM	60483200
405	INVALID RECORD NAME	FORTRAN DBF RM	60482200
405	INVALID RECORD NAME	CDCS 2 DA RM	60485200
405	INVALID RECORD NAME	DDL 3 SUB SCHEM	60482000
405	INVALID RECORD NAME	DDL 2 SUB SCHEM	60498500
405	n IS AN INVALID LANGUAGE NAME	DATA CAT 2 RM	60483200
405	KEYWORD -FORTRAN- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
405	NO COMMAND SPECIFIED	DATA CAT 2 RM	60483200
405	OPERAND MUST BE DAT OR ALL	DAT CAT 2 DA RM	60483300
405	STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
405	SUBSCRIPT ANY CANNOT BE USED FOR SOURCE DBIS	CDCS 2 DA RM	60485200
405	SUBSCRIPT ANY CANNOT BE USED FOR SOURCE DBIS	DDL 3 SCHEMA	60481900
405	SUBSCRIPT ANY CANNOT BE USED FOR SOURCE DBIS	DDL 2 SCHEMA	60498400
405	UNKNOWN ENTRY TYPE	DATA CAT 2 RM	60483200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
0405 name - USED ON LOWER LEVEL	LOADER 1 RM	60429800
0406 name - CONFLICTS WITH EARLIER USAGE	LOADER 1 RM	60429800
406 kkkkkk DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS	CDCS 2 DA RM	60485200
406 kkkkkk DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS	DDL 3 SCHEMA	60481900
406 kkkkkk DBI SIZE EXCEEDS THE MAXIMUM OF 255 CHARACTERS	DDL 2 SCHEMA	60498400
406 SUBSCHEMA -a- NOT THE SAME AS CDCS CATALOG FILE	QUERY UPDT 3 RM	60498300
406 UNABLE TO FIND RECORD ENTRY	FORTRAN DBF RM	60482200
406 UNABLE TO FIND RECORD ENTRY	CDCS 2 DA RM	60485200
406 UNABLE TO FIND RECORD ENTRY	DDL 2 SUB SCHEM	60498500
406 UNABLE TO FIND RECORD ENTRY	DDL 3 SUB SCHEM	60482000
407 AREA -a- IS PART OF A RELATION -VERSION- REJECTED	QUERY UPDT 3 RM	60498300
407 parm IS AN INVALID DATA-BASE-IDENTIFIER NAME	FORTRAN DBF RM	60482200
407 parm IS AN INVALID DATA-BASE-IDENTIFIER NAME	CDCS 2 DA RM	60485200
407 parameter IS AN INVALID DATA-BASE-IDENTIFIER NAME	DDL 2 SUB SCHEM	60498500
407 parameter IS AN INVALID DATA-BASE-IDENTIFIER NAME	DDL 3 SUB SCHEM	60482000
407 KEYWORD -RECORD- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
0407 MORE THAN ONE ROOT SEGMENT	LOADER 1 RM	60429800
407 SOURCE AND TARGET DBI PICTURE/ TYPE CHARACTERISTICS MUST BE IDENTICAL	CDCS 2 DA RM	60485200
407 SOURCE AND TARGET DBI PICTURE/TYPE CHARACTERISTICS MUST BE IDENTICAL	DDL 3 SCHEMA	60481900
407 SOURCE AND TARGET DBI PICTURE/TYPE CHARACTERISTICS MUST BE IDENTICAL	DDL 2 SCHEMA	60498400
408 DATA-BASE-IDENTIFIER parm IS UNDEFINED	FORTRAN DBF RM	60482200
408 DATA-BASE-IDENTIFIER parm IS UNDEFINED	CDCS 2 DA RM	60485200
408 DATA-BASE-IDENTIFIER parameter IS UNDEFINED	DDL 3 SUB SCHEM	60482000
408 DATA-BASE-IDENTIFIER parameter IS UNDEFINED	DDL 2 SUB SCHEM	60498500
408 KEYWORD -FORTRAN5- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
408 SOURCE AND TARGET DBIS DIFFER IN SIZE	CDCS 2 DA RM	60485200
408 SOURCE AND TARGET DBIS DIFFER IN SIZE	DDL 3 SCHEMA	60481900
408 SOURCE AND TARGET DBIS DIFFER IN SIZE	DDL 2 SCHEMA	60498400
408 SUBSCHEMA -a- MUST BE A CDCS SUBSCHEMA	QUERY UPDT 3 RM	60498300
409 AREA -a- NOT IN SUBSCHEMA -a-	QUERY UPDT 3 RM	60498300
409 DATA-BASE-IDENTIFIER parm IS UNDEFINED IN THE SCHEMA	FORTRAN DBF RM	60482200
409 DATA-BASE-IDENTIFIER parm IS UNDEFINED IN THE SCHEMA	CDCS 2 DA RM	60485200
409 DATA-BASE-IDENTIFIER parameter IS UNDEFINED IN THE SCHEMA	DDL 3 SUB SCHEM	60482000
409 DATA-BASE-IDENTIFIER parameter IS UNDEFINED IN THE SCHEMA	DDL 2 SUB SCHEM	60498500
409 SUBSCRIPT ANY ON A TARGET DBI CAN BE SPECIFIED ONLY FOR ALTERNATE KEYS	CDCS 2 DA RM	60485200
409 SUBSCRIPT ANY ON A TARGET DBI CAN BE SPECIFIED ONLY FOR ALTERNATE KEYS	DDL 3 SCHEMA	60481900
409 SUBSCRIPT ANY ON A TARGET DBI CAN BE SPECIFIED ONLY FOR ALTERNATE KEYS	DDL 2 SCHEMA	60498400
410 AREA -a- IS NOT SEQUENCE DISPLAY	QUERY UPDT 3 RM	60498300
410 CARD OUT OF SEQUENCE	DATA CAT 2 RM	60483200
410 CONVERSION NOT POSSIBLE FOR LITERAL	FORTRAN DBF RM	60482200
410 CONVERSION NOT POSSIBLE FOR LITERAL	CDCS 2 DA RM	60485200
410 CONVERSION NOT POSSIBLE FOR LITERAL	DDL 3 SUB SCHEM	60482000

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
410	CONVERSION NOT POSSIBLE FOR LITERAL	DDL 2 SUB SCHEM	60498500
410	FILE CANNOT BE JOINED TO ITSELF (RECURSION)	CDCS 2 DA RM	60485200
410	FILE CANNOT BE JOINED TO ITSELF (RECURSION)	DDL 3 SCHEMA	60481900
410	FILE CANNOT BE JOINED TO ITSELF (RECURSION)	DDL 2 SCHEMA	60498400
410	INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
410	KEYWORD INVALID	DAT CAT 2 DA RM	60483300
0410	NO ROOT SEGMENT	LOADER 1 RM	60429800
410	STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
410	SYNTAX-UNABLE TO LOCATE ENTRY TYPE	DATA CAT 2 RM	60483200
411	AREA -a- MUST HAVE FO = IS, AND RT = W	QUERY UPDT 3 RM	60498300
411	ILLEGAL PATH-CYCLING OR DISCONTINUITY	CDCS 2 DA RM	60485200
411	ILLEGAL PATH-CYCLING OR DISCONTINUITY	DDL 3 SCHEMA	60481900
411	ILLEGAL PATH-CYCLING OR DISCONTINUITY	DDL 2 SCHEMA	60498400
411	INVALID USE OF DBI parm - DOES NOT BELONG TO RESTRICTED RECORD	FORTRAN DBF RM	60482200
411	INVALID USE OF DBI parm - DOES NOT BELONG TO RESTRICTED RECORD	CDCS 2 DA RM	60485200
411	INVALID USE OF DBI parameter DOES NOT BELONG TO RESTRICTED RECORD	DDL 3 SUB SCHEM	60482000
411	INVALID USE OF DBI parameter DOES NOT BELONG TO RESTRICTED RECORD	DDL 2 SUB SCHEM	60498500
0411	MORE THAN 4095 SEGMENTS	LOADER 1 RM	60429800
412	AREA -a- IMPROPER RECORD FORMAT FOR -VERSION-	QUERY UPDT 3 RM	60498300
412	RANK EXCEEDS MAXIMUM OF 64 FILES	CDCS 2 DA RM	60485200
412	RANK EXCEEDS MAXIMUM OF 64 FILES	DDL 3 SCHEMA	60481900
412	RANK EXCEEDS MAXIMUM OF 64 FILES	DDL 2 SCHEMA	60498400
0412	name - UNDEFINED SEGMENT	LOADER 1 RM	60429800
413	kkkkkk DBI BELONGS TO AREA WITH MULTIPLE RECORDS -- NOT ALLOWED IN A RELATION PATH	CDCS 2 DA RM	60485200
413	kkkkkk DBI BELONGS TO AREA WITH MULTIPLE RECORDS -- NOT ALLOWED IN A RELATION PATH	DDL 3 SCHEMA	60481900
413	kkkkkk DBI BELONGS TO AREA WITH MULTIPLE RECORDS -- NOT ALLOWED IN A RELATION PATH	DDL 2 SCHEMA	60498400
413	FILE -a- DOES NOT EXIST	QUERY UPDT 3 RM	60498300
413	SOURCE DBI DOES NOT HAVE A COMPATIBLE SCHEMA DATA REPRESENTATION WITH THE TARGET DBI	CDCS 2 DA RM	60485200
413	SOURCE DBI DOES NOT HAVE A COMPATIBLE SCHEMA DATA REPRESENTATION WITH THE TARGET DBI	FORTRAN DBF RM	60482200
413	SOURCE DBI DOES NOT HAVE COMPATIBLE DATA REPRESENTATION WITH TARGET DBI	CDCS 2 DA RM	60485200
413	SOURCE DBI DOES NOT HAVE COMPATIBLE DATA REPRESENTATION WITH TARGET DBI	DDL 3 SUB SCHEM	60482000
414	FILE -a- MAY NOT HAVE PF PARAMS MODIFIED	QUERY UPDT 3 RM	60498300
414	QUALIFICATION NOT ALLOWED ON RESTRICT DATA-NAMES	CDCS 2 DA RM	60485200
414	QUALIFICATION NOT ALLOWED ON RESTRICT DATA-NAMES	DDL 3 SUB SCHEM	60482000
414	RESERVED WORD EQ MISSING	CDCS 2 DA RM	60485200
414	RESERVED WORD EQ MISSING	DDL 3 SCHEMA	60481900
414	RESERVED WORD EQ MISSING	DDL 2 SCHEMA	60498400
415	CATALOGUE NAME LONGER THAN 32	DATA CAT 2 RM	60483200
415	ILLEGAL NAME FOR DATABASE VERSION	QUERY UPDT 3 RM	60498300
415	INCOMPLETE \$CONVERT CARD	DATA CAT 2 RM	60483200
415	INVALID NAME..param	IMF SCHEMA DEF.	60484400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
415 INVALID NAME	IMF 1 AP RM	60484500
415 INVALID OPTION SYNTAX	DATA CAT 2 RM	60483200
415 ONLY PUT ALLOWED DURING INITIAL CREATION	CRM/AAM 2 RM	60499300
415 TITLE VALUE INVALID	DATA CAT 2 RM	60483200
415 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
415 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD	DDL 3 SCHEMA	60481900
415 UNABLE TO COMPLETE ENTRY - ENTRY WILL BE IGNORED - SEARCHING FOR A PERIOD	DDL 2 SCHEMA	60498400
415 UNRECOGNIZABLE STATEMENT TYPE	DATA CAT 2 RM	60483200
416 ILLEGAL PATH - SOURCE DBI MUST BE IN SAME AREA AS PREVIOUS TARGET DBI	CDCS 2 DA RM	60485200
416 ILLEGAL PATH - SOURCE DBI MUST BE IN SAME AREA AS PREVIOUS TARGET DBI	DDL 3 SCHEMA	60481900
416 ILLEGAL PATH - SOURCE DBI MUST BE IN SAME AREA AS PREVIOUS TARGET DBI	DDL 2 SCHEMA	60498400
416 VERSION NAME MUST MATCH THAT OF CDCS CATALOG	QUERY UPDT 3 RM	60498300
417 AMBIGUITY EXISTS. PLEASE QUALIFY -c-	QUERY UPDT 3 RM	60498300
417 CANNOT REPLACE WITH LARGER RECORD IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
417 INVALID STATEMENT - END STATEMENT EXPECTED	FORTRAN DBF RM	60482200
417 INVALID STATEMENT - END STATEMENT EXPECTED	CDCS 2 DA RM	60485200
417 parameter UNKNOWN SOURCE WORD	CDCS 2 DA RM	60485200
417 parameter UNKNOWN SOURCE WORD	DDL 2 SUB SCHEM	60498500
417 parameter UNKNOWN SOURCE WORD	DDL 3 SUB SCHEM	60482000
418 ENTRY WAS NOT TERMINATED BY A PERIOD	CDCS 2 DA RM	60485200
418 ENTRY WAS NOT TERMINATED BY A PERIOD	DDL 3 SUB SCHEM	60482000
418 ENTRY WAS NOT TERMINATED BY A PERIOD	DDL 2 SUB SCHEM	60498500
418 -c- IS NOT A DESCRIBED ITEM AND CANNOT BE RESET	QUERY UPDT 3 RM	60498300
418 PERIOD MISSING	FORTRAN DBF RM	60482200
418 PERIOD MISSING	CDCS 2 DA RM	60485200
419 -AS- CLAUSE LEGAL WITHOUT -UPON- OPTION	QUERY UPDT 3 RM	60498300
419 EXTRANEIOUS DATA IN STATEMENT	FORTRAN DBF RM	60482200
419 EXTRANEIOUS DATA IN STATEMENT	CDCS 2 DA RM	60485200
419 SEARCHING FOR A PERIOD	CDCS 2 DA RM	60485200
419 SEARCHING FOR A PERIOD	DDL 3 SUB SCHEM	60482000
419 SEARCHING FOR A PERIOD	DDL 2 SUB SCHEM	60498500
0420 ABS OR NEG RELOCATION NOT ALLOWED - PROG name	LOADER ! RM	60429800
420 ADD FOR EXISTING ENTRY	DATA CAT 2 RM	60483200
420 CANNOT REWIND NO-REWIND FILE	CRM/AAM 2 RM	60499300
420 language-name IS AN INVALID LANGUAGE NAME	DATA CAT 2 RM	60483200
420 KEYWORD -DATABASE- MUST APPEAR AFTER THE -FOR-	QUERY UPDT 3 RM	60498300
420 NUMBER OF DIMENSIONS SPECIFIED DOES NOE EQUAL THE NUMBER OF DIMENSIONS DEFINED FOR ARRAY pram	FORTRAN DBF RM	60482200
420 NUMBER OF DIMENSIONS SPECIFIED DOES NOT EQUAL THE NUMBER OF DIMENSIONS DEFINED FOR ARRAY parm	CDCS 2 DA RM	60485200
420 OPTION n HAS ILLEGAL VALUE	DATA CAT 2 RM	60483200
420 PERIOD FOUND, COMPILATION RESUMED	CDCS 2 DA RM	60485200
420 PERIOD FOUND, COMPILATION RESUMED	DDL 3 SUB SCHEM	60482000
420 PERIOD FOUND, COMPILATION RESUMED	DDL 2 SUB SCHEM	60498500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
420 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
421 FAILURE DURING SORT	QUERY UPDT 3 RM	60498300
421 SUBSCRIPT SPECIFIED FOR parameter IS INVALID	FORTRAN DBF RM	60482200
421 SUBSCRIPT SPECIFIED FOR ITEM WHICH IS NOT AN ARRAY	CDCS 2 DA RM	60485200
421 SUBSCRIPT SPECIFIED FOR NON REPEATING ITEM parameter IS INVALID	DDL 2 SUB SCHEM	60498500
421 SUBSCRIPT SPECIFIED FOR NON REPEATING ITEM parameter IS VALUE	DDL 3 SUB SCHEM	60482000
421 SUBSCRIPT SPECIFIED FOR NONREPEATING ITEM parameter IS INVALID	CDCS 2 DA RM	60485200
421 WSA NOT SPECIFIED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
422 DUE TO FATAL ERRORS, COMPILATION IS ABORTED	FORTRAN DBF RM	60482200
422 DUE TO FATAL ERRORS COMPILATION IS ABORTED	CDCS 2 DA RM	60485200
422 DUE TO FATAL ERRORS COMPILATION IS ABORTED	DDL 3 SUB SCHEM	60482000
422 SEEK NOT ALLOWED IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
0422 SEGMENT TOO LARGE	LOADER 1 RM	60429800
423 CANNOT PRESET MORE THAN THREE LEVELS OF NESTING	QUERY UPDT 3 RM	60498300
424 CANNOT GET IN SEQUENTIAL MODE - GETN ASSUMED	CRM/AAM 2 RM	60499300
424 LFN IS SAME AS A FILE NAME	QUERY UPDT 3 RM	60498300
424 VIRTUAL RESULT AND DECODE DATA-BASE-IDENTIFIERS (IN SCHEMA) CANNOT BE USED AS QUALIFIERS	CDCS 2 DA RM	60485200
424 VIRTUAL RESULT AND DECODE DATA-BASE-IDENTIFIERS (IN SCHEMA) CANNOT BE USED AS QUALIFIERS	DDL 3 SUB SCHEM	60482000
424 VIRTUAL RESULT AND DECODE DATA-BASE-IDENTIFIERS (IN SCHEMA) CANNOT BE USED AS QUALIFIERS	DDL 2 SUB SCHEM	60498500
425 CANNOT SKIP BACKWARD IN SEQUENTIAL MODE	CRM/AAM 2 RM	60499300
425 CANNOT USE FILE c AS BOTH SOURCE AND TARGET FILE	QUERY UPDT 3 RM	60498300
425 CATALOGUE NAME NOT ON FILE	DATA CAT 2 RM	60483200
425 CHG FOR NON-EXISTING ENTRY	DATA CAT 2 RM	60483200
425 LEVEL 66, LEVEL 88 AND REDEFINED DATA-BASE-IDENTIFIERS CANNOT BE USED AS QUALIFIERS	CDCS 2 DA RM	60485200
425 LEVEL 66, LEVEL 88, AND REDEFINED DATA-BASE-IDENTIFIERS CANNOT BE USED AS QUALIFIERS	DDL 3 SUB SCHEM	60482000
425 LEVEL 66, LEVEL 88 AND REDEFINED DATA-BASE-IDENTIFIERS CANNOT BE USED AS QUALIFIERS	DDL 2 SUB SCHEM	60498500
425 n MUST BE NUMERIC	DATA CAT 2 RM	60483200
425 NO PROGRAM NAME FOR MODULE CARD	DATA CAT 2 RM	60483200
425 NO REPORT/FILE TYPE SPECIFIED	DATA CAT 2 RM	60483200
426 -DIRECTORY- COMMAND NEEDS -ON-/-OFF- OPTION SPECIFIED	QUERY UPDT 3 RM	60498300
426 GETN NOT ALLOWED DURING FILE CREATION - REQUEST IGNORED	CRM/AAM 2 RM	60499300
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	CDCS 2 DA RM	60485200
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	FORTRAN DBF RM	60482200
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	DDL 3 SUB SCHEM	60482000
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	FORTRAN DBF RM	60482200
426 OWNER AREA OF THE RESTRICTED RECORD WAS NOT SPECIFIED IN THE RELATION ENTRY (IN THE SCHEMA)	DDL 2 SUB SCHEM	60498500
427 A RELATIONAL OPERATOR MUST BE SPECIFIED	CDCS 2 DA RM	60485200
427 A RELATIONAL OPERATOR MUST BE SPECIFIED	DDL 3 SUB SCHEM	60482000
427 A RELATIONAL OPERATOR MUST BE SPECIFIED	DDL 2 SUB SCHEM	60498500
427 -DIRECTORY- COMMAND NEEDS THE -DISPLAY-/-EXTRACT- OPTION	QUERY UPDT 3 RM	60498300
427 GET, SEEK INVALID IN SEQ MODE	CRM/AAM 2 RM	60499300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
427 INVALID OR MISSING RELATIONAL OPERATOR	FORTRAN DBF RM	60482200
427 INVALID OR MISSING RELATIONAL OPERATOR	CDCS 2 DA RM	60485200
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	FORTRAN DBF RM	60482200
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	CDCS 2 DA RM	60485200
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	DDL 2 SUB SCHEM	60498500
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	DDL 3 SUB SCHEM	60482000
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	QUERY UPDT 3 RM	60498300
428 EXCEEDED FIELD LENGTH, INCREASE YOUR FIELD LENGTH	QUERY UPDT 3 RM	60498300
429 -LOOKUP- COMMAND NEEDS -DATABASE-/-FILES- OPTION SPECIFIED	FORTRAN DBF RM	60482200
429 -LOOKUP- COMMAND NEEDS -FIRST-/-ONLY- OPTION SPECIFIED	CDCS 2 DA RM	60485200
429 RECORD ENTRY parm WAS PREVIOUSLY SPECIFIED IN A RESTRICT CLAUSE	DDL 3 SUB SCHEM	60482000
429 RECORD ENTRY parm WAS PREVIOUSLY SPECIFIED IN A RESTRICT CLAUSE	DDL 2 SUB SCHEM	60498500
429 RECORD ENTRY parameter WAS PREVIOUSLY SPECIFIED IN RESTRICT CLAUSE	DATA CAT 2 RM	60483200
429 RECORD ENTRY parameter WAS PREVIOUSLY SPECIFIED IN RESTRICT CLAUSE	DATA CAT 2 RM	60483200
430 DEL FOR NON-EXISTING ENTRY	DATA CAT 2 RM	60483200
430 INCOMPLETE LIMIT CLAUSE	DATA CAT 2 RM	60483200
430 n INVALID FOR LANGUAGE USED	FORTRAN DBF RM	60482200
430 INVALID LOGICAL OPERATOR	CDCS 2 DA RM	60485200
430 INVALID LOGICAL OPERATOR	CDCS 2 DA RM	60485200
430 INVALID QUALIFIER NAME	DDL 3 SUB SCHEM	60482000
430 INVALID QUALIFIER NAME	DDL 2 SUB SCHEM	60498500
430 INVALID QUALIFIER NAME	QUERY UPDT 3 RM	60498300
430 KEYWORD MISSING IN DISPLAY/EXTRACT -WITH DIRECTORY- CLAUSE	IMF SCHEMA DEF.	60484400
430 MULTIPLE USAGE CLAUSES PER DATA ITEM NOT ALLOWED	DATA CAT 2 RM	60483200
430 REPORT/FILE SYNTAX ERROR	DATA CAT 2 RM	60483200
430 SELECT CARD INCOMPLETE/INCORRECT	FORTRAN DBF RM	60482200
431 NO END STATEMENT	CDCS 2 DA RM	60485200
431 NO END STATEMENT	DDL 3 SUB SCHEM	60482000
431 RELATION DIVISION TITLE IS INCORRECT	DDL 2 SUB SCHEM	60498500
431 RELATION DIVISION TITLE IS INCORRECT	CDCS 2 DA RM	60485200
431 RELATION DIVISON TITLE IS INCORRECT	IMF SCHEMA DEF.	60484400
431 USAGE OCCURS AT SEVERAL LEVELS IN GROUP ITEM	FORTRAN DBF RM	60482200
432 INVALID STATEMENT FOLLOWING END STATEMENT	CDCS 2 DA RM	60485200
432 INVALID STATEMENT FOLLOWING END STATEMENT	IMF SCHEMA DEF.	60484400
432 MULTIPLE PICTURE CLAUSES NOT ALLOWED	CDCS 2 DA RM	60485200
432 TITLE STATEMENT WAS NOT TERMINATED BY A PERIOD	DDL 3 SUB SCHEM	60482000
432 TITLE STATEMENT WAS NOT TERMINATED BY A PERIOD	DDL 2 SUB SCHEM	60498500
432 TITLE STATEMENT WAS NOT TERMINATED BY A PERIOD	IMF SCHEMA DEF.	60484400
433 P DENOTES NUMERIC PICTURE. X NOT ALLOWED	CDCS 2 DA RM	60485200
433 SKIPPING TO THE NEXT RESTRICT CLAUSE	DDL 3 SUB SCHEM	60482000
433 SKIPPING TO THE NEXT RESTRICT CLAUSE	DDL 2 SUB SCHEM	60498500
433 SKIPPING TO THE NEXT RESTRICT CLAUSE	FORTRAN DBF RM	60482200
433 SKIPPING TO THE NEXT RESTRICT STATEMENT	CDCS 2 DA RM	60485200
433 SKIPPING TO THE NEXT RESTRICT STATEMENT		

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
434	PICTURE CONTAINING P MUST CONTAIN ONE GROUP OF 9-S	IMF SCHEMA DEF.	60484400
434	RESTRICT CLAUSE FOUND	CDCS 2 DA RM	60485200
434	RESTRICT CLAUSE FOUND	DDL 3 SUB SCHEM	60482000
434	RESTRICT CLAUSE FOUND	DDL 2 SUB SCHEM	60498500
434	RESTRICT STATEMENT FOUND	FORTRAN DBF RM	60482200
434	RESTRICT STATEMENT FOUND	CDCS 2 DA RM	60485200
435	COULD NOT FIND ANY MORE RESTRICT CLAUSES FOR THE CURRENT RELATION ENTRY	CDCS 2 DA RM	60485200
435	COULD NOT FIND ANY MORE RESTRICT CLAUSES FOR THE CURRENT RELATION ENTRY	DDL 3 SUB SCHEM	60482000
435	COULD NOT FIND ANY MORE RESTRICT CLAUSES FOR THE CURRENT RELATION ENTRY	DDL 2 SUB SCHEM	60498500
435	COULD NOT FIND ANY MORE RESTRICT STATEMENTS FOR THE CURRENT RELATION ENTRY	FORTRAN DBF RM	60482200
435	COULD NOT FIND ANY MORE RESTRICT STATEMENTS FOR THE CURRENT RELATION ENTRY	CDCS 2 DA RM	60485200
435	request-type ILLEGAL REPORT/FILE	DATA CAT 2 RM	60483200
435	LAST OPTION FOLLOWED BY COMMA	DATA CAT 2 RM	60483200
435	PROGRAM TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
435	SHOW CATEGORY INVALID	DATA CAT 2 RM	60483200
435	SYNTAX-DEL TYPE ONLY ALLOWED FOR FUNC DEL	DATA CAT 2 RM	60483200
435	X DENOTES ALPHANUMERIC PICTURE. P NOT ALLOWED	IMF SCHEMA DEF.	60484400
436	parm IS AN INVALID SUBSCRIPT	FORTRAN DBF RM	60482200
436	parm IS AN INVALID SUBSCRIPT	CDCS 2 DA RM	60485200
436	parameter IS AN INVALID SUBSCRIPT	DDL 3 SUB SCHEM	60482000
436	parameter IS AN INVALID SUBSCRIPT	DDL 2 SUB SCHEM	60498500
436	PICTURE MAY NOT CONTAIN BOTH V AND P	IMF SCHEMA DEF.	60484400
437	EXCEEDED THE MAXIMUM NUMBER OF SUBSCRIPTS ALLOWED (3)	CDCS 2 DA RM	60485200
437	EXCEEDED THE MAXIMUM NUMBER OF SUBSCRIPTS ALLOWED (3)	DDL 3 SUB SCHEM	60482000
437	EXCEEDED THE MAXIMUM NUMBER OF SUBSCRIPTS ALLOWED (3)	DDL 2 SUB SCHEM	60498500
437	V DENOTES NUMERIC PICTURE. X NOT ALLOWED	IMF SCHEMA DEF.	60484400
438	S DENOTES NUMERIC PICTURE. X NOT ALLOWED	IMF SCHEMA DEF.	60484400
438	TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	FORTRAN DBF RM	60482200
438	TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	CDCS 2 DA RM	60485200
438	TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	DDL 3 SUB SCHEM	60482000
438	TERMINATING DELIMITER FOR SUBSCRIPT IS MISSING	DDL 2 SUB SCHEM	60498500
439	S MUST BE LEFTMOST SYMBOL IN NUMERIC PICTURE	IMF SCHEMA DEF.	60484400
439	THE SUBSCRIPT VALUE EXCEEDED THE OCCURS VALUE FOR parameter	CDCS 2 DA RM	60485200
439	THE SUBSCRIPT VALUE EXCEEDED THE OCCURS VALUE FOR parameter	DDL 3 SUB SCHEM	60482000
439	THE SUBSCRIPT VALUE EXCEEDED THE OCCURS VALUE FOR parameter	DDL 2 SUB SCHEM	60498500
439	THE SUBSCRIPT VALUE IS NOT WITHIN THE BOUNDS OF ARRAY DECLARATION	FORTRAN DBF RM	60482200
439	THE SUBSCRIPT VALUE IS NOT WITHIN THE BOUNDS OF ARRAY DECLARATION	CDCS 2 DA RM	60485200
440	CATALOGUE NAME NOT ON FILE	DATA CAT 2 RM	60483200
440	DELETE MUST BE WHEREUSED, USING, OR GLOBAL	DATA CAT 2 RM	60483200
440	DID NOT SPECIFY SUBSCRIPT FOR ARRAY parm	FORTRAN DBF RM	60482200
440	DID NOT SPECIFY SUBSCRIPT FOR ARRAY parm	CDCS 2 DA RM	60485200
440	DID NOT SPECIFY SUBSCRIPT FOR REPEATING ITEM parameter	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
440 DID NOT SPECIFY SUBSCRIPT FOR REPEATING ITEM parameter	DDL 3 SUB SCHEM	60482000
440 DID NOT SPECIFY SUBSCRIPT FOR REPEATING ITEM parameter	DDL 2 SUB SCHEM	60498500
440 INVALID OPTIONS CONTINUATION	DATA CAT 2 RM	60483200
440 LINE NUMBER MUST BE NUMERIC	DATA CAT 2 RM	60483200
440 SELECT TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
441 MAJOR KEY WITH SYMBOLIC KEYS ONLY	CRM/AAM 2 RM	60499300
441 MAXIMUM RELATION COUNT EXCEEDED	FORTRAN DBF RM	60482200
441 MAXIMUM RELATION COUNT EXCEEDED	CDCS 2 DA RM	60485200
441 MAXIMUM RELATION COUNT EXCEEDED	DDL 3 SUB SCHEM	60482000
441 MAXIMUM RELATION COUNT EXCEEDED	DDL 2 SUB SCHEM	60498500
441 X DENOTES ALPHANUMERIC PICTURE. V NOT ALLOWED	IMF SCHEMA DEF.	60484400
442 INVALID ACTUAL KEY - REQUEST IGNORED	CRM/AAM 2 RM	60499300
442 LEFT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
442 LEFT PARENTHESIS MISSING	CDCS 2 DA RM	60485200
442 V MAY OCCUR AT MOST ONCE IN NUMERIC PICTURE	IMF SCHEMA DEF.	60484400
443 PICTURE MAY CONTAIN ONLY ONE GROUP OF P-S	IMF SCHEMA DEF.	60484400
443 RIGHT PARENTHESIS MISSING	FORTRAN DBF RM	60482200
443 RIGHT PARENTHESIS MISSING	CDCS 2 DA RM	60485200
444 NEW KEY LESS THAN PREVIOUS KEY IN INITIAL CREATION	CRM/AAM 2 RM	60499300
445 ALIAS NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
445 CATALOGUE NAME IS RESERVED WORD	DATA CAT 2 RM	60483200
445 KEY NOT FOUND - FILE POSITION ALTERED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
445 MODULE CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
445 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
446 DUPLICATE KEY FOUND - FILE POSITION ALTERED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
446 REPETITION FACTOR MUST NOT IMMEDIATELY FOLLOW S	IMF SCHEMA DEF.	60484400
447 KEY ADDRESS NOT SPECIFIED - REQUEST IGNORED	CRM/AAM 2 RM	60499300
447 REPETITION FACTOR MUST NOT IMMEDIATELY FOLLOW V	IMF SCHEMA DEF.	60484400
448 ITEM DESCRIPTION MUST FOLLOW KEYWORD -PICTURE-	IMF SCHEMA DEF.	60484400
450 NO DATANAME FOR SELECT CARD	DATA CAT 2 RM	60483200
450 n NUMERIC VALUE TOO LARGE	DATA CAT 2 RM	60483200
450 TITLE VALUE INVALID	DATA CAT 2 RM	60483200
450 VERSION NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
452 FILE POSITIONING ERROR	CRM/AAM 2 RM	60499300
455 ALIAS/VERSION QUERY MUST USE-OF	DATA CAT 2 RM	60483200
455 NO COMMAND SPECIFIED	DATA CAT 2 RM	60483200
455 RENAMES TABLE EXCEEDS LIMIT	DATA CAT 2 RM	60483200
457 DUPLICATE RECORD NAME..param	IMF SCHEMA DEF.	60484400
458 INTERNAL ERROR. DUPLICATE RECORD NAME IN GENSUB..param	IMF SCHEMA DEF.	60484400
460 FIELD NAME INVALID	DATA CAT 2 RM	60483200
460 ILLEGAL LEVEL NUMBER	DATA CAT 2 RM	60483200
460 INVALID OPTION SYNTAX	DATA CAT 2 RM	60483200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
460 NO RECORD OR FILE NAMED FOR SELECT	DATA CAT 2 RM	60483200
461 CORRESPONDING SENTENCE DOES NOT CONTAIN ROLE..param	IMF SCHEMA DEF.	60484400
462 CORRESPONDING RECORD DOES NOT CONTAIN ITEM..param	IMF SCHEMA DEF.	60484400
465 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
465 INVALID PICTURE CLAUSE..param	IMF SCHEMA DEF.	60484400
465 INVALID WITH CLAUSE SYNTAX	DATA CAT 2 RM	60483200
465 catname NOT ON FILE	DATA CAT 2 RM	60483200
465 OPTION keyword HAS NO VALUE	DATA CAT 2 RM	60483200
466 INVALID CHARACTER IN PICTURE CLAUSE..param	IMF SCHEMA DEF.	60484400
470 ALPHA VALUE MISSING QUOTE	DATA CAT 2 RM	60483200
470 DUPLICATE ROLE NAME..param	IMF SCHEMA DEF.	60484400
470 keyword INVALID FOR REQUEST	DATA CAT 2 RM	60483200
470 RECORD OR FILE MUST BE SELECTED	DATA CAT 2 RM	60483200
470 TOO MANY CONTINUATION STATEMENTS	DATA CAT 2 RM	60483200
472 DUPLICATE CONSTRAINT NAME..param	IMF SCHEMA DEF.	60484400
475 FIELD VALUE MUST BE NUMERIC	DATA CAT 2 RM	60483200
475 keyword OPTION VALUE INVALID	DATA CAT 2 RM	60483200
475 RENAME CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
477 SENTENCE DOES NOT CONTAIN THE FOLLOWING ROLE NAME..param	IMF SCHEMA DEF.	60484400
480 FIELD VALUE TOO LONG	DATA CAT 2 RM	60483200
480 ILLEGAL LINE NUMBER	DATA CAT 2 RM	60483200
480 INVALID DATA BASE SELECT COMMAND	DATA CAT 2 RM	60483200
481 CORRESPONDING ROLES DO NOT HAVE SAME OBJECT TYPE	IMF SCHEMA DEF.	60484400
482 DUPLICATE CONCEPTUAL SCHEMA NAME..param	IMF SCHEMA DEF.	60484400
484 DUPLICATE FILE NAME..param	IMF SCHEMA DEF.	60484400
485 CREATE CARD INCOMPLETE/INCORRECT	DATA CAT 2 RM	60483200
485 FIRST WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
485 SELECT MUST BE FOR DATA BASE ENTITY	DATA CAT 2 RM	60483200
485 TOO MANY OPTION CONTINUATIONS	DATA CAT 2 RM	60483200
486 DUPLICATE SENTENCE NAME..param	IMF SCHEMA DEF.	60484400
487 UNKNOWN FILE NAME..param	IMF SCHEMA DEF.	60484400
490 v INVALID FOR n	DATA CAT 2 RM	60483200
490 SECOND WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
490 TRUNCATION OCCURRED IN PICTURE/VALUE ABOVE	DATA CAT 2 RM	60483200
494 DUPLICATE ACCESS PATH..param	IMF SCHEMA DEF.	60484400
495 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
495 program-name NOT ON FILE	DATA CAT 2 RM	60483200
495 THIRD WITH SECOND CLAUSE INVALID	DATA CAT 2 RM	60483200
0500 A PROGRAMMER-NAMED CONDITION HAS BEEN SINGALED	PL/I RM	60388100
500 ENTRY WITH CATALOGUE NAME OF FILLER BYPASSED	DATA CAT 2 RM	60483200
500 catname HAS NO DATA	DATA CAT 2 RM	60483200
500 INVALID CONSTRAINT NAME	CDCS 2 DA RM	60485200

MESSAGE

500 INVALID CONSTRAINT NAME
500 INVALID HAVING CLAUSE SYNTAX
0500 OVERLAY - CAPSULE DIRECTIVES INCOMPATIBLE
500 SELECT STATEMENT IN ERROR WAS n
500 SYNTAX-NO CATEGORY HEADER
0501 CAPSULE DIRECTIVES NOT ALL AT BEGINNING OF FIRST LOAD FILE
501 CONSTRAINT NAME NOT UNIQUE
501 CONSTRAINT NAME NOT UNIQUE
501 INDEX FILE NOT COMPATIBLE WITH CRM FILE
0502 CAPSULE DIRECTIVES DISALLOWED IN USER-CALL LOAD
502 CIO ERROR nnn OCCURRED DURING REWIND OF FILE fn
502 CONSTRAINT DATA ITEM NOT A PRIMARY OR ALTERNATE KEY
502 CONSTRAINT DATA ITEM NOT A PRIMARY OR ALTERNATE KEY
502 INTERNAL ERROR. MODIFY FAILED
502 SPECIFIED KEY NOT DEFINED
503 CIO ERROR nnn OCCURRED WHILE WRITING TO FILE fn
503 CONSTRAINT DATA ITEMS DIFFER IN CHARACTERISTICS
503 CONSTRAINT DATA ITEMS DIFFER IN CHARACTERISTICS
503 DUPLICATE ALTERNATE KEY ERROR
0503 ECS TEXT DISALLOWED IN CAPSULES OR OVCAPS
503 EXTERNAL SCHEMA INITIALIZED BY INCOMPATIBLE VERSION OF IMF
503 INTERNAL ERROR. NO MAIN FOR SENTENCE IN SDLRTN
504 c n - I EXPECTED A PASSWORD LITERAL FOLLOWING c
0504 NON-STANDARD RELOCATION AT ADDRESS address
504 PFM ERROR ec OCCURRED WHILE EXTENDING FILE fn
504 RESERVED WORD DEPENDS MISSING
504 RESERVED WORD DEPENDS MISSING
504 SEQUENTIAL OPERATION BEYOND EOI ATTEMPTED
504 UPPER KEY IS UNIQUE. LOWER KEY NOT ALLOWED
505 CYCLE DETECTED IN CONSTRAINTS
0505 ENCAPSULATION NOT TERMINATED BY NOGO
505 ERROR IN RMKDEF PARAMETER
505 INTERNAL ERROR a TRYING TO OPEN THE EXTERNAL SCHEMA
505 INVALID SELECT SYNTAX
505 INVALID WHICH-USE ENTRY TYPE RANGE
505 PFM ERR ec OCCURRED WHILE ATTACHING FILE fn
505 UNKNOWN CATEGORY
506 ALTERNATE KEY NOT FOUND
506 CONSTRAINT DATA ITEM (PARENT) CANNOT HAVE DUPLICATE VALUES
506 CONSTRAINT DATA ITEM (PARENT) CANNOT HAVE DUPLICATE VALUES
506 CRM ERROR nnn OCCURRED DURING THE OPEN OF FILE fn
0506 ENCAPSULATION AND NO CAPSULES SPECIFIED

<u>MANUAL</u>	<u>PUB. NO.</u>
DDL 3 SCHEMA	60481900
DATA CAT 2 RM	60483200
LOADER 1 RM	60429800
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CRM/AAM 2 RM	60499300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
IMF SCHEMA DEF.	60484400
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CRM/AAM 2 RM	60499300
LOADER 1 RM	60429800
QUERY UPDT 3 RM	60498300
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CRM/AAM 2 RM	60499300
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
LOADER 1 RM	60429800
CRM/AAM 2 RM	60499300
QUERY UPDT 3 RM	60498300
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
CDCS 2 DA RM	60485200
DATA CAT 2 RM	60483200
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CDCS 2 DA RM	60485200
LOADER 1 RM	60429800

MESSAGE

506 I DO NOT FIND ANY a BY THE NAME a
507 ***AAM MALFUNCTION n***
0507 CAPSULE WITH NO ENTRY POINTS
507 CONSTRAINT NAME LONGER THAN 30 CHARACTERS - NAME TRUNCATED
507 CONSTRAINT NAME LONGER THAN 30 CHARACTERS - NAME TRUNCATED
507 CRM ERROR nnn OCCURRED WHILE WRITING TO FILE fn
507 INTERNAL ERROR. DELETE FAILED
508 CRM ERROR nnn OCCURRED DURING THE CLOSE OF FILE fn
508 DBI IN ABOVE CONSTRAINT CANNOT DEPEND ON ITSELF
508 DBI IN ABOVE CONSTRAINT CANNOT DEPEND ON ITSELF
509 CID ERROR nnn OCCURRED WHILE READING FILE fn
509 -c- IS ONE ENTRY TOO MANY
510 CATEGORY NOT VALID FOR ENTRY
510 ENTRY TYPE CANNOT USE NAMED ENTRY
510 IMF ERROR CODE o, a a, TRYING TO a YOUR RECORD
510 INTERNAL ERROR IN MIP 1.X
510 JOURNAL LOG FILE fn CAN NOT BE DUMPED -- STATUS IS *INACTIVE*
510 TOO MANY SELECT STATEMENTS
511 ERROR NUMBER o WHILE PROCESSING ENTRY NUMBER o
511 NO MD JOB INFO SPECIFIED FOR SCHEMA sn
511 RMKDEF ONLY AFTER OPEN-NEW - IGNORED
512 CRM DATA FILE MODIFICATIONS ILLEGAL WITH NDX=YES
512 ERROR nnn OCCURRED ON THE REQUEST OF THE JOURNAL LOG FILE DUMP FILE
512 INTERNAL ERROR TRYING TO PROCESS DIRECTIVE a
513 MANAGED MEMORY OVERFLOW -- DBREC ABORTED
513 NAME EXPECTED AFTER c INSTEAD OF n
514 DATA-NAMES OR EXPRESSIONS MUST FOLLOW THE DIRECTIVE
514 ERROR nnn OCCURRED ON THE LABEL OF JOURNAL LOG FILE DUMP FILE
515 ENTRY TYPE NOT USED-BY NAMED ENTRY
515 NO INDEX FILE SPECIFIED
515 SYNTAX-UNKNOWN KEYWORD IN CATEGORY HEADER
515 TOO MANY SELECT CONTINUATIONS
519 KEYWORD -LIBRARY- OR -METADB- MUST FOLLOW -IN- OR -FROM-
520 ALIAS/VERSION SELECT MUST USE-OF
520 CATEGORY CANNOT BE DELETED
520 CHANGED KEY TYPE
520 DUPLICATE COSET NAME..param
520 INVALID USED-BY ENTRY TYPE RANGE
520 METABASE PERMANENT FILE CONNOT BE ATTACHED
0520 OVCAP DIRECTIVE ILLEGAL IF NOT IN OVERLAY GENERATION
0520 SUBSCRIPTRANGE
521 CHANGED KEY SIZE

<u>MANUAL</u>	<u>PUB. NO.</u>
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
LOADER 1 RM	60429800
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CDCS 2 DA RM	60485200
IMF SCHEMA DEF.	60484400
CDCS 2 DA RM	60485200
CDCS 2 DA RM	60485200
DDL 3 SCHEMA	60481900
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
QUERY UPDT 3 RM	60498300
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
DATA CAT 2 RM	60483200
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
CRM/AAM 2 RM	60499300
CRM/AAM 2 RM	60499300
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200
DATA CAT 2 RM	60483200
CRM/AAM 2 RM	60499300
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
QUERY UPDT 3 RM	60498300
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
CRM/AAM 2 RM	60499300
IMF SCHEMA DEF.	60484400
DATA CAT 2 RM	60483200
QUERY UPDT 3 RM	60498300
LOADER 1 RM	60429800
PL/I RM	60388100
CRM/AAM 2 RM	60499300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
0521 OVERLAY DIRECTIVE FOLLOWING OVCAP DIRECTIVE MUST SPECIFY (O,O) LEVEL	LOADER 1 RM	60429800
0521 SUBSCRIPTRANGE (IN EXECUTION OF IN-LINE CODE)	PL/I RM	60388100
521 THE CONCEPTUAL SCHEMA HAS NOT BEEN CORRECTLY INITIALIZED	QUERY UPDT 3 RM	60498300
521 THE EXTERNAL SCHEMA DOES NOT CONTAIN THE RECORD..param	IMF SCHEMA DEF.	60484400
521 THE EXTERNAL SCHEMA DOES NOT CONTAIN THE RECORD..param	IMF 1 AP RM	60484500
522 KEY TYPE INCORRECT	CRM/AAM 2 RM	60499300
0522 SUBSCRIPTRANGE (HIGH)	PL/I RM	60388100
522 THE EXTERNAL SCHEMA HAS NOT BEEN CORRECTLY INITIALIZED	QUERY UPDT 3 RM	60498300
523 NO KEY DEFINED	CRM/AAM 2 RM	60499300
0523 SUBSCRIPTRANGE (LOW)	PL/I RM	60388100
523 THE CONCEPTUAL SCHEMA CANNOT BE FOUND	QUERY UPDT 3 RM	60498300
524 KEY SIZE ILLEGAL	CRM/AAM 2 RM	60499300
524 THE EXTERNAL SCHEMA CANNOT BE FOUND	QUERY UPDT 3 RM	60498300
525 ALIAS/VERSION INVALID FOR REQUEST	DATA CAT 2 RM	60483200
525 CATEGORY DOES NOT EXIST IN ENTRY	DATA CAT 2 RM	60483200
525 ENTRY TYPE RANGE INVALID	DATA CAT 2 RM	60483200
525 catname IS NOT A GROUP OR ELEMENT ENTITY	DATA CAT 2 RM	60483200
525 MAJOR KEY SIZE ILLEGAL	CRM/AAM 2 RM	60499300
0525 OVCAP BINARY NOT STATICALLY LOADABLE	LOADER 1 RM	60429800
525 THE PRIVACY KEY YOU SUPPLIED IS NOT THE RIGHT ONE	QUERY UPDT 3 RM	60498300
526 HASHED KEY OUTSIDE HOME BLOCK AREA	CRM/AAM 2 RM	60499300
0526 OVCAP DIRECTIVE ILLEGAL IN USER-CALL LOAD	LOADER 1 RM	60429800
526 THE METABASE DOES NOT APPEAR TO BE CORRECT	QUERY UPDT 3 RM	60498300
527 ATTEMPT TO REDEFINE SPARSE CONTROL CHARACTER	CRM/AAM 2 RM	60499300
527 I COULD NOT a YOUR RECORD BECAUSE OF CONSTRAINT o	QUERY UPDT 3 RM	60498300
528 THE NAVIGATION ROUTE LOOPS AT RECORD a	QUERY UPDT 3 RM	60498300
529 THE NAVIGATION ROUTE DOES NOT BATCH A RECORD	QUERY UPDT 3 RM	60498300
530 ALIAS NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
530 DELETE ONLY ALLOWED FOR FUNC CHG	DATA CAT 2 RM	60483200
530 catname IS NOT A RECORD ENTITY	DATA CAT 2 RM	60483200
530 PADDING FACTOR OUT OF RANGE	CRM/AAM 2 RM	60499300
530 THE NAVIGATION ROUTE HAS A GAP AT RECORD a	QUERY UPDT 3 RM	60498300
531 APPROPRIATE PERMISSION TO PROCESS RECORD a NOT GRANTED	QUERY UPDT 3 RM	60498300
532 FILE ALREADY EXISTS, CANNOT OPEN-NEW	CRM/AAM 2 RM	60499300
532 THE a DIRECTIVE REFERENCES MORE THAN ONE RECORD TYPE	QUERY UPDT 3 RM	60498300
533 THE SEARCE KEY c IS BEYOND THE 60TH ITEM	QUERY UPDT 3 RM	60498300
534 MRL EXCEEDS MAX ALLOWED RECORD SIZE	CRM/AAM 2 RM	60499300
535 NAME RANGE INVALID	DATA CAT 2 RM	60483200
535 NO DECOMPRESSION ROUTINE SUPPLIED	CRM/AAM 2 RM	60499300
535 THE NAMES AFTER -USING- DO NOT MAKE UP AN ACCESS PATH	QUERY UPDT 3 RM	60498300
535 VERSION NOT VALID FOR NAMED ENTRY	DATA CAT 2 RM	60483200
536 IMF MUST BE INVOKED IN ORDER TO EXECUTE CURRENT DIRECTIVE	QUERY UPDT 3 RM	60498300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
536 NO OR WRONG COMPRESSION ROUTINE SUPPLIED	CRM/AAM 2 RM	60499300
537 -KEY- OPTION ILLEGAL WHEN ENTERING CRM/CDCS DATABASE MODE	QUERY UPDT 3 RM	60498300
538 THE QU/IMF INTERFACE IS NOT AVAILABLE	QUERY UPDT 3 RM	60498300
539 THIS DIRECTIVE NOT SUPPORTED FOR IMF INFORMATION BASE ITEMS	QUERY UPDT 3 RM	60498300
540 DEFAULT VALUES USED TO CREATE PICTURE BELOW	DATA CAT 2 RM	60483200
540 ENTRY RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
540 FIFO KEY SUBSTRUCTURE NOT ALLOWED IN REPEATING GROUPS	CRM/AAM 2 RM	60499300
540 INVOKE DISALLOWED. INCOMPATIBLE VERSION OF IMF	QUERY UPDT 3 RM	60498300
540 NAME RANGE INVALID	DATA CAT 2 RM	60483200
541 PURGE ILLEGAL - SPECIFIED ALT KEY NOT KNOWN	CRM/AAM 2 RM	60499300
542 INFOBASE IS INVALID DUE TO INVALID CONSTRAINTS	QUERY UPDT 3 RM	60498300
542 NEW KEYDEF MATCHES ONE ALREADY KNOWN - KEYDEF REJECTED	CRM/AAM 2 RM	60499300
543 REPAIR MODE INVALID FOR VALID INFOBASE	QUERY UPDT 3 RM	60498300
544 -FOR REPAIR- IS INVALID FOR CRM/CDCS -INVOKE-	QUERY UPDT 3 RM	60498300
544 PADDING REQUESTED TOO LARGE	CRM/AAM 2 RM	60499300
545 CANT OPEN NEW FOR INPUT	CRM/AAM 2 RM	60499300
545 GROUP-LENGTH CANNOT BE CALCULATED	DATA CAT 2 RM	60483200
545 INVALID COMMAND SYNTAX	DATA CAT 2 RM	60483200
545 NAME RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
545 ON AN -INVOKE-, THE KEYWORD -REPAIR- MUST FOLLOW -FOR-	QUERY UPDT 3 RM	60498300
546 PRIMARY KEY NOT FOUND	CRM/AAM 2 RM	60499300
547 BAD STRUCTURE FOUND IN FILE	CRM/AAM 2 RM	60499300
550 CANNOT COMPRESS - KEY POSITION INVALID	CRM/AAM 2 RM	60499300
550 ENTRY TYPE RANGE INVALID	DATA CAT 2 RM	60483200
550 EXCESS COMMAND WORDS	DATA CAT 2 RM	60483200
550 GROUP LEVEL EXCEEDS LIMIT	DATA CAT 2 RM	60483200
550 MAST3 READ CLIENT RECORD	DATA CAT 2 RM	60483200
551 REL MUST BE EQ, GT, OR GE	CRM/AAM 2 RM	60499300
552 NO DATA FILE PROCESSING PERMITTED - FILE OPENED FOR INDEX ONLY	CRM/AAM 2 RM	60499300
553 OVERFLOW RECORD NOT FOUND - FILE BAD	CRM/AAM 2 RM	60499300
554 PROCESSING REQUIRES READ, EXTEND, AND MODIFY PERMISSIONS	CRM/AAM 2 RM	60499300
555 ENTRY RANGE MUST BE ASCENDING	DATA CAT 2 RM	60483200
555 INDEX FILE NONEXISTENT	CRM/AAM 2 RM	60499300
555 INPUT IGNORED UNTIL NEXT FUNCTION	DATA CAT 2 RM	60483200
556 OPEN FAILURE	CRM/AAM 2 RM	60499300
560 DEFAULT VALUES USED TO CREATE DEFINITION BELOW	DATA CAT 2 RM	60483200
560 INVALID HIERARCHY ENTRY RANGE	DATA CAT 2 RM	60483200
560 NO INPUT SUBMITTED	DATA CAT 2 RM	60483200
565 INVALID USAGE ENTRY RANGE	DATA CAT 2 RM	60483200
570 ENTRY TYPE CANNOT USE NAMED ENTRY	DATA CAT 2 RM	60483200
575 ENTRY TYPE NOT USED BY NAMED ENTRY	DATA CAT 2 RM	60483200
580 ALPHA VALUE MISSING QUOTE	DATA CAT 2 RM	60483200

MESSAGE

580 DEFINITION NOT GENERATED FOR catname
585 DEFAULT FORMAT USED TO CREATE DEFINITION BELOW
585 FIELD NAME INVALID
585 PRINTER DIRECTIVE FOR NON-585 CONNECTION
590 FIELD VALUE TOO LONG
590 LENGTH INVALID FOR FORMAT
595 FIELD VALUE MUST BE NUMERIC
595 INITIAL VALUE INVALID FOR FORMAT
598 EXCEEDED LIMIT OF 20 SYMBOLS IN PICTURE
600 - CHECKSUM MINMATCH SUBSCHEMA ssn
600 - CHECKSUM MISMATCH SUBSCHEMA ssn
600 - CHECKSUM MISMATCH SUBSCHEMA ssn
0600 CONVERSION (INTERNAL) (SIGNALLED)
600 EMPTY INPUT FILE
600 EMPTY INPUT FILE
600 catname HAS NO STRUCTURE
600 INVALID WITH CLAUSE SYNTAX
600 NO LINE FOUND FOR LAST CATEGORY
600 SOURCE DATA CONVERSION ERROR d FROM a PAGE LINE d
600 SUBSCHEMA COMPILATION DATA/NAME INVALID
601 CONVERSION ERROR EXCEEDS LIMIT
0601 CONVERSION (I/O)
601 KEYWORD -SCHEMA- MISSING. INSTEAD FOUND..param
601 SCHEMA DIRECTORY OPEN ABORT
601 - VIOLATION OF CONSTRAINT cn ON op OF RECORD rn
601 - VIOLATION OF CONSTRAINT cn ON op OF RECORD rn
601 - VIOLATION OF CONSTRAINT cn ON op OF RECORD rn
602 - CRM ERROR nnn ON AREA an (vn) IN CONSTRAINT PROCESSING
602 - CRM ERROR nnn ON AREA an (vn) IN CONSTRAINT PROCESSING
602 - CRM ERROR ON AREA an IN CONSTRAINTS PROCESSING
602 INVALID CONCEPTUAL SCHEMA NAME..param
602 SOURCE FILE NOT CLOSED BEFORE REPRDT GENERATION
602 SUBSCHEMA DIRECTORY OPEN ABORT
603 FIELD OVERLAP IN PAGE BUILD, INDICATED BY STARS
603 INVALID RECORD NAME..param
603 - LOCKED RECORD/AREA--REQUEST NOT PROCESSED
603 - LOCKED RECORD/AREA--REQUEST NOT PROCESSED
603 - LOCKED RECORD/AREA -- REQUEST NOT PROCESSED
603 SCHEMA DIRECTORY CONTENTS INVALID
0604 CONVERSION (ERROR IN F-FORMAT INPUT) (I/O)
604 OVERLAPPING FIELD WILL BE TRUNCATED IN DETAIL d
604 - PF WAIT ON AREA an (vn)

<u>MANUAL</u>	<u>PUB. NO.</u>
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
NOS 2 OPER HB	60459310
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
IMF SCHEMA DEF.	60484400
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
PL/I RM	60388100
IMF SCHEMA DEF.	60484400
IMF 1 AP RM	60484500
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
DATA CAT 2 RM	60483200
QUERY UPDT 3 RM	60498300
CDCS 1 RM	60498700
QUERY UPDT 3 RM	60498300
PL/I RM	60388100
IMF SCHEMA DEF.	60484400
CDCS 1 RM	60498700
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
IMF SCHEMA DEF.	60484400
QUERY UPDT 3 RM	60498300
CDCS 1 RM	60498700
QUERY UPDT 3 RM	60498300
IMF 1 AP RM	60484500
CDCS 2 DA RM	60485200
CDCS 2 AP RM	60485300
CDCS 2 RM	60481800
CDCS 1 RM	60498700
PL/I RM	60388100
QUERY UPDT 3 RM	60498300
CDCS 2 DA RM	60485200

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
604 - PF WAIT ON AREA an (vn)	CDCS 2 AP RM	60485300
604 - PF WAIT ON AREA an	CDCS 2 RM	60481800
604 SUBSCHEMA DIRECTORY CONTENTS INVALID	CDCS 1 RM	60498700
605 INSUFFICIENT FL FOR EXECUTION	CDCS 1 RM	60498700
605 INVALID HAVING CLAUSE SYNTAX	DATA CAT 2 RM	60483200
605 LINE NUMBER NOT NUMERIC	DATA CAT 2 RM	60483200
605 OVERLAPPING FIELD WILL BE TRUNCATED IN HEADING d	QUERY UPDT 3 RM	60498300
605 SUBSYSTEM ERROR -- ABSENT OR UNKNOWN	CDCS 2 RM	60481800
606 OVERLAPPING FIELD WILL BE TRUNCATED IN FOOTING d	QUERY UPDT 3 RM	60498300
606 - VERSION vn NOT IN SCHEMA sn	CDCS 2 DA RM	60485200
606 - VERSION vn NOT IN SCHEMA sn	CDCS 2 AP RM	60485300
607 - AREA an (vn) IS NOT OPEN FOR I-O, op IS NOT ALLOWED	CDCS 2 DA RM	60485200
607 - AREA an (vn) IS NOT OPEN FOR I-O, op IS NOT ALLOWED	CDCS 2 AP RM	60485300
607 - AREA an IS NOT OPEN FOR I-O, op IS NOT ALLOWED	CDCS 2 RM	60481800
0607 CONVERSION (ERROR IN E-FORMAT INPUT) (I/O)	PL/I RM	60388100
607 CRM ERROR xx ON SCHEMA ACCESS	CDCS 1 RM	60498700
607 OVERLAPPING FIELD WILL BE TRUNCATED IN TITLE	QUERY UPDT 3 RM	60498300
608 OVERLAPPING FIELD WILL BE TRUNCATED IN RECAP	QUERY UPDT 3 RM	60498300
609 OVERLAPPING FIELD WILL BE TRUNCATED IN DETAIL	QUERY UPDT 3 RM	60498300
0610 CONVERSION (ERROR IN B-FORMAT INPUT) (I/O)	PL/I RM	60388100
610 CRM ERROR xx ON SUBSCHEMA ACCESS	CDCS 1 RM	60498700
610 FIRST WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
610 - FOR AREA an (vn), KEY OF PRIOR READ MUST MATCH KEY ON op	CDCS 2 DA RM	60485200
610 - FOR AREA an (vn), KEY OF PRIOR READ MUST MATCH KEY ON op	CDCS 2 AP RM	60485300
610 - FOR AREA an, KEY OF PRIOR READ MUST MATCH KEY ON op	CDCS 2 RM	60481800
610 INTEGER ITEM SUBSCRIPT OUT OF BOUND	QUERY UPDT 3 RM	60498300
610 INVALID COSET NAME..param	IMF SCHEMA DEF.	60484400
610 INVALID COSET NAME..param	IMF 1 AP RM	60484500
610 SYNTAX-LINE NUMBER NOT FOLLOWED BY SPACE	DATA CAT 2 RM	60483200
611 ENTRY NAME NOT FOUND IN SCHEMA	CDCS 1 RM	60498700
611 KEYWORD -OWNER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
611 - SCHEMA sn NOT IN MASTER DIRECTORY	CDCS 2 DA RM	60485200
611 - SCHEMA sn NOT IN MASTER DIRECTORY	CDCS 2 AP RM	60485300
611 - SCHEMA sn NOT IN MASTER DIRECTORY	CDCS 2 RM	60481800
611 SYSTEM ERR-DTLBIT TBL OVERFLOW IN PAGE	QUERY UPDT 3 RM	60498300
0612 CONVERSION (CHARACTER STRING TO ARITHMETIC)	PL/I RM	60388100
612 INVALID RECORD NAME IN OWNER/MEMBER CLAUSE..param	IMF SCHEMA DEF.	60484400
612 - PF WAIT ON PROCEDURE LIBRARY	CDCS 2 RM	60481800
612 - RESTART ID xxxxxxxxxx DOES NOT MATCH ID PREVIOUSLY ASSIGNED BY CDCS	CDCS 2 DA RM	60485200
612 - RESTART ID xxxxxxxxxx DOES NOT MATCH ID PREVIOUSLY ASSIGNED BY CDCS	CDCS 2 AP RM	60485300
612 WARNING - MORE THAN 1 DETAIL FORMAT IN BLOCK WITH ONCE	QUERY UPDT 3 RM	60498300
613 - AREA an NOT CLOSED BEFORE VERSION CHANGE	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
613 - AREA an NOT CLOSED BEFORE VERSION CHANGE	CDCS 2 AP RM	60485300
0613 CONVERSION (CHARACTER STRING TO ARITHMETIC) (I/O)	PL/I RM	60388100
613 DATA-NAME (ALL) EXCEEDS SECTION WIDTH. LINE TRUNCATED	QUERY UPDT 3 RM	60498300
613 KEYWORD -MEMBER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
613 LOADER ERROR xx DURING INVOKE	CDCS 1 RM	60498700
614 SPECIFIED a CAUSES FIELD TO EXTEND BEYOND PAGE SIZE	QUERY UPDT 3 RM	60498300
614 - SUBPROG SCHEMA/SUBSCHEMA NOT IDENTICAL TO MAIN PROGRAM	CDCS 2 DA RM	60485200
614 - SUBPROG SCHEMA/SUBSCHEMA NOT IDENTICAL TO MAIN PROGRAM	CDCS 2 AP RM	60485300
614 - SUBPROG SCHEMA/SUBSCHEMA NOT IDENTICAL TO MAIN PROGRAM	CDCS 2 RM	60481800
614 SUBPROG USED DIFFERENT SUBSCHEMA	CDCS 1 RM	60498700
0615 CONVERSION (CHARACTER STRING TO BIT STRING)	PL/I RM	60388100
615 LINE NUMBER OUT OF SEQUENCE	DATA CAT 2 RM	60483200
615 - LOCK MUST BE SET BEFORE READ ON AREA an (vn)	CDCS 2 DA RM	60485200
615 - LOCK MUST BE SET BEFORE READ ON AREA an (vn)	CDCS 2 AP RM	60485300
615 - LOCK MUST BE SET BEFORE READ ON AREA an	CDCS 2 RM	60481800
615 PAGE SIZE TOO NARROW FOR DEFAULT POSITION OF a IGNORED	QUERY UPDT 3 RM	60498300
615 SECOND WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
615 SUBPROG I/O MUST BE SUBSET OF MAIN I/O	CDCS 1 RM	60498700
0616 CONVERSION (CHARACTER STRING TO BIT STRING)(I/O)	PL/I RM	60388100
616 a EXTENDS BEYOND PAGE LENGTH	QUERY UPDT 3 RM	60498300
616 - OUTSTANDING FATAL ERROR ON AREA an (vn)	CDCS 2 DA RM	60485200
616 - OUTSTANDING FATAL ERROR ON AREA an (vn)	CDCS 2 AP RM	60485300
616 - OUTSTANDING FATAL ERROR ON AREA an	CDCS 2 RM	60481800
616 SUBPROG RELATIONS MUST BE SUBSET OF MAIN PGM RELATIONS	CDCS 1 RM	60498700
617 DATANAMES REFERENCED BY RELATION RESTRICTS MUST BE IN COMMON STORAGE	CDCS 1 RM	60498700
617 -c- INVOLVES AREA-ITEM	QUERY UPDT 3 RM	60498300
617 KEYWORD -EQUAL- MISSING	IMF SCHEMA DEF.	60484400
617 - NO VERSION CURRENTLY ATTACHED	CDCS 2 DA RM	60485200
617 - NO VERSION CURRENTLY ATTACHED	CDCS 2 AP RM	60485300
0618 CONVERSION (CHARACTER TO PICTURE)	PL/I RM	60388100
618 DETAIL WITH MULTIPLE -AT LINE- INVALID WITH VERTICAL SECTIONS	QUERY UPDT 3 RM	60498300
618 INVALID ACCESS PATH NAME..param	IMF SCHEMA DEF.	60484400
619 CONDITION IN FOLLOWING RPT DIRECTIVE INVOLVES AN AREA ITEM	QUERY UPDT 3 RM	60498300
0619 CONVERSION (CHARACTER TO PICTURE) (I/O)	PL/I RM	60388100
620 - CDCS TRANSACTION UPDATE NOT IN EFFECT sn	CDCS 2 DA RM	60485200
620 - CDCS TRANSACTION UPDATE NOT IN EFFECT sn	CDCS 2 AP RM	60485300
620 END OF FILE DURING LINE CONTINUATION	DATA CAT 2 RM	60483200
620 INCOMPATIBLE SUBSCHEMA - PLEASE RECOMPILE	CDCS 1 RM	60498700
620 THIRD WITH SEARCH CLAUSE INVALID	DATA CAT 2 RM	60483200
620 TOO MANY NESTED PREFACE-SUMMARY ENTRIES	QUERY UPDT 3 RM	60498300
621 - CDCS TRANSACTION IDENTIFIER NON-BLANK	CDCS 2 DA RM	60485200
621 - CDCS TRANSACTION IDENTIFIER NON-BLANK	CDCS 2 AP RM	60485300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
621 KEYWORD -SEARCH- MISSING.	IMF SCHEMA DEF.	60484400
0622 CONVERSION (P-FORMAT INPUT - DECIMAL) (I/O)	PL/I RM	60388100
622 - MAXIMUM NUMBER CDCS BEGIN/ COMMIT SEQUENCES EXCEEDED	CDCS 2 DA RM	60485200
622 - MAXIMUM NUMBER CDCS BEGIN/ COMMIT SEQUENCES EXCEEDED	CDCS 2 AP RM	60485300
622 NO ITEM NAMES ARE SPECIFIED FOR THE SEARCH KEY	IMF SCHEMA DEF.	60484400
623 - NO OUTSTANDING CDCS BEGIN TRANSACTION REQUEST	CDCS 2 DA RM	60485200
623 - NO OUTSTANDING CDCS BEGIN TRANSACTION REQUEST	CDCS 2 AP RM	60485300
0625 CONVERSION (P-FORMAT INPUT - CHARACTER) (I/O)	PL/I RM	60388100
625 - REQUEST rq NOT ALLOWED IN CDCS BEGIN/COMMIT SEQUENCE	CDCS 2 DA RM	60485200
625 - REQUEST rq NOT ALLOWED IN CDCS BEGIN/COMMIT SEQUENCE	CDCS 2 AP RM	60485300
625 SELECT REFERS TO MISSING OUTPUT	DATA CAT 2 RM	60483200
625 SYNTAX-THRU MISSING ON LINE DELETE RANGE	DATA CAT 2 RM	60483200
626 - ILLEGAL AREA NAME	CDCS 2 DA RM	60485200
626 - ILLEGAL AREA NAME	CDCS 2 AP RM	60485300
630 - ILLEGAL LOCK MODE	CDCS 2 DA RM	60485200
630 - ILLEGAL LOCK MODE	CDCS 2 AP RM	60485300
630 INVALID USE-OUTPUT CLAUSE	DATA CAT 2 RM	60483200
630 OPEN INPUT ON A NON-EXISTENT AREA=xx	CDCS 1 RM	60498700
630 THRU LINE NUMBER LOWER THAN LINE NUMBER	DATA CAT 2 RM	60483200
631 DUPLICATE IDENTIFIER NAME OR ROLE LIST..param	IMF SCHEMA DEF.	60484400
631 - NO CDCS RESTART IDENTIFIER FILE DEFINED	CDCS 2 DA RM	60485200
631 - NO CDCS RESTART IDENTIFIER FILE DEFINED	CDCS 2 AP RM	60485300
632 KEYWORD -USING- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
633 - RESTART IDENTIFIER ALREADY ASSIGNED BY CDCS	CDCS 2 DA RM	60485200
633 - RESTART IDENTIFIER ALREADY ASSIGNED BY CDCS	CDCS 2 AP RM	60485300
634 - MAXIMUM CDCS BEGIN/COMMIT UPDATE COUNT EXCEEDED	CDCS 2 DA RM	60485200
634 - MAXIMUM CDCS BEGIN/COMMIT UPDATE COUNT EXCEEDED	CDCS 2 AP RM	60485300
635 EXCESS STATEMENT WORDS	DATA CAT 2 RM	60483200
635 SYNTAX-NO CLAUSE FOUND AFTER LINE NUMBER	DATA CAT 2 RM	60483200
635 - SYSTEM FILE NOT AVAILABLE FOR SCHEMA sn	CDCS 2 DA RM	60485200
635 - SYSTEM FILE NOT AVAILABLE FOR SCHEMA sn	CDCS 2 AP RM	60485300
636 - AREA an (vn) UNUSABLE DURING ROLL-BACK	CDCS 2 DA RM	60485200
636 - AREA an (vn) UNUSABLE DURING ROLL-BACK	CDCS 2 AP RM	60485300
637 - RUN ABORT, SCHEMA sn DOWN	CDCS 2 DA RM	60485200
637 - RUN ABORT, SCHEMA sn DOWN	CDCS 2 AP RM	60485300
637 - RUN ABORT, SCHEMA sn DOWN	CDCS 2 RM	60481800
640 LINE NUMBER DOES NOT EXIST IN CATEGORY	DATA CAT 2 RM	60483200
640 - RUN ABORT, CDCS DOWN	CDCS 2 DA RM	60485200
640 - RUN ABORT, CDCS DOWN	CDCS 2 AP RM	60485300
640 - RUN ABORT, CDCS DOWN	CDCS 2 RM	60481800
641 - SUBSCHEMA ssn NOT IN MASTER DIRECTORY	CDCS 2 DA RM	60485200
641 - SUBSCHEMA ssn NOT IN MASTER DIRECTORY	CDCS 2 AP RM	60485300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
641 - SUBSCHEMA ssn NOT IN MASTER DIRECTORY	CDCS 2 RM	60481800
642 - CDCS JOURNAL LOG FILES UNAVAILABLE SCHEMA sn	CDCS 2 DA RM	60485200
642 - CDCS JOURNAL LOG FILES UNAVAILABLE SCHEMA sn	CDCS 2 AP RM	60485300
642 - LOG FILES NOT AVAILABLE FOR SCHEMA sn	CDCS 2 RM	60481800
643 - SCHEMA sn NOT AVAILABLE	CDCS 2 DA RM	60485200
643 - SCHEMA sn NOT AVAILABLE	CDCS 2 AP RM	60485300
643 - SCHEMA sn NOT AVAILABLE	CDCS 2 RM	60481800
644 - CDCS UNAVAILABLE--AN INVOKE IS NOT ALLOWED	CDCS 2 DA RM	60485200
644 - CDCS UNAVAILABLE--AN INVOKE IS NOT ALLOWED	CDCS 2 AP RM	60485300
644 - CDCS UNAVAILABLE - AN INVOKE IS NOT ALLOWED	CDCS 2 RM	60481800
645 - ILLEGAL AREA ORDINAL	CDCS 2 DA RM	60485200
645 - ILLEGAL AREA ORDINAL	CDCS 2 AP RM	60485300
645 - ILLEGAL AREA ORDINAL	CDCS 2 RM	60481800
645 SYNTAX-ILLEGAL LINE CONTINUATION	DATA CAT 2 RM	60483200
646 - PFM ERROR ec ON PROCEDURE LIBRARY	CDCS 2 RM	60481800
646 - RESTART IDENTIFIER xxxxxxxxxx	CDCS 2 DA RM	60485200
646 - RESTART IDENTIFIER xxxxxxxxxx	CDCS 2 AP RM	60485300
647 - PFM ERROR ec ON AREA an (vn)	CDCS 2 DA RM	60485200
647 - PFM ERROR ec ON AREA an (vn)	CDCS 2 AP RM	60485300
647 - PFM ERROR ec ON AREA an	CDCS 2 RM	60481800
650 CHECK VALUE FAILS, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
650 keyword NOT A VALID KEYWORD	DATA CAT 2 RM	60483200
650 - PFM ERROR ec ON AREA an (vn) INDEX FILE	CDCS 2 DA RM	60485200
650 - PFM ERROR ec ON AREA an (vn) INDEX FILE	CDCS 2 AP RM	60485300
650 - PFM ERROR ec ON AREA an INDEX FILE	CDCS 2 RM	60481800
651 - AREA an (vn) DOWN	CDCS 2 DA RM	60485200
651 - AREA an (vn) DOWN	CDCS 2 AP RM	60485300
651 - AREA an DOWN	CDCS 2 RM	60481800
651 CHECK DBP FAILS, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
652 - AREA an (vn) ALREADY OPEN	CDCS 2 DA RM	60485200
652 - AREA an (vn) ALREADY OPEN	CDCS 2 AP RM	60485300
652 - AREA an ALREADY OPEN	CDCS 2 RM	60481800
653 - CRM ERROR nnn DURING op ON AREA an (vn)	CDCS 2 DA RM	60485200
653 - CRM ERROR nnn DURING op ON AREA an (vn)	CDCS 2 AP RM	60485300
653 - CRM ERROR nnn DURING UP ON AREA an	CDCS 2 RM	60481800
654 - AREA an (vn) NOT OPEN	CDCS 2 DA RM	60485200
654 - AREA an (vn) NOT OPEN	CDCS 2 AP RM	60485300
654 - AREA an NOT OPEN	CDCS 2 RM	60481800
655 keyword KEYWORD NOT VALID FOR CATEGORY	DATA CAT 2 RM	60483200
655 - NO PROCEDURE LIBRARY SCHEMA sn	CDCS 2 DA RM	60485200
655 - NO PROCEDURE LIBRARY SCHEMA sn	CDCS 2 AP RM	60485300
655 - NO PROCEDURE LIBRARY SCHEMA sn	CDCS 2 RM	60481800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
655 RECORD TYPE REFERENCED NOT IN SUBSCHEMA, Area=xx	CDCS 1 RM	60498700
656 - INSUFFICIENT MEMORY FOR ROLLBACK SCHEMA sn	CDCS 2 DA RM	60485200
656 - INSUFFICIENT MEMORY FOR ROLLBACK SCHEMA sn	CDCS 2 AP RM	60485300
657 - INCORRECT RECORD TYPE DURING op, AREA an (vn)	CDCS 2 DA RM	60485200
657 - INCORRECT RECORD TYPE DURING op, AREA an (vn)	CDCS 2 AP RM	60485300
657 - INCORRECT RECORD TYPE DURING op, AREA an	CDCS 2 RM	60481800
660 KEY CONVER ERROR, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
660 - KEY MAPPING ERROR DURING op, AREA an (vn)	CDCS 2 DA RM	60485200
660 - KEY MAPPING ERROR DURING op, AREA an (vn)	CDCS 2 AP RM	60485300
660 - KEY MAPPING ERROR DURING op, AREA an	CDCS 2 RM	60481800
660 keyword VALUE IS TOO LONG	DATA CAT 2 RM	60483200
661 - FDL ERROR ec ON DBPROC pn	CDCS 2 DA RM	60485200
661 - FDL ERROR ec ON DBPROC pn	CDCS 2 AP RM	60485300
661 - FDL ERROR ec ON DBPROC pn	CDCS 2 RM	60481800
661 INVALID KEY ORDINAL, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
662 - ILLEGAL RECORD ORDINAL	CDCS 2 DA RM	60485200
662 - ILLEGAL RECORD ORDINAL	CDCS 2 AP RM	60485300
662 - ILLEGAL RECORD ORDINAL	CDCS 2 RM	60481800
662 KEY DEFINITION ERR, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
663 - DEADLOCK ON AREA an (vn)	CDCS 2 DA RM	60485200
663 - DEADLOCK ON AREA an (vn)	CDCS 2 AP RM	60485300
663 - DEADLOCK ON AREA an	CDCS 2 RM	60481800
663 UNSUPPORTED DATA CONVER, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
664 BAD SOURCE DATA CONVER, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
664 - ILLEGAL REQUEST ON AREA an (vn), READ OR FILE LOCK REQUIRED BEFORE op	CDCS 2 DA RM	60485200
664 - ILLEGAL REQUEST ON AREA an (vn), READ OR FILE LOCK REQUIRED BEFORE op	CDCS 2 AP RM	60485300
664 - ILLEGAL REQUEST ON AREA an, READ REQUIRED BEFORE op	CDCS 2 RM	60481800
665 NON-BLANK TRUNCATION, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
665 - PRIVACY BREACH ATTEMPT	CDCS 2 DA RM	60485200
665 - PRIVACY BREACH ATTEMPT	CDCS 2 AP RM	60485300
665 - PRIVACY BREACH ATTEMPT	CDCS 2 RM	60481800
666 DIGITS LOST IN CONVER, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
666 - ERROR IN RELATION DATA NAME DEFINITION	CDCS 2 DA RM	60485200
666 - ERROR IN RELATION DATA NAME DEFINITION	CDCS 2 AP RM	60485300
666 - ERROR IN RELATION DATA NAME DEFINITION	CDCS 2 RM	60481800
667 - BAD RECTYPE CODE VALUE	CDCS 2 DA RM	60485200
667 - BAD RECTYPE CODE VALUE	CDCS 2 AP RM	60485300
667 - BAD RECTYPE CODE VALUE	CDCS 2 RM	60481800
667 INDEF OR RANGE ERR CONVER, Area=xx, Rec=xx, Item=xx	CDCS 1 RM	60498700
670 - CANNOT CHANGE REC TYPE ON op, AREA an (vn)	CDCS 2 DA RM	60485200
670 - CANNOT CHANGE REC TYPE ON op, AREA an (vn)	CDCS 2 AP RM	60485300
670 - CANNOT CHANGE REC TYPE ON op, AREA an	CDCS 2 RM	60481800

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
670 CANNOT CHANGE REC TYPE ON REWRITE, Area=xx	CDCS 1 RM	60498700
670 keyword UNABLE TO PROCESS KEYWORD	DATA CAT 2 RM	60483200
671 - ILLEGAL RELATION ORDINAL	CDCS 2 DA RM	60485200
671 - ILLEGAL RELATION ORDINAL	CDCS 2 AP RM	60485300
671 - ILLEGAL RELATION ORDINAL	CDCS 2 RM	60481800
671 INCORRECT RECORD TYPE ON WRITE OR REWRITE, Area=xx	CDCS 1 RM	60498700
672 BAD RECTYPE CODE FROM PROC OR VALUE OPTION	CDCS 1 RM	60498700
672 - BAD RECTYPE FROM DBPROC pn	CDCS 2 DA RM	60485200
672 - BAD RECTYPE FROM DBPROC pn	CDCS 2 AP RM	60485300
672 - BAD RECTYPE FROM DBPROC pn	CDCS 2 RM	60481800
673 - op ABORT BY DBPROC pn	CDCS 2 DA RM	60485200
673 - op ABORT BY DBPROC pn	CDCS 2 AP RM	60485300
673 - op ABORT BY DBPROC pn	CDCS 2 RM	60481800
673 FUNCTION ABORT BY DBPROC	CDCS 1 RM	60498700
674 - RUN UNIT ABORT (DURING op) BY DBPROC pn	CDCS 2 DA RM	60485200
674 - RUN UNIT ABORT (DURING op) BY DBPROC pn	CDCS 2 AP RM	60485300
674 - RUN UNIT ABORT DURING op BY DBPROC pn	CDCS 2 RM	60481800
675 - RECORD MAPPING ERROR DURING op ON RECORD rn	CDCS 2 DA RM	60485200
675 - RECORD MAPPING ERROR DURING op ON RECORD rn	CDCS 2 AP RM	60485300
675 - RECORD MAPPING ERROR DURING op ON RECORD rn	CDCS 2 RM	60481800
675 REQUIRED DATA BASE PROCEDURE NOT FOUND=xx	CDCS 1 RM	60498700
675 keyword UNABLE TO PROCESS CATEGORY	DATA CAT 2 RM	60483200
676 - BAD RETURN CODE FROM DBPROC pn	CDCS 2 DA RM	60485200
676 - BAD RETURN CODE FROM DBPROC pn	CDCS 2 AP RM	60485300
676 - BAD RETURN CODE FROM DBPROC pn	CDCS 2 RM	60481800
676 DBPROC ERROR, BAD RETURN CODE	CDCS 1 RM	60498700
677 - DBPROC pn NOT DEFINED FOR SCHEMA sn	CDCS 2 DA RM	60485200
677 - DBPROC pn NOT DEFINED FOR SCHEMA sn	CDCS 2 AP RM	60485300
677 - DBPROC pn NOT DEFINED FOR SCHEMA sn	CDCS 2 RM	60481800
677 INTERNAL CDCS ERROR=xx	CDCS 1 RM	60498700
680 keyword DELETE ILLEGAL FOR FUNC ADD	DATA CAT 2 RM	60483200
685 keyword KEYWORD SEARCH EXTENDS PAST COL. 72	DATA CAT 2 RM	60483200
690 keyword VALUE SEARCH EXTENDS PAST COL. 72	DATA CAT 2 RM	60483200
700 NOT DELETED DUE TO REFERENCE IN - catalogue name	DATA CAT 2 RM	60483200
700 OUTPUT STATEMENT IN ERROR WAS n	DATA CAT 2 RM	60483200
701 KEYWORD -OF- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
705 NOT DELETED DUE TO REFERENCE IN - catalogue name TO catalogue name	DATA CAT 2 RM	60483200
705 REFERS TO SELECT STATEMENT n	DATA CAT 2 RM	60483200
706 UNKNOWN UTILITY REQUEST..param	IMF SCHEMA DEF.	60484400
710 INVALID OUTPUT STATEMENT	DATA CAT 2 RM	60483200
712 NEGATIVE OR OVERSIZED ARGUMENT--WSA, SKP, OR LA	CRM/AAM 2 RM	60499300
713 NEGATIVE OR OVERSIZED ARGUMENT--RL, ST, OR LBL	CRM/AAM 2 RM	60499300

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
714 NEGATIVE EX OR DX PARAMETER	CRM/AAM 2 RM	60499300
715 NEGATIVE OR OVERSIZED ARGUMENT--WA or KA	CRM/AAM 2 RM	60499300
715 TOO MANY OUTPUT STATEMENTS	DATA CAT 2 RM	60483200
716 NEGATIVE OR OVERSIZED ARGUMENT--PTL OR KP	CRM/AAM 2 RM	60499300
717 NEGATIVE OR OVERSIZED ARGUMENT--MKL, POS, GPS, OR TRM	CRM/AAM 2 RM	60499300
720 DEVICE CAPACITY EXCEEDED	CRM/AAM 2 RM	60499300
720 OUTPUT STATEMENTS MUST BE NUMBERED	DATA CAT 2 RM	60483200
721 ERROR DETECTED BY OPERATING SYSTEM	CRM/AAM 2 RM	60499300
725 OUTPUT STATEMENTS ILLEGALLY NUMBERED	DATA CAT 2 RM	60483200
730 - CDCS TRANSACTION RECOVERY FILE I/O ERROR DURING ROLL BACK, - SCHEMA DOWN	CDCS 2 DA RM	60485200
730 - CDCS TRANSACTION RECOVERY FILE I/O ERROR DURING ROLL BACK, - SCHEMA DOWN	CDCS 2 AP RM	60485300
730 OUTPUT STATEMENT SEQUENCE ERROR	DATA CAT 2 RM	60483200
732 - CDCS SYSTEM FILE I-O ERROR	CDCS 2 DA RM	60485200
732 - CDCS SYSTEM FILE I-O ERROR	CDCS 2 AP RM	60485300
733 - INQUIRE TRANSACTION RESTART IDENTIFIER rldname UNKNOWN TO CDCS	CDCS 2 DA RM	60485200
733 - INQUIRE TRANSACTION RESTART IDENTIFIER ldname UNKNOWN TO CDCS	CDCS 2 AP RM	60485300
735 INVALID LINE LIMITS	DATA CAT 2 RM	60483200
740 OUTPUT CATEGORY CLAUSE ILLEGAL	DATA CAT 2 RM	60483200
745 INCOMPLETE LINE LIMITS	DATA CAT 2 RM	60483200
750 OUTPUT CATEGORY INVALID	DATA CAT 2 RM	60483200
755 OUTPUT LINE NUMBER MUST BE NUMERIC	DATA CAT 2 RM	60483200
760 DUPLICATE OUTPUT CATEGORIES	DATA CAT 2 RM	60483200
765 DUPLICATE ITEM NAME..param	IMF SCHEMA DEF.	60484400
766 INTERNAL ERROR. SENTENCE HAS DUP ROLES IN GENSUB	IMF SCHEMA DEF.	60484400
775 EXPECTING CLOSING PARENTHESIS. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
800 DUPLICATE KEY ON INSERT	QUERY UPDT 3 RM	60498300
800 INSUFFICIENT FIELD LENGTH (MORESPC IN CONTROL)	SYMPL 1 RM	60496400
800 MAST1-CTL READ	DATA CAT 2 RM	60483200
800 MAST1-CTL REWRITE		
800 MAST1-CTL WRITE		
800 MAST1-DEL READ		
800 catalogue name		
800 MAST1-DEL REWRITE		
800 catalogue name		
800 MAST1 READ n	DATA CAT 2 RM	60483200
800 MAST1 WRITE catname	DAT CAT 2 DA RM	60483300
801 FROM FILE ALLOWED ONLY WITH USING CLAUSE	QUERY UPDT 3 RM	60498300
801 SCM FREE SPACE BLOCK INSUFFICIENT SIZE (TSPACE IN SRCH)	SYMPL 1 RM	60496400
802 FIND LOOP (FIND IN SRCH)	SYMPL 1 RM	60496400
802 UNKNOWN KEY ON DELETE	QUERY UPDT 3 RM	60498300
803 ARRAY PRESET EXCEEDS MAXIMUM SIZE (PSET IN.ALOCTR)	SYMPL 1 RM	60496400
803 SUBSCHEMA a NOT IN FILE a	QUERY UPDT 3 RM	60498300
804 ARRAY ITEM PRESET LARGER THAN BUFFER (GETSP IN ALOCTR)	SYMPL 1 RM	60496400
804 ERROR o TRYING TO READ SUBSCHEMA a	QUERY UPDT 3 RM	60498300
805 COND REPL OUTSIDE OF RULE BODY, BAD GENESIS TABLES (ANZS)	SYMPL 1 RM	60496400

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
805 ERROR FROM KEY CONVERSION	QUERY UPDT 3 RM	60498300
805 MAST2 READ n	DATA CAT 2 RM	60483200
805 MAST2 WRITE catname	DAT CAT 2 DA RM	60483300
806 QU ERROR - ENTERED FILE ACCESS OVERLAY WITH NOTHING TO DO	QUERY UPDT 3 RM	60498300
806 SAVE CONTROL TABLE OVERFLOW (CSAVE IN CODE)	SYMPL 1 RM	60496400
807 FATAL ERROR - CANT SEARCH FILE AND HAVE -USING- PHRASE	QUERY UPDT 3 RM	60498300
807 WHATS DOING TABLE OVERFLOW (CSAVE IN CODE)	SYMPL 1 RM	60496400
808 BAD ENDSAVE REQ. NO SAVE REQ EXTANT (ENDSAVE IN CODE)	SYMPL 1 RM	60496400
808 CONVERSION ERROR FIELD D	QUERY UPDT 3 RM	60498300
809 RESTR/FORGET ON NON-EXTANT SAVE BUFFER (ZAP IN CODE)	SYMPL 1 RM	60496400
809 USING TABLE OVERFLOW - EXCESS DATA	QUERY UPDT 3 RM	60498300
810 LITERAL TOO LONG FOR STORE	QUERY UPDT 3 RM	60498300
810 MAST1 READ catname	DAT CAT 2 DA RM	60483300
810 RESTR/FORGET ON CURRENT SAVE BUFFER (ZAP IN CODE)	SYMPL 1 RM	60496400
811 OSAVE ON CURRENT SAVE BUFFER (OSAVE IN CODE)	SYMPL 1 RM	60496400
811 UNBALANCED SEPARATOR	QUERY UPDT 3 RM	60498300
812 O SAVE ON NON-EXTANT SAVE BUFFER (O SAVE IN CODE)	SYMPL 1 RM	60496400
812 OSAVE ON NON-EXTANT SAVE BUFFER (OSAVE IN CODE)	SYMPL 1 RM	60496400
812 REMAINING INPUT DISCARDED	QUERY UPDT 3 RM	60498300
813 FIELD d CANNOT BE ENCLOSED IN SEPARATORS	QUERY UPDT 3 RM	60498300
813 WHATS DOING TABLE OVERFLOW (OSAVE IN CODE)	SYMPL 1 RM	60496400
814 FIELD d MUST BE ENCLOSED IN SEPARATORS	QUERY UPDT 3 RM	60498300
814 IL FAT OVERFLOW (HATCHK)	SYMPL 1 RM	60496400
815 MAST2 READ catname	DAT CAT 2 DA RM	60483300
815 UPDATE/INSERT (W/O USING) SHOULD PRECEDE MOVE TO AREA-ITEM	QUERY UPDT 3 RM	60498300
815 > 100 PROGRAM SCOPES (SCPIN IN PF1SUB)	SYMPL 1 RM	60496400
816 NO PRAGMATIC FUNC (PF11)	SYMPL 1 RM	60496400
816 UNKNOWN KEY	QUERY UPDT 3 RM	60498300
817 BAD UNDEF ID (PF11)	SYMPL 1 RM	60496400
817 KEY LITERAL MISSING	QUERY UPDT 3 RM	60498300
818 BRACKET/PAREN NEST TOO DEEP (PF11)	SYMPL 1 RM	60496400
818 INPUT LESS THAN ITEM SIZE	QUERY UPDT 3 RM	60498300
819 ABT	NOS 2 OPER HB	60459310
819 ERROR o TRYING TO OPEN FILE a	QUERY UPDT 3 RM	60498300
819 NO PRAGMATIC FUNC (PF12)	SYMPL 1 RM	60496400
819 NRDY	NOS 2 OPER HB	60459310
819 PRTY	NOS 2 OPER HB	60459310
820 C-TYPE ITM ERR (PF12)	SYMPL 1 RM	60496400
820 IF -KEY- REQUESTED AREA ITEM MUST BE REFERENCED	QUERY UPDT 3 RM	60498300
821 COMPOUND STATEMENT COLLECTION ERR (PF12)	SYMPL 1 RM	60496400
821 OTHER USER UPDATING -a- OR NOT CLOSED SINCE LAST UPDATE	QUERY UPDT 3 RM	60498300

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
822	FILE -a- NOT CLOSED SINCE LAST UPDATE	QUERY UPDT 3 RM	60498300
822	NO PRAGMATIC FUNC (PF13)	SYMPL 1 RM	60496400
823	PARAM LIST TABLE OVERFLOW (PF13)	SYMPL 1 RM	60496400
824	SYNTAX ERROR (PF13)	SYMPL 1 RM	60496400
825	LOOP CONTROL TABLE OVERFLOW (PF14 IN PF13)	SYMPL 1 RM	60496400
826	FALL THROUGH (FILTRD) LINE nnnn	SYMPL 1 RM	60496400
827	STACK UNDERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
828	UNEXPECTED END-OF-FILE (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
829	ILLEGAL IL SEEN (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
830	EMPTY SOURCE FILE OR NO RECORDS QUALIFIED	QUERY UPDT 3 RM	60498300
830	STACK OVERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
831	TRIAD TABLE OVERFLOW (GETRO) LINE nnnn	SYMPL 1 RM	60496400
832	STACK NON-EMPTY AT BREAKPOINT (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
833	BAD SWITCH STATE INDEX (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
834	ZERO-DIVIDE ATTEMPT (EXPEEN) LINE nnnn	SYMPL 1 RM	60496400
835	NON-EXISTENT VALU DELETION ATTEMPT (DHASH) LINE nnnn	SYMPL 1 RM	60496400
836	NON-EXISTENT VALU RETRIEVAL ATTEMPT (EXPGEN) LINE nnnn	SYMPL 1 RM	60496400
837	LOOP STACK OVERFLOW (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
838	LOOP STACK UNDERFLOW (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
839	ILLEGAL LEFT SIDE (REPRC) LINE nnnn	SYMPL 1 RM	60496400
840	VALB OF LOCALLY SAVD VALUE (BRXPT) LINE nnnn	SYMPL 1 RM	60496400
841	STACK HISTORY OVERFLOW (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
842	INFINITE OPERAND (CSIOP IN CONSAM) LINE nnnn	SYMPL 1 RM	60496400
843	INDEFINITE OPERAND (CSIOP IN CONSAM) LINE nnnn	SYMPL 1 RM	60496400
844	PARM STACK NON-EMPTY (JADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
845	PARM STACK OVERFLOW (SADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
846	PARM STACK UNDERFLOW (FADCON IN ADCON) LINE nnnn	SYMPL 1 RM	60496400
847	PARM LIST OVERFLOW (ADCON) LINE nnnn	SYMPL 1 RM	60496400
848	ILLEGAL FUNI BYTE (PHASBS) LINE nnnn	SYMPL 1 RM	60496400
849	UNEXPECTED END-OF-FILE, NO PTPM (GJCFB IN CODE T1) LINE nnnn	SYMPL 1 RM	60496400
850	CANT FIND TEMP (PTEMP IN CODGJ1) LINE nnnn	SYMPL 1 RM	60496400
850	INDEX FILE SEQUENCE ERROR	DATA CAT 2 RM	60483200
850	MAST2-CTL READ	DATA CAT 2 RM	60483200
850	MAST2-CTL WRITE		
850	MAST2-CTL ADD PTR		
850	MAST2-CTL DEL PTR		
850	MAST2-DEL DELETE		
850	catalogue name		
850	MAST2-DEL DEL-PTR		
850	catalogue name		
850	USE/INVOKE/CREATE DIRECTIVE CANNOT BE PROCESSED	QUERY UPDT 3 RM	60498300
851	ENTRY POINT a NOT FOUND	QUERY UPDT 3 RM	60498300
851	ICFT OVERFLOW (ICOVRFL IN CODGJ1) LINE nnnn	SYMPL 1 RM	60496400
852	INDEX FILE NOT SPECIFIED	QUERY UPDT 3 RM	60498300
852	UNEXPECTED TYPE (PSTOU IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400
853	BADLY FORMED ICF (POS IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
854 UNEXPECTED OPERAND FOR STORE (PSTOS IN CODGJ2) LINE nnnn	SYMPL 1 RM	60496400
855 ILLEGAL OP CODE (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
855 WAITING d SECONDS	QUERY UPDT 3 RM	60498300
856 ILLEGAL SEQ. TERMINATING OP CODE (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
857 BADLY FORMED ICF (CODGJ3) LINE nnnn	SYMPL 1 RM	60496400
858 BAD BPSB OPERATOR OPERAND (CODGX1) LINE nnnn	SYMPL 1 RM	60496400
859 ILLEGAL BPSB OPERATOR OPERAND (CODGX1) LINE nnnn	SYMPL 1 RM	60496400
860 CANT INSERT LOAD (ISLDD IN CODGXIS) LINE nnnn	SYMPL 1 RM	60496400
860 NO INDEX FILE DATA	DATA CAT 2 RM	60483200
861 CIRCULAR ENTRY IN READY SET (RPC40 IN CODGXSS) LINE nnnn	SYMPL 1 RM	60496400
861 INCORRECT SUBSCHEMA NAME	QUERY UPDT 3 RM	60498300
862 INVALID ICFT INDEX (RPCDD IN CODGXSS) LINE nnnn	SYMPL 1 RM	60496400
862 -a- NOT FOUND IN THIS SUBSCHEMA	QUERY UPDT 3 RM	60498300
863 CURRENT SUBSCHEMA CONTAINS INCONSISTENT DATA	QUERY UPDT 3 RM	60498300
863 TOO MANY COMMON BLOCKS (EDITOR)	SYMPL 1 RM	60496400
864 VALB OF LOCALLY SAVED VALU (EXPGEN) LINE nnnn	SYMPL 1 RM	60496400
865 UNINTERPRETABLE SOURCE, EXPRESSION TOO LONG (SPRECG)	SYMPL 1 RM	60496400
866 MODULE MUST BEGIN WITH PROC/FUNC/PRGM (ANZS)	SYMPL 1 RM	60496400
867 BEADFUNC WITH LENGTH = 0 ILL (PHASBS)	SYMPL 1 RM	60496400
868 BAD CLASS IN TEXT (USETEXT)	SYMPL 1 RM	60496400
869 MORE THAN 16 TEXTS ON USETEXT (INIT15)	SYMPL 1 RM	60496400
869 USE/INVOKE/CREATE DIRECTIVE REJECTED	QUERY UPDT 3 RM	60498300
870 NO REQUEST FILE DATA	DATA CAT 2 RM	60483200
870 Y FILE NOT ON RANDOM DEVICE (INIT15)	SYMPL 1 RM	60496400
871 MORE THAN 32 SYMPL TEXTS ON Y FILES (INIT15)	SYMPL 1 RM	60496400
872 NO READ PERMISSION FOR AREA FILE, USE REJECTED	QUERY UPDT 3 RM	60498300
872 SYMPL TEXT NOT FOUND (INIT15)	SYMPL 1 RM	60496400
873 INSUFFICIENT SCM FL (INIT15)	SYMPL 1 RM	60496400
873 NO MODIFY PERMISSION FOR AREA	QUERY UPDT 3 RM	60498300
874 INSUFFICIENT LCM FL (INIT15)	SYMPL 1 RM	60496400
874 NO MODIFY/EXTEND PERMISSION WAS GRANTED FOR THIS AREA	QUERY UPDT 3 RM	60498300
875 FILE a CONTAINS NO DATA AND CANNOT BE OPENED	QUERY UPDT 3 RM	60498300
880 EXTRACT FILE SEQUENCE ERROR	DATA CAT 2 RM	60483200
890 NO EXTRACT FILE DATA	DATA CAT 2 RM	60483200
900 INTERNAL ERROR. OBTAIN FAILED IN RECINTR	IMF SCHEMA DEF.	60484400
900 NAME TRANSACTION MUST BE SPECIFIED	DAT CAT 2 DA RM	60483300
900 REPORT TOO LARGE TO COMPILE	QUERY UPDT 3 RM	60498300
900 \$UPDATE TRANSACTION MISSING	DATA CAT 2 RM	60483200
901 JOB FL OR QU INTERNAL STORAGE EXCEEDED	QUERY UPDT 3 RM	60498300
901 THE INTERNAL SCHEMA HAS NOT BEEN STORED	IMF SCHEMA DEF.	60484400
902 INVALID STRUCTURE NAME..param	IMF SCHEMA DEF.	60484400
902 P.F.M. ERROR o ON FILE a	QUERY UPDT 3 RM	60498300

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
903	I/O ERROR o FILE a	QUERY UPDT 3 RM	60498300
903	KEYWORD -UPPER- MISSING. INSTEAD FOUND..param	IMF SCHEMA DEF.	60484400
904	CRM/CDCS ERROR o FILE/RELATION a FUNCTION a	QUERY UPDT 3 RM	60498300
905	ADDRESS TRANSACTION MUST BE SPECIFIED	DAT CAT 2 DA RM	60483300
905	CONCEPTUAL SCHEMA NOT INITIALIZED	IMF SCHEMA DEF.	60484400
905	INTERNAL ERROR DETECTED BY a	QUERY UPDT 3 RM	60498300
906	FUNCTION PARAMETER FOR JULIAN IN ERROR	QUERY UPDT 3 RM	60498300
906	INTERNAL ERROR. CIO ERROR IN IXGENRE	IMF SCHEMA DEF.	60484400
907	NUMBER OF EVALUATED ITEMS EXCEEDS LIMIT	QUERY UPDT 3 RM	60498300
907	PERMANENT FILE ERROR - SEE DAYFILE	IMF SCHEMA DEF.	60484400
908	CDCS ERROR o FILE a FUNCTION a ITEM d	QUERY UPDT 3 RM	60498300
908	DUPLICATE STRUCTURE NAME..param	IMF SCHEMA DEF.	60484400
909	INTERNAL ERROR. CLOSE/RETURN FILES FAILED INITSUB	IMF SCHEMA DEF.	60484400
909	SYSTEM ABORT DUE TO A TERMINAL INTERRUPT	QUERY UPDT 3 RM	60498300
910	OPTION TRANSACTION MISSING	DATA CAT 2 RM	60483200
910	STRUCTURE ALREADY CONTAINS FOLLOWING ROLE NAME..param	IMF SCHEMA DEF.	60484400
913	INVALID DATA ENCOUNTERED DURING CONVERSION	QUERY UPDT 3 RM	60498300
914	USER CATALOG UNUSABLE	QUERY UPDT 3 RM	60498300
915	HMB MUST BE NUMERIC	DAT CAT 2 DA RM	60483300
915	INTERNAL ERROR. OBTAIN SENTENCE STRUCTURE INITSUB	IMF SCHEMA DEF.	60484400
915	REVISION NUMBER MUST BE 5 DIGITS	DATA CAT 2 RM	60483200
916	LIST MISSING FOR COSET	IMF SCHEMA DEF.	60484400
917	DATA BASE PROCEDURE RETURN CODE OUT OF RANGE	QUERY UPDT 3 RM	60498300
917	NO PHYSICAL LIST FOR STRUCTURE	IMF SCHEMA DEF.	60484400
918	CURRENT DIRECTIVE TERMINATED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
918	LIST MISSING FOR CONSTRAINT	IMF SCHEMA DEF.	60484400
919	AREA CLOSED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
919	INTERNAL ERROR. OBTAIN STRUCTURE IN IXGENRE	IMF SCHEMA DEF.	60484400
920	INTERNAL ERROR. OBTAIN ROLE FAILED IN INITSUB	IMF SCHEMA DEF.	60484400
920	RECORD IGNORED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
920	REVISION NUMBER NOT NUMERIC	DATA CAT 2 RM	60483200
923	INTERNAL ERROR. OBTAIN COS/ACC PATH STRUC INITSUB	IMF SCHEMA DEF.	60484400
924	SESSION TERMINATED BY DATA BASE PROCEDURE	QUERY UPDT 3 RM	60498300
924	STRUCTURE KEY MUST CONTAIN AN IDENTIFIER	IMF SCHEMA DEF.	60484400
925	INCORRECT REVISION NUMBER	DATA CAT 2 RM	60483200
925	INTERNAL ERROR. OBTAIN ROLE FAILED IN SDLRTN	IMF SCHEMA DEF.	60484400
930	EDIT-ONLY VALUE MUST BE YES OR NO	DATA CAT 2 RM	60483200
930	INTERNAL ERROR. NO RMT ENTRY FOR STRUCTURE IXGENRE	IMF SCHEMA DEF.	60484400
931	INTERNAL ERROR. BAM ERROR IN RECONDEC	IMF 1 AP RM	60484500
933	SINGLE ITEM CANNOT BE SUBSCRIPTED	QUERY UPDT 3 RM	60498300
934	-NEXT- IS FOR DEPEND ON ITEM ONLY	QUERY UPDT 3 RM	60498300
935	-LAST- IS FOR DEPEND ON ITEM ONLY	QUERY UPDT 3 RM	60498300

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
935 UNKNOWN OPTION KEYWORD	DATA CAT 2 RM	60483200
936 -ANY- IS FOR CONDITION ONLY	QUERY UPDT 3 RM	60498300
937 ONE FIGURATIVE SUBSCRIPT PER CONDITION	QUERY UPDT 3 RM	60498300
938 -NEXT- IS NOT FOR CONDITION OR EXPRESSION	QUERY UPDT 3 RM	60498300
940 IMPACT-RPT VALUE MUST BE YES OR NO	DATA CAT 2 RM	60483200
940 NO FIGURATIVE SUBSCRIPT AFTER -ANY- OR -ALL-	QUERY UPDT 3 RM	60498300
941 SUBSCRIPT OUT OF BOUNDS	QUERY UPDT 3 RM	60498300
942 -NEXT- EXITS UPPER BOUND	QUERY UPDT 3 RM	60498300
943 -NEXT- IS ONLY FOR DESTINATION ITEM	QUERY UPDT 3 RM	60498300
944 INVALID USE OF FIGURATIVE SUBSCRIPT	QUERY UPDT 3 RM	60498300
945 DIVISION BY 0 ILLEGAL	QUERY UPDT 3 RM	60498300
946 SYSTEM ABORT - MEMDRY REQUEST ERROR	QUERY UPDT 3 RM	60498300
947 INSUFFICIENT FL - TRANSMISSION IGNORED	QUERY UPDT 3 RM	60498300
948 ILLEGAL ARGUMENT FOR EXPONENTIATION	QUERY UPDT 3 RM	60498300
949 a CAUSED ERROR AFTER LINE d PAGE d	QUERY UPDT 3 RM	60498300
950 MAST3-READ-CLIENT RECORD	DATA CAT 2 RM	60483200
950 MAST3-UNABLE TO LOCATE CUST RECORD	DAT CAT 2 DA RM	60483300
950 -c- PARAMETERS MUST BE OF CONSISTENT DATA LENGTH	QUERY UPDT 3 RM	60498300
951 DUPLICATE TABULAR POSITIONS ARE IGNORED	QUERY UPDT 3 RM	60498300
955 MAST3-READ-PW RECORD	DATA CAT 2 RM	60483200
960 MAST3 READ CATG RECORD	DATA CAT 2 RM	60483200
960 MAST3-READ-ENTRY RECORD	DATA CAT 2 RM	60483200
960 MAST3-UNABLE TO LOCATE ENTRY RECORD	DAT CAT 2 DA RM	60483300
965 MAST3-READ-CATG RECORD	DATA CAT 2 RM	60483200
965 MAST3 READ FLD RECORD	DATA CAT 2 RM	60483200
965 MAST3-UNABLE TO LOCATE CATG RECORD	DAT CAT 2 DA RM	60483300
970 MAST3-READ-CLIENT FIELD RECORD	DATA CAT 2 RM	60483200
970 MAST3 READ ENT RECORD	DATA CAT 2 RM	60483200
970 MAST3 READ HIT RECORD	DATA CAT 2 RM	60483200
970 MAST3-UNABLE TO LOCATE FIELD RECORD	DAT CAT 2 DA RM	60483300
975 MAST3 READ ENT RECORD	DATA CAT 2 RM	60483200
975 MAST3-WRITE-CLIENT RECORD	DATA CAT 2 RM	60483200
990 INTERNAL ERROR. BAM ERROR IN SDLRTN	IMF SCHEMA DEF.	60484400
991 INTERNAL ERROR. SCHEMA INITIALIZATION IN GENSUB	IMF SCHEMA DEF.	60484400
991 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
991 KEY CHARACTERISTICS NOT THE SAME IN ALL RECORD TYPES FOR AREA aaaaaaa	DDL 3 SCHEMA	60481900
992 DATA CONTROL ENTRY FOR AREA aaaaaaa MISSING	CDCS 2 DA RM	60485200
992 DATA CONTROL ENTRY FOR AREA aaaaaaa MISSING	DDL 3 SCHEMA	60481900
992 EXTERNAL SCHEMA IS NOW INITIALIZED	IMF SCHEMA DEF.	60484400
993 RECORD CODE VALUE IS NOT EQUAL TO CHECK VALUE LITERAL OF CORRESPONDING ITEM FOR REC rrrrrrrrrr, IN AREA aaaaaaa	CDCS 2 DA RM	60485200
993 RECORD CODE VALUE IS NOT EQUAL TO CHECK VALUE LITERAL OF CORRESPONDING ITME FOR RECrrrrrrrrrr. IN AREA aaaaaaa	DDL 3 SCHEMA	60481900

MESSAGE	MANUAL	PUB. NO.
993 RECORD CODE VALUE IS NOT EQUAL TO CHECK VALUE LITERAL OF CORRESPONDING ITME FOR RECrrrrrrrrrr, IN AREA aaaaaaa	DDL 2 SCHEMA	60498400
993 SCHEMA IS NOW INITIALIZED	IMF SCHEMA DEF.	60484400
994 INTERNAL ERROR. OPEN FILE OR BAM ERROR IN IXGENR	IMF SCHEMA DEF.	60484400
994 REC rrrrrrrrrr IN AREA aaaaaaa DOES NOT CONTAIN ITEM CORRESPONDING TO DATANAME IN LOCATION, SIZE, AND CLASS	CDCS 2 DA RM	60485200
994 REC rrrrrrrrrr IN AREA aaaaaaa DOES NOT CONTAIN ITEM CORRESPONDING TO DATANAME IN LOCATION, SIZE, AND CLASS	DDL 3 SCHEMA	60481900
994 REC rrrrrrrrrr IN AREA aaaaaaa DOES NOT CONTAIN ITEM CORRESPONDING TO DATANAME IN LOCATION, SIZE, AND CLASS	DDL 2 SCHEMA	60498400
995 CONTROL CARD ERROR	IMF SCHEMA DEF.	60484400
995 CONTROL CARD ERROR	IMF 1 AP RM	60484500
995 INITIATION INCOMPLETE	DAT CAT 2 DA RM	60483300
995 LITERALS SPECIFIED ON LINE nnnnnn ARE NOT IN ASCENDING ORDER	CDCS 2 DA RM	60485200
995 LITERALS SPECIFIED ON LINE nnnnnn ARE NOT IN ASCENDING ORDER	DDL 3 SCHEMA	60481900
995 LITERALS SPECIFIED ON LINE nnnnnn ARE NOT IN ASCENDING ORDER	DDL 2 SCHEMA	60498400
996 VARIABLE DIMENSION GROUP CONTROL ITEM INCONSISTENT ACROSS RECORD TYPES FOR AREA aaaaaaa	DDL 3 SCHEMA	60481900
996 VARIABLE DIMENSION GROUP CONTROL ITEM INCONSISTENT ACROSS RECORD TYPES FOR AREA aaaaaaa	DDL 2 SCHEMA	60498400
996 VARIABLE DIMENSION GROUP OR GROUP CONTROL ITEM INCONSISTENT ACROSS RECORD TYPES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
997 FILE CARD VALUES FOR HL, TL, CP, CL, MNR, OR MRL OVER-WRITTEN BY SCHEMA VALUES FOR AREA aaaaaaa	CDCS 2 DA RM	60485200
997 FILE CARD VALUES FOR HL, TL, CP, CL, MNR, OR MRL OVERWRITTEN BY SCHEMA VALUES FOR AREA aaaaaaa	DDL 3 SCHEMA	60481900
997 FILE CARD VALUES FOR HL, TL, CP, CL OR MRL OVERWRITTEN BY SCHEMA VALUES FOR AREA aaaaaaa	DDL 2 SCHEMA	60498400
998 VARIABLE DIMENSION GROUP WITH RECORD TYPE NOT T, AREA aaaaaaa	CDCS 2 DA RM	60485200
998 VARIABLE DIMENSION GROUP WITH RECORD TYPE NOT T, AREA aaaaaaa	DDL 2 SCHEMA	60498400
998 VARIABLE DIMENSION GROUP WITH RECORD TYPE NOT T, AREA aaaaaaa	DDL 3 SCHEMA	60481900
999 NO DATA CONTROL ENTRY FOR NON-SEQUENTIAL AREA aaaaaaa	DDL 2 SCHEMA	60498400
1000 USER FIT DUMP nnnnn	CRM/BAM 1 RM	60495700
1001 THIS CHARACTER MAY NOT FOLLOW THE PRECEDING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1002 STRING LENGTH ERROR or no message	PL/I RM	60388100
1002 THIS CHARACTER MAY ONLY BE USED IN A NON-NUMERIC LITERAL, IN A COMMENT-ENTRY OR ON A COMMENT LINE. A SPACE IS ASSUMED	COBOL 5 DH	60482500
1003 THIS IS NOT A VALID FORMAT PARAMETER FOR THE COPY STATEMENT. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1004 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS. ONLY THE LEFT 255 CHARACTERS ARE USED	COBOL 5 DH	60482500
1005 THIS CHARACTER MAY NOT BE USED IN COLUMN 7. A SPACE IS ASSUMED	COBOL 5 DH	60482500
1006 THE FIRST NON BLANK CHARACTER FOLLOWING A CONTINUATION INDICATOR IS IN THE A AREA. IT IS ACCEPTED ANYWAY	COBOL 5 DH	60482500
1007 THE FIRST NON SPACE CHARACTER IN A CONTINUED PORTION OF A NON NUMERIC LITERAL IS NOT A QUOTE. A PRECEDING QUOTE IS ASSUMED	COBOL 5 DH	60482500
1008 QUALIFICATION OF AN IDENTIFIER IN A COPY STATEMENT HAS A SYNTAX ERROR. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1009 THIS SIGNED INTEGER LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1010 THIS SIGNED NUMERIC LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1011 THIS NON-NUMERIC LITERAL HAS NO TERMINAL QUOTE. A QUOTE FOLLOWING COLUMN 72 IS ASSUMED	COBOL 5 DH	60482500
1012 THIS USE OF THE CURRENCY SIGN IS NOT ALLOWED. THIS CURRENCY SIGN IS IGNORED	COBOL 5 DH	60482500
1013 THIS USE OF FILLER IS NOT ALLOWED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1015 THE LITERAL IN A CURRENCY SIGN CLAUSE MUST NOT CONTAIN MORE THAN ONE CHARACTER	COBOL 5 DH	60482500
1016 THIS CHARACTER MAY NOT FOLLOW THE PRECEDING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1017 THIS SEGMENT LIMIT IS NOT IN THE RANGE 1 THRU 49. IT IS IGNORED	COBOL 5 DH	60482500
1018 THIS CHARACTER MAY NOT BE USED AS A CURRENCY SIGN. IT IS IGNORED	COBOL 5 DH	60482500
1019 A SEGMENT LIMIT MAY NOT CONTAIN A SIGN. THE SIGN IS IGNORED	COBOL 5 DH	60482500
1020 A QUALIFIER IS REQUIRED FOLLOWING A CONNECTIVE. THE PRECEDING CONNECTIVE IS IGNORED	COBOL 5 DH	60482500
1021 THIS NAME CANNOT BE REFERENCED UNIQUELY	COBOL 5 DH	60482500
1022 THIS ENTRY IS SUBORDINATE TO AN ENTRY WITH THE SAME NAME	COBOL 5 DH	60482500
1023 THIS SIGNED FLOATING POINT LITERAL IS MUCH TOO LONG. A VALUE OF 1.0EO IS ASSUMED	COBOL 5 DH	60482500
1024 THIS UNSIGNED NUMERIC LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1025 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500
1026 THIS ELEMENT MAY NOT BEGIN IN THE A AREA	COBOL 5 DH	60482500
1027 A PERIOD IS REQUIRED AFTER THE PRECEDING ELEMENT	COBOL 5 DH	60482500
1028 THIS UNSIGNED FLOATING POINT LITERAL IS MUCH TOO LONG. A VALUE OF 1.0EO IS ASSUMED	COBOL 5 DH	60482500
1029 THIS PARAGRAPH OR DIVISION HEADER OCCURS MORE THAN ONCE	COBOL 5 DH	60482500
1030 THIS IDENTIFICATION DIVISION PARAGRAPH OR HEADER OCCURS OUT OF ORDER	COBOL 5 DH	60482500
1031 THE PROGRAM NAME IS MISSING OR DOES NOT FOLLOW THE RULES FOR A USER-DEFINED WORD.	COBOL 5 DH	60482500
1031 -NO-NAME- IS USED AS THE PROGRAM NAME		
1031 WIDTH MUST BE SPECIFIED IN AN A OR B FORMAT ITEM USED FOR INPUT	PL/I RM	60388100
1032 THE PROGRAM-ID PARAGRAPH IS MISSING. -NO-NAME- IS USED AS THE PROGRAM NAME	COBOL 5 DH	60482500
1033 THIS USER-DEFINED NAME HAS MORE THAN 30 CHARACTERS. ONLY THE LEFT 30 CHARACTERS ARE USED	COBOL 5 DH	60482500
1034 A SEGMENT NUMBER MUST BE UNSIGNED. THE SIGN IS IGNORED	COBOL 5 DH	60482500
1035 THIS SEGMENT NUMBER IS TOO LARGE. ZERO IS ASSUMED	COBOL 5 DH	60482500
1036 THIS SECTION NAME IS NOT UNIQUE	COBOL 5 DH	60482500
1037 THIS PARAGRAPH NAME IS NOT UNIQUE IN THIS SECTION	COBOL 5 DH	60482500
1038 THIS PROCEDURE NAME DUPLICATES A DATA NAME	COBOL 5 DH	60482500
1039 A HYPHEN CANNOT IMMEDIATELY FOLLOW A NAME. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1040 THIS CHARACTER MAY NOT PRECEDE THE FOLLOWING CHARACTER. AN INTERVENING SPACE IS ASSUMED	COBOL 5 DH	60482500
1041 THIS PICTURE CHARACTER-STRING HAS MORE THAN 30 CHARACTERS. ONLY THE LEFT 30 CHARACTERS	COBOL 5 DH	60482500
1041 ARE USED		
1042 THIS UNSIGNED INTEGER LITERAL HAS MORE THAN 18 DIGITS. ONLY THE LEFT 18 DIGITS ARE USED	COBOL 5 DH	60482500
1043 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS AND IS ALSO TERMINATED BY	COBOL 5 DH	60482500
1043 END-OF-PROGRAM. ONLY THE LEFT 255 CHARACTERS ARE USED		
1044 CONTINUATION LINES MUST NOT APPEAR AFTER A BLANK LINE. THE CONTINUATION CHARACTER IS	COBOL 5 DH	60482500
1044 ASSUMED A BLANK		
1045 THIS NON-NUMERIC LITERAL HAS MORE THAN 255 CHARACTERS AND ALSO EITHER NEEDS A HYPHEN IN	COBOL 5 DH	60482500
1045 COLUMN 7 FOR CONTINUATION OR NEEDS A TERMINATING DELIMITER. ONLY THE LEFT 255 CHARACTERS		
1045 ARE USED		
1046 A FLOATING POINT LITERAL IS NON-STANDARD	COBOL 5 DH	60482500
1047 THIS ELEMENT OCCURS OUT OF CONTEXT AND IS IGNORED	COBOL 5 DH	60482500
1048 THIS IDENTIFIER IS QUALIFIED TOO MANY TIMES	COBOL 5 DH	60482500
1049 THE DATA-NAME APPEARING IN A REDEFINES CLAUSE CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1050 A NON-NUMERIC LITERAL OF LENGTH ZERO IS NOT ALLOWED. A NON-NUMERIC LITERAL OF 1 BLANK	COBOL 5 DH	60482500
1050 IS SUBSTITUTED		
1051 THE EXPONENT IS MISSING. AN EXPONENT OF ZERO IS SUBSTITUTED	COBOL 5 DH	60482500
1052 A LINE FOLLOWING THIS LINE HAS NON-DIGITS OR ALL ZERO DIGITS IN COLUMNS 1 TO 6. THIS LINE-S	COBOL 5 DH	60482500
1052 PROGRAM SEQUENCE NUMBER IS ASSUMED		

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1053 THIS DATA NAME DUPLICATES A PROCEDURE NAME	COBOL 5 DH	60482500
1054 THE RESERVED WORD -DIVISION- IS REQUIRED TO COMPLETE THE IDENTIFICATION DIVISION HEADER	COBOL 5 DH	60482500
1055 THE IDENTIFICATION DIVISION IS MISSING. -NO-NAME- IS USED AS THE PROGRAM NAME	COBOL 5 DH	60482500
1056 THE IDENTIFICATION DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
1057 ONLY THE FIRST 7 CHARACTERS OF THE PROGRAM NAME ARE USED TO INTERACT WITH THE SYSTEM	COBOL 5 DH	60482500
1058 FOR A PROGRAM-NAME TO BE ACCEPTABLE AS A SYSTEM ENTRY POINT NAME, EACH CHARACTER MUST 1058 BE ALPHABETIC (EXCEPT SPACE), NUMERIC, OR A HYPHEN. A HYPHEN IS SUBSTITUTED FOR EACH 1058 INVALID CHARACTER	COBOL 5 DH	60482500
1059 THE QUALIFIER FOR LINE-COUNTER MUST BE A REPORT-NAME	COBOL 5 DH	60482500
1060 THE QUALIFIER FOR PAGE-COUNTER MUST BE A REPORT-NAME	COBOL 5 DH	60482500
1061 THE QUALIFIER FOR LINAGE-COUNTER MUST BE A FILE-NAME	COBOL 5 DH	60482500
1062 THE QUALIFIER FOR DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, ETC, MUST BE DEBUG-ITEM	COBOL 5 DH	60482500
1063 LINE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1064 PAGE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1065 LINAGE-COUNTER CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1066 DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, ETC, CAN ONLY HAVE A SINGLE QUALIFIER	COBOL 5 DH	60482500
1067 DEBUG-ITEM CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1068 HASHED-VALUE CANNOT BE QUALIFIED	COBOL 5 DH	60482500
1069 LINAGE-COUNTER MUST BE QUALIFIED BY A FILE-NAME WHEN THERE IS MORE THAN ONE LINAGE 1069 CLAUSE IN THE PROGRAM	COBOL 5 DH	60482500
1070 LINE-COUNTER MUST BE QUALIFIED BY A REPORT-NAME WHEN THERE IS MORE THAN ONE REPORT IN 1070 THE PROGRAM	COBOL 5 DH	60482500
1071 PAGE-COUNTER MUST BE QUALIFIED BY A REPORT-NAME WHEN THERE IS MORE THAN ONE REPORT IN 1071 THE PROGRAM	COBOL 5 DH	60482500
1072 LINE-COUNTER IS UNDEFINED BECAUSE THERE ARE NO REPORTS IN THE PROGRAM	COBOL 5 DH	60482500
1073 PAGE-COUNTER IS UNDEFINED BECAUSE THERE ARE NO REPORTS IN THE PROGRAM	COBOL 5 DH	60482500
1074 LINAGE-COUNTER IS UNDEFINED BECAUSE NO FILE DESCRIPTION ENTRY IN THE PROGRAM CONTAINS 1074 A LINAGE-CLAUSE	COBOL 5 DH	60482500
1075 THE UNSIGNED VALUE OF THIS FLOATING POINT LITERAL IS LARGER THAN 0.12650140831706E+323. A VALUE 1075 OF 0.0E+0 IS ASSUMED	COBOL 5 DH	60482500
1076 THE UNSIGNED VALUE OF THIS FLOATING POINT LITERAL IS SMALLER THAN 0.31315130625140E-293. 1076 A VALUE OF 0.0E+0 IS ASSUMED	COBOL 5 DH	60482500
1077 NON-NUMERIC CHARACTER IN SEQUENCE NUMBER	COBOL 5 DH	60482500
1078 THE -BY- IN A COPY STATEMENT WAS EXPECTED HERE. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1079 THE TEXT-NAME IS MISSING FROM THIS COPY STATEMENT. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1080 THIS TEXT-NAME IS LONGER THAN 9 CHARACTERS. ONLY THE LEFT 9 CHARACTERS ARE USED	COBOL 5 DH	60482500
1081 THIS LIBRARY-NAME IS NOT A LEGAL FILE NAME. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1082 THIS LIBRARY IS NOT A RANDOM -UPDATE- LIBRARY. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1083 THIS TEXT-NAME IS NOT ON THE INDICATED LIBRARY. THE COPY STATEMENT IS IGNORED	COBOL 5 DH	60482500
1084 THIS SHOULD HAVE BEEN A PERIOD TO PROPERLY TERMINATE THE COPY STATEMENT. THE COPY 1084 STATEMENT IS IGNORED	COBOL 5 DH	60482500
1085 THE IGNORED COPY STATEMENT ENDS HERE	COBOL 5 DH	60482500
1086 THE SOURCE PROGRAM ENDED BEFORE THE TERMINATING PERIOD FOR THE COPY STATEMENT	COBOL 5 DH	60482500
1087 THE PSEUDO-TEXT STARTED BY THIS == IS TERMINATED BY END-OF-PROGRAM. THE COPY STATEMENT IS 1087 IGNORED	COBOL 5 DH	60482500
1088 THIS IS NOT A VALID ACTUAL PARAMETER FOR THE COPY STATEMENT. THE COPY STATEMENT IS 1088 IGNORED	COBOL 5 DH	60482500
1089 A LINE AT THE BEGINNING OF THE PROGRAM HAS NON-DIGITS OR ALL ZERO DIGITS IN COLUMNS 1 TO 6. THIS 1089 LINE-S PROGRAM SEQUENCE NUMBER IS GENERATED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1090 A LINE FOLLOWING THIS LINE HAS A PROGRAM SEQUENCE NUMBER IN COLUMNS 1 TO 6 THAT IS LARGER 1090 THAN 65535. THIS LINE-S NUMBER IS ASSUMED	COBOL 5 DH	60482500
1091 A LINE AT THE BEGINNING OF THE PROGRAM HAS A PROGRAM SEQUENCE NUMBER IN COLUMNS 1 TO 6 THAT IS 1091 LARGER THAN 65535. THIS LINE-S PROGRAM SEQUENCE NUMBER IS ASSUMED	COBOL 5 DH	60482500
1092 THIS PSEUDO-TEXT DELIMITER IS ILLEGAL HERE. IT IS IGNORED	COBOL 5 DH	60482500
1093 ONLY CHARACTERS 0 AND 1 ARE ALLOWED IN BOOLEAN LITERALS	COBOL 5 DH	60482500
1094 THE FDL PARAMETER WAS SPECIFIED BUT THE FDL FILE IS EMPTY OR DOES NOT EXIST	COBOL 5 DH	60482500
1095 THIS DATA-NAME CANNOT BE THE SAME AS ANOTHER WHICH HAS THE SAME LEVEL NUMBER AND IS IN THE SAME 1095 HIERARCHY	COBOL 5 DH	60482500
1096 BOTH CHARACTERS OF PSEUDO-TEXT DELIMETER MUST BE ON THE SAME LINE	COBOL 5 DH	60482500
1099 NO IDENTIFICATION DIVISION ENTRIES COULD BE FOUND BEFORE THE END OF THE RECORD. 1099 COMPILATION ABANDONED	COBOL 5 DH	60482500
1100 ILLEGAL ATTEMPTED NORMAL RETURN FROM ON-UNIT	PL/I RM	60388100
1100 THIS REPLACE STATEMENT IMMEDIATELY FOLLOWS A REPLACE STATEMENT WITH NO PSEUDO-TEXTS OR TERMINATING 1100 PERIOD. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1101 COPY STATEMENT WITHIN COPIED TEXT ILLEGAL	COBOL 5 DH	60482500
1102 ERROR (NORMAL TERMINATION OF ERROR ON-UNIT)	PL/I RM	60388100
1103 RESERVED WORD REPLACE ENCOUNTERED WHILE PROCESSING PSEUDO-TEXT-1 OF A REPLACE STATEMENT. 1103 REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1106 SEPARATOR WORD -BY- MISSING IN THIS REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1109 TEXT PRODUCED AS A RESULT OF A REPLACE STATEMENT MUST NOT CONTAIN A REPLACE STATEMENT. 1109 REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1110 PSEUDO-TEXT-1 MUST CONSIST OF AT LEAST ONE CHARACTER STRING	COBOL 5 DH	60482500
1112 REPLACE STATEMENT MUST BE PRECEDED BY A PERIOD. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1115 COPY STATEMENT NOT ALLOWED IN PSEUDO-TEXT OF A REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1118 REPLACE STATEMENT MISSING PSEUDO-TEXTS	COBOL 5 DH	60482500
1121 END OF SOURCE ENCOUNTERED IN MIDDLE OF REPLACE STATEMENT	COBOL 5 DH	60482500
1124 PSEUDO-TEXT OR TERMINATOR PERIOD MISSING FROM REPLACE STATEMENT. REPLACE STATEMENT IGNORED	COBOL 5 DH	60482500
1127 END OF SOURCE ENCOUNTERED WHILE PROCESSING PSEUDO-TEXT-1 OF THIS REPLACE STATEMENT	COBOL 5 DH	60482500
1130 PSEUDO-TEXT FOLLOWING SEPARATOR WORD -BY- MISSING FROM REPLACE STATEMENT. REPLACE 1130 STATEMENT IGNORED	COBOL 5 DH	60482500
1133 END OF SOURCE ENCOUNTERED WHILE PROCESSING PSEUDO-TEXT-2 OF THIS REPLACE STATEMENT	COBOL 5 DH	60482500
1136 END OF SOURCE ENCOUNTERED WHILE SKIPPING TO THE TERMINATING PERIOD OF THIS REPLACE STATEMENT	COBOL 5 DH	60482500
1137 THE FOLLOWING BLOCK CONTAINS A PARITY ERROR nnnnn	CRM/BAM 1 RM	60495700
1139 REPLACE STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
1140 REPLACEMENT OF PUNCTUATION CHARACTER COMMA OR SEMICOLON HAS OCCURRED ON THIS LINE. 1140 AN INTERVENING SPACE IS ASSUMED TO HAVE PRECEDED IT. CONCATENATION HAS NOT OCCURRED.	COBOL 5 DH	60482500
1150 PERIOD FOLLOWING DATE-COMPILED MISSING	COBOL 5 DH	60482500
1200 THE SUBSCHEMA RECORD LIST CANNOT BE READ	COBOL 5 DH	60482500
1201 ERROR, E.G. I/O, IN ACCESSING A SUBSCHEMA RECORD ENTRY	COBOL 5 DH	60482500
1202 A SUBSCHEMA ITEM CANNOT BE READ	COBOL 5 DH	60482500
1203 THE SUBSCHEMA LIBRARY CANNOT BE OPENED. THIS MAY BE DUE TO AN INVALID SUBSCHEMA NAME	COBOL 5 DH	60482500
1204 THE OMIT LIST FOR THIS AREA CANNOT BE READ	COBOL 5 DH	60482500
1205 A SUBSCHEMA AREA IS -SELECT-ED MORE THAN ONCE	COBOL 5 DH	60482500
1206 SUBSCHEMA AREA TABLE OVERFLOW. AREA/RELATION IS IGNORED	COBOL 5 DH	60482500
1207 ERROR, E.G. I/O, IN READING SUBSCHEMA AREALIST	COBOL 5 DH	60482500
1208 ERROR, E.G. I/O, IN ACCESSING A SUBSCHEMA AREA ENTRY	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
1209 THIS DUPLICATE -SUB-SCHEMA IS- CLAUSE IS IGNORED	COBOL 5 DH	60482500
1210 SUBSCHEMA ERROR, NO -VALUE- LITERAL WITH 88 LEVEL ITEM	COBOL 5 DH	60482500
1211 AN AREA SPECIFIED IN THE FDL FILE IS NOT IN THE SUBSCHEMA	COBOL 5 DH	60482500
1212 A RELATION SPECIFIED IN THE FDL FILE IS NOT IN THE SUBSCHEMA	COBOL 5 DH	60482500
1213 AN AREA SPECIFIED IN THE FDL FILE HAS NOT BEEN -SELECT-ED	COBOL 5 DH	60482500
1214 A -SUB-SCHEMA IS- CLAUSE IS USED BUT NO -D- PARAMETER APPEARS ON THE COBOL CONTROL CARD	COBOL 5 DH	60482500
1215 SINCE THIS SUBPROGRAM SPECIFIES A SUBSCHEMA, THE MAIN PROGRAM COMPILATION REQUIRES AN 1215 FDL FILE WHICH SPECIFIES ALL SUBSCHEMA-DEFINED FILES AND RELATIONS REFERENCED IN THIS 1215 SUBPROGRAM	COBOL 5 DH	60482500
1216 THE VERSION OF DDL UNDER WHICH THE SUBSCHEMA WAS COMPILED IS INCOMPATIBLE WITH THE 1216 VERSION OF CDCS UNDER WHICH THIS PROGRAM IS TO EXECUTE	COBOL 5 DH	60482500
1249 OMISSION OF A DATA-NAME OR FILLER FOLLOWING A LEVEL NUMBER IN A DATA DESCRIPTION ENTRY IS 1249 NON-STANDARD COBOL	COBOL 5 DH	60482500
1301 THIS STRING CONTAINS TOO MANY CHARACTERS. IT IS TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
1302 THIS CHARACTER MAY NOT BE USED IN COL 7. A SPACE IS SUBSTITUTED	COBOL 5 DH	60482500
1303 THE FIRST NON-BLANK CHARACTER AFTER A CONTINUATION INDICATOR IS IN THE A-AREA. IT IS 1303 ACCEPTED ANYWAY	COBOL 5 DH	60482500
1304 THE FIRST NON-SPACE CHARACTER IN A CONTINUED PORTION OF A NON-NUMERIC LITERAL IS NOT A 1304 QUOTE. A PRECEDING QUOTE IS ASSUMED	COBOL 5 DH	60482500
1305 THIS NON-NUMERIC LITERAL CONTAINS TOO MANY CHARACTERS. IT IS TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
1306 THIS NON-NUMERIC LITERAL HAS NO TERMINAL QUOTE. A QUOTE IN COL 73 IS ASSUMED	COBOL 5 DH	60482500
1307 CONTINUATION LINES MUST NOT APPEAR AFTER A BLANK LINE. THE CONTINUATION CHARACTER IS 1307 ASSUMED BLANK	COBOL 5 DH	60482500
1308 THIS COPY STATEMENT IS IN ERROR	COBCL 5 DH	60482500
1309 THIS TEXT NAME IS IN ERROR	COBOL 5 DH	60482500
1310 THIS LIBRARY NAME IS IN ERROR	COBOL 5 DH	60482500
1311 THIS LIBRARY IS UNDEFINED	COBOL 5 DH	60482500
1312 THIS TEXT IS UNDEFINED	COBOL 5 DH	60482500
1320 COMPILER ERROR - ZERO LENGTH ASSIGNED WORD	COBOL 5 DH	60482500
1321 COMPILER ERROR - INVALID PROCEDURE REFERENCE	COBOL 5 DH	60482500
1322 COMPILER ERROR - INVALID DATA REFERENCE	COBOL 5 DH	60482500
1401 FIPS=3 SUPPORTS DATA NAMES BEGINNING WITH A NUMERIC DIGIT	COBOL 5 DH	60482500
1402 FIPS=3 SUPPORTS QUALIFICATION	COBOL 5 DH	60482500
1403 FIPS=3 SUPPORTS ZEROS, ZEROES, SPACES, QUOTES, HIGH-VALUES, AND LOW-VALUES	COBOL 5 DH	60482500
1404 FIPS=3 SUPPORTS THE DATE-COMPILED PARAGRAPH	COBOL 5 DH	60482500
1405 FIPS=3 SUPPORTS LEVEL NUMBERS 11 THRU 49	COBOL 5 DH	60482500
1406 DEBUG-NUMERIC-CONTENTS IS NON-STANDARD COBOL	COBOL 5 DH	60482500
1600 FIPS=3 SUPPORTS THE CONTINUATION OF COBOL WORDS AND NUMERIC LITERALS	COBOL 5 DH	60482500
1601 FIPS=2 SUPPORTS THE COPY STATEMENT	COBOL 5 DH	60482500
1602 FIPS=4 SUPPORTS COPY TEXT-NAME OF/IN LIBRARY-NAME	COBOL 5 DH	60482500
1603 FIPS=4 SUPPORTS COPY REPLACING	COBOL 5 DH	60482500
1604 FIPS=2 SUPPORTS DEBUGGING LINES	COBOL 5 DH	60482500
1610 FIPS=3 SUPPORTS ONE DIGIT LEVEL NUMBERS	COBOL 5 DH	60482500
2001 A REPETITION COUNT MUST NOT EXCEED 131071	COBOL 5 DH	60482500
2002 THE RIGHT PARENTHESIS, REQUIRED HERE, IS MISSING IN THIS REPETITION COUNT	COBOL 5 DH	60482500
2003 REPETITION CHARACTER REQUIRED HERE FOR THIS REPETITION COUNT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
2004 THIS RIGHT PARENTHESIS IS MISPLACED	COBOL 5 DH	60482500
2005 A LEFT PARENTHESIS MUST PRECEDE THIS REPETITION COUNT	COBOL 5 DH	60482500
2006 THIS CHARACTER IS NOT ALLOWED IN A PICTURE STRING	COBOL 5 DH	60482500
2007 COMPILER ERROR	COBOL 5 DH	60482500
2008 THIS CHARACTER IS MISPLACED IN THE PICTURE	COBOL 5 DH	60482500
2009 AN EDIT PICTURE MUST CONTAIN AN -X-, -A-, OR -9-	COBOL 5 DH	60482500
2010 A NUMERIC PICTURE MUST CONTAIN AT LEAST ONE -9-	COBOL 5 DH	60482500
2011 AN ALPHANUMERIC EDIT PICTURE MUST CONTAIN AT LEAST ONE -X- AND -B-, OR -X- AND -O-, 2011 OR -X- AND -/-, OR -A- AND -O-, OR -A- AND -/-	COBOL 5 DH	60482500
2012 A NUMERIC ITEM MAY NOT EXCEED 18 DIGIT POSITIONS	COBOL 5 DH	60482500
2013 A NON-NUMERIC ITEM MAY NOT EXCEED 131071 CHARACTER POSITIONS	COBOL 5 DH	60482500
2014 THE COEFFICIENT OF AN EXTERNAL FLOATING POINT ITEM MAY NOT EXCEED 15 DIGIT POSITIONS	COBOL 5 DH	60482500
2015 THE EXPONENT OF AN EXTERNAL FLOATING POINT ITEM MUST CONTAIN 1, 2, 3 OR 4 DIGIT 2015 POSITIONS	COBOL 5 DH	60482500
2016 A FLOATING POINT PICTURE IS NON-STANDARD	COBOL 5 DH	60482500
2017 AN EXTERNAL FLOATING POINT ITEM MAY CONTAIN A SIGN POSITION FOR BOTH THE COEFFICIENT AND 2017 THE EXPONENT	COBOL 5 DH	60482500
2018 COMPILER ERROR	COBOL 5 DH	60482500
2021 THIS EXTERNAL FLOATING POINT PICTURE IS NOT VALID	COBOL 5 DH	60482500
2022 COMPILER ERROR	COBOL 5 DH	60482500
2023 THE LENGTH OF EACH PICTURE MUST BE GREATER THAN ZERO	COBOL 5 DH	60482500
3001 THIS ELEMENT MAY NOT APPEAR IN THIS CONTEXT	COBOL 5 DH	60482500
3002 A BLANK WHEN ZERO CLAUSE IS ONLY ALLOWED IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3003 -ZERO- IS A REQUIRED WORD IN A BLANK WHEN ZERO CLAUSE	COBOL 5 DH	60482500
3004 THE BLOCK CONTAINS CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION	COBOL 5 DH	60482500
3005 AN INTEGER LITERAL IS REQUIRED IN A BLOCK CONTAINS CLAUSE	COBOL 5 DH	60482500
3006 DIVISION IS A REQUIRED WORD IN A DIVISION HEADER	COBOL 5 DH	60482500
3007 A PERIOD MUST TERMINATE A DIVISION HEADER	COBOL 5 DH	60482500
3008 THE DATA RECORDS CLAUSE IS ALLOWED ONLY IN A FILE OR SORT-MERGE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3009 -RECORD- OR -RECORDS- IS REQUIRED IN A DATA RECORDS CLAUSE	COBOL 5 DH	60482500
3010 AT LEAST ONE DATA NAME IS REQUIRED IN A DATA RECORDS CLAUSE	COBOL 5 DH	60482500
3011 THE JUSTIFIED CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3012 THE LABEL RECORDS CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3013 -RECORD- OR -RECORDS- IS REQUIRED IN A LABEL RECORDS CLAUSE	COBOL 5 DH	60482500
3014 -STANDARD- OR -OMITTED- IS REQUIRED IN A LABEL RECORDS CLAUSE	COBOL 5 DH	60482500
3015 THE LINAGE CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3016 A DATA NAME OR AN INTEGER LITERAL IS REQUIRED IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3017 THE EXTERNAL CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3018 THE OCCURS CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY WITH A LEVEL NUMBER IN 3018 THE RANGE 02 THROUGH 49	COBOL 5 DH	60482500
3019 AN INTEGER LITERAL IS REQUIRED IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3020 AN INTEGER LITERAL MUST FOLLOW -TO- IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3021 -DEPENDING- IS REQUIRED AFTER INTEGER-2 OF AN OCCURS CLAUSE	COBOL 5 DH	60482500
3022 A DATA NAME IS REQUIRED IN THE DEPENDING ON PHRASE OF AN OCCURS CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3023 A DATA NAME IS REQUIRED AFTER ASCENDING OR DESCENDING KEY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3024 THE PICTURE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3025 A PICTURE STRING IS REQUIRED IN A PICTURE CLAUSE	COBOL 5 DH	60482500
3026 THE RECORD CLAUSE IS ALLOWED ONLY IN A FILE OR SORT-MERGE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3027 AN INTEGER LITERAL IS REQUIRED IN A RECORD CLAUSE	COBOL 5 DH	60482500
3028 AN INTEGER LITERAL MUST FOLLOW -TO- IN A RECORD CLAUSE	COBOL 5 DH	60482500
3029 THE RECORDING MODE CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3030 THE REDEFINES CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3031 A DATA NAME IS REQUIRED IN A REDEFINES CLAUSE	COBOL 5 DH	60482500
3032 THE REPORT CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3033 VARIABLE LENGTH DATA ITEMS ARE NOT IMPLEMENTED IN THIS COMPILER	COBOL 5 DH	60482500
3034 A REPORT-NAME IS REQUIRED IN A REPORT CLAUSE	COBOL 5 DH	60482500
3035 THE SIGN CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3036 THE ENVIRONMENT DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
3037 THE DATA DIVISION HEADER IS MISSING	COBOL 5 DH	60482500
3038 -LEADING- OR -TRAILING- IS REQUIRED IN A SIGN CLAUSE	COBOL 5 DH	60482500
3039 THE SYNCHRONIZED CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3040 THE USAGE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY	COBOL 5 DH	60482500
3041 A DATA NAME MUST FOLLOW -DEPENDING ON- IN A VARIABLE LENGTH PICTURE	COBOL 5 DH	60482500
3042 -BINARY- OR -DECIMAL- IS REQUIRED HERE IN THE RECORDING MODE CLAUSE	COBOL 5 DH	60482500
3043 A DATA NAME OR LITERAL IS REQUIRED AFTER -FOOTING- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3044 A DATA NAME OR LITERAL IS REQUIRED AFTER -TOP- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3045 A DATA NAME OR LITERAL IS REQUIRED AFTER -BOTTOM- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3046 -FOOTING- MUST FOLLOW -WITH- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3047 DISPLAY, COMP, COMP-1, COMP-2, COMP-4, OR INDEX IS REQUIRED HERE IN THE USAGE CLAUSE	COBOL 5 DH	60482500
3048 THE VALUE CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION OR CONDITION NAME ENTRY	COBOL 5 DH	60482500
3049 A LITERAL IS REQUIRED IN A VALUE CLAUSE	COBOL 5 DH	60482500
3050 THE -VALUE OF- CLAUSE IS ALLOWED ONLY IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3051 AN IMPLEMENTOR NAME THAT SPECIFIES A LABEL FIELD MUST BE GIVEN IN A -VALUE OF- CLAUSE	COBOL 5 DH	60482500
3052 EITHER A DATA NAME OR A LITERAL MUST FOLLOW THE LABEL FIELD NAME IN A -VALUE OF- CLAUSE	COBOL 5 DH	60482500
3053 AN ASCENDING OR DESCENDING KEY PHRASE IS ALLOWED ONLY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3054 ILLEGAL MULTI-FILE NAME - MUST START WITH LETTER AND CONTAIN ONLY LETTERS AND NUMBERS	COBOL 5 DH	60482500
3055 THE INDEXED BY PHRASE IS ALLOWED ONLY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3056 THE RENAMES CLAUSE IS ALLOWED ONLY IN A DATA DESCRIPTION ENTRY WITH A LEVEL NUMBER OF 66	COBOL 5 DH	60482500
3057 THE MULTI-FILE NAMES FOR A SERIES OF FILES IN A MULTIPLE FILE TAPE CLAUSE MUST BE IDENTICAL	COBOL 5 DH	60482500
3058 ON NOS/BE, THE MULTI-FILE NAME MUST NOT EQUAL THE IMPLEMENTOR NAME SPECIFIED IN THE	COBOL 5 DH	60482500
3059 A LEVEL 66 ENTRY MAY ONLY FOLLOW ENTRIES WITH LEVELS 2 THROUGH 49, 66, OR 88	COBOL 5 DH	60482500
3060 -RENAMES- MUST IMMEDIATELY FOLLOW A LEVEL 66 DATA NAME	COBOL 5 DH	60482500
3061 A DATA NAME MUST FOLLOW -RENAMES-	COBOL 5 DH	60482500
3062 A DATA NAME MUST FOLLOW -THRU- IN A RENAMES CLAUSE	COBOL 5 DH	60482500
3064 A LEVEL 88 ENTRY IS ALLOWED ONLY AFTER AN ENTRY WITH LEVEL 01 THROUGH 49, 77 OR 88	COBOL 5 DH	60482500
3065 -VALUE- OR -VALUES- MUST FOLLOW THE CONDITION NAME IN A LEVEL 88 ENTRY	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3066 A LITERAL IS REQUIRED IN A CONDITION NAME VALUE CLAUSE	COBOL 5 DH	60482500
3067 A LITERAL MUST FOLLOW -THRU- IN A CONDITION NAME VALUE CLAUSE	COBOL 5 DH	60482500
3068 A LEVEL 88 ENTRY MUST END WITH A PERIOD	COBOL 5 DH	60482500
3069 -INPUT- OR -OUTPUT- IS REQUIRED IN A CD ENTRY	COBOL 5 DH	60482500
3070 A REPORT DESCRIPTION ENTRY IS ALLOWED ONLY IN THE REPORT SECTION	COBOL 5 DH	60482500
3071 -SECTION- IS REQUIRED IN THE FILE SECTION HEADER	COBOL 5 DH	60482500
3072 THE FILE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3073 -SECTION- IS REQUIRED IN THE WORKING-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3074 THE WORKING-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3075 -SECTION- IS REQUIRED IN THE LINKAGE SECTION HEADER	COBOL 5 DH	60482500
3076 THE LINKAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3077 -SECTION- IS REQUIRED IN THE COMMUNICATION SECTION HEADER	COBOL 5 DH	60482500
3078 THE COMMUNICATION SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3079 IN THE FILE SECTION OR COMMUNICATION SECTION A LEVEL 01 ENTRY IS ONLY ALLOWED AFTER A 3079 LEVEL INDICATOR ENTRY (FD, SD OR CD), OR AFTER AN ENTRY WITH LEVEL 01 TO 49	COBOL 5 DH	60482500
3080 AN ENTRY WITH LEVEL 02 THROUGH 49 IS ONLY ALLOWED AFTER AN ENTRY WITH LEVEL 01 THROUGH 3080 49 OR LEVEL 88	COBOL 5 DH	60482500
3081 A LEVEL 77 ENTRY IS ALLOWED ONLY IN THE WORKING-STORAGE SECTION	COBOL 5 DH	60482500
3082 THE QUEUE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3083 THE SUB-QUEUE-1 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3084 THE SUB-QUEUE-2 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3085 THE SUB-QUEUE-3 CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3086 THE SYMBOLIC SOURCE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3087 THE DESTINATION CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3088 THE QUEUE DEPTH CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3089 THE DESTINATION COUNT CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3090 THE DESTINATION TABLE CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3091 -OCCURS- IS REQUIRED IN A DESTINATION TABLE CLAUSE	COBOL 5 DH	60482500
3092 AN INTEGER LITERAL IS REQUIRED IN A DESTINATION TABLE CLAUSE	COBOL 5 DH	60482500
3093 THE TEXT LENGTH CLAUSE IS ONLY ALLOWED IN A CD ENTRY	COBOL 5 DH	60482500
3094 -LENGTH- IS REQUIRED IN A TEXT LENGTH CLAUSE	COBOL 5 DH	60482500
3095 THE STATUS KEY CLAUSE IS ONLY ALLOWED IN A CD ENTRY	COBOL 5 DH	60482500
3096 -KEY- IS REQUIRED IN A STATUS KEY CLAUSE	COBOL 5 DH	60482500
3097 THE ERROR KEY CLAUSE IS ONLY ALLOWED IN AN OUTPUT CD ENTRY	COBOL 5 DH	60482500
3098 -KEY- IS REQUIRED IN AN ERROR KEY CLAUSE	COBOL 5 DH	60482500
3099 -DATE- OR -TIME- MUST FOLLOW -MESSAGE- IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3100 THE MESSAGE TIME CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3101 THE MESSAGE DATE CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3102 THE END KEY CLAUSE IS ONLY ALLOWED IN AN INPUT CD ENTRY	COBOL 5 DH	60482500
3103 -KEY- IS REQUIRED IN AN END KEY CLAUSE	COBOL 5 DH	60482500
3104 QUEUE, SUB-QUEUE-1, SUB-QUEUE-2, SUB- QUEUE-3, SOURCE, OR DESTINATION MUST FOLLOW THE 3104 WORD -SYMBOLIC-	COBOL 5 DH	60482500
3105 EITHER -TOP- OR -BOTTOM- MUST FOLLOW -LINES- OR -AT- IN A LINAGE CLAUSE	COBOL 5 DH	60482500
3106 A FILE NAME IS REQUIRED AFTER -ON- IN THE APPLY I-O TECHNIQUE CLAUSE	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3107	A DATA NAME IS REQUIRED HERE IN THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3108	A DATA NAME IS REQUIRED AFTER INDEXED BY IN AN OCCURS CLAUSE	COBOL 5 DH	60482500
3109	AN IMPLEMENTOR-NAME IS REQUIRED IN THE APPLY CLAUSE	COBOL 5 DH	60482500
3110	-ON- IS A REQUIRED WORD IN THE APPLY CLAUSE	COBOL 5 DH	60482500
3111	THE RELATIVE KEY CLAUSE MUST IMMEDIATELY FOLLOW THE ACCESS MODE CLAUSE	COBOL 5 DH	60482500
3112	ALL DATA DIVISION ENTRIES MUST BE IN ONE OF THE DATA DIVISION SECTIONS	COBOL 5 DH	60482500
3113	A MNEMONIC NAME DEFINITION MUST FOLLOW THE WORD -IS- AFTER AN IMPLEMENTOR NAME IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3114	A RELATIVE KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3118	-APOSTROPHE- IS REQUIRED IN THE QUOTE IS CLAUSE	COBOL 5 DH	60482500
3119	THE QUOTE IS CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3120	-FILE- IS REQUIRED IN A MULTIPLE FILE CLAUSE	COBOL 5 DH	60482500
3121	THE SEGMENT LIMIT CLAUSE IS ONLY ALLOWED IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3122	-IS- IS A REQUIRED WORD IN THE SEGMENT-LIMIT CLAUSE	COBOL 5 DH	60482500
3123	THE SEGMENT LIMIT MUST BE AN INTEGER LITERAL	COBOL 5 DH	60482500
3124	THE MULTIPLE FILE CLAUSE IS ONLY ALLOWED IN THE I-O-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3125	A FILE NAME IS REQUIRED IN A MULTIPLE FILE CLAUSE	COBOL 5 DH	60482500
3126	THE FILE POSITION MUST BE AN INTEGER LITERAL	COBOL 5 DH	60482500
3127	THE SIGN CONTROL CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3128	EITHER -LEADING- OR -TRAILING- IS REQUIRED IN A SIGN CONTROL CLAUSE	COBOL 5 DH	60482500
3129	THE ORGANIZATION CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE WHICH DOES NOT REFERENCE A SORT OR MERGE FILE	COBOL 5 DH	60482500
3130	THE DECIMAL-POINT CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3131	-IS- IS A REQUIRED WORD IN THE DECIMAL-POINT CLAUSE	COBOL 5 DH	60482500
3132	-COMMA- IS REQUIRED IN A DECIMAL-POINT CLAUSE	COBOL 5 DH	60482500
3133	THE APPLY CLAUSE IS ONLY ALLOWED IN THE I-O CONTROL PARAGRAPH	COBOL 5 DH	60482500
3134	THE APPLY CLAUSE IS DOCUMENTARY ONLY	COBOL 5 DH	60482500
3135	ONE OF -SEQUENTIAL-, -RELATIVE-, -INDEXED-, -DIRECT-, -ACTUAL-KEY- OR -WORD-ADDRESS- IS REQUIRED HERE IN THE ORGANIZATION CLAUSE	COBOL 5 DH	60482500
3136	THE SAME AREA CLAUSE IS ONLY ALLOWED IN THE I-O CONTROL PARAGRAPH	COBOL 5 DH	60482500
3137	A FILE NAME IS REQUIRED IN THE SAME AREA CLAUSE	COBOL 5 DH	60482500
3138	AT LEAST TWO FILE NAMES ARE REQUIRED IN A SAME AREA CLAUSE	COBOL 5 DH	60482500
3139	THE SUBSCHEMA CLAUSE IS ONLY ALLOWED IN THE SPECIAL NAMES PARAGRAPH	COBOL 5 DH	60482500
3141	THE INPUT-OUTPUT SECTION MUST BE IN THE ENVIRONMENT DIVISION	COBOL 5 DH	60482500
3142	THE RERUN CLAUSE IS ONLY ALLOWED IN THE I-O-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3143	-REEL- OR -UNIT- MUST FOLLOW -END OF- IN A RERUN CLAUSE	COBOL 5 DH	60482500
3144	A FILE NAME IS REQUIRED AFTER -END OF REEL- OR -END OF UNIT-	COBOL 5 DH	60482500
3146	THE RESERVED WORD -RECORDS- MUST FOLLOW THE INTEGER IN A RERUN CLAUSE	COBOL 5 DH	60482500
3147	ONE OF -EVERY END OF REEL-, -EVERY END OF UNIT-, -EVERY INTEGER RECORDS OF FILE NAME- OR -EVERY CONDITION NAME- IS REQUIRED IN A RERUN CLAUSE	COBOL 5 DH	60482500
3148	THE SPECIAL-NAMES PARAGRAPH IS ALLOWED ONLY IN THE CONFIGURATION SECTION	COBOL 5 DH	60482500
3149	THE CURRENCY CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3150	-IS- IS A REQUIRED WORD IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500
3151	A ONE CHARACTER LITERAL IS REQUIRED IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3152 THE CLAUSE, RESERVE INTEGER AREAS, CAN ONLY APPEAR IN THE FILE-CONTROL PARAGRAPH IN 3152 A SELECT CLAUSE WHICH SPECIFIES A FILE-NAME OTHER THAN A SORT FILE	COBOL 5 DH	60482500
3153 AN UNSIGNED INTEGER IS REQUIRED IN A RESERVE AREAS CLAUSE	COBOL 5 DH	60482500
3154 THE ACCESS MODE CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT 3154 CLAUSE WHICH DOES NOT REFERENCE A SORT OR MERGE FILE	COBOL 5 DH	60482500
3155 A DATA NAME IS REQUIRED IN A RELATIVE KEY CLAUSE	COBOL 5 DH	60482500
3156 THE ACCESS MODE MUST BE SEQUENTIAL, RANDOM, OR DYNAMIC	COBOL 5 DH	60482500
3157 THE RECORD KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3158 A DATA-NAME IS REQUIRED IN A RECORD KEY CLAUSE	COBOL 5 DH	60482500
3159 THE ALTERNATE RECORD KEY CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A 3159 SELECT CLAUSE	COBOL 5 DH	60482500
3160 -RECORD- IS A REQUIRED WORD IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3161 A DATA NAME IS REQUIRED IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3162 -DUPLICATES- MUST FOLLOW -WITH- IN THE ALTERNATE RECORD KEY CLAUSE	COBOL 5 DH	60482500
3163 -SECTION- IS A REQUIRED WORD IN THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3164 A PERIOD MUST TERMINATE THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3165 THE FILE-CONTROL PARAGRAPH MUST IMMEDIATELY FOLLOW THE INPUT-OUTPUT SECTION HEADER	COBOL 5 DH	60482500
3166 -FILE-CONTROL- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3172 -SPECIAL-NAMES- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3173 -I-O-CONTROL- MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
3176 A SELECT CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3177 A FILE NAME MUST FOLLOW THE WORD -SELECT-	COBOL 5 DH	60482500
3178 -ASSIGN- MUST FOLLOW THE FILE NAME IN A SELECT CLAUSE	COBOL 5 DH	60482500
3179 AN IMPLEMENTOR NAME MUST FOLLOW -ASSIGN- IN A SELECT CLAUSE	COBOL 5 DH	60482500
3180 THE REQUIRED WORD -IS- HAS BEEN ASSUMED PRESENT	COBOL 5 DH	60482500
3181 -IS- IS A REQUIRED WORD AFTER -ON STATUS- IN AN IMPLEMENTOR NAME CLAUSE	COBOL 5 DH	60482500
3182 -IS- IS A REQUIRED WORD AFTER -OFF STATUS- IN AN IMPLEMENTOR NAME CLAUSE	COBOL 5 DH	60482500
3186 THE CONFIGURATION SECTION IS ONLY ALLOWED IN THE ENVIRONMENT DIVISION BEFORE THE 3186 INPUT-OUTPUT SECTION	COBOL 5 DH	60482500
3187 -SECTION- IS REQUIRED IN THE CONFIGURATION SECTION HEADER	COBOL 5 DH	60482500
3188 A PERIOD MUST TERMINATE THE CONFIGURATION SECTION HEADER	COBOL 5 DH	60482500
3189 THE SOURCE-COMPUTER PARAGRAPH IS ONLY ALLOWED IN THE CONFIGURATION SECTION BEFORE 3189 THE OBJECT-COMPUTER PARAGRAPH AND SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3190 A PERIOD MUST FOLLOW -SOURCE-COMPUTER-	COBOL 5 DH	60482500
3191 THE OBJECT-COMPUTER PARAGRAPH IS ONLY ALLOWED IN THE CONFIGURATION SECTION BEFORE 3191 THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3192 A PERIOD MUST FOLLOW -OBJECT-COMPUTER-	COBOL 5 DH	60482500
3193 THE DEBUGGING MODE CLAUSE IS ONLY LEGAL IN THE SOURCE-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3195 -MODE- IS REQUIRED IN A DEBUGGING MODE CLAUSE	COBOL 5 DH	60482500
3196 THE FILE STATUS CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT 3196 CLAUSE	COBOL 5 DH	60482500
3198 A DATA NAME IS REQUIRED IN A FILE STATUS CLAUSE	COBOL 5 DH	60482500
3199 THE I-O-CONTROL PARAGRAPH IS ONLY ALLOWED IN THE INPUT-OUTPUT SECTION AFTER THE FILE- 3199 CONTROL PARAGRAPH	COBOL 5 DH	60482500
3200 THIS DUPLICATE BLANK WHEN ZERO CLAUSE IS IGNORED	COBOL 5 DH	60482500
3201 THIS DUPLICATE JUSTIFIED CLAUSE IS IGNORED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3202 THIS DUPLICATE OCCURS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3203 THE OCCURS LITERAL MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
3204 THIS DUPLICATE PICTURE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3205 THIS DUPLICATE REDEFINES CLAUSE IS IGNORED	COBOL 5 DH	60482500
3206 THE REDEFINES CLAUSE MUST BE THE FIRST CLAUSE IN AN ENTRY	COBOL 5 DH	60482500
3207 THIS DUPLICATE SIGN CLAUSE IS IGNORED	COBOL 5 DH	60482500
3208 THIS DUPLICATE USAGE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3209 THIS DUPLICATE VALUE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3210 -ALL- IS ONLY ALLOWED BEFORE A NON-NUMERIC LITERAL. THIS -ALL- IS IGNORED	COBOL 5 DH	60482500
3211 THIS DUPLICATE SYNCHRONIZED CLAUSE IS IGNORED	COBOL 5 DH	60482500
3212 A DUPLICATE PERIOD HAS BEEN ENCOUNTERED. THE PRECEDING ONE IS IGNORED	COBOL 5 DH	60482500
3213 TOO MANY NAMES GIVEN FOR CD RECORD	COBOL 5 DH	60482500
3214 NOT ENOUGH NAMES GIVEN FOR CD RECORD	COBOL 5 DH	60482500
3215 AN FD ENTRY IS ALLOWED ONLY IN THE FILE SECTION	COBOL 5 DH	60482500
3216 AN SD ENTRY IS ALLOWED ONLY IN THE FILE SECTION	COBOL 5 DH	60482500
3217 A CD ENTRY IS ALLOWED ONLY IN THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3218 THE FILE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3219 THE FILE SECTION MUST PRECEDE THE WORKING-STORAGE, LINKAGE, AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3220 THE WORKING-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3221 THE WORKING-STORAGE SECTION MUST PRECEDE THE LINKAGE AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3222 THE LINKAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3223 THE LINKAGE SECTION MUST PRECEDE THE COMMUNICATION SECTION	COBOL 5 DH	60482500
3224 THE COMMUNICATION SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3225 THE LITERAL IN THE DESTINATION TABLE CLAUSE MUST BE AN UNSIGNED INTEGER: A VALUE OF 3225 ONE WILL BE USED	COBOL 5 DH	60482500
3229 A LITERAL MUST FOLLOW -USE- IN A SELECT STATEMENT	COBOL 5 DH	60482500
3230 AN ALPHABET-NAME CLAUSE IS ONLY ALLOWED IN THE SPECIAL-NAMES PARAGRAPH	COBOL 5 DH	60482500
3231 THE ITEM REFERENCED IN THE PROGRAM COLLATING SEQUENCE CLAUSE MUST BE AN ALPHABET-NAME	COBOL 5 DH	60482500
3232 THE COMMON-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3233 -SECTION- IS REQUIRED IN THE COMMON-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3234 THE COMMON-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3235 -SECTION- IS REQUIRED IN THE SECONDARY-STORAGE SECTION HEADER	COBOL 5 DH	60482500
3236 THE SECONDARY-STORAGE SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3237 THE SECONDARY-STORAGE SECTION HAS ALREADY BEEN ENCOUNTERED	COBOL 5 DH	60482500
3238 THE SECONDARY-STORAGE SECTION MUST PRECEDE THE LINKAGE AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3239 THE COMMON-STORAGE SECTION MUST PRECEDE THE WORKING-STORAGE, SECONDARY-STORAGE, LINKAGE, 3239 AND COMMUNICATION SECTIONS	COBOL 5 DH	60482500
3240 THE SEGMENT LIMIT MUST HAVE A VALUE IN THE RANGE 1 THROUGH 49	COBOL 5 DH	60482500
3241 THE IMPLEMENTOR NAME ASSOCIATED WITH -ON STATUS- OR -OFF STATUS- MUST BE SWITCH-N FOR N 3241 BETWEEN 1 AND 126	COBOL 5 DH	60482500
3242 A -USE- CLAUSE IS ONLY ALLOWED IN A SELECT STATEMENT IN THE FILE-CONTROL PARAGRAPH	COBOL 5 DH	60482500
3243 A BLOCK COUNT CLAUSE IS ONLY LEGAL IN A FILE-CONTROL ENTRY FOLLOWING A SELECT CLAUSE	COBOL 5 DH	60482500
3244 A DATA-NAME OR AN INTEGER IS REQUIRED HERE IN THE -BLOCK COUNT- CLAUSE	COBOL 5 DH	60482500
3245 A WORD-ADDRESS KEY CLAUSE IS ONLY ALLOWED IN A FILE-CONTROL ENTRY FOLLOWING A SELECT CLAUSE	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3246	A DATA-NAME REFERENCE IS REQUIRED HERE IN THE WORD-ADDRESS KEY CLAUSE	COBOL 5 DH	60482500
3247	THIS DUPLICATE BLOCK COUNT CLAUSE IS IGNORED	COBOL 5 DH	60482500
3248	A WORD-ADDRESS KEY IS ONLY ALLOWED FOR A FILE WHOSE ORGANIZATION IS WORD- ADDRESS	COBOL 5 DH	60482500
3249	AN -ALTERNATE RECORD KEY- CLAUSE IS NOT ALLOWED ON A SEQUENTIAL, RELATIVE, OR WORD- ADDRESS FILE	COBOL 5 DH	60482500
3250	THIS DUPLICATE BLOCK CONTAINS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3251	THE LITERAL IN THE BLOCK CONTAINS CLAUSE MUST BE AN UNSIGNED INTEGER: A VALUE OF ONE WILL BE USED	COBOL 5 DH	60482500
3252	THIS DUPLICATE DATA RECORDS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3253	THIS DUPLICATE LABEL RECORDS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3254	THIS DUPLICATE LINAGE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3255	THIS DUPLICATE RECORD CLAUSE IS IGNORED	COBOL 5 DH	60482500
3256	A LITERAL IN THE RECORD CLAUSE MUST BE AN UNSIGNED INTEGER; RECORD CLAUSE IGNORED	COBOL 5 DH	60482500
3257	THIS DUPLICATE RECORDING MODE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3258	THIS IS A DUPLICATE EXTERNAL CLAUSE	COBOL 5 DH	60482500
3259	THIS DUPLICATE REPORT CLAUSE IS IGNORED	COBOL 5 DH	60482500
3260	THIS DUPLICATE -VALUE OF- CLAUSE IS IGNORED	COBOL 5 DH	60482500
3261	THE FOLLOWING IMPLEMENTOR-NAMES ARE ALLOWED IN A VALUE OF CLAUSE. FILE-ID, FILE-SET-ID, FILE-SECTION-NUMBER, FILE-SEQUENCE-NUMBER, GENERATION-NUMBER, GENERATION-VERSION-NUMBER, CREATION-DATE, EXPIRATION-DATE, AND ACCESSIBILITY	COBOL 5 DH	60482500
3262	A SECOND IMPLEMENTOR NAME IS REQUIRED IF THE FIRST IS -EXTERNAL-	COBOL 5 DH	60482500
3263	THE LITERALS IN A LINAGE CLAUSE MUST BE UNSIGNED INTEGERS	COBOL 5 DH	60482500
3264	A LITERAL IN THE LINAGE CLAUSE MUST NOT HAVE A VALUE OF ZERO	COBOL 5 DH	60482500
3265	A FOOTING LITERAL MUST NOT BE GREATER THAN THE LINAGE LITERAL	COBOL 5 DH	60482500
3266	THE VARYING PHRASE OF THE RECORD CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3267	-VARYING- MUST FOLLOW -IS- IN A RECORD CLAUSE	COBOL 5 DH	60482500
3268	AN INTEGER LITERAL MUST FOLLOW -FROM- IN A RECORD CLAUSE	COBOL 5 DH	60482500
3270	A SUBSCHEMA NAME IS REQUIRED HERE. IF THE NAME IS THE SAME AS A RESERVED WORD, DATA-NAME, OR PROCEDURE-NAME, IT MUST BE ENCLOSED IN QUOTES	COBOL 5 DH	60482500
3271	THIS COMPILER DOES NOT CONTAIN THE CDCS INTERFACE, AND CONSEQUENTLY, DOES NOT RECOGNIZE A SUBSCHEMA	COBOL 5 DH	60482500
3275	ONLY THE FIRST TWO IMPLEMENTOR-NAMES ARE USED IN THE ASSIGN CLAUSE. THIS AND ANY SUBSEQUENT IMPLEMENTOR-NAMES IGNORED	COBOL 5 DH	60482500
3276	LEVELS 66, 88, CD, FD, SD, AND RD MUST BE FOLLOWED BY A USER-DEFINED NAME	COBOL 5 DH	60482500
3277	THE RESERVED WORD -ALPHABET- IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3300	THE SEGMENT LIMIT MUST BE AN UNSIGNED INTEGER LITERAL	COBOL 5 DH	60482500
3301	THIS DUPLICATE FILE STATUS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3302	THIS DUPLICATE MULTIPLE FILE POSITION CLAUSE IS IGNORED	COBOL 5 DH	60482500
3303	A FILE NAME IS REQUIRED IN A MULTIPLE FILE POSITION CLAUSE	COBOL 5 DH	60482500
3304	-POSITION- MUST BE FOLLOWED BY AN UNSIGNED INTEGER. A VALUE OF ONE IS ASSUMED	COBOL 5 DH	60482500
3305	THE MAXIMUM NUMBER OF CHARACTERS AS SPECIFIED BY THIS RECORD CLAUSE MUST BE GREATER THAN THE MINIMUM NUMBER OF CHARACTERS AS SPECIFIED BY THIS RECORD CLAUSE. RECORD CLAUSE IGNORED	COBOL 5 DH	60482500
3306	A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SELECT CLAUSE	COBOL 5 DH	60482500
3307	ONLY RECORD AREAS ARE SHARED IN THIS COMPILER	COBOL 5 DH	60482500
3308	A FILE NAME IS REQUIRED IN A SAME AREA CLAUSE	COBOL 5 DH	60482500
3309	THIS DUPLICATE SIGN CONTROL CLAUSE IS IGNORED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3310 THE SAME FILE NAME CANNOT BE SPECIFIED IN MORE THAN ONE INTEGER RECORDS CLAUSES OR MORE 3310 THAN ONE END OF REEL/UNIT CLAUSES WITHIN A MULTIPLE RERUN CLAUSE	COBOL 5 DH	60482500
3311 A FILE NAME IS REQUIRED IN A RERUN CLAUSE WHICH SPECIFIES END OF REEL OR UNIT, OR A 3311 RECORD COUNT	COBOL 5 DH	60482500
3312 AN UNSIGNED INTEGER LITERAL IS REQUIRED AS THE RERUN COUNT	COBOL 5 DH	60482500
3313 ONLY ONE RERUN CLAUSE CONTAINING THE CLOCK-UNITS PHRASE MAY BE SPECIFIED	COBOL 5 DH	60482500
3316 A CONDITION-NAME IS REQUIRED IN THE -RERUN EVERY CONDITION-NAME- CLAUSE	COBOL 5 DH	60482500
3318 THE -ASCENDING KEY-, -DESCENDING KEY-, AND -INDEXED BY- PHRASES MUST IMMEDIATELY FOLLOW 3318 AN OCCURS CLAUSE	COBOL 5 DH	60482500
3319 AN UNSIGNED INTEGER LITERAL IS REQUIRED IN A RESERVE CLAUSE	COBOL 5 DH	60482500
3320 THIS DUPLICATE RESERVE AREAS CLAUSE IS IGNORED	COBOL 5 DH	60482500
3321 THIS DUPLICATE ACCESS MODE CLAUSE IS IGNORED	COBOL 5 DH	60482500
3322 THIS DUPLICATE RELATIVE KEY CLAUSE IS IGNORED	COBOL 5 DH	60482500
3323 THIS DUPLICATE RECORD KEY CLAUSE IS IGNORED	COBOL 5 DH	60482500
3324 THIS DUPLICATE ORGANIZATION CLAUSE IS IGNORED	COBOL 5 DH	60482500
3325 A SINGLE CHARACTER NON-NUMERIC LITERAL IS REQUIRED IN A CURRENCY SIGN CLAUSE	COBOL 5 DH	60482500
3326 THE DUPLICATE USE LITERAL CLAUSE IS IGNORED	COBOL 5 DH	60482500
3329 A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SAME RECORD AREA CLAUSE	COBOL 5 DH	60482500
3330 A FILE-NAME ASSOCIATED WITH A SORT OR MERGE FILE MUST NOT APPEAR IN MORE THAN ONE SAME 3330 SORT AREA CLAUSE	COBOL 5 DH	60482500
3331 A FILE-NAME MUST NOT APPEAR IN MORE THAN ONE SAME AREA CLAUSE	COBOL 5 DH	60482500
3332 A FILE-NAME ASSOCIATED WITH A SORT OR MERGE FILE MUST NOT APPEAR IN MORE THAN ONE 3332 SAME AREA CLAUSE	COBOL 5 DH	60482500
3340 A FILE-NAME OR AN IMPLEMENTOR-NAME IS REQUIRED IN THE ON PHRASE OF THE RERUN CLAUSE	COBOL 5 DH	60482500
3341 THE FOLLOWING 3 FORMS OF THE RERUN CLAUSE ARE IMPLEMENTED IN THIS COMPILER, RERUN ON 3341 IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME, RERUN ON IMPLEMENTOR NAME EVERY INTEGER 3341 RECORDS OF FILE NAME AND RERUN ON IMPLEMENTOR NAME EVERY CONDITION NAME. IN EACH 3341 INSTANCE, IMPLEMENTOR NAME IS IGNORED AND THE RERUN DEVICE IS SELECTED BY THE SYSTEM	COBOL 5 DH	60482500
3342 RERUN EVERY END OF REEL OF FILE NAME IS NOT IMPLEMENTED IN THIS COMPILER. RERUN ON 3342 IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3343 RERUN EVERY INTEGER RECORDS OF FILE NAME IS UNDEFINED. RERUN ON IMPLEMENTOR NAME 3343 EVERY INTEGER RECORDS OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3344 RERUN EVERY CONDITION NAME IS UNDEFINED. RERUN ON IMPLEMENTOR NAME EVERY CONDITION 3344 NAME IS ASSUMED	COBOL 5 DH	60482500
3345 RERUN EVERY INTEGER CLOCK-UNITS IS UNDEFINED. RERUN ON IMPLEMENTOR NAME EVERY INTEGER 3345 CLOCK-UNITS IS DEFINED BUT NOT IMPLEMENTED IN THIS COMPILER. RERUN ON FILE NAME EVERY 3345 INTEGER CLOCK-UNITS IS UNDEFINED	COBOL 5 DH	60482500
3346 RERUN ON FILE NAME EVERY END OF REEL OF FILE NAME IS NOT IMPLEMENTED IN THIS COMPILER. 3346 RERUN ON IMPLEMENTOR NAME EVERY END OF REEL OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3347 RERUN ON FILE NAME EVERY INTEGER RECORDS OF FILE NAME IS UNDEFINED. RERUN ON IMPLEMENTOR 3347 NAME EVERY INTEGER RECORDS OF FILE NAME IS ASSUMED	COBOL 5 DH	60482500
3348 RERUN ON FILE NAME EVERY CONDITION NAME IS NOT IMPLEMENTED IN THIS COMPILER, RERUN ON 3348 IMPLEMENTOR NAME EVERY CONDITION NAME IS ASSUMED	COBOL 5 DH	60482500
3349 AN IMPLEMENTOR NAME IS REQUIRED IN THE -ON- PHRASE OF A RERUN CLAUSE. THIS REFERENCE 3349 IS TO A DATA NAME OR CONDITION NAME	COBOL 5 DH	60482500
3350 THE CONDITION NAME IN A RERUN CLAUSE MUST BE DEFINED IN THE SPECIAL-NAMES PARAGRAPH OF 3350 THE CONFIGURATION SECTION OF THE ENVIRONMENT DIVISION	COBOL 5 DH	60482500
3351 THE -BLANK WHEN ZERO- CLAUSE CANNOT BE SPECIFIED FOR AN ITEM WHOSE PICTURE CONTAINS AN 3351 ASTERISK. THE -BLANK WHEN ZERO- CLAUSE IS IGNORED	COBOL 5 DH	60482500
3352 A SUBPROGRAM MUST NOT CONTAIN A CD FOR INITIAL INPUT	COBOL 5 DH	60482500
3400 AN IMPLEMENTOR-NAME MUST NOT BE THE SAME AS A DATA-NAME UNLESS IT IS ENCLOSED IN QUOTES	COBOL 5 DH	60482500
3406 AN IMPLEMENTOR NAME IS REQUIRED HERE	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3499	THE RESERVED WORD -SEQUENCE- IS REQUIRED IN A PROGRAM COLLATING SEQUENCE CLAUSE	COBOL 5 DH	60482500
3500	THE PROGRAM COLLATING SEQUENCE CLAUSE IS ONLY ALLOWED IN THE OBJECT COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3501	AN ALPHABET-NAME IS REQUIRED HERE IN THE PROGRAM COLLATING SEQUENCE CLAUSE	COBOL 5 DH	60482500
3502	A LITERAL, MNEMONIC-NAME, IMPLEMENTOR-NAME, -NATIVE-, OR -STANDARD-1- IS REQUIRED HERE	COBOL 5 DH	60482500
3503	A LITERAL MUST FOLLOW -THRU- IN AN ALPHABET CLAUSE	COBOL 5 DH	60482500
3504	A LITERAL MUST FOLLOW -ALSO- IN AN ALPHABET CLAUSE	COBOL 5 DH	60482500
3507	A CODE-SET CLAUSE IS ONLY ALLOWED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
3508	A DATA-NAME IS REQUIRED IN A CODE-SET CLAUSE	COBOL 5 DH	60482500
3509	THIS DUPLICATE CODE-SET CLAUSE IS IGNORED	COBOL 5 DH	60482500
3510	AN ALPHABET-NAME DEFINITION IS REQUIRED HERE	COBOL 5 DH	60482500
3511	THE FOLLOWING IMPLEMENTOR-NAMES ARE ALLOWED IN AN ALPHABET-NAME CLAUSE: CDC-64, ASCII-64, 3511 UNI, AND EBCDIC	COBOL 5 DH	60482500
3550	THE MEMORY SIZE CLAUSE MUST SPECIFY INTEGER WORDS, INTEGER CHARACTERS, INTEGER MODULES, 3550 OR ADDRESS LITERAL THRU LITERAL	COBOL 5 DH	60482500
3551	MEMORY SIZE ADDRESS MUST BE FOLLOWED BY LITERAL THROUGH LITERAL	COBOL 5 DH	60482500
3554	THE ASSIGN OBJECT-PROGRAM CLAUSE IS ONLY ALLOWED IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3555	THE INPUT-UNIT IN THE ASSIGN OBJECT-PROGRAM TO INPUT-UNIT CLAUSE MUST BE AN IMPLEMENTOR- 3555 NAME OR AN INTEGER LITERAL	COBOL 5 DH	60482500
3556	LITERALS WHICH APPEAR IN THE SOURCE-COMPUTER PARAGRAPH OR OBJECT-COMPUTER PARAGRAPH MAY 3556 BE NUMERIC OR NON-NUMERIC: WHEN NUMERIC THEY MUST BE UNSIGNED INTEGER	COBOL 5 DH	60482500
3601	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE AREA ENTRY ON THE DDL DIRECTORY 3601 IS LONGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ	COBOL 5 DH	60482500
3602	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. ERROR, E.G. I/O, IN READING SUB-SCHEMA 3602 DATA CONTROL ENTRY	COBOL 5 DH	60482500
3603	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DATA CONTROL ENTRY ON THE DDL 3603 DIRECTORY IS LONGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ	COBOL 5 DH	60482500
3604	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN ALTERNATE RECORD KEY FOR A FILE 3604 MUST BE CONTAINED WITHIN THE RECORD AREA OF THAT FILE	COBOL 5 DH	60482500
3605	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES 3605 INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE AREA LIST	COBOL 5 DH	60482500
3606	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES 3606 INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE RECORD LIST	COBOL 5 DH	60482500
3607	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE RECORD ENTRY ON THE DDL 3607 DIRECTORY IS LARGER THAN THE INTERNAL ARRAY INTO WHICH IT HAS BEEN READ	COBOL 5 DH	60482500
3608	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES 3608 INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE RECORD ENTRY	COBOL 5 DH	60482500
3609	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE DIRECTORY ACCESS ROUTINES 3609 INDICATE AN ATTEMPT TO READ OUTSIDE THE DIRECTORY WHILE READING THE ITEM ENTRY	COBOL 5 DH	60482500
3610	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR IN THE DDL DIRECTORY. 3610 THE DATABASE TRANSLATOR EXPECTED TO RA -DEPENDING ON NAME- ATOM	COBOL 5 DH	60482500
3611	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR - THE MODULE NXTRNRD 3611 (NEXT RENAME/REDEFINE) WAS CALLED WHEN NO RENAME/REDEFINE INFORMATION WAS PRESENT	COBOL 5 DH	60482500
3612	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. 3612 THE ATOM FOLLOWING A -RENAME- -- THRU ATOM WAS NOT ANOTHER RENAME ATOM	COBOL 5 DH	60482500
3613	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. 3613 THE ATOM FOLLOWING A -RENAME- --- THRU ITSELF IS A -RENAME- --- THRU- ATOM	COBOL 5 DH	60482500
3614	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. 3614 A REDEFINES ATOM HAS BEEN FOUND THAT ALSO HAS THE -THRU- FLAG SET	COBOL 5 DH	60482500
3615	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR - THE MODULE NXTKI 3615 (NEXT KEY/INDEX) WAS CALLED WHEN NO KEY OR INDEX INFORMATION IS PRESENT	COBOL 5 DH	60482500
3616	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. 3616 THE SEQUENCE OF KEY/INDEX ATOMS IS INCORRECT	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3617	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE CORRESPONDENCE TABLE HAS OVERFLOWED	COBOL 5 DH	60482500
3618	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. WHILE TRYING TO CONVERT A GIVEN WORD ADDRESS INTO A DATA NAME ATTRIBUTE TABLE POINTER (DNAT) NO MATCHING ENTRY WAS FOUND IN THE CORRESPONDENCE TABLE	COBOL 5 DH	60482500
3619	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE UNRESOLVED WORD ADDRESS TABLE (URWA) HAS OVERFLOWED	COBOL 5 DH	60482500
3620	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR THE COMPILER TEXT (CTEXT) OUTPUT BY THE SOURCE SCANNER IS NOT THE CORRECT FORMAT FOR THE DATABASE TRANSLATOR	COBOL 5 DH	60482500
3621	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR. AN 88 LEVEL ITEM HAS INCORRECT CTEXT	COBOL 5 DH	60482500
3622	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR. THE COMPILER CONTROL TABLE DATA BASE FILE SECTION POINTER TO THE COMPILER TEXT (CCTDBFSCXTX) IS OF AN INCORRECT TYPE	COBOL 5 DH	60482500
3623	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. THE FIRST SPECIFIED KEY IN THE DATA CONTROL ENTRY IS NOT THE PRIMARY KEY	COBOL 5 DH	60482500
3624	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. NO KEYS ARE SPECIFIED IN THE DATA CONTROL ENTRY	COBOL 5 DH	60482500
3625	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. LOGIC ERROR. THE SELECTED AREA WORD ADDRESS IN THE COMPILER TEXT (CTEXT) IS OF AN INCORRECT TYPE	COBOL 5 DH	60482500
3626	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. FORMAT ERROR ON THE DDL DIRECTORY. MORE THAN ONE PRIMARY KEY IS SPECIFIED FOR ONE FILE	COBOL 5 DH	60482500
3627	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. NO DNT ENTRY FOR SUBSCHEMA -RESTRICT- CLAUSE DATA BASE IDENTIFIER	COBOL 5 DH	60482500
3628	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN ERROR, E.G. I/O, HAS OCCURRED IN ACCESSING A SUBSCHEMA ENTRY	COBOL 5 DH	60482500
3629	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE SUBSCHEMA AREA TABLE DOES NOT HAVE A RELATION ENTRY WHERE ONE IS EXPECTED	COBOL 5 DH	60482500
3630	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A RELATION READ IS SPECIFIED, BUT NO AREAS ARE SELECTED	COBOL 5 DH	60482500
3631	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. AN AREA TRAVERSED BY A RELATION HAS NOT BEEN SELECTED	COBOL 5 DH	60482500
3632	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A COBOL PROGRAM DATA-NAME SPECIFIED IN A SUBSCHEMA -RESTRICT- CLAUSE IS UNDEFINED OR NON-UNIQUE	COBOL 5 DH	60482500
3633	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE RECORD KEY FOR A DIRECT FILE MUST BE CONTAINED WITHIN THE RECORD AREA OF THAT FILE	COBOL 5 DH	60482500
3634	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. A NON-EMBEDDED RECORD KEY IS UNDEFINED WITHIN THE COBOL PROGRAM	COBOL 5 DH	60482500
3651	THE SUBSCHEMA SPECIFIED ON THE CONTROL CARD CANNOT BE FOUND	COBOL 5 DH	60482500
3652	THE SPECIFIED AREA CANNOT BE FOUND WITHIN THE SUBSCHEMA DIRECTORY	COBOL 5 DH	60482500
3653	COMPILER ERROR DURING THE DATABASE TRANSLATOR PHASE. THE NUMBER OF DNT ENTRIES GENERATED BY S-SCANNER DOES NOT AGREE WITH THE NUMBER OF DNAT ENTRIES GENERATED BY THE DATABASE TRANSLATOR	COBOL 5 DH	60482500
3654	THE CLAUSES IN THE OBJECT-COMPUTER PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3655	THE CLAUSES IN THE SPECIAL-NAMES PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3656	THE CLAUSES IN THE I-O-CONTROL PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3657	THE CLAUSES IN A FILE-CONTROL ENTRY MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3658	DUPLICATE PERIOD	COBOL 5 DH	60482500
3659	THE CLAUSES IN THE SOURCE-COMPUTER PARAGRAPH MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
3700	FIPS=3 SUPPORTS LEVEL 88 CONDITION NAMES	COBOL 5 DH	60482500
3701	FIPS=2 SUPPORTS WITH DEBUGGING MODE	COBOL 5 DH	60482500
3702	FIPS=4 SUPPORTS THE SEGMENT-LIMIT CLAUSE	COBOL 5 DH	60482500
3703	FIPS=3 SUPPORTS ALPHABET-NAME IS LITERAL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3704 FIPS=3 SUPPORTS SELECT OPTIONAL	COBOL 5 DH	60482500
3706 FIPS=2 SUPPORTS ORGANIZATION IS RELATIVE	COBOL 5 DH	60482500
3707 FIPS=4 SUPPORTS ORGANIZATION IS INDEXED	COBOL 5 DH	60482500
3708 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
3709 WHEN NEITHER OF THE ABBREVIATED INPUT CD OPTIONS ARE CHOSEN AN O1 ENTRY MUST FOLLOW THE CD ENTRY FOR STANDARD COBOL	COBOL 5 DH	60482500
3710 FIPS=3 SUPPORTS MULTIPLE FILE TAPE CLAUSE	COBOL 5 DH	60482500
3711 FIPS=3 SUPPORTS THE COMMUNICATION MODULE	COBOL 5 DH	60482500
3712 FIPS=2 SUPPORTS THE INTER-PROGRAM COMMUNICATION MODULE	COBOL 5 DH	60482500
3713 FIPS=3 SUPPORTS SD DESCRIPTIONS	COBOL 5 DH	60482500
3714 FIPS=3 SUPPORTS LEVEL 66 ITEMS	COBOL 5 DH	60482500
3715 FIPS=3 SUPPORTS THE LINAGE CLAUSE	COBOL 5 DH	60482500
3716 FIPS=3 SUPPORTS ASCENDING OR DESCENDING KEY	COBOL 5 DH	60482500
3717 FIPS=3 SUPPORTS OCCURS DEPENDING ON	COBOL 5 DH	60482500
3719 FIPS=3 SUPPORTS THE SAME RECORD AREA CLAUSE FOR SEQUENTIAL FILES	COBOL 5 DH	60482500
3720 FIPS=3 SUPPORTS THE SAME RECORD AREA CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3721 FIPS=4 SUPPORTS THE SAME RECORD AREA CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3722 FIPS=4 SUPPORTS THE SAME RECORD AREA CLAUSE FOR SORT FILES	COBOL 5 DH	60482500
3723 FIPS=2 SUPPORTS THE SAME AREA CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3724 FIPS=4 SUPPORTS THE SAME AREA CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3725 FIPS=4 SUPPORTS THE SAME SORT/SORT-MERGE AREA CLAUSE	COBOL 5 DH	60482500
3726 FIPS=3 SUPPORTS BLOCK CONTAINS INTEGER TO INTEGER CHARACTERS/RECORDS. USE FIPS=4 FOR INDEXED FILES	COBOL 5 DH	60482500
3727 QUOTE IS APOSTROPHE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3728 OMISSION OF THE SOURCE-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3729 OMISSION OF THE OBJECT-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3730 OMISSION OF THE CONFIGURATION SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3731 OMISSION OF THE FILE-CONTROL PARAGRAPH FROM THE INPUT-OUTPUT SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3732 MEMORY SIZE IN THE SOURCE-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3733 WITH SUPERVISOR CONTROL IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3734 OMISSION OF THE COMPUTER-NAME FROM THE SOURCE-COMPUTER OR OBJECT-COMPUTER PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3735 ASSIGN OBJECT-PROGRAM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3736 THE SIGN CONTROL CLAUSE IN THE SPECIAL-NAMES PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3737 THE SUB-SCHEMA CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3738 THE USE LITERAL CLAUSE IN THE FILE-CONTROL PARAGRAPH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3739 DIRECT FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3740 WORD-ADDRESS FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3741 ACTUAL-KEY FILE ORGANIZATION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3742 ALTERNATE RECORD KEY DUPLICATES ASCENDING IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3743 THE APPLY CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3744 COMMON-STORAGE SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3745 SECONDARY-STORAGE SECTION IS NON-STANDARD COBOL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3746 THE EXTERNAL CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3747 THE RECORDING MODE CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3748 DEPENDING ON DATA-NAME PHRASE OF THE RECORD CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3749 AN UNSIGNED INTEGER DATA ITEM IS REQUIRED IN THE DEPENDING ON PHRASE OF THE RECORD CLAUSE	COBOL 5 DH	60482500
3750 USAGE IS COMP-1 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3751 USAGE IS COMP-2 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3752 USAGE IS COMP-4 IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3753 THE ASSIGN CLAUSE IS ONLY ALLOWED IN THE FILE-CONTROL PARAGRAPH AFTER A SELECT CLAUSE	COBOL 5 DH	60482500
3754 THE MEMORY SIZE CLAUSE IS ONLY ALLOWED IN THE SOURCE-COMPUTER PARAGRAPH OR 3754 OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3755 THE CLAUSE, WITH SUPERVISOR CONTROL, IS ONLY ALLOWED IN THE SOURCE-COMPUTER PARAGRAPH AND 3755 IN THE OBJECT-COMPUTER PARAGRAPH	COBOL 5 DH	60482500
3756 THE RESERVED WORD WHEN IS REQUIRED HERE	COBOL 5 DH	60482500
3757 THE FIGURATIVE CONSTANT ZEROES OR THE FIGURATIVE CONSTANT SPACES IS REQUIRED HERE	COBOL 5 DH	60482500
3758 THE RESERVED WORD KEY OR A DATA-NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
3759 THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, IS REQUIRED HERE	COBOL 5 DH	60482500
3760 A QUOTED LITERAL CONTAINING ONLY THE CHARACTERS 1-9, A-Z AND NOT MORE THAN ONE OCCURRENCE 3760 OF EACH, IS REQUIRED HERE	COBOL 5 DH	60482500
3761 WHEN THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, APPEARS IN MORE THAN ONE 3761 ALTERNATE RECORD KEY CLAUSE FOR THE SAME FILE, THE DATA-NAME MUST BE USED EACH TIME	COBOL 5 DH	60482500
3762 IN THE PHRASE, NAME-1 IS NAME-2, NAME-1 AND NAME-2 CANNOT BE THE SAME NAME. FURTHERMORE, 3762 NAME-1 CANNOT BE DEFINED ELSEWHERE IN THE PROGRAM AS A MNEMONIC-NAME OR OTHER USER 3762 DEFINED WORD	COBOL 5 DH	60482500
3763 FIPS=3 SUPPORTS THE FIGURATIVE CONSTANT ALL LITERAL	COBOL 5 DH	60482500
3764 THE RESERVED WORD ALL MUST BE FOLLOWED BY A NON-NUMERIC LITERAL OR FIGURATIVE CONSTANT	COBOL 5 DH	60482500
3765 FIPS=2 SUPPORTS SELECT RELATIVE FILE-NAME	COBOL 5 DH	60482500
3766 FIPS=4 SUPPORTS SELECT INDEXED FILE	COBOL 5 DH	60482500
3767 FIPS=2 SUPPORTS SELECT RELATIVE FILE ASSIGN TO IMPLEMENTOR-NAME	COBOL 5 DH	60482500
3768 FIPS=4 SUPPORTS SELECT INDEXED FILE ASSIGN TO IMPLEMENTOR-NAME	COBOL 5 DH	60482500
3769 FIPS=2 SUPPORTS ACCESS MODE IS SEQUENTIAL FOR RELATIVE FILES	COBOL 5 DH	60482500
3770 FIPS=4 SUPPORTS ACCESS MODE IS SEQUENTIAL FOR INDEXED FILES	COBOL 5 DH	60482500
3771 FIPS=2 SUPPORTS ACCESS MODE IS RANDOM FOR RELATIVE FILES	COBOL 5 DH	60482500
3772 FIPS=4 SUPPORTS ACCESS MODE IS RANDOM FOR INDEXED FILES	COBOL 5 DH	60482500
3773 FIPS=3 SUPPORTS ACCESS MODE IS DYNAMIC FOR RELATIVE FILES	COBOL 5 DH	60482500
3774 FIPS=4 SUPPORTS ACCESS MODE IS DYNAMIC FOR INDEXED FILES	COBOL 5 DH	60482500
3775 FIPS=2 SUPPORTS RELATIVE KEY IS DATA-NAME	COBOL 5 DH	60482500
3776 FIPS=2 SUPPORTS FILE STATUS IS DATA-NAME FOR RELATIVE FILES	COBOL 5 DH	60482500
3777 FIPS=4 SUPPORTS FILE STATUS IS DATA-NAME FOR INDEXED FILES	COBOL 5 DH	60482500
3778 FIPS=2 SUPPORTS RERUN INTEGER RECORDS OF RELATIVE FILE-NAME	COBOL 5 DH	60482500
3779 FIPS=4 SUPPORTS RERUN INTEGER RECORDS OF INDEXED FILE-NAME	COBOL 5 DH	60482500
3780 FIPS=4 SUPPORTS LEVEL FD DESCRIPTORS FOR INDEXED FILES	COBOL 5 DH	60482500
3781 FIPS=2 SUPPORTS BLOCK CONTAINS FOR RELATIVE FILES	COBOL 5 DH	60482500
3782 FIPS=4 SUPPORTS BLOCK CONTAINS OR INDEXED FILES	COBOL 5 DH	60482500
3783 FIPS=3 SUPPORTS INTEGER TO INTEGER CHARACTER/RECORDS	COBOL 5 DH	60482500
3784 FIPS=2 SUPPORTS RECORD CONTAINS FOR RELATIVE FILES	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
3785 FIPS=4 SUPPORTS RECORD CONTAINS FOR INDEXED FILES	COBOL 5 DH	60482500
3786 FIPS=2 SUPPORTS THE VALUE OF CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3787 FIPS=4 SUPPORTS THE VALUE OF CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3788 FIPS=2 SUPPORTS LABEL RECORDS CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3789 FIPS=4 SUPPORTS LABEL RECORDS CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3790 FIPS=2 SUPPORTS THE DATA RECORDS CLAUSE FOR RELATIVE FILES	COBOL 5 DH	60482500
3791 FIPS=4 SUPPORTS THE DATA RECORDS CLAUSE FOR INDEXED FILES	COBOL 5 DH	60482500
3792 FIPS=2 SUPPORTS LEVEL FD DESCRIPTIONS FOR RELATIVE FILES	COBOL 5 DH	60482500
3793 FIPS=3 SUPPORTS RESERVE INTEGER AREAS	COBOL 5 DH	60482500
3794 FIPS=4 SUPPORTS RESERVE INTEGER AREAS	COBOL 5 DH	60482500
3795 FIPS=3 SUPPORTS VALUE OF IMPLEMENTOR-NAME IS DATA-NAME	COBOL 5 DH	60482500
3796 FIPS=4 SUPPORTS VALUE OF IMPLEMENTOR-NAME IS DATA-NAME	COBOL 5 DH	60482500
3797 FIPS=4 SUPPORTS RECORD KEY IS DATA-NAME	COBOL 5 DH	60482500
3798 FIPS=4 SUPPORTS ALTERNATE RECORD KEY IS DATA-NAME	COBOL 5 DH	60482500
3799 FAILURE TO CORRECT ERROR FOR ONCODE = 601	PL/I RM	60388100
3799 FAILURE TO CORRECT ERROR FOR ONCODE = 612	PL/I RM	60388100
3799 THE RESERVED WORD KEY IS REQUIRED HERE	COBOL 5 DH	60482500
3800 AN -ASCENDING/DESCENDING- PHRASE FOLLOWING AN -INDEXED BY- PHRASE IN AN 3800 -OCCURS- CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
3802 ARRAY BOUND MAGNITUDE > 131071	PL/I RM	60388100
3804 STRING LENGTH NEGATIVE, TOO LARGE, OR UNINITIALIZED	PL/I RM	60388100
3984 THIS SPECIAL REGISTER NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED 3984 OR THE REFERENCE IS INCORRECTLY QUALIFIED.	COBOL 5 DH	60482500
3985 UNDEFINED SPECIAL REGISTER NAME REFERENCE	COBOL 5 DH	60482500
3986 FIPS=3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
3988 THE ENVIRONMENT DIVISION IS MISSING	COBOL 5 DH	60482500
3989 THE DATA DIVISION IS MISSING	COBOL 5 DH	60482500
3990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS 3990 NOT PROPERLY QUALIFIED	COBOL 5 DH	60482500
3994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
3995 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500
3999 A COMMA OR SEMICOLON IS NOT ALLOWED HERE	COBOL 5 DH	60482500
4001 (no dayfile message)	LOADER 1 RM	60429800
4001 A NUMERIC PICTURE IS REQUIRED FOR THIS DATA ITEM	COBOL 5 DH	60482500
4002 CONFLICTS HAVE BEEN DETECTED BETWEEN GROUP AND SUBORDINATE SIGN DECLARATIONS	COBOL 5 DH	60482500
4002 1ST EPT USED - COULDNT FIND name	LOADER 1 RM	60429800
4003 NONEXISTENT LIBRARY - name	LOADER 1 RM	60429800
4003 THE PICTURE STRING SPECIFIED FOR A SIGNED DATA ITEM MUST BE SIGNED	COBOL 5 DH	60482500
4004 FILE NOT A RANDOM RMS USER LIB - name	LOADER 1 RM	60429800
4004 THE SIGN CLAUSE MAY ONLY BE USED WITH A DATA ITEM WHOSE USAGE IS DISPLAY	COBOL 5 DH	60482500
4005 MORE THAN THREE LEVELS OF SUBSCRIPTS IS NON-STANDARD COBOL	COBOL 5 DH	60482500
4006 A DATA ITEM REFERENCED IN A KEY IS PHRASE MUST BE AT THE SAME SUBSCRIBING LEVEL AS 4006 THE ENTRY CONTAINING THE KEY IS PHRASE	COBOL 5 DH	60482500
4006 UNSUPPORTED ECS USER FILE - name	LOADER 1 RM	60429800

MESSAGE	MANUAL	PUB. NO.
4007 A DATA ITEM REFERENCED IN A KEY IS PHRASE MUST BE WITHIN THE GROUP DEFINED BY THE ENTRY 4007 CONTAINING THE KEY IS PHRASE	COBOL 5 DH	60482500
4007 UNSUPPORTED TAPE FILE - name	LOADER 1 RM	60429800
4008 A VALUE CLAUSE MAY NOT BE USED FOR A GROUP ITEM WHOSE SUBORDINATE ITEMS CONTAIN A JUSTIFIED, 4008 SYNCHRONIZED, OR USAGE CLAUSE (OTHER THAN USAGE IS DISPLAY)	COBOL 5 DH	60482500
4009 AN ENTRY CONTAINING A REDEFINES CLAUSE OR THE FIRST ELEMENTARY ITEM SUBORDINATE TO IT 4009 MAY NOT CONTAIN A SYNCHRONIZED CLAUSE UNLESS THE DATA ITEM REFERENCED IN THE REDEFINES 4009 CLAUSE HAS THE PROPER BOUNDARY ALIGNMENT	COBOL 5 DH	60482500
4010 A PICTURE CLAUSE IS REQUIRED FOR THIS ELEMENTARY ITEM	COBOL 5 DH	60482500
4011 A PICTURE CLAUSE IS ONLY ALLOWED WITH AN ELEMENTARY ITEM	COBOL 5 DH	60482500
4012 A PICTURE CLAUSE IS NOT ALLOWED BECAUSE USAGE IS INDEX OR USAGE IS COMP-2 HAS BEEN SPECIFIED	COBOL 5 DH	60482500
4013 A DATA ITEM MUST HAVE THE SAME LEVEL NUMBER AS THE ITEM IT REDEFINES	COBOL 5 DH	60482500
4015 A REDEFINES CLAUSE IS NOT ALLOWED WITH A LEVEL 01 ITEM IN THE FILE OR COMMUNICATION SECTION	COBOL 5 DH	60482500
4016 A JUSTIFIED, PICTURE, VALUE, OR BLANK WHEN ZERO CLAUSE IS NOT ALLOWED WITH A DATA ITEM 4016 WHOSE USAGE IS INDEX	COBOL 5 DH	60482500
4017 THIS DATA NAME HAS A REDEFINES CLAUSE WHICH NAMES AN ITEM WITH AN OCCURS CLAUSE. THE 4017 REDEFINES CLAUSE WILL BE IGNORED	COBOL 5 DH	60482500
4018 AN ENTRY CONTAINING A REDEFINES CLAUSE MUST IMMEDIATELY FOLLOW THE DESCRIPTION OF THE 4018 AREA BEING REDEFINED WITH NO INTERVENING ENTRIES THAT DEFINE NEW STORAGE AREAS	COBOL 5 DH	60482500
4019 A VALUE CLAUSE IS NOT ALLOWED WITH SUBORDINATE ENTRIES IF IT APPEARS AT THE GROUP LEVEL	COBOL 5 DH	60482500
4020 IN THE FILE OR LINKAGE SECTION, THE VALUE CLAUSE IS ONLY ALLOWED WITH CONDITION NAME ENTRIES	COBOL 5 DH	60482500
4021 A JUSTIFIED CLAUSE IS NOT ALLOWED WITH A DATA ITEM WHICH IS NUMERIC OR FOR WHICH EDITING 4021 IS SPECIFIED	COBOL 5 DH	60482500
4023 A BLANK WHEN ZERO CLAUSE IS ONLY ALLOWED WITH AN ELEMENTARY ITEM	COBOL 5 DH	60482500
4024 THE BLANK WHEN ZERO CLAUSE IS ALLOWED ONLY WITH ITEMS WHOSE PICTURE STRING IS SPECIFIED AS 4024 NUMERIC OR NUMERIC EDITED, AND WHOSE USAGE IS DISPLAY	COBOL 5 DH	60482500
4026 WHEN A GROUP ITEM CONTAINS A SIGN CLAUSE, THERE MUST BE AT LEAST ONE SUBORDINATE ITEM 4026 WHOSE PICTURE IS SIGNED	COBOL 5 DH	60482500
4027 A RECORD DESCRIBED IN AN INPUT CD MUST BE EXACTLY 87 CHARACTERS IN LENGTH	COBOL 5 DH	60482500
4028 LEVEL 66 ENTRIES THAT REFERENCE DATA ITEMS IN A RECORD MUST IMMEDIATELY FOLLOW THE LAST 4028 ENTRY IN THAT RECORD	COBOL 5 DH	60482500
4029 THE TWO DATA ITEMS REFERENCED IN A RENAMES CLAUSE MAY NOT BE THE SAME	COBOL 5 DH	60482500
4030 THE SIZE OF AN ITEM WHICH REDEFINES AN ITEM FOR WHICH THE EXTERNAL CLAUSE IS SPECIFIED 4030 MUST NOT EXCEED THE SIZE OF THE REDEFINED ITEM	COBOL 5 DH	60482500
4031 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MUST HAVE A LEVEL NUMBER IN THE RANGE FROM 2 TO 49	COBOL 5 DH	60482500
4032 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MAY NOT HAVE AN OCCURS CLAUSE OR BE SUBORDINATE 4032 TO AN ITEM THAT HAS AN OCCURS CLAUSE	COBOL 5 DH	60482500
4033 USAGE BIT REQUIRES BOOLEAN PICTURE	COBOL 5 DH	60482500
4034 NO PART OF THE AREA DESCRIBED BY THE SECOND DATA ITEM REFERENCED IN A RENAMES CLAUSE MAY 4034 BE TO THE LEFT OF THE START OF THE AREA DESCRIBED BY THE FIRST DATA ITEM - AND NO PART OF 4034 THE AREA DESCRIBED BY THE FIRST DATA ITEM MAY BE TO THE RIGHT OF THE END OF THE AREA 4034 DESCRIBED BY THE SECOND DATA ITEM	COBOL 5 DH	60482500
4035 WHEN THE OCCURRING ITEM IS A KEY ITEM, IT MUST BE THE FIRST KEY ITEM	COBOL 5 DH	60482500
4036 THE OCCURRING DATA NAME MAY ONLY BE USED AS A KEY WHEN THE OCCURRING DATA NAME IS AN ELEMENTARY 4036 ITEM	COBOL 5 DH	60482500
4037 THE VALUE CLAUSE MAY NOT BE USED IN AN ENTRY THAT CONTAINS AN OCCURS CLAUSE OR IN AN 4037 ENTRY THAT IS SUBORDINATE TO AN ENTRY THAT CONTAINS AN OCCURS CLAUSE	COBOL 5 DH	60482500
4038 THE VALUE CLAUSE MAY NOT BE USED IN AN ENTRY THAT CONTAINS A REDEFINES CLAUSE OR IN AN 4038 ENTRY THAT IS SUBORDINATE TO AN ENTRY THAT CONTAINS A REDEFINES CLAUSE	COBOL 5 DH	60482500
4039 THE SIGN CLAUSE MAY ONLY BE USED FOR NUMERIC OR NUMERIC EDITED DATA ITEMS	COBOL 5 DH	60482500
4040 -SYNCHRONIZED- AT A GROUP LEVEL IS NON-STANDARD	COBOL 5 DH	60482500
4041 WHEN THE DEPENDING ON OPTION IS USED, THAT ENTRY MAY ONLY BE FOLLOWED WITHIN THAT 4041 RECORD, BY ENTRIES THAT ARE SUBORDINATE TO IT	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
4042 AN ENTRY WHICH CONTAINS OR HAS A SUBORDINATE ENTRY WHICH CONTAINS A DEPENDING ON PHRASE 4042 MAY NOT BE THE OBJECT OF A REDEFINES CLAUSE	COBOL 5 DH	60482500
4043 THE VALUE CLAUSE MUST NOT BE USED IN ANY DATA DESCRIPTION ENTRY WHICH INCLUDES, OR IS 4043 SUBORDINATE TO AN ENTRY WHICH INCLUDES, THE EXTERNAL CLAUSE	COBOL 5 DH	60482500
4044 THE AREA DESCRIBED BY THE DATA ITEM REFERENCED IN A DEPENDING ON PHRASE MAY NOT OVERLAP 4044 THE AREA DESCRIBED BY THE DATA ENTRY WHICH CONTAINS THE DEPENDING ON PHRASE	COBOL 5 DH	60482500
4045 THE JUSTIFIED CLAUSE MAY ONLY BE USED WITH ELEMENTARY ITEMS	COBOL 5 DH	60482500
4046 CONFLICTS HAVE BEEN DETECTED BETWEEN GROUP AND SUBORDINATE USAGE DECLARATIONS	COBOL 5 DH	60482500
4047 ALL ITEMS IMMEDIATELY SUBORDINATE TO A GROUP ITEM MUST HAVE THE SAME LEVEL NUMBERS. THE 4047 LEVEL NUMBERS MUST BE GREATER THAN THE LEVEL NUMBER OF THE GROUP ITEM	COBOL 5 DH	60482500
4048 A DATA ITEM REFERENCED IN A RENAMES CLAUSE MUST BE WITHIN THE IMMEDIATELY PRECEDING RECORD	COBOL 5 DH	60482500
4051 A TERMINAL PERIOD IS REQUIRED FOR THIS DATA ENTRY	COBOL 5 DH	60482500
4051 BLOCK NOT IN AREA	PL/I RM	60388100
4052 AN ITEM THAT CONTAINS A REDEFINES CLAUSE AND IS NOT THE SAME SIZE AS THE ITEM BEING 4052 REDEFINED, IS NON-STANDARD	COBOL 5 DH	60482500
4053 A REDEFINES CLAUSE THAT NAMES AN ITEM THAT CONTAINS A REDEFINES CLAUSE, IS NON-STANDARD	COBOL 5 DH	60482500
4054 COMPILER ERROR IN RECORD ACCUMULATION	COBOL 5 DH	60482500
4055 THIS ITEM IS A KEY FOR TWO OR MORE OCCURRING ITEMS	COBOL 5 DH	60482500
4056 THE DEPENDING ON IDENTIFIER MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
4057 A VARIABLE LENGTH GROUP CAN NOT BE SUBORDINATE TO ANOTHER OCCURRING ITEM. THE DEPENDING OPTION 4057 IS IGNORED	COBOL 5 DH	60482500
4060 A LABEL RECORDS CLAUSE IS REQUIRED IN A FILE DESCRIPTION ENTRY. -LABEL RECORDS ARE OMITTED- 4060 IS ASSUMED	COBOL 5 DH	60482500
4061 BLOCK WRONG SIZE	PL/I RM	60388100
4061 RANDOM PROCESSING MODE IS NOT IMPLEMENTED IN THIS COMPILER	COBOL 5 DH	60482500
4062 BLOCK WRONG SIZE	PL/I RM	60388100
4062 IF A FILE APPEARS IN BOTH A SAME AREA CLAUSE AND A SAME RECORD AREA CLAUSE, ALL THE FILES 4062 IN THE SAME AREA CLAUSE MUST APPEAR IN THE SAME RECORD AREA CLAUSE	COBOL 5 DH	60482500
4063 IF A FILE APPEARS IN BOTH A SAME AREA CLAUSE AND A SAME SORT OR SORT-MERGE AREA CLAUSE, ALL 4063 THE FILES IN THE SAME AREA CLAUSE MUST APPEAR IN THE SAME SORT OR SORT-MERGE AREA CLAUSE	COBOL 5 DH	60482500
4064 THE REPORT CLAUSE AND LINAGE CLAUSE MAY NOT BOTH BE USED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
4065 THE REPORT CLAUSE AND DATA RECORDS CLAUSE MAY NOT BOTH BE USED IN A FILE DESCRIPTION ENTRY	COBOL 5 DH	60482500
4066 WHEN A REPORT CLAUSE IS USED IN A FILE DESCRIPTION, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4067 WHEN A FILE IS DESCRIBED AS OPTIONAL, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4068 WHEN RERUN ON END OF REEL IS SPECIFIED FOR A FILE, THE ACCESS MODE MUST BE SEQUENTIAL	COBOL 5 DH	60482500
4069 THE RELATIVE KEY FOR A FILE MAY NOT BE DEFINED WITHIN A RECORD OF THAT FILE	COBOL 5 DH	60482500
4070 THE RELATIVE KEY FOR A FILE MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4071 A RELATIVE FILE MUST HAVE A RELATIVE KEY NAME SPECIFIED WHEN THE ACCESS MODE IS NOT SEQUENTIAL	COBOL 5 DH	60482500
4072 INDEXED, DIRECT AND ACTUAL KEY FILES MUST HAVE A RECORD KEY SPECIFIED	COBOL 5 DH	60482500
4073 THE RECORD KEY FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE MUST BE A DATA ITEM WITHIN A 4073 RECORD OF THAT FILE	COBOL 5 DH	60482500
4074 THE RECORD KEY MUST BE AN ALPHANUMERIC ITEM	COBOL 5 DH	60482500
4075 THE ALTERNATE KEY FOR AN INDEXED, DIRECT AND ACTUAL KEY FILE MUST BE A DATA ITEM WITHIN 4075 THE RECORD OF THAT FILE	COBOL 5 DH	60482500
4076 THE RECORD KEY FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE CANNOT BE A DATA ITEM, OR 4076 SUBORDINATE TO A DATA ITEM, WITH AN -OCCURS- CLAUSE SPECIFIED	COBOL 5 DH	60482500
4077 NO TWO KEYS FOR A INDEXED, DIRECT OR ACTUAL KEY FILE MAY HAVE THE SAME LEFT CHARACTER 4077 POSITION	COBOL 5 DH	60482500
4078 THE MAXIMUM RECORD LENGTH DEFINED BY THIS RECORD DESCRIPTION IS GREATER THAN THE MAXIMUM 4078 RECORD LENGTH SPECIFIED IN THE RECORD CONTAINS CLAUSE FOR THIS FILE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4079 THE MINIMUM RECORD LENGTH DEFINED BY THIS RECORD DESCRIPTION IS LESS THAN THE MINIMUM RECORD LENGTH SPECIFIED IN THE RECORD CONTAINS CLAUSE FOR THIS FILE	COBOL 5 DH	60482500
4080 THE FILE STATUS NAME MAY NOT BE DEFINED IN THE REPORT SECTION	COBOL 5 DH	60482500
4081 THE FILE STATUS NAME MAY NOT BE DEFINED IN THE FILE SECTION	COBOL 5 DH	60482500
4082 THE FILE STATUS ITEM MUST BE AN ALPHANUMERIC ITEM WITH A LENGTH OF TWO	COBOL 5 DH	60482500
4083 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST BE DEFINED IN THE WORKING-STORAGE SECTION	COBOL 5 DH	60482500
4084 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST HAVE A USAGE OF DISPLAY	COBOL 5 DH	60482500
4085 IDENTIFIERS USED IN A -VALUE OF- LABEL CLAUSE MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4086 THE LINAGE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4087 THE TOP LINE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4088 THE BOTTOM LINE IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4089 THE FOOTING IDENTIFIER MUST BE AN UNSIGNED INTEGER ITEM	COBOL 5 DH	60482500
4090 THE ITEMS NAMED IN A DATA RECORDS CLAUSE MUST BE DEFINED AS LEVEL 1 ENTRIES WITHIN THE ASSOCIATED FILE	COBOL 5 DH	60482500
4091 SEQUENTIAL FILES MUST NOT HAVE RELATIVE OR RECORD KEYS NAMED IN THE FILE CONTROL PARAGRAPH	COBOL 5 DH	60482500
4092 THIS FILE HAS NOT BEEN NAMED IN ANY SELECT CLAUSE OR THE SELECT CLAUSE HAS BEEN IGNORED	COBOL 5 DH	60482500
4093 REPORT NAMES CAN ONLY BE ASSOCIATED WITH ONE FILE	COBOL 5 DH	60482500
4094 INDEXED, DIRECT AND ACTUAL KEY FILES CANNOT HAVE RELATIVE KEYS	COBOL 5 DH	60482500
4095 RELATIVE FILES CAN NOT HAVE RECORD KEYS	COBOL 5 DH	60482500
4096 RELATIVE KEY IDENTIFIERS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4097 MORE THAN 1 LEVEL OF -OCCURS- CANNOT BE SPECIFIED FOR AN ALTERNATE RECORD KEY	COBOL 5 DH	60482500
4098 FILE STATUS IDENTIFIERS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500
4099 THE PICTURE FOR A COMPUTATIONAL-4 DATA ITEM MUST NOT CONTAIN MORE THAN 14 DIGITS INCLUDING BOTH 9-S AND P-S	COBOL 5 DH	60482500
4100 LEVEL 77 ITEMS ARE ONLY ALLOWED IN THE WORKING-STORAGE SECTION AND MUST NOT BE FOLLOWED BY A LEVEL 2 THROUGH 49 ITEM	COBOL 5 DH	60482500
4100 UNSATISFIED EXTERNAL REF - name	LOADER 1 RM	60429800
4101 COMMON BLOCK REDEFINITION (name)	LOADER 1 RM	60429800
4101 THE NUMBER OF 9-S AND P-S IN A COMP-1 ITEM MUST BE LESS THAN 15	COBOL 5 DH	60482500
4102 A SECOND IMPLEMENTOR NAME IS REQUIRED IF THE ORGANIZATION IS INDEXED, DIRECT OR ACTUAL KEY WHEN ALTERNATE KEYS ARE SPECIFIED	COBOL 5 DH	60482500
4102 DUPLICATE ENTRY POINT NAME (name)	LOADER 1 RM	60429800
4103 A RECORD KEY OR AN ALTERNATE KEY CANNOT BE A GROUP ITEM ONE OF WHOSE SUBORDINATE ITEMS IS SPECIFIED WITH THE -OCCURS DEPENDING ON- PHRASE	COBOL 5 DH	60482500
4103 DUPLICATE PROGRAM NAME FROM FILE PROGRAM SKIPPED---name	LOADER 1 RM	60429800
4104 DUPLICATE PROGRAM NAME PROGRAM LOADED---name	LOADER 1 RM	60429800
4104 IF A RECORD KEY OR AN ALTERNATE KEY IS AN ELEMENTARY NUMERIC ITEM ITS PICTURE MUST NOT CONTAIN AN -S- UNLESS ITS USAGE IS COMP-1	COBOL 5 DH	60482500
4105 A RECORD KEY OR AN ALTERNATE KEY MUST BE ALPHABETIC, ALPHANUMERIC OR NUMERIC	COBOL 5 DH	60482500
4105 CM BLANK COMMON TRUNCATED BY nnnnnnB WORDS	LOADER 1 RM	60429800
4106 SPECIFIED LARGER BLANK COMMON THAN DECLARED AT LOWER LEVEL	LOADER 1 RM	60429800
4107 ABSOLUTE LOAD NOT FOLLOWED BY EXECUTE	LOADER 1 RM	60429800
4107 WORD ADDRESS FILES CANNOT HAVE RELATIVE OR RECORD KEYS	COBOL 5 DH	60482500
4108 WORD ADDRESS FILES MUST HAVE A WORD ADDRESS KEY	COBOL 5 DH	60482500
4109 WORD ADDRESS KEYS MUST NOT BE OCCURRING ITEMS NOR SUBORDINATE TO AN OCCURRING ITEM	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4110 INTERACTIVE DEBUG IGNORED ON THIS LOAD	LOADER 1 RM	60429800
4110 WORD ADDRESS KEYS MUST BE UNSIGNED INTEGERS	COBOL 5 DH	60482500
4111 THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
4111 TRAP OVERRIDES INTERACTIVE DEBUG	LOADER 1 RM	60429800
4112 THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE USAGE DISPLAY, COMP-1 OR COMP-4	COBOL 5 DH	60482500
4113 THE ITEM WHICH IS THE OBJECT OF A -DEPENDING ON- PHRASE MUST BE 6 DIGITS OR LESS	COBOL 5 DH	60482500
4114 THE OBJECT OF THE -DEPENDING ON- PHRASE (WHEN CONTAINED WITHIN THE RECORD) MUST BE ENTIRELY CONTAINED WITHIN THE MINIMUM RECORD SIZE	COBOL 5 DH	60482500
4115 IF THE CODE-SET CLAUSE IS SPECIFIED ALL DATA IN THE FILE MUST BE DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
4116 IF THE CODE-SET CLAUSE IS SPECIFIED EACH SIGNED ITEM IN THE FILE MUST HAVE A SEPARATE SIGN	COBOL 5 DH	60482500
4117 IF A REPORT CLAUSE IS SPECIFIED THE FILE MUST HAVE SEQUENTIAL ORGANIZATION	COBOL 5 DH	60482500
4118 AN FD WITHOUT THE REPORTS CLAUSE OR AN SD MUST BE FOLLOWED BY AT LEAST ONE O1 RECORD	COBOL 5 DH	60482500
4118 DESCRIPTION ENTRY		
4119 LABEL RECORDS ARE STANDARD MUST BE SPECIFIED FOR MULTIPLE FILE TAPE FILES	COBOL 5 DH	60482500
4120 A RECORD DESCRIPTION CANNOT FOLLOW AN FD CONTAINING A REPORTS CLAUSE	COBOL 5 DH	60482500
4121 THE CODE-SET CLAUSE MUST REFERENCE AN ALPHABET NAME AND THAT ALPHABET NAME MAY NOT BE SPECIFIED WITH THE LITERAL PHRASE	COBOL 5 DH	60482500
4122 THE BLOCK COUNT FOR A FILE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
4124 ONE OR MORE OTHER FILES ARE ASSIGNED TO THIS SAME IMPLEMENTOR NAME. THIS FILE CANNOT BE OPENED IF ANOTHER OF THE FILES IS ALREADY OPEN	COBOL 5 DH	60482500
4125 ACCESS MODE RANDOM OR DYNAMIC IS NOT ALLOWED ON FILES WITH SEQUENTIAL ORGANIZATION	COBOL 5 DH	60482500
4126 THE FIRST CHARACTER OF A FILE NAME MUST BE ALPHABETIC AND THE REMAINING CHARACTERS MAY BE ALPHANUMERIC (A THRU Z, AND O THRU 9)	COBOL 5 DH	60482500
4127 THE -VALUE OF- THE FILE-ID MUST BE LESS THAN 18 ALPHANUMERIC CHARACTERS	COBOL 5 DH	60482500
4128 THE -VALUE OF- THE FILE-SET-ID MUST BE LESS THAN 7 ALPHANUMERIC CHARACTERS	COBOL 5 DH	60482500
4129 THE -VALUE OF- THE FILE-SECTION-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4130 THE -VALUE OF- THE FILE-SEQUENCE-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4131 THE -VALUE OF- THE FILE-GENERATION-NUMBER MUST BE LESS THAN 5 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4132 THE -VALUE OF- THE GENERATION-VERSION-NUMBER MUST BE LESS THAN 3 NUMERIC CHARACTERS	COBOL 5 DH	60482500
4133 THE -VALUE OF- THE CREATION-DATE MUST BE 5 NUMERIC CHARACTERS EXACTLY	COBOL 5 DH	60482500
4134 THE -VALUE OF- THE EXPIRATION-DATE MUST BE 5 NUMERIC CHARACTERS EXACTLY	COBOL 5 DH	60482500
4135 THE -VALUE OF- THE ACCESSIBILITY MUST BE A SINGLE ALPHANUMERIC CHARACTER	COBOL 5 DH	60482500
4136 THE ASSIGN CLAUSE FOR THIS FILE WAS NOT GIVEN OR WAS IN ERROR	COBOL 5 DH	60482500
4137 THE RECORD KEY ITEM MUST HAVE A LEVEL NUMBER OF 1 THRU 49, OR 77 (POSSIBLE IF NON-EMBEDDED KEY FOR ACTUAL KEY OR INDEXED FILE)	COBOL 5 DH	60482500
4138 NO TWO KEYS FOR AN INDEXED, DIRECT OR ACTUAL KEY FILE MAY COINCIDE	COBOL 5 DH	60482500
4140 THIS RECORD DESCRIPTION ENTRY WITHIN THE FILE SECTION REQUIRES MORE THAN 32767 CHARACTERS OF STORAGE	COBOL 5 DH	60482500
4141 THIS DATA-ITEM REQUIRES MORE THAN 131071 CHARACTERS OF STORAGE	COBCL 5 DH	60482500
4142 WHEN THE PHRASE, DATA-NAME CONTAINS CHARACTER FROM LITERAL, IS SPECIFIED IN AN ALTERNATE RECORD KEY CLAUSE, THE DATA-NAME MUST BE DESCRIBED AS A SINGLE CHARACTER ALPHANUMERIC ITEM AND BE CONTAINED WITHIN A RECORD DESCRIPTION OF THE FILE	COBOL 5 DH	60482500
4143 FILE NAMES MAY BE UP TO SEVEN CHARACTERS LONG. THIS FILE NAME EXCEEDS SEVEN CHARACTERS	COBOL 5 DH	60482500
4144 THE SIZE OF COMMON-STORAGE HAS EXCEEDED ITS LIMIT OF 65536 WORDS	COBOL 5 DH	60482500
4145 THE SIZE OF WORKING-STORAGE HAS EXCEEDED ITS LIMIT OF 65536 WORDS	COBOL 5 DH	60482500
4146 THE SIZE OF SECONDARY-STORAGE HAS EXCEEDED ITS LIMIT OF 65536 WORDS	COBOL 5 DH	60482500
4147 THE MAXIMUM RECORD LENGTH SPECIFIED BY THE RECORD CLAUSE IS GREATER THAN THE LARGEST RECORD DESCRIPTION. THE MAXIMUM RECORD LENGTH HAS BEEN LOWERED TO THE SIZE OF THE LARGEST RECORD DESCRIPTION.	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4200 FIPS=3 SUPPORTS NESTED REDEFINES CLAUSES	COBOL 5 DH	60482500
4200 LOADER CARD ERROR FOLLOWING CARD IGNORED	LOADER 1 RM	60429800
4201 NUMERIC RECORD KEYS AND NUMERIC ALTERNATE RECORD KEYS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
4201 PROGRAM NOT FOUND - name	LOADER 1 RM	60429800
4202 THE OCCURRENCE LENGTH OF AN ITEM CANNOT EXCEED 65535 CHARACTERS	COBOL 5 DH	60482500
4203 ONLY THE FIRST REDEFINITION MAY CONTAIN VALUE CLAUSES	COBOL 5 DH	60482500
4204 ILLEGAL ORIGIN SPECIFICATION	LOADER 1 RM	60429800
4205 FIPS=3 SUPPORTS FILLER USED AS CONDITION VARIABLE	COBOL 5 DH	60482500
4205 NO BLANK COMMON AT LOWER LEVEL - C>NNNNN IGNORED	LOADER 1 RM	60429800
4206 ENTRY NAME ON OVERLAY CARD NOT FOUND - name	LOADER 1 RM	60429800
4207 OBJECT DIRECTIVES NOT ALLOWED	LOADER 1 RM	60429800
4210 FOL GENERATION, WRITING BINARY TO SAME FILE AS MAIN OVERLAY	LOADER 1 RM	60429800
4211 ILLEGAL OV SPECIFICATION	LOADER 1 RM	60429800
4220 ILLEGAL LOADER REQUEST	LOADER 1 RM	60429800
4221 LOAD FILE NAME FORMAT ERROR - name	LOADER 1 RM	60429800
4222 NO PROGRAMS SPECIFIED ON SLOAD	LOADER 1 RM	60429800
4224 SLOAD PROGRAM NOT FOUND - name	LOADER 1 RM	60429800
4225 FORMAT ERROR ON LIBLOAD REQUEST	LOADER 1 RM	60429800
4227 ENTRY ON LIBLOAD NOT FOUND - name	LOADER 1 RM	60429800
4230 FORMAT ERROR ON CMLoad OR ECLoad REQUEST	LOADER 1 RM	60429800
4231 FORMAT ERROR - SATISFY REQUEST - name	LOADER 1 RM	60429800
4232 FORMAT ERROR ON LIB REQUEST - name	LOADER 1 RM	60429800
4233 FORMAT ERROR ON MAP REQUEST	LOADER 1 RM	60429800
4234 FORMAT ERROR ON PRESET REQUEST	LOADER 1 RM	60429800
4235 FORMAT ERROR ON USEP REQUEST - name	LOADER 1 RM	60429800
4236 FORMAT ERROR ON USE REQUEST - name	LOADER 1 RM	60429800
4237 SUBST FORMAT ERROR	LOADER 1 RM	60429800
4240 FORMAT ERROR ON OMIT REQUEST - name	LOADER 1 RM	60429800
4241 FORMAT ERROR ON PASSLOC REQUEST	LOADER 1 RM	60429800
4242 FORMAT ERR - COMMON REQUEST - name	LOADER 1 RM	60429800
4271 TRANSFER NAME NOT FOUND - name	LOADER 1 RM	60429800
4272 TOO MANY PARAMS IN EXECUTE REQUEST	LOADER 1 RM	60429800
4273 NONEXISTENT LIBRARY GIVEN - name	LOADER 1 RM	60429800
4274 LIBRARY NOT ON MASS STORAGE - name	LOADER 1 RM	60429800
4275 ILL-FORMATTED LIBRARY - name	LOADER 1 RM	60429800
4275 THE SECOND IMPLEMENTOR-NAME IN THE ASSIGN CLAUSE IS USED FOR THE LOGICAL FILE NAME OF THE	COBOL 5 DH	60482500
4275 INDEX FILE FOR INDEXED, DIRECT, OR ACTUAL-KEY FILES, WITH ALTERNATE RECORD KEYS. IT		
4275 IS IGNORED FOR THIS FILE		
4310 POTENTIAL HARDWARE DEFICIENCY - program	LOADER 1 RM	60429800
4340 TRIED TO LOAD INTO BLOCK BELOW ORIGIN - name	LOADER 1 RM	60429800
4341 TRIED TO LOAD INTO ABSOLUTE BLOCK	LOADER 1 RM	60429800
4400 PARAMETER NAME TRUNCATED TO 7 CHARACTERS	LOADER 1 RM	60429800
4401 END CARD MISSING	LOADER 1 RM	60429800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
4402 name - NOT DECLARED GLOBAL	LOADER 1 RM	60429800
4420 COULD NOT FIND COMMON OR GLOBAL BLOCK - name	LOADER 1 RM	60429800
4421 SATISFY IGNORED ON SEGMENT LOAD	LOADER 1 RM	60429800
4422 TRIED TO LOAD INTO BLOCK OUTSIDE SEGMENT - name	LOADER 1 RM	60429800
4450 CONFLICTING SEGMENTS CALLED BY SAME WORD ADDRESS	LOADER 1 RM	60429800
4500 FORMAT ERROR ON EPT REQUEST - name	LOADER 1 RM	60429800
4501 FORMAT ERROR ON NOEPT REQUEST - name	LOADER 1 RM	60429800
4502 NOT ALL CAPSULE DIRECTIVES PROCESSED	LOADER 1 RM	60429800
4503 EPT REQUEST IGNORED - name	LOADER 1 RM	60429800
4708 LINKAGE-SECTION ILLEGAL IN MAIN PROGRAM	COBOL 5 DH	60482500
5000 TOO FEW ARGUMENTS	PL/I RM	60388100
5000 TOO MANY ARGUMENTS	PL/I RM	60388100
5001 THIS REPORT IS ASSOCIATED WITH A FILE THAT HAS BEEN DEFINED INCORRECTLY	COBOL 5 DH	60482500
5002 THE LEVEL NUMBER OF THIS FORMAT 2 ENTRY IS EQUAL TO OR GREATER THAN THE LEVEL NUMBER OF 5002 THE FORMAT 3 ENTRY PRECEDING IT	COBOL 5 DH	60482500
5003 THIS REPORT DOES NOT APPEAR IN A -REPORTS ARE- CLAUSE IN ANY FD	COBOL 5 DH	60482500
5004 A CODE CLAUSE LITERAL MUST BE A TWO CHARACTER NON NUMERIC LITERAL. SPACES HAVE BEEN 5004 SUBSTITUTED	COBOL 5 DH	60482500
5005 THE CODE CLAUSE MUST BE INCLUDED (OR OMITTED) FOR ALL REPORTS IN THE SAME FILE	COBOL 5 DH	60482500
5006 THIS CONTROL IDENTIFIER SHARES STORAGE WITH A MORE MINOR ONE	COBOL 5 DH	60482500
5007 THIS CONTROL IDENTIFIER SHARES STORAGE WITH A MORE MAJOR ONE	COBOL 5 DH	60482500
5008 THE HEADING SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5009 THE HEADING INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5010 THE FIRST DETAIL SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN 5010 ASSIGNED	COBOL 5 DH	60482500
5011 THE FIRST DETAIL SPECIFICATION IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5012 THE FIRST DETAIL INTEGER IS LESS THAN THE HEADING VALUE OR ITS IMPLICIT VALUE OF 1. FIRST 5012 DETAIL-S IMPLICIT VALUE HAS BEEN ASSIGNED TO IT	COBOL 5 DH	60482500
5013 THE LAST DETAIL SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN 5013 ASSIGNED	COBOL 5 DH	60482500
5014 THE LAST DETAIL INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5015 THE LAST DETAIL INTEGER IS TOO SMALL BASED ON OTHER PAGE CLAUSE SPECIFICATIONS. ITS 5015 IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5016 THE FOOTING SPECIFICATION IS NOT AN UNSIGNED INTEGER. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5017 THE FOOTING INTEGER IS ZERO. ITS IMPLICIT VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5018 THE FOOTING INTEGER IS TOO SMALL BASED ON OTHER PAGE CLAUSE SPECIFICATIONS. ITS IMPLICIT 5018 VALUE HAS BEEN ASSIGNED	COBOL 5 DH	60482500
5019 THE PAGE LIMIT SPECIFICATION IS NOT AN UNSIGNED INTEGER. THE PAGE CLAUSE IS TREATED AS 5019 IF OMITTED. THE REPORT WILL CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5020 THE PAGE LIMIT INTEGER IS ZERO. THE PAGE CLAUSE IS TREATED AS IF OMITTED. THE REPORT WILL 5020 CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5021 THE PAGE LIMIT INTEGER IS LESS THAN ANOTHER PAGE CLAUSE SPECIFICATION. THE PAGE CLAUSE 5021 IS TREATED AS IF OMITTED. THE REPORT WILL CONSIST OF A SINGLE PAGE OF INDEFINITE LENGTH	COBOL 5 DH	60482500
5022 THE PAGE LIMIT INTEGER EXCEEDS 3 SIGNIFICANT DIGITS IN LENGTH	COBOL 5 DH	60482500
5023 THIS REPORT IS NAMED IN MORE THAN ONE FD ENTRY	COBOL 5 DH	60482500
5024 THE LEVEL NUMBER MUST BE AN INTEGER BETWEEN 02 AND 48 FOR FORMAT 2, OR BETWEEN 02 AND 49 5024 FOR FORMAT 3	COBOL 5 DH	60482500
5025 THE FIRST ENTRY OF A REPORT GROUP MUST BE A FORMAT 1 ENTRY AND A TYPE CLAUSE MUST BE 5025 INCLUDED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5026 A FORMAT 2 OR 3 ENTRY SUBORDINATE TO A FORMAT 1 ENTRY IS MISSING	COBOL 5 DH	60482500
5027 AT LEAST ONE FORMAT 3 ENTRY MUST BE IMMEDIATELY SUBORDINATE TO A FORMAT 2 ENTRY	COBOL 5 DH	60482500
5028 FORMAT 3 ENTRIES MUST BE ELEMENTARY. THE LEVEL NUMBER OF THIS FORMAT 3 ENTRY IS NOT EQUAL 5028 TO THE LEVEL NUMBER OF THE FORMAT 3 ENTRY PRECEDING IT	COBOL 5 DH	60482500
5029 A FORMAT 2 ENTRY MUST CONTAIN AT LEAST ONE OPTIONAL CLAUSE	COBOL 5 DH	60482500
5030 IF A USAGE CLAUSE APPEARS IN A FORMAT 3 ENTRY, THAT ENTRY MUST DEFINE A PRINTABLE ITEM	COBOL 5 DH	60482500
5031 IF THE USAGE CLAUSE APPEARS IN A FORMAT 1 OR 2 ENTRY, AT LEAST ONE SUBORDINATE ENTRY MUST 5031 DEFINE A PRINTABLE ITEM	COBOL 5 DH	60482500
5032 THIS LINE NUMBER CLAUSE IS IN AN ENTRY SUBORDINATE TO ANOTHER ENTRY THAT CONTAINS A LINE 5032 NUMBER CLAUSE	COBOL 5 DH	60482500
5033 A GROUP INDICATE CLAUSE MAY APPEAR ONLY IN A TYPE DETAIL REPORT GROUP	COBOL 5 DH	60482500
5034 A SUM CLAUSE MAY APPEAR ONLY IN A TYPE CONTROL FOOTING REPORT GROUP	COBOL 5 DH	60482500
5035 AN ENTRY THAT CONTAINS A COLUMN NUMBER CLAUSE BUT NO LINE NUMBER CLAUSE MUST BE SUBORDINATE 5035 TO AN ENTRY THAT CONTAINS A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5036 IN A FORMAT 3 ENTRY A LINE NUMBER CLAUSE MUST NOT BE THE ONLY CLAUSE SPECIFIED	COBOL 5 DH	60482500
5037 IN FORMAT 3, AN ENTRY THAT CONTAINS A VALUE CLAUSE MUST ALSO HAVE A COLUMN NUMBER CLAUSE	COBOL 5 DH	60482500
5038 A VALID SOURCE, SUM, OR VALUE CLAUSE IS REQUIRED IN A FORMAT 3 ENTRY	COBOL 5 DH	60482500
5039 A VALID PICTURE CLAUSE IS REQUIRED IN A FORMAT 3 ENTRY	COBOL 5 DH	60482500
5040 THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A SUM CLAUSE	COBOL 5 DH	60482500
5041 THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A SOURCE CLAUSE	COBOL 5 DH	60482500
5042 THIS CLAUSE COMBINATION IS NOT ALLOWED FOR A REPORT ITEM THAT CONTAINS A VALUE CLAUSE	COBOL 5 DH	60482500
5043 THE JUSTIFIED CLAUSE CAN BE SPECIFIED ONLY AT THE ELEMENTARY ITEM LEVEL	COBOL 5 DH	60482500
5044 THE JUSTIFIED CLAUSE MAY NOT BE SPECIFIED FOR A NUMERIC, NUMERIC EDITED OR ALPHANUMERIC 5044 EDITED ITEM	COBOL 5 DH	60482500
5045 THE BLANK WHEN ZERO CLAUSE CAN BE USED ONLY FOR AN ELEMENTARY ITEM	COBOL 5 DH	60482500
5046 THE BLANK WHEN ZERO CLAUSE CAN BE USED ONLY FOR AN ITEM SPECIFIED AS NUMERIC OR NUMERIC- 5046 EDITED	COBOL 5 DH	60482500
5047 A GROUP INDICATE CLAUSE MAY APPEAR ONLY IN A DETAIL ENTRY THAT DEFINES A PRINTABLE ITEM	COBOL 5 DH	60482500
5049 LINE NUMBER INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER NOT EXCEEDING 3 SIGNIFICANT DIGITS 5049 IN LENGTH	COBOL 5 DH	60482500
5050 A RELATIVE LINE NUMBER CLAUSE MAY NOT PRECEDE ANY ABSOLUTE LINE NUMBER CLAUSE WITHIN A 5050 GIVEN REPORT GROUP	COBOL 5 DH	60482500
5051 WITHIN A GIVEN REPORT GROUP, SUCCESSIVE ABSOLUTE LINE NUMBER CLAUSES MUST SPECIFY INTEGERS 5051 THAT ARE IN ASCENDING ORDER	COBOL 5 DH	60482500
5052 IF PAGE CLAUSE IS OMITTED IN A GIVEN RD, ONLY RELATIVE LINE NUMBER CLAUSES CAN BE SPECIFIED 5052 IN A REPORT GROUP WITHIN THAT RD	COBOL 5 DH	60482500
5053 A NEXT PAGE PHRASE CAN APPEAR ONLY ONCE IN A GIVEN REPORT GROUP, AND IF PRESENT MUST BE 5053 IN THE FIRST LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5054 A LINE NUMBER CLAUSE WITH A NEXT PAGE PHRASE MAY APPEAR ONLY IN THE DESCRIPTION OF A BODY 5054 GROUP OR A REPORT FOOTING REPORT GROUP	COBOL 5 DH	60482500
5055 THE FIRST LINE NUMBER CLAUSE SPECIFIED WITHIN A PAGE FOOTING REPORT GROUP MUST BE AN 5055 ABSOLUTE LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5056 A COLUMN NUMBER INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER	COBOL 5 DH	60482500
5057 WITHIN A GIVEN PRINT LINE, THE PRINTABLE ITEMS MUST BE DEFINED IN ASCENDING COLUMN NUMBER 5057 ORDER SUCH THAT EACH CHARACTER DEFINED OCCUPIES A UNIQUE POSITION	COBOL 5 DH	60482500
5058 THE DESCRIPTION OF A PRINT LINE IN THIS REPORT GROUP EXCEEDS 136 CHARACTERS	COBOL 5 DH	60482500
5059 A REPORT GROUP ENTRY MUST NOT CONTAIN A NEXT GROUP CLAUSE UNLESS THE DESCRIPTION OF THAT 5059 REPORT GROUP CONTAINS AT LEAST ONE LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5060 A NEXT GROUP INTEGER MUST BE AN UNSIGNED NON-ZERO INTEGER NOT EXCEEDING 3 SIGNIFICANT 5060 DIGITS IN LENGTH	COBOL 5 DH	60482500

MESSAGE

MANUAL

PUB. NO.

5061 IF THE PAGE CLAUSE IS OMITTED FROM AN RD ONLY A RELATIVE NEXT GROUP CLAUSE MAY BE SPECIFIED 5061 IN ANY REPORT GROUP WITHIN THAT RD	COBOL 5 DH	60482500
5062 THE NEXT PAGE PHRASE OF A NEXT GROUP CLAUSE MUST NOT BE SPECIFIED IN A PAGE FOOTING 5062 REPORT GROUP	COBOL 5 DH	60482500
5063 A NEXT GROUP CLAUSE MUST NOT BE SPECIFIED IN A REPORT FOOTING OR PAGE HEADING REPORT GROUP	COBOL 5 DH	60482500
5064 RH, PH, CH-FINAL, CF-FINAL, PF, AND RF REPORT GROUPS MAY EACH APPEAR ONLY ONCE IN THE 5064 DESCRIPTION OF A REPORT	COBOL 5 DH	60482500
5065 A PH OR A PF REPORT GROUP MAY BE SPECIFIED ONLY IF A PAGE CLAUSE IS SPECIFIED IN THE 5065 CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5066 THE DATA NAME IN A CH OR CF TYPE CLAUSE MUST BE A VALID CONTROL DATA ITEM OF THE 5066 CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5067 ONLY ONE CH GROUP AND ONE CF GROUP CAN BE SPECIFIED FOR EACH DATA NAME (OR FINAL) THAT 5067 APPEARS IN THE CONTROL CLAUSE OF THE RD ENTRY	COBOL 5 DH	60482500
5068 IF -FINAL- APPEARS IN A TYPE CLAUSE, IT MUST BE SPECIFIED IN THE CONTROL CLAUSE OF THE 5068 CORRESPONDING RD ENTRY	COBOL 5 DH	60482500
5069 IN CF, PH, PF, AND RF REPORT GROUPS, A SOURCE CLAUSE MUST NOT REFERENCE A GROUP ITEM 5069 CONTAINING A CONTROL ITEM, OR A DATA ITEM SUBORDINATE TO A CONTROL ITEM, OR A REDEFINITION 5069 OR RENAMING OF ANY PART OF A CONTROL ITEM. ALSO, IN PH AND PF REPORT GROUPS, A SOURCE CLAUSE 5069 MUST NOT REFERENCE A CONTROL DATA-NAME	COBOL 5 DH	60482500
5070 LINE NUMBER SPECIFICATIONS FOR THIS RH REPORT GROUP CAUSE THE FINAL PRINT LINE TO EXCEED THE 5070 LOWER LIMIT OF FIRST DETAIL MINUS 1	COBOL 5 DH	60482500
5071 THE LINE NUMBER SPECIFICATIONS FOR THIS RH REPORT GROUP CAUSE THE FINAL PRINT LINE TO 5071 EXCEED THE PAGE LIMIT	COBOL 5 DH	60482500
5072 NEXT GROUP INTEGER IN THIS REPORT GROUP MUST BE GREATER THAN THE FINAL LINE NUMBER OF THIS 5072 RH REPORT GROUP AND LESS THAN THE FIRST DETAIL INTEGER	COBOL 5 DH	60482500
5073 THE SUM OF THE NEXT GROUP INTEGER AND THE NUMBER OF THE FINAL PRINT LINE OF THIS RH REPORT 5073 GROUP MUST BE LESS THAN THE FIRST DETAIL INTEGER	COBOL 5 DH	60482500
5074 THE FIRST LINE NUMBER ON WHICH A RH REPORT GROUP CAN BE PRESENTED IS THE ONE SPECIFIED BY 5074 THE HEADING PHRASE OF THE PAGE CLAUSE	COBOL 5 DH	60482500
5075 THE FIRST PRINT LINE POSITION OF PAGE HEADING MUST NOT BE LESS THAN THE LINE NUMBER SPECIFIED 5075 BY THE HEADING PHRASE OF THE PAGE CLAUSE	COBOL 5 DH	60482500
5076 FIRST DETAIL MINUS 1 IS THE LAST LINE ON WHICH A PAGE HEADING PRINT LINE CAN BE PRESENTED	COBOL 5 DH	60482500
5077 THE FIRST LINE NUMBER ON WHICH A PF REPORT GROUP CAN BE PRESENTED IS 1 GREATER THAN THE 5077 INTEGER OF THE FOOTING PHRASE	COBOL 5 DH	60482500
5078 LINE SPECIFICATIONS FOR THIS PF REPORT GROUP CAUSE THE FINAL PRINT LINE TO EXCEED THE 5078 PAGE LIMIT	COBOL 5 DH	60482500
5079 THE NEXT GROUP INTEGER IN THIS PF REPORT GROUP MUST BE GREATER THAN THE FINAL LINE OF THE 5079 REPORT GROUP AND LESS THAN THE PAGE LIMIT INTEGER	COBOL 5 DH	60482500
5080 THE SUM OF THE NEXT GROUP INTEGER AND THE NUMBER OF THE FINAL PRINT LINE OF THIS PF REPORT 5080 GROUP MUST NOT EXCEED THE PAGE LIMIT INTEGER	COBOL 5 DH	60482500
5081 THE FIRST PRINT LINE POSITION OF THE REPORT FOOTING IS LESS THAN THE REPORT FOOTING UPPER 5081 LIMIT. THE MINIMUM LINE NUMBER INTEGER IS FOOTING-PHRASE-INTEGERS +1	COBOL 5 DH	60482500
5082 THE LINE NUMBER INDICATED BY PAGE LIMIT INTEGER IS THE LAST LINE ON WHICH A REPORT FOOTING 5082 PRINT LINE CAN BE PRESENTED	COBOL 5 DH	60482500
5083 THE FIRST LINE ON WHICH THIS RF REPORT GROUP CAN BE PRESENTED IS THE LINE NUMBER SPECIFIED 5083 BY THE HEADING PHRASE	COBOL 5 DH	60482500
5084 A NEXT GROUP INTEGER MUST BE GREATER THAN OR EQUAL TO THE FIRST DETAIL INTEGER AND MUST 5084 BE LESS THAN OR EQUAL TO THE FOOTING PHRASE INTEGER	COBOL 5 DH	60482500
5085 THE FIRST LINE NUMBER ON WHICH A BODY GROUP CAN BE PRESENTED IS THE LINE NUMBER SPECIFIED 5085 BY THE FIRST DETAIL PHRASE	COBOL 5 DH	60482500
5086 LINE NUMBER SPECIFICATIONS IN THIS REPORT GROUP CAUSE THE LOWER LIMIT RULE FOR BODY GROUPS 5086 TO BE VIOLATED. THE LAST LINE NUMBER ON WHICH A REPORT GROUP CAN BE PRESENTED IS SPECIFIED 5086 BY THE INTEGER OF THE LAST-DETAIL PHRASE FOR A CH OR DE REPORT GROUP, AND BY THE INTEGER 5086 OF THE FOOTING PHRASE FOR A CF REPORT GROUP	COBOL 5 DH	60482500
5087 IF PAGE FOOTING AND REPORT FOOTING ARE PRESENTED ON THE SAME PAGE, THE FIRST PRINT LINE 5087 POSITION OF RF WILL VIOLATE THE UPPER LIMIT RULE FOR A REPORT FOOTING AS IT WILL NOT BE 5087 GREATER THAN THE FINAL LINE COUNTER VALUE SET BY THE PF REPORT GROUP	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5088 IF THIS REPORT FOOTING IS PRESENTED ON THE SAME PAGE AS A PAGE FOOTING, SOME OR ALL OF 5088 ITS LINE NUMBERS WILL EXCEED THE PAGE LIMIT. SUCH LINES WILL NOT BE PRINTED	COBOL 5 DH	60482500
5089 IF THIS PAGE HEADING IS PRESENTED ON THE SAME PAGE AS THE REPORT HEADING, ITS ABSOLUTE LINE 5089 NUMBER WILL NOT BE GREATER THAN THE FINAL LINE COUNTER VALUE SET BY THE REPORT HEADING	COBOL 5 DH	60482500
5090 IF THIS PAGE HEADING IS PRESENTED ON THE SAME PAGE AS THE REPORT HEADING, SOME OR ALL OF 5090 ITS LINE NUMBERS WILL EXCEED FIRST-DETAIL-INTEGGER MINUS 1. SUCH LINES WILL NOT BE PRINTED	COBOL 5 DH	60482500
5091 THE RECORD SIZE FOR THIS REPORT CONFLICTS WITH THE SIZE SPECIFIED IN THE RECORD CONTAINS 5091 CLAUSE OF THE ASSOCIATED FD	COBOL 5 DH	60482500
5092 THE DESCRIPTION OF A REPORT MUST SPECIFY AT LEAST ONE REPORT GROUP	COBOL 5 DH	60482500
5093 A REPORT NAMED IN THE REPORTS CLAUSE OF AN FD ENTRY MUST BE THE SUBJECT OF AN RD ENTRY IN 5093 THE REPORT SECTION	COBOL 5 DH	60482500
5094 IF A SOURCE CLAUSE IDENTIFIER IS A REPORT SECTION ITEM IT CAN ONLY BE PAGE-COUNTER, LINE- 5094 COUNTER, OR A SUM COUNTER OF THE REPORT WITHIN WHICH THE SOURCE CLAUSE APPEARS	COBOL 5 DH	60482500
5095 SOURCE CLAUSE IDENTIFIER-1 MUST BE DEFINED SUCH THAT IT CONFORMS TO THE RULES FOR SENDING 5095 ITEMS IN THE MOVE STATEMENT	COBOL 5 DH	60482500
5096 WHEN DEFINED IN THE REPORT SECTION A SUM CLAUSE IDENTIFIER MUST BE THE NAME OF A SUM COUNTER	COBOL 5 DH	60482500
5097 THE MOVE STATEMENT RULES DO NOT ALLOW THE MOVE OF THIS SUM COUNTER TO THE PRINTABLE ITEM. 5097 THE PICTURE CLAUSE FOR THE PRINTABLE ITEM MUST BE CORRECTED	COBOL 5 DH	60482500
5098 IF THE UPON PHRASE IS PRESENT AN IDENTIFIER IN A SUM CLAUSE MUST NOT BE A SUM COUNTER	COBOL 5 DH	60482500
5099 A SUM COUNTER MUST NOT BE REFERENCED IN A SUM CLAUSE UNLESS IT IS DEFINED IN THE SAME REPORT 5099 GROUP AS THAT SUM CLAUSE OR IS DEFINED IN A MORE MINOR CONTROL FOOTING IN THE SAME REPORT	COBOL 5 DH	60482500
5100 EACH DATA-NAME IN AN UPON PHRASE MUST BE THE NAME OF A DETAIL REPORT GROUP DESCRIBED IN THE 5100 SAME REPORT AS THE CONTROL FOOTING IN WHICH THE SUM CLAUSE APPEARS	COBOL 5 DH	60482500
5101 IF FINAL IS SPECIFIED IN THE RESET PHRASE, FINAL MUST ALSO APPEAR IN THE CONTROL CLAUSE FOR 5101 THIS REPORT	COBOL 5 DH	60482500
5102 RESET DATA-NAME MUST BE ONE OF THE DATA-NAMES SPECIFIED IN THE CONTROL CLAUSE FOR THIS REPORT	COBOL 5 DH	60482500
5103 RESET DATA-NAME MUST NOT BE A LOWER LEVEL CONTROL THAN THE CONTROL ASSOCIATED WITH THE REPORT 5103 GROUP IN WHICH THIS RESET CLAUSE APPEARS	COBOL 5 DH	60482500
5104 THE MOVE STATEMENT RULES DO NOT ALLOW THE MOVE OF THIS VALUE CLAUSE LITERAL TO THE PRINTABLE 5104 ITEM. THE LITERAL OR THE PICTURE CLAUSE MUST BE CORRECTED	COBOL 5 DH	60482500
5301 A KEY ELEMENT IS REQUIRED HERE	COBOL 5 DH	60482500
5302 A CODE CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5303 A LITERAL IS REQUIRED IN A CODE CLAUSE	COBOL 5 DH	60482500
5304 A CONTROL CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5305 -ARE- IS THE ONLY OPTIONAL RESERVED WORD ALLOWED HERE	COBOL 5 DH	60482500
5306 A DATA NAME OR THE RESERVED WORD -FINAL- IS REQUIRED IN A CONTROL CLAUSE	COBOL 5 DH	60482500
5307 -IS- IS THE ONLY OPTIONAL RESERVED WORD ALLOWED HERE	COBOL 5 DH	60482500
5308 A PAGE CLAUSE IS ALLOWED ONLY IN AN RD ENTRY	COBOL 5 DH	60482500
5309 AN INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
5310 THE RESERVED WORD -DETAIL- IS REQUIRED HERE	COBOL 5 DH	60482500
5312 IN THE REPORT SECTION, LEVEL NUMBERS MUST BE IN THE RANGE 01 THROUGH 49	COBOL 5 DH	60482500
5313 A LEVEL 01 REPORT GROUP ENTRY IS ONLY ALLOWED FOLLOWING AN RD ENTRY OR A LEVEL 02 THROUGH 49 5313 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5314 A LINE NUMBER CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY	COBOL 5 DH	60482500
5315 -ON- MUST BE FOLLOWED BY -NEXT PAGE- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5316 -PAGE- MUST FOLLOW -NEXT- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5317 EITHER AN INTEGER OR THE RESERVED WORD -PLUS- IS REQUIRED HERE IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5318 A -NEXT GROUP- CLAUSE IS ALLOWED ONLY IN A LEVEL 01 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5319 THE RESERVED WORD -GROUP- IS REQUIRED HERE IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5320 AN INTEGER MUST FOLLOW -PLUS- IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5321 A TYPE CLAUSE IS ONLY ALLOWED IN A LEVEL 01 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5322 REPORT HEADING, PAGE HEADING, CONTROL HEADING, DETAIL, CONTROL FOOTING, PAGE FOOTING, OR 5322 REPORT FOOTING IS REQUIRED HERE	COBOL 5 DH	60482500
5323 A USAGE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY	COBOL 5 DH	60482500
5324 -DISPLAY- IS REQUIRED HERE IN A USAGE CLAUSE	COBOL 5 DH	60482500
5325 LEVEL NUMBERS IN THE RANGE 02 THROUGH 49 ARE ONLY ALLOWED WHEN SUBORDINATE TO A LEVEL 01 5325 REPORT GROUP ENTRY	COBOL 5 DH	60482500
5326 A BLANK WHEN ZERO CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5327 -ZERO- IS REQUIRED IN A BLANK WHEN ZERO CLAUSE	COBOL 5 DH	60482500
5328 A COLUMN CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5329 AN INTEGER LITERAL IS REQUIRED IN A COLUMN CLAUSE	COBOL 5 DH	60482500
5330 A GROUP INDICATE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5331 A JUSTIFIED CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5332 A PICTURE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5333 A PICTURE STRING IS REQUIRED IN A PICTURE CLAUSE	COBOL 5 DH	60482500
5334 A VALUE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5335 A LITERAL IS REQUIRED IN A VALUE CLAUSE	COBOL 5 DH	60482500
5336 A SOURCE CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5337 AN IDENTIFIER IS REQUIRED IN A SOURCE CLAUSE	COBOL 5 DH	60482500
5338 A SUM CLAUSE IS ONLY ALLOWED IN A REPORT GROUP ENTRY OF LEVEL 02 THROUGH 49	COBOL 5 DH	60482500
5339 AN IDENTIFIER IS REQUIRED IN A SUM CLAUSE	COBOL 5 DH	60482500
5340 A DATA NAME MUST FOLLOW -UPON- IN A SUM CLAUSE	COBOL 5 DH	60482500
5341 AN IDENTIFIER IS REQUIRED IN A RESET PHRASE	COBOL 5 DH	60482500
5342 A RESET PHRASE IS ONLY ALLOWED IN A SUM CLAUSE	COBOL 5 DH	60482500
5343 THE REPORT SECTION HEADER MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
5344 AT LEAST ONE BODY GROUP IS REQUIRED IN A REPORT	COBOL 5 DH	60482500
5346 A RIGHT PARENTHESIS OR A VALID SUBSCRIPT OR INDEX IS REQUIRED HERE	COBOL 5 DH	60482500
5347 AN INTEGER MUST FOLLOW -PLUS- IN A LINE NUMBER CLAUSE	COBOL 5 DH	60482500
5348 EITHER AN INTEGER, THE RESERVED WORD -PLUS- OR THE RESERVED WORD -NEXT- IS REQUIRED HERE 5348 IN A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5349 -PAGE- MUST FOLLOW -NEXT- IN A NEXT PAGE PHRASE OF A NEXT GROUP CLAUSE	COBOL 5 DH	60482500
5350 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -REPORT- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5351 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -PAGE- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5352 EITHER -HEADING- OR -FOOTING- MUST FOLLOW -CONTROL- IN A TYPE CLAUSE	COBOL 5 DH	60482500
5353 EITHER A DATA-NAME OR THE RESERVED WORD -FINAL- IS REQUIRED IN A CONTROL-HEADING OR CONTROL- 5353 FOOTING TYPE CLAUSE	COBOL 5 DH	60482500
5361 THIS DUPLICATE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5364 AN ERROR WAS DETECTED IN THE DESCRIPTION OF THIS ITEM. THAT ERROR MUST BE CORRECTED BEFORE 5364 THIS CLAUSE CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500
5365 AN ITEM DEFINED IN THE REPORT SECTION MAY NOT BE REFERENCED IN A CONTROLS CLAUSE	COBOL 5 DH	60482500
5366 THIS DUPLICATE TERMINAL PERIOD IS IGNORED	COBOL 5 DH	60482500
5367 A CONTROL IDENTIFIER MAY NOT BE A REPORT GROUP ITEM. A CONTROL IDENTIFIER MAY NOT HAVE A 5367 SUBORDINATE ITEM THAT CONTAINS AN OCCURS DEPENDING ON CLAUSE	COBOL 5 DH	60482500
5368 AN IDENTIFIER MAY ONLY BE REFERENCED ONCE WITHIN A CONTROLS CLAUSE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
5369 A TERMINAL PERIOD MUST PRECEDE THIS CLAUSE	COBOL 5 DH	60482500
5370 THIS CLAUSE APPEARS AFTER A TERMINAL PERIOD	COBOL 5 DH	60482500
5371 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS VALUE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5372 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS SOURCE CLAUSE IS IGNORED	COBOL 5 DH	60482500
5373 LINE-COUNTER MUST BE QUALIFIED WHEN THERE IS MORE THAN ONE REPORT	COBOL 5 DH	60482500
5374 THE QUALIFIER FOR LINE-COUNTER MUST BE A REPORT NAME	COBOL 5 DH	60482500
5375 LINE COUNTER QUALIFIER NOT AN RD THAT IS ASSOCIATED WITH AN FD; SOURCE CLAUSE IGNORED	COBOL 5 DH	60482500
5376 PAGE-COUNTER MUST BE QUALIFIED WHEN THERE IS MORE THAN ONE REPORT	COBOL 5 DH	60482500
5377 THE QUALIFIER FOR PAGE-COUNTER MUST BE A REPORT NAME	COBOL 5 DH	60482500
5378 PAGE COUNTER QUALIFIER NOT AN RD THAT IS ASSOCIATED WITH AN FD; SOURCE CLAUSE IGNORED	COBOL 5 DH	60482500
5380 SUBSCRIPT NOT AN INTEGER OR INDEX-NAME	COBOL 5 DH	60482500
5381 A SUBSCRIPT MAY NOT BE SUBSCRIPTED	COBOL 5 DH	60482500
5382 THIS INDEX-NAME IS NOT ASSOCIATED WITH THIS IDENTIFIER	COBOL 5 DH	60482500
5384 SUBSCRIPTS AND INDEX-NAMES MAY NOT BE MIXED	COBOL 5 DH	60482500
5385 A SUBSCRIPT MAY NOT HAVE A RELATIVE INCREMENT	COBOL 5 DH	60482500
5386 A RELATIVE INDEX INCREMENT MUST BE AN UNSIGNED INTEGER LITERAL	COBOL 5 DH	60482500
5388 A LITERAL SUBSCRIPT MUST BE A POSITIVE OR UNSIGNED INTEGER	COBOL 5 DH	60482500
5389 ONLY ONE OF SOURCE, SUM, OR VALUE CLAUSE MAY APPEAR FOR AN ITEM. THIS SUM CLAUSE IS IGNORED	COBOL 5 DH	60482500
5390 ONLY ONE OF SOURCE, SUM OR VALUE CLAUSE MAY APPEAR FOR AN ITEM	COBOL 5 DH	60482500
5392 THIS SOURCE CLAUSE IS IGNORED BECAUSE OF A SUBSCRIPT ERROR	COBOL 5 DH	60482500
5393 THE DATA NAME REFERENCED IN THIS SUM CLAUSE IS EITHER UNDEFINED OR IS NOT PROPERLY QUALIFIED	COBOL 5 DH	60482500
5394 THIS UPON PHRASE IS IGNORED. IT IS EITHER A DUPLICATE PHRASE OR ELSE HAS NO DEFINED SUM IDENTIFIER PRECEDING IT	COBOL 5 DH	60482500
5396 A SUBSCRIPT MAY NOT BE A REPORT SECTION ITEM	COBOL 5 DH	60482500
5397 AN ITEM DEFINED IN THE REPORT SECTION MAY NOT BE USED AS A SUBSCRIPT	COBOL 5 DH	60482500
5400 THIS DUPLICATE PHRASE IS IGNORED	COBOL 5 DH	60482500
5401 NO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5402 ONE SUBSCRIPT IS REQUIRED	COBOL 5 DH	60482500
5403 TWO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5404 THREE SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
5405 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE FIRST INDEX POSITION	COBOL 5 DH	60482500
5406 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE SECOND INDEX POSITION	COBOL 5 DH	60482500
5407 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE THIRD INDEX POSITION	COBOL 5 DH	60482500
5408 THE -BLANK WHEN ZERO- CLAUSE CANNOT BE SPECIFIED FOR AN ITEM WHOSE PICTURE CONTAINS AN ASTERISK.	COBOL 5 DH	60482500
5408 THE -BLANK WHEN ZERO- CLAUSE IS IGNORED		
5500 THE REPORT WRITER MODULE IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
5984 THIS SPECIAL REGISTER NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS INCORRECTLY QUALIFIED	COBOL 5 DH	60482500
5984 REFERENCE IS INCORRECTLY QUALIFIED		
5985 UNDEFINED SPECIAL REGISTER NAME REFERENCE	COBOL 5 DH	60482500
5986 FIPS=3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
5990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS NOT PROPERLY QUALIFIED	COBOL 5 DH	60482500
5990 PROPERLY QUALIFIED		
5994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
5995 THIS ELEMENT MUST BEGIN IN THE A AREA	COBOL 5 DH	60482500

MESSAGE

MANUAL

PUB. NO.

5999 A COMMA IS NOT ALLOWED HERE	COBOL 5 DH	60482500
6001 COMPILER ERROR	COBOL 5 DH	60482500
667X FUNCTION REJECT.	NOS 2 OPER HB	60459310
7000 EXITING	NOS 2 RS VOL 3	60459680
7000 JOB EARLY ABORT	NOS 2 RS VOL 3	60459680
7000 JOB ERROR - ERROR=xxx	NOS 2 RS VOL 3	60459680
7001 A COBOL CONDITION IS REQUIRED HERE	COBOL 5 DH	60482500
7001 SUBSCHEMA NOT FOUND - LFN IS lfn	CDCS 2 DA RM	60485200
7001 SUBSCHEMA NOT FOUND - LFN IS lfn	CDCS 2 RM	60481800
7002 AN INDEX DATA ITEM CANNOT APPEAR AS AN OPERAND IN A MOVE, ACCEPT OR READ INTO STATEMENT	COBOL 5 DH	60482500
7002 SUBSCHEMA HAS A SCHEMA NAME sn	CDCS 2 DA RM	60485200
7002 SUBSCHEMA HAS A SCHEMA NAME sn	CDCS 2 RM	60481800
7003 SUBSCHE BAD DDL VERSION, LFN lfn	CDCS 2 RM	60481800
7003 SUBSCHEMA BAD DDL VERSION, LFN lfn	CDCS 2 DA RM	60485200
7003 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS A GO STATEMENT	COBOL 5 DH	60482500
7004 SUBSCHEMA AREA COUNT EXCESS num DECIMAL	CDCS 2 DA RM	60485200
7004 SUBSCHEMA AREA COUNT EXCESS num DECIMAL	CDCS 2 RM	60481800
7004 THE RESERVED WORD -SENTENCE- IS REQUIRED HERE	COBOL 5 DH	60482500
7005 AN INDEX-NAME CANNOT APPEAR AS AN OPERAND IN A MOVE STATEMENT	COBOL 5 DH	60482500
7005 SUBSCHEMA REC COUNT EXCESS - num DECIMAL	CDCS 2 DA RM	60485200
7005 SUBSCHEMA REC COUNT EXCESS - num DECIMAL	CDCS 2 RM	60481800
7006 A COBOL STATEMENT MUST FOLLOW THE CONDITION IN AN IF STATEMENT	COBOL 5 DH	60482500
7006 SUBSCHEMA REL COUNT EXCESS - num DECIMAL	CDCS 2 DA RM	60485200
7006 SUBSCHEMA REL COUNT EXCESS - num DECIMAL	CDCS 2 RM	60481800
7007 SCHEMA CANNOT BE FOUND - LFN lfn	CDCS 2 DA RM	60485200
7007 SUBSCHEMA CANNOT BE FOUND - LFN lfn	CDCS 2 RM	60481800
7007 THIS ELEMENT DOES NOT APPEAR IN ANY LEGAL CONTEXT	COBOL 5 DH	60482500
7008 A COBOL STATEMENT MUST FOLLOW THE WORD -ELSE- IN AN IF STATEMENT	COBOL 5 DH	60482500
7008 SCHEMA CONTAINS SCHEMA NAME sn	CDCS 2 DA RM	60485200
7008 SUBSCHEMA CONTAINS SCHEMA NAME sn	CDCS 2 RM	60481800
7009 A LEFT PARENTHESIS HAS BEEN USED INCORRECTLY. IT IS NOT PART OF AN ARITHMETIC EXPRESSION AND	COBOL 5 DH	60482500
7009 IT IS NOT PART OF A CONDITION		
7009 SCHEMA BAD DDL VERSION - LFN lfn	CDCS 2 DA RM	60485200
7009 SCHEMA BAD DDL VERSION - LFN lfn	CDCS 2 RM	60481800
7010 SCHEMA MAX ITEMS/REC EXCESS num DECIMAL	CDCS 2 DA RM	60485200
7010 SCHEMA MAX ITEMS/REC EXCESS num DECIMAL	CDCS 2 RM	60481800
7010 THE OBJECT OF A RELATIONAL CONDITION IS INVALID OR MISSING	COBOL 5 DH	60482500
7011 A RIGHT PARENTHESIS IS MISSING IN A CONDITION	COBOL 5 DH	60482500
7011 SCHEMA MISMATCHED DBP COUNT num DECIMAL	CDCS 2 DA RM	60485200
7011 SCHEMA MISMATCHED DBP COUNT num DECIMAL	CDCS 2 RM	60481800
7012 THE WORD -IS- HAS NOT BEEN FOLLOWED BY A VALID CONDITION TYPE	COBOL 5 DH	60482500
7013 THE WORD -NOT- HAS NOT BEEN FOLLOWED BY A VALID CONDITION TYPE	COBOL 5 DH	60482500
7014 THE CONDITION FOLLOWING A LOGICAL OPERATOR IS INVALID OR MISSING	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7015 THE CONDITION FOLLOWING A LOGICAL -NOT- IS INVALID OR MISSING	COBOL 5 DH	60482500
7016 A RIGHT PARENTHESIS IS MISSING IN AN ARITHMETIC EXPRESSION	COBOL 5 DH	60482500
7017 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE ** OPERATOR	COBOL 5 DH	60482500
7018 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE * OPERATOR	COBOL 5 DH	60482500
7019 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE / OPERATOR	COBOL 5 DH	60482500
7020 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE + OPERATOR	COBOL 5 DH	60482500
7021 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE - OPERATOR	COBOL 5 DH	60482500
7022 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE UNARY MINUS OPERATOR	COBOL 5 DH	60482500
7023 THIS SUBSCRIPT IS INVALID. AN INTEGER LITERAL, AN INTEGER DATA-NAME, OR AN INDEX-NAME IS 7023 REQUIRED HERE	COBOL 5 DH	60482500
7024 THIS RELATIVE INDEX IS INCORRECT. AN UNSIGNED INTEGER NUMERIC LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7025 THE ARITHMETIC EXPRESSION IS INVALID FOLLOWING THE LEFT PARENTHESIS	COBOL 5 DH	60482500
7026 A NON DATA ITEM CANNOT APPEAR AS OPERAND IN A MOVE, ACCEPT, READ INTO OR WRITE FROM 7026 STATEMENT	COBOL 5 DH	60482500
7027 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7028 A COMP-4 ITEM CANNOT BE USED AS A KEY IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7029 ANSI RULES SPECIFY AN EXIT PROGRAM STATEMENT MUST APPEAR IN A SENTENCE BY ITSELF, AND IN A 7029 PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7030 THE IN-LINE PERFORM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7031 AN IDENTIFIER OR AN INDEX-NAME MUST FOLLOW THE RESERVED WORD VARYING IN A PERFORM STATEMENT	COBOL 5 DH	60482500
7032 THE RESERVED WORD -FROM- IS REQUIRED HERE	COBOL 5 DH	60482500
7033 AN IDENTIFIER, INDEX-NAME, OR LITERAL IS REQUIRED FOLLOWING THE RESERVED WORD FROM IN A 7033 PERFORM VARYING STATEMENT	COBOL 5 DH	60482500
7034 THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7035 THE INCREMENT IN A PERFORM VARYING STATEMENT MUST BE AN IDENTIFIER OR A LITERAL	COBOL 5 DH	60482500
7036 THE RESERVED WORD -UNTIL- IS REQUIRED HERE	COBOL 5 DH	60482500
7037 THE RESERVED WORD -TIMES- IS REQUIRED HERE	COBOL 5 DH	60482500
7038 AN EXIT STATEMENT MUST APPEAR IN A SENTENCE BY ITSELF AND IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7039 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7040 THE SUBJECT IS MISSING IN A RELATION CONDITION	COBOL 5 DH	60482500
7041 THE RESERVED WORD -SIZE- IS REQUIRED HERE	COBOL 5 DH	60482500
7042 THE PROCEDURE DIVISION HEADER MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7043 A SECTION HEADER IS REQUIRED HERE	COBOL 5 DH	60482500
7044 A PARAGRAPH NAME DEFINITION MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7045 A SECTION NAME DEFINITION MUST BE FOLLOWED BY A PERIOD	COBOL 5 DH	60482500
7046 A PARAGRAPH NAME DEFINITION IS REQUIRED HERE. EVERY STATEMENT EXCEPT THE USE STATEMENT MUST 7046 BE IN A PARAGRAPH	COBOL 5 DH	60482500
7047 A CONSTANT SUBSCRIPT MUST NOT EXCEED THE MAXIMUM NUMBER OF OCCURRENCES SPECIFIED IN THE 7047 OCCURS CLAUSE	COBOL 5 DH	60482500
7048 AN ALPHABETIC DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7049 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7050 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7051 A LITERAL SUBSCRIPT MUST BE A POSITIVE OR UNSIGNED INTEGER	COBOL 5 DH	60482500
7051 SCHEMA HAS NO ENTRY FOR NAME nm	COBOL 2 DA RM	60485200
7051 SCHEMA HAS NO ENTRY FOR NAME nm	COBOL 2 RM	60481800

MESSAGE	MANUAL	PUB. NO.
7052 THIS INDEX-NAME IS NOT ASSOCIATED WITH THIS IDENTIFIER	COBOL 5 DH	60482500
7053 SUBSCRIPTS AND INDEX-NAMES MAY NOT BE MIXED IN THE SAME IDENTIFIER	COBOL 5 DH	60482500
7054 AN ALPHANUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7055 A SUBSCRIPT MAY NOT BE SUBSCRIPTED	COBOL 5 DH	60482500
7056 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7057 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7058 A LITERAL OR IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7059 A NON NUMERIC LITERAL OR FIGURATIVE CONSTANT MUST FOLLOW THE RESERVED WORD -ALL-	COBOL 5 DH	60482500
7060 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7061 A NUMERIC DATA ITEM CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7062 A DATA-NAME DEFINED IN THE REPORT SECTION MAY ONLY BE REFERENCED BY A GENERATE OR USE BEFORE REPORTING STATEMENT	COBOL 5 DH	60482500
7063 A NUMERIC EDITED DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7064 A NUMERIC DATA ITEM CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7065 A NUMERIC LITERAL, THE FIGURATIVE CONSTANT -ZERO-, A NUMERIC DATA ITEM, OR A NUMERIC EDITED DATA ITEM MAY NOT BE MOVED TO AN ALPHABETIC DATA ITEM	COBOL 5 DH	60482500
7066 A DATA ITEM CANNOT BE REFERENCED IN A STATEMENT WITH THE CORRESPONDING OPTION IF ITS DESCRIPTION CONTAINS THE REDEFINES CLAUSE	COBOL 5 DH	60482500
7067 THE OPERATOR -NOT UNEQUAL- IS NOT UNEQUAL TO EQUALS	COBOL 5 DH	60482500
7068 A MOVE STATEMENT OPERAND DEFINED IN THE SECONDARY-STORAGE SECTION MUST BE NON-EDITED AND ALPHANUMERIC	COBOL 5 DH	60482500
7069 THE RESERVED WORD -ERROR- IS REQUIRED HERE	COBOL 5 DH	60482500
7070 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE ON SIZE ERROR PHRASE	COBOL 5 DH	60482500
7071 WHEN THE EQUALITY OPERATOR IS NOT SPECIFIED IN THE KEY PHRASE OF A START STATEMENT, THE USE OF A PARTIAL KEY WHICH IS NOT ALPHANUMERIC IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7072 THE PRECEDING GO TO STATEMENT MUST APPEAR IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7073 A NUMERIC LITERAL CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7074 AN INTEGER ELEMENTARY NUMERIC ITEM IS REQUIRED IN THE GO TO DEPENDING ON PHRASE	COBOL 5 DH	60482500
7075 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A BOOLEAN RECEIVING FIELD	COBOL 5 DH	60482500
7076 A NUMERIC NON INTEGER DATA ITEM CANNOT BE MOVED TO AN ALPHANUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7077 A NUMERIC NON INTEGER DATA ITEM CANNOT BE MOVED TO AN ALPHANUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7078 THE RESERVED WORD -OVERFLOW- IS REQUIRED HERE	COBOL 5 DH	60482500
7079 A LITERAL OR AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7080 AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7081 THIS OPERAND MUST BE NUMERIC	COBOL 5 DH	60482500
7082 THIS OPERAND MUST BE NUMERIC OR NUMERIC-EDITED	COBOL 5 DH	60482500
7083 SERIES IDENTIFIERS ARE NOT ALLOWED IN THE ADD CORRESPONDING STATEMENT NOR IN THE SUBTRACT CORRESPONDING STATEMENT	COBOL 5 DH	60482500
7084 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE ON OVERFLOW PHRASE	COBOL 5 DH	60482500
7085 THE RESERVED WORD -GIVING- IS REQUIRED HERE	COBOL 5 DH	60482500
7086 THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7087 THE RESERVED WORD -INTO- OR THE RESERVED WORD -BY- IS REQUIRED HERE	COBOL 5 DH	60482500
7088 THIS STATEMENT MUST BE AN IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7089 A NUMERIC LITERAL CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7090 THE RESERVED WORD -TO- IS REQUIRED HERE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7091 NESTED SEARCH STATEMENTS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
7092 A DATA NAME SUBSCRIPT MUST BE AN INTEGER ELEMENTARY NUMERIC ITEM	COBOL 5 DH	60482500
7093 A NUMERIC NON INTEGER LITERAL CANNOT BE MOVED TO AN ALPHANUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7094 COMPILER ERROR	COBOL 5 DH	60482500
7095 A NUMERIC NON INTEGER LITERAL CANNOT BE MOVED TO AN ALPHANUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7096 THE FIGURATIVE CONSTANT ZERO CANNOT BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7097 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7098 THE FIGURATIVE CONSTANT SPACES CANNOT BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7099 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO AN ALPHABETIC RECEIVING FIELD	COBOL 5 DH	60482500
7100 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO A NUMERIC EDITED RECEIVING FIELD	COBOL 5 DH	60482500
7101 NEITHER A BOOLEAN LITERAL NOR A BOOLEAN DATA ITEM CAN BE MOVED TO A NUMERIC RECEIVING FIELD	COBOL 5 DH	60482500
7101 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 DA RM	60485200
7101 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 RM	60481800
7102 RAISE MAXIMUM FL BY AT LEAST num OCTAL WORDS	CDCS 2 DA RM	60485200
7102 RAISE MAXIMUM FL BY AT LEAST num OCTAL WORDS	CDCS 2 RM	60481800
7104 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE FIRST INDEX POSITION	COBOL 5 DH	60482500
7105 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE SECOND INDEX POSITION	COBOL 5 DH	60482500
7106 THE DEFINITION OF THIS INDEX-NAME REQUIRES THAT IT APPEAR IN THE THIRD INDEX POSITION	COBOL 5 DH	60482500
7107 THE COMPARISON OF A GROUP ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7108 ALPHABETIC, ALPHANUMERIC, NUMERIC, ALPHANUMERIC-EDITED OR NUMERIC-EDITED MUST FOLLOW REPLACING IN THE INITIALIZE STATEMENT	COBOL 5 DH	60482500
7109 THE RESERVED WORD -BY- OR THE RESERVED WORDS -DATA BY- ARE REQUIRED HERE	COBOL 5 DH	60482500
7110 IN THE INITIALIZE STATEMENT, IT IS REQUIRED THAT A LITERAL OR AN IDENTIFIER FOLLOW THE RESERVED WORD -BY-	COBOL 5 DH	60482500
7111 A MNEMONIC NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7112 THE COMPARISON OF A NON NUMERIC LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7113 IN THE ACCEPT STATEMENT, THE RESERVED WORD FROM MUST BE FOLLOWED BY DATE, DAY, TIME, DAY-OF-WEEK OR A MNEMONIC-NAME	COBOL 5 DH	60482500
7114 THE COMPARISON OF A NON NUMERIC DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7115 THE COMPARISON OF AN INTEGER DISPLAY ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7116 A GO TO STATEMENT IN AN INDEPENDENT SEGMENT MUST NOT BE REFERENCED BY AN ALTER STATEMENT IN A SECTION WITH A DIFFERENT SEGMENT NUMBER	COBOL 5 DH	60482500
7117 THIS PARAGRAPH CANNOT BE ALTERED	COBOL 5 DH	60482500
7118 THIS PARAGRAPH MUST BE ALTERED	COBOL 5 DH	60482500
7119 A CORRESPONDING OPERAND MUST BE A GROUP ITEM	COBOL 5 DH	60482500
7120 THE RESERVED WORD -FROM- IS REQUIRED HERE	COBOL 5 DH	60482500
7121 THE RESERVED WORD -DEPENDING- IS REQUIRED HERE	COBOL 5 DH	60482500
7122 THE COMPARISON OF AN INTEGER LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7123 THE COMPARISON OF A NUMERIC NON INTEGER LITERAL AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7124 THIS GO TO STATEMENT MUST APPEAR IN A PARAGRAPH BY ITSELF	COBOL 5 DH	60482500
7125 A LITERAL APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7126 AN ARITHMETIC OPERATOR APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500

MESSAGE

	<u>MANUAL</u>	<u>PUB. NO.</u>
7127 A RELATIONAL OPERATOR APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7128 A PERIOD APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7129 A LEFT PARENTHESIS APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7130 A RIGHT PARENTHESIS APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7131 THE COMPARISON OF A NUMERIC DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7132 A CONDITION NAME APPEARS OUT OF CONTEXT	COBOL 5 DH	60482500
7133 AN IF STATEMENT MUST BE TERMINATED BY A PERIOD	COBOL 5 DH	60482500
7134 NO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7135 ONE SUBSCRIPT IS REQUIRED	COBOL 5 DH	60482500
7136 TWO SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7137 THREE SUBSCRIPTS ARE REQUIRED	COBOL 5 DH	60482500
7138 THE SUBJECT OF A CLASS CONDITION MUST BE AN IDENTIFIER	COBOL 5 DH	60482500
7139 A SIGN CONDITION MAY NOT HAVE AN IMPLIED SUBJECT	COBOL 5 DH	60482500
7140 A CLASS CONDITION MAY NOT HAVE AN IMPLIED SUBJECT	COBOL 5 DH	60482500
7141 IN FORMAT 1 OF THE SET STATEMENT, AN IDENTIFIER THAT APPEARS IN THE SENDING FIELD MUST BE	COBOL 5 DH	60482500
7141 AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM		
7142 A FILE-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7143 IN FORMAT 2 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME	COBOL 5 DH	60482500
7144 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME WHEN THE	COBOL 5 DH	60482500
7144 SENDING FIELD IS A LITERAL OR INTEGER DATA ITEM		
7145 EACH RECEIVING FIELD IN A COMPUTE STATEMENT MUST BE AN IDENTIFIER	COBOL 5 DH	60482500
7146 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME OR AN INDEX	COBOL 5 DH	60482500
7146 DATA ITEM WHEN THE SENDING FIELD IS AN INDEX DATA ITEM		
7147 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME, AN INDEX	COBOL 5 DH	60482500
7147 DATA ITEM, OR AN INTEGER DATA ITEM WHEN THE SENDING FIELD IS AN INDEX NAME		
7148 IN THE SET STATEMENT, THE RESERVED WORD SET MUST BE FOLLOWED BY AN INDEX-NAME, AN IDENTIFIER,	COBOL 5 DH	60482500
7148 A MNEMONIC-NAME, SORT, MERGE, SORT-MERGE, PROGRAM, OR CODE-SET		
7149 IN THE SET STATEMENT, THE PRECEDING OPERAND OR OPERANDS MUST BE FOLLOWED BY TO, ON, OFF,	COBOL 5 DH	60482500
7149 UP BY, OR DOWN BY		
7150 AN ALPHABET-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7151 IN THE SET STATEMENT, IT IS REQUIRED THAT A LITERAL OR AN IDENTIFIER FOLLOW THE WORDS TO,	COBOL 5 DH	60482500
7151 UP BY, OR DOWN BY		
7151 SCHEMA MISMATCHED REL COUNT num DECIMAL	CDCS 2 DA RM	60485200
7151 SCHEMA MISMATCHED REL COUNT num DECIMAL	CDCS 2 RM	60481800
7152 A LITERAL THAT APPEARS AS THE SENDING FIELD IN A FORMAT 2 SET STATEMENT MUST BE AN INTEGER	COBOL 5 DH	60482500
7152 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 DA RM	60485200
7152 SCHEMA MISMATCHED AREA COUNT num DECIMAL	CDCS 2 RM	60481800
7153 IN FORMAT 1 OF THE SET STATEMENT, A LITERAL IN THE SENDING FIELD MUST BE AN INTEGER THAT IS	COBOL 5 DH	60482500
7153 GREATER THAN ZERO		
7153 SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 DA RM	60485200
7153 SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 RM	60481800
7154 IN FORMAT 2 OF THE SET STATEMENT, AN IDENTIFIER THAT APPEARS IN THE SENDING FIELD MUST BE	COBOL 5 DH	60482500
7154 AN INTEGER DATA ITEM		
7154 SCHEMA BAD CHECKSUM FOR AREA an	CDCS 2 DA RM	60485200
7154 SCHEMA BAD CHECKSUM FOR AREA an	CDCS 2 RM	60481800
7155 SEARCH FAIL - SCHEMA REL IS rn	CDCS 2 DA RM	60485200
7155 SEARCH FAIL - SCHEMA REL IS rn	CDCS 2 RM	60481800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7155 THE RESERVED WORD -TO- IS REQUIRED HERE	COBOL 5 DH	60482500
7156 SCHEMA BAD CHECKSUM FOR REL rn	CDCS 2 DA RM	60485200
7156 SCHEMA BAD CHECKSUM FOR REL rn	CDCS 2 RM	60481800
7156 THE COMPUTE STATEMENT RECEIVING IDENTIFIERS MUST BE FOLLOWED BY -FROM-, -EQUALS-, OR ==-	COBOL 5 DH	60482500
7157 SEARCH FAIL - SUBSCHEMA AREA an	CDCS 2 DA RM	60485200
7157 SEARCH FAIL - SUBSCHEMA AREA an	CDCS 2 RM	60481800
7157 THE RIGHT SIDE OF A COMPUTE STATEMENT MUST BE AN IDENTIFIER, A LITERAL, OR AN ARITHMETIC EXPRESSION	COBOL 5 DH	60482500
7158 IN FORMAT 1 OF THE SET STATEMENT, EACH RECEIVING FIELD MUST BE AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM	COBOL 5 DH	60482500
7158 SUBSCHEMA BAD CHECKSUM, AREA an	CDCS 2 DA RM	60485200
7158 SUBSCHEMA BAD CHECKSUM, AREA an	CDCS 2 RM	60481800
7159 SEARCH FAIL - SUBSCHEMA REL rn	CDCS 2 DA RM	60485200
7159 SEARCH FAIL - SUBSCHEMA REL rn	CDCS 2 RM	60481800
7159 -TALLYING- OR -REPLACING- IS REQUIRED HERE	COBOL 5 DH	60482500
7160 SUBSCHEMA BAD CHECKSUM - REL rn	CDCS 2 DA RM	60485200
7160 SUBSCHEMA BAD CHECKSUM - REL rn	CDCS 2 RM	60481800
7160 THE COMPARISON OF AN INDEX NAME AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7161 THE COMPARISON OF AN INDEX DATA ITEM AND A BOOLEAN ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7162 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND A BOOLEAN DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7163 AN -ALL- LITERAL IS NOT ALLOWED HERE. THE RESERVED WORD -ALL- IS IGNORED	COBOL 5 DH	60482500
7164 THIS IDENTIFIER MUST BE DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
7165 A BOOLEAN DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7169 -ALL-, -LEADING-, -FIRST- OR -CHARACTERS- IS REQUIRED IN AN INSPECT STATEMENT WITH THE REPLACING PHRASE	COBOL 5 DH	60482500
7170 THE RESERVED WORD -FOR- IS REQUIRED HERE	COBOL 5 DH	60482500
7171 -ALL-, -LEADING- OR -CHARACTERS- IS REQUIRED IN AN INSPECT STATEMENT WITH THE TALLYING PHRASE	COBOL 5 DH	60482500
7172 AN IDENTIFIER OR NON ALL LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7173 A NON-NUMERIC LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7174 THIS IDENTIFIER MUST BE DESCRIBED AS USAGE IS DISPLAY AND CAN BE ALPHABETIC, ALPHANUMERIC, OR NUMERIC	COBOL 5 DH	60482500
7175 THE SIZE OF THE REPLACING LITERAL OR IDENTIFIER MUST EQUAL THE SIZE OF THE ITEM BEING REPLACED	COBOL 5 DH	60482500
7176 THE DATA REFERENCED BY THIS LITERAL OR IDENTIFIER MUST BE ONE CHARACTER IN LENGTH	COBOL 5 DH	60482500
7177 THE RESERVED WORD REPLACING IS REQUIRED HERE	COBOL 5 DH	60482500
7180 AN ERROR WAS DETECTED IN THE DESCRIPTION OF THIS ITEM. THAT ERROR MUST BE CORRECTED BEFORE THIS STATEMENT CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500
7181 THE OPERAND IN A NUMERIC CLASS CONDITION MAY NOT BE DESCRIBED AS ALPHABETIC	COBOL 5 DH	60482500
7182 CLASS CONDITION OPERANDS MAY NOT BE DESCRIBED AS INDEX NAME OR INDEX DATA NAME	COBOL 5 DH	60482500
7183 THE OPERAND IN AN ALPHABETIC CLASS CONDITION MAY NOT BE DESCRIBED AS NUMERIC	COBOL 5 DH	60482500
7184 REFERENCE TO AN IMPLEMENTOR NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7185 A SUBSCRIPTED OR REFERENCE MODIFIED ITEM IS NOT ALLOWED HERE	COBOL 5 DH	60482500
7186 REFERENCE TO A CD DATA NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7187 REFERENCE TO A FILE NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7188 REFERENCE TO A SORT MERGE FILE NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7189 REFERENCE TO A CD NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7190 REFERENCE TO A REPORT NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7191 A GROUP DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7192 A LITERAL MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7193 A NON NUMERIC DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7194 AN INDEX-NAME MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7195 AN INDEX DATA ITEM MAY NOT BE THE SUBJECT OF A SIGN CONDITION	COBOL 5 DH	60482500
7196 THE COMPARISON OF A GROUP ITEM AND AN ARITHMETIC EXPRESSION IS NOT ALLOWED IN A RELATION 7196 CONDITION	COBOL 5 DH	60482500
7197 THE COMPARISON OF A NON NUMERIC LITERAL AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE DATA 7197 ITEM IS AN INTEGER AND THE USAGE IS DISPLAY	COBOL 5 DH	60482500
7198 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND A NON NUMERIC DATA ITEM IS NOT ALLOWED IN A 7198 RELATION CONDITION	COBOL 5 DH	60482500
7199 THE COMPARISON OF AN ARITHMETIC EXPRESSION AND AN INDEX DATA ITEM IS NOT ALLOWED IN A 7199 RELATION CONDITION	COBOL 5 DH	60482500
7200 A FILE NAME IS REQUIRED IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7201 ALLOCATE OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 DA RM	60485200
7201 ALLOCATE OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 RM	60481800
7201 -WITH- MUST BE FOLLOWED BY -NO- IN A CLOSE REEL OR CLOSE UNIT STATEMENT	COBOL 5 DH	60482500
7202 CMM GROW OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 DA RM	60485200
7202 CMM GROW OVERFLOW POINTER AT num OCTAL ADDRESS	CDCS 2 RM	60481800
7202 -NO- MUST BE FOLLOWED BY -REWIND- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7203 THE NO REWIND OPTION IS IGNORED IN A CLOSE REEL OR CLOSE UNIT STATEMENT	COBOL 5 DH	60482500
7204 -FOR- MUST BE FOLLOWED BY -REMOVAL- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7205 -WITH- MUST BE FOLLOWED BY -LOCK- OR -NO REWIND- IN A CLOSE STATEMENT	COBOL 5 DH	60482500
7206 A FILE NAME IS REQUIRED IN A DELETE STATEMENT	COBOL 5 DH	60482500
7207 -INPUT-, -OUTPUT-, -EXTEND-, OR -I-O- IS REQUIRED IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7208 A FILE NAME IS REQUIRED IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7209 -WITH- MUST BE FOLLOWED BY -NO- IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7210 -NO- MUST BE FOLLOWED BY -REWIND- IN AN OPEN STATEMENT	COBOL 5 DH	60482500
7211 THE RESERVE WORD -NO- IS REQUIRED HERE	COBOL 5 DH	60482500
7212 SUBSCRIPTED VARIABLE CONTAINED IN THE USING PHRASE OF THE ENTER STATEMENT CAN ONLY BE 7212 SUBSCRIPTED BY A CONSTANT	COBOL 5 DH	60482500
7214 A FILE NAME IS REQUIRED IN A READ STATEMENT	COBOL 5 DH	60482500
7215 -INTO- MUST BE FOLLOWED BY AN IDENTIFIER IN A READ STATEMENT	COBOL 5 DH	60482500
7216 -KEY- MUST BE FOLLOWED BY A DATA NAME IN A READ STATEMENT	COBOL 5 DH	60482500
7217 A RECORD NAME IS REQUIRED IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7218 -FROM- MUST BE FOLLOWED BY AN IDENTIFIER IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7219 A FILE NAME IS REQUIRED IN A START STATEMENT	COBOL 5 DH	60482500
7220 IN A START STATEMENT, KEY MUST BE FOLLOWED BY EQUALS, IS EQUAL TO, IS =, EXCEEDS, 7220 IS GREATER THAN, IS >, IS NOT LESS THAN, OR IS NOT <	COBOL 5 DH	60482500
7221 -NOT- MUST BE FOLLOWED BY -<- OR -LESS- IN A START STATEMENT	COBOL 5 DH	60482500
7222 THE RELATION MUST BE FOLLOWED BY A DATA NAME IN A START STATEMENT	COBOL 5 DH	60482500
7223 A RECORD NAME IS REQUIRED IN A WRITE STATEMENT	COBOL 5 DH	60482500
7224 -FROM- MUST BE FOLLOWED BY AN IDENTIFIER IN A WRITE STATEMENT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7225 -ADVANCING- MUST BE FOLLOWED BY AN IDENTIFIER, AN INTEGER LITERAL, A MNEMONIC NAME, OR -PAGE-	COBOL 5 DH	60482500
7226 -AT- MUST BE FOLLOWED BY -END- IN A READ STATEMENT	COBOL 5 DH	60482500
7227 AT MUST BE FOLLOWED BY EOP OR END-OF-PAGE IN A WRITE STATEMENT	COBOL 5 DH	60482500
7230 -INVALID KEY- MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7231 -AT END- MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7232 AT END-OF-PAGE (AT EOP) MUST BE FOLLOWED BY AT LEAST ONE IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7234 COMPARISON OF A NUMERIC DATA ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7235 COMPARISON OF A NUMERIC NON INTEGER LITERAL AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7235 CONDITION	COBOL 5 DH	60482500
7236 COMPARISON OF A NUMERIC LITERAL INTEGER AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7236 CONDITION	COBOL 5 DH	60482500
7237 COMPARISON OF AN INTEGER DISPLAY ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7237 CONDITION	COBOL 5 DH	60482500
7238 COMPARISON OF A NON NUMERIC DATA ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7238 CONDITION	COBOL 5 DH	60482500
7239 COMPARISON OF A NON NUMERIC DATA ITEM AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7240 THE COMPARISON OF A NON NUMERIC DATA ITEM AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE 7240 NUMERIC DATA ITEM IS AN INTEGER AND ITS USAGE IS DISPLAY	COBOL 5 DH	60482500
7241 COMPARISON OF A NON NUMERIC DATA ITEM AND A NUMERIC NON INTEGER LITERAL IS NOT ALLOWED IN 7241 A RELATION CONDITION	COBOL 5 DH	60482500
7242 COMPARISON OF A NON NUMERIC LITERAL AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION 7242 CONDITION	COBOL 5 DH	60482500
7243 COMPARISON OF A NON NUMERIC LITERAL AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7244 COMPARISON OF AN ARITHMETIC EXPRESSION AND A NON NUMERIC LITERAL IS NOT ALLOWED IN A RELATION 7244 CONDITION	COBOL 5 DH	60482500
7245 COMPARISON OF A GROUP ITEM AND AN INDEX DATA ITEM IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7246 COMPARISON OF A GROUP ITEM AND AN INDEX-NAME IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7247 THE COMPARISON OF A GROUP ITEM AND A NUMERIC DATA ITEM IS ALLOWED ONLY IF THE DATA ITEM 7247 IS AN INTEGER AND THE USAGE IS DISPLAY	COBOL 5 DH	60482500
7248 THE COMPARISON OF A GROUP ITEM AND A NUMERIC NON INTEGER LITERAL IS NOT ALLOWED IN A RELATION 7248 CONDITION	COBOL 5 DH	60482500
7249 THE COMPARISON OF TWO LITERALS IS NOT ALLOWED IN A RELATION CONDITION	COBOL 5 DH	60482500
7250 EITHER -INPUT- OR -OUTPUT- IS REQUIRED HERE	COBOL 5 DH	60482500
7251 THE RESERVED WORD -KEY- IS REQUIRED HERE	COBOL 5 DH	60482500
7252 THIS CD-NAME MUST REFERENCE AN INPUT CD	COBOL 5 DH	60482500
7253 THIS CD-NAME MUST REFERENCE AN OUTPUT CD	COBOL 5 DH	60482500
7254 A CD-NAME IS REQUIRED HERE	COBCL 5 DH	60482500
7255 THE CHARACTER -P- MAY NOT BE USED IN THE PICTURE ASSOCIATED WITH AN UNSTRING STATEMENT RECEIVING 7255 FIELD IDENTIFIER	COBOL 5 DH	60482500
7256 THIS IDENTIFIER MUST REFERENCE AN ALPHANUMERIC DATA ITEM	COBOL 5 DH	60482500
7257 THE RESERVED WORD -INTO- IS REQUIRED HERE	COBOL 5 DH	60482500
7258 THE RESERVED WORD -POINTER- IS REQUIRED HERE	COBOL 5 DH	60482500
7259 THE RESERVED WORD -DELIMITED- IS REQUIRED HERE	COBOL 5 DH	60482500
7260 EITHER AN IDENTIFIER, A NON ALL LITERAL, OR THE RESERVED WORD -SIZE- IS REQUIRED HERE	COBOL 5 DH	60482500
7261 THIS IDENTIFIER MUST REFERENCE AN ELEMENTARY DATA ITEM DESCRIBED AS USAGE IS DISPLAY	COBOL 5 DH	60482500
7262 THE PICTURE ASSOCIATED WITH THIS IDENTIFIER MAY NOT CONTAIN EDITING CHARACTERS	COBOL 5 DH	60482500
7263 THIS IDENTIFIER MUST REFERENCE AN ELEMENTARY NUMERIC INTEGER DATA ITEM	COBOL 5 DH	60482500
7264 THE DATA AREA REFERENCED BY THIS IDENTIFIER IS TOO SMALL FOR USE AS A POINTER IN THIS STATEMENT	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7265	-MESSAGE- OR -SEGMENT- IS REQUIRED HERE	COBOL 5 DH	60482500
7266	THE RESERVED WORD -DATA- IS REQUIRED HERE	COBOL 5 DH	60482500
7267	IN THE UNSTRING STATEMENT, -DELIMITER IN- OR -COUNT IN- MAY BE SPECIFIED ONLY IF -DELIMITED BY-	COBOL 5 DH	60482500
7267	IS SPECIFIED		
7268	THIS IDENTIFIER MUST REFERENCE AN UNSIGNED INTEGER DATA ITEM	COBOL 5 DH	60482500
7269	AN INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7270	AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE NO DATA PHRASE	COBOL 5 DH	60482500
7271	ONE OF -ESI-, -EMI-, -EGI- OR AN IDENTIFIER IS REQUIRED HERE	COBOL 5 DH	60482500
7272	A LITERAL OR THE RESERVED WORD -RUN- IS REQUIRED HERE	COBOL 5 DH	60482500
7273	THE USE OF A GROUP OR VARIABLE GROUP ITEM OR JUSTIFIED ITEM AS A STRING STATEMENT RECEIVING	COBOL 5 DH	60482500
7273	FIELD IS NON-STANDARD		
7275	AN IDENTIFIER OR A CD-NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7276	THE RESERVED WORD -COUNT- IS REQUIRED HERE	COBOL 5 DH	60482500
7277	THE DAY-OF-WEEK PHRASE IN THE ACCEPT STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7278	IN THE STOP OR DISPLAY STATEMENT THE USE OF A LITERAL WHICH IS NEITHER NON-NUMERIC NOR AN	COBOL 5 DH	60482500
7278	UNSIGNED INTEGER IS NON-STANDARD		
7279	IF A STOP RUN STATEMENT APPEARS IN A CONSECUTIVE SEQUENCE OF IMPERATIVE STATEMENTS WITHIN A	COBOL 5 DH	60482500
7279	SENTENCE, IT MUST APPEAR AS THE LAST STATEMENT IN THAT SEQUENCE		
7280	THE SUBJECT OF THIS CLASS CONDITION IS DEFINED BUT NOT AS A DATA ITEM	COBOL 5 DH	60482500
7281	THE -BEFORE- OR -AFTER- REPLACING PHRASE OF THE INSPECT STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7282	THIS LINKAGE SECTION ITEM MUST APPEAR IN THE USING PHRASE OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7282	HEADER IF THIS ITEM, OR ANY SUBORDINATE ITEMS TO IT, ARE REFERENCED IN THE		
7282	PROCEDURE DIVISION		
7283	THE USE OF -FROM- OR -EQUALS- IN THE COMPUTE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7284	THE INITIALIZE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7285	THE RELATIONAL OPERATOR -EQUALS- IS NON-STANDARD	COBOL 5 DH	60482500
7286	THE RELATIONAL OPERATOR -EXCEEDS- IS NON-STANDARD	COBOL 5 DH	60482500
7287	THE RELATIONAL OPERATOR -UNEQUAL- IS NON-STANDARD	COBOL 5 DH	60482500
7288	THERE ARE NO CORRESPONDING DATA NAMES	COBOL 5 DH	60482500
7289	A LINE-COUNTER MAY NOT BE MODIFIED BY PROCEDURE DIVISION STATEMENTS	COBOL 5 DH	60482500
7290	A LINAGE-COUNTER MAY NOT BE MODIFIED BY PROCEDURE DIVISION STATEMENTS	COBOL 5 DH	60482500
7291	A CONTROL DATA ITEM FOR A REPORT MUST NOT BE MODIFIED IN A USE BEFORE REPORTING PROCEDURE	COBOL 5 DH	60482500
7291	ASSOCIATED WITH THAT REPORT		
7292	A CONTROL DATA ITEM MUST NOT BE REFERENCED IN A USE BEFORE REPORTING PROCEDURE ASSOCIATED	COBOL 5 DH	60482500
7292	WITH A PAGE HEADING OR PAGE FOOTING. A GROUP ITEM CONTAINING A CONTROL DATA ITEM, AN ITEM		
7292	SUBORDINATE TO A CONTROL DATA ITEM, OR AN ITEM WHICH REDEFINES OR RENAMES ANY PART OF A		
7292	CONTROL DATA ITEM MUST NOT BE REFERENCED IN A USE BEFORE REPORTING PROCEDURE ASSOCIATED		
7292	WITH A CONTROL FOOTING OR REPORT FOOTING		
7293	THE PURGE STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7294	A DATA ITEM CANNOT BE REFERENCED IN A STATEMENT WITH THE CORRESPONDING OPTION IF ITS DESCRIPTION	COBOL 5 DH	60482500
7294	CONTAINS THE USAGE IS INDEX CLAUSE		
7295	ANSI RULES SPECIFY THAT THE COMPOSITE OF OPERANDS MUST NOT EXCEED 18 DIGITS. FOR ADD AND	COBOL 5 DH	60482500
7295	SUBTRACT STATEMENTS THE COMPOSITE IS THE SUPERIMPOSITION OF ALL OPERANDS (EXCEPT THE GIVING		
7295	OPERANDS) AFTER DECIMAL POINT ALIGNMENT		
7296	AN ALTER STATEMENT CANNOT ALTER A SECTION NAME. A PARAGRAPH NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
7297	ANSI RULES SPECIFY THAT THE COMPOSITE OF OPERANDS MUST NOT EXCEED 18 DIGITS. FOR MULTIPLY AND	COBOL 5 DH	60482500
7297	DIVIDE STATEMENTS THE COMPOSITE IS THE SUPERIMPOSITION OF ALL RECEIVING FIELDS (EXCEPT THE		
7297	REMAINDER RECEIVING FIELD) AFTER DECIMAL POINT ALIGNMENT		
7298	-ON- OR -OFF- IS REQUIRED HERE	COBOL 5 DH	60482500
7299	A MNEMONIC NAME THAT IS ASSOCIATED WITH A SWITCH IS REQUIRED HERE	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
7300 A SORT-MERGE FILE NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7301 A -KEY- PHRASE IS REQUIRED IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7301 UNRECOGNIZABLE ERROR IDENT - id	CDCS 2 DA RM	60485200
7301 UNRECOGNIZABLE ERROR IDENT - id	CDCS 2 RM	60481800
7302 -ASCENDING- OR -DESCENDING- IS REQUIRED IN THE KEY PHRASE OF A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7303 A DATA-NAME MUST FOLLOW THE RESERVED WORD -KEY- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7304 -SEQUENCE- MUST FOLLOW -COLLATING- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7305 AN ALPHABET-NAME IS REQUIRED IN A COLLATING SEQUENCE PHRASE	COBOL 5 DH	60482500
7306 EITHER A USING PHRASE OR AN INPUT PROCEDURE PHRASE IS REQUIRED HERE IN A SORT STATEMENT	COBOL 5 DH	60482500
7307 -PROCEDURE- MUST FOLLOW -INPUT- OR -OUTPUT- IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7308 A SECTION-NAME IS REQUIRED HERE IN AN INPUT OR OUTPUT PROCEDURE PHRASE	COBOL 5 DH	60482500
7309 THE NAME REFERENCED IN AN INPUT OR OUTPUT PROCEDURE PHRASE MUST BE A SECTION-NAME	COBOL 5 DH	60482500
7310 A FILE-NAME REFERENCED IN A USING OR GIVING PHRASE MUST NOT HAVE AN SD LEVEL INDICATOR	COBOL 5 DH	60482500
7311 THE MAXIMUM RECORD SIZE OF THE USING, GIVING AND SD FILES OF A SORT MERGE STATEMENT MUST 7311 BE THE SAME	COBOL 5 DH	60482500
7312 THE RANGE OF AN INPUT PROCEDURE MUST NOT FORM A PART OF ANY OUTPUT PROCEDURE	COBOL 5 DH	60482500
7313 THE RANGE OF AN OUTPUT PROCEDURE MUST NOT FORM A PART OF ANY INPUT PROCEDURE	COBOL 5 DH	60482500
7314 THIS INPUT PROCEDURE DOES NOT CONTAIN AT LEAST ONE RELEASE STATEMENT THAT REFERENCES A RECORD 7314 WHICH IS CONTAINED IN THE FILE DESCRIPTION OF THE FILE THAT IS REFERENCED IN THIS SORT OR 7314 MERGE STATEMENT	COBOL 5 DH	60482500
7315 THIS OUTPUT PROCEDURE DOES NOT CONTAIN AT LEAST ONE RETURN STATEMENT THAT REFERENCES THE FILE 7315 THAT IS REFERENCED IN THIS SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7316 A FILE-NAME IS REQUIRED IN THE USING OR GIVING PHRASE OF A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7317 A GIVING PHRASE OR AN OUTPUT PROCEDURE PHRASE IS REQUIRED IN A SORT OR MERGE STATEMENT	COBOL 5 DH	60482500
7318 A SORT OR MERGE STATEMENT MUST NOT APPEAR IN A DECLARATIVES SECTION	COBOL 5 DH	60482500
7319 A SORT OR MERGE STATEMENT MUST NOT APPEAR WITHIN AN INPUT OR OUTPUT PROCEDURE	COBOL 5 DH	60482500
7320 THE FILE-NAME REFERENCED IN A SORT, MERGE, OR RETURN STATEMENT MUST HAVE AN SD LEVEL INDICATOR	COBOL 5 DH	60482500
7321 DATA ITEMS USED AS KEYS IN A SORT OR MERGE STATEMENT MUST BE DEFINED WITHIN A RECORD OF THE 7321 SORT-MERGE FILE	COBOL 5 DH	60482500
7322 DATA ITEMS USED AS KEYS IN A SORT OR MERGE STATEMENT MUST NOT BE TABLE ITEMS	COBOL 5 DH	60482500
7324 AN INPUT OR OUTPUT PROCEDURE MUST BE CONTAINED WHOLLY WITHIN NON-INDEPENDENT SEGMENTS OR MUST 7324 BE CONTAINED WHOLLY WITHIN A SINGLE INDEPENDENT SEGMENT	COBOL 5 DH	60482500
7325 IF A SORT OR MERGE STATEMENT APPEARS WITHIN AN INDEPENDENT SEGMENT, ANY ASSOCIATED INPUT OR 7325 OUTPUT PROCEDURES MUST BE CONTAINED WHOLLY WITHIN THAT SAME INDEPENDENT SEGMENT OR MUST 7325 BE CONTAINED WHOLLY WITHIN NON-INDEPENDENT SEGMENTS	COBOL 5 DH	60482500
7326 A USING PHRASE IS REQUIRED IN A MERGE STATEMENT	COBOL 5 DH	60482500
7327 THE SAME FILE NAME CANNOT BE USED MORE THAN ONCE WITHIN A MERGE STATEMENT	COBOL 5 DH	60482500
7328 AT LEAST TWO FILE-NAMES MUST APPEAR IN THE USING PHRASE OF A MERGE STATEMENT	COBOL 5 DH	60482500
7329 ONLY ONE FILE FROM A MULTIPLE FILE REEL MAY APPEAR IN A MERGE STATEMENT	COBOL 5 DH	60482500
7330 A RECORD NAME IS REQUIRED HERE IN THE RELEASE STATEMENT	COBOL 5 DH	60482500
7331 CMM OVERFLOW, UP FL AT LEAST num OCTAL WORDS	CDCS 2 DA RM	60485200
7331 CMM OVERFLOW, UP FL AT LEAST num OCTAL WORDS	CDCS 2 RM	60481800
7331 THIS RELEASE STATEMENT IS NOT CONTAINED IN AN INPUT PROCEDURE ASSOCIATED WITH A SORT STATEMENT 7331 FOR A FILE WHOSE FILE DESCRIPTION CONTAINS THE RECORD REFERENCED IN THIS STATEMENT	COBOL 5 DH	60482500
7332 AN IDENTIFIER MUST FOLLOW THE WORD -FROM- IN A RELEASE STATEMENT	COBOL 5 DH	60482500
7333 THE DATA ITEM REFERENCED IN A RELEASE STATEMENT MUST BE A SORT FILE RECORD	COBOL 5 DH	60482500
7334 THE RECORD REFERENCED IN THIS RELEASE STATEMENT IS NOT DEFINED IN THE SORT-MERGE FILE WHICH 7334 IS REFERENCED IN THE SORT OR MERGE STATEMENT WHOSE INPUT PROCEDURE CONTAINS THIS STATEMENT	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
7335 AN IDENTIFIER MUST FOLLOW THE WORD -INTO- IN A RETURN STATEMENT	COBOL 5 DH	60482500
7336 THE RESERVED WORD -END- MUST FOLLOW -AT- IN A RETURN STATEMENT	COBOL 5 DH	60482500
7337 THIS RETURN STATEMENT IS NOT CONTAINED IN AN OUTPUT PROCEDURE ASSOCIATED WITH A SORT OR MERGE 7337 STATEMENT FOR THE FILE THAT IS REFERENCED IN THIS STATEMENT	COBOL 5 DH	60482500
7338 THE FILE THAT IS REFERENCED IN THIS RETURN STATEMENT IS NOT REFERENCED IN A SORT OR MERGE 7338 STATEMENT WHOSE OUTPUT PROCEDURE CONTAINS THIS STATEMENT	COBOL 5 DH	60482500
7339 ANSI REQUIRES FIXED LENGTH RECORDS IN THE SORT FILE IF THE INTO PHRASE IS SPECIFIED ON 7339 ON A RETURN STATEMENT	COBOL 5 DH	60482500
7340 THE IDENTIFIER IN A -FROM- OR -INTO- PHRASE MUST NOT DESCRIBE THE SAME STORAGE AREA AS THE 7340 RECORD AREA	COBOL 5 DH	60482500
7341 AN AT END PHRASE IS REQUIRED IN A RETURN STATEMENT	COBOL 5 DH	60482500
7342 DUPLICATES PHRASE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7343 THIS SORT PROCEDURE CONTAINS NON-CONTIGUOUS SECTIONS	COBOL 5 DH	60482500
7344 FOR A DIRECT OR ACTUAL KEY FILE, THE DATA-NAME IN THE KEY PHRASE OF A START STATEMENT MUST NOT 7344 BE THE RECORD KEY FOR THAT FILE	COBOL 5 DH	60482500
7345 COMPILER ERROR - INITIALIZE COMMON BLOCK	COBOL 5 DH	60482500
7346 IF THE CODE-SET PHRASE IS SPECIFIED IN THE SET STATEMENT, ALL DATA IN THE SPECIFIED FILE MUST 7346 BE DESCRIBED AS USAGE IS DISPLAY AND ANY SIGNED NUMERIC DATA MUST BE DESCRIBED WITH THE SIGN 7346 IS SEPARATE CLAUSE	COBOL 5 DH	60482500
7347 -DUPLICATES- MUST FOLLOW -WITH- IN A SORT STATEMENT	COBOL 5 DH	60482500
7349 THE MESSAGE CONTROL SYSTEM VERBS ARE NOT CURRENTLY IMPLEMENTED	COBOL 5 DH	60482500
7350 THIS CONDITION NAME IS DEFINED IN THE SECONDARY-STORAGE SECTION	COBOL 5 DH	60482500
7351 THE OBJECT OF A -READ INTO- PHRASE MAY NOT BE IN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7351 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7352 THE OBJECT OF A -WRITE FROM- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7352 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7353 THE OBJECT OF A -RETURN INTO- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE SECTION 7353 UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7354 THE OBJECT OF A -RELEASE FROM- PHRASE MAY NOT BE AN ITEM DEFINED IN THE SECONDARY-STORAGE 7354 SECTION UNLESS THE IMPLICIT MOVE IS ALPHANUMERIC AND NON-EDITED	COBOL 5 DH	60482500
7355 A REPORT FILE CAN ONLY BE OPENED IN OUTPUT OR EXTEND MODE	COBOL 5 DH	60482500
7356 ONLY SEQUENTIAL FILES CAN BE OPENED IN REVERSE OR WITH NO REWIND	COBOL 5 DH	60482500
7357 ONLY SEQUENTIAL FILES CAN BE OPENED IN EXTEND MODE	COBOL 5 DH	60482500
7358 ONLY SEQUENTIAL FILES CAN BE CLOSED WITH THE REEL OR UNIT OPTIONS, OR WITH THE NO REWIND OPTION	COBOL 5 DH	60482500
7359 A FILE WHOSE ORGANIZATION IS SEQUENTIAL OR WORD-ADDRESS MUST NOT BE REFERENCED BY A DELETE 7359 STATEMENT	COBOL 5 DH	60482500
7360 A DELETE STATEMENT FOR A SEQUENTIAL ACCESS FILE MUST NOT HAVE AN INVALID KEY PHRASE	COBOL 5 DH	60482500
7361 A DELETE STATEMENT FOR A RANDOM OR DYNAMIC ACCESS FILE MUST HAVE EITHER AN ERROR DECLARATIVE 7361 PARAGRAPH OR AN INVALID KEY PHRASE	COBOL 5 DH	60482500
7362 A FILE WITH SEQUENTIAL OR WORD-ADDRESS ORGANIZATION MUST NOT BE REFERENCED BY A START STATEMENT	COBOL 5 DH	60482500
7363 A START STATEMENT MUST NOT REFERENCE A FILE WITH RANDOM ACCESS	COBOL 5 DH	60482500
7364 THE DATA-NAME IN THE KEY PHRASE OF A START STATEMENT THAT REFERENCES A RELATIVE FILE MUST BE 7364 THE RELATIVE KEY FOR THAT FILE	COBOL 5 DH	60482500
7365 AN ERROR WAS DETECTED IN THE FILE DESCRIPTION OR FILE CONTROL FOR THIS FILE. THAT ERROR MUST 7365 BE CORRECTED BEFORE THIS STATEMENT CAN BE COMPILED CORRECTLY	COBOL 5 DH	60482500
7366 A START STATEMENT MUST HAVE EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE ASSOCIATED 7366 WITH IT	COBOL 5 DH	60482500
7367 A FILE WHOSE DESCRIPTION CONTAINS A REPORTS ARE CLAUSE MUST NOT BE USED IN A READ, WRITE, DELETE, 7367 START, OR REWRITE STATEMENT	COBOL 5 DH	60482500
7369 A REWRITE STATEMENT USING A FILE WITH INDEXED ORGANIZATION OR WITH RELATIVE ORGANIZATION AND 7369 RANDOM OR DYNAMIC ACCESS MUST HAVE EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE 7369 ASSOCIATED WITH IT	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
7370 A FILE WITH SEQUENTIAL ACCESS WHICH DOES NOT HAVE INDEXED ORGANIZATION MUST NOT HAVE AN INVALID KEY PHRASE ASSOCIATED WITH IT IN A REWRITE STATEMENT	COBOL 5 DH	60482500
7371 MASTER DIRECTORY CRM ERROR - nnn OCTAL	CDCS 2 DA RM	60485200
7371 MASTER DIRECTORY CRM ERROR - nnn OCTAL	CDCS 2 RM	60481800
7371 THE DATA-NAME IN THE KEY PHRASE OF THE START STATEMENT FOR AN INDEXED FILE MUST BE THE RECORD WITH ITS LEFTMOST CHARACTER POSITION COINCIDING WITH 1 AND ONLY 1 KEY	COBOL 5 DH	60482500
7372 SUBSCHEMA FILE CRM ERROR IS nnn OCTAL	CDCS 2 DA RM	60485200
7372 SUBSCHEMA FILE CRM ERROR IS nnn OCTAL	CDCS 2 RM	60481800
7372 THE DATA-NAME IN THE KEY PHRASE OF THE START STATEMENT FOR A DIRECT OR ACTUAL KEY FILE MUST BE AN ALTERNATE RECORD KEY FOR THAT FILE, OR IT MUST BE A DATA ITEM SUBORDINATE TO SUCH A KEY WITH ITS LEFTMOST CHARACTER POSITION COINCIDING WITH THAT OF 1 AND ONLY 1 SUCH KEY	COBOL 5 DH	60482500
7373 SCHEMA DIRECTORY CRM ERROR - nnn OCTAL	CDCS 2 DA RM	60485200
7373 SCHEMA DIRECTORY CRM ERROR - nnn OCTAL	CDCS 2 RM	60481800
7373 THE KEY PHRASE MAY NOT BE SPECIFIED IN A READ STATEMENT THAT CONTAINS THE -NEXT- PHRASE NOR IN A READ STATEMENT THAT REFERENCES A FILE WHOSE ORGANIZATION IS SEQUENTIAL, RELATIVE, OR WORD-ADDRESS	COBOL 5 DH	60482500
7374 THE DATA-NAME USED IN THE KEY PHRASE OF A READ STATEMENT MUST BE ONE OF THE RECORD KEYS ASSOCIATED WITH THAT FILE	COBOL 5 DH	60482500
7375 THIS READ STATEMENT MUST CONTAIN AN -AT END- PHRASE BECAUSE NO APPLICABLE FORMAT 1 -USE- PROCEDURE EXISTS	COBOL 5 DH	60482500
7376 THIS READ STATEMENT MUST CONTAIN AN -INVALID KEY- PHRASE BECAUSE NO APPLICABLE FORMAT 1 -USE- PROCEDURE EXISTS	COBOL 5 DH	60482500
7377 AN -AT END- PHRASE IS NOT ALLOWED IN A READ STATEMENT UNLESS THE FILE THAT IS REFERENCED HAS SEQUENTIAL ACCESS OR THE READ STATEMENT CONTAINS THE -NEXT- PHRASE AND THE FILE HAS DYNAMIC ACCESS	COBOL 5 DH	60482500
7378 AN -INVALID KEY- PHRASE IS NOT ALLOWED IN A READ STATEMENT THAT REFERENCES A FILE WITH SEQUENTIAL ACCESS OR IN A READ STATEMENT THAT CONTAINS THE -NEXT- PHRASE AND REFERENCES A FILE THAT HAS DYNAMIC ACCESS	COBOL 5 DH	60482500
7379 THIS DATA NAME MUST BE A FILE NAME	COBOL 5 DH	60482500
7380 THIS DATA NAME MUST BE A RECORD IN THE FILE SECTION	COBOL 5 DH	60482500
7381 THE IDENTIFIER IN THE FROM PHRASE MUST NOT REFERENCE THE SAME STORAGE AREA AS THE RECORD	COBOL 5 DH	60482500
7382 FILES WITH THE OPTIONAL CLAUSE MAY ONLY BE OPENED FOR INPUT	COBOL 5 DH	60482500
7383 THE ADVANCING PHRASE MAY ONLY BE USED WITH SEQUENTIAL FILES	COBOL 5 DH	60482500
7384 THE IDENTIFIER IN THE ADVANCING PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
7385 THE LITERAL IN THE ADVANCING PHRASE MUST BE AN UNSIGNED INTEGER	COBOL 5 DH	60482500
7386 EITHER A DECLARATIVE PARAGRAPH OR AN INVALID KEY PHRASE IS REQUIRED FOR A WRITE STATEMENT THAT REFERENCES A FILE WITH RELATIVE OR INDEXED ORGANIZATION	COBOL 5 DH	60482500
7387 A WRITE STATEMENT WITH AN INVALID KEY PHRASE MAY ONLY REFERENCE A FILE WHICH HAS RELATIVE OR INDEXED ORGANIZATION	COBOL 5 DH	60482500
7388 AN END OF PAGE CLAUSE IS ONLY ALLOWED WITH A WRITE STATEMENT WHEN THE REFERENCED FILE HAS AN ASSOCIATED LINAGE CLAUSE	COBOL 5 DH	60482500
7389 IN THE READ STATEMENT, THE INTO PHRASE MUST NOT BE USED WHEN THE INPUT FILE CONTAINS LOGICAL RECORDS OF VARYING LENGTH AS INDICATED BY EACH RECORD DESCRIPTION	COBOL 5 DH	60482500
7390 THE USING PHRASE OF THE ENTER STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7391 A ROUTINE NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7392 A LITERAL, A PROCEDURE NAME, A FILE NAME OR AN IDENTIFIER IS REQUIRED IN THE USING PHRASE OF AN ENTER STATEMENT	COBOL 5 DH	60482500
7393 ONLY AN ALPHABET-NAME ASSOCIATED WITH UNI MAY BE USED IN A SET CODE-SET STATEMENT	COBOL 5 DH	60482500
7394 THE ADVANCING MNEMONIC-NAME PHRASE CANNOT BE SPECIFIED IN A WRITE STATEMENT WHICH REFERENCES A RECORD OF A FILE WHOSE DESCRIPTION CONTAINS THE LINAGE CLAUSE	COBOL 5 DH	60482500
7395 A MNEMONIC-NAME THAT APPEARS IN AN ADVANCING PHRASE MUST BE ASSOCIATED WITH A SINGLE CHARACTER NON-NUMERIC LITERAL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7396 A REWRITE STATEMENT MUST NOT REFERENCE A FILE WHOSE ORGANIZATION IS WORD-ADDRESS	COBOL 5 DH	60482500
7397 THE NEXT PHRASE CANNOT BE SPECIFIED IN A READ STATEMENT THAT REFERENCES A RANDOM ACCESS FILE	COBOL 5 DH	60482500
7398 ONLY THE FIRST 7 CHARACTERS OF THIS PROGRAM OR ROUTINE NAME WILL BE USED TO INTERACT WITH SYSTEM	COBOL 5 DH	60482500
7399 FOR A PROGRAM-NAME OR ROUTINE-NAME TO BE ACCEPTED BY THE SYSTEM AS AN ENTRY POINT NAME, 7399 THE FIRST CHARACTER MUST BE A LETTER AND IT MUST NOT CONTAIN A SPACE + - / OR '	COBOL 5 DH	60482500
7401 A PERIOD IS REQUIRED HERE TO TERMINATE AN IMPERATIVE STATEMENT	COBOL 5 DH	60482500
7401 ILLEGAL PROC TYPE OF OPTIONS typ OCTAL	CDCS 2 DA RM	60485200
7401 ILLEGAL PROC TYPE OF OPTIONS typ OCTAL	CDCS 2 RM	60481800
7402 NO OPTION FOR CST PROC ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7402 NO OPTION FOR CST PROC ENTRY num DECIMAL	CDCS 2 RM	60481800
7402 THE RANGE OF A PERFORM STATEMENT LOCATED IN A NON-INDEPENDENT SEGMENT MUST BE WHOLLY CONTAINED 7402 IN ONE OR MORE NON-INDEPENDENT SEGMENTS OR WHOLLY CONTAINED IN A SINGLE INDEPENDENT SEGMENT	COBOL 5 DH	60482500
7403 CST PROC TABLE LEN CANNOT BE num OCTAL WORDS	CDCS 2 DA RM	60485200
7403 CST PROC TABLE LEN CANNOT BE num OCTAL WORDS	CDCS 2 RM	60481800
7403 THE RANGE OF A PERFORM STATEMENT LOCATED IN AN INDEPENDENT SEGMENT MUST BE WHOLLY CONTAINED 7403 IN ONE OR MORE NON-INDEPENDENT SEGMENTS OR WHOLLY CONTAINED IN THE SAME INDEPENDENT SEGMENT AS 7403 THE PERFORM STATEMENT	COBOL 5 DH	60482500
7404 A PROCEDURE NAME MUST FOLLOW THE RESERVED WORD -THRU- IN A PERFORM STATEMENT	COBOL 5 DH	60482500
7404 CST PROC LIST SIZE MUST BE \\ num OCTAL WORDS	CDCS 2 DA RM	60485200
7404 CST PROC LIST SIZE MUST BE < num OCTAL WORDS	CDCS 2 RM	60481800
7405 FIPS=3 SUPPORTS THE ARITHMETIC OPERATORS	COBOL 5 DH	60482500
7406 FIPS=3 SUPPORTS THE RELATIONAL OPERATORS <, >, =, NOT <, NOT >, AND NOT =	COBOL 5 DH	60482500
7407 FIPS=3 SUPPORTS CONDITION NAME REFERENCES	COBOL 5 DH	60482500
7408 FIPS=3 SUPPORTS THE FIGURATIVE CONSTANT ALL LITERAL	COBOL 5 DH	60482500
7409 FIPS=2 SUPPORTS THE USING PHRASE IN THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7410 FIPS=3 SUPPORTS SIGN CONDITIONS	COBOL 5 DH	60482500
7411 FIPS=3 SUPPORTS THE LOGICAL OPERATORS AND, OR, AND NOT	COBOL 5 DH	60482500
7412 FIPS=3 SUPPORTS ACCEPT FROM STATEMENT	COBOL 5 DH	60482500
7413 FIPS=3 SUPPORTS MULTIPLE RESULTS IN ARITHMETIC STATEMENTS	COBOL 5 DH	60482500
7414 FIPS=3 SUPPORTS ADD CORRESPONDING	COBOL 5 DH	60482500
7415 FIPS=3 SUPPORTS A PROCEDURE NAME SERIES IN THE ALTER STATEMENT	COBOL 5 DH	60482500
7416 FIPS=2 SUPPORTS CALL LITERAL	COBOL 5 DH	60482500
7417 FIPS=3 SUPPORTS CALL ON OVERFLOW	COBOL 5 DH	60482500
7418 FIPS=3 SUPPORTS THE CANCEL STATEMENT	COBOL 5 DH	60482500
7419 FIPS=3 SUPPORTS THE COMPUTE STATEMENT	COBOL 5 DH	60482500
7420 FIPS=3 SUPPORTS DISPLAY UPON MNEMONIC-NAME	COBOL 5 DH	60482500
7421 FIPS=3 SUPPORTS DIVIDE REMAINDER	COBOL 5 DH	60482500
7422 FIPS=3 SUPPORTS THE DISABLE STATEMENT	COBOL 5 DH	60482500
7423 FIPS=3 SUPPORTS THE ENABLE STATEMENT	COBOL 5 DH	60482500
7424 FIPS=2 SUPPORTS THE EXIT PROGRAM STATEMENT	COBOL 5 DH	60482500
7425 THE GENERATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7426 FIPS=3 SUPPORTS THE GO TO STATEMENT WITHOUT A PROCEDURE NAME	COBOL 5 DH	60482500
7427 THE INITIATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7428 FIPS=4 SUPPORTS THE MERGE STATEMENT	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7429 FIPS=3 SUPPORTS MOVE CORRESPONDING	COBOL 5 DH	60482500
7430 FIPS=3 SUPPORTS PERFORM UNTIL	COBOL 5 DH	60482500
7431 FIPS=3 SUPPORTS PERFORM VARYING	COBOL 5 DH	60482500
7432 FIPS=3 SUPPORTS THE RECEIVE STATEMENT	COBOL 5 DH	60482500
7433 FIPS=3 SUPPORTS THE RELEASE STATEMENT	COBOL 5 DH	60482500
7434 FIPS=3 SUPPORTS THE RETURN STATEMENT	COBOL 5 DH	60482500
7435 FIPS=3 SUPPORTS THE SEARCH STATEMENT	COBOL 5 DH	60482500
7436 FIPS=3 SUPPORTS THE SEND STATEMENT	COBOL 5 DH	60482500
7437 FIPS=4 SUPPORTS THE SORT COLLATING SEQUENCE PHRASE	COBCL 5 DH	60482500
7438 FIPS=3 SUPPORTS THE STRING STATEMENT	COBOL 5 DH	60482500
7439 FIPS=3 SUPPORTS SUBTRACT CORRESPONDING	COBOL 5 DH	60482500
7440 THE SUPPRESS STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7441 THE TERMINATE STATEMENT IS NOT SUPPORTED IN ANY LEVEL OF FEDERAL STANDARD COBOL	COBOL 5 DH	60482500
7442 FIPS=3 SUPPORTS THE UNSTRING STATEMENT	COBOL 5 DH	60482500
7443 FIPS=3 SUPPORTS THE COMPARISON OF NON NUMERIC OPERANDS OF UNEQUAL SIZE	COBOL 5 DH	60482500
7444 FIPS=3 SUPPORTS CLOSE NO REWIND	COBOL 5 DH	60482500
7445 FIPS=3 SUPPORTS CLOSE REEL FOR REMOVAL	COBOL 5 DH	60482500
7446 FIPS=3 SUPPORTS CLOSE SEQUENTIAL WITH LOCK	COBOL 5 DH	60482500
7447 FIPS=3 SUPPORTS OPEN INPUT REVERSED	COBOL 5 DH	60482500
7448 FIPS=3 SUPPORTS OPEN NO REWIND	COBOL 5 DH	60482500
7449 FIPS=3 SUPPORTS OPEN EXTEND	COBOL 5 DH	60482500
7450 FIPS=3 SUPPORTS READ NEXT RECORD	COBOL 5 DH	60482500
7451 FIPS=3 SUPPORTS THE SORT STATEMENT	COBOL 5 DH	60482500
7451 SEARCH FAIL - SCHEMA DB PROC pn	CDCS 2 DA RM	60485200
7451 SEARCH FAIL - SCHEMA DB PROC pn	CDCS 2 RM	60481800
7452 FIPS=4 SUPPORTS MULTIPLE SORT STATEMENTS IN ONE PROGRAM	COBOL 5 DH	60482500
7452 SEARCH FAIL - SUBSCHEMA DBP pn	CDCS 2 DA RM	60485200
7452 SEARCH FAIL - SUBSCHEMA DBP pn	CDCS 2 RM	60481800
7453 FIPS=3 SUPPORTS THE START STATEMENT FOR RELATIVE FILES AND FIPS=4 SUPPORTS THE START STATEMENT FOR INDEXED FILES	COBOL 5 DH	60482500
7454 THE USE STATEMENT FILE-NAME SERIES IS BEING DIAGNOSED FOR ANY FIPS LEVEL LESS THAN FIPS=4 AND WITHOUT REGARD TO FILE-NAME ORGANIZATION	COBOL 5 DH	60482500
7455 FIPS=3 SUPPORTS USE AFTER ERROR PROCEDURE EXTEND	COBOL 5 DH	60482500
7456 FIPS=2 SUPPORTS USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7457 FIPS=3 SUPPORTS USE FOR DEBUGGING ON IDENTIFIER, ALL REFERENCES OF IDENTIFIER, FILE-NAMES, AND CD-NAMES	COBOL 5 DH	60482500
7458 HASHED-VALUE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7459 ADD CORR TO MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7460 DISPLAY WITH NO ADVANCING IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7461 MOVE CORR TO MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7462 FORMAT 3 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7463 FORMAT 4 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7464 SUBTRACT CORR FROM MORE THAN ONE IDENTIFIER IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7465 USE FOR HASHING IS NON-STANDARD COBOL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7466 AN ALTERNATE RECORD KEY WHOSE DESCRIPTION CONTAINS THE OCCURS CLAUSE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7467 THE USE OF A NON-SEQUENTIAL FILE IN THE USING PHRASE OF THE SORT STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7468 FORMAT 5 OF THE SET STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7469 THE CONDITION-NAME IN A SET STATEMENT MUST NOT BE A SWITCH STATUS CONDITION-NAME	COBOL 5 DH	60482500
7470 TWO OR MORE CONDITION-NAMES HAVING THE SAME CONDITIONAL VARIABLE MUST NOT APPEAR IN THE	COBOL 5 DH	60482500
7471 THE RESERVED WORD TRUE IS REQUIRED HERE	COBOL 5 DH	60482500
7472 THIS INDEX-NAME CANNOT APPEAR IN THIS POSITION	COBOL 5 DH	60482500
7473 THE WRONG NUMBER OF SUBSCRIPTS HAS BEEN SPECIFIED	COBOL 5 DH	60482500
7474 AN ARITHMETIC EXPRESSION IS REQUIRED HERE TO SPECIFY THE STARTING CHARACTER POSITION IN A	COBOL 5 DH	60482500
7475 NO SUBSCRIPTS ARE ALLOWED HERE	COBOL 5 DH	60482500
7476 THE RESERVED WORD END OR AN ARITHMETIC EXPRESSION IS REQUIRED HERE TO SPECIFY THE LENGTH IN 7476 A REFERENCE MODIFIER	COBOL 5 DH	60482500
7477 A RIGHT PARENTHESIS IS REQUIRED HERE IN A REFERENCE MODIFIER	COBOL 5 DH	60482500
7478 REFERENCE MODIFICATION IS ONLY ALLOWED ON DATA ITEMS WHOSE USAGE IS DISPLAY	COBOL 5 DH	60482500
7479 REFERENCE MODIFICATION IS NOT ALLOWED IN THIS CONTEXT	COBOL 5 DH	60482500
7480 A BOOLEAN LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7481 A BOOLEAN DATA ITEM IS REQUIRED HERE	COBOL 5 DH	60482500
7482 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-EXOR OPERATOR	COBOL 5 DH	60482500
7483 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-OR OPERATOR	COBOL 5 DH	60482500
7484 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-AND OPERATOR	COBOL 5 DH	60482500
7485 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE BOOLEAN-NOT OPERATOR	COBOL 5 DH	60482500
7486 THE BOOLEAN EXPRESSION IS INVALID FOLLOWING THE LEFT PARENTHESIS	COBOL 5 DH	60482500
7487 A RIGHT PARENTHESIS IS MISSING IN A BOOLEAN EXPRESSION	COBOL 5 DH	60482500
7488 IS EQUAL TO, IS =, EQUALS, IS NOT EQUAL TO, IS NOT =, OR IS UNEQUAL TO, ARE THE LEGAL 7488 RELATIONAL OPERATORS IN A BOOLEAN RELATION CONDITION	COBOL 5 DH	60482500
7489 A BOOLEAN EXPRESSION IS REQUIRED HERE	COBOL 5 DH	60482500
7490 THIS LOGICAL FILE NAME CONTAINS MORE THAN SEVEN CHARACTERS, CONTAINS NON-ALPHANUMERIC 7490 CHARACTERS, OR DOES NOT BEGIN WITH A LETTER	COBOL 5 DH	60482500
7491 THE USE OF A NON-SEQUENTIAL FILE IN THE USING PHRASE OF THE MERGE STATEMENT IS ILLEGAL	COBOL 5 DH	60482500
7495 CID LOADER TABLES ARE NOT GENERATED FOR SEGMENTED PROGRAMS	COBOL 5 DH	60482500
7501 A NON-SUBSCRIPTED DATA NAME WHOSE DESCRIPTION CONTAINS AN OCCURS CLAUSE WITH AN INDEXED BY 7501 PHRASE IS REQUIRED HERE	COBOL 5 DH	60482500
7501 ILLEGAL LOCK DB ELEMENT TYPE typ OCTAL	CDCS 2 DA RM	60485200
7501 ILLEGAL LOCK DB ELEMENT TYPE typ OCTAL	CDCS 2 RM	60481800
7502 AN INDEX NAME, AN INDEX DATA ITEM, OR AN INTEGER ELEMENTARY DATA ITEM MUST FOLLOW THE RESERVED 7502 WORD -VARYING- IN A SEARCH STATEMENT	COBOL 5 DH	60482500
7502 SCHEMA BAD PRIVACY LOCK TYPE typ OCTAL	CDCS 2 DA RM	60485200
7502 SCHEMA BAD PRIVACY LOCK TYPE typ OCTAL	CDCS 2 RM	60481800
7503 -AT- MUST BE FOLLOWED BY -END- IN A SEARCH STATEMENT	COBOL 5 DH	60482500
7503 SUBSCHEMA HAS BAD LOCK TYPE typ OCTAL	CDCS 2 DA RM	60485200
7503 SUBSCHEMA HAS BAD LOCK TYPE typ OCTAL	CDCS 2 RM	60481800
7504 AN IMPERATIVE STATEMENT IS REQUIRED TO COMPLETE THE AT END PHRASE	COBOL 5 DH	60482500
7504 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7504 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 RM	60481800
7505 A SEARCH STATEMENT MUST CONTAIN AT LEAST ONE WHEN PHRASE	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7505 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 DA RM	60485200
7505 NO OPTION FOR CST LOCK ENTRY num DECIMAL	CDCS 2 RM	60481800
7506 EITHER AN IMPERATIVE STATEMENT OR -NEXT SENTENCE- MUST FOLLOW THE CONDITION IN A WHEN PHRASE 7506 OF A SEARCH STATEMENT	COBOL 5 DH	60482500
7507 AN INDEX-NAME, AN INDEX DATA ITEM, OR AN INTEGER DATA ITEM IS REQUIRED IN THE VARYING PHRASE 7507 OF A SEARCH STATEMENT	COBOL 5 DH	60482500
7508 THE RESERVED WORD -WHEN- IS REQUIRED HERE	COBOL 5 DH	60482500
7509 AN IDENTIFIER THAT IS A KEY OF THE TABLE BEING SEARCHED AND IS INDEXED BY THE FIRST INDEX NAME 7509 ASSOCIATED WITH THAT TABLE IS REQUIRED HERE	COBOL 5 DH	60482500
7510 AN IDENTIFIER, A LITERAL, OR AN ARITHMETIC EXPRESSION IS REQUIRED HERE	COBOL 5 DH	60482500
7511 AN EQUALITY TYPE OPERATOR IS REQUIRED HERE	COBOL 5 DH	60482500
7512 A CONDITION NAME THAT IS REFERENCED IN A SEARCH ALL STATEMENT MAY HAVE ONLY ONE ASSOCIATED VALUE	COBOL 5 DH	60482500
7513 AT LEAST ONE KEY ITEM MUST BE ASSOCIATED WITH A TABLE WHICH IS THE OBJECT OF A SEARCH ALL 7513 STATEMENT	COBOL 5 DH	60482500
7514 THE SUBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST BE DEFINED AS A KEY OF THE TABLE THAT 7514 IS TO BE SEARCHED	COBOL 5 DH	60482500
7515 THE SUBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST BE INDEXED BY THE FIRST INDEX-NAME 7515 THAT IS ASSOCIATED WITH THE TABLE THAT IS TO BE SEARCHED	COBOL 5 DH	60482500
7516 ALL KEYS THAT ARE MORE MAJOR THAN THIS ONE MUST APPEAR AS SUBJECTS IN THIS CONDITION	COBOL 5 DH	60482500
7517 THE OBJECT OF A CONDITION IN A SEARCH ALL STATEMENT MUST NOT CONTAIN ANY OF THE KEYS NOR THE 7517 FIRST INDEX-NAME THAT IS ASSOCIATED WITH THE TABLE THAT IS TO BE SEARCHED	COBOL 5 DH	60482500
7519 THE FDL PARAMETER MUST BE SPECIFIED ON THE COBOL5 DIRECTIVE WHEN CALL IDENTIFIER IS USED	COBOL 5 DH	60482500
7550 THE RESERVED WORD CONTROL IS REQUIRED HERE	COBOL 5 DH	60482500
7551 THE ON PHRASE OF THE USE FOR ACCESS CONTROL STATEMENT MUST SPECIFY INPUT, I-O, INPUT I-O, 7551 OR I-O INPUT. IF THE ON PHRASE IS OMITTED, I-O INPUT IS ASSUMED	COBOL 5 DH	60482500
7552 THE RESERVED WORD REALMS OR AT LEAST ONE SPECIFIC REALM-NAME MUST BE SPECIFIED IN THE USE 7552 FOR ACCESS CONTROL STATEMENT	COBOL 5 DH	60482500
7553 THE RESERVED WORD REALMS OR AT LEAST ONE SPECIFIC REALM-NAME MUST BE SPECIFIED IN THE USE 7553 FOR DEADLOCK STATEMENT	COBOL 5 DH	60482500
7554 A REALM-NAME REFERENCE IS REQUIRED HERE	COBOL 5 DH	60482500
7555 ONE OR MORE USE FOR ACCESS CONTROL DECLARATIVES HAVE SPECIFIED EITHER INPUT OR I-O MORE 7555 THAN ONCE FOR THE SAME REALM-NAME	COBOL 5 DH	60482500
7556 THE USE FOR ACCESS CONTROL STATEMENT IS ONLY LEGAL IN THE DECLARATIVES PORTION OF THE 7556 PROCEDURE DIVISION	COBOL 5 DH	60482500
7557 THE USE FOR ACCESS CONTROL SECTION HEADING IS MISSING	COBOL 5 DH	60482500
7558 THE USE FOR ACCESS CONTROL STATEMENT MUST CONTAIN THE KEY IS DATA-NAME PHRASE	COBOL 5 DH	60482500
7559 AN ACCESS CONTROL KEY MUST BE ALPHANUMERIC AND NOT LONGER THAN 30 CHARACTERS	COBOL 5 DH	60482500
7560 THE USE FOR DEADLOCK DECLARATIVE IS NOT SUPPORTED IN THIS VERSION OF THE COMPILER	COBOL 5 DH	60482500
7561 THE USE FOR ACCESS CONTROL DECLARATIVE IS NOT SUPPORTED IN THIS VERSION OF THE COMPILER	COBOL 5 DH	60482500
7562 IN THE START STATEMENT, THE DATA NAME SPECIFIED IN THE KEY PHRASE IS A PARTIAL KEY BUT 7562 WAS NOT SPECIFICALLY DESIGNATED AS A LEGAL MAJOR KEY IN THE SUBSCHEMA	COBOL 5 DH	60482500
7563 THE WITH NO REWIND PHRASE OF THE FORMAT 2 OPEN STATEMENT DOES NOT APPLY TO CDCS PROCESSING	COBOL 5 DH	60482500
7564 THE WITH LOCK PHRASE OF THE FORMAT 2 OPEN STATEMENT DOES NOT APPLY TO CDCS PROCESSING	COBOL 5 DH	60482500
7587 A LANGUAGE NAME MUST BE -COMPASS- OR FORTRAN-X-. -COMPASS- IS ASSUMED.	COBOL 5 DH	60482500
7588 AN INDEX NAME MUST NOT BE USED IN THE USING PHRASE OF AN ENTER STATEMENT	COBOL 5 DH	60482500
7589 THE OMISSION OF A LANGUAGE NAME IN THE ENTER STATEMENT IS NON-STANDARD	COBOL 5 DH	60482500
7590 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS A STOP RUN STATEMENT	COBOL 5 DH	60482500
7591 THIS STATEMENT CANNOT BE EXECUTED BECAUSE IT FOLLOWS AN EXIT PROGRAM STATEMENT	COBOL 5 DH	60482500
7593 THE PROCEDURE DIVISION HEADER IS MISSING	COBOL 5 DH	60482500

	<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7594	THE RESERVED WORD -DIVISION- IS REQUIRED TO COMPLETE THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7595	A REPORT NAME IS REQUIRED HERE	COBOL 5 DH	60482500
7596	A REPORT NAME OR THE NAME OF A DETAIL REPORT GROUP IS REQUIRED HERE	COBOL 5 DH	60482500
7597	SUMMARY REPORTING IS NOT ALLOWED FOR THIS REPORT BECAUSE IT DOES NOT CONTAIN A CONTROL CLAUSE, 7597 OR DOES NOT CONTAIN AT LEAST ONE BODY GROUP, OR BECAUSE IT CONTAINS MORE THAN ONE DETAIL GROUP	COBOL 5 DH	60482500
7598	THE REPORT WRITER STATEMENTS INITIATE, GENERATE, AND TERMINATE MAY NOT APPEAR IN A USE BEFORE 7598 REPORTING PROCEDURE	COBOL 5 DH	60482500
7599	THE SUPPRESS STATEMENT MAY NOT BE USED OUTSIDE A USE BEFORE REPORTING PROCEDURE	COBOL 5 DH	60482500
7600	A GO TO STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT 7600 SORT PROCEDURE	COBOL 5 DH	60482500
7601	A GO TO STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT 7601 REFERENCE A PROCEDURE NAME DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7601	CST NON-CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7601	CST NON-CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7602	A GO TO STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT 7602 REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7602	CST MAP CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7602	CST MAP CAPSULE EXCESS SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7603	A GO TO STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE 7603 GO TO STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7603	TRUNCATION - CST REC POINTER num OCTAL	CDCS 2 DA RM	60485200
7603	TRUNCATION - CST REC POINTER num OCTAL	CDCS 2 RM	60481800
7604	A GO TO STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7604	TRUNCATION - RSB REC POINTER num OCTAL	CDCS 2 DA RM	60485200
7604	TRUNCATION - RSB REC POINTER num OCTAL	CDCS 2 RM	60481800
7605	A GO TO STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY 7605 PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7605	TRUNCATION - CST REL POINTER num OCTAL	CDCS 2 DA RM	60485200
7605	TRUNCATION - CST REL POINTER num OCTAL	CDCS 2 RM	60481800
7606	A GO TO STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A 7606 SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE 7606 PROCEDURE DIVISION	COBOL 5 DH	60482500
7606	TRUNCATION - RSB REL POINTER num OCTAL	CDCS 2 DA RM	60485200
7606	TRUNCATION - RSB REL POINTER num OCTAL	CDCS 2 RM	60481800
7607	A GO TO STATEMENT IN A DEBUGGING SECTION CAN ONLY REFERENCE PROCEDURE NAMES DEFINED IN THE SAME 7607 DEBUGGING SECTION	COBOL 5 DH	60482500
7607	TRUNCATION - PROC OPTION PNT num OCTAL	CDCS 2 DA RM	60485200
7607	TRUNCATION - PROC OPTION PNT num OCTAL	CDCS 2 RM	60481800
7608	A GO TO STATEMENT IN ONE DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7608 DIFFERENT DEBUGGING SECTION	COBOL 5 DH	60482500
7608	TRUNCATION - PRIVACY LOCK PT num OCTAL	CDCS 2 DA RM	60485200
7608	TRUNCATION - PRIVACY LOCK PT num OCTAL	CDCS 2 RM	60481800
7609	A GO TO STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT 7609 PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7609	TRUNCATION - RSB LOCK POINTER num OCTAL	CDCS 2 RM	60481800
7609	TRUNCATION - RSB LOCK POINTR num OCTAL	CDCS 2 DA RM	60485200
7610	A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT 7610 SAME SORT PROCEDURE	COBOL 5 DH	60482500
7610	TRUNCATION - RSB SEARCH PNTR num OCTAL	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7610 TRUNCATION - RSB SEARCH PNTR num OCTAL	CDCS 2 RM	60481800
7611 A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DECLARATIVE SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7611 TRUNCATION - RSB DATA POINTER num OCTAL	CDCS 2 RM	60481800
7611 TRUNCATION - RSB DATA POINTR num OCTAL	CDCS 2 DA RM	60485200
7612 A GO TO STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7612 TRUNCATION - RSB JOIN POINTR num OCTAL	CDCS 2 DA RM	60485200
7612 TRUNCATION - RSB JOINT POINTER num OCTAL	CDCS 2 RM	60481800
7613 AN ALTER STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7613 TRUNCATION - RSB STACK POINT num OCTAL	CDCS 2 DA RM	60485200
7613 TRUNCATION - RSB STACK POINT num OCTAL	CDCS 2 RM	60481800
7614 AN ALTER STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7614 TRUNCATION - RSB TOTAL SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7614 TRUNCATION - RSB TOTAL SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7615 AN ALTER STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE ALTER STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7615 TRUNCATION - NUMBER OF AREAS num DECIMAL	CDCS 2 DA RM	60485200
7615 TRUNCATION - NUMBER OF AREAS num DECIMAL	CDCS 2 RM	60481800
7616 AN ALTER STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7616 TRUNCATION - NUMBER OF RECS num DECIMAL	CDCS 2 DA RM	60485200
7616 TRUNCATION - NUMBER OF RECS num DECIMAL	CDCS 2 RM	60481800
7617 AN ALTER STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7617 TRUNCATION - NUMBER OF RECS num DECIMAL	CDCS 2 RM	60481800
7617 TRUNCATION - NUMBER OF RELS num DECIMAL	CDCS 2 DA RM	60485200
7618 AN ALTER STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7618 TRUNCATION - SUBSCHE MAX REC num OCTAL	CDCS 2 RM	60481800
7618 TRUNCATION - SUBSCHEMA MAXI REC num OCTAL	CDCS 2 DA RM	60485200
7619 AN ALTER STATEMENT IN A DEBUGGING SECTION CAN ONLY REFERENCE PROCEDURE NAMES DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7619 TRUNCATION - SCHEMA MAX REC num OCTAL	CDCS 2 DA RM	60485200
7619 TRUNCATION - SCHEMA MAX REC num OCTAL	CDCS 2 RM	60481800
7620 AN ALTER STATEMENT IN ONE DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DIFFERENT DEBUGGING SECTION	COBOL 5 DH	60482500
7620 TRUNCATION - MAP CAPSULE PNT num OCTAL	CDCS 2 DA RM	60485200
7620 TRUNCATION - MAP CAPSULE PNT num OCTAL	CDCS 2 RM	60481800
7621 AN ALTER STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE SAME DEBUGGING SECTION	COBOL 5 DH	60482500
7621 TRUNCATION - MAP CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7621 TRUNCATION - MAP CAPSULE LEN num OCTAL WORDS	CDCS 2 RM	60481800
7622 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT SAME SORT PROCEDURE	COBOL 5 DH	60482500
7622 TRUNCATION - MAX CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7622 TRUNCATION - MAX CAPSULE LEN num OCTAL WORDS	CDCS 2 RM	60481800
7623 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7623 DECLARATIVE SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME 7623 SORT PROCEDURE	COBOL 5 DH	60482500
7623 TRUNCATION - NUMBER CAPSULES num DECIMAL	CDCS 2 DA RM	60485200
7623 TRUNCATION - NUMBER CAPSULES num DECIMAL	CDCS 2 RM	60481800
7624 AN ALTER STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING 7624 SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7624 TRUNCATION - CST CONSTANT PT num OCTAL	CDCS 2 RM	60481800
7624 TRUNCATION - CST CONSTRNT PT num OCTAL	CDCS 2 DA RM	60485200
7625 A PERFORM STATEMENT APPEARING IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION CANNOT 7625 REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING SECTION	COBOL 5 DH	60482500
7625 TRUNCATION - RSB CONSTRNT PT num OCTAL	CDCS 2 DA RM	60485200
7625 TRUNCATION - RSB CONSTRNT PT num OCTAL	CDCS 2 RM	60481800
7626 A PERFORM STATEMENT MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT PROCEDURE UNLESS THE 7626 PERFORM STATEMENT IS IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7626 TRUNCATION - NUMBER EXT AREA num DECIMAL	CDCS 2 DA RM	60485200
7626 TRUNCATION - NUMBER EXT AREA num DECIMAL	CDCS 2 RM	60481800
7627 A PERFORM STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE ANY NONDECLARATIVE PROCEDURE	COBOL 5 DH	60482500
7627 TRUNCATION - NUMBER CONSTRNT num DECIMAL	CDCS 2 DA RM	60485200
7627 TRUNCATION - NUMBER CONSTRNT num DECIMAL	CDCS 2 RM	60481800
7628 A PERFORM STATEMENT APPEARING OUTSIDE OF THE SET OF DEBUGGING SECTIONS MUST NOT REFERENCE ANY 7628 PROCEDURE NAME DEFINED WITHIN THE SET OF DEBUGGING SECTIONS	COBOL 5 DH	60482500
7628 TRUNCATION - EXTEND MAX REC num OCTAL	CDCS 2 DA RM	60485200
7628 TRUNCATION - EXTEND MAX REC num OCTAL	CDCS 2 RM	60481800
7629 A PERFORM STATEMENT IN A DECLARATIVE SECTION MUST NOT REFERENCE A PROCEDURE NAME DEFINED IN A 7629 SORT PROCEDURE. IT CAN ONLY REFERENCE NAMES DEFINED IN THE DECLARATIVE PORTION OF THE 7629 PROCEDURE DIVISION	COBOL 5 DH	60482500
7630 A PERFORM STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7630 DIFFERENT SORT PROCEDURE	COBOL 5 DH	60482500
7631 A PERFORM STATEMENT IN A DEBUGGING SECTION CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A SORT 7631 PROCEDURE. THE PROCEDURE NAME MUST BE DEFINED IN THE DECLARATIVES	COBOL 5 DH	60482500
7632 A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED OUTSIDE THAT 7632 SAME SORT PROCEDURE.	COBOL 5 DH	60482500
7633 A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7633 DECLARATIVE SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT 7633 PROCEDURE	COBOL 5 DH	60482500
7634 A PERFORM STATEMENT IN A SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A DEBUGGING 7634 SECTION. IT CAN ONLY REFERENCE A PROCEDURE NAME DEFINED IN THE SAME SORT PROCEDURE	COBOL 5 DH	60482500
7635 A PERFORM REGION CANNOT BEGIN IN THE NONDECLARATIVE PORTION OF THE PROCEDURE DIVISION AND END 7635 IN THE DECLARATIVE PORTION OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7636 AN ALTER STATEMENT IN ONE SORT PROCEDURE CANNOT REFERENCE A PROCEDURE NAME DEFINED IN A 7636 DIFFERENT SORT PROCEDURE	COBOL 5 DH	60482500
7637 A PERFORM REGION CANNOT BEGIN OUTSIDE OF A SORT PROCEDURE AND END INSIDE OF THE SORT PROCEDURE	COBOL 5 DH	60482500
7638 A PERFORM REGION CANNOT BEGIN INSIDE A DECLARATIVE SECTION AND END IN THE NONDECLARATIVE PORTION 7638 OF THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7639 A PERFORM REGION CANNOT BEGIN IN ONE DECLARATIVE SECTION AND END IN A DIFFERENT DECLARATIVE 7639 SECTION	COBOL 5 DH	60482500
7640 A PERFORM REGION CANNOT BEGIN IN A DECLARATIVE SECTION AND END IN A SORT PROCEDURE	COBOL 5 DH	60482500
7641 A PERFORM REGION CANNOT BEGIN INSIDE A SORT PROCEDURE AND END OUTSIDE OF THAT SAME SORT 7641 PROCEDURE	COBOL 5 DH	60482500
7642 A PERFORM REGION CANNOT BEGIN INSIDE A SORT PROCEDURE AND END IN THE DECLARATIVES	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7643 A FILE ORGANIZATION OTHER THAN SEQUENTIAL FOR THE GIVING FILE IN A SORT OR MERGE STATEMENT IS 7643 NON STANDARD	COBOL 5 DH	60482500
7644 THE ORGANIZATION OF THE GIVING FILE IN A SORT OR MERGE STATEMENT MUST BE SEQUENTIAL, RELATIVE, 7644 INDEXED OR ACTUAL-KEY	COBOL 5 DH	60482500
7645 IF THE ORGANIZATION OF THE GIVING FILE IN A SORT OR MERGE STATEMENT IS INDEXED OR ACTUAL-KEY, 7645 THE MAJOR SORT-MERGE KEY MUST BE ASCENDING AND MUST BE EITHER THE PRIME KEY FOR THE FILE 7645 OR A REDEFINITION OF IT WITH THE SAME LENGTH	COBOL 5 DH	60482500
7646 REFERENCE TO A CONDITION-NAME IS INVALID IN THIS CONTEXT	COBOL 5 DH	60482500
7699 FIPS=3 SUPPORTS CALL IDENTIFIER	COBOL 5 DH	60482500
7700 FIPS=3 SUPPORTS ACCEPT MESSAGE COUNT	COBOL 5 DH	60482500
7701 A RENAMES DATA ITEM MAY NOT BE A RECEIVING ITEM IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7701 SUBSCHE NEXT= CURRENT ADDRESS num OCTAL	CDCS 2 RM	60481800
7701 SUBSCHEMA NEXT=CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7702 SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7702 SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 RM	60481800
7703 AN INDEX DATA ITEM MAY NOT APPEAR AS A RECEIVING FIELD IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7703 SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7703 SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 RM	60481800
7704 AN INDEX-NAME MAY NOT APPEAR AS A RECEIVING FIELD IN AN INITIALIZE STATEMENT	COBOL 5 DH	60482500
7704 SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 DA RM	60485200
7704 SEARCH FAIL - SCHEMA AREA IS an	CDCS 2 RM	60481800
7705 IN AN INITIALIZE STATEMENT, THE OCCURS DEPENDING ON PHRASE MAY NOT APPEAR IN THE DESCRIPTION 7705 OF A RECEIVING FIELD OR ANY ITEM SUBORDINATE TO A RECEIVING FIELD	COBOL 5 DH	60482500
7705 TRUNCATION - AREA NAME SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7705 TRUNCATION - AREA NAME SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7706 IN AN INITIALIZE STATEMENT, THE CATEGORY OF THE SENDING ITEM MUST BE CONSISTENT WITH THE 7706 CATEGORY SPECIFIED IN THE REPLACING PHRASE	COBOL 5 DH	60482500
7706 TRUNCATION - KEY CAPSULE LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7706 TRUNCATION - KEY CAPSULE LEN num OCTAL WORDS	CDCS 2 RM	60481800
7707 IN AN INITIALIZE STATEMENT, THE CATEGORY OF AN ELEMENTARY RECEIVING ITEM MUST BE THE SAME AS THE 7707 CATEGORY SPECIFIED IN THE REPLACING PHRASE	COBOL 5 DH	60482500
7707 TRUNCATION - KEY CAPSULE PNT num OCTAL	CDCS 2 DA RM	60485200
7707 TRUNCATION - KEY CAPSULE PNT num OCTAL	CDCS 2 RM	60481800
7708 TRUNCATION - KEY TABLE POINT num OCTAL	CDCS 2 DA RM	60485200
7708 TRUNCATION - KEY TABLE POINT num OCTAL	CDCS 2 RM	60481800
7709 TRUNCATION - CODE TABLE PNTR num OCTAL	CDCS 2 DA RM	60485200
7709 TRUNCATION - CODE TABLE PNTR num OCTAL	CDCS 2 RM	60481800
7710 TRUNCATION - LITERAL POINTER num OCTAL	CDCS 2 DA RM	60485200
7710 TRUNCATION - LITERAL POINTER num OCTAL	CDCS 2 RM	60481800
7711 SUBSCHEMA BAD REC CODE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7711 SUBSCHEMA BAD REC CODE SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7712 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7712 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7713 TRUNCATION - DEPEND TABLE PT num OCTAL	CDCS 2 DA RM	60485200
7713 TRUNCATION - DEPEND TABLE PT num OCTAL	CDCS 2 RM	60481800
7750 THE CONTINUE STATEMENT IS NON-STANDARD COBOL	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7751 SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7751 SUBSCHEMA HAS BAD AREA TYPE typ OCTAL	CDCS 2 RM	60481800
7751 THE END-IF IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7752 SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 DA RM	60485200
7752 SCHEMA HAS THE BAD AREA TYPE typ OCTAL	CDCS 2 RM	60481800
7752 THE END-SEARCH IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7753 DELIMITED SCOPE STATEMENTS ARE NON-STANDARD COBOL	COBOL 5 DH	60482500
7753 SCHEMA BAD CONSTRAINT TYPE - typ OCTAL	CDCS 2 DA RM	60485200
7753 SCHEMA BAD CONSTRAINT TYPE - typ OCTAL	CDCS 2 RM	60481800
7754 SCHEMA BAD DATA - CONSTRAINT cn	CDCS 2 DA RM	60485200
7754 SCHEMA BAD DATA - CONSTRAINT cn	CDCS 2 RM	60481800
7754 THE NEXT SENTENCE PHRASE IS ILLEGAL IN A DELIMITED SCOPE STATEMENT	COBOL 5 DH	60482500
7755 THE WITH TEST BEFORE/AFTER PHRASE IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7756 AN END-PERFORM IS REQUIRED TO TERMINATE AN IN-LINE PERFORM	COBOL 5 DH	60482500
7757 THE END-PERFORM IS NON-STANDARD COBOL	COBOL 5 DH	60482500
7758 INCOMPLETE WITH TEST PHRASE -- PHRASE IGNORED	COBOL 5 DH	60482500
7759 THE WITH TEST BEFORE/AFTER PHRASE IS ILLEGAL IN FORMAT 1 AND 2 PERFORM STATEMENTS-- 7759 PHRASE IGNORED	COBOL 5 DH	60482500
7760 AN IMPERATIVE STATEMENT IS REQUIRED IN AN IN-LINE PERFORM STATEMENT	COBOL 5 DH	60482500
7801 SUBSCHEMA NEXT=CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7801 SUBSHEMA NEXT= CURRENT ADDRESS num OCTAL	CDCS 2 RM	60481800
7801 THE USE STATEMENT MUST SPECIFY -USE BEFORE REPORTING-, -USE FOR DEBUGGING-, -USE FOR HASHING-, 7801 OR -USE AFTER STANDARD ERROR PROCEDURE-	COBOL 5 DH	60482500
7802 SUBSCHEMA BAD RECORD TYPE IS typ OCTAL	CDCS 2 DA RM	60485200
7802 SUBSHEMA BAD RECORD TYPE IS typ OCTAL	CDCS 2 RM	60481800
7802 USE FOR DEBUGGING MUST SPECIFY CD-NAME, PROCEDURE-NAME, FILE-NAME, ALL REFERENCES OR IDENTIFIER, 7802 OR ALL PROCEDURES	COBOL 5 DH	60482500
7803 SCHEMA HAS A BAD RECORD TYPE typ OCTAL	CDCS 2 DA RM	60485200
7803 SCHEMA HAS A BAD RECORD TYPE typ OCTAL	CDCS 2 RM	60481800
7803 THE SAME REPORT GROUP NAME MAY NOT APPEAR IN MORE THAN ONE USE BEFORE REPORTING STATEMENT	COBOL 5 DH	60482500
7804 TRUNCATION - RECORD NAME LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7804 TRUNCATION - RECORD NAME LEN num OCTAL WORDS	CDCS 2 RM	60481800
7805 THE RESERVED WORD -REPORTING- IS REQUIRED HERE	COBOL 5 DH	60482500
7805 TRUNCATION - SUBSCHEMA ITEMS num DECIMAL	CDCS 2 DA RM	60485200
7805 TRUNCATION - SUBSCHEMA ITEMS num DECIMAL	CDCS 2 RM	60481800
7806 THE NAME OF A REPORT GROUP IS REQUIRED HERE	COBOL 5 DH	60482500
7806 TRUNCATION - SUBSCHE REC LEN num OCTAL	CDCS 2 RM	60481800
7806 TRUNCATION - SUBSCHEMA REC LEN num OCTAL	CDCS 2 DA RM	60485200
7807 THE RESERVED WORD ERROR OR THE RESERVED WORD EXCEPTION IS REQUIRED HERE	COBOL 5 DH	60482500
7807 TRUNCATION - SCHEMA REC ITEM num DECIMAL	CDCS 2 DA RM	60485200
7807 TRUNCATION - SCHEMA REC ITEM num DECIMAL	CDCS 2 RM	60481800
7808 THE RESERVED WORD -PROCEDURE- IS REQUIRED HERE	COBOL 5 DH	60482500
7808 TRUNCATION - SCHEMA REC SIZE num OCTAL	CDCS 2 DA RM	60485200
7808 TRUNCATION - SCHEMA REC SIZE num OCTAL	CDCS 2 RM	60481800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7809 TRUNCATION - READ CAPSL SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7809 TRUNCATION - READ CAPSL SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7809 USE AFTER STANDARD ERROR PROCEDURE MUST SPECIFY FILE-NAME, INPUT, OUTPUT, EXTEND, OR I-D	COBOL 5 DH	60482500
7810 THIS REFERENCE IS NOT A FILE-NAME REFERENCE AS REQUIRED IN THE USE AFTER STANDARD ERROR 7810 PROCEDURE ON FILE-NAME STATEMENT	COBOL 5 DH	60482500
7810 TRUNCATION - READ CAPSL PNTR num OCTAL	CDCS 2 DA RM	60485200
7810 TRUNCATION - READ CAPSL PNTR num OCTAL	CDCS 2 RM	60481800
7811 THE NAME OF A DIRECT FILE IS REQUIRED HERE	COBOL 5 DH	60482500
7811 TRUNCATION - WRITE CAPSL LEN num OCTAL WORDS	CDCS 2 DA RM	60485200
7811 TRUNCATION - WRITE CAPSL LEN num OCTAL WORDS	CDCS 2 RM	60481800
7812 FIPS=3 SUPPORTS REFERENCES TO LEVEL 66 ITEMS	COBOL 5 DH	60482500
7812 TRUNCATION - WRITE CAPSL PNT num OCTAL	CDCS 2 DA RM	60485200
7812 TRUNCATION - WRITE CAPSL PNT num OCTAL	CDCS 2 RM	60481800
7813 FIPS=3 SUPPORTS NESTED IF STATEMENTS	COBOL 5 DH	60482500
7813 SCHEMA GET ERROR - ITEM NAME nm	CDCS 2 DA RM	60485200
7813 SCHEMA GET ERROR - ITEM NAME nm	CDCS 2 RM	60481800
7814 FIPS=3 SUPPORTS INSPECT LITERALS GREATER THAN ONE CHARACTER IN LENGTH	COBOL 5 DH	60482500
7814 TRUNCATION - ITEM LOCK POINT num OCTAL	CDCS 2 DA RM	60485200
7814 TRUNCATION - ITEM LOCK POINT num OCTAL	CDCS 2 RM	60481800
7815 FIPS=2 SUPPORTS PROCEDURE DIVISION REFERENCES TO RELATIVE FILES	COBOL 5 DH	60482500
7815 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7815 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7816 FIPS=4 SUPPORTS PROCEDURE DIVISION REFERENCES TO INDEXED FILES	COBOL 5 DH	60482500
7817 FIPS=2 SUPPORTS PROCEDURE DIVISION REFERENCES TO RECORD-NAMES DEFINED IN RELATIVE FILES	COBOL 5 DH	60482500
7818 FIPS=4 SUPPORTS PROCEDURE DIVISION REFERENCES TO RECORD-NAMES DEFINED IN INDEXED FILES	COBOL 5 DH	60482500
7821 FIPS=3 SUPPORTS WRITE BEFORE/AFTER ADVANCING MNEMONIC-NAME	COBOL 5 DH	60482500
7822 FIPS=3 SUPPORTS WRITE BEFORE/AFTER ADVANCING IDENTIFIER LINES	COBOL 5 DH	60482500
7823 FIPS=2 SUPPORTS FIXED PERMANENT SEGMENTS AND INDEPENDENT SEGMENTS	COBOL 5 DH	60482500
7824 FIPS=4 SUPPORTS FIXED OVERLAYABLE SEGMENTS	COBOL 5 DH	60482500
7825 FIPS=2 SUPPORTS REFERENCES TO DEBUG-ITEM, DEBUG-LINE, DEBUG-NAME, DEBUG-SUB-1, DEBUG-SUB-2, 7825 DEBUG-SUB-3, AND DEBUG-CONTENTS	COBOL 5 DH	60482500
7826 FIPS=3 SUPPORTS WRITE AT END-OF-PAGE IMPERATIVE-STATEMENT	COBOL 5 DH	60482500
7827 FIPS=4 SUPPORTS THE OPEN FILE-NAME SERIES FOR INDEXED FILE ORGANIZATIONS	COBOL 5 DH	60482500
7828 FIPS=3 SUPPORTS THE OPEN FILE-NAME SERIES FOR SEQUENTIAL FILE ORGANIZATIONS	COBOL 5 DH	60482500
7829 FIPS=2 SUPPORTS THE OPEN FILE-NAME SERIES FOR RELATIVE FILE ORGANIZATIONS	COBOL 5 DH	60482500
7830 FIPS=4 SUPPORTS THE CLOSE FILE-NAME SERIES FOR INDEXED FILE ORGANIZATIONS	COBOL 5 DH	60482500
7831 FIPS=3 SUPPORTS THE CLOSE FILE-NAME SERIES FOR SEQUENTIAL FILE ORGANIZATIONS	COBOL 5 DH	60482500
7832 FIPS=2 SUPPORTS THE CLOSE FILE-NAME SERIES FOR RELATIVE FILE ORGANIZATIONS	COBOL 5 DH	60482500
7833 FIPS=4 SUPPORTS THE USE AFTER FILE-NAME SERIES FOR INDEXED FILE ORGANIZATIONS	COBOL 5 DH	60482500
7834 FIPS=3 SUPPORTS THE USE AFTER FILE-NAME SERIES FOR SEQUENTIAL FILE ORGANIZATIONS	COBOL 5 DH	60482500
7835 FIPS=3 SUPPORTS THE USE AFTER FILE-NAME SERIES FOR RELATIVE FILE ORGANIZATIONS	COBOL 5 DH	60482500
7850 THE DECLARATIVES HEADER MAY NOT APPEAR MORE THAN ONCE	COBOL 5 DH	60482500
7851 THIS IS NOT THE DECLARATIVES SECTION. END DECLARATIVES IS UNDEFINED	COBOL 5 DH	60482500

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7852 IN THE DECLARATIVES, A USE STATEMENT MUST IMMEDIATELY FOLLOW EACH SECTION HEADER	COBOL 5 DH	60482500
7853 A USE STATEMENT, WHEN PRESENT, MUST IMMEDIATELY FOLLOW A SECTION HEADER IN THE DECLARATIVES SECTION	COBOL 5 DH	60482500
7854 A PERIOD MUST FOLLOW A USE STATEMENT	COBOL 5 DH	60482500
7855 THE DECLARATIVES, WHEN PRESENT, MUST APPEAR IMMEDIATELY AFTER THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7856 A PERIOD MUST FOLLOW END DECLARATIVES	COBOL 5 DH	60482500
7857 A PERIOD MUST FOLLOW THE RESERVED WORD -DECLARATIVES-	COBOL 5 DH	60482500
7858 DECLARATIVES MUST BE TERMINATED BY END DECLARATIVES	COBOL 5 DH	60482500
7880 A NON-ZERO LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7881 THIS CANCEL STATEMENT IS IGNORED BECAUSE THE -NO CANCEL- OPTION WAS SPECIFIED ON THE COMPILER CONTROL CARD	COBOL 5 DH	60482500
7882 AN UNSIGNED INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7883 A POSITIVE INTEGER LITERAL IS REQUIRED HERE	COBOL 5 DH	60482500
7886 THE OPERANDS IN THE USING PHRASE MUST BE DESCRIBED AS LEVEL 01 OR LEVEL 77	COBOL 5 DH	60482500
7888 THIS DATA-NAME MUST BE DEFINED IN THE LINKAGE SECTION	COBOL 5 DH	60482500
7889 THE SAME DATA-NAME MUST NOT APPEAR MORE THAN ONCE IN THE USING PHRASE OF THE PROCEDURE DIVISION HEADER	COBOL 5 DH	60482500
7890 PROCEDURE DIVISION USING ILLEGAL IN MAIN PROGRAM	COBOL 5 DH	60482500
7894 THE DEBUGGING SECTIONS MUST APPEAR TOGETHER IMMEDIATELY AFTER THE DECLARATIVES HEADER	COBOL 5 DH	60482500
7895 AN ELEMENTARY NUMERIC DATA ITEM IS REQUIRED IF THE -WITH CONVERSION- PHRASE IS SPECIFIED	COBOL 5 DH	60482500
7898 A PROCEDURE NAME DEFINED WITHIN A DEBUGGING SECTION MAY NOT APPEAR IN A USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7899 WHEN THE -ALL PROCEDURES- PHRASE IS SPECIFIED IN A USE FOR DEBUGGING STATEMENT A PROCEDURE NAME MAY NOT BE SPECIFIED IN ANY USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7900 THE -ALL PROCEDURES- PHRASE MAY APPEAR ONLY ONCE IN A PROGRAM	COBOL 5 DH	60482500
7901 SUBSCHE NEXT= CURRENT ADDRESS num OCTAL	CDCS 2 RM	60481800
7901 SUBSCHEMA NEXT= CURRENT ADDRESS num OCTAL	CDCS 2 DA RM	60485200
7901 THIS PROCEDURE NAME IS ALREADY REFERENCED IN A USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7902 SUBSCHEMA BAD RELATION TYPE typ OCTAL	CDCS 2 DA RM	60485200
7902 SUBSCHEMA BAD RELATION TYPE typ OCTAL	CDCS 2 RM	60481800
7902 THIS IDENTIFIER IS ALREADY REFERENCED IN A USE FOR DEBUGGING STATEMENT	COBOL 5 DH	60482500
7903 THE SPECIAL REGISTER -DEBUG-ITEM- IS UNDEFINED IN A PROGRAM WHICH IS NOT IN DEBUGGING MODE	COBOL 5 DH	60482500
7903 TRUNCATION - RELATION MAX RANK num DECIMAL	CDCS 2 RM	60481800
7903 TRUNCATION - RELATN MAX RANK num DECIMAL	CDCS 2 DA RM	60485200
7904 REFERENCES TO THE SPECIAL REGISTER -DEBUG-ITEM- ARE ONLY ALLOWED FROM WITHIN A DEBUGGING SECTION	COBOL 5 DH	60482500
7904 TRUNCATION - REL NAME LENGTH num OCTAL WORDS	CDCS 2 DA RM	60485200
7904 TRUNCATION - REL NAME LENGTH num OCTAL WORDS	CDCS 2 RM	60481800
7905 TRUNCATION - SEARCH TABLE PT num OCTAL	CDCS 2 DA RM	60485200
7905 TRUNCATION - SEARCH TABLE PT num OCTAL	CDCS 2 RM	60481800
7906 BAD RELATION QUAL TABLE TYPE typ OCTAL	CDCS 2 DA RM	60485200
7906 BAD RELATION QUAL TABLE TYPE typ OCTAL	CDCS 2 RM	60481800
7907 TRUNCATION - QUAL TABLE PNTR num OCTAL	CDCS 2 DA RM	60485200
7907 TRUNCATION - QUAL TABLE PNTR num OCTAL	CDCS 2 RM	60481800
7908 TRUNCATION - QUAL MAX RANK - num DECIMAL	CDCS 2 DA RM	60485200
7908 TRUNCATION - QUAL MAX RANK - num DECIMAL	CDCS 2 RM	60481800

<u>MESSAGE</u>	<u>MANUAL</u>	<u>PUB. NO.</u>
7909 TRUNCATION - QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7909 TRUNCATION - QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7910 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7910 TRUNCATION - WORK BLOCK SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7911 BAD QUAL TABLE STACK TYPE IS typ OCTAL	CDCS 2 DA RM	60485200
7911 BAD QUAL TABLE STACK TYPE IS typ OCTAL	CDCS 2 RM	60481800
7912 TRUNCATION - QUAL STACK SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7912 TRUNCATION - QUAL STACK SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7913 TRUNCATION - ATTRIBUTE POINT num OCTAL	CDCS 2 DA RM	60485200
7913 TRUNCATION - ATTRIBUTE POINT num OCTAL	CDCS 2 RM	60481800
7914 BAD REL QUAL TABLE AREA RANK num DECIMAL	CDCS 2 DA RM	60485200
7914 BAD REL QUAL TABLE AREA RANK num DECIMAL	CDCS 2 RM	60481800
7915 QUAL ABOVE MAX RANK FOR RANK num DECIMAL	CDCS 2 DA RM	60485200
7915 QUAL ABOVE MAX RANK FOR RANK num DECIMAL	CDCS 2 RM	60481800
7916 BAD QUAL STACK ENTRY POINTER num OCTAL	CDCS 2 DA RM	60485200
7916 BAD QUAL STACK ENTRY POINTER num OCTAL	CDCS 2 RM	60481800
7917 BAD RELATION QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 DA RM	60485200
7917 BAD RELATION QUAL TABLE SIZE num OCTAL WORDS	CDCS 2 RM	60481800
7918 BAD REL QUAL TABLE MAX RANK num DECIMAL	CDCS 2 DA RM	60485200
7918 BAD REL QUAL TABLE MAX RANK num DECIMAL	CDCS 2 RM	60481800
7984 THIS SPECIAL REGISTER NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS INCORRECTLY QUALIFIED.	COBOL 5 DH	60482500
7985 UNDEFINED SPECIAL REGISTER NAME REFERENCE	COBOL 5 DH	60482500
7986 FIPS=3 SUPPORTS THE SEPARATORS COMMA AND SEMICOLON	COBOL 5 DH	60482500
7987 THIS REFERENCE TO LINAGE-COUNTER IS UNDEFINED BECAUSE THE FILE DESCRIPTION ENTRY FOR THIS FILE DOES NOT CONTAIN A LINAGE CLAUSE	COBOL 5 DH	60482500
7989 THE PROCEDURE DIVISION IS MISSING	COBOL 5 DH	60482500
7990 HARDWARE PROBLEM.	NOS 2 OPER HB	60459310
7990 INITIALIZATION COMPLETE.	NOS 2 OPER HB	60459310
7990 THIS DATA NAME REFERENCE IS AMBIGUOUS. THE NAME IS MULTIPLY DEFINED OR THE REFERENCE IS INCORRECTLY QUALIFIED	COBOL 5 DH	60482500
7991 A PROCEDURE NAME REFERENCE IS NOT ALLOWED HERE	COBOL 5 DH	60482500
7992 A DATA ITEM DEFINED IN THE REPORT SECTION MAY NOT BE REFERENCED IN THE PROCEDURE DIVISION	COBOL 5 DH	60482500
7993 AMBIGUOUS PROCEDURE NAME REFERENCE	COBOL 5 DH	60482500
7994 UNDEFINED DATA NAME REFERENCE	COBOL 5 DH	60482500
7995 THIS ELEMENT MUST BEGIN IN THE A-AREA	COBOL 5 DH	60482500
7996 UNDEFINED PROCEDURE NAME REFERENCE	COBOL 5 DH	60482500
7997 THIS ELEMENT MAY NOT BEGIN IN THE A AREA	COBOL 5 DH	60482500
7998 ONLY NON-EDITED ALPHANUMERIC MOVES MAY BE PERFORMED ON DATA DEFINED IN THE SECONDARY-STORAGE SECTION. NO OTHER REFERENCES ARE ALLOWED	COBOL 5 DH	60482500
7999 A COMMA OR SEMICOLON IS NOT ALLOWED HERE	COBOL 5 DH	60482500
8001 A LITERAL SPECIFIED IN THE LITERAL PHRASE OF THE ALPHABET NAME CLAUSE, IF NUMERIC, MUST HAVE A VALUE WITHIN THE RANGE OF ONE THROUGH THE MAXIMUM NUMBER OF CHARACTERS IN THE NATIVE CHARACTER SET. THE NATIVE CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500
8002 A LITERAL SPECIFIED IN THE LITERAL PHRASE OF THE ALPHABET NAME CLAUSE, IF NON-NUMERIC AND ASSOCIATED WITH A -THROUGH- OR -ALSO- PHRASE, MUST BE ONE CHARACTER IN LENGTH. THE NATIVE CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500

MESSAGE	MANUAL	PUB. NO.
8003 A GIVEN CHARACTER MAY NOT BE SPECIFIED MORE THAN ONCE IN THE LITERAL PHRASE OF THE ALPHABET 8003 NAME CLAUSE. THE NATIVE CHARACTER SET IS ASSUMED FOR THIS ALPHABET NAME	COBOL 5 DH	60482500
8004 ALL LITERAL IN BOOLEAN EXPRESSION IS LIMITED TO 255 CHARACTERS	COBOL 5 DH	60482500
8010 UNSIGNED NUMERIC ITEM IS COMPARED WITH A NEGATIVE LITERAL	COBOL 5 DH	60482500
8011 ONE OR MORE NON-ALPHABETIC CHARACTERS ARE PRESENT IN THIS LITERAL WHICH IS USED WITH AN 8011 ALPHABETIC DATA ITEM	COBOL 5 DH	60482500
8012 THIS LITERAL EXCEEDS THE SIZE INDICATED BY THE ASSOCIATED DATA ITEM. ONE OR MORE CHARACTERS 8012 HAVE BEEN TRUNCATED ON THE RIGHT	COBOL 5 DH	60482500
8013 THIS LITERAL EXCEEDS THE SIZE INDICATED BY THE ASSOCIATED DATA ITEM. ONE OR MORE CHARACTERS 8013 HAVE BEEN TRUNCATED ON THE LEFT	COBOL 5 DH	60482500
8014 WHEN CODESET IS ASCII-64, EBCDIC, OR STANDARD-1, F TYPE RECORDS ARE ASSUMED	COBOL 5 DH	60482500
8015 WHEN CODESET IS ASCII-64, EBCDIC, OR STANDARD-1, C TYPE BLOCKS ARE ASSUMED	COBOL 5 DH	60482500
8016 RECORDING MODE DECIMAL SPECIFIED FOR RECORD TYPE W OR BLOCK TYPE I - RECORDING MODE IS 8016 RESET TO BINARY	COBOL 5 DH	60482500
8017 F RECORDS WITH LENGTH LESS THAN 10 CHARACTERS MAY NOT BE PROCESSED CORRECTLY	COBOL 5 DH	60482500
8020 COMPILER ERROR - INVALID OBJECT TYPE	COBOL 5 DH	60482500
8021 COMPILER ERROR - INVALID SOURCE TYPE	COBOL 5 DH	60482500
8022 COMPILER ERROR - INVALID CCT FIELD	COBOL 5 DH	60482500
8023 COMPILER ERROR - INVALID ALPHABET NAME TYPE	COBOL 5 DH	60482500
8024 COMPILER ERROR - NO AUX ENTRY	COBOL 5 DH	60482500
8025 COMPILER ERROR - INVALID TABLE ENTRY	COBOL 5 DH	60482500
8030 NUMERIC FIELD IN USE LITERAL CONTAINS NON NUMERIC CHARACTER, ZERO ASSUMED	COBOL 5 DH	60482500
8031 EITHER YES OR NO EXPECTED IN USE LITERAL, NO ASSUMED	COBOL 5 DH	60482500
8032 DELIMITER OF = EXPECTED IN USE LITERAL, FIELD SKIPPED	COBOL 5 DH	60482500
8033 UNRECOGNIZED PARAMETER IN USE LITERAL, IGNORED	COBOL 5 DH	60482500
8034 UNRECOGNIZED VALUE FOR PARAMETER IN USE LITERAL, PARAMETER IGNORED	COBOL 5 DH	60482500
8035 NUMERIC PARAMETER IN USE LITERAL IS NOT WITHIN ALLOWED BOUNDS, ZERO ASSUMED	COBOL 5 DH	60482500
8036 ASCENDING MUST BE SPECIFIED FOR DUPLICATE KEYS IF KEY IS WITHIN OCCURS AND ORG=NEW HAS 8036 BEEN SPECIFIED IN THE USE LITERAL OR IS IMPLIED BY DEFAULT	COBOL 5 DH	60482500
8037 WHEN FILE ORGANIZATION IS RELATIVE OR WORD-ADDRESSABLE, THE RECORD TYPE MUST BE U. THE 8037 USE PARAMETER HAS THEREFORE BEEN IGNORED.	COBOL 5 DH	60482500
8039 NONNUMERIC LITERAL REQUIRED FOR THE VALUE CLAUSE OF THIS ITEM, VALUE CLAUSE IGNORED	COBOL 5 DH	60482500
8040 A SUB-SCHEMA -RESTRICT- CLAUSE RELATES A DATA BASE IDENTIFIER AND A COBOL PROGRAM DATA-NAME 8040 WHOSE PROPERTIES DIFFER	COBOL 5 DH	60482500
8041 A DATA-NAME QUALIFIER OF A RELATION SPECIFIED IN THE FDL FILE IS NOT IN THE COMMON-STORAGE 8041 SECTION	COBOL 5 DH	60482500
8042 EXD AND SDS ARE NO LONGER SUPPORTED - SEE DFC AND EFC	COBOL 5 DH	60482500
8043 A PRINT FILE MAY NOT CONTAIN A SYNCHRONIZED ITEM NOR AN ITEM WHOSE USAGE IS NOT DISPLAY	COBOL 5 DH	60482500
8044 VALUE FOR COMMON-STORAGE IN SUBCOMPILE IGNORED	COBOL 5 DH	60482500
8045 LITERAL EXCEEDS ITEM LENGTH. VALUE TRUNCATED	COBOL 5 DH	60482500
8046 NUMERIC VALUE REQUIRED FOR NUMERIC ITEM	COBOL 5 DH	60482500
8047 SIGNED VALUE ILLEGAL FOR UNSIGNED ITEM	COBOL 5 DH	60482500
8048 BOOLEAN VALUE REQUIRED FOR BOOLEAN ITEM.	COBOL 5 DH	60482500

COMMENT SHEET

MANUAL TITLE: CDC NOS Version 2 Diagnostic Index

PUBLICATION NO.: 60459390

REVISION: F

NAME: _____

COMPANY: _____

STREET ADDRESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

This form is not intended to be used as an order blank. Control Data Corporation welcomes your evaluation of this manual. Please indicate any errors, suggested additions or deletions, or general comments below (please include page number references).

Please Reply

No Reply Necessary

CUT ALONG LINE

REV. 5/86 PRINTED IN U.S.A.

NO POSTAGE STAMP NECESSARY IF MAILED IN U.S.A.


FOLD ON DOTTED LINES AND TAPE

FOLD

FOLD



POSTAGE WILL BE PAID BY ADDRESSEE



Technology and Publications Division
ARH219
4201 North Lexington Avenue
Saint Paul, MN 55126-6198

CUT ALONG LINE

FOLD

FOLD

