

TM02/TU16

CONTROL LOGIC TEST
MD-11-DZTUC-E

EP-DZTUC-E-DL
COPYRIGHT 1976
FICHE 1 OF 1

JAN 1978
digital
MADE IN USA

The image displays a microfiche card with a grid of 128 frames. Each frame contains a small, high-contrast image of a document page, likely containing technical specifications or test data for the MD-11-DZTUC-E control logic test. The frames are arranged in 16 rows and 8 columns. The text within the frames is too small to be legible, but it appears to be organized into columns and rows, possibly representing different test scenarios or data points. The overall appearance is that of a standard microfiche used for data storage and retrieval in the late 1970s.

IDENTIFICATION

SEQ 0001

PRODUCT CODE: MAINDEC-11-DZTUC-E-D
PRODUCT NAME: TM02/TU16 CONTROL LOGIC TEST
DATE CREATED: 21 APRIL 76
MAINTAINER: DIAGNOSTIC ENGINEERING
AUTHOR: R. B. BARNES

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS DOCUMENT.

THE SOFTWARE DESCRIBED IN THIS DOCUMENT IS FURNISHED UNDER A LICENSE AND MAY ONLY BE USED OR COPIED IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE.

DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL.

COPYRIGHT (C) 1974, 1975, 1976 BY DIGITAL EQUIPMENTS CORPORATION

TABLE OF CONTENTS

PARAGRAPH	SUBJECT	PAGE
1.	ABSTRACT	1
2.	REQUIREMENTS	1
3.	LOADING PROCEEDURE	1
4.	STARTING PROCEEDURE	1
5.	SWITCH SETTINGS	2
6.	ERROR PRINTOUTS	3
7.	OPERATION	7
8.	TEST DESCRIPTION	8
9.	LISTING	

(PAGE 1)

1. ABSTRACT

THIS PROGRAM IS DESIGNED TO SEQUENTIALLY TEST ALL CONTROL LOGIC AND DATA FORMATTING WITHIN THE TMO2 FORMATTER. EACH TEST WILL ATTEMPT TO ISOLATE FAILURES TO THE MODULE LEVEL AND PROVIDE PRINTOUT INFORMATION WHICH WILL IDENTIFY THE FAILING MODULE. THERE ARE TWO (2) MAJOR AREAS OF TESTING: CONTROL LOGIC AND DATA FORMATTING. THE CONTROL LOGIC SECTION (TEST 1-41 & 57-64) WILL TEST ALL ERROR AND STATUS CONDITIONS AS WELL AS ADDRESSING PROTOCOL AND OPERATIONAL LOGIC SEQUENCES. THE DATA FORMATTING SECTION (TESTS 42-56) WILL TEST ALL DATA FORMATS AND TRANSFER PATHS IN ALL POSSIBLE COMBINATIONS. THE LEVEL OF FAULT ISOLATION IS POSSIBLE BECAUSE OF TMO2 THE STRUCTURE AND ITS MAINTAINENCE MODES.

2. REQUIREMENTS (HARDWARE)

- A. ANY PDP-11 PROCESSOR - WITH OR WITHOUT A HARDWARE SWITCH REGISTER
- B. 8K OF CORE
- C. CONSOLE TTY
- D. TMO2 MAGTAPE CONTROLLER
- E. MASSBUS CONTROLLER (RH)
- F. TU16 MAGTAPE TRANSPORT

3. LOADING PROCEDURE

USE STANDARD PROCEDURE FOR LOADING BINARY PAPER TAPE.

4. STARTING PROCEDURE

THERE ARE TWO (2) STARTING ADDRESSES THAT MAY BE USED: 200(0) AND 210(0).

- A. 200(0): STARTING AT THIS ADDRESS WILL CAUSE A PROGRAM IDENTIFICATION HEADER TO BE PRINTED BEFORE TESTING IS BEGUN.
- B. 210(0): STARTING AT THIS ADDRESS WILL NOT PRINT THE IDENTIFICATION HEADER AND IS THEREFORE GENERALLY TO BE USED FOR RESTARTS RATHER THAN INITIAL START

***IF THE SOFTWARE SWITCH REGISTER IS USED THEN THE FOLLOWING MESSAGE WILL BE TYPED FIRST ; SWR=XXXXXX NEW= THIS WILL ALLOW THE LOADING OF THE SOFTWARE SWITCH REGISTER LOC. 176 BEFORE THE TESTING IS STARTED. (REFER TO SECTION 5 FOR OPERATOR OPTION)

5. CONSOLE SWITCH SETTINGS

.....

IF THE DIAGNOSTIC IS RUN ON A CPU WITHOUT A SWITCH REGISTER THEN A SOFTWARE SWITCH REGISTER IS USED WHICH ALLOWS THE USER THE SAME SWITCH OPTIONS AS THE HARDWARE SWITCH REGISTER. IF THE HARDWARE SWITCH REGISTER DOES NOT EXIST OR IF ONE DOES AND IT CONTAINS ALL ONES (177777) THEN THE SOFTWARE SWITCH REGISTER (LOC. 176) IS USED.

CONTROL:

THIS PROGRAM ALSO SUPPORTS THE DYNAMIC LOADING OF THE SOFTWARE SWITCH REGISTER (LOC. 176) FROM THE TTY, THIS CAN BE ACCOMPLISHED BY DOING THE FOLLOWING:

- 1) TYPE CONTROL G <"G">; THIS WILL ALLOW THE TTY TO ENTER DATA INTO LOC. 176 AT SELECTED POINTS WITHIN THE PROGRAM.
- 2) THE MACHINE WILL THEN TYPE: SWR=XXXXXXNEW= (XXXXXX IS THE OCTAL CONTENTS OF THE SOFTWARE SWITCH REGISTER.)
- 3) AFTER THE "NEW=" HAS BEEN TYPED THEN THE OPERATOR CAN DO ONE OF THE FOLLOWING AT THE TTY:
 - A) TYPE A NUMBER TO BE LOADED INTO LOC. 176 FOLLOWED BY A <CR>. (ONLY NUMBERS BETWEEN 0-7 WILL BE ACCEPTED AND ONLY 6 NUMBERS WILL BE ALLOWED)
IF A <CR> IS THE FIRST KEY DEPRESSED THE SOFTWARE SWITCH REGISTER CONTENTS WILL NOT BE CHANGED.
 - B) IF A CONTROL U <"U"> IS DEPRESSED THEN THE PROGRAM WILL SEND YOU BACK TO STEP 2.

ALL SWITCHES ARE USED (0-15) AND THE NORMAL, OR DEFAULT, RUN
IS DONE WITH ALL SWITCHES SET TO ZERO (0).
ALL SWITCHES ARE DYNAMIC AND MAY BE CHANGED AT ANY TIME.

***BUT, THE SOFTWARE SWITCH REGISTER CAN ONLY BE LOADED DYNAMICALLY
AS STATED ABOVE UNDER CONTROL HEADING.

SW15(100000): 1=HALT ON ERROR
0=CONTINUE
SW14(040000): 1=LOOP ON ERROR (SCOPE)
0=CONTINUE
SW13(020000): 1=DO NOT PRINT ERRORS
0=PRINT ALL ERRORS
SW12(010000): 1=INHIBIT ITERATIONS
0=ITERATE EACH TEST ITS ASSIGNED AMOUNT
SW11(004000): 1=DO CONTINUOUS CYCLE
0=HALT AT END OF PASS
SW10(002000): 1=HALT AT END OF CURRENT TEST
0=CONTINUE TO NEXT TEST
SW9(001000): 1=DO MANUAL INTERVENTION TESTS
0=INHIBIT MANUAL INTERVENTION
SW8(000400): 1=INHIBIT WRAP AROUND DATA CHECK
0=DO DATA CHECKS
SW7(000200): 1=INHIBIT WRAP AROUND STATUS CHECK
0=DO STATUS CHECK
SW6(000100): 1=SELECTABLE WRAP DATA PATTERN (IN SINGLE TEST)
0=AUTO PATTERN
SW5-0: SELECT INDIVIDUAL TEST (1-64)** 00=DO ALL TESTS

6. **ERROR PRINTOUTS**

ERROR PRINTOUTS WILL APPEAR IN TWO FORMS, ONE FOR THE CONTROL LOGIC TESTS AND ANOTHER FOR THE DATA TESTS.

CONTROL LOGIC PRINTOUTS WILL CONTAIN A HEADER WHICH CALLS OUT THE TEST NUMBER, FUNCTION BEING TESTED, AND THE SUSPECT MODULE, OR MODULES ON THE FIRST LINE. THE SECOND LINE WILL CONTAIN INFORMATION AS TO THE ACTUAL ERROR. BOTH THE EXPECTED RESULT AND THE ACTUAL RESULT OF THE TEST WILL BE GIVEN. LINE THREE WILL SHOW THE CONTENTS OF THE MAJOR REGISTERS AT THE TIME OF THE ERROR AND LINE FOUR WILL PRINT THE ITERATION NUMBER WHEN APPLICABLE.

DATA TESTS WILL PRINT A HEADER CONTAINING THE TEST NUMBER, AND A DESCRIPTION OF THE WRAP AROUND FUNCTION UNDER TEST. FOLLOWING THE HEADER WILL BE A LIST OF THE MAJOR REGISTERS WITH THE EXPECTED AND ACTUAL VALUES. ANY BAD DATA WILL BE PRINTED (PER CHARACTER) FOLLOWING THE REGISTER INFORMATION OR FOLLOWING THE HEADER IF NO STATUS ERRORS WERE ENCOUNTERED.

EXAMPLES:

1. THE FOLLOWING EXAMPLE SHOWS A TYPICAL ERROR PRINTOUT FOR THE ADDRESS TESTS (LT1-LT3).

LOGIC TEST 1: DRIVE ADDRESSING (M8909 OR RH)
NON-EXIST DRIVE 3 EXPT-NOT RECVD
ITER: 3

THIS PRINTOUT SHOWS THAT THE DRIVE ADDRESS (CS2 BITS 2,1,0) RESULTED IN THE DETECTION OF NED (BIT 12 OF CS2) FOR DRIVE THREE (3) WHEN THAT DRIVE SHOULD BE THERE. THIS ERROR OCCURRED ON ITERATION THREE (3).

2. THIS EXAMPLE WILL SHOW A TYPICAL PRINTOUT OF ONE OF THE REGISTER BIT TESTS.

LOGIC TEST 7: FC BIT TEST (M8705)
FC BITS 15-0 EXPT 177777 RECVD 177577

THIS PRINTOUT SHOWS THAT FRAME COUNT BIT SEVEN (7) WAS NOT SET WHEN IT SHOULD HAVE BEEN. NO ITERATION NUMBER IS DISPLAYED WHEN RUNNING WITH CONSOLE SWITCH TWELVE (12) SET TO A ONE (1).

3. THE FOLLOWING IS A TYPICAL PRINTOUT RESULTING FROM BAD STATUS DETECTION DURING A MANUAL INTERVENTION TEST (LT14-LT17)

LOGIC TEST 15: MANUAL STATUS TEST 2
BAD STATUS EXPT 100700 RCVD 000700
ITER: 0

THIS SHOWS THAT ON THE FIRST TRY (ITER: 0) THE ACTION TAKEN BY THE OPERATOR DID NOT RESULT IN THE PROPER STATUS DETECTION BY THE HARDWARE (ATA IS NOT SET).

4. THE FOLLOWING FOUR (4) EXAMPLES SHOW EACH OF THE ERROR TYPES THAT CAN BE DETECTED BY ANY OF THE ERROR FORCING TESTS. NOTE THAT ONE OR MORE OF THE ERROR TYPES COULD BE DETECTED ON A SINGLE EXECUTION OF THE TEST.

LOGIC TEST 24: DPAR (M0906 RH)
DPAR EXPT EXPT-NOT RCVD
CS1 WC BA C CS2 DS ER AS MR TC
004260 000000 033726 000000 000100 010600 000000 000000 177712 140300

THIS MESSAGE SHOWS THAT DPAR (BIT 5 OF ER) DID NOT SET.

LOGIC TEST 26: FCE (M0909)
ERR NOT SET
CS1 WC BA FC CS2 DS ER AS MR TC
004260 000000 001376 000000 000100 110600 001000 000001 000000 100300

THIS MESSAGE SHOWS THAT WHILE FCE (BIT 9 OF ER) WAS INDEED SET, THE COMPOSITE ERROR BIT (BIT 14 OF DS) WAS NOT.

(PAGE 5)

SEQ 0000

LOGIC TEST 30: DTE (M8906 RH)
UNEXPECTED ERROR BITS

CS1	WC	BA	FC	CS2	DS	ER	AS	MR	TC
144260	002006	006600	000000	001300	150600	030000	000001	000017	100300

THIS MESSAGE SHOWS THAT WHILE THE PROPER ERROR BIT (DTE: BIT 12 OF ER) IS SET, OPI (BIT 13 OF ER) IS ALSO SET AND SHOULD NOT BE.

LOGIC TEST 32: UNS (M8909)
NOT RESET BY DRIVE CLEAR

CS1	WC	BA	FC	CS2	DS	ER	AS	MR	TC
144210	002006	006600	000000	001300	150000	010000	000001	000000	140307

THIS MESSAGE SHOWS THAT WHILE THE PROPER ERROR BITS WERE SET, THEY WERE NOT CLEARED BY A DRIVE CLEAR OPERATION.

5. THE FOLOWING ARE TWO EXAMPLES OF ERRORS DETECTED BY THE WRAP AROUND DATA TESTS. NOTE THAT EACH WRAP AROUND TEST MAY BE ACCOMPANIED BY EITHER A STATUS ERROR OF A DATA ERROR OR BOTH.

LOGIC TEST 42: WRAP 3, NRZ, NORMAL, ODD
BAD STATUS
CS1 EXPT 004270 RCVD 144270
CS2 EXPT 000100 RCVD 000100
DS EXPT 010600 RCVD 150600
ER EXPT 000000 RCVD 000100

THIS MESSAGE INDICATES BAD STATUS OF VPE (BIT 6 OF ER)

LOGIC TEST 44: WRAP 2, NRZ, NORMAL, ODD
BAD DATA
CN:0
G: 11111111
B: 11111011
CN:10
G: 00000000
B: 00001000

THIS MESSAGE SHOWS THAT DATA RECEIVED WAS NOT AS EXPECTED. CHARACTER ZERO (CN: 0) SHOWS THAT BIT TWO (2) WAS DROPPED, WHILE CHARACTER TEN (CN: 10) SHOWS BIT THREE (3) HAS BEEN PICKED UP
G: = EXPECTED DATA (GOOD)
B: = ACTUAL DATA (BAD)

7. OPERATION

THE PROCEDURES FOR OPERATING THIS PROGRAM ARE QUITE SIMPLE AND REQUIRE ONLY A FEW STEPS:

1. LOAD ADDRESS 200 OR 210
2. SET SWITCHES FOR DESIRED TEST CYCLE

REFER TO SECTION 5 FOR DYNAMIC LOADING OF SOFTWARE SWITCH REGISTER.

3. PRESS START

ALL CONSOLE SWITCHES ARE DYNAMIC AND MAY BE CHANGED AT ANY TIME. THE NORMAL OPERATING SEQUENCE IS ALL SWITCHES DOWN (0). THE TEST WILL TAKE APPROXIMATELY 3 MINUTES TO RUN; HOWEVER, IF ITERATIONS ARE INHIBITED (SW12=1) THE TEST WILL RUN IN ABOUT 30 SECONDS. THE END OF PASS IS NOTED BY A PRINTOUT STATING END OF PASS, AND THE NUMBER OF THAT PASS.

FOR THE DYNAMIC LOADING OF THE SOFTWARE SWITCH REGISTER REFER TO SECTION 5.

SINGLE TEST SELECTION: (SW0-SW5)

WHEN SW0-SW5 ARE SET TO ZERO (00), THE SCHEDULAR WILL EXECUTE ALL TESTS (1-64) IN SEQUENCE. IF SW0-SW5 ARE SET TO SOME SPECIFIC TEST NUMBER (1-64) THEN THAT PARTICULAR TEST ONLY WILL BE EXECUTED UNTIL THE TEST SELECT NUMBER IS CHANGED. WHEN YOU WISH TO SELECT A PARTICULAR TEST, SET SW10 TO A ONE (1) IN ORDER TO STOP AT THE END OF THE CURRENT TEST BEFORE SELECTING A DIFFERENT TEST NUMBER. YOU MAY SELECT THAT NUMBER IN ANY DIRECTION (HIGHER OR LOWER) BECAUSE EACH TEST IS SELF CONTAINED.

WRAP AROUND DATA PATTERNS MAY BE SELECTED VIA SW6 WHEN IN SINGLE TEST MODE. A TELETYPE REQUEST IS MADE FOR THE DESIRED DATA PATTERN WHENEVER SWITCH TEN (SW10) AND SWITCH SIX (SW6) ARE SET TO A ONE (1) WHILE ONE OF THE WRAP TESTS IS SELECTED IN SW0-SW5.

PROGRAM HALTS***

***IF THE SOFTWARE SWITCH REGISTER IS USED AND THE PROGRAM HALTS THEN THE OPERATOR CAN PRESS A <G> CONTROL G BEFORE HITTING CONTINUE. THIS WILL ALLOW THE OPERATOR TO ENTER DATA INTO LOC. 176 (SWREG). THE FOLLOWING MESSAGE WILL BE TYPED OUT ;
SWR=XXXXXX NEW (REFER TO SECTION 5 FOR OPERATOR OPTIONS).

8. TEST DESCRIPTION

LOGIC TEST #1: DRIVE ADDRESSING

PURPOSE: VERIFY THE PRESENCE OF TMO2 AT THE ADDRESSES SPECIFIED BY THE OPERATOR. TEST OCCURS IMMEDIATELY AFTER DRIVE SELECTION.

PROGRAMMED SEQUENCE: FOR EACH TMO2 ADDRESS (0-7) THE C1 REGISTER IS READ, AND THE NON-EXISTANT DRIVE (NED) BIT IS CHECKED. NED IS SET WHEN THE TMO2 DOES NOT RESPOND TO DEM BY ISSUING TRA. IN THIS TEST, NED IS EXPECTED FOR EACH ADDRESS NOT TYPED BY THE OPERATOR.

LIKELY FAULT LOCATIONS: M5904,CABLE,M5903,M8909

CIRCUITS

PRINT REFERENCES

RH-DS BITS	(C6RB)
RH-NED BIT	(C6RB)
MASSBUS CABLE C(DEM,TRA,DS BITS)	(MB3)
DRIVE ADDRESS	(MBI2)
DEM-TRA HANDSHAKE	

LOGIC TEST #2: REGISTER ADDRESSING

PURPOSE: CHECK THE REGISTER SELECT LINES

PROGRAMMED SEQUENCE: READ ALL 14 MASSBUS REGISTERS WHICH MAKE UP THE TAPE SYSTEM CHECKING FOR (1) CONTROL BUS PARITY ERROR AND (2) ILR BIT

LIKELY FAULT LOCATIONS: M5904,CABLE,M5903,M8909,M8905,M8903

CIRCUITS

PRINT REFERENCE

C-LINES	(MB1,2,3),(MBI3),(MBI4),(MBI5)
RH REGISTER SELECT	(BCTA)
TMO2 REGISTER SELECT	(MBI2)
MASSBUS REGISTER SELECT LINES	(MB1,2)
PARITY TREE	(MBI4)
CPAR,ILR BITS	(MBI11)

LOGIC TEST #3: CONTROL BUS

PURPOSE: VERIFY THAT ALL CONTROL LINES PROPERLY TRANSMIT ONES AND ZEROS.

PROGRAMMED SEQUENCE: WRITE FC REGISTER AND CHECK CPAR, READ FC AND CHECK MCPE, UPDATE DATA, REPEAT, DATA IS ALL 0'S, WALKING '1' BIT, ALL '0'S, 2 WALKING '1' BITS BEGINNING WITH BIT 0 AND 8 DATA IS CHECKED ALONG WITH ERROR BITS.

LIKELY FAULT LOCATIONS: M5904, CABLES, M5903YA, M8909, M8905, M8903

CIRCUITS

PRINT REFERENCE

C-LINES	(MB1,2,3)
C-BUS MULTIPLEXERS	(MB13,4,5,8)(TCCM7)(MR)
ERROR BIT	(MB111)
MCPE BIT	(PACA)

LOGIC TEST #4: SLAVE ADDRESSING

PURPOSE: VERIFY THE FUNCTIONING OF THE SLAVE ADDRESS BITS IN THE TAPE CONTROL REGISTER THE SLAVE ADDRESS BUS LINES, THE ADDRESS DECODE CIRCUIT IN THE TU16 AND THE SPR BIT.

 *IT IS REQUIRED THAT ONLY ONE SLAVE BE POWERED UP WHEN *
 *THIS TEST IS RUN. *

PROGRAMMED SEQUENCE: THE SLAVE ADDRESS BITS IN THE TAPE CONTROL REGISTER ARE LOADED WITH ALL 8 COMBINATIONS AND SPR IS CHECKED FOR EACH ADDRESS.

LIKELY FAULTS LOCATIONS: M8905, M8907, CABLE, M9001, M8910, M9001YA, M8903

CIRCUITS

PRINT REFERENCE

REGISTER SELECT	(MB12)
SLAVE ADDRESS BITS	(MR6)
SLAVE ADDRESS LINES	(M8907,2-2), (LAW6)
TU16 ADDRESS DECODE	(LAW6)
SPR BIT	(LAW6)(M9001YA)(TCCM7)

LOGIC TEST #5: MAINTENANCE REGISTER BITS

.....

PURPOSE: TO VERIFY THAT THE VARIOUS BITS OF THE MAINTENANCE REGISTER CAN BE WRITTEN INTO AND READ AND OTHERWISE BEHAVE AS EXPECTED.

PROGRAMMED SEQUENCE: IN THE FIRST SEQUENCE AN INCREMENTING DATA WORD (0-37) IS WRITTEN INTO THE MR, WITH THE CONTENTS OF BITS 0-4 BEING CHECKED AFTER EACH OPERATION, THEN 15(OCTAL) IS WRITTEN INTO THE REGISTER WHICH SHOULD PERMIT BITS 7-15 TO BE WRITTEN FROM THE CONTROL BUS, THEN THE DATA WRITTEN INTO BITS 7-15 IS INCREMENTED AND CHECKED.

LIKELY FAULT LOCATIONS: M8905

.....

CIRCUITS

.....

PRINT REFERENCE

.....

C-LINES

MAINTENANCE REGISTER

(MR2,3,5)

M,R, FUNCTION DECODE

(MR5)

M,R, MULTIPLEXOR

(MR4)

LOGIC TEST #6: TAPE CONTROL REGISTER BITS

.....

PURPOSE: TO VERIFY THAT TAPE CONTROL BITS 0-11 CAN BE WRITTEN INTO AND READ AND THAT TCW BEHAVES AS EXPECTED;

PROGRAMMED SEQUENCE: ALL 0'S DATA PATTERN IS WRITTEN TO AND READ FROM THE TAPE CONTROL REGISTER, TCW IS CHECKED FOR A "ONE". THIS SEQUENCE IS REPEATED WITH ALL "1" DATA AND AGAIN WITH ALL "0"'S.

LIKELY FAULT LOCATIONS: M8909,M8905

.....

CURCUITS

.....

PRINT REFERENCE

.....

TM02 REGISTER SELECT

(MBI2)

TC FLIP-FLOPS, MULTIPLEXERS

(MR6)

LOGIC TEST #7: FRAME COUNT BIT TEST

PURPOSE: TO VERIFY THAT THE FRAME COUNT BITS CAN BE WRITTEN INTO AND READ FROM AND ARE NEITHER STUCK AT 0 NOR STUCK AT 1.

PROGRAMMED SEQUENCE: DATA IS WRITTEN INTO THE FRAME COUNT REGISTER AND READ FROM IT, THE DATA PATTERN IS ALL ZEROS FOLLOWED BY ALL ONES FOLLOWED BY ALL ZEROS.

LIKELY FAULT LOCATIONS: M8909

CIRCUITS -----	PRINT REFERENCE -----
TM02 REGISTER SELECT	(MBI2)
FRAME COUNT REGISTER	(MBI8)
FRAME COUNT MULTIPLEXERS	(MBI10)

LOGIC TEST #10: FUNCTION CODE BIT TEST

PURPOSE: TO VERIFY THAT THE FUNCTION CODE BITS CAN BE WRITTEN INTO AND READ FROM AND ARE NEITHER STUCK AT 0 NOR STUCK AT 1.

PROGRAMMED SEQUENCE: THE C1 REGISTER IS WRITTEN WITH ALL ZEROS, DATA IS CHECKED ON THE 5 FUNCTION CODE BITS (BITS 1-5), BITS 1-5 ARE WRITTEN WITH ONES, CHECK AND REPEAT WITH ALL ZEROS.

LIKELY FAULT LOCATION: M8909, M8905

CIRCUITS -----	PRINT REFERENCE -----
TM02 REGISTER SELECTION	(MBI2)
FUNCTION CODE FLOPS	(MBI5)
FUNCTION CODE MULTIPLEXERS	(MR6)

LOGIC TEST #11: GO BIT SET, RESET

PURPOSE: TO VERIFY THAT THE GO BIT CAN BE SET IN A SIMULATED READ OPERATION AND CLEARED WITH AN INIT.

PROGRAMMED SEQUENCE: INIT AND CHECK THAT GO=0. SET UP A SIMULATED READ OPERATION BY LOADING A WAM3 15(OCTAL) INTO THE MAINTENANCE REGISTER, CLEARING THE FRAME COUNT REGISTER TO SET FCS, LOAD 1700 (FORMAT) INTO THE TAPE CONTROL REGISTER, SETTING READ COMMAND AND GO BIT, CHECK FOR GO=1, INIT AND CHECK THAT GO BIT=0.

LIKELY FAULT LOCATION: MASSBUS CABLE B(INIT),M8909,M8905

CIRCUIT -----	PRINT REFERENCE -----
FCS	NB10
SET ILF	NB17
SET NEF	NB17
GO BIT	NB15
GO BIT MULTIPLEXER	MR6
SET ILR	NB12

LOGIC TEST #12: DRIVE READY BIT

TEST 12 IS AN EXACT REPEAT OF TEST 11 EXCEPT THAT DRIVE READY (DRY) IS CHECKED INSTEAD OF THE GO BIT. DRY IS SIMPLY GO L MULTIPLEXED ONTO THE C-LINES AS BIT SEVEN OF THE STATUS REGISTER.

PRINT REF TCCM7

LOGIC TEST #13: INTERRUPT TEST
.....

PURPOSE: TO VERIFY THE OPERATION OF THE RH INTERRUPT LOGIC.

PROGRAMMED SEQUENCE: THE C1 REGISTER IS CLEARED, PRIORITY IS SET,
THE INTERRUPT ENABLE BIT IS SET AND THE INTERRUPT IS AWAITED.

LIKELY FAULT LOCATION:
.....

CIRCUITS
.....

PRINT REFERENCE
.....

INTERRUPT CONTROL

BCTF

MANUAL INTERVENTION TESTS 14,15,16,17
.....

LOGIC TEST #14: STATUS AT BOT, ON LINE, LOADED, NO WRITE RING
.....

PURPOSE: TO TEST FOR THE PRESENCE OF MOL,WRL,DPR,DRY,BOT.

PROGRAMMED SEQUENCE: THE OPERATOR IS INSTRUCTED TO LOAD THE
DRIVE WITH A TAPE MINUS THE WRITE ENABLE RING AND PLACE
THE DRIVE ON LINE AT BOT MOL,WRL,DPR,DRY,BOT ARE CHECKED.

LIKELY FAULT LOCATION: M8910,SLAVE CABLE, M8903
.....

CIRCUIT
.....

PRINT REFERENCE
.....

MOL
WRL
DPR
DRY
BOT

LAW6,TCCM7,M8900,M9001YA,YC
LAW8,TCCM7,M8900,M9001YA,YC
TCCM7
TCCM7
LAW6,TCCM7,M8900YA,M8913,YA

LOGIC TEST #15: STATUS AT BOT,OFFLINE,LOADED, NO WRITE RING
.....

PURPOSE: TO TEST ATA,DPR,DRY,SSC

PROGRAMMED SEQUENCE: OPERATOR IS INSTRUCTED TO TAKE DRIVE
OFFLINE: ATA,SSC,DPR,DRY ARE CHECKED,

LIKELY FAULT LOCATION: M8910,M8903,M8909,SLAVE CABLE
.....

CIRCUIT
.....

PRINT REFERENCE
.....

SSC
ATA

LAW8,M8913,M8913YA,TCCM7
MBI3

LOGIC TEST #16: STATUS AT EOT,ON LINE, LOADED, NO WRITE RING
.....

PURPOSE: TO TEST EOT,SSC,SLA

PROGRAMMED SEQUENCE: THE OPERATOR IS INSTRUCTED TO MOVE TO EOT
AND PLACE THE DRIVE ON LINE, EOT,SSC,SLA ARE CHECKED IN
ADDITION TO ATA,MOL,WEL,DPR,DRY

LIKELY FAULT LOCATION: M8910,SLAVE CABLE,M8903
.....

CIRCUIT
.....

PRINT REFERENCE
.....

SSC
EOT
SLA

LAW8,M8913,M8913YA,TCCM7
LAW6,TCCM7,M8900YA,M8913YA
LAW8,TCCM7,M9001YA,YC,M8900

LOGIC TEST #17: STATUS AT ONLINE LOADED
.....

TEST 17 IS EXACTLY LIKE TEST 16 EXCEPT THAT THE DRIVE IS REVERSED OFF OF EOT AND THE WRITE ENABLE RING IS INSTALLED.

.....
EACH OF THE NEXT 11 TESTS ARE DESIGNED TO VERIFY THE ABILITY TO SET SPECIFIC ERROR BITS,
.....

LOGIC TEST #20: ILLEGAL FUNCTION
.....

PROGRAMMED SEQUENCE: THE WORD COUNT IS SET TO -1. ALL CODES STORED IN THE ILLEGAL FUNCTION TABLE ARE LOADED AND ILF IS CHECKED FOR EACH ONE, THEN UNEXPECTED ERRORS ARE CHECKED.

LIKELY FAULT LOCATION: M8909
.....

CIRCUIT
.....

PRINT REFERENCE
.....

SET ILF DECODE
ILF FLOP
ILF MULTIPLEXER

MB15,MB17
MB111
MB110

LOGIC TEST #21: REGISTER MODIFICATION REFUSED

.....

PROGRAMMED SEQUENCE: INIT, SELECT SLAVE AND DRIVE, LOAD 300
0 TAPE CONTROL REGISTER LOAD WAM3 IN THE MAINTENANCE
REGISTER, LOAD THE C1 REGISTER WITH A READ COMMAND AND GO
BIT, ATTEMPT TO WRITE THE FRAME COUNT REGISTER, READ
ERROR REGISTER, CHECKING FOR RMR, CHECK FOR UNEXPECTED ERRORS
WAIT FOR ACCL, DELAY, DO EOP CLEAR,

LIKELY FAULT LOCATION: M8909

.....

CIRCUIT	PRINT REFERENCE
.....
RMR DECODE	MBI2
RMR FLOP	MBI11
RMR MULTIPLEXER	MBI10

LOGIC TEST #22: CONTROL BUS PARITY (CPAR)

.....

PROGRAMMED SEQUENCE: WRITE 20(8) INTO C82, ENABLING THE
WRITING OF EVEN PARITY ON MASSBUS, WRITE ALL ONES TO
FRAME COUNT, RESET PAT, CHECK ERROR REGISTER FOR CPAR CHECK
FOR OTHER UNEXPECTED ERRORS,

LIKELY FAULT LOCATIONS: M8909

.....

CIRCUIT	PRINT REFERENCE
.....
MASSBUS PARITY TREE	MBI4
CPAR FLOP	MBI11
CPAR MULTIPLEXER	MBI10

LOGIC TEST #23: FORMAT ERROR (FMT)

.....

PROGRAMMED SEQUENCE: AN ILLEGAL FORMAT CODE IS LOADED INTO THE TAPE CONTROL REGISTER, WAM3 IS LOADED INTO THE MR READ COMMAND AND THE GO BIT IS SET, THE ERROR REGISTER IS CHECKED FOR FORMAT ERROR AND UNEXPECTED ERROR BITS, THIS SEQUENCE IS REPEATED FOR ALL ILLEGAL FORMAT CODES

LIKELY FAULT LOCATIONS: M8905, M8906, M8909

.....

CIRCUIT

.....

PRINT REFERENCE

.....

FORMAT BITS
ILF DECODE
ILF FLOP
ILF MULTIPLEXERS

MR6
BF3
MBI11
MBI10

LOGIC TEST #24: DATA BUS PARITY ERROR (DPAE)

.....

PROGRAMMED SEQUENCE: SET UP A WRAP 2 AS FOLLOWS: NORMAL FORMAT ----> TAPE CONTROL REGISTER, -10 ----> WORD COUNT, -20 ----> FRAME COUNT, WAM2 ----> MAINTENANCE REGISTER,, LOAD WRITE COMMAND AND GO BIT, SET PAT BIT IN CS2, AFTER A DELAY MR IS LOADED 4 TIMES CAUSING 2 DATA BUS TRANSFERS, DPAE AND CPAE ARE CHECKED, THEN A CHECK FOR UNEXPECTED ERRORS IS MADE MASKING OPI,

LIKELY FAULT LOCATIONS: DBUS LINES, M8905, M8906

.....

CIRCUIT

.....

PRINT REFERENCE

.....

MM CLK
WRT CLK GENERATION
DPAE FLOP
DATA BUS PARITY TREE

MRS
ICCM4
MBI11
BF3

LOGIC TEST #25: NON-EXECUTABLE FUNCTION (NEF)
.....

PROGRAMMED SEQUENCE: LOAD FC WITH -1, SET WAM 2, SET
WRITE AND GO, ILF SHOULD SET DUE TO TOO SMALL INITIAL
FRAME COUNT, CHECK ILF, CHECK FOR UNEXPECTED ERRORS.

LIKELY FAULT LOCATION: M8909
.....

CIRCUIT	PRINT REFERENCE
NEF FLOP	MB111
NEF MULTIPLEXER	MB110
SET NEF	MB17

LOGIC TEST #26: FRAME COUNT ERROR
.....

PROGRAMMED SEQUENCE: SET WC TO -10, FC TO -20 WAM3 IN
.....
MAINTENANCE REGISTER, LOAD WRITE AND GO, DELAY ISSUE MM OR
CLEAR, CHECK FCE AND CHECK FOR UNEXPECTED ERRORS, FRAME
COUNT ERROR SHOULD BE SET BECAUSE A WRITE OPERATION WAS
TERMINATED PRIOR TO A WORD COUNT OVERFLOW.

LIKELY FAULT LOCATIONS: M8909, MB CABLE, M8903, M8905
.....

CIRCUITS	PRINT REFERENCE
RUN LINE	MB1
EBL PLS	MB19
FCE FLOP	MB111
SHUTDOWN LOGIC	TCCMS
MAINT. FUNCTION DECODE	MRS

LOGIC TEST #27: ILLEGAL REGISTER

PROGRAMMED SEQUENCE: IF THE RH HAS ALL MASSBUS REGISTER OPEN (MOST SYSTEM IN THE FIELD DON'T), ALL THE ILLEGAL REGISTER ADDRESSES ARE READ, CHECKING THE ILR BIT AFTER EACH ATTEMPT.

LIKELY FAULT LOCATIONS: MASSBUSS, M8909

CIRCUITS

PRINT REFERENCE

REGISTER SELECT LINES
REGISTER SELECT DECODE
ILR FLOP

MB1, MB2
MBI2
MBI11

LOGIC TEST #30: DRIVE TIMING ERROR

PROGRAMMED SEQUENCE:

THE MAINTENANCE REGISTER IS LOADED WITH A FUNCTION THAT IS DESIGNED TO CRIPPLE OCCUPIED. FRAME COUNT REGISTER IS CLEARED TO SET FCS LOAD WRITE COMMAND AND GO BIT. CHECK FOR DTE. THEN DRIVE IS INITIALIZED. FCS IS SET AND WRP 3 CODE IS LOADED INTO MR. WRITE COMMAND AND GO BIT ARE SET. AFTER DELAY FOR ACCELERATION, THE MR CLOCK IS GENERATED AND ANOTHER CHECK IS MADE FOR DTE. FINAL CHECK IS MADE FOR ERRORS OTHER THAN OPI. THE FIRST MAINTENANCE REGISTER CODE WHICH CRIPPLES THE OCCUPIED RECEIVER CAUSES OCCUPIED TO BE ASSERTED AND TESTS THE CIRCUITRY WHICH CHECKS FOR OCCUPIED WHEN A DATA TRANSFER COMMAND IS INITIATED. THE SECOND TEST UTILIZES THE FACT THAT THE WRP 3 CODE INHIBITS THE MASSBUS WCLK RECEIVER CREATING A SITUATION WHERE SCLK IS NOT FOLLOWED BY A WRITE CLOCK.

LIKELY FAULT LOCATIONS: M8909, M8905, M8906, MB CABLES

CIRCUITS

PRINT REFERENCES

DTE FLOP
CRIPPLE OCCUPIED FUNCTION
WRP 3 FUNCTION
PREVIOUS OCCUPIED CHECK
CHECK FOR WCLK
MM CLK

MBI11
MR5
MR5
MBI7
BF2
MR5

LOGIC TEST 31: OPERATION INCOMPLETE (OPI)
.....

PROGRAMMED SEQUENCE:
.....

SET UP INCLUDES FORMAT, WRP 2 (BIT FIDDLER WRITE), FCS, WRITE COMMAND AND GO BIT ARE SET AND THE PROGRAM DELAYS FOR OPI. A SECOND TEST INVOLVES SETTING UP WRP 3 AND ISSUING A READ COMMAND. ESSENTIALLY THIS TEST UTILIZES THE WRAPAROUND CODES TO PREVENT ANY RECORDS BEING DETECTED AFTER A READ OR A WRITE COMMAND IS ISSUED.

LIKELY FAULT LOCATIONS: M0903, M0909
.....

CIRCUITS
.....

PRINT REFERENCES
.....

OPI TIMER
OPI FLOP
OPI TIMER CONTROL

TCCMS
MBI11
MBI7

LOGIC TEST 32: UNSAFE (UNS)
.....

PROGRAMMED SEQUENCE:
.....

A NON-EXISTANT SLAVE IS SELECTED AND A READ COMMAND IS ISSUED. UNSAFE ERROR IS CHECKED.

LIKELY FAULT LOCATIONS: M0909, M0910, SLAVE CABLE
.....

CIRCUITS
.....

PRINT REFERENCES
.....

UNSAFE FLOP
SET UNSAFE
MOL GENERATION

MBI11
MBI7
LAW6

LOGIC TEST 33: POSITIONING IN PROGRESS (PIP)
.....

PROGRAMMED SEQUENCE:
.....

SET UP DRIVE AND SLAVE ARE SELECTED, FCS IS SET, A SPACE
COMMAND IS ISSUED AND PIP IS CHECKED.

LIKELY FAULT LOCATIONS: M8909, M8903
.....

CIRCUITS
.....

PRINT REFERENCES
.....

SPACE FUNCTION DECODE
PIP GENERATION
STATUS REGISTER

MBIS
TCCM7
TCCM7

LOGIC TEST 34: PHASE-ENCODED STATUS (PES)
.....

PROGRAMMED SEQUENCE:
.....

DENSITY CODES 0 - 4 ARE LOADED AND PES IS CHECKED FOR EACH
CODE, IT IS EXPECTED ONLY FOR DENSITY 4.

LIKELY FAULT LOCATIONS: M8905, SLAVE BUS, M8911, M8903
.....

CIRCUITS
.....

PRINT REFERENCES
.....

DENSITY BITS
DENSITY LINES
PES CIRCUIT
PES STATUS BIT

MR6
SBC
SC3
TCCM7

LOGIC TEST 35: TAPE CONTROL WRITE (TCW)
.....

PROGRAMMED SEQUENCE:
.....

SETUP FORMAT AND WRP-3 ARE SET, READ COMMAND IS ISSUED,
TCW IS CHECKED, DRIVE IS INITIALIZED, TAPE CONTROL REG-
ISTER IS WRITTEN TO AND TCW IS CHECKED,

LIKELY FAULT LOCATION: M8905
.....

CIRCUIT
.....

PRINT REFERENCES
.....

TCW

NR6

LOGIC TEST 36: FRAME COUNTER STATUS (FCS)
.....

PROGRAMMED SEQUENCE:
.....

DRIVE IS INITIALIZED, FCS IS CHECKED, DRIVE IS INITIALIZED,
FRAME COUNTER IS WRITTEN TO, AND FCS IS CHECKED,

LIKELY FAULT LOCATIONS: M8909, M8903
.....

CIRCUITS
.....

PRINT REFERENCES
.....

FCS BIT
FCS MULTIPLEXER

MB10
TCCM7

LOGIC TEST 37: ACCELERATION (ACCL)
.....

PROGRAMMED SEQUENCE:
.....

DRIVE IS INITIALIZED, FORMAT IS SET AND ACCL IS CHECKED FOR ONE, WAM 3 CODE IS LOADED, READ COMMAND IS ISSUED, AFTER A DELAY ACCL IS CHECKED FOR ZERO.

LIKELY FAULT LOCATIONS: M8903, M8911
.....

CIRCUITS
.....

PRINT REFERENCES
.....

ACCL BIT, MOTION DELAY COUNTER TCCM3
CLOCK SC2

LOGIC TEST 40: PE TAPE MARK (TM)
.....

PROGRAMMED SEQUENCE:
.....

DRIVE IS INITIALIZED, WAM0 IS SET, WRITE TAPE MARK IS SET. AFTER DELAY TAPE MARK BIT IS CHECKED, WAM0 MULTIPLEXES THE OUTPUT OF THE WRITE DATA GENERATOR ONTO THE RDA LINES. THE DATA SYNC MODULES SYNC ON THE DATA AND SEND ENVELOPE INFORMATION TO THE TAPE MARK DETECTOR ON M8902.

LIKELY FAULT LOCATIONS: M8902, M8901, M8903, M8905
.....

CIRCUITS
.....

PRINT REFERENCES
.....

TAPE MARK DETECTOR TCPE4, TCPES
TAPE MARK MULTIPLEXER TCCM7
ENVELOPE SIGNALS DS 3, 5, 7
WRITE DATA BUFFER TCCM2
RDA MULTIPLEXERS TCCM6
WRITE TAPE MARK FUNCTION MBIS
WAM0 SIGNAL MRS

LOGIC TEST 41: NRZ TAPE MARK (TM VPE, ITM)
.....

PROGRAMMED SEQUENCE:
.....

SAME AS TEST 40 EXCEPT NRZ DENSITY IS SELECTED.

LIKELY FAULT LOCATIONS: M8903, M8904
.....

CIRCUITS
.....

PRINT REFERENCES
.....

WRITE DATA BUFFER
RSD0 MULTIPLEXER
RDA MULTIPLEXERS
TM DETECTOR
ILLEGAL TAPE MARK FLOP

TCCM2
TCCM6
TCCM6
CNRZ4
CNRZ4

SEE NOTE ON PAGE 22 FOR TESTS 42-56

LOGIC TEST 42: WRP3, NRZ, NORMAL, ODD (BIT FIDDLER READ)
.....

PROGRAMMED SEQUENCE:
.....

TAPE CONTROL REGISTER IS LOADED WITH DENSITY 3, FORMAT 14, ODD PARITY WRP3 IS LOADED IN MAINT. REGISTER. READ FUNCTION IS LOADED, EXECUTING WRAP3 CONSISTS LOADING DATA CHARACTERS INTO MAINT. REGISTER DATA FIELD, WHERE THERE ARE MULTIPLEXERS TO BIT FIDDLER, MM CLK IS TOGGLED TO CREATE RDS. THE BIT FIDDLER TRANSMIT DATA ACCESS MASSBUS DATA LINES. WHEN ALL THE DATA HAS BEEN TRANSMITTED AN EOR CLK IS TRANSMITTED TO N REGISTER WHICH BRINGS OPERATION TO A CLOSE.

LIKELY FAULT LOCATIONS: M8906, M8905, MASSBUS P-LINES
.....

CIRCUITS
.....

PRINT REFERENCES
.....

MASSBUS CHAR, ASSEMBLE
CLK, GENERATOR
MAINT. REGISTER DATA FIELD
RDS GENERATION

BF5
BF2
MR2, MR3
MR5

LOGIC TEST 43: WARP3, PE, NORMAL, ODD
.....

JUST LIKE TEST 42 EXCEPT FOR DENSITY BITS.

LOGIC TEST 44: WRAP2, NRZ, NORMAL, ODD
.....

PROGRAMMED SEQUENCE:
.....

WRAP2 IS BIT FIDDLER WRITE, MM CLOCK IS MULTIPLEXED INTO WRT CLK SO THAT IT FORMS WRT STROBE. THE OUTPUT OF THE BIT FIDDLER IS CLOCKED INTO THE DATA FIELD OF THE MAINTENANCE REGISTER. SET UP CONSISTS OF MOVING NRZ, NORMAL FORMAT, ODD PARITY TO UNIT DESCRIPTION MAINT. REGISTER IS LOADED WITH WAM2 WRITE COMMAND IS ISSUED. AFTER THE ACCELERATION DELAY, MM CLOCK ARE GENERATED UNTIL ALL THE DATA HAS BEEN CLOCKED. SEQUENCE IS COMPLETED BY LOADING MAINTENANCE REGISTER WITH EOR CLR. THE SEQUENCE IS REPEATED WITH VARYING DATA PATTERNS.

LIKELY FAULT LOCATIONS: M8906, M8905, M8903
.....

CIRCUITS
.....

PRINT REFERENCES
.....

BIT FIDDLER CHAR UNPACK
BIT FIDDLER DATA REQUEST
WRT STRB,
MAINT. REG. DATA FIELD

BF4
BF2
TCCM4
MR2, MR3

LOGIC TEST 45: WRP2, PE, NORMAL, ODD
.....

THE TEST IS EXACTLY LIKE TEST 44 EXCEPT THAT PE WRT CLK ENBL L MUST BE ASSERTED BY M0902 TO ENABLE WR TO STROBE. THIS DOES NOT HAPPEN UNTIL THE PE WRITE CONTROL CIRCUIT HAS CLOCKED THROUGH THE PREAMBLE.

CIRCUITS
.....

PRINT REFERENCES
.....

(IN ADDITION TO TEST 44)
PE WRITE CONTROL

TCPE3

LOGIC TEST 46: WRP1, NRZ, NORMAL, ODD
.....

THIS TEST IS EXACTLY LIKE TEST 44 EXCEPT THE WRITE BUFFER (TCCM2) IS MULTIPLEXED TO THE MAINTENANCE REGISTER.

LIKELY FAULT LOCATIONS: M0903, M0904 (CRC GENERATOR)
.....

CIRCUITS
.....

PRINT REFERENCES
.....

WRITE BUFFER
CRC GENERATOR

TCCM2
CNRZ2

LOGIC TEST 47: WRAP1, PE, NORMAL, ODD
.....

IN PE MODE BOTH THE PREAMBLE AND POSAMBLE ARE CLOCKED THROUGH THE WRITE BUFFER IN ADDITION TO PHASE ENCODED DATA.

LIKELY FAULT LOCATIONS: M0902 (WRITE CONTROL STATES), M0903
.....

CIRCUITS
.....

PRINT REFERENCE
.....

WRITE BUFFER
WRITE CONTROL

TCCM2
TCPE3

LOGIC TEST 50: WRAP0, NORMAL, ODD

WRAP 0 IS THE MOST COMPLETE OF THE TMS2 WRAPAROUND DATA PATH. IT CONSISTS OF A WRITE OPERATION IN WHICH THE OUTPUT OF THE WRITE DATA BUFFER IS MULTIPLEXED TO THE READ DATA INPUTS, CHECKED AND LOADED INTO THE MAINTENANCE REGISTER FOR RETRIEVAL BY THE PROCESSOR. THE WHOLE OPERATION USES THE TYPE SYSTEM CLOCKS AND HAPPENS AT THE PROPER DATA RATES. MN CLK SERVES AS A FLAG ANNOUNCING WHEN A NEW CHARACTER HAS BEEN LOADED INTO THE MAINTENANCE REGISTER. IN PE MODE EVERY OTHER CHARACTER IS READ TO ALLOW SUFFICIENT PROCESSOR LOOP TIME. IN NRZ WRAP 0 IS EXPECTED TO PRODUCE LRC ERRORS BECAUSE THE TMS2 DOES NOT WRITE THE LRC CHARACTER.

LIKELY FAULT LOCATIONS: M8904, M8903

CIRCUITS -----	PRINT REFERENCES -----
CRC GENERATOR	CNR22
CRC CHECKOUT	CNR23
CRC, CRC STROBE	TCCM4
READ LINE MULTIPLEXERS	TCCM6
MN CLK	MRS
CRC READ TIMING	CNR24
SHUTDOWN CIRCUITRY	TCCM5

LOGIC TEST 51: WRP0, PE, NORMAL, ODD

REPEAT OF TEST 50 IN PE MODE.

LIKELY FAULT LOCATIONS: M8901, M8902, M8903

CIRCUITS -----	PRINT REFERENCES -----
DATA DISCRIMINATOR	DS2, DS4, DS6
PHASE LOCKED CLOCK	DS3, DS5, DS7
SKEW BUFFER	DS3, DS5, DS7
PE WRITE MAJOR STATES	TCPE3
PE READ MAJOR STATES	TCPE5
WRAP 0 CIRCUIT TO BLOCK RLT RDS	TCPE3
DESKW BUFFER READ COUNTER	TCPE4

LOGIC TEST 52: CORE DUMP WRITE, WAM2
.....

REPEAT OF TEST 44 EXCEPT BIT FIDDLER OPERATES IN CORE DUMP
MODE!

LIKELY FAULT LOCATION: M8906
.....

LOGIC TEST 53: CORE DUMP READ, WAM3
.....

REPEAT OF TEST 42 EXCEPT BIT FIDDLER OPERATES IN CORE DUMP
MODE!

LIKELY FAULT LOCATION: M8906
.....

LOGIC TEST 54: EVEN PARITY WRITE - WAM1
.....

REPEAT OF TEST 46 EXCEPT EVEN PARITY IS SPECIFIED.

LIKELY FAULT LOCATION: M8903
.....

LOGIC TEST 55: EVEN PARITY READ: WAM0,
.....

REPEAT OF TEST 50 EXCEPT EVEN PARITY IS USED.

LIKELY FAULT LOCATIONS: M8903, M8904
.....

LOGIC TEST 56: READ REVERSE, WAMB (M8906)

REPEAT OF TEST 42 EXCEPT READ REVERSE COMMAND IS ISSUED.

LIKELY FAULT LOCATIONS: M8908, M8909

••NOTE: FOR TESTS 42-56••

FOR THE MOST PART, THIS DIAGNOSTIC TESTS PARTICULAR AREAS OF THE TMO2 LOGIC INDEPENDENT OF THE TU16. HOWEVER THERE ARE A FEW SIGNALS WHICH ARE REQUIRED FROM THE TU16 TO COMPLETE THE TESTS, AND AT LEAST ONE CASE WHERE TU16 FAILURES INTERFERE WITH THE TESTS. THE KNOWN CASES ARE LISTED HERE AND SHOULD BE CHECKED AS PART OF THE DEBUGGING.

1. MOL(SB)L: REQUIRED TO ENABLE CLOCK
2. CLOCK(SB)L: REQUIRED TO GENERATE ACCELERATION AND SHUTDOWN.
3. WRITE CLOCK(SB)L: USED IN WAMB TO GENERATE DATA AND REC(SB)L
4. RED(SB)L: SHOULD NOT OCCUR DURING WRAP AROUND TESTS, BUT WILL INTERFERE WITH THEIR OPERATION IF CAUSED BY A FAILURE SUCH AS A GROUNDED OUTPUT FROM THE G056.

THE NEXT 5 TESTS CONSISTS OF WRITING ON TAPE USING MAINTENANCE MODE FUNCTIONS TO FORCE ERROR CONDITIONS TO CHECK THE ERROR CHECKING CAPABILITIES. OCCASIONAL ERRORS MAY RESULT FROM TAPE DEFECTS. CONSTANT ERROR MAY BE THE RESULT OF PROBLEMS WITH ERROR CHECKING CIRCUITRY OR PROBLEMS WITH THE DRIVE. DEBUG OF THE PROBLEMS MAY BE EASIER USING DATA RELIABILITY OF UTILITY DRIVER.

LOGIC TEST 57: CYCLIC REDUNDANCY ERROR

.....

PROGRAMMED SEQUENCE:

.....

FIRST THE DIAGNOSTIC PERFORMS A WRAPS DESIGNED TO LOAD THE CRC CHECKER IN A KNOWN MANNER. CHECK ARE MADE FOR LRC ERROR AND THE CONTENT OF CRC REGISTER. THEN A WRITE OPERATION IS PERFORMED USING A MAINT. MODE (IICC) WHICH INHIBITS THE INITIALIZATION OF THE CRC CHECKER. THE CRC CHECKER LOGIC WHICH HAS NOT BEEN CLEARED SHOULD DETECT A CRC ERROR. UNEXPECTED ERROR BITS MAY INDICATE PROBLEMS WITH THE WRITE OPERATION.

LIKELY FAULT LOCATIONS: M8905, M8904, G056, SLAVE CABLE,
..... M8910

CIRCUITS

.....

MM FUNCTION DECODE
CRC CHECK CIRCUIT

PRINT REFERENCES

.....

MRS
CNR23

LOGIC TEST 60: LRC
.....

SEQ 0034

PROGRAMMED SEQUENCE:
.....

A WRITE OPERATION IS PERFORMED WITH A MM FUNCTION (INC THRL) WHICH ASSERTS WD(SB) 5L THROUGHOUT THE RECORD. ALL ONES DATA IS USED SO THAT THE FUNCTION ONLY INTERFERES WITH THE WRITING OF THE LRC CHARACTER WHEN NONE OF THE TH02 WRITE DATA LINES SHOULD BE ASSERTED.

LIKELY FAULT LOCATIONS: M0505, M0903, M0910, M0904
.....

CIRCUITS
.....

MM FUNCTION DECODE
WRITE LINE DRIVERS
WRITE HEAD DRIVERS
LRC CHECKING

PRINT REFERENCES
.....

MRS
TCCH2
LAW3, 4
CNRE3

(PAGE 31)

LOGIC TEST 61: PE CORRECTABLE DATA

.....

PROGRAMMED SEQUENCE:

.....

A PE WRITE OPERATION IS PERFORMED USING A FUNCTION WHICH WILL GROUND THE BIT STROBE LINE ON BIT 1. THIS SHOULD CAUSE THE BIT1 DEAD TRACK FLOP TO ASSERT AND CAUSE CORRECTABLE DATA ERROR. THE DEAD TRACK REGISTER IS CHECKED FOR BIT 1.

LIKELY FAULT LOCATIONS: M8905, M8901, M8902

.....

CIRCUITS

.....

PRINT REFERENCES

.....

MM FUNCTION DECODE
BIT STROBE CIRCUIT
DEAD TRACK FLOP
DEAD TRACK REGISTER

NR5
DS4
DS5, TCPE2
NR4

LOGIC TEST 62: PE INCORRECTABLE DATA

.....

REPEAT OF TEST 61, EXCEPT THAT THE MAINT. MODE FUNCTION GROUND BITS STROBE FOR BITS 1, 2 AND THE WD LINE FOR BIT 5 IN HELD ASSERTED. INC, DATA AND PCF ERRORS ARE EXPECTED.

LIKELY FAULT LOCATIONS: M8902, M8901

.....

CIRCUIT

.....

PRINT REFERENCE

.....

INC ERROR, PEF,

TCPE2

LOGIC TEST 63: PE FORNAT
.....

THE NM FUNCTION USED IN THIS TEST INVERTS THE DATA USED
IN PREAMBLE AND POSTAMBLE OF BIT ONE.

LIKELY FAULT LOCATIONS: M8902, M8903, M8905
.....

CIRCUITS
.....

PRINT REFERENCES
.....

PEF,
WRITE BUFFER
NM DECODE

TCPE2
TCCM2
MRS

LOGIC TEST 64: FRAME COUNT OVERFLOW
.....

THIS TEST USES A WRAP2 TO CHECK THE OVERFLOW OF FRAME
COUNT REGISTER.

LIKELY FAULT LOCATION: M8909
.....

FRAME COUNT REGISTER MB10

9. LISTING

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

```
.TITLE TM02/TU16 CONTROL LOGIC TEST
;MAINDEC-11-DZTUC-E-D
;21 OCT 75
;R. BARNES
;REVISED 21 APRIL 76 BY S. CARPENTER
;      TO SUPPORT THE DYNAMIC LOADING OF THE
;      SOFTWARE SWITCH REGISTER
.ABS

;CONSOLE SWITCHES*****
;
;SW15: 1=HALT ON ERROR
;      0=CONTINUE
;SW14: 1=LOOP ON ERROR
;      0=CONTINUE
;SW13: 1=DO NOT PRINT ERRORS
;      0=PRINT ERRORS
;SW12: 1=INHIBIT ITERATIONS
;      0=DO ITERATIONS
;SW11: 1=CONTINUOUS CYCLE
;      0=HALT AT END OF PASS
;SW10: 1=HALT AT END OF EACH TEST
;      0=CONTINUE
;SW9:  1=DO MANUAL INTERVENTION TESTS
;      0=INHIBIT MANUAL INTERVENTION
;SW8:  1=NO WRAP DATA CHECK
;      0=DO WRAP DATA CHECK
;SW7:  1=NO WRAP STATUS CHECK
;      0=DO WRAP STATUS CHECK
;SW6:  1=SELECTABLE WRAP DATA PATTERN (IN SINGLE TEST)
;      0=AUTO PATTERNS
;SW0-5: SELECT TEST NUMBER ;; 00=ALL TESTS
```



```

00                                ;REGISTER EQUIVS*****
01
02                                R0=R0
03                                R1=R1
04                                R2=R2
05                                R3=R3
06                                R4=R4
07                                R5=R5
08                                SP=R6
09                                PC=R7
90
91                                ;TRAP CATCHERS*****
92
93                                .=0
94                                ,REPT 200
95                                .+2
96                                HALT
97                                ,ENDR
98
99                                ;TTY INTERRUPT VECTOR*****
100
101                                .=60
102                                TTINT                ;TTY INTERRUPT HEADER ADDRESS
103                                0
104
105                                ;SOFTWARE SWITCH REGISTER LOC. 176*****
106
107                                .=176
108                                SWREG: 0                ;SOFTWARE SWITCH REGISTER
109
110
111                                ;START ADDRESS*****
112
113                                .=200
114                                CLR                R0
115                                JMP                START ;PROGRAM START
116
117                                .=210
118                                MOV                #1,R0                ;SET NO HEADER FLAG
119                                JMP                START
120
121                                ;TM02 INTERRUPT VECTOR*****
122
123                                .=224
124                                MTINT                ;TAPE INTERRUPT HANDLER ADDRESS
125                                340
126

```

```

127
128          000510          .0510
129                                     ;MASS BUS REGISTER EQUIV*****
130
131 000510 172440          C1: 172440
132 000512 172442          WC: 172442
133 000514 172444          BA: 172444
134 000516 172446          FC: 172446
135 000520 172450          CS: 172450
136 000522 172452          DS: 172452
137 000524 172454          ER: 172454
138 000526 172456          AS: 172456
139 000530 172460          CC: 172460
140 000532 172462          DB: 172462
141 000534 172464          MR: 172464
142 000536 172466          DT: 172466
143 000540 172470          SN: 172470
144 000542 172472          TC: 172472
145
146                                     ;ILLEGAL FUNCTION CODES
147
148 000544 005405          ILFT: 5405
149 000546 007415          7415
150 000550 016423          16423
151 000552 020437          20437
152 000554 022443          22443
153 000556 025447          25447
154 000560 031455          31455
155 000562 033465          33465
156 000564 036473          36473
157
158                                     ;CONSTANTS*****
159
160 000566 177776          PSW: 177776          ;PROCESSOR STATUS
161 000570 177570          SWR: 177570          ;SWITCH REGISTER
162 000572 177560          TKS: 177560          ;TTY READER STATUS
163 000574 177562          TKB: 177562          ;TTY READ BUFFER
164 000576 177564          TPS: 177564          ;TTY PUNCH STATUS
165 000600 177566          TPB: 177566          ;TTY PUNCH BUFFER
166 000602 177777          SERNUM: 177777      ;SERIAL NUMBER
167 000604 000011          DRVTP: 011          ;DRIVE TYPE
168 000606 000020          ITAMT: 20           ;ITERATION AMOUNT
169 000610 000224          VECT: 224           ;INTERRUPT VECTOR(RH)
170 000612 172440          REGS: 172440        ;STARTING REGISTER ADDRESS

```

```
171                                     ;FLAGS AND COUNTERS*****
172
173 000614 000000 TOB: 0
174 000616 000000 TIB: 0
175 000620 000000 HDRFL: 0
176 000622 000000 EMADDR: 0
177 000624 000000 DRVN: 0
178 000626 000000 TR00: 0
179 000630 000000 TR01: 0
180 000632 000000 TR02: 0
181 000634 000000 TR03: 0
182 000636 000000 TR04: 0
183 000640 000000 TR05: 0
184 000642 000000 TR06: 0
185 000644 000000 TR07: 0
186 000646 000000 TR10: 0
187 000650 000000 TR11: 0
188 000652 000000 TR12: 0
189 000654 000000 TR13: 0
190 000656 000000 TR14: 0
191 000660 000000 TR15: 0
192 000662 000000 NRZOF: 0
193 000664 000000 SLVN: 0
194 000666 000000 PFLG: 0
195 000670 000000 RTRN: 0
196 000672 000000 ERADD: 0
197 000674 000000 TEMP1: 0
198 000676 000000 TEMP2: 0
199 000700 000000 TEMP3: 0
200 000702 000000 ITCNT: 0
201 000704 000000 SAV1: 0
202 000706 000000 SAV2: 0
203 000710 000000 SAV3: 0
204 000712 000000 SCOLP: 0
205 000714 000000 ITRLP: 0
206 000716 000000 EXFL: 0
207 000720 000000 ATAF: 0
208 000722 000000 SLAF: 0
209 000724 000000 SSCF: 0
210 000726 000000 ERRF: 0
211 000730 000000 ASF: 0
212 000732 000000 SCF: 0
213 000734 000000 TREF: 0
214 000736 000000 PEXFL: 0
215 000740 000000 STFLG: 0
216 000742 000000 LTADD: 0
217 000744 000000 T24FL: 0
218 000746 000000 ADDFL: 0
219 000750 000000 WAN: 0
220 000752 000000 FUN: 0
221 000754 000000 DATC: 0
222 000756 000000 WTAD: 0
223 000760 000000 DATAD: 0
224 000762 000000 RDAD: 0
225 000764 000000 W2FLG: 0
226 000766 000000 DERFL: 0
```

```

227 000770 000000          PREFL: 0
228 000772 000000          SERFL: 0
229 000774 000000          CRCNT: 0
230 000776 000000          UDES: 0
231 001000 000000          WPGFL: 0
232 001002 000000          PATRN: 0
233 001004 000000          STATP: 0
234 001006 000000          RDRVF: 0
235 001010 000000          RCDP: 0
236 001012 000000          STATC: 0
237 001014 000000          SKAT: 0
238 001016 000000          PCNTR: 0
239                                     ;PASS COUNTER
240
241                                     ;EXPT WRAP STATUS*****
242 001020 000000          WCS1: 0
243 001022 000000          WCS2: 0
244 001024 000000          WDS: 0
245 001026 000000          WER: 0
246
247                                     ;DATA PATTERN GENERATORS*****
248
249 001030 000000          DATBL: 0
250 001032 015400          DATA0: DAT1 ;ALL ONE BITS
251 001034 015422          DATA1: DAT2 ;ALL ZERO BITS
252 001036 015430          DATA2: DAT3 ;ALTERNATING ONE/ZERO BITS
253 001040 015440          DATA3: DAT4 ;ALL BITS 0-377
254
255                                     ;CORE DUMP PATTERNS*****
256
257 001042 000005          WCDP2: 5
258 001044 000005          5
259 001046 000012          12
260 001050 000012          12
261 001052 000000          0
262 001054 000017          WCDP0: 17
263 001056 000017          17
264 001060 000017          17
265 001062 000017          17
266 001064 000000          0

```

267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322

001066 000000
001070 000000
001072 002310
001074 002310
001076 002540
001100 002540
001102 002746
001104 002750
001106 003132
001110 003132
001112 003410
001114 003416
001116 003612
001120 003614
001122 004024
001124 004026
001126 004150
001130 004152
001132 004304
001134 004306
001136 004546
001140 004550
001142 004754
001144 004764
001146 005056
001150 005116
001152 005166
001154 005226
001156 005276
001160 005336
001162 005406
001164 005446
001166 005516
001170 005532
001172 005662
001174 005676
001176 006026
001200 006042
001202 006152
001204 006166
001206 006302
001210 006316
001212 006626
001214 006642
001216 006760
001220 006766
001222 007174
001224 007220
001226 007312
001230 007334
001232 007630
001234 007644
001236 010160

LOGIC TEST ENTRY TABLE*****

TSTTBL: 0
0
T1AD: LT1
T1IAD: LT1
T2AD: LT2
T2IAD: LT2
T3AD: LT3
T3IAD: LT3IT
T4AD: LT4
T4IAD: LT4
T5AD: LT5
T5IAD: LT5IT
T6AD: LT6
T6IAD: LT6IT
T7AD: LT7
T7IAD: LT7IT
T10AD: LT10
T10IAD: LT10IT
T11AD: LT11
T11IAD: LT11IT
T12AD: LT12
T12IAD: LT12IT
T13AD: LT13
T13IAD: LT13IT
T14AD: LT14
T14IAD: LT14IT
T15AD: LT15
T15IAD: LT15IT
T16AD: LT16
T16IAD: LT16IT
T17AD: LT17
T17IAD: LT17IT
T20AD: LT20
T20IAD: LT20IT
T21AD: LT21
T21IAD: LT21IT
T22AD: LT22
T22IAD: LT22IT
T23AD: LT23
T23IAD: LT23IT
T24AD: LT24
T24IAD: LT24IT
T25AD: LT25
T25IAD: LT25IT
T26AD: LT26
T26IAD: LT26IT
T27AD: LT27
T27IAD: LT27IT
T30AD: LT30
T30IAD: LT30IT
T31AD: LT31
T31IAD: LT31IT
T32AD: LT32

323 001240 010174
324 001242 010312
325 001244 010326
326 001246 010414
327 001250 010436
328 001252 010556
329 001254 010572
330 001256 010730
331 001260 010744
332 001262 011050
333 001264 011064
334 001266 011220
335 001270 011242
336 001272 011346
337 001274 011362
338 001276 011614
339 001300 011614
340 001302 011726
341 001304 011726
342 001306 012010
343 001310 012010
344 001312 012116
345 001314 012116
346 001316 012200
347 001320 012200
348 001322 012306
349 001324 012306
350 001326 012374
351 001330 012374
352 001332 012502
353 001334 012502
354 001336 012564
355 001340 012564
356 001342 012676
357 001344 012676
358 001346 013024
359 001350 013024
360 001352 013074
361 001354 013074
362 001356 013144
363 001360 013144
364 001362 013222
365 001364 013252
366 001366 013560
367 001370 013600
368 001372 014006
369 001374 014034
370 001376 014264
371 001400 014312
372 001402 014536
373 001404 014564
374 001406 015000
375 001410 015014
376 001412 000000

T32IAD: LT32IT
T33AD: LT33
T33IAD: LT33IT
T34AD: LT34
T34IAD: LT34IT
T35AD: LT35
T35IAD: LT35IT
T36AD: LT36
T36IAD: LT36IT
T37AD: LT37
T37IAD: LT37IT
T40AD: LT40
T40IAD: LT40IT
T41AD: LT41
T41IAD: LT41IT
T42AD: LT42
LT42
T43AD: LT43
LT43
T44AD: LT44
LT44
T45AD: LT45
LT45
T46AD: LT46
LT46
T47AD: LT47
LT47
T50AD: LT50
LT50
T51AD: LT51
LT51
T52AD: LT52
LT52
T53AD: LT53
LT53
T54AD: LT54
LT54
T55AD: LT55
LT55
T56AD: LT56
LT56
T57AD: LT57
T57IAD: LT57IT
T60AD: LT60
T60IAD: LT60IT
T61AD: LT61
T61IAD: LT61IT
T62AD: LT62
T62IAD: LT62IT
T63AD: LT63
T63IAD: LT63IT
T64AD: LT64
T64IAD: LT64IT
TADX: 0

```

377                                     ,EVEN
378                                     ;PROGRAM START AND HOUSEKEEPING
379
380 001414 012777 000340 177144 START: MOV 0340,0PSW ;SET PRIORITY
381 001422 012706 000500          MOV 0500,SP ;SET STACK POINTER
382
383 001426 013746 000006          SUBWR: MOV 006,-(SP) ;SAVE VECTORS
384 001432 013746 000004          MOV 004,-(SP)
385 001436 012737 001456 000004          MOV 010,004 ;SET UP FOR TIMEOUT
386 001444 022777 177777 177116          CMP 0-1,0SWR ;REFERENCE HARDWARE SWITCH REGISTER
387 001452 001402          BEQ 20
388 001454 000404          BR 30
389 001456 022626          10: CMP (SP)+,(SP)+ ;ADJUST STACK
390 001460 012767 000176 177102 20: MOV 0SWREG,SWR ;POINT TO SOFTWARE SWITCH REG
391 001466 012637 000004          30: MOV (SP)+,004 ;RESTORE VECTORS
392 001472 012637 000006          MOV (SP)+,006
393 001476 022767 000176 177064          CMP 0SWREG,SWR ;IS SWREG SELECTED
394 001504 001002          BNE 40
395 001506 004767 023002          JSR PC,CNTLU ;CHECK FOR CONTROL G
396 001512 005700          40: TST R0
397 001514 001136          BNE 40:
398 001516 005067 177272          CLR SKAT ;CLEAR SKIP ADDRESS TEST FLAG
399 001522 012704 025172          MOV 0MSG1,R4
400 001526 004767 022312          JSR PC,TTOUT ;PRINT TITLE
401 001532 012704 027004          MOV 0MSG44,R4
402 001536 004767 022302          JSR PC,TTOUT ;REQUEST REGISTER ADDRESS
403 001542 016703 177044          MOV REGS,R3
404 001546 004767 022434          JSR PC,OCTP ;PRINT CURRENT ADDRESS
405 001552 012705 000612          MOV 0REGS,R5 ;SET ADDRESS SAVE LOC
406 001556 012701 000006          MOV 06,R1 ;SET SIZE OF RESPONSE
407 001562 012702 176400          MOV 0176400,R2 ;SET UPPER LIMIT
408 001566 012703 172300          MOV 0172300,R3 ;SET LOWER LIMIT
409 001572 004767 022010          JSR PC,TTR ;GO GET RESPONSE
410 001576 012704 027026          MOV 0MSG45,R4
411 001602 004767 022236          JSR PC,TTOUT ;REQUEST VECTOR
412 001606 016703 176776          MOV VECT,R3
413 001612 004767 022370          JSR PC,OCTP ;PRINT CURRENT VECTOR
414 001616 012705 000610          MOV 0VECT,R5 ;SET ADDRESS SAVE LOC
415 001622 012701 000003          MOV 03,R1 ;SET SIZE OF RESPONSE
416 001626 012702 000224          MOV 0224,R2 ;SET UPPER LIMIT
417 001632 012703 000150          MOV 0150,R3 ;SET LOWER LIMIT
418 001636 004767 021744          JSR PC,TTR ;GO GET RESPONSE
419 001642 016700 176742          MOV VECT,R0 ;GET VECTOR
420 001646 012720 023570          MOV 0MTINT,(R0)+ ;LOAD INTERRUPT ADDRESS IN VECTOR
421 001652 012710 000340          MOV 0340,(R0) ;LOAD PRIORITY
422 001656 016700 176730          MOV REGS,R0 ;GET START OF REGS
423 001662 012701 000016          MOV 016,R1 ;SET NUMBER OF REGS
424 001666 012702 000510          MOV 0C1,R2 ;GET START OF TABLE
425 001672 010022          ST0: MOV R0,(R2)+ ;BUILD TABLE
426 001674 062700 000002          ADD 02,R0 ;BUMP ADDRESS
427 001700 005301          DEC R1 ;SEE IF DONE
428 001702 001373          BNE ST0 ;IF NOT: BR
429 001704 012702 000614          MOV 0T0B,R2
430 001710 012700 000077          MOV 077,R0
431 001714 005022          ST1: CLR (R2)+ ;CLEAR FLAGS + COUNTERS
432 001716 005300          DEC R0

```

433	001720	001375		BNE	ST1		
434	001722	012704	027254	MOV	0MSG52,R4		
435	001726	004767	022112	JSR	PC,TTOUT	;PRINT NRZ ONLY REQUEST	
436	001732	012705	000662	MOV	0NRZOF,R5		
437	001736	012701	000001	MOV	01,R1	;SET SIZE OF ENTRY	
438	001742	012702	000001	MOV	01,R2	;SET UPPER LIMIT	
439	001746	012703	000000	MOV	00,R3	;SET LOWER LIMIT	
440	001752	004767	021630	JSR	PC,TTR	;GO GET RESPONSE	
441	001756	012704	027363	MOV	0MSG56,R4		
442	001762	004767	022056	JSR	PC,TTOUT	;REQUEST STATIC ONLY	
443	001766	012705	001012	MOV	0STATC,R5	;SET ADDRESS OF STATIC FLAG	
444	001772	012701	000001	MOV	01,R1	;SET SIZE OF RESPONSE	
445	001776	012702	000001	MOV	01,R2	;SET UPPER LIMIT	
446	002002	012703	000000	MOV	00,R3	;SET LOWER LIMIT	
447	002006	004767	021574	JSR	PC,TTR	;GET RESPONSE	
448	002012	005067	177000	ST2:	CLR	PCNTR	;CLEAR PASS COUNTER


```

449
450
451
452 002016 005067 176756          TSCD1: CLR      WPGFL          ;CLEAR WRAP PATRN FLAG
453 002022 005067 176712          CLR      STFLG          ;CLEAR SINGLE TEST FLAG
454 002026 017700 176536          MOV      05NR,R0
455 002032 042700 177700          BIC      0177700,R0
456 002036 005700          TST      R0
457 002040 001051          BNE      STSCD          ;GO SELECT SINGLE TEST
458 002042 012767 001066 176672          MOV      0TSTTBL,LTADD
459 002050 062767 000004 176664          TSCD0: ADD      04,LTADD
460 002056 016767 176660 176630          MOV      LTADD,ITRLP
461 002064 062767 000002 176622          ADD      02,ITRLP          ;SET ITERATION ADDRESS
462 002072 005777 176644          TST      0LTADD
463 002076 001002          BNE      TSCD1
464 002100 000167 000132          JMP      TEND          ;GO TO END ROUTINE
465 002104 005067 176510          TSCD1: CLR      HDRFL          ;CLEAR PRINT HEADER FLAG
466 002110 017700 176626          MOV      0LTADD,R0          ;SET POINTER TO TEST
467 002114 000110          JMP      (R0)          ;GO TO TEST
468 002116 004767 022320          TSCD2: JSR      PC,CKSWR          ;CHECK FOR CNTL G
469 002122 032777 002000 176440          BIT      02000,05NR          ;SEE IF HALT ON TEST
470 002130 001404          BEQ      TSCD3          ;IF NOT: BR
471 002132 004767 023024          JSR      PC,STOP
472 002136 005067 176636          CLR      WPGFL          ;CLEAR WRAP DATA GENERATOR FLAG
473 002142 005767 176572          TSCD3: TST      STFLG          ;SEE IF SINGLE TEST
474 002146 001740          BEQ      TSCD0          ;IF NOT: BR
475 002150 017700 176414          MOV      05NR,R0
476 002154 042700 177700          BIC      0177700,R0          ;MASK TEST NUMBER
477 002160 005700          TST      R0          ;SEE IF RETURN TO ALL
478 002162 001715          BEQ      TSCD          ;IF SO: BR
479 002164 012767 000001 176546          STSCD: MOV      01,STFLG          ;SET SINGLE TEST FLAG
480 002172 022700 000065          CMP      065,R0          ;SEE IF EXCEEDED TESTS
481 002176 003417          BLE      TEND          ;IF SO: BR
482 002200 000241          CLC
483 002202 006100          ROL      R0
484 002204 006100          ROL      R0          ;SET TABLE MODIFIER
485 002206 012767 001066 176526          MOV      0TSTTBL,LTADD
486 002214 060067 176522          ADD      R0,LTADD          ;SET TEST POINTER
487 002220 016767 176516 176466          MOV      LTADD,ITRLP
488 002226 062767 000002 176460          ADD      02,ITRLP          ;SET ITERATION POINTER
489 002234 000723          BR      TSCD1
490 002236 012704 026644          TEND:  MOV      0MSG41,R4
491 002242 004767 021576          JSR      PC,TTOUT          ;PRINT END OF PASS
492 002246 016703 176544          MOV      PCNTR,R3
493 002252 004767 021730          JSR      PC,OCTP          ;PRINT PASS NUMBER
494 002256 032777 004000 176304          BIT      04000,05NR          ;SEE IF HALT ON PASS
495 002264 001002          BNE      TENDX          ;IF NOT: BR
496 002266 004767 022670          JSR      PC,STOP
497 002272 012767 000001 176514          TENDX: MOV      01,SKAT          ;SET SKIP ADDRESS TEST FLAG
498 002300 005267 176512          INC      PCNTR          ;BUMP PASS COUNTER
499 002304 000167 177506          JMP      TSCD          ;RESTART

```



```

544                                     ;LOGIC TEST 2: REGISTER ADDRESSING*****
545
546 002540 000240          LT2I:  NOP
547 002542 012777 000040 175750  LT2IT: MOV    040,0C8      ;INIT
548 002550 016777 176050 175742      MOV    DRVN,0C8      ;SELECT DRIVE
549 002556 012767 027464 176036      MOV    0HSLT2,EMADDR ;SAVE LT2 HEADER ADDRESS
550 002564 012705 000510              MOV    0C1,R5        ;SET ADDRESS OF FIRST REGISTER
551 002570 012700 000016              MOV    016,R0        ;SET NUMBER OF REGISTERS
552 002574 012702 000626              MOV    0TR00,R2      ;SET START OF REGISTER BUFFER
553 002600 011501          LT2A:  MOV    (R5),R1
554 002602 011112          MOV    (R1),(R2)      ;READ REGISTER
555 002604 032777 020000 175676      BIT    020000,0C1    ;SEE IF ERROR
556 002612 001402          BEQ    LT2B          ;IF NOT: BR
557 002614 004767 000024              JSR    PC,LT2ER1     ;ELSE GO TO ERROR 1
558 002620 032777 000002 175676  LT2B:  BIT    02,0ER      ;SEE IF ILR
559 002626 001402          BEQ    LT2C          ;IF NOT: BR
560 002630 004767 000026              JSR    PC,LT2ER2     ;ELSE GO TO ERROR 2
561 002634 022225          LT2C:  CMP    (R2)+,(R5)+ ;BUMP ADDRESS
562 002636 005300          DEC    R0
563 002640 001357          BNE    LT2A          ;CONTINUE FOR ALL REGISTERS
564 002642 000435          BR     LT2X
565 002644 012767 000002 176044  LT2ER1: MOV   02,EXFL      ;FLAG NOT EXPECTED
566 002652 012767 025466 176012      MOV   0MSG4,ERADD    ;POINT TO CONTROLLER ERROR
567 002660 000415          BR     LT2ERG        ;GO TO ERROR
568 002662 012767 000002 176026  LT2ER2: MOV   02,EXFL      ;FLAG NOT EXPECTED
569 002670 012767 025504 175774      MOV   0MSG5,ERADD    ;POINT TO DRIVE ERROR
570 002676 000406          BR     LT2ERG        ;GO TO ERROR
571 002700 012767 000001 176010  LT2ER3: MOV   01,EXFL      ;FLAG EXPECTED
572 002706 012767 025466 175756      MOV   0MSG4,ERADD    ;POINT TO DRIVE
573 002714 012767 002730 175770  LT2ERG: MOV   0LT2LP,SCOLP ;SET SCOPE ADDRESS
574 002722 004767 017066              JSR    PC,LTGER      ;GO PRINT
575 002726 000207          RTS    PC            ;ELSE CONTINUE
576 002730 005726          LT2LP: TST   (SP)+    ;RESET STACK
577 002732 000167 177642              JMP    LT2A          ;LOOP
578 002736 004767 020456          LT2X:  JSR    PC,ITER   ;GO SEE IF ITERATIONS
579 002742 000167 177150              JMP    TSCD2        ;RETURN TO SCHED

```

```

500                                     ;LOGIC TEST 3: CONTROL BUS*****
501
502 002746 000240          LT3:      NOP
503 002750 012767 027543 175644  LT3IT:  NOV      @MSLT3,ENADDR ;SET TEST HEADER
504 002756 012701 000001          NOV      @1,R1      ;PRESET PATTERN 1
505 002762 012700 000020          NOV      @20,R0     ;SET PATTERN CHANGE NUMBER
506 002766 004767 020510          LT3A:  JSR      PC,INIT1 ;GO INIT
507 002772 010177 175520          NOV      R1,@FC    ;WRITE TO FC
508 002776 032777 000010 175520  BIT      @10,@ER   ;SEE IF CPAR (TH02)
509 003004 001013          DNE      LT3ER1   ;IF SO: BR
510 003006 017702 175504          LT3B:  NOV      @FC,R2   ;READ FC
511 003012 032777 020000 175470  BIT      @20000,@C1 ;SEE IF MCPE (RH)
512 003020 001020          DNE      LT3ER2   ;IF SO: BR
513 003022 005300          LT3C:  DEC      R0      ;SEE IF DONE PATTERN CHANGES
514 003024 001427          BEQ      LT3X      ;IF SO: BR
515 003026 000241          CLC
516 003030 006101          ROL      R1      ;CHANGE PATTERN
517 003032 000755          BR       LT3A      ;CONTINUE
518 003034 012767 025775 175630  LT3ER1: NOV      @MSG11,ERADD ;SET ERROR CODE
519 003042 012767 002766 175642  NOV      @LT3A,SCOLP ;SET SCOPE ADDRESS
520 003050 017702 175442          NOV      @FC,R2   ;GET DATA
521 003054 004767 020074          JSR      PC,LTGER1 ;GO DO ERROR
522 003060 000752          BR       LT3B
523 003062 012767 025751 175602  LT3ER2: NOV      @MSG10,ERADD ;SET ERROR CODE
524 003070 012767 003006 175614  NOV      @LT3B,SCOLP ;SET SCOPE ADDRESS
525 003076 004767 020052          JSR      PC,LTGER1 ;GO DO ERROR
526 003102 000747          BR       LT3C
527 003104 105701          LT3X:  TSTB     R1      ;SEE IF DONE PATTERN 2
528 003106 100405          BMI      LT3XX    ;IF SO: BR
529 003110 012701 000401          NOV      @401,R1  ;SET PATTERN 2
530 003114 012700 000010          NOV      @10,R0   ;SET PATTERN CHANGE NUMBER
531 003120 000722          BR       LT3A      ;DO PATTERN 2
532 003122 004767 020272          LT3XX: JSR      PC,ITER ;GO SEE IF ITERATIONS
533 003126 000167 176764          JMP      TSCD2    ;RETURN TO SCHEDULAR
    
```

```

614
615
616
617 003132 005767 175656      LT4:  TST      SKAT      ;SEE IF SKIP ADDRESS TESTS
618 003136 001403              BEQ      LT4G0    ;IF NOT: BR
619 003140 005767 175574      TST      STPLG    ;SEE IF SINGLE TEST
620 003144 001517              BEQ      LT4X     ;IF NOT: BR
621 003146 012704 025600      LT4G0:  MOV      @MSG0A,R4
622 003152 004767 020666      JSR      PC,TTOUT ;PRINT TEST INSTRUCTIONS
623 003156 012704 025561      LT4G:   MOV      @MSG0,R4
624 003162 004767 020656      JSR      PC,TTOUT ;REQUEST SLAVE
625 003166 012705 000664      MOV      @SLVN,R5
626 003172 012701 000001      MOV      @1,R1
627 003176 012702 000007      MOV      @7,R2
628 003202 012703 000000      MOV      @0,R3
629 003206 004767 020374      JSR      PC,TTR   ;GET SLAVE NUMBER
630 003212 005767 175456      TST      TENP1   ;SEE IF SLAVE
631 003216 001472              BEQ      LT4X     ;IF NOT: BR
632 003220 005001              CLR      R1      ;SELECT SLAVE 0
633 003222 012700 000010      MOV      @10,R0  ;SET NUMBER OF SLAVES
634 003226 012777 000040 175264 LT4A:   MOV      @40,OC8 ;INIT
635 003234 016777 175364 175256      MOV      @DRVN,OC8 ;SELECT DRIVE
636 003242 010177 175274      MOV      @R1,OTC ;SELECT SLAVE
637 003246 017703 175264      MOV      @DT,R3  ;GET DT
638 003252 020167 175406      CMP      R1,SLVN ;SEE IF SHOULD HAVE SPR
639 003256 001405              BEQ      LT4B    ;IF SO: BR
640 003260 032703 002000      BIT      @2000,R3 ;SEE IF SPR
641 003264 001417              BEQ      LT4D    ;IF NOT: BR
642 003266 000167 000044      JMP      LT4ER1  ;GO TO ERROR 1
643 003272 032703 002000      LT4B:   BIT      @2000,R3 ;SEE IF SPR
644 003276 001002              BNE     LT4C    ;IF SO: BR
645 003300 000167 000042      JMP      LT4ER2  ;ELSE GO TO ERROR
646 003304 012704 026466      LT4C:   MOV      @MSG30,R4
647 003310 004767 020530      JSR      PC,TTOUT ;PRINT SERIAL NUMBER TAG
648 003314 017703 175220      MOV      @SN,R3
649 003320 004767 021534      JSR      PC,SNPT ;PRINT SERIAL NUMBER
650 003324 005300      LT4D:   DEC      R0
651 003326 001713              BEQ      LT4G    ;IF DONE ALL: BR
652 003330 005201              INC      R1      ;BUMP SLAVE
653 003332 000167 177670      JMP      LT4A    ;CONTINUE
654 003336 012767 000001 175352 LT4ER1: MOV      @1,EXFL ;FLAG EXPT: NOT RECEIVED
655 003344 000403              BR      LT4ERG
656 003346 012767 000002 175342 LT4ER2: MOV      @2,EXFL ;FLAG RECVD: NOT EXPT
657 003354 012767 027625 175240 LT4ERG: MOV      @MSLT4,ENADDR ;SET LT4 HEADER
658 003362 012767 025727 175302      MOV      @MSG9,ERADD ;SET ERROR CONDITION
659 003370 012767 003226 175314      MOV      @LT4A,SCOLP ;SET SCOPE ADDRESS
660 003376 004767 016412      JSR      PC,LTGER ;GO TO ERROR
661 003402 000750              BR      LT4D    ;IF NO SCOPE: BR
662 003404 000167 176506      LT4X:   JMP      TSCD2  ;RETURN TO SCHED
663

```

```

664                                     ;LOGIC TEST 5: MAINTENANCE REGISTER BIT TEST*****
665
666 003410 012767 027704 175204 LT5:  MOV  #MSLT5,EMADDR ;SET TEST HEADER
667 003416 004767 020060          LT5IT: JSR  PC,INIT1 ;GO INIT
668 003422 012700 000032          MOV  #32,R0 ;SET LOOP FOR BITS 4-0
669 003426 005001          CLR  R1 ;SET TEST WORD
670 003430 010177 175100          LT5A: MOV  R1,#MR ;SEND TEST WORD TO MR
671 003434 017702 175074          MOV  #MR,R2 ;READ MR
672 003440 042702 177740          BIC  #177740,R2 ;MASK BITS 4-0
673 003444 020102          CMP  R1,R2 ;SEE IF EXPT = RECVD
674 003446 001402          BEQ  LT5B ;IF SO: BR
675 003450 000167 000056          JMP  LT5ER1 ;ELSE GO TO ERROR 1
676 003454 005300          LT5B: DEC  R0
677 003456 001402          BEQ  LT5C ;IF DONE LOOP: BR
678 003460 005201          INC  R1 ;BUMP TEST WORD
679 003462 000762          BR   LT5A ;CONTINUE LOOP
680 003464 012701 000015          LT5C: MOV  #15,R1 ;SET TEST WORD + WAM 3
681 003470 012700 001000          MOV  #1000,R0 ;SET LOOP FOR BITS 15-7
682 003474 010177 175034          LT5D: MOV  R1,#MR ;LOAD MR
683 003500 017702 175030          MOV  #MR,R2 ;READ MR
684 003504 042702 000140          BIC  #140,R2 ;MASK OUT BITS 5,6
685 003510 020102          CMP  R1,R2 ;SEE IF EXPT = RECVD
686 003512 001402          BEQ  LT5E ;IF SO: BR
687 003514 000167 000036          JMP  LT5ER2 ;ELSE GO TO ERR 2
688 003520 005300          LT5E: DEC  R0
689 003522 001427          BEQ  LT5X ;IF DONE LOOP: BR
690 003524 062701 000200          ADD  #200,R1 ;BUMP TEST WORD
691 003530 000761          BR   LT5D ;CONTINUE LOOP
692 003532 012767 026040 175132 LT5ER1: MOV  #MSG14,ERADD ;SET ERROR CODE
693 003540 012767 003430 175144          MOV  #LT5A,SCOLP ;SET SCOPE ADDRESS
694 003546 004767 017402          JSR  PC,LTGER1 ;GO TO ERROR
695 003552 000167 177676          JMP  LT5B ;CONTINUE
696 003556 012767 026055 175106 LT5ER2: MOV  #MSG15,ERADD ;SET ERROR CODE
697 003564 012767 003474 175120          MOV  #LT5D,SCOLP ;SET SCOPE ADDRESS
698 003572 004767 017356          JSR  PC,LTGER1 ;GO TO ERROR
699 003576 000167 177716          JMP  LT5E ;CONTINUE
700 003602 004767 017612          LT5X: JSR  PC,ITER ;GO SEE IF ITERATIONS
701 003606 000167 176304          JMP  TSCD2 ;RETURN TO SCHED
702

```

```

703                                     ;LOGIC TEST 6: TC REGISTER BIT TEST*****
704
705 003612 000240          LT6:  NOP
706 003614 012767 027750 175000  LT6IT:  MOV    @MSLT6,EMADDR ;POINT TO LT6 HEADER
707 003622 012700 000003          NOV    @3,R0          ;SET NUMBER OF TESTS
708 003626 005001          LT6A1:  CLR    R1
709 003630 004767 017646          LT6A:  JSR    PC,INIT1 ;GO INIT
710 003634 010177 174702          LT6B:  MOV    R1,@TC      ;WRITE TC
711 003640 017702 174676          NOV    @TC,R2        ;READ TC
712 003644 042702 160000          BIC    @160000,R2   ;MASK OUT TCW
713 003650 020102          CMP    R1,R2        ;SEE IF EXPT = RECD
714 003652 001402          BEQ    LT6C         ;IF SO: BR
715 003654 000167 000036          JMP    LT6ER1       ;ELSE GO TO ERROR
716 003660 032777 020000 174654  LT6C:  BIT    @20000,@TC  ;SEE IF TCW SET
717 003666 001002          BNE    LT6D         ;IF SO: BR
718 003670 000167 000046          JMP    LT6ER2       ;ELSE GO TO ERROR
719 003674 005300          LT6D:  DEC    R0
720 003676 001446          BEQ    LT6X         ;IF DONE ALL: BR
721 003700 022700 000001          CMP    @1,R0        ;SEE IF RESET TEST
722 003704 001750          BEQ    LT6A1        ;IF SO: BR
723 003706 012701 017777          NOV    @17777,R1    ;SET TEST WORD
724 003712 000167 177712          JMP    LT6A         ;DO SET TEST
725 003716 012767 026117 174746  LT6ER1:  NOV    @MSG10,ERADD ;SET ERROR CODE
726 003724 012767 003634 174760          NOV    @LT6B,SCOLP ;SET SCOPE ADDRESS
727 003732 004767 017216          JSR    PC,LTGER1    ;GO TO ERROR
728 003736 000167 177716          JMP    LT6C         ;CONTINUE
729 003742 012767 026103 174722  LT6ER2:  NOV    @MSG17,ERADD ;SET ERROR CODE
730 003750 010167 174730          NOV    R1,SAV1      ;SAVE R1
731 003754 012701 000001          NOV    @1,R1        ;SET EXPT = 1
732 003760 005002          CLR    R2           ;SET RECD = 0
733 003762 012767 004004 174722          NOV    @LT6ER4,SCOLP ;SET SCOPE ADDRESS
734 003770 004767 017160          JSR    PC,LTGER1    ;GO TO ERROR
735 003774 016701 174704          NOV    SAV1,R1
736 004000 000167 177670          JMP    LT6D         ;ELSE CONTINUE
737 004004 005077 174532          LT6ER4:  CLR    @TC          ;WRITE TO TC
738 004010 000167 177644          JMP    LT6C         ;LOOP ON ERROR
739 004014 004767 017400          LT6X:  JSR    PC,ITER   ;GO SEE IF ITERATIONS
740 004020 000167 176072          JMP    TSCD2       ;RETURN TO SCHED
741
    
```

```

742                                     ;LOGIC TEST 7: FRAME COUNT BIT TEST*****
743
744 004024 000240                      LT7:  NOP
745 004026 012700 000003              LT7IT: MOV    03,R0          ;SET TEST NUMBER
746 004032 012767 030014 174562      LT7C:  MOV    0MSLT7,EMADDR ;SET TEST HEADER
747 004040 005001                      CLR    R1              ;SET TEST WORD
748 004042 004767 017434              LT7A:  JSR    PC,INIT1   ;GO INIT
749 004046 010177 174444              MOV    R1,0FC         ;CLEAR FRAME COUNT
750 004052 017702 174440              MOV    0FC,R2        ;READ FC
751 004056 020102                      CMP    R1,R2          ;SEE IF EXPT = RECDV
752 004060 001402                      BEQ    LT7B           ;IF 0; BR
753 004062 000167 000022              JMP    LT7ER1        ;ELSE GO TO ERROR
754 004066 005300                      LT7B:  DEC    R0        ;SEE IF DONE ALL
755 004070 001421                      BEQ    LT7X          ;IF 0; BR
756 004072 022700 000001              CMP    01,R0         ;SEE IF RESET TEST
757 004076 001755                      BEQ    LT7C          ;IF 0; BR
758 004100 012701 177777              MOV    0-1,R1        ;SET TEST WORD TO -1
759 004104 000167 177732              JMP    LT7A          ;CONTINUE
760 004110 012767 026136 174554      LT7ER1: MOV    0MSG19,ERADD ;SET ERROR CODE
761 004116 012767 004042 174566      MOV    0LT7A,SCOLP   ;SET SCOPE ADDRESS
762 004124 004767 017024              JSR    PC,LTGER1    ;GO PRINT ERROR
763 004130 000167 177732              JMP    LT7B         ;ELSE CONTINUE
764 004134 012700 000003              LT7X:  MOV    03,R0   ;RESET TEST AMT
765 004140 004767 017254              JSR    PC,ITER      ;GO SEE IF ITERATIONS
766 004144 000167 175746              JMP    TSCD2       ;RETURN TO SCHED
767

```



```

768                                     ;LOGIC TEST 10: FUNCTION CODE BIT TEST*****
769
770 004150 000240                      LT10:  NOP
771 004152 012767 030060 174442      LT10IT: MOV    @M$LT10,EMADDR ;SET TEST HEADER
772 004160 012700 000003              MOV    @3,R0             ;SET NUMBER OF TESTS
773 004164 005001                      LT10A1: CLR   R1          ;SET TEST WORD
774 004166 012777 000040 174324      LT10A:  MOV    @40,@CS    ;INIT
775 004174 016777 174424 174316      MOV    @DRVN,@CS       ;SELECT DRIVE
776 004202 010177 174302              MOV    R1,@C1          ;WRITE C1
777 004206 017702 174276              MOV    @C1,R2          ;READ C1
778 004212 042702 177701              BIC    @177701,R2      ;MASK FUNCTION CODE
779 004216 020102                      CMP    R1,R2           ;SEE IF EXPT = RECVD
780 004220 001402                      BEQ    LT10B           ;IF SO: BR
781 004222 000167 000022              JNP    LT10E1         ;ELSE GO TO ERROR
782 004226 005300                      LT10B:  DEC    R0
783 004230 001421                      BEQ    LT10X          ;IF DONE ALL: BR
784 004232 022700 000001              CMP    @1,R0           ;SEE IF RESET TEST
785 004236 001752                      BEQ    LT10A1         ;IF SO: BR
786 004240 012701 000076              MOV    @76,R1         ;SET TEST WORD
787 004244 000167 177716              JNP    LT10A          ;DO SET TEST
788 004250 012767 026155 174414      LT10E1: MOV    @MSG20,ERADD ;SET ERROR CODE
789 004256 012767 004166 174426      MOV    @LT10A,SCOLP   ;SET SCOPE ADDRESS
790 004264 004767 016664              JSR    PC,LTGER1      ;GO PRINT ERROR
791 004270 000167 177732              JMP    LT10B          ;ELSE CONTINUE
792 004274 004767 017120      LT10X:  JSR    PC,ITER   ;GO SEE IF ITERATIONS
793 004300 000167 175612              JMP    TSCD2         ;RETURN TO SCHED

```

```

794
795
796
797 004304 000240          LT11:  NOP
798 004306 012767 030133 174306  LT11IT: MOV    @MSLT11,EMADDR ;SET TEST HEADER
799 004314 004767 017162          JSR    PC,INIT1    ;GO INIT
800 004320 017702 174164          MOV    @C1,R2      ;READ C1
801 004324 032702 000001          BIT    @1,R2       ;SEE IF GO=0
802 004330 001402          BEQ    LT11B       ;IF 0: BR
803 004332 000167 000066          JMP    LT11E1      ;ELSE GO TO ERROR 1
804 004336 012777 000015 174170  LT11B: MOV    @15,@MR     ;SELECT NAM 3
805 004344 005077 174146          CLR    @FC         ;ASSURE FCS = 1
806 004350 052777 001700 174164  BIS    @1700,@TC   ;ASSURE FMT OK
807 004356 012777 000071 174124  MOV    @71,@C1     ;SET READ+GO
808 004364 017702 174120          MOV    @C1,R2      ;READ C1
809 004370 032702 000001          BIT    @1,R2       ;SEE IF GO =1
810 004374 001002          BNE    LT11C       ;IF 0: BR
811 004376 000167 000054          JMP    LT11E2      ;ELSE GO TO ERROR 2
812 004402 004767 017074          LT11C: JSR    PC,INIT1 ;GO INIT
813 004406 017702 174076          MOV    @C1,R2      ;READ C1
814 004412 032702 000001          BIT    @1,R2       ;SEE IF GO=0
815 004416 001447          BEQ    LT11X       ;IF 0:BR
816 004420 000167 000064          JMP    LT11E3      ;ELSE GO TO ERROR 3
817 004424 012767 026207 174240  LT11E1: MOV    @MSG21,ERADD ;SET ERROR CODE
818 004432 012702 000001          MOV    @1,R2       ;SET REVD
819 004436 005001          CLR    R1          ;SET EXPT
820 004440 012767 004306 174244  MOV    @LT11IT,SCOLP ;SET SCOPE ADDRESS
821 004446 004767 016502          JSR    PC,LTGER1   ;GO PRINT ERROR
822 004452 000167 177660          JMP    LT11B       ;ELSE CONTINUE
823 004456 012767 026245 174206  LT11E2: MOV    @MSG22,ERADD ;SET ERROR CODE
824 004464 005002          CLR    R2          ;SET RCVD
825 004466 012701 000001          MOV    @1,R1       ;SET EXPT
826 004472 012767 004336 174212  MOV    @LT11B,SCOLP ;SET SCOPE ADDRESS
827 004500 004767 016450          JSR    PC,LTGER1   ;GO PRINT ERROR
828 004504 000167 177672          JMP    LT11C       ;ELSE CONTINUE
829 004510 012767 026266 174154  LT11E3: MOV    @MSG23,ERADD ;SET ERROR CODE
830 004516 005001          CLR    R1          ;SET EXPT
831 004520 012702 000001          MOV    @1,R2       ;SET RCVD
832 004524 012767 004402 174160  MOV    @LT11C,SCOLP ;SET SCOPE ADDRESS
833 004532 004767 016416          JSR    PC,LTGER1   ;GO PRINT ERROR
834 004536 004767 016656          LT11X: JSR    PC,ITER  ;GO SEE IF ITERATIONS
835 004542 000167 175350          JMP    TSCD2       ;RETURN TO SCHED

```

```

036
037
038
039 004546 000240          LT12:  NOP
040 004550 012767 030200 174044  LT12IT: MOV      @MSG12,EMADDR ;SET TEST HEADER
041 004556 004767 016720          JSR      PC,INIT1    ;GO INIT
042 004562 032777 000200 173732          BIT      @200,0DS    ;SEE IF DRY=1
043 004570 001002          BNE      LT12B       ;IF SO: BR
044 004572 000167 000062          JMP      LT12E1      ;ELSE GO TO ERROR 1
045 004576 012777 000015 173730  LT12B:  MOV      @15,0MR    ;SET WAM3
046 004604 005077 173706          CLR      @PC        ;ASSURE PCS = 1
047 004610 052777 001700 173724          BIS      @1700,0TC   ;ASSURE FMT OK
048 004616 012777 000071 173664          MOV      @71,0C1    ;SET READ+GO
049 004624 032777 000200 173670          BIT      @200,0DS    ;SEE IF DRY=0
050 004632 001402          BEQ      LT12C       ;IF SO: BR
051 004634 000167 000042          JMP      LT12E2      ;ELSE GO TO ERROR 2
052 004640 004767 016636          LT12C:  JSR      PC,INIT1 ;GO INIT
053 004644 032777 000200 173650          BIT      @200,0DS    ;SEE IF DRY=1
054 004652 001034          BNE      LT12X       ;IF SO: BR
055 004654 000167 000044          JMP      LT12E3      ;ELSE GO TO ERROR 3
056 004660 012767 026321 174004  LT12E1: MOV      @MSG24,ERADD ;SET ERROR CODE
057 004666 012767 004550 174016          MOV      @LT12IT,SCOLP ;SET SCOPE ADDRESS
058 004674 004767 016246          JSR      PC,LTGER2   ;GO TO ERROR
059 004700 000736          BR       LT12B       ;CONTINUE
060 004702 012767 026347 173762  LT12E2: MOV      @MSG25,ERADD ;SET ERROR CODE
061 004710 012767 004576 173774          MOV      @LT12B,SCOLP ;SET LOOP ADDRESS
062 004716 004767 016224          JSR      PC,LTGER2   ;GO PRINT ERROR
063 004722 000746          BR       LT12C       ;CONTINUE
064 004724 012767 026376 173740  LT12E3: MOV      @MSG25A,ERADD ;SET ERROR CODE
065 004732 012767 004640 173752          MOV      @LT12C,SCOLP ;SET ERROR LOOP
066 004740 004767 016202          JSR      PC,LTGER2   ;GET PRINT ERROR
067 004744 004767 016450          LT12X:  JSR      PC,ITER ;GO TO ITERATION SUBROUTINE
068 004750 000167 175142          JMP      TSCD2       ;RETURN TO SCHED

```

```

069
070
071
072 004754 005000
073 004756 012767 030251 173636
074 004764 004767 016512
075 004770 012767 005046 173672
076 004776 005077 173506
077 005002 005077 173560
078 005006 052777 000100 173474
079 005014 005300
080 005016 001376
081 005020 012777 000340 173540
082 005026 012767 026423 173636
083 005034 012767 004764 173650
084 005042 004767 016100
085 005046 004767 016346
086 005052 000167 175040

;LOGIC TEST 13: INTERRUPT TEST*****
LT13: CLR R0
MOV @MSLT13,EMADDR ;SET TEST HEADER
LT13IT: JSR PC,INIT1 ;GO INIT,SELECT DRIVE, SELECT ABOVE
MOV @LT13X,RTRN ;SET RETURN ADDRESS
CLR C01 ;CLEAR C01
CLR @PSW ;SET PRIORITY
BIS @100,C01 ;BIT SET IE
LT13A: DEC R0
BNE LT13A ;AWAIT INTERRUPT
LT13E1: MOV @340,@PSW ;RESET PRIORITY
MOV @MSG26,ERADD ;SET ERROR CODE
MOV @LT13IT,SCOLP ;SET LOOP ADDRESS
JSR PC,LTGER2 ;GO PRINT ERROR
LT13X: JSR PC,ITER ;GO TO ITERATION SUBROUTINE
JMP TSCD2 ;RETURN TO SCHED
  
```

```

007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034
035
036
037
038
039
040
041
042
043
044
045
046
047
048
049
050
051
052
053
054
055
056
057
058
059
060
061
062
063
064
065
066
067
068
069
070
071
072
073
074
075
076
077
078
079
080
081
082
083
084
085
086
087
088
089
090
091
092
093
094 005056 032777 001000 173504 LT14: BIT 01000,0SWR ;SEE IF INHIB MAN TST
095 005064 001005 BNE LT14A ;IF NOT: BR
096 005066 005767 173646 TST STFLG ;SEE IF SINGLE TEST
097 005072 001433 BEQ LT14XX ;IF NOT: BR
098 005074 000167 016362 JMP INMT ;ELSE GO PRINT INHIB MSG
099 005100 012767 030316 173514 LT14A: MOV 0MSLT14,ENADDR ;SET TEST HEADER
100 005106 012704 033237 MOV 0MSG1,R4 ;SET INSTRUCTION ONE
101 005112 004767 016410 JSR PC,INST ;GO DO INSTRUCTION
102 005116 004767 016360 LT14IT: JSR PC,INIT1 ;INIT, SELECT DRIVE + SLAVE
103 005122 012701 014602 MOV 014602,R1 ;SET TEST WORD
104 005126 017702 173370 MOV 0DS,R2 ;ASSURE MOL,WRL,DPR,DRY,BOT
105 005132 020102 CMP R1,R2
106 005134 001410 BEQ LT14X ;IF 00: BR
107 005136 012767 005116 173546 MOV 0LT14IT,SCOLP ;SET LOOP ADDRESS
108 005144 012767 026452 173520 MOV 0MSG27,ERADD ;SET ERROR CODE
109 005152 004767 015776 JSR PC,LTGER1 ;GO PRINT ERROR
110 005156 004767 016236 LT14X: JSR PC,ITER ;GO SEE IF ITERATION
111 005162 000167 174730 LT14XX: JMP TSCD2 ;RETURN TO SCHED
112

```

```

913
914
915
916 005166 032777 001000 173374 LT15: BIT 01000,0SWR ;SEE IF INHIB MAN TST
917 005174 001005 ;IF NOT: BR
918 005176 005767 173536 TST STPLG ;SEE IF SINGLE TEST
919 005202 001433 BEQ LT15XX ;IF NOT: BR
920 005204 000167 016252 JMP INMT ;ELSE GO PRINT INHIB MSG
921 005210 012767 030364 173404 LT15A: NOV 0MSLT15,EMADDR ;SET TEST HEADER
922 005216 012704 033335 NOV 0MSG2,R4
923 005222 004767 016300 JSR PC,INST ;PRINT INSTRUCTION
924 005226 004767 016256 LT15IT: JSR PC,INT2 ;GO INIT, SELECT DRIVE, SLAV
925 005232 012701 100700 NOV 0100700,R1 ;SET TEST WORD
926 005236 017702 173260 NOV 0DS,R2 ;READ STATUS
927 005242 020102 CMP R1,R2 ;SEE OF EXPT=RCVD
928 005244 001410 BEQ LT15X
929 005246 012767 005226 173436 NOV 0LT15IT,SCOLP ;SET LOOP ADDRESS
930 005254 012767 026452 173410 NOV 0MSG27,ERADD ;SET ERROR CODE
931 005262 004767 015666 JSR PC,LTGER1 ;GO PRINT ERROR
932 005266 004767 016126 LT15X: JSR PC,ITER ;GO SEE IF ITERATIONS
933 005272 000167 174620 LT15XX: JMP TSCD2 ;RETURN TO SCHED

```

```

934
935                                     ;LOGIC TEST 16: STATUS AT EOT, OFFLINE LOADED, NO WRITE RING*****
936
937 005276 032777 001000 173264 LT16:  BIT      01000,08WR      ;SEE IF INHIB MAN TST
938 005304 001005                                     BNE      LT16A        ;IF NOT: BR
939 005306 005767 173426                                     TST      STFLG        ;SEE IF SINGLE TEST
940 005312 001433                                     BEQ      LT16XX       ;IF NOT: BR
941 005314 000167 016142                                     JMP      INMT         ;ELSE GO PRINT INHIB MSG
942 005320 012767 030432 173274 LT16A:  NOV      @MSLT16,EMADDR ;SET TEST HEADER
943 005326 012704 033356                                     NOV      @MSG3,R4
944 005332 004767 016170                                     JSR      PC,INST     ;GO PRINT INSTRUCTION
945 005336 004767 016146 LT16IT: JSR      PC,INIT2 ;SELECT DRIVE,SLAVE
946 005342 012701 116701                                     MOV      0116701,R1 ;SET TEST WORD
947 005346 017702 173150                                     MOV      @DS,R2      ;READ STATUS
948 005352 020102                                     CMP      R1,R2       ;SEE IF EXPT=RCVD
949 005354 001410                                     BEQ      LT16X       ;IF SO: BR
950 005356 012767 005336 173326                                     MOV      @LT16IT,SCOLP ;SET LOOP ADDRESS
951 005364 012767 026452 173300                                     MOV      @MSG27,ERADD ;SET ERROR CODE
952 005372 004767 015556                                     JSR      PC,LTGER1   ;GO PRINT ERROR
953 005376 004767 016016 LT16X: JSR      PC,ITER  ;GO SEE IF ITERATION
954 005402 000167 174510 LT16XX: JNP      TSCD2 ;RETURN TO SCHED
955

```

```

956
957
958
959 005406 032777 001000 173154 LT17: BIT 01000,08WR ;SEE IF INHIB MAN TST
960 005414 001005 BNE LT17A ;IF NOT: BR
961 005416 005767 173316 TST STFLG ;SEE IF SINGLE TEST
962 005422 001433 BEQ LT17XX ;IF NOT: BR
963 005424 000167 016032 JMP INMT ;ELSE GO PRINT INHIB MSG
964 005430 012767 030500 173164 LT17A: MOV #MSLT17,ENADDR ;SET TEST HEADER
965 005436 012704 033414 MOV #MMSG4,R4
966 005442 004767 016060 JSR PC,INST ;GO PRINT INSTRUCTION
967 005446 004767 016036 LT17IT: JSR PC,INIT2 ;SELECT DRIVE, SLAVE
968 005452 012701 110701 MOV #110701,R1 ;SET TEST WORD
969 005456 017702 173040 MOV #DS,R2 ;READ STATUS
970 005462 020102 CMP R1,R2 ;SEE IF EXPT=RCVD
971 005464 001410 BEQ LT17X ;IF SO: BR
972 005466 012767 005446 173216 MOV #LT17IT,SCOLP ;SET LOOP ADDRESS
973 005474 012767 026452 173170 MOV #MSG27,ERADD ;SET ERROR CODE
974 005502 004767 015446 JSR PC,LTGER1 ;YES PRINT ERROR
975 005506 004767 015706 LT17X: JSR PC,ITER ;GO SEE IF ITERATIONS
976 005512 000167 174400 LT17XX: JMP TSCD2 ;RETURN TO SCHED

```



```

977
978
979
980
981
982
983
984
985 005516 012767 030546 173076 LT20: MOV 0MSLT0,ENADDR ;SET TEST HEADER
986 005524 012767 005544 173160 MOV 0LT20A,SCOLP ;SET LOOP ADDRESS
987 005532 012700 000022 LT20IT: MOV 022,R0 ;SET NUMBER OF ILL CODES
988 005536 012767 000544 173130 MOV 0ILFT,TEMP1 ;POINT TO START IF TABLE
989 005544 004767 015732 LT20A: JSR PC,INIT1 ;GO INIT, SELECT SLAVE + DRIVE
990 005550 012777 177777 172734 MOV 0-1,0MC ;SET MC= -1
991 005556 012701 000001 MOV 01,R1 ;SET TEST WORD
992 005562 117777 173106 172720 MOVB 0TEMP1,0C1 ;SET ILL CODE
993 005570 017702 172730 MOV 0ER,R2 ;READ ER
994 005574 030102 BIT R1,R2 ;SEE IF EXPT=RCVD
995 005576 001011 SNE LT20B ;IF 0: BR
996 005600 012767 033677 173064 MOV 0TMS17,ERADD ;SET ERROR CODE
997 005606 012767 000001 173102 MOV 01,EXFL ;SET EXPT FLG
998 005614 004767 014166 JSR PC,LTGER0 ;GO PRINT ERROR
999 005620 000404 BR LT20C
1000 005622 020102 LT20B: CMP R1,R2 ;SEE UNEXPECTED ERRORS
1001 005624 001402 BEQ LT20C ;IF NOT: BR
1002 005626 004767 014142 JSR PC,LTGER3 ;ELSE PRINT ERROR
1003 005632 005300 LT20C: DEC R0 ;SEE IF DONE ALL ILL CODES
1004 005634 001404 BEQ LT20X ;IF 0: BR
1005 005636 005267 173032 INC TEMP1 ;BUMP ADDRESS
1006 005642 000167 177676 JMP LT20A ;CONTINUE
1007 005646 004767 015546 LT20X: JSR PC,ITER ;GO SEE IF ITERATION
1008 005652 004767 014606 JSR PC,DRVCLR
1009 005656 000167 174234 JMP TSCD2 ;RETURN TO SCHED

```

```

1010
1011
1012
1013 005662 012767 030625 172732 LT21:  MOV      %MSLT21,ENADDR ;SET TEST HEADER
1014 005670 012767 005676 173014      MOV      %LT21IT,SCOLP ;SET SCOPE LOOP ADDRESS
1015 005676 004767 015600      LT21IT: JSR      PC,INIT1 ;GO INIT, SELECT SLAVE, DRIVE
1016 005702 052777 000300 172632      BIS      %300,%TC ;SET FORMAT
1017 005710 012777 000015 172616      MOV      %15,%MR ;SET WAM3
1018 005716 012777 000071 172564      MOV      %71,%C1 ;SET READ+GO
1019 005724 005077 172566      CLR      %FC ;ATTEMPT WRITE TO FC
1020 005730 012701 000004      MOV      %4,R1 ;SET TEST WORD
1021 005734 017702 172564      MOV      %ER,R2 ;GET ER
1022 005740 030102      BIT      R1,R2 ;SEE IF EXPT=RCVD
1023 005742 001011      BNE      LT21A ;IF 0: BR
1024 005744 012767 033713 172720      MOV      %TMS19,ERADD ;SET ERROR CODE
1025 005752 012767 000001 172736      MOV      %1,EXFL ;SET EXPT FLG
1026 005760 004767 014022      JSR      PC,LTGER0 ;GO PRINT ERROR
1027 005764 000404      BR      LT21B
1028 005766 020102      LT21A:  CMP      R1,R2 ;SEE IF UNEXPECTED ERRORS
1029 005770 001402      BEQ      LT21B ;IF NOT: BR
1030 005772 004767 013776      JSR      PC,LTGER3 ;ELSE GO PRINT ERROR
1031 005776 004767 015416      LT21B:  JSR      PC,ITER ;GO SEE IF ITERATION
1032 006002 012703 040000      MOV      %40000,R3
1033 006006 005303      LT21XA: DEC      R3 ;DELAY FOR ALPHA
1034 006010 001376      BNE      LT21XA
1035 006012 004767 013560      JSR      PC,EORPA ;GO DO EOR CLEAR
1036 006016 004767 014442      JSR      PC,DRVCLR
1037 006022 000167 174070      JMP      TSCD2 ;RETURN TO SCHED

```

```

1030
1039
1040
1041 006026 012767 030661 172566 LT22:  MOV      #MSLT22,EMADDR ;SET TEST HEADER
1042 006034 012767 006042 172650      MOV      #LT22IT,SCOLP ;SET SCOPE LOOP ADDRESS
1043 006042 004767 015434      LT22IT: JSR      PC,INIT1 ;INIT, SELECT SLAVE+DRIVE
1044 006046 052777 000020 172444      BIS      #20,0CS ;ENABLE EVEN PARITY ON MB
1045 006054 012777 177777 172434      MOV      #-1,0FC ;WRITE TO FC
1046 006062 012701 000010      MOV      #10,R1 ;SET TEST WORD
1047 006066 042777 000020 172424      BIC      #20,0CS ;RESET PARITY TO ODD
1048 006074 017702 172424      MOV      0ER,R2 ;GET ER
1049 006100 030102      BIT      R1,R2 ;SEE IF EXPT=RCVD
1050 006102 001011      BNE      LT22A ;IF SO: BR
1051 006104 012767 033721 172560      MOV      #TMS20,ERADD ;SET ERROR CODE
1052 006112 012767 000001 172576      MOV      #1,EXFL ;SET EXPT FLG
1053 006120 004767 013662      JSR      PC,LTGER0 ;GO PRINT ERROR
1054 006124 000404      BR      LT22X
1055 006126 020102      LT22A:  CMP      R1,R2 ;SEE IF UNEXPECTED ERRORS
1056 006130 001402      BEQ      LT22X ;IF NOT: BR
1057 006132 004767 013636      JSR      PC,LTGER3 ;ELSE GO PRINT ERROR
1058 006136 004767 015256      LT22X:  JSR      PC,ITER ;GO SEE IF ITERATION
1059 006142 004767 014316      JSR      PC,DRVCLR
1060 006146 000167 173744      JMP      TSCD2 ;RETURN TO SCHED

```

```

1061
1062
1063
1064 006152 012767 030716 172442 LT23: MOV      @MSLT23,ENADDR ;SET TEST HEADER
1065 006160 012767 006166 172524      MOV      @LT23IT,SCOLP ;SET SCOPE ADDRESS
1066 006166 004767 015310      LT23IT: JSR      PC,INIT1 ;GO INIT SELECT DRIVE+SLAVE
1067 006172 042777 000360 172342      BIC      @360,@TC ;SET ILLEGAL FORMAT
1068 006200 012701 000020      MOV      @20,R1 ;SET TEST WORD
1069 006204 012777 000015 172322      MOV      @15,@MR ;SET WAM 3
1070 006212 012777 000071 172270      MOV      @71,@C1 ;SET READ+GO
1071 006220 017702 172300      MOV      @ER,R2 ;READ ER
1072 006224 030102      BIT      R1,R2 ;SEE IF EXPT=RCVD
1073 006226 001011      BNE      LT23A ;IF SO: BR
1074 006230 012767 033730 172434      MOV      @TMS21,ERADD ;SET ERROR CODE
1075 006236 012767 000001 172452      MOV      @1,EXFL ;SET EXPT FLG
1076 006244 004767 013536      JSR      PC,LTGER0 ;GO PRINT ERROR
1077 006250 000404      BR       LT23X
1078 006252 020102      LT23A:  CMP      R1,R2 ;SEE IF UNEXPECTED ERRORS
1079 006254 001402      BEQ      LT23X ;IF NOT: BR
1080 006256 004767 013512      JSR      PC,LTGER3 ;ELSE GO PRINT ERROR
1081 006262 004767 015132      LT23X:  JSR      PC,ITER ;GO SEE IF ITERATION
1082 006266 004767 013304      JSR      PC,EORPA
1083 006272 004767 014166      JSR      PC,DRVCLR
1084 006276 000167 173614      JMP      TSCD2 ;RETURN TO SCHED
    
```

```

1085 ;LOGIC TEST 24: DATA BUS PARITY ERROR(DPAR)*****
1086
1087 006302 012767 030760 172312 LT24: MOV #MSLT24,EMADDR ;SET TEST HEADER
1088 006310 012767 006316 172374 MOV #LT24IT,SCOLP ;SET SCOPE ADDRESS
1089 006316 012767 000005 172262 LT24IT: MOV #5,ITAMT
1090 006324 004767 015152 JSR PC,INIT1 ;GO INIT, SELECT DRIVE+SLAVE
1091 006330 052777 000300 172204 BIS #300,OTC ;SET NORMAL FORMAT
1092 006336 012777 034144 172150 MOV #WDATA,0BA ;SET BA
1093 006344 012777 177760 172144 MOV #20,0FC ;SET FC
1094 006352 012777 177770 172132 MOV #10,0WC ;SET WC
1095 006360 012777 000013 172146 MOV #13,0MR ;SELECT WAM 2
1096 006366 012777 000061 172114 MOV #61,0C1 ;SET WRITE+GO
1097 006374 052777 000020 172116 BIS #20,0CS ;FORCE EVEN PARITY
1098 006402 012701 000040 MOV #40,R1 ;SET TEST WORD
1099 006406 012703 000004 MOV #4,R3
1100 006412 005000 CLR R0
1101 006414 005300 LT24A: DEC R0
1102 006416 001376 BNE LT24A ;DELAY
1103 006420 005303 DEC R3
1104 006422 001374 BNE LT24A
1105 006424 012700 000004 MOV #4,R0
1106 006430 012777 000013 172076 LT24B: MOV #13,0MR ;CLOCK MR 4 TIMES
1107 006436 005300 DEC R0
1108 006440 022700 000002 CMP #2,R0 ;SEE IF DONE 1 BYTE
1109 006444 001002 BNE LT24B0 ;IF NOT: BR
1110 006446 017701 172062 MOV #MR,R1 ;ELSE GET BYTE 1
1111 006452 005700 LT24B0: TST R0 ;SEE IF BYTE 2
1112 006454 001365 BNE LT24B ;IF NOT: BR
1113 006456 017704 172052 MOV #MR,R4 ;GET BYTE 2
1114 006462 005000 CLR R0
1115 006464 005300 LT24C: DEC R0
1116 006466 001376 BNE LT24C ;DELAY
1117 006470 032777 000040 172026 BIT #40,0ER ;SEE IF DPAR IS SET
1118 006476 001023 BNE LT24D ;IF SO: BR
1119 006500 000301 SWAB R1
1120 006502 042701 177400 BIC #177400,R1 ;GET LOW BYTE
1121 006506 042704 000377 BIC #377,R4
1122 006512 050401 BIS R4,R1 ;GET HIGH BYTE
1123 006514 005267 172224 INC T24FL ;SET T24 FLAG
1124 006520 012767 033736 172144 MOV #TMS22,ERADD ;SET ERROR CODE
1125 006526 012767 000001 172162 MOV #1,EXFL ;SET EXPT FLG
1126 006534 004767 013246 JSR PC,LTGER0 ;GO PRINT ERROR
1127 006540 005067 172200 CLR T24FL ;CLEAR FLAG
1128 006544 000412 BR LT24X
1129 006546 012701 000050 LT24D: MOV #50,R1
1130 006552 017702 171746 MOV #ER,R2 ;GET ERROR REGISTER
1131 006556 042702 020000 BIC #20000,R2 ;MASK OPI
1132 006562 020102 CMP R1,R2 ;SEE IF UNEXPECTED ERRORS
1133 006564 001402 BEQ LT24X ;IF NOT: BR
1134 006566 004767 013202 JSR PC,LTGER3 ;ELSE GO PRINT ERROR
1135 006572 042777 000020 171720 LT24X: BIC #20,0CS ;RESET EVEN PARITY
1136 006600 004767 012772 JSR PC,EORPA ;GO DO EOR CLEAR
1137 006604 004767 013654 JSR PC,DRVCLR ;GO SEE IF DRIVE CLEAR OK
1138 006610 004767 014604 JSR PC,ITER ;GO SEE IF ITERATION
1139 006614 012767 000020 171764 MOV #20,ITAMT
1140 006622 000167 173270 JMP TSCD2 ;RETURN TO SCHED

```

```

1141
1142
1143
1144 006626 012767 031020 171766 LT25:  MOV 0NSLT25,EMADDR ;SET TEST HEADER
1145 006634 012767 006642 172050      MOV 0LT25IT,SCOLP ;SET LOOP ADDRESS
1146 006642 004767 014634      LT25IT: JSR PC,INIT1 ;INIT, SELECT DRIVE+SLAVE
1147 006646 052777 000300 171666      BIS 0300,0TC ;SET NORMAL FORMAT
1148 006654 012777 177777 171634      MOV 0-1,0FC ;SET ILLLEGAL FC
1149 006662 012777 000013 171644      MOV 013,0MR ;SET WAN 2
1150 006670 012777 000061 171612      MOV 061,0C1 ;LOAD WRITE+GO
1151 006676 012701 004000      MOV 04000,R1 ;SET TEST WORD
1152 006702 017702 171616      MOV 0ER,R2 ;GET ER
1153 006706 030102      BIT R1,R2 ;SEE IF EXPT=RCVD
1154 006710 001011      BNE LT25A ;IF 80: BR
1155 006712 012767 034024 171752      MOV 0TMS31,ERADD ;SET ERROR CODE
1156 006720 012767 000001 171770      MOV 01,EXFL ;SET EXPT FLAG
1157 006726 004767 013054      JSR PC,LTGER0 ;GO PRINT ERROR
1158 006732 000404      BR LT25X
1159 006734 020102      LT25A: CMP R1,R2 ;SEE IF UNEXPECTED ERRORS
1160 006736 001402      BEQ LT25X ;IF NOT: BR
1161 006740 004767 013030      JSR PC,LTGER3 ;ELSE GO PRINT ERROR
1162 006744 004767 014450      LT25X: JSR PC,ITER ;GO SEE IF ITERATION
1163 006750 004767 013510      JSR PC,DRVCLR
1164 006754 000167 173136      JMP TSCD2 ;RETURN TO SCHED

```

```

1165
1166                                     ;LOGIC TEST 26: FRAME COUNT ERROR(FCE)*****
1167
1168 006760 012767 031054 171634 LT26:  MOV  @MSLT26,EMADDR  ;SET TEST HEADER
1169 006766 004767 014510          LT26IT: JSR  PC,INIT1    ;INIT, SELECT DRIVE+SLAVE
1170 006772 005000                    CLR  R0
1171 006774 005300                    LT26W:  DEC  R0
1172 006776 001376                    BNE  LT26W          ;AWAIT OPI RESET
1173 007000 052777 000300 171534     BIS  @300,OTC      ;SET NORMAL FORMAT
1174 007006 012777 177770 171476     MOV  @-10,OWC     ;SET WC=-10
1175 007014 012777 177760 171474     MOV  @-20,OFD     ;SET FC=-20
1176 007022 012777 000013 171504     MOV  @13,OMR      ;SET WAM 3
1177 007030 012777 000061 171452     MOV  @61,OC1     ;LOAD WRITE+GO
1178 007036 012701 001000          MOV  @1000,R1    ;SET TEST WORD
1179 007042 005000                    CLR  R0
1180 007044 005300                    LT26A:  DEC  R0
1181 007046 001376                    BNE  LT26A          ;DELAY
1182 007050 012777 000025 171456     MOV  @25,OMR     ;LOAD MM EOR CLEAR
1183 007056 105077 171452          CLR  @MR         ;RESET MR
1184 007062 012703 000004          MOV  @4,R3
1185 007066 005000                    CLR  R0
1186 007070 032777 001000 171426     LT26B:  BIT  @1000,0ER  ;SEE IF FCE SET
1187 007076 001022                    BNE  LT26C          ;IF 0: BR
1188 007100 005300                    DEC  R0
1189 007102 001372                    BNE  LT26B          ;DELAY
1190 007104 005303                    DEC  R3
1191 007106 001370                    BNE  LT26B
1192 007110 017702 171410          MOV  @ER,R2      ;GET ER
1193 007114 012767 006766 171570     MOV  @LT26IT,SCOLP ;SET SCOPE ADDRESS
1194 007122 012767 034003 171542     MOV  @TMS20,ERADD
1195 007130 012767 000001 171560     MOV  @1,EXFL     ;SET EXPT FLG
1196 007136 004767 012644          JSR  PC,LTGER0   ;GO PRINT ERROR
1197 007142 000406                    BR   LT26X
1198 007144 017702 171354          LT26C:  MOV  @ER,R2      ;GET ERROR REGISTER
1199 007150 020102                    CMP  R1,R2       ;SEE IF UNEXPECTED ERRORS
1200 007152 001402                    BEQ  LT26X       ;IF NOT: BR
1201 007154 004767 012614          JSR  PC,LTGER3   ;ELSE GO PRINT ERROR
1202 007160 004767 014234          LT26X:  JSR  PC,ITER   ;GO SEE IF ITERATION
1203 007164 004767 013274          JSR  PC,DRVCLR
1204 007170 000167 172722          JMP  TSCD2      ;RETURN TO SCHED

```

```

1205
1206
1207
1208 007174 022767 172400 171306 LT27:  CMP      0172400,C1      ;SEE IF ADDRESSES OPEN
1209 007202 001041                      BNE      LT27XX      ;IF NOT: BR
1210 007204 012767 007230 171500          MOV      0LT27A,SCOLP ;SET SCOPE ADDRESS
1211 007212 012767 031110 171402          MOV      0MSLT27,EMADDR ;SET TEST HEADER
1212 007220 012700 000020                      LT27IT: MOV      020,R0      ;SET NUMBER OF ILR TESTS
1213 007224 012701 172434                      MOV      0172434,R1    ;SET FIRST ILR ADDRESS
1214 007230 004767 014246          LT27A:  JSR      PC,INIT1 ;GO INIT, SELECT DRIVE+SLAVE
1215 007234 011103                      MOV      (R1),R3      ;ATTEMPT ILR READ
1216 007236 032777 000002 171260          BIT      02,0ER      ;SEE IF ILR=1
1217 007244 001010                      BNE      LT27B      ;IF SO: BR
1218 007246 012767 000001 171442          MOV      01,EXFL     ;SET EXPT-NOT RCVD FLAG
1219 007254 012767 033625 171410          MOV      0TMS10,ERADD ;SET ERROR CODE
1220 007262 004767 012526          JSR      PC,LIGER    ;GO PRINT ERROR
1221 007266 005300                      LT27B:  DEC      R0      ;SEE IF DONE ALL
1222 007270 001402                      BEQ      LT27X      ;IF SO: BR
1223 007272 005721                      TST      (R1)+       ;BUMP ADDRESS
1224 007274 000755                      BR       LT27A      ;CONTINUE TESTS
1225 007276 004767 014116          LT27X:  JSR      PC,ITER ;GO SEE IF ITERATIONS
1226 007302 004767 013156          JSR      PC,DRVCLR
1227 007306 000167 172604          LT27XX: JMP      TSCD2  ;RETURN TO SCHED

```



```

1228
1229
1230
1231 007312 012767 034032 171352 LT30I MOV #TMS32,ERADD ;SET ERROR CODE
1232 007320 012767 031144 171274 MOV #MSLT30,ENADDR ;SET TEST HEADER
1233 007326 012767 007334 171356 MOV #LT30IT,SCOLP ;SET SCOPE ADDRESS
1234 007334 004767 014142 LT30IT: JSR PC,INIT1 ;INIT, SELECT DRIVE + SLAVE
1235 007340 052777 000300 171174 BIS #300,OTC ;SET NORMAL FORMAT
1236 007346 012701 010000 MOV #10000,R1 ;SET TEST WORD
1237 007352 012777 000017 171154 MOV #17,0MR ;CRIPPLE OCCUPIED
1238 007360 005077 171132 CLR OFC ;SET FC3
1239 007364 012777 000061 171116 MOV #61,0C1 ;LOAD WRITE+GO
1240 007372 032777 010000 171124 BIT #10000,0ER ;SEE IF DTE SET
1241 007400 001005 BNE LT30A ;IF 80: BR
1242 007402 012767 000001 171306 MOV #1,EXFL ;SET EXPT FLG
1243 007410 004767 012372 JSR PC,LTGER0 ;GO PRINT ERROR
1244 007414 004767 014062 LT30A: JSR PC,INIT1 ;GO INIT SELECT DRIVE,SLAVE
1245 007420 052777 000300 171114 BIS #300,OTC ;SET FORMAT
1246 007426 012701 010000 MOV #10000,R1 ;SET TEST WORD
1247 007432 005077 171060 CLR OFC ;SET FC6
1248 007436 012777 000015 171070 MOV #15,0MR ;SET WRAP 3
1249 007444 012777 000061 171036 MOV #61,0C1 ;LOAD WRITE+GO
1250 007452 012704 040000 MOV #40000,R4
1251 007456 005777 171060 LT30B: TST OTC ;SEE IF ALPHA
1252 007462 100015 BPL LT30C ;AWAIT ALPHA
1253 007464 005300 DEC R0
1254 007466 001373 BNE LT30B
1255 007470 016704 171126 MOV ENADDR,R4
1256 007474 004767 014344 JSR PC,TTOUT ;PRINT HEADER
1257 007500 012704 027206 MOV #MSG50,R4
1258 007504 004767 014334 JSR PC,TTOUT ;PRINT ALPHA ERROR
1259 007510 004767 013660 JSR PC,SCOPE
1260 007514 000435 BR LT30X
1261 007516 012777 000015 171010 LT30C: MOV #15,0MR ;CLOCK MR
1262 007524 012777 000015 171002 MOV #15,0MR ;CLOCK MR
1263 007532 005000 CLR R0
1264 007534 005300 LT30D: DEC R0
1265 007536 001376 BNE LT30D ;DELAY
1266 007540 032777 010000 170756 BIT #10000,0ER ;SEE IF DTE SET
1267 007546 001006 BNE LT30E ;IF 80: BR
1268 007550 012767 000001 171140 MOV #1,EXFL ;SET EXPT FLG
1269 007556 004767 012224 JSR PC,LTGER0 ;GO PRINT ERROR
1270 007562 000412 BR LT30X
1271 007564 012701 010000 LT30E: MOV #10000,R1 ;SET TEST WORD
1272 007570 017702 170730 MOV #0ER,R2 ;GET ERROR REGISTER
1273 007574 042702 020000 BIC #20000,R2 ;MASK OPI
1274 007600 020102 CMP R1,R2 ;SEE IF UNEXPECTED ERRORS
1275 007602 001402 BEQ LT30X ;IF NOT: BR
1276 007604 004767 012164 JSR PC,LTGER3 ;ELSE GO PRINT ERROR
1277 007610 004767 013604 LT30X: JSR PC,ITER ;GO SEE IF ITERATION
1278 007614 004767 011756 JSR PC,EORPA ;GO CLEAR GO BIT
1279 007620 004767 012640 JSR PC,DRVCLR
1280 007624 000167 172266 JMP TSCD2 ;RETURN TO SCHED
1281

```

```

1202
1203
1204
1205 007630 012767 031202 170764 LT31I: MOV 0MSLT31,ENADDR ;SET TEST HEADER
1206 007636 012767 007644 171046 MOV 0LT31IT,SCOLP ;SET SCOPE ADDRESS
1207 007644 012767 000005 170734 LT31IT: MOV 05,ITANT ;SET REDUCED ITER COUNT
1208 007652 004767 013624 JSR PC,INIT1 ;INIT, SELECT DRIVE+SLAVE
1209 007656 005000 CLR R0
1210 007660 005300 LT31W: DEC R0
1211 007662 001376 BNE LT31W ;AWAIT OPI RESET
1212 007664 052777 000300 170650 BIS 0300,0TC ;SET FORMAT
1213 007672 012777 000013 170634 MOV 013,0MR ;SET WAM 2
1214 007700 005077 170612 CLR 0FC ;SET FCS
1215 007704 012777 000061 170576 MOV 061,0C1 ;LOAD WRITE+GO
1216 007712 012701 020000 MOV 020000,R1 ;SET TEST WORD
1217 007716 012703 000004 MOV 04,R3
1218 007722 005000 CLR R0
1219 007724 032777 020000 170572 LT31A: BIT 020000,0ER ;SEE IF OPI SET
1220 007732 001015 BNE LT31B ;IF 0: BR
1221 007734 005300 DEC R0
1222 007736 001372 BNE LT31A ;DELAY
1223 007740 005303 DEC R3
1224 007742 001370 BNE LT31A
1225 007744 012767 034046 170720 MOV 0TMS33A,ERADD ;SET ERROR CODE
1226 007752 012767 000001 170736 MOV 01,EXFL ;SET EXPT FLG
1227 007760 004767 012022 JSR PC,LTGER0 ;GO PRINT ERROR
1228 007764 000464 BR LT31X
1229 007766 017702 170532 LT31B: MOV 0ER,R2 ;GET ERROR REGISTER
1230 007772 020102 CMP R1,R2 ;SEE IF UNEXPECTED ERRORS
1231 007774 001403 BEQ LT31C ;IF NOT: BR
1232 007776 004767 011772 JSR PC,LTGER3 ;ELSE PRINT ERROR
1233 010002 000455 BR LT31X
1234 010004 004767 013472 LT31C: JSR PC,INIT1 ;GO INIT
1235 010010 005000 CLR R0
1236 010012 005300 LT31W1: DEC R0
1237 010014 001376 BNE LT31W1 ;AWAIT OPI RESET
1238 010016 052777 000300 170516 BIS 0300,0TC ;SET FORMAT
1239 010024 012777 000015 170502 MOV 015,0MR ;SET WRAP 3
1240 010032 012777 000071 170450 MOV 071,0C1 ;LOAD READ+GO
1241 010040 012701 020000 MOV 020000,R1 ;SET TEST WORD
1242 010044 012703 000100 MOV 0100,R3
1243 010050 005000 CLR R0
1244 010052 032777 020000 170444 LT31D: BIT 020000,0ER ;SEE IF OPI SET
1245 010060 001020 BNE LT31E ;IF 0: BR
1246 010062 005300 DEC R0
1247 010064 001372 BNE LT31D ;DELAY
1248 010066 005303 DEC R3
1249 010070 001370 BNE LT31D
1250 010072 012767 010004 170612 MOV 0LT31C,SCOLP ;SET SCOPE ADDRESS
1251 010100 012767 034062 170564 MOV 0TMS33B,ERADD ;SET ERROR CODE
1252 010106 012767 000001 170602 MOV 01,EXFL ;SET EXPT FLG
1253 010114 004767 011666 JSR PC,LTGER0 ;GO PRINT ERROR
1254 010120 000406 BR LT31X
1255 010122 017702 170376 LT31E: MOV 0ER,R2 ;GET ERROR REGISTER
1256 010126 020102 CMP R1,R2 ;SEE IF UNEXPECTED ERRORS
1257 010130 001402 BEQ LT31X ;IF NOT: BR

```

1338	010132	004767	011636		JSR	PC,LTGER3	;ELSE PRINT ERROR	
1339	010136	004767	013256		LT31X:	JSR	PC,ITER	;GO SEE IF ITERATIONS
1340	010142	004767	012316			JSR	PC,DRVCLR	
1341	010146	012767	000020	170432		MOV	020,ITANT	
1342	010154	000167	171736			JMP	TSCD2	;RETURN TO SCHED

```

1343
1344
1345
1346 010160 012767 031236 170434 LT32:  MOV  @M5LT32,ENADDR ;SET TEST HEADER
1347 010166 012767 010174 170516      MOV  @LT32IT,SCOLP ;SET SCOPE ADDRESS
1348 010174 004767 013302      LT32IT: JSR  PC,INIT1 ;INIT, SELECT DRIVE +SLAVE
1349 010200 016700 170460      MOV  SLVN,R0 ;GET SLAVE NUMBER
1350 010204 005100      COM  R0 ;SET NONEXISTANT SLAVE
1351 010206 042700 177770      BIC  @177770,R0 ;MASK SLAVE NUMBER
1352 010212 052700 000300      BIS  @300,R0 ;SET FORMAT
1353 010216 010077 170320      MOV  R0,@C ;SELECT ILLEGAL SLAVE
1354 010222 012777 000071 170260      MOV  @71,@C1 ;LOAD READ+GO
1355 010230 012701 040000      MOV  @40000,R1 ;SET TEST WORD
1356 010234 017702 170264      MOV  @ER,R2 ;READ ER
1357 010240 030102      BIT  R1,R2 ;SEE IF EXPT=RCVD
1358 010242 001011      BNE  LT32A ;IF SO: BR
1359 010244 012767 034075 170420      MOV  @TMS34,ERADD ;SET ERROR CODE
1360 010252 012767 000001 170436      MOV  @1,EXFL ;SET ERROR CODE
1361 010260 004767 011522      JSR  PC,LTGER0 ;GO PRINT ERROR
1362 010264 000404      BR  LT32X
1363 010266 020102      LT32A: CMP  R1,R2 ;SEE IF UNEXPECTED ERRORS
1364 010270 001402      BEQ  LT32X ;IF NOT: BR
1365 010272 004767 011476      JSR  PC,LTGER3 ;ELSE PRINT ERROR
1366 010276 004767 013116      LT32X: JSR  PC,ITER ;GO SEE IF ITERATIONS
1367 010302 004767 012156      JSR  PC,DRVCLR
1368 010306 000167 171604      JMP  TSCD2 ;RETURN TO SCHED

```

1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389

;THE FOLLOWING 6 TESTS WILL LOOK AT VARIOUS BITS IN THE
;DRIVE STATUS(DS) AND TAPE CONTROL(TC)
;REGISTERS BY FORCING CERTAIN CONDITONS WHICH DO NOT
;REQUIRE TAPE MOVEMENT.

;LOGIC TEST 33: POSITIONING IN PROGRESS(PIP)*****

1377	010312	012767	031272	170302	LT33:	MOV	0MSLT33,EMADDR	;SET TEST HEADER
1378	010320	012767	010326	170364		MOV	0LT33IT,SCOLP	;SET SCOPE ADDRESS
1379	010326	004767	013150		LT33IT:	JSR	PC,INIT1	;INIT, SELECT DRIVE+SLAVE
1380	010332	012777	000013	170174		MOV	013,0MR	;SET WAM 2
1381	010340	012777	177777	170150		MOV	0-1,0FC	;SET FCS
1382	010346	012777	000031	170134		MOV	031,0C1	;LOAD SPACE FORWARD+GO
1383	010354	032777	020000	170140		BIT	020000,0DS	;SEE IF PIP=1
1384	010362	001010				BNE	LT33X	;IF SO; BR
1385	010364	012767	033655	170300		MOV	0TMS14,ERADD	;SET ERROR CODE
1386	010372	012767	000001	170316		MOV	01,EXFL	;SET ERROR CODE
1387	010400	004767	011402			JSR	PC,LTGER0	;GO PRINT ERROR
1388	010404	004767	013010		LT33X:	JSR	PC,ITER	;GO SEE IF ITERATIONS
1389	010410	000167	171502			JMP	TSCD2	;RETURN TO SCHED

```

1390
1391
1392
1393 010414 005767 170242          LT34:  TST      NRZOF          ;SEE IF NRZ ONLY
1394 010420 001054                BNE      LT34XX          ;IF SO: BR
1395 010422 012767 033575 170242    MOV      @TMS6,ERADD     ;SET ERROR CODE
1396 010430 012767 031326 170164    MOV      @MSLT34,ENADDR ;SET TEST HEADER
1397 010436 012700 000004          LT34IT: MOV      @4,R0
1398 010442 004767 013034          LT34A1: JSR      PC,INIT1   ;GO INIT, SELECT DRIVE+SLAVE
1399 010446 042777 003400 170066    BIC      @3400,0TC      ;SELECT NRZI
1400 010454 032777 000040 170040    LT34A:  BIT      @40,0DS   ;SEE IF PES=0
1401 010462 001410                BEQ      LT34B          ;IF SO: BR
1402 010464 012767 000002 170224    MOV      @2,EXFL        ;SET RCVD-NOT EXPT
1403 010472 012767 010442 170212    MOV      @LT34A1,SCOLP  ;SET SCOPE ADDRESS
1404 010500 004767 011302          JSR      PC,LTGER0      ;GO PRINT ERROR
1405 010504 062777 000400 170030    LT34B:  ADD      @400,0TC  ;BUMP DENSITY
1406 010512 005300                DEC      R0              ;SEE IF DONE ALL NRZI
1407 010514 001357                BNE      LT34A          ;IF NOT: BR
1408 010516 032777 000040 167776    LT34C:  BIT      @40,0DS   ;SEE IF PES=1
1409 010524 001010                BNE      LT34X          ;IF SO: BR
1410 010526 012767 010516 170156    MOV      @LT34C,SCOLP  ;SET SCOPE ADDRESS
1411 010534 012767 000001 170154    MOV      @1,EXFL        ;SET EXPT-NOT RCVD FLAG
1412 010542 004767 011240          JSR      PC,LTGER0      ;GO PRINT ERROR
1413 010546 004767 012646          LT34X:  JSR      PC,ITER   ;GO SEE IF ITERATION
1414 010552 000167 171340          LT34XX: JMP      TSCD2     ;RETURN TO SCHED

```

```

1415
1416
1417
1418 010556 012767 034120 170106 LT35:  MOV 0TMS37,ERADD
1419 010564 012767 031362 170030      MOV 0MSLT35,EMADDR
1420 010572 004767 012704      LT35IT: JSR PC,INIT1      ;INIT SELECT DRIVE, SLAVE
1421 010576 032777 000020 167716 10:    BIT 020,0DS      ;SEE IF SDWN IS RESET
1422 010604 001374      BNE 16      ;IF NOT: BR
1423 010606 052777 000300 167726      BIS 0300,0TC      ;SET FORMAT
1424 010614 012777 000015 167712      MOV 015,0MR      ;SET WAM 3
1425 010622 012777 000071 167660      MOV 071,0C1      ;LOAD READ+GO
1426 010630 032777 020000 167704      BIT 020000,0TC      ;SEE IF TCW=0
1427 010636 001410      BEQ LT35A      ;IF SO: BR
1428 010640 012767 000002 170050      MOV 02,EXFL      ;SET RCV-NOT EXPT FLAG
1429 010646 012767 010572 170036      MOV 0LT35IT,SCOLP ;SET SCOPE ADDRESS
1430 010654 004767 011126      JSR PC,LTGER0      ;GO PRINT ERROR
1431 010660 004767 017,16      LT35A: JSR PC,INIT1      ;INIT
1432 010664 005077 167652      CLR 0TC      ;WRITE TO TC
1433 010670 032777 020000 167644      BIT 020000,0TC      ;SEE IF TCW=1
1434 010676 001010      BNE LT35X      ;IF SO: BR
1435 010700 012767 010660 170004      MOV 0LT35A,SCOLP ;SET SCOPE ADDRESS
1436 010706 012767 000001 170002      MOV 01,EXFL      ;SE EXPT-NOT RCVD FLAG
1437 010714 004767 011066      JSR PC,LTGER0      ;GO PRINT ERROR
1438 010720 004767 012474      LT35X: JSR PC,ITER      ;RETURN TO SCHED
1439 010724 000167 171166      JMP TSCD2

```

```

1440
1441
1442
1443 010730 012767 031424 167664 LT36: MOV #MSLT36,EMADDR
1444 010736 012767 034126 167726 MOV #TMS30,ERADD ;SET ERROR CODE
1445 010744 004767 012532 LT36IT: JSR PC,INIT1 ;INIT, SELECT DRIVE+SLAVE
1446 010750 032777 040000 167564 BIT #40000,OTC ;SEE IF FCS=0
1447 010756 001410 BEQ LT36A ;IF SO: BR
1448 010760 012767 010744 167724 MOV #LT36IT,SCOLP ;SET SCOPE ADDRESS
1449 010766 012767 000002 167722 MOV #2,EXFL ;SET RCVD-NOT EXPT
1450 010774 004767 011006 JSR PC,LTGER0 ;GO PRINT ERROR
1451 011000 004767 012476 LT36A: JSR PC,INIT1 ;INIT
1452 011004 005077 167506 CLR #FC ;WRITE TO FC
1453 011010 032777 040000 167524 BIT #40000,OTC ;SEE IF FCS=1
1454 011016 001010 BNE LT36X ;IF SO: BR
1455 011020 012767 011000 167664 MOV #LT36A,SCOLP ;SET SCOPE ADDRESS
1456 011026 012767 000001 167662 MOV #1,EXFL ;SET EXPT-NOT RCVD
1457 011034 004767 010746 JSR PC,LTGER0 ;GO PRINT ERROR
1458 011040 004767 012354 LT36X: JSR PC,ITER
1459 011044 000167 171046 JMP TSCD2 ;RETURN TO SCHED

```



```

1460
1461
1462
1463 011050 012767 031466 167544 LT37:  MOV  @M$LT37,EMADDR
1464 011056 012767 034134 167606      MOV  @TMS39,ERADD      ;SET ERROR CODE
1465 011064 004767 012412      LT37IT: JSR  PC,INIT1      ;INIT, SELECT DRIVE+SLAVE
1466 011070 052777 000300 167444      BIS  @300,OTC        ;SET FORMAT
1467 011076 005777 167440      TST  @TC             ;SEE IF ACCL=1
1468 011102 100410      BMI  LT37A          ;IF SO: BR
1469 011104 012767 000001 167604      MOV  @1,EXFL
1470 011112 012767 011064 167572      MOV  @LT37IT,SCOLP   ;SET SCOPE ADDRESS
1471 011120 004767 010662      JSR  PC,LTGER0      ;GO PRINT ERROR
1472 011124 004767 012352      LT37A: JSR  PC,INIT1      ;INIT
1473 011130 052777 000300 167404      BIS  @300,OTC        ;SET FORMAT
1474 011136 012777 000015 167370      MOV  @15,OMR        ;SET WAM 3
1475 011144 012777 000071 167336      MOV  @71,OC1        ;LOAD READ+GO
1476 011152 012700 100000      MOV  @100000,R0     ;SET ACCL DELAY
1477 011156 005777 167360      LT37B: TST  @TC             ;SEE IF ACCL=0
1478 011162 100012      BPL  LT37X          ;IF SO: BR
1479 011164 005300      DEC  R0
1480 011166 001373      BNE  LT37B          ;DELAY
1481 011170 012767 011124 167514      MOV  @LT37A,SCOLP   ;SET SCOPE ADDRESS
1482 011176 012767 000002 167512      MOV  @2,EXFL
1483 011204 004767 010576      JSR  PC,LTGER0      ;GO PRINT ERROR
1484 011210 004767 012204      LT37X: JSR  PC,ITER
1485 011214 000167 170676      JMP  TSCD2          ;RETURN TO SCHED

```

```

1486
1487
1488
1489 011220 005767 167436          LT40:  TST      NRZOF          ;SEE IF NRZ ONLY
1490 011224 001046                BNE      LT40XX          ;IF SO: BR
1491 011226 012767 011242 167456    MOV      @LT40IT,SCOLP    ;SET SCOPE ADDRESS
1492 011234 012767 031531 167360    MOV      @MSLT40,EMADDR
1493 011242 004767 012234          LT40IT: JSR      PC,INIT1    ;INIT, SELECT DRIVE+SLAVE
1494 011246 005000                CLR      R0
1495 011250 005300                LT40W:  DEC      R0
1496 011252 001376                BNE      LT40W          ;DELAY FOR OPI RESET
1497 011254 052777 002300 167260    BIS      @2300,0TC
1498 011262 012777 000007 167244    MOV      @7,0MR         ;SET WAM 0
1499 011270 012777 000027 167212    MOV      @27,0C1        ;LOAD WRITE TAPE MARK+GO
1500 011276 012700 100000          MOV      @100000,R0     ;SET DELAY
1501 011302 032777 000004 167212    LT40A:  BIT      @4,0DS   ;SEE IF TM=1
1502 011310 001012                BNE      LT40X          ;IF SO: BR
1503 011312 005300                DEC      R0
1504 011314 001372                BNE      LT40A          ;DELAY
1505 011316 012767 033553 167346    MOV      @TMS3,ERADD
1506 011324 012767 000001 167364    MOV      @1,EXFL
1507 011332 004767 010450          JSR      PC,LTGER0      ;GO PRINT ERROR
1508 011336 004767 012056          LT40X:  JSR      PC,ITER
1509 011342 000167 170550          LT40XX: JMP      TSCD2    ;RETURN TO SCHED
  
```

```

1510
1511
1512
1513 011346 012767 011362 167336 LT41:  MOV  @LT41IT,SCOLP  ;SET SCOPE ADDRESS
1514 011354 012767 031576 167240      MOV  @M@LT41,ENADDR
1515 011362 004767 012114      LT41IT: JSR  PC,INIT1      ;INIT, SELECT DRIVE,SLAVE
1516 011366 004767 005226      JSR  PC,BOTT      ;GO ASSURE NOT AT BOT
1517 011372 052777 001700 167142      BIS  @1700,0TC    ;SET NRZ+NORMAL FORMAT
1518 011400 012777 177760 167110      MOV  @-20,0FC    ;SET FCS
1519 011406 012777 000007 167120      MOV  @7,0HR      ;SET NAM @
1520 011414 012777 000027 167066      MOV  @27,0C1     ;LOAD WRITE TAPE MARK+GO
1521 011422 005000      CLR  R0
1522 011424 032777 000004 167070 LT41A: BIT  @4,0DS      ;SEE IF TM=1
1523 011432 001012      BNE  LT41B      ;IF SO: BR
1524 011434 005300      DEC  R0
1525 011436 001372      BNE  LT41A      ;DELAY
1526 011440 012767 033553 167224      MOV  @TMS3,ERADD ;SET ERROR CODE
1527 011446 012767 000001 167242      MOV  @1,EXFL
1528 011454 004767 010326      JSR  PC,LTGER0   ;GO PRINT ERROR
1529 011460 032777 002000 167036 LT41B: BIT  @2000,0ER   ;SEE IF ITM=1
1530 011466 001010      BNE  LT41C      ;IF SO: BR
1531 011470 012767 034016 167174      MOV  @TMS30,ERADD ;SET ERROR CODE
1532 011476 012767 000001 167212      MOV  @1,EXFL
1533 011504 004767 010276      JSR  PC,LTGER0   ;GO PRINT ERROR
1534 011510 032777 000100 167006 LT41C: BIT  @100,0ER   ;SEE IF VPE=1
1535 011516 001011      BNE  LT41D      ;IF SO: BR
1536 011520 012767 034003 167144      MOV  @TMS20,ERADD ;SET ERROR CODE
1537 011526 012767 000001 167162      MOV  @1,EXFL
1538 011534 004767 010246      JSR  PC,LTGER0   ;GO PRINT ERROR
1539 011540 000410      BR   LT41X
1540 011542 012701 002100      LT41D: MOV  @2100,R1    ;SET EXPT ERROR BITS
1541 011546 017702 166752      MOV  @ER,R2      ;GET ERROR REGISTER
1542 011552 020102      CMP  R1,R2      ;SEE IF UNEXPECTED ERRORS
1543 011554 001402      BEQ  LT41X      ;IF NOT: BR
1544 011556 004767 010212      JSR  PC,LTGER3   ;ELSE PRINT ERROR
1545 011562 005002      LT41X: CLR  R2      ;SET TIMER
1546 011564 032777 000200 166730 161  BIT  @200,0DS    ;SEE IF DRY SET
1547 011572 001002      BNE  20         ;IF SO: BR
1548 011574 005302      DEC  R2         ;AWAIT DRY
1549 011576 001372      BNE  10         ;DELAY
1550 011600 004767 011614      20:  JSR  PC,ITER    ;GO SEE IF ITERATIONS
1551 011604 004767 010654      JSR  PC,DRVCLR   ;GO DO DRIVE CLEAR
1552 011610 000167 170302      JMP  TSCD2      ;RETURN TO SCHED

```

```

1553                                     ;THE FOLLOWING 13 TESTS WILL CHECK DATA FORMATTING
1554                                     ;AND TRANSFER THROUGH THE TM02 WRAP AROUND NODES
1555
1556                                     ;LOGIC TEST 42: WRAP 3, NRZ, NORMAL ODD *****
1557
1558 011614 012767 004270 167176 LT42:  MOV    04270,WCS1      ;SET EXPT CS1
1559 011622 012767 000100 167172      MOV    0100,WCS2      ;SET EXPT CS2
1560 011630 012767 010600 167166      MOV    010600,WDS    ;SET EXPT DS
1561 011636 012767 000000 167162      MOV    00,WER        ;SET EXPT ER
1562 011644 012767 031645 166750      MOV    0M$LT42,EMADDR ;SET HEADER
1563 011652 012767 001700 167116      MOV    01700,UDES    ;SET NRZ,NORMAL, ODD
1564 011660 005067 167116      LT42A: CLR    PATRN      ;POINT TO PATTERN 0
1565 011664 012767 011672 167020      MOV    0LT42B,SCOLP  ;SET SCOPE ADDRESS
1566 011672 004767 003706      LT42B: JSR    PC,WAN3   ;GO DO WRAP 3
1567 011676 005267 167100      INC    PATRN        ;BUMP PATTERN POINTER
1568 011702 032767 000004 167072      BIT    04,PATRN     ;SEE IF DONE
1569 011710 001770      BEQ    LT42B        ;IF NOT: BR
1570 011712 004767 011502      JSR    PC,ITER      ;GO SEE IF ITERATIONS
1571 011716 005067 167064      CLR    RDRVF        ;CLEAR REVENUE FLAG
1572 011722 000167 170170      JMP    T8CD2        ;RETURN TO SCHEDULAR

```

```
1573
1574
1575
1576 011726 005767 166730          LT43:  TST      NRZOF          ;SEE IF NRZ ONLY
1577 011732 001402                    BEQ      LT43A          ;IF NOT: BR
1578 011734 000167 170156          JMP      TSCD2         ;RETURN TO SCHED
1579 011740 012767 004270 167052  LT43A:  MOV      04270,WCS1     ;SET EXPT CS1
1580 011746 012767 000100 167046    MOV      0100,WCS2     ;SET EXPT CS2
1581 011754 012767 010640 167042    MOV      010640,WDS   ;SET EXPT DS
1582 011762 012767 000000 167036    MOV      00,WER       ;SET EXPT WER
1583 011770 012767 031714 166624    MOV      0MSLT43,ENADDR ;SET HEADER
1584 011776 012767 002300 166772    MOV      02300,UDES   ;SET PE, NORMAL, ODD
1585 012004 000167 177650          JMP      LT42A         ;EXECUTE TEST SEQUENCE
```

```

1586
1587
1588
1589 012010 012767 004260 167002 LT44: MOV 04260,WCS1 ;SET EXPT CS1
1590 012016 012767 000100 166776 MOV 0100,WCS2 ;SET EXPT CS2
1591 012024 012767 010600 166772 MOV 010600,WDS ;SET EXPT DS
1592 012032 012767 000000 166766 MOV 00,WER ;SET EXPT WER
1593 012040 012767 031762 166554 MOV 0MSLT44,ENADDR ;SET HEADER
1594 012046 012767 001700 166722 MOV 01700,UDES ;SET TO NRZ,NORMAL, ODD
1595 012054 005067 166722 LT44A: CLR PATRN ;POINT TO PATTERN 0
1596 012060 012767 012066 166624 MOV 0LT44B,SCOLP ;SET SCOPE ADDRESS
1597 012066 004767 003446 LT44B: JSR PC,WAN2 ;GO DO WRAP 2
1598 012072 005267 166704 INC PATRN ;BUMP POINTER
1599 012076 032767 000004 166676 BIT 04,PATRN ;SEE IF DONE
1600 012104 001770 BEQ LT44B ;IF NOT: BR
1601 012106 004767 011306 JSR PC,ITER ;GO SEE IF ITERATIONS
1602 012112 000167 170000 JMP TSCD2 ;RETURN TO SCHEDULAR

```

```
1603
1604
1605
1606 012116 005767 166540
1607 012122 001402
1608 012124 000167 167766
1609 012130 012767 004260 166662
1610 012136 012767 000100 166656
1611 012144 012767 010640 166652
1612 012152 012767 000000 166646
1613 012160 012767 032031 166434
1614 012166 012767 002300 166602
1615 012174 000167 177654

;LOGIC TEST 45: WRAP 2, PE, NORMAL, ODD=====
LT45: TST NRZOF ;SEE IF NRZ ONLY
      BEQ LT45A ;IF NOT: BR
      JMP TSCD2 ;RETURN TO SCHED
LT45A: MOV #4260,WCS1 ;SET EXPT CS1
      MOV #100,WCS2 ;SET EXPT CS2
      MOV #10640,WDS ;SET EXPT DS
      MOV #0,WER ;SET EXPT WER
      MOV #NSLT45,ENADDR ;SET HEADER
      MOV #2300,UDS ;SET PE, NORMAL, ODD
      JMP LT44A ;GO EXECUTE TEST SEQUENCES
```

```

1616
1617
1618
1619 012200 012767 004260 166612 LT46: MOV 04260,WCS1 ;SET EXPT CS1
1620 012206 012767 000100 166606 MOV 0100,WCS2 ;SET EXPT CS2
1621 012214 012767 010600 166602 MOV 010600,WDS ;SET EXPT DS
1622 012222 012767 000000 166576 MOV 00,WER ;SET EXPT WER
1623 012230 012767 032077 166364 MOV 0N$LT46,ENADDR ;SET HEADER
1624 012236 012767 001700 166532 MOV 01700,UES ;SET NRZ, NORMAL, ODD
1625 012244 005067 166532 LT46A: CLR PATRN ;POINT TO PATTERN ZERO
1626 012250 012767 012256 166434 MOV 0LT46B,SCOLP ;SET SCOPE ADDRESS
1627 012256 004767 003244 LT46B: JSR PC,WAM1 ;GO DO WRAP 1
1628 012262 005267 166514 INC PATRN ;BUMP POINTER
1629 012266 032767 000004 166506 BIT 04,PATRN ;SEE IF DONE
1630 012274 001770 BEQ LT46B ;IF NOT: BR
1631 012276 004767 011116 JSR PC,ITER ;GO SEE IF ITERATIONS
1632 012302 000167 167610 JMP TSCD2 ;RETURN TO SCHEDULAR

```



```
1633
1634
1635
1636 012306 005767 166350
1637 012312 001402
1638 012314 000167 167576
1639 012320 004767 007202
1640 012324 012767 004260 166466
1641 012332 012767 000100 166462
1642 012340 012767 010640 166456
1643 012346 012767 000000 166452
1644 012354 012767 032146 166240
1645 012362 012767 002300 166406
1646 012370 000167 177650

;LOGIC TEST 47: WRAP 1, PE, NORMAL, ODD=====
LT47: TST NRZOF ;SEE IF NRZ ONLY
      BEQ LT47A ;IF NOT: BR
      JMP TSCD2 ;RETURN TO SCHED
LT47A: JSR PC,PPGEN ;GO GENERATE PRE/POSTAMBLE
      MOV 04260,WCS1 ;SET EXPT CS1
      MOV 0100,WCS2 ;SET EXPT CS2
      MOV 010640,WDS ;SET EXPT DS
      MOV 00,WER ;SET EXPT WER
      MOV 0MSLT47,ENADDR ;SET HEADER
      MOV 02300,UDES ;SET PE, NORMAL, ODD
      JMP LT46A ;GO EXECUTE TEST SEQUENCE
```

```
1647
1648
1649
1650 012374 012767 144260 166416 LT50: MOV 0144260,WCS1 ;SET EXPT CS1
1651 012402 012767 000100 166412      MOV 0100,WCS2 ;SET EXPT CS2
1652 012410 012767 150600 166406      MOV 0150600,WDS ;SET EXPT DS
1653 012416 012767 000200 166402      MOV 0200,WER ;SET EXPT ER
1654 012424 012767 032214 166170      MOV 0H$LT50,EMADDR ;SET HEADER
1655 012432 012767 001700 166336      MOV 01700,UDES ;SET NRZ, NORMAL, ODD
1656 012440 005067 166336      LT50A: CLR PATRN ;POINT TO PATTERN 0
1657 012444 012767 012452 166240      MOV 0LT50B,SCOLP ;SET SCOPE ADDRESS
1658 012452 004767 003004      LT50B: JSR PC,WAN0 ;GO DO WRAP 0
1659 012456 005267 166320      INC PATRN ;BUMP POINTER
1660 012462 032767 000004 166312      BIT 04,PATRN ;SEE IF DONE
1661 012470 001770      BEQ LT50B ;IF NOT; BR
1662 012472 004767 010722      JSR PC,ITER ;GO SEE IF ITERATIONS
1663 012476 000167 167414      JMP TSCD2 ;RETURN TO SCHEDULAR
```

```
1664
1665
1666
1667 012502 005767 166154          LT51:  TST      NRZOF          ;SEE IF NRZ ONLY
1668 012506 001402                    BEQ      LT51A          ;IF NOT: BR
1669 012510 000167 167402          JMP      TSCD2         ;RETURN TI SCHED
1670 012514 012767 004260 166276  LT51A:  MOV      04260,WCS1     ;SET EXPT C61
1671 012522 012767 000100 166272          MOV      0100,WCS2     ;SET EXPT C62
1672 012530 012767 010640 166266          MOV      010640,WDS    ;SET EXPT D6
1673 012536 012767 000000 166262          MOV      00,WER        ;SET EXPT ER
1674 012544 012767 032263 166050          MOV      0MSLT51,EMADDR ;SET HEADER
1675 012552 012767 002300 166216          MOV      02300,UDES    ;SET PE, NORMAL, ODD
1676 012560 000167 177654          JMP      LT50A         ;GO EXECUTE TEST SEQUENCE
```

```

1677
1678
1679
1680 012564 012767 004260 166226 LT52:  MOV    04260,WCS1    ;SET EXPT C81
1681 012572 012767 000100 166222      MOY    0100,WCS2    ;SET EXPT C82
1682 012600 012767 010600 166216      MOV    010600,WDS  ;SET EXPT D8
1683 012606 012767 000000 166212      MOV    00,WER      ;SET EXPT ER
1684 012614 012767 032331 166000      MOV    0MSLT52,ENADDR ;SET HEADER
1685 012622 012767 001720 166146      MOV    01720,UDES  ;SET NRZ, CORE DUMP, ODD
1686 012630 005067 166146      CLR    PATRN       ;POINT TO PATTERN 0
1687 012634 012767 012642 166050      MOV    0LT52A,SCOLP ;SET SCOPE ADDRESS
1688 012642 004767 002672      LT52A: JSR    PC,WAN2    ;GO DO WAN 2
1689 012646 022767 000002 166126      CMP    02,PATRN    ;SEE IF DONE
1690 012654 001404      BEQ    LT52X       ;IF SO: BR
1691 012656 012767 000002 166116      MOV    02,PATRN    ;SELECT PATTERN 2
1692 012664 000766      BR     LT52A       ;CONTINUE
1693 012666 004767 010526      LT52X: JSR    PC,ITER ;GO SEE IF ITERATIONS
1694 012672 000167 167220      JMP    TSCD2       ;RETURN TO SCHEDULES
1695
    
```

```

1696
1697
1698
1699 012676 012767 004270 166114 LT53: MOV      04270,WCS1      ;SET EXPT CS1
1700 012704 012767 000100 166110      MOV      0100,WCS2      ;SET EXPT CS2
1701 012712 012767 010600 166104      MOV      010600,WDS     ;SET EXPT DS
1702 012720 012767 000000 166100      MOV      00,WER        ;SET EXPT ER
1703 012726 012767 032402 165666      MOV      0MSLT53,EMADDR ;SET HEADER
1704 012734 012767 001720 166034      MOV      01720,UDES     ;SELECT NRE, CORE DUMP, ODD
1705 012742 005067 166034      CLR      PATRN         ;SELECT PATTERN 0
1706 012746 012767 012762 165736      MOV      0LT53A,SCOLP   ;SET SCOPE ADDRESS
1707 012754 012767 001054 166026      MOV      0WCDP0,RCDP    ;POINT TO PATTERN 0
1708 012762 004767 002616      LT53A: JSR      PC,WAM3   ;GO DO WAM3
1709 012766 022767 000002 166006      CMP      02,PATRN       ;SEE IF DONE
1710 012774 001407      BEQ      LT53X          ;IF SO: BR
1711 012776 012767 000002 165776      MOV      02,PATRN       ;SELECT PATTERN 2
1712 013004 012767 001042 165776      MOV      0WCDP2,RCDP    ;POINT TO PATTERN 2
1713 013012 000763      BR      LT53A          ;CONTINUE
1714 013014 004767 010400      LT53X: JSR      PC,ITER  ;GO SEE IF ITERATION
1715 013020 000167 167072      JMP      TSCD2         ;RETURN TO SCHEDULE

```

```
1716
1717
1718
1719 013024 012767 004260 165766 LT54: MOV 04260,WCS1 ;SET EXPT C81
1720 013032 012767 000100 165762 MOV 0100,WC82 ;SET EXPT C82
1721 013040 012767 010600 165756 MOV 010600,WDS ;SET EXPT D8
1722 013046 012767 000000 165752 MOV 00,WER ;SET EXPT ER
1723 013054 012767 032452 165540 MOV 0HSLT54,EMADDR ;SET HEADER
1724 013062 012767 001710 165706 MOV 01710,UDES ;SET NRZ, NORMAL, EVEN
1725 013070 000167 177150 JMP LT46A ;GO EXECUTE NAM 1
```

```
1726  
1727  
1728  
1729 013074 012767 144260 165716 LT55: MOV 0144260,WCS1 ;SET EXPT CS1  
1730 013102 012767 000100 165712 MOV 0100,WCS2 ;SET EXPT CS2  
1731 013110 012767 150600 165706 MOV 0150600,WDS ;SET EXPT DS  
1732 013116 012767 000200 165702 MOV 0200,WER ;SET EXPT ER  
1733 013124 012767 032533 165470 MOV 0HSLT55,EMADDR ;SET HEADER  
1734 013132 012767 001710 165636 MOV 01710,UDES ;SET NRZ, NORMAL, EVEN  
1735 013140 000167 177274 JMP LT50A ;GO DO WAM 0
```

```
1736
1737
1738
1739 013144 012767 004276 165646 LT56: MOV 04276,WC81 ;SET EXPT C81
1740 013152 012767 000100 165642 MOV 0100,WC82 ;SET EXPT C82
1741 013160 012767 010640 165636 MOV 010640,WDS ;SET EXPT DS
1742 013166 012767 000000 165632 MOV 00,WER ;SET EXPT ER
1743 013174 012767 032612 165420 MOV 0M5LTS6,EMADDR ;SET HEADER
1744 013202 012767 002300 165566 MOV 02300,UDES ;SELECT PE,NORMAL,ODD
1745 013210 012767 000001 165570 MOV 01,RDRVF ;SET READ REVERSE FLAG
1746 013216 000167 176436 JMP LT42A ;GO DO WAM 3, REVERSE
1747
```



```

1748
1749
1750
1751
1752
1753
1754
1755 013222 004767 001742          LT57I: JSR      PC,STATIC      ;GO SEE IF STATIC ONLY
1756 013226 012700 001000          MOV      01000,R0
1757 013232 005300          LT57PS: DEC      R0
1758 013234 001376          BNE     LT57PS      ;PAUSE
1759 013236 012767 032657 165356    NOV     0MSLT57,EMADDR
1760 013244 012767 013252 165440    NOV     0LT57IT,SCOLP      ;SET SCOPE ADDRESS
1761 013252 004767 010224          LT57IT: JSR     PC,INIT1      ;INIT SELECT DRIVE+SLAVE
1762 013256 052777 001700 165256    BIS     01700,0TC      ;SET NRZ + NORMAL FORMAT
1763 013264 012777 177770 165220    NOV     0-10,0WC
1764 013272 012777 177760 165216    NOV     0-20,0FC      ;SET FC=20
1765 013300 012777 034144 165206    NOV     0WDATA,0BA      ;SET BUS ADDRESS
1766 013306 012777 000007 165220    NOV     07,0MR      ;SET MM CODE
1767 013314 012777 000061 165166    NOV     061,0C1      ;LOAD WRITE+GO
1768 013322 005000          CLR     R0
1769 013324 032777 000200 165170    LT57A: BIT     0200,0DS      ;SEE IF DRY=1
1770 013332 001002          BNE     LT57B      ;IF 0: BR
1771 013334 005300          DEC     R0
1772 013336 001372          BNE     LT57A      ;DELAY
1773 013340 022777 000200 165156    LT57B: CMP     0200,0ER      ;SEE IF LRC ERROR ONLY
1774 013346 001007          BNE     LT57B1      ;IF NOT: BR
1775 013350 017702 165154          MOV     0CC,R2      ;GET CHECK CHAR
1776 013354 042702 177000          BIC     0177000,R2      ;MASK CRC
1777 013360 022702 000777          CMP     0777,R2      ;SEE IF SETUP CRC IS CORRECT
1778 013364 001410          BEQ     LT57B2      ;IF 0: BR
1779 013366 004767 006402          LT57B1: JSR    PC,LTGER3      ;ELSE PRINT ERROR SETUP
1780 013372 012704 027313          MOV     0MSG55,R4
1781 013376 004767 010442          JSR    PC,TTOUT      ;PRINT SETUP ERROR MSG
1782 013402 000167 166510          JMP     TSCD2      ;RETURN TO SCHED
1783 013406 004767 010070          LT57B2: JSR    PC,INIT1      ;GO INIT
1784 013412 052777 000300 165122    BIS     0300,0TC      ;SET FORMAT+NRZ
1785 013420 012777 177770 165064    NOV     0-10,0WC      ;SET WC
1786 013426 012777 177760 165062    NOV     0-20,0FC      ;SET FC
1787 013434 012777 034144 165052    NOV     0WDATA,0BA      ;SET BA
1788 013442 012777 000021 165064    NOV     021,0MR      ;SET MM
1789 013450 012777 000061 165032    NOV     061,0C1      ;LOAD WRITE+GO
1790 013456 005000          CLR     R0
1791 013460 032777 000200 165034    LT57C: BIT     0200,0DS      ;SEE IF DRY
1792 013466 001002          BNE     LT57D      ;IF 0: BR
1793 013470 005300          DEC     R0
1794 013472 001372          BNE     LT57C      ;AWAIT DRY
1795 013474 005777 165024          LT57D: TST     0ER      ;SEE IF CRC=1
1796 013500 100411          BMI     LT57E      ;IF 0: BR
1797 013502 012767 034112 165162    NOV     0TMS36,ERADD      ;SET ERROR CODE
1798 013510 012767 000001 165200    NOV     01,EXFL
1799 013516 004767 006264          JSR    PC,LTGER0      ;GO PRINT ERROR
1800 013522 000410          BR     LT57X
1801 013524 012701 100200          LT57E: MOV     0100200,R1      ;SET EXPT ERROR BITS
1802 013530 017702 164770          MOV     0ER,R2      ;GET ERROR REGISTER
1803 013534 020102          CMP     R1,R2      ;SEE IF UNEXPECTED ERROR

```

1804	013536	001402		BEQ	LT57X	;IF NOT; BR
1805	013540	004767	006230	JSR	PC,LTGER3	;ELSE PRINT ERROR
1806	013544	004767	007650	LT57X: JSR	PC,ITER	;DO ITERATIONS
1807	013550	004767	006710	JSR	PC,DRVCLR	
1808	013554	000167	166336	JMP	TSCD2	;RETURN TO SCHED

```

1009
1010
1011
1012 013560 004767 001404          LT60: JSR      PC,STATIC      ;GO SEE IF STATIC ONLY
1013 013564 012767 013600 165120  MOV      @LT60IT,SCOLP      ;SET SCOPE ADDRESS
1014 013572 012767 032713 165022  MOV      @MSLT60,EMADDR
1015 013600 004767 007676          LT60IT: JSR      PC,INIT1      ;INIT, SELECT DRIVE+SLAVE
1016 013604 052777 000300 164730  BIS      @300,@TC          ;SET FORMAT+NRZ
1017 013612 012777 000023 164714  MOV      @23,@MR          ;SET MH
1018 013620 012777 177770 164664  MOV      @-10,@WC         ;SET WC
1019 013626 012777 177760 164662  MOV      @-20,@FC         ;SET FC
1020 013634 012777 034144 164652  MOV      @WDATA,@BA       ;SET BA
1021 013642 012777 000061 164640  MOV      @61,@C1         ;LOAD WRITE+GO
1022 013650 005000
1023 013652 032777 000200 164642  LT60C: BIT      @200,@DS      ;SEE IF DRY
1024 013660 001002          BNE      LT60D            ;IF SO: BR
1025 013662 005300          DEC      R0
1026 013664 001372          BNE      LT60C            ;AWAIT DRY
1027 013666 032777 000200 164630  LT60D: BIT      @200,@ER      ;SEE IF LRC=1
1028 013674 001011          BNE      LT60E            ;IF SO: BR
1029 013676 012767 033767 164766  MOV      @TMS26,ERADD     ;SET ERROR CODE
1030 013704 012767 000001 165004  MOV      @1,EXFL
1031 013712 004767 006070          JSR      PC,LTGER0        ;GO PRINT
1032 013716 000425          BR      LT60X
1033 013720 017702 164610          LT60E: MOV      @MR,R2
1034 013724 042702 000177          BIC      @177,R2          ;MASK LRC
1035 013730 012701 157600          MOV      @157600,R1      ;SET EXPT LRC
1036 013734 020102          CMP      R1,R2           ;SEE IF EXPT = RCVD
1037 013736 001405          BEQ      LT60F            ;IF SO: BR
1038 013740 012767 027270 164724  MOV      @MSG53,ERADD     ;SET ERROR CODE
1039 013746 004767 007202          JSR      PC,LTGER1        ;PRINT ERROR
1040 013752 017702 164546          LT60F: MOV      @ER,R2          ;GET ERROR REGISTER
1041 013756 012701 000200          MOV      @200,R1         ;SET EXPT ERROR BITS
1042 013762 020102          CMP      R1,R2           ;SEE IF UNEXPECTED ERRORS
1043 013764 001402          BEQ      LT60X            ;IF NOT: BR
1044 013766 004767 006002          JSR      PC,LTGER3        ;ELSE PRINT ERROR
1045 013772 004767 007422          LT60X: JSR      PC,ITER
1046 013776 004767 006462          JSR      PC,DRVCLR
1047 014002 000167 166110          JMP      TSCD2           ;RETURN TO SCHED

```

```

1048
1049
1050
1051 014006 005767 164650          LT61:  TST      NRZOF          ;SEE IF NRZ ONLY
1052 014012 001122                BNE      LT61XX          ;IF SO: BR
1053 014014 004767 001150          JSR      PC,STATIC       ;GO SEE IF STATIC ONLY
1054 014020 012767 032747 164574    MOV      @MSLT61,EMADDR
1055 014026 012767 014034 164656    MOV      @LT61IT,SCOLP
1056 014034 004767 007442          LT61IT: JSR      PC,INIT1      ;INIT, SELCT DRIVE+SLAVE
1057 014040 052777 002300 164474    BIS      @2300,@TC       ;SET PE,NORMAL
1058 014046 012777 177600 164436    MOV      @-200,@WC       ;SET WC=200
1059 014054 012777 177400 164434    MOV      @-400,@FC       ;SET FC=400
1060 014062 012777 034144 164424    MOV      @WDATA,@BA      ;SET BA=START OF WRITE BUFFER
1061 014070 012777 000061 164412    MOV      @61,@C1         ;LOAD WRITE+GO
1062 014076 005000                CLR      R0
1063 014100 005777 164412          LT61A:  TST      @FC          ;SEE IF FC=0
1064 014104 001402                BEQ      LT61A1          ;IF SO: BR
1065 014106 005300                DEC      R0
1066 014110 001373                BNE      LT61A          ;DELAY FOR FC=0
1067 014112 012777 000021 164414    LT61A1: MOV      @21,@MR         ;SET MAINT CODE
1068 014120 005000                CLR      R0
1069 014122 032777 000200 164372    LT61B:  BIT      @200,@DS     ;SEE IF DRY IS SET
1070 014130 001002                BNE      LT61C          ;IF SO: BR
1071 014132 005300                DEC      R0
1072 014134 001372                BNE      LT61B          ;AWAIT DRY
1073 014136 005777 164362          LT61C:  TST      @ER          ;SEE IF CORR=1
1074 014142 100410                BMI      LT61D          ;IF SO: BR
1075 014144 012767 034103 164520    MOV      @TMS35,ERADD    ;SET ERROR CODE
1076 014152 012767 000001 164536    MOV      @1,EXPL
1077 014160 004767 005622          JSR      PC,LTGER0      ;GO PRINT ERROR
1078 014164 000240                LT61D:  NOP
1079 014166 000240                LT61E:  NOP
1080 014170 122777 000002 164332    CMPB     @2,@CC          ;SEE IF DEAD TRACK BIT 1
1081 014176 001414                BEQ      LT61F          ;IF SO: BR
1082 014200 117702 164324          MOVB     @CC,R2          ;SAVE RCVD
1083 014204 042702 177000          BIC      @177000,R2     ;MASK OUT CRC
1084 014210 112701 000002          MOVB     @2,R1          ;SAVE EXPT
1085 014214 012767 026663 164450    MOV      @MSG42,ERADD    ;SET ERROR CODE
1086 014222 004767 006726          JSR      PC,LTGER1      ;GO PRINT ERROR
1087 014226 000410                BR       LT61X
1088 014230 017702 164270          LT61F:  MOV      @ER,R2          ;GET ERROR REGISTER
1089 014234 012701 100000          MOV      @100000,R1     ;SET EXPT ERROR BITS
1090 014240 020102                CMP      R1,R2          ;SEE IF UNEXPECTED ERRORS
1091 014242 001402                BEQ      LT61X          ;IF NOT: BR
1092 014244 004767 005524          JSR      PC,LTGER3      ;ELSE PRINT ERROR
1093 014250 004767 007144          LT61X:  JSR      PC,ITER
1094 014254 004767 006204          JSR      PC,DRVCLR
1095 014260 000167 165632          LT61XX: JMP      TSCD2
1096

```

```

1897
1898
1899
1900 014264 005767 164372          LT62:  TST      NRZOF          ;SEE IF NRZ ONLY
1901 014270 001120                BNE      LT62XX          ;IF SO: BR
1902 014272 004767 000672                JSR      PC,STATIC      ;GO SEE IF STATIC ONLY
1903 014276 012767 033027 164316          MOV      %MSLT62,EMADDR
1904 014304 012767 014312 164400          MOV      %LT62IT,%COLP
1905 014312 004767 007164          LT62IT: JSR      PC,INIT1      ;INIT SELECT DRIVE SLAVE
1906 014316 012777 177600 164166          MOV      %200,%WC       ;SET WC=200
1907 014324 012777 177400 164164          MOV      %400,%FC       ;SET FC=400
1908 014332 012777 034144 164154          MOV      %WDATA,%BA     ;SET BA=START OF WRITE BUFFER
1909 014340 052777 002300 164174          BIS      %2300,%TC      ;SET TO PE,NORMAL
1910 014346 012777 000061 164134          MOV      %61,%C1        ;LOAD WRITE+GO
1911 014354 005000                CLR      R0
1912 014356 005777 164134          LT62E:  TST      %FC          ;AWAIT FC=0
1913 014362 001402                BEQ      LT62E1
1914 014364 005300                DEC      R0
1915 014366 001373                BNE      LT62E          ;AWAIT FC=0
1916 014370 012777 000023 164136          LT62E1: MOV      %23,%MR        ;SET MAINT CODE
1917 014376 005000                CLR      R0
1918 014400 032777 000200 164114          LT62A:  BIT      %200,%DS     ;SEE IF DRY IS SET
1919 014406 001002                BNE      LT62B          ;IF SO: BR
1920 014410 005300                DEC      R0
1921 014412 001372                BNE      LT62A          ;AWAIT DRY
1922 014414 032777 000100 164102          LT62B:  BIT      %100,%ER     ;SEE IF INC=1
1923 014422 001010                BNE      LT62D          ;IF SO:BR
1924 014424 012767 033745 164240          MOV      %TMS23,ERADD   ;SET ERROR CODE
1925 014432 012767 000001 164256          MOV      %1,EXPL
1926 014440 004767 005342                JSR      PC,LTGER0      ;GO PRINT ERROR
1927 014444 017702 164060          LT62D:  MOV      %CC,R2        ;GET CHECK CHAR
1928 014450 042702 177000                BIC      %177000,R2     ;MASK CHECK CHAR
1929 014454 012701 000046                MOV      %46,R1        ;SET EXPT CK
1930 014460 020102                CMP      R1,R2          ;SEE IF EXPT = RCVD
1931 014462 001405                BEQ      LT62F          ;IF SO: BR
1932 014464 012767 027302 164200          MOV      %MSG54,ERADD
1933 014472 004767 006456                JSR      PC,LTGER1      ;ELSE GO PRINT ERROR
1934 014476 017702 164022          LT62F:  MOV      %ER,R2
1935 014502 042702 100600                BIC      %100600,R2     ;MASK MSG AND CORR
1936 014506 012701 000100                MOV      %100,R1       ;SET EXPT ERROR BITS
1937 014512 020102                CMP      R1,R2          ;SEE IF UNEXPECTED ERRORS
1938 014514 001402                BEQ      LT62X          ;IF NOT: BR
1939 014516 004767 005252                JSR      PC,LTGER3      ;ELSE PRINT ERROR
1940 014522 004767 006672          LT62X:  JSR      PC,ITER
1941 014526 004767 005732                JSR      PC,DRVCLR
1942 014532 000167 165360          LT62XX: JMP      TSCD2      ;RETURN TO SCHED

```

```

1943
1944
1945
1946 014536 005767 164120          LT63:  TST      NRZOF          ;SEE IF NRZ ONLY
1947 014542 001114                BNE      LT63XX         ;IF SO: BR
1948 014544 004767 000420                JSR      PC,STATIC      ;GO SEE IF STATIC ONLY
1949 014550 012767 033111 164044        MOV      @M$LT63,ENADDR ;SET HEADER
1950 014556 012767 014564 164126        MOV      @LT63IT,SCOLP  ;SET SCOPE ADDRESS
1951 014564 004767 006712                LT63IT: JSR      PC,INIT1     ;INITIALIZE
1952 014570 012777 177770 163714        MOV      @-10,@WC       ;SET WC=10
1953 014576 012777 177760 163712        MOV      @-20,@FC       ;SET FC=20
1954 014604 052777 002300 163730        BIS      @2300,@TC      ;SET TO PE,NORMAL
1955 014612 012777 034144 163674        MOV      @WDATA,@BA     ;SET BA=START OF WRITE BUFFER
1956 014620 012777 000061 163662        MOV      @61,@C1        ;LOAD WRITE+GO
1957 014626 005777 163664                LT63A:  TST      @FC
1958 014632 001375                BNE      LT63A          ;AWAIT FC 0
1959 014634 032777 000100 163672 10:      BIT      @100,@MR
1960 014642 001774                BEQ      10
1961 014644 032777 000100 163662 20:      BIT      @100,@MR
1962 014652 001374                BNE      20
1963 014654 032777 000100 163652 30:      BIT      @100,@MR
1964 014662 001774                BEQ      30
1965 014664 012777 000027 163642        MOV      @27,@MR        ;SET MM CODE TO KILL PEF
1966 014672 012700 004000                MOV      @4000,@R0
1967 014676 032777 000200 163616  LT63B:  BIT      @200,@DS
1968 014704 001002                BNE      LT63C          ;SEE IF DRY SET
1969 014706 005300                DEC      R0              ;IF SO: BR
1970 014710 001372                BNE      LT63B          ;AWAIT DRY
1971 014712 032777 000200 163604  LT63C:  BIT      @200,@ER
1972 014720 001011                BNE      LT63D          ;SEE IF PEF SET
1973 014722 012767 033761 163742        MOV      @TMS25,ERADD   ;IF SO: BR
1974 014730 012767 000001 163760        MOV      @1,EXFL        ;SET ERROR TAG
1975 014736 004767 005044                JSR      PC,LTGER0      ;SET EXPT FLAG
1976 014742 000410                BR       LT63X           ;GO PRINT ERROR
1977 014744 017702 163554                LT63D:  MOV      @ER,R2      ;GET ERROR REGISTER
1978 014750 012701 000600                MOV      @600,R1        ;SET EXPT ERROR BITS
1979 014754 020102                CMP      R1,R2          ;SEE IF UNEXPECTED ERRORS
1980 014756 001402                BEQ      LT63X          ;IF NOT: BR
1981 014760 004767 005010                JSR      PC,LTGER3     ;ELSE PRINT ERROR
1982 014764 004767 006430                LT63X:  JSR      PC,ITER
1983 014770 004767 005470                JSR      PC,DRVCLR
1984 014774 000167 165116                LT63XX: JMP      TSCD2     ;RETURN TO SCHED

```

```

1985                                     ;LOGIC TEST 64: FRAME COUNT OVERFLOW(M8905)*****
1986
1987 015000 012767 033145 163614 LT64:  MOV    %MSLT64,ENADDR ;SET TEST HEADER
1988 015006 012767 015014 163676      MOV    %LT64IT,SCOLP ;SET SCOPE ADDRESS
1989 015014 004767 006462          LT64IT: JSR    PC,INIT1 ;GO INIT
1990 015020 012777 177770 163464      MOV    %-10,%WC ;SET WC = 10
1991 015026 012777 177760 163462      MOV    %-20,%FC ;SET FC = 20
1992 015034 052777 001700 163500      BIS    %1700,%TC ;SET TO NRE, NORMAL, ODD
1993 015042 012777 034144 163444      MOV    %WDATA,%BA ;SET BUS ADDRESS
1994 015050 012777 000013 163456      MOV    %13,%MR ;SET WRAP 2
1995 015056 012777 000061 163424      MOV    %61,%C1 ;LOAD WRITE+GO
1996 015064 012700 040000          MOV    %40000,%R0
1997 015070 005777 163446          LT64A: TST    %TC ;SEE IF ALPHA
1998 015074 100002          BPL    LT64B ;IF SO: BR
1999 015076 005300          DEC    %R0
2000 015100 001373          BNE    LT64A ;AWAIT ALPHA
2001 015102 012700 000020          LT64B: MOV    %20,%R0 ;SET CLK CNT
2002 015106 052777 000040 163420          LT64C: BIS    %40,%MR
2003 015114 042777 000040 163412          BIC    %40,%MR ;CLOCK MR
2004 015122 005300          DEC    %R0
2005 015124 001370          BNE    LT64C ;IF NOT DONE ALL: BR
2006 015126 017702 163364          MOV    %FC,%R2
2007 015132 005001          CLR    %R1 ;SET TEST WORD
2008 015134 020102          CMP    %R1,%R2 ;SEE IF EXPT = RCVD
2009 015136 001410          BEQ    LT64X ;IF SO: BR
2010 015140 012767 026136 163524          MOV    %MSG19,ERADD ;SET ERROR CODE
2011 015146 012767 000001 163542          MOV    %1,EXFL ;SET EXPT FLAG
2012 015154 004767 005774          JSR    PC,LTGER1 ;GO PRINT ERROR
2013 015160 004767 006234          LT64X: JSR    PC,ITER ;GO SEE IF ITERATIONS
2014 015164 000167 164726          JMP    TSCD2 ;RETURN TO SCHEDULAR
2015
2016                                     ;STATIC TESTS ONLY SUBROUTINE*****
2017
2018 015170 005767 163544          STATIC: TST    %STFLG ;SEE IF SINGLE TEST ONLY
2019 015174 001006          BNE    %STATX ;IF SO: BR
2020 015176 005767 163610          TST    %STATC ;SEE IF STATIC ONLY
2021 015202 001403          BEQ    %STATX ;IF NOT: BR
2022 015204 005726          TST    (%SP)+ ;RESET STACK
2023 015206 000167 164704          JMP    TSCD2 ;RETURN TO SCHEDULAR
2024 015212 000207          STATX: RTS    %PC ;RETURN TO TEST
2025

```

```

2026
2027
2028
2029
2030
2031
2032
2033
2034 015214 005767 163520          DSUP:  TST      STFLG      ;SEE IF SINGLE TEST
2035 015220 001431                BEQ      D00      ;IF NOT: BR
2036 015222 032777 000100 163340  BIT      @100,@SWR ;SEE IF SELECT PATTERN
2037 015230 001425                BEQ      D00      ;IF NOT: BR
2038 015232 012704 034562          MOV      @WMSG3,R4
2039 015236 004767 006602          JSR      PC,TTOUT ;REQUEST PATTERN NUMBER
2040 015242 016703 163534          MOV      PATRN,R3
2041 015246 004767 006734          JSR      PC,OCTP
2042 015252 012705 001002          MOV      @PATRN,R5 ;PRINT PATTERN NUMBER
2043 015256 012701 000001          MOV      @1,R1     ;GET ADDRESS OF PATRN ENTRY
2044 015262 012702 000003          MOV      @3,R2     ;SET SIZE OF ENTRY
2045 015266 012703 000000          MOV      @0,R3     ;SET UPPER LIMIT
2046 015272 004767 006310          JSR      PC,TTR    ;SET LOWER LIMIT
2047 015276 012767 000001 163474  MOV      @1,WPGFL  ;GO GET PATTERN NUMBER
2048 015304 012703 035472          DS0:  MOV      @WBUF,R3 ;SET FLAG
2049 015310 016701 163466          MOV      PATRN,R1 ;R3 = ADDR OF WRITE BUFFER
2050 015314 062701 000001          ADD      @1,R1     ;R1 = PATTERN SELECTOR
2051 015320 000241                CLC
2052 015322 006101                ROL      R1        ;BUMP POINTER
2053 015324 000171 001030          JMP      @DATBL(R1) ;MAKE PATTERN SELECTOR EVEN
2054 015330 032777 010000 163200  DS1:  BIT      @10000,@DT ;GO GENERATE PATTERN
2055 015336 001410                BEQ      D03      ;SEE IF SEVEN TRACK
2056 015340 012702 000202          MOV      @202,R2  ;IF NOT: BR
2057 015344 012701 035472          MOV      @WBUF,R1 ;SET BUFFER SIZE
2058 015350 042721 140300          DS2:  BIC      @140300,(R1)+ ;SET START OF BUFFER
2059 015354 005302                DEC      R2        ;MASK FOR 7 CH
2060 015356 001374                BNE     D02      ;SEE IF DONE
2061 015360 012702 000202          DS3:  MOV      @202,R2 ;IF NOT: BR
2062 015364 012701 036104          MOV      @RBUF,R1 ;R2=BUFFER SIZE +2
2063 015370 005021                CLR     (R1)+     ;R1=READ DATA START
2064 015372 005302                DEC     R2        ;CLEAR BUFFER
2065 015374 001375                BNE     D04      ;SEE IF DONE ALL
2066 015376 000207                RTS     PC        ;IF NOT: BR
2067
2068
2069
2070 015400 012701 177777          DAT1:  MOV      @-1,R1 ;EXIT
2071 015404 012702 000202          DAT1A: MOV      @202,R2 ;R1=DATA
2072 015410 010123                DAT1B: MOV      R1,(R3)+ ;R2=WORD COUNT +2
2073 015412 005302                DEC     R2        ;LOAD BUFFER
2074 015414 001375                BNE     DAT1B    ;SEE IF DONE
2075 015416 000167 177706          JMP     D01      ;IF NOT: BR
2076

```


2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097

015422 005001
015424 000167 177754

015430 012701 125125
015434 000167 177744

015440 005001
015442 012702 000404
015446 110123
015450 105201
015452 005302
015454 001374
015456 000167 177646

;
;ALL ZEROS*****
DAT2: CLR R1 ;R1=DATA
JMP DAT1A ;LOAD BUFFER
;
;ONE/ZERO IN ALTERNATING CHARACTERS*****
DAT3: MOV 0125125,R1 ;R1=DATA
JMP DAT1A ;LOAD BUFFER
;
;ALL BITS 0-377*****
DAT4: CLR R1 ;R1=STARTING DATA
MOV 0404,R2 ;R2=CHARACTER COUNT
DAT4A: MOV R1,(R3)+ ;LOAD BUFFER
INCB R1 ;BUMP DATA
DEC R2 ;SEE IF DONE
BNE DAT4A ;IF NOT: BR
JMP DS1 ;RETURN

```

2098
2099
2100 ;WRAP AROUND MODE 0 GLOBAL*****
2101 015462 012767 000006 163260 WAM0: MOV #6,WAM ;SET WAM NUMBER
2102 015470 012767 000060 163254 WAM01: MOV #60,FUN
2103 015476 005067 163252 CLR DATC
2104 015502 012767 035472 163250 MOV #WBUF,DATAD ;SET BUFFER ADDRESS
2105 015510 012767 036104 163244 MOV #RBUF,RDAD ;SET POINTER TO READ BUFFER
2106 015516 004767 000170 JSR PC,SETUP ;GO SET UP
2107 015522 000167 000516 JMP EXEC
2108
2109 ;WRAP AROUND MODE 1 WRITE BUFFER*****
2110
2111 015526 012767 000010 163214 WAM1: MOV #10,WAM
2112 015534 000167 177730 JMP WAM01
2113
2114 ;WRAP AROUND MODE 2 BIT FIDDLER WRITE*****
2115
2116 015540 012767 000012 163202 WAM2: MOV #12,WAM
2117 015546 012767 000060 163176 MOV #60,FUN
2118 015554 005067 163174 CLR DATC
2119 015560 012767 035472 163172 MOV #WBUF,DATAD
2120 015566 012767 036104 163166 MOV #RBUF,RDAD
2121 015574 004767 000112 WAM2A: JSR PC,SETUP
2122 015600 000167 000440 JMP EXEC
2123
2124 ;WRAP AROUND MODE 3 BIT FIDDLER READ*****
2125
2126 015604 012767 000014 163136 WAM3: MOV #14,WAM ;SET WAM NUMBER
2127 015612 012767 000070 163132 MOV #70,FUN ;SET FUNCTION
2128 015620 012767 036104 163132 MOV #RBUF,DATAD ;SET BUFFER ADDRESS
2129 015626 012767 035472 163122 MOV #WBUF,WTAD ;SET POINTER TO WRITE BUFFER
2130 015634 005767 163146 TST RDRVF
2131 015640 001411 BEQ WAM3A
2132 015642 062767 000376 163110 ADD #376,DATAD
2133 015650 062767 000377 163100 ADD #377,WTAD
2134 015656 012767 000076 163066 MOV #76,FUN ;SET READ REVERSE CODE
2135 015664 032767 000020 163104 WAM3A: BIT #20,UDES
2136 015672 001403 BEQ WAM3B
2137 015674 016767 163110 163054 MOV RCDP,WTAD
2138 015702 004767 000004 WAM3B: JSR PC,SETUP ;GO SET UP
2139 015706 000167 000332 JMP EXEC ;GO EXECUTE
2140

```

```

2141                                     ;REGISTER SETUP ROUTINE*****
2142
2143 015712 005767 163022          SETUP: TST      STFLG          ;SEE IF SINGLE TEST
2144 015716 001403                BEQ      SET0          ;IF NOT: BR
2145 015720 005767 163054                TST      WPGFL          ;SEE IF HAVE SELECTED PATTERN
2146 015724 001002                BNE     SET1          ;IF SO: BR
2147 015726 004767 177262          SET0: JSR      PC,DSUP    ;GO DO DATA SETUP
2148 015732 004767 005544          SET1: JSR      PC,INIT1   ;GO INIT SELECT DRIVE, SLAVE
2149 015736 004767 000656                JSR      PC,BOTT        ;GO ASSURE NOT AT BOT
2150 015742 012777 177400 162546    MOV      0-400,0FC      ;SET FC=NCX2
2151 015750 032767 000020 163020    BIT      020,UDES       ;SEE IF CORE DUMP
2152 015756 001403                BEQ      SET2          ;IF NOT: BR
2153 015760 012777 177000 162530    MOV      0-1000,0FC     ;SET FC=NCX4
2154 015766 012777 177600 162516    SET2: MOV      0-200,0WC  ;SET WC
2155 015774 016777 162760 162512    MOV      DATAD,0BA      ;SET BUS ADDRESS
2156 016002 032777 010000 162510    BIT      010000,0CS     ;ASSURE DRIVE THERE
2157 016010 001420                BEQ      SP1           ;IF SO: BR
2158 016012 032777 020000 162550    BIT      020000,0SWR    ;SEE IF PRINT ERRORS
2159 016020 001004                BNE     SP01          ;IF NOT: BR
2160 016022 012704 034603                MOV      0WMSG4,R4
2161 016026 004767 006012                JSR      PC,TTOUT       ;PRINT NON-EXISTANT DRIVE
2162 016032 032777 100000 162530    SP01: BIT      0100000,0SWR ;SEE IF HALT ON ERROR
2163 016040 001402                BEQ      SP0           ;IF NOT: BR
2164 016042 004767 007114                JSR      PC,STOP
2165 016046 000167 177660          SP0:  JMP      SET1       ;RESETUP
2166 016052 022767 000014 162670    SP1:  CMP      014,WAM    ;SEE IF WAM 3
2167 016060 001026                BNE     SP1B          ;IF NOT: BR
2168 016062 117767 162670 162664    MOVB     0WTAD,DATC     ;GET FIRST CHAR
2169 016070 042767 177400 162656    BIC      0177400,DATC
2170 016076 000367 162652                SWAB     DATC
2171 016102 005767 162700                TST      RDRVF          ;SEE IF READ REVERSE
2172 016106 001403                BEQ      SP1A          ;IF NOT: BR
2173 016110 005367 162642                DEC      WTAD           ;DECREMENT POINTER
2174 016114 000410                BR       SP1B
2175 016116 005267 162634          SP1A: INC      WTAD           ;BUMP POINTER
2176 016122 032767 000020 162646    BIT      020,UDES       ;SEE IF CORE DUMP
2177 016130 001402                BEQ      SP1B          ;IF NOT: BR
2178 016132 005267 162620                INC      WTAD           ;BUMP POINTER AGAIN
2179 016136 056777 162634 162376    SP1B: BIS      UDES,0TC   ;SET UNIT DESCRIPTION (DEN,PAR,FMT)
2180 016144 052777 000001 162362    BIS      01,0MR        ;SET MAINT MODE
2181 016152 056777 162572 162354    BIS      WAM,0MR       ;SET WAM
2182 016160 056777 162570 162346    BIS      DATC,0MR      ;SET DATA
2183 016166 016777 162560 162314    MOV      FUN,0C1       ;SET FUNCTION
2184 016174 032777 040000 162320    BIT      040000,0DS     ;ASSURE NO ERROR
2185 016202 001001                BNE     SP3           ;IF NOT: BR
2186 016204 000207                RTS      PC            ;RETURN
2187 016206 032777 020000 162354    SP3:  BIT      020000,0SWR ;SEE IF PRINT ERRORS
2188 016214 001004                BNE     SP4           ;IF NOT: BR
2189 016216 012704 034544                MOV      0WMSG2,R4
2190 016222 004767 005616                JSR      PC,TTOUT       ;PRINT SETUP ERROR
2191 016226 032777 100000 162334    SP4:  BIT      0100000,0SWR ;SEE IF HALT ON ERROR
2192 016234 001402                BEQ      SP5           ;IF NOT: BR
2193 016236 004767 006720                JSR      PC,STOP
2194 016242 000207          SP5:  RTS      PC            ;RETURN

```

```

2195                                     ;EXECUTE WAM ROUTINE*****
2196
2197 016244 032777 000040 162262 EXEC: BIT 040,0MR
2198 016252 001403 BEQ EX0 ;ASSURE MAINT CLOCK IS ZERO
2199 016254 042777 000040 162252 BIC 040,0MR ;IF NOT; CLEAR IT
2200 016262 022767 000010 162460 EX0: CMP 010,WAM ;SEE IF WAM 1 OR 2 OR 3
2201 016270 003402 BLE EX1 ;IF SO; BR
2202 016272 000167 000364 JMP EXW2 ;GO DO WAM 0
2203 016276 052777 000001 162204 EX1: BIS 01,0C1 ;SET GO BIT
2204 016304 005000 CLR R0
2205 016306 012701 000002 MOV 02,R1 ;SET DELAY
2206 016312 032777 100000 162222 EX1A: BIT 0100000,0TC ;SEE IF ALPHA
2207 016320 001404 BEQ EX2 ;IF SO; BR
2208 016322 005300 DEC R0
2209 016324 001372 BNE EX1A ;AWAIT ALPHA
2210 016326 005301 DEC R1
2211 016330 001370 BNE EX1A
2212 016332 005077 162230 EX2: CLR 0PSW
2213 016336 012701 000400 MOV 0400,R1 ;SET NUMBER OF CLKS
2214 016342 032767 000020 162426 BIT 020,UDES ;SEE IF CORE DUMP
2215 016350 001402 BEQ EX3 ;IF NOT; BR
2216 016352 012701 001000 MOV 01000,R1 ;SET CLOCKS LWCX4
2217 016356 022767 000014 162364 EX3: CMP 014,WAM ;SEE IF WAM 3
2218 016364 001413 BEQ EX5A ;IF SO; BR
2219 016366 032767 002000 162402 BIT 02000,UDES ;SEE IF PE
2220 016374 001405 BEQ EX5 ;IF NOT PE; BR
2221 016376 000241 CLC
2222 016400 006101 ROL R1
2223 016402 062701 000246 ADD 0246,R1 ;SET TO ALLOW FOR PRE/POSTAMBLE
2224 016406 000402 BR EX5A
2225 016410 062701 000010 EX5: ADD 010,R1 ;ADD CLOCKS FOR CRC AND LRC
2226 016414 022767 000014 162326 EX5A: CMP 014,WAM ;SEE IF WAM 3
2227 016422 001044 BNE EX5C ;IF NOT; BR
2228 016424 117700 162326 MOVB 0WTAD,R0
2229 016430 042700 177400 BIC 0177400,R0
2230 016434 005767 162346 TST RDRVF ;SEE IF REVERSE
2231 016440 001403 BEQ EX5A1 ;IF NOT; BR
2232 016442 005367 162310 DEC WTAD ;DEC POINTER
2233 016446 000416 BR EX5B
2234 016450 005267 162302 EX5A1: INC WTAD
2235 016454 032767 000020 162314 BIT 020,UDES ;SEE IF CORE DUMP
2236 016462 001410 BEQ EX5B ;IF NOT; BR
2237 016464 005267 162266 INC WTAD ;BUMP POINTER
2238 016470 005777 162262 TST 0WTAD ;SEE IF END
2239 016474 001003 BNE EX5B ;IF NOT; BR
2240 016476 162767 000010 162252 SUB 010,WTAD ;RESTORE POINTER
2241 016504 052777 000040 162022 EX5B: BIS 040,0MR ;CLOCK UP
2242 016512 017702 162016 MOV 0MR,R2 ;READ MR
2243 016516 042702 177400 BIC 0177400,R2 ;MASK OUT DATA
2244 016522 000300 SWAB R0 ;POSITION DATA
2245 016524 050002 BIS R0,R2 ;LOAD NEW DATA
2246 016526 010277 162002 MOV R2,0MR ;CLOCK DOWN AND LOAD NEW DATA
2247 016532 000426 BR EX5D
2248 016534 052777 000040 161772 EX5C: BIS 040,0MR ;CLOCK UP
2249 016542 042777 000040 161764 BIC 040,0MR ;CLOCK DOWN
2250 016550 017700 161760 MOV 0MR,R0 ;GET MR

```



```

2274                                     ;EXECUTE WAM 000000
2275
2276 016662 012767 017034 162000 EXW2I: MOV      0EXW2H,RTRN      ;SET INTERRUPT RETURN ADDRESS
2277 016670 012701 000200          MOV      0200,R1        ;SET NUMBER OF CLOCKS = FC/2
2278 016674 032767 002000 162074          BIT      02000,UDS      ;SEE IF PE
2279 016702 001402          BEQ      EXW2A          ;IF NOT: BR
2280 016704 012701 000100          MOV      0100,R1        ;ELSE SET CLKS = FC/4
2281 016710 016702 162046          EXW2A: MOV      RDAD,R2      ;SET BUFFER ADDRESS
2282 016714 012777 000161 161566          MOV      0161,0C1      ;SET WRITE+GO
2283 016722 005077 161640          CLR      0PSW          ;ALLOW INTERRUPT
2284 016726 032777 000040 161600 EXW2B: BIT      040,0MR
2285 016734 001774          BEQ      EXW2B          ;AWAIT CLOCK UP
2286 016736 017722 161572          MOV      0MR,(R2)+      ;GET DATA
2287 016742 032777 000040 161564 EXW2C: BIT      040,0MR
2288 016750 001374          BNE      EXW2C          ;AWAIT CLOCK DOWN
2289 016752 017722 161556          MOV      0MR,(R2)+      ;GET DATA
2290 016756 005301          DEC      R1             ;SEE IF DONE ALL
2291 016760 001362          BNE      EXW2B          ;IF NOT: BR
2292 016762 012701 000003          EXW2E: MOV      03,R1
2293 016766 005000          CLR      R0             ;SET DELAY
2294 016770 005300          EXW2F: DEC      R0
2295 016772 001376          BNE      EXW2F
2296 016774 005301          DEC      R1
2297 016776 001374          BNE      EXW2F          ;DELAY
2298 017000 032777 020000 161562          BIT      020000,0SWR    ;SEE IF ERROR PRINT
2299 017006 001004          BNE      EXW2G          ;IF NOT: BR
2300 017010 012704 035006          MOV      0WMSG24,R4
2301 017014 004767 005024          JSR      PC,TTOUT
2302 017020 032777 100000 161542 EXW2G: BIT      010000,0SWR
2303 017026 001402          BEQ      EXW2H          ;PRINT NO INTERRUPT
2304 017030 004767 006126          JSR      PC,STOP
2305 017034 012701 036104          EXW2H: MOV      0RBUF,R1      ;GET START OF READ BUFFER
2306 017040 012700 000400          MOV      0400,R0        ;SET SIZE
2307 017044 010102          MOV      R1,R2
2308 017046 012203          EXW2J: MOV      (R2)+,R3
2309 017050 000303          SWAB    R3
2310 017052 032767 000010 161716          BIT      010,UDS        ;SEE IF EVEN PAR
2311 017060 001402          BEQ      EXW2J0        ;IF NOT: BR
2312 017062 010321          MOV      R3,(R1)+      ;SAVE PAR + DATA
2313 017064 000401          BR      EXW2J1
2314 017066 110321          EXW2J0: MOVB    R3,(R1)+  ;ASSEMBLE DATA IN BYTES
2315 017070 005300          EXW2J1: DEC      R0
2316 017072 001365          BNE      EXW2J          ;CONTINUE FOR ALL
2317 017074 032777 000200 161466          BIT      0200,0SWR     ;SEE IF STATUS CHECK
2318 017102 001002          BNE      EXW2K          ;IF NOT: BR
2319 017104 004767 000016          JSR      PC,WSTCK
2320 017110 032777 000400 161452 EXW2K: BIT      0400,0SWR
2321 017116 001002          BNE      EXW2X          ;ELSE GO CHECK STATUS
2322 017120 004767 000272          JSR      PC,DCHK
2323 017124 000207          EXW2X: RTS      PC      ;SEE IF DATA CHECK
                                     ;IF NOT: BR
                                     ;ELSE GO CHECK DATA
                                     ;EXIT
    
```

```

2324
2325
2326
2327 017126 003067 161640          WSTCK: CLR      SERFL      ;CLEAR ERROR FLAG
2328 017132 005067 161462          CLR      HDRFL      ;CLEAR HEADER FLAG
2329 017136 012767 034630 161526  MOV      @WMSG6,ERADD ;SET CODE=C81
2330 017144 017702 161340          MOV      C01,R2      ;GET RCVD C81
2331 017150 016705 161644          MOV      WCB1,R5     ;GET EXPT C81
2332 017154 004767 000114          JSR      PC,WSTG     ;GO CHK
2333 017160 012767 034655 161504  MOV      @WMSG6D,ERADD ;SET CODE=C82
2334 017166 017702 161326          MOV      C08,R2      ;SET RCVD C82
2335 017172 016705 161624          MOV      WCB2,R5     ;GET EXPT C82
2336 017176 056705 161422          BIS      DRVN,R5     ;SET DRIVE NUMBER IN EXPT C82
2337 017202 004767 000066          JSR      PC,WSTG     ;GO CHK
2338 017206 012767 034663 161456  MOV      @WMSG6E,ERADD ;SET CODE=D8
2339 017214 017702 161302          MOV      ODS,R2      ;SET RCVD D8
2340 017220 016705 161600          MOV      WDS,R5      ;GET EXPT D8
2341 017224 004767 000044          JSR      PC,WSTG     ;GO CHK
2342 017230 012767 034670 161434  MOV      @WMSG6F,ERADD ;SET CODE=ER
2343 017236 017702 161262          MOV      OER,R2      ;GET RCVD ER
2344 017242 016705 161560          MOV      WER,R5      ;GET EXPT ER
2345 017246 004767 000022          JSR      PC,WSTG     ;GO CHK
2346 017252 005767 161514          TST      SERFL      ;SEE IF ANY ERRORS
2347 017256 001456          BEQ      WSTX        ;IF NOT: BR
2348 017260 005777 161304          TST      @SWR        ;SEE IF HALT ON ERROR
2349 017264 100053          BPL      WSTX        ;IF NOT: BR
2350 017266 004767 005670          JSR      PC,STOP
2351 017272 000450          BR       WSTX        ;CONTINUE
2352 017274 020205          WSTG:  CMP      R2,R5     ;SEE IF EXPT=RCVD
2353 017276 001446          BEQ      WSTX        ;IF SO: BR
2354 017300 005267 161466          INC      SERFL      ;SET ERROR FLAG
2355 017304 032777 020000 161256  BIT      @20000,@SWR ;SEE IF PRINT ERRORS
2356 017312 001040          BNE      WSTX        ;IF NOT: BR
2357 017314 005767 161300          TST      HDRFL      ;SEE IF DONE HEADER
2358 017320 001010          BNE      WSTG0       ;IF SO: BR
2359 017322 016704 161274          MOV      ENADDR,R4
2360 017326 004767 004512          JSR      PC,TTOUT    ;PRINT TEST HEADER
2361 017332 012704 034772          MOV      @WMSG23,R4
2362 017336 004767 004502          JSR      PC,TTOUT    ;PRINT STATUS TAG
2363 017342 012767 000001 161250  WSTG0: MOV      @1,HDRFL    ;SET HEADER FLAG
2364 017350 016704 161316          MOV      ERADD,R4
2365 017354 004767 004464          JSR      PC,TTOUT    ;PRINT CODE
2366 017360 012704 026022          MOV      @MSG12,R4
2367 017364 004767 004454          JSR      PC,TTOUT    ;PRINT EXPT TAG
2368 017370 010503          MOV      R5,R3
2369 017372 004767 004610          JSR      PC,OCTP     ;PRINT EXPT STATUS
2370 017376 012704 026031          MOV      @MSG13,R4
2371 017402 004767 004436          JSR      PC,TTOUT    ;PRINT RCVD TAG
2372 017406 010203          MOV      R2,R3
2373 017410 004767 004572          JSR      PC,OCTP     ;PRINT RCVD STATUS
2374 017414 000207          WSTX:  RTS      PC    ;RETURN
2375

```

```

2376
2377
2378
2379 017416 005067 161176          DCHK1: CLR      HDRFL      ;CLEAR HEADER FLAG
2380 017422 005067 161340          CLR      DERFL      ;CLEAR DATA ERROR FLAG
2381 017426 005067 161342          CLR      CRCNT      ;CLEAR CHAR CNTR
2382 017432 032767 000010 161336  BIT      @10,UDES    ;SEE IF EVEN PARITY
2383 017440 001402                BEQ      DCHKA0      ;IF NOT: BR
2384 017442 000167 000602                JMP      DCHKE       ;ELSE GO CHECK EVEN
2385 017446 022767 000010 161274  DCHKA0: CMP      @10,WAN    ;SEE IF WAN 1
2386 017454 001006                BNE     DCHKA       ;IF NOT: BR
2387 017456 032767 002000 161312  BIT      @2000,UDES ;SEE IF PE
2388 017464 001402                BEQ     DCHKA       ;IF NOT: BR
2389 017466 000167 001202                JMP     PRCHK       ;GO CHK DATA
2390 017472 012700 177400          DCHKA:  MOV      @-400,R0 ;SET NUMBER OF CHARACTERS
2391 017476 022767 000012 161244  CMP      @12,WAN
2392 017504 001006                BNE     DCHKA1      ;IF NOT WRAP 2: BR
2393 017506 032767 000020 161262  BIT      @20,UDES
2394 017514 001402                BEQ     DCHKA1      ;IF NOT CORE DUMP: BR
2395 017516 012700 177000          MOV      @-1000,R0
2396 017522 022767 000006 161220  DCHKA1: CMP      @6,WAN
2397 017530 001007                BNE     DCHKA2
2398 017532 032767 002000 161236  BIT      @2000,UDES ;SEE IF PE MODE
2399 017540 001430                BEQ     DCHKB       ;IF NOT: BR
2400 017542 012700 177600          MOV      @-200,R0  ;SET CHAR CNTR TO FC/2 FOR PE
2401 017546 000425                BR      DCHKB
2402 017550 022767 000012 161172  DCHKA2: CMP      @12,WAN    ;SEE IF WRAP 2
2403 017556 001021                BNE     DCHKB       ;IF NOT: BR
2404 017560 032767 002000 161210  BIT      @2000,UDES ;SEE IF PE
2405 017566 001415                BEQ     DCHKB       ;IF NOT: BR
2406 017570 012700 177653          MOV      @-125,R0  ;POINT TO START OF DATA
2407 017574 012767 000001 161162  MOV      @1,W2FLG   ;SET WRAP 2 FLAG
2408 017602 004767 000014          JSR     PC,DCHKB    ;GO CHECK DATA
2409 017606 004767 001362          JSR     PC,W1DCHK   ;GO CHECK WRAP 1 DATA
2410 017612 005067 161146          CLR      W2FLG
2411 017616 000167 000362          JMP     DCHKX
2412 017622 005067 161140          DCHKB:  CLR      DERFL
2413 017626 012701 035472          MOV      @NBUFF,R1 ;SET GOOD POINTER
2414 017632 012702 036104          MOV      @RBUFF,R2 ;SET READ POINTER
2415 017636 032767 000020 161132  BIT      @20,UDES    ;SEE IF CORE DUMP
2416 017644 001416                BEQ     DCHK0       ;IF NOT: BR
2417 017646 022767 000012 161074  CMP      @12,WAN    ;SEE IF WAN 2
2418 017654 001011                BNE     DCHKD       ;IF NOT: BR
2419 017656 005767 161120          TST     PATRN      ;SEE IF PATTERN 0
2420 017662 001003                BNE     DCHKC       ;IF NOT: BR
2421 017664 012701 001054          MOV      @WCDP0,R1 ;SET CORE DUMP PATTERN 0
2422 017670 000404                BR      DCHK0       ;GO CHECK DATA
2423 017672 012701 001042          DCHKC:  MOV      @WCDP2,R1 ;SET CORE DUMP WRITE PATTERN 2
2424 017676 000401                BR      DCHK0       ;GO CHECK DATA
2425 017700 000240          DCHKD:  NOP
2426 017702 121112          DCHK0:  CMPB     (R1),(R2) ;SEE IF DATA OK
2427 017704 001466                BEQ     DCHK2       ;IF SO: BR
2428 017706 032777 020000 160654  BIT      @20000,@SWR ;SEE IF PRINT ERRORS
2429 017714 001062                BNE     DCHK2       ;IF NOT: BR
2430 017716 005767 160676          TST     HDRFL      ;SEE IF DONE HEADER
2431 017722 001004                BNE     DCHK1
    
```


2432	017724	016704	160672		MOV	EMADDR,R4	
2433	017730	004767	004110		JSR	PC,TTOUT	;PRINT HEADER
2434	017734	005767	161026		DCHK1: TST	DERFL	;SEE IF FIRST ERROR
2435	017740	001014			BNE	DCHK1A	;IF NOT: BR
2436	017742	012704	034740		MOV	0WMSG16,R4	
2437	017746	004767	004072		JSR	PC,TTOUT	;PRINT DATA ERROR TAG
2438	017752	012704	035165		MOV	0WMSG32,R4	
2439	017756	004767	004062		JSR	PC,TTOUT	;PRINT PATRN TAG
2440	017762	016703	161014		MOV	PATRN,R3	
2441	017766	004767	004214		JSR	PC,OCTP	;PRINT PATTERN NUMBER
2442	017772	012767	000001	160620	DCHK1A: MOV	01,HDRFL	;SET HEADER FLAG
2443	020000	012767	000001	160760	MOV	01,DERFL	;SET DATA ERROR FLAG
2444	020006	012704	034764		MOV	0WMSG21,R4	
2445	020012	004767	004026		JSR	PC,TTOUT	;PRINT CHARACTER NUMBER TAG
2446	020016	016703	160752		MOV	CRCNT,R3	
2447	020022	004767	004160		JSR	PC,OCTP	;PRINT CHARACTER NUMBER
2448	020026	012704	034752		MOV	0WMSG17,R4	
2449	020032	004767	004006		JSR	PC,TTOUT	;PRINT GOOD TAG
2450	020036	111103			MOV	(R1),R3	
2451	020040	004767	004706		JSR	PC,DOUT	;PRINT GOOD DATA
2452	020044	012704	034757		MOV	0WMSG20,R4	
2453	020050	004767	003770		JSR	PC,TTOUT	;PRINT BAD TAG
2454	020054	111203			MOV	(R2),R3	
2455	020056	004767	004670		JSR	PC,DOUT	;PRINT BAD DATA
2456	020062	005767	160676		DCHK2: TST	W2FLG	
2457	020066	001020			BNE	DCHK2B	
2458	020070	005201			INC	R1	;BUMP POINTER
2459	020072	032767	000020	160676	BIT	020,UDES	;SEE IF CORE DUMP
2460	020100	001413			BEQ	DCHK2B	;IF NOT: BR
2461	020102	022767	000012	160640	CMP	012,WAM	;SEE IF WAM 2
2462	020110	001006			BNE	DCHK2A	;IF NOT: BR
2463	020112	005201			INC	R1	;BUMP POINTER
2464	020114	005711			TST	(R1)	;SEE IF END OF PATTERN
2465	020116	001004			BNE	DCHK2B	;IF NOT: BR
2466	020120	162701	000010		SUB	010,R1	;RESET POINTER TO START OF PATTERN
2467	020124	000401			BR	DCHK2B	;CONTINUE CHECK
2468	020126	000240			DCHK2A: NOP		
2469	020130	005202			DCHK2B: INC	R2	
2470	020132	022767	000006	160610	CMP	06,WAM	;SEE IF WAM 0
2471	020140	001005			BNE	DCHK3	
2472	020142	032767	002000	160626	BIT	02000,UDES	;SEE IF PE
2473	020150	001401			BEQ	DCHK3	;IF NOT PE: BR
2474	020152	005201			INC	R1	;BUMP WRITE DATA ADDRESS
2475	020154	005267	160614		DCHK3: INC	CRCNT	;BUMP CHAR CNTR
2476	020160	032777	000400	160402	BIT	0400,0SWR	;SEE IF CONT DATA CHK
2477	020166	001006			BNE	DCHKX	;IF NOT: BR
2478	020170	005200			INC	R0	;SEE IF DONE
2479	020172	001243			BNE	DCHK0	;IF NOT: BR
2480	020174	005767	160564		TST	W2FLG	
2481	020200	001401			BEQ	DCHKX	
2482	020202	000207			RTS	PC	
2483	020204	032777	100000	160356	DCHKX: BIT	010000,0SWR	;SEE IF HALT ON ERROR
2484	020212	001405			BEQ	DCHKX1	;IF NOT: BR
2485	020214	005767	160546		TST	DERFL	;SEE IF DATA ERROR OCCURED
2486	020220	001402			BEQ	DCHKX1	;IF NOT: BR
2487	020222	004767	004734		JSR	PC,STOP	

2488	020226	005067	160542
2489	020232	005067	160362
2490	020236	005067	160524
2491	020242	005067	160522
2492	020246	000207	

DCHKX1: CLR CRCNT
 CLR HDRFL
 CLR DERFL
 CLR PREFL
 RTS PC

;CLEAR CHAR CNTR
;CLEAR HEADER FLAG
;CLEAR DATA ERROR FLAG
;CLEAR PREAMBLE FLAG
;RETURN

```

2493
2494
2495
2496 020250 012700 177400
2497 020254 012701 035472
2498 020260 012702 036104
2499 020264 111105
2500 020266 005003
2501 020270 012704 000010
2502 020274 032705 000001
2503 020300 001401
2504 020302 005203
2505 020304 005304
2506 020306 001402
2507 020310 006005
2508 020312 000770
2509 020314 111105
2510 020316 042705 177400
2511 020322 005703
2512 020324 001003
2513 020326 012705 100020
2514 020332 000405
2515 020334 032703 000001
2516 020340 001402
2517 020342 052705 100000
2518 020346 042712 077400
2519 020352 020512
2520 020354 001474
2521 020356 032777 020000 160204
2522 020364 001070
2523 020366 005767 160226
2524 020372 001004
2525 020374 016704 160222
2526 020400 004767 003440
2527 020404 005767 160356
2528 020410 001014
2529 020412 012704 034740
2530 020416 004767 003422
2531 020422 012704 035165
2532 020426 004767 003412
2533 020432 016703 160344
2534 020436 004767 003544
2535 020442 012767 000001 160316
2536 020450 012767 000001 160142
2537 020456 012704 034764
2538 020462 004767 003356
2539 020466 016703 160302
2540 020472 004767 003510
2541 020476 012704 034752
2542 020502 004767 003336
2543 020506 110503
2544 020510 004767 004236
2545 020514 010503
2546 020516 004767 000064
2547 020522 012704 034757
2548 020526 004767 003312

```

;EVEN PARITY DATA CHECK*****

```

DCHKE1 MOV 0-400,R0 ;SET NUMBER OF CHARACTERS
MOV 0WBUF,R1 ;R1=START OF WRITE BUFFER
MOV 0RBUF,R2 ;R2=START OF READ BUFFER
DCKE0: MOVB (R1),R5 ;GET EXPT DATA
CLR R3
MOV 010,R4 ;SET NUMBER OF BITS
DCKE1: BIT 01,R5 ;SEE IF ONE BIT
BEQ DCKE2 ;IF NOT: BR
INC R3 ;COUNT ONE BITS FOR PARITY CHECK
DCKE2: DEC R4 ;SEE IF DONE
BEQ DCKE3 ;IF 00: BR
ROR R5 ;POINT TO NEXT BIT
BR DCKE1
DCKE3: MOVB (R1),R5 ;GET EXPT DATA
BIC 0177400,R5 ;MASK DATA FIELD
TST R3
BNE DCKE4 ;IF NO ONE BITS SET: BR
MOV 0100020,R5
BR DCKE5
DCKE4: BIT 01,R3 ;SEE IF ODD NUMBER OF ONE BITS
BEQ DCKE5 ;IF NOT: BR
BIS 0100000,R5 ;SET EVEN PARITY BIT=1
DCKE5: BIC 077400,(R2) ;MASK DATA FIELD
CMP R5,(R2) ;SEE IF DATA + PARITY GOOD
BEQ DCKE10 ;IF 00: BR
BIT 020000,0SWR ;SEE IF ERROR PRINT
BNE DCKE10 ;IF NOT: BR
TST HDRFL ;SEE IF DONE HEADER
BNE DCKE6 ;IF 00: BR
MOV EMADDR,R4
JSR PC,TTOUT ;PRINT HEADER
DCKE6: TST DERFL ;SEE IF FIRST BAD CHAR
BNE DCKE7 ;IF NOT: BR
MOV 0WMSG16,R4
JSR PC,TTOUT ;PRINT BAD DATA TAG
MOV 0WMSG32,R4
JSR PC,TTOUT ;PRINT PATTERN TAG
MOV PATRN,R3
JSR PC,OCTP ;PRINT PATTERN NUMBER
DCKE7: MOV 01,DERFL ;SET DATA ERROR FLAG
MOV 01,HDRFL ;SET HEADER FLAG
MOV 0WMSG21,R4
JSR PC,TTOUT ;PRINT CHAR NUMBER TAG
MOV CRCNT,R3
JSR PC,OCTP ;ORINT CHAR NUMBER
MOV 0WMSG17,R4
JSR PC,TTOUT ;PRINT GOOD DATA TAG
MOVB R5,R3
JSR PC,DOUT ;PRINT EXPT DATA
MOV R5,R3
JSR PC,DCKEP ;GO PRINT PARITY BIT
MOV 0WMSG20,R4
JSR PC,TTOUT ;PRINT BAD TAG

```



```

2572
2573
2574
2575 020644 012700 000051      PSCHK:  MOV    051,R0      ;SET SIZE OF POSTAMBLE
2576 020650 012701 035350      MOV    0POST,R1      ;SET POINTER TO POSTAMBLE
2577 020654 005067 157740      CLR    HDRFL        ;CLEAR HEADER FLAG
2578 020660 005067 160110      CLR    CRCNT        ;CLEAR CHAR CNTR
2579 020664 005067 160076      CLR    DERFL        ;CLEAR DATA ERROR FLAG
2580 020670 000167 000016      JMP    PD0          ;GO CHECK POSTAMBLE
2581
2582 020674 012700 000051      PRCHK:  MOV    051,R0      ;SET SIZE OF PREAMBLE
2583 020700 012701 035226      MOV    0PRE,R1      ;SET POINTER TO PREAMBLE
2584 020704 012702 036104      MOV    0RBUF,R2     ;SET POINTER TO START OF READ BUFFER
2585 020710 022122              CMP    (R1)+,(R2)+  ;BUMP ADDRESS POINTERS
2586 020712 121112              PD0:   CMPB   (R1),(R2)    ;CHECK DATA
2587 020714 001004              BNE   PD1          ;IF NOT GOOD: BR
2588 020716 126162 000001 000001  CMPB   1(R1),1(R2)  ;COMPARE COMPLIMENT BYTE
2589 020724 001477              BEQ   PD5          ;IF GOOD: BR
2590 020726 032777 020000 157634  PD1:   BIT    020000,08WR ;SEE IF PRINT INHIBIT
2591 020734 001073              BNE   PD5          ;IF SO: BR
2592 020736 005767 157656      TST   HDRFL        ;SEE IF DONE HEADER
2593 020742 001020              BNE   PD4          ;IF SO: BR
2594 020744 016704 157652      MOV   ENADDR,R4
2595 020750 004767 003070      JSR   PC,TTOUT     ;PRINT TEST HEADER
2596 020754 005767 160010      TST   PREFL        ;SEE IF PREAMBLE CHECK
2597 020760 001403              BEQ   PD2          ;IF NOT: BR
2598 020762 012704 035111      MOV   0WMSG29,R4   ;SET POSTAMBLE HEADER
2599 020766 000402              BR    PD3
2600 020770 012704 035073      PD2:  MOV   0WMSG28,R4   ;SET PREAMBLE HEADER
2601 020774 004767 003044      PD3:  JSR   PC,TTOUT     ;PRINT HEADER
2602 021000 005267 157614      INC   HDRFL
2603 021004 012704 034764      PD4:  MOV   0WMSG21,R4
2604 021010 004767 003030      JSR   PC,TTOUT     ;PRINT CHAR NUMBER TAG
2605 021014 016703 157754      MOV   CRCNT,R3
2606 021020 004767 003162      JSR   PC,OCTP      ;PRINT CHAR NUMBER
2607 021024 012704 034752      MOV   0WMSG17,R4
2608 021030 004767 003010      JSR   PC,TTOUT     ;PRINT GOOD TAG
2609 021034 116103 000001      MOVB  1(R1),R3
2610 021040 004767 003706      JSR   PC,DOUT      ;PRINT GOOD CHAR
2611 021044 012767 000240 157542  MOV   0240,TOB
2612 021052 004767 003102      JSR   PC,TOG
2613 021056 111103      MOVB  (R1),R3
2614 021060 004767 003666      JSR   PC,DOUT      ;PRINT COMPLIMENT
2615 021064 012704 034757      MOV   0WMSG20,R4
2616 021070 004767 002750      JSR   PC,TTOUT     ;PRINT BAD TAG
2617 021074 116203 000001      MOVB  1(R2),R3
2618 021100 004767 003646      JSR   PC,DOUT      ;PRINT BAD CHAR
2619 021104 012767 000240 157502  MOV   0240,TOB
2620 021112 004767 003042      JSR   PC,TOG
2621 021116 111203      MOVB  (R2),R3
2622 021120 004767 003626      JSR   PC,DOUT      ;PRINT COMPLIMENT
2623 021124 022122      PD5:  CMP    (R1)+,(R2)+  ;BUMP ADDRESS POINTERS
2624 021126 005267 157642      INC   CRCNT        ;BUMP CHAR NUMBER
2625 021132 005300      DEC   R0           ;SEE IF DONE
2626 021134 001266      BNE   PD0          ;IF NOT: BR
2627 021136 005767 157626      TST   PREFL        ;SEE IF PREAMBLE
    
```

2628	021142	001402		BEG	PD6	;IF 80: BR
2629	021144	000167	177034	JMP	DCHKX	;GO TO EXIT ROUTINE
2630	021150	005267	157614	PD6: INC	PREFL	;SET PREAMBLE FLAG
2631	021154	005067	157440	CLR	HDRFL	;CLEAR HEADER FLAG
2632	021160	005067	157610	CLR	CRCNT	;CLEAR CHAR CNTR
2633	021164	005067	157576	CLR	DERFL	;CLEAR DATA ERROR FLAG
2634	021170	000167	000000	JMP	WIDCHK	;GO CHECK WRAP : DATA
2635						

```

2636
2637
2638
2639 021174 012700 177400      W1DCHK: MOV      0-400,R0      ;SET NUMBER OF CHAR TO CHECK
2640 021200 012701 035472      MOV      @WBUF,R1      ;SET WRITE DATA POINTER
2641 021204 012702 036104      MOV      @RBUF,R2      ;SET READ DATA POINTER
2642 021210 062702 000124      ADD      #124,R2      ;POINT TO START OF DATA
2643 021214 005767 157544      TST      W2FLG        ;SEE IF WRAP 2
2644 021220 001401              BEQ      W1D0         ;IF NOT WAM 2: BR
2645 021222 005302              DEC      R2           ;RESET POINTER
2646 021224 111105      W1D0:  MOVB     (R1),R5
2647 021226 120512      CMPB     R5,(R2)      ;CHECK DATA
2648 021230 001007      BNE     W1D1         ;IF NOT GOOD: BR
2649 021232 005767 157526      TST      W2FLG        ;SEE IF WRAP
2650 021236 001001      BNE     W1D0A        ;IF SO: BR
2651 021240 105105      COMB     R5           ;COMPLIMENT EXPT DATA
2652 021242 120562 000001      W1D0A: CMPB     R5,1(R2)    ;CHECK COMPLIMENT DATA
2653 021246 001510      BEQ     W1D3         ;IF GOOD: BR
2654 021250 032777 020000 157312 W1D1:  BIT      @20000,@SWR  ;SEE IF PRINT INHIBIT
2655 021256 001104      BNE     W1D3         ;IF SO: BR
2656 021260 005767 157334      TST      HDRFL        ;SEE IF DONE HEADER
2657 021264 001020      BNE     W1D2         ;IF SO: BR
2658 021266 016704 157330      MOV      EMADDR,R4
2659 021272 004767 002546      JSR     PC,TTOUT      ;PRINT TEST HEADER
2660 021276 012704 034740      MOV      @WMSG16,R4
2661 021302 004767 002536      JSR     PC,TTOUT      ;PRINT BAD DATA TAG
2662 021306 012704 035165      MOV      @WMSG32,R4
2663 021312 004767 002526      JSR     PC,TTOUT      ;PRINT PATRN TAG
2664 021316 016703 157460      MOV      PATRN,R3
2665 021322 004767 002660      JSR     PC,OCTP       ;PRINT PATTERN NUMBER
2666 021326 012767 000001 157264 W1D2:  MOV      @1,HDRFL     ;SET HEADER FLAG
2667 021334 012704 034764      MOV      @WMSG21,R4
2668 021340 004767 002500      JSR     PC,TTOUT      ;PRINT CHAR NUMBER TAG
2669 021344 016703 157424      MOV      CRCNT,R3
2670 021350 004767 002632      JSR     PC,OCTP       ;PRINT CHAR NUMBER
2671 021354 012704 034752      MOV      @WMSG17,R4
2672 021360 004767 002460      JSR     PC,TTOUT      ;PRNT GOOD TAG
2673 021364 111105      MOVB     (R1),R5
2674 021366 110503      MOVB     R5,R3        ;GET GOOD CHAR
2675 021370 005767 157370      TST      W2FLG        ;SEE IF WRAP 2
2676 021374 001001      BNE     W1D2A        ;IF SO: BR
2677 021376 105103      COMB     R3           ;ELSE COMPLIMENT CHAR
2678 021400 004767 003346      W1D2A: JSR     PC,DOUT       ;PRINT CHARACTER
2679 021404 012767 000240 157202 MOV      @240,TOB
2680 021412 004767 002542      JSR     PC,TOG        ;SPACE
2681 021416 110503      MOVB     R5,R3
2682 021420 004767 003326      JSR     PC,DOUT       ;PRINT CHAR
2683 021424 012704 034757      MOV      @WMSG20,R4
2684 021430 004767 002410      JSR     PC,TTOUT      ;PRINT BAD TAG
2685 021434 116203 000001      MOVB     1(R2),R3
2686 021440 004767 003306      JSR     PC,DOUT       ;PRINT BAD CHAR
2687 021444 012767 000240 157142 MOV      @240,TOB
2688 021452 004767 002502      JSR     PC,TOG        ;SPACE
2689 021456 111203      MOVB     (R2),R3
2690 021460 004767 003266      JSR     PC,DOUT       ;PRINT CHAR
2691 021464 005267 157276      INC     DEFL

```

2692	021470	122122		W1D3:	CMPB	(R1)+,(R2)+	;BUMP ADDRESS
2693	021472	105722			TSTB	(R2)+	;BUMP ADDRESS
2694	021474	005267	157274		INC	CRCNT	;BUMP CHAR CNTR
2695	021500	000406			BR	W1D5	
2696	021502	005767	157256	W1D4:	TST	W2PLG	;SEE IF WRAP 2
2697	021506	001401			BEQ	W1D4A	;IF NOT: BR
2698	021510	000207			RTS	PC	;ELSE RETURN
2699	021512	000167	177126	W1D4A:	JMP	PSCHK	;GO CHECK POSTAMBLE
2700	021516	005200		W1D5:	INC	R0	
2701	021520	001770			BEQ	W1D4	
2702	021522	000167	177476		JMP	W1D0	
2703							
2704							
2705							
							;PREAMBLE/POSTAMBLE GENERATE SUBROUTINE*****
2706	021526	012700	000050	PPGEN:	MOV	050,R0	;SET SIZE OF PREAMBLE
2707	021532	012701	035226		MOV	0PRE,R1	
2708	021536	005721			TST	(R1)+	;SET ADDRESS OF PRE
2709	021540	012721	177400	PPG0:	MOV	0177400,(R1)+	;FILL TABLE
2710	021544	005300			DEC	R0	;SEE IF DONE
2711	021546	001374			BNE	PPG0	;IF NOT: BR
2712	021550	012701	035350		MOV	0POST,R1	;SET ADDRESS OF POST
2713	021554	012700	000050		MOV	050,R0	;SET SIZE OF POST
2714	021560	012721	000377		MOV	0377,(R1)+	;SET SYNC CHAR
2715	021564	012721	177400	PPG1:	MOV	0177400,(R1)+	;FILL TABLE
2716	021570	005300			DEC	R0	;SEE IF DONE
2717	021572	001374			BNE	PPG1	;IF NOT: BR
2718	021574	000207			RTS	PC	;RETURN


```

2719
2720
2721
2722 021576 005267 157074      EORPA: INC      TEMP2      ;SET WRAP FLAG
2723 021602 017700 156726      EORP:  MOV      @MR,R0      ;GET MAINT REG
2724 021606 042700 000036      BIC      @36,R0      ;CLEAR CURRENT OP CODE
2725 021612 052700 000024      BIS      @24,R0      ;SET EOR CLEAR OP CODE
2726 021616 010077 156712      MOV      R0,@MR      ;DO EOR
2727 021622 042777 000037 156704      BIC      @37,@MR      ;CLEAR EOR AND MM
2728 021630 005000      CLR      R0
2729 021632 012701 000002      MOV      @2,R1
2730 021636 032777 000001 156644      EORP1: BIT      @1,@C1      ;SEE IF GO GONE
2731 021644 001431      BEQ      EORP2      ;IF SO: BR
2732 021646 005300      DEC      R0
2733 021650 001372      BNE      EORP1      ;AWAIT GO RESET
2734 021652 005301      DEC      R1
2735 021654 001370      BNE      EORP1
2736 021656 032777 020000 156704      BIT      @20000,@SWR      ;SEE IF ERROR PRINT INHIBIT
2737 021664 001021      BNE      EORP2      ;IF SO: BR
2738 021666 005767 156726      TST      HDRFL      ;SEE IF DONE HEADER
2739 021672 001004      BNE      EORP1A      ;IF SO: BR
2740 021674 016704 156722      MOV      @MADDR,R4
2741 021700 004767 002140      JSR      PC,TTOUT      ;PRINT HEADER
2742 021704 012704 035130      EORP1A: MOV      @MSG31,R4
2743 021710 004767 002130      JSR      PC,TTOUT      ;PRINT EOR GO BIT ERROR
2744 021714 032777 100000 156646      BIT      @100000,@SWR      ;SEE IF HALT ON ERROR
2745 021722 001402      BEQ      EORP2      ;IF NOT: BR
2746 021724 004767 003232      JSR      PC,STOP
2747 021730 005767 156742      EORP2: TST      TEMP2      ;SEE IF WAM
2748 021734 001014      BNE      EORPX      ;IF NOT: BR
2749 021736 032777 000200 156624      BIT      @200,@SWR      ;SEE IF STATUS CHECK
2750 021744 001002      BNE      EORP3      ;IF NOT: BR
2751 021746 004767 175154      JSR      PC,WSTCK      ;ELSE GO CHECK STATUS
2752 021752 032777 000400 156610      EORP3: BIT      @400,@SWR      ;SEE IF DATA CHECK
2753 021760 001002      BNE      EORPX      ;IF NOT: BR
2754 021762 004767 175430      JSR      PC,DCHK      ;ELSE GO CHECK DATA
2755 021766 005067 156704      EORPX: CLR      TEMP2      ;CLEAR FLAG
2756 021772 000207      RTS      PC      ;RETURN
2757

```

```

2750                                     ;LOGIC TEST ADDRESSING ERROR SUBROUTINE*****
2759
2760 021774 005067 156716 LTGER3: CLR EXFL
2761 022000 012767 027225 156664 MOV #MSG51,ERADD
2762 022006 012767 000001 156732 LTGER0: MOV #1,ADDFL ;SET NO ADDRESS FLAG
2763 022014 005067 156646 LTGER: CLR PFLG ;CLEAR PRINT FLAG
2764 022020 032777 020000 156542 BIT #20000,08WR ;SEE IF SHOULD PRINT
2765 022026 001402 BEQ LTGA ;IF 0: BR
2766 022030 000167 000224 JMP LTGX ;ELSE GO TO EXIT
2767 022034 005767 156560 LTGA: TST HDRFL ;SEE IF PRINTED HEADER
2768 022040 001004 BNE LTGA1 ;IF 0: BR
2769 022042 016704 156554 MOV #EMADDR,R4
2770 022046 004767 001772 JSR PC,TTOUT ;PRINT TEST HEADER
2771 022052 012767 000001 156540 LTGA1: MOV #1,HDRFL ;SET HEADER FLAG
2772 022060 016704 156606 MOV #ERADD,R4
2773 022064 004767 001754 JSR PC,TTOUT ;PRINT CONDITION ERROR
2774 022070 005767 156652 TST ADDFL
2775 022074 001003 BNE LTGA2
2776 022076 010103 MOV R1,R3
2777 022100 004767 002102 JSR PC,OCTP ;PRINT ADDRESS
2778 022104 005767 156606 LTGA2: TST EXFL
2779 022110 001412 BEQ LTGC ;IF NO STATUS: BR
2780 022112 012704 025524 MOV #MSG6,R4
2781 022116 022767 000001 156572 CMP #1,EXFL ;EXPT-NOT RCVD
2782 022124 001402 BEQ LTGB
2783 022126 012704 025543 MOV #MSG7,R4 ;RCVD-NOT EXPT
2784 022132 004767 001706 LTGB: JSR PC,TTOUT ;PRINT STATUS
2785 022136 005267 156524 LTGC: INC PFLG
2786 022142 005767 156600 TST ADDFL ;SEE IF ADD TST
2787 022146 001430 BEQ LTGD ;IF 0: BR
2788 022150 005767 156570 TST T24FL ;SEE IF TEST 24
2789 022154 001423 BEQ LTGC0 ;IF NOT: BR
2790 022156 012704 035060 MOV #MSG27,R4
2791 022162 004767 001656 JSR PC,TTOUT ;PRINT DATA TAG
2792 022166 012704 026022 MOV #MSG12,R4
2793 022172 004767 001646 JSR PC,TTOUT ;PRINT EXPT TAG
2794 022176 012703 177777 MOV #0,R3
2795 022202 004767 001770 JSR PC,OCTPE ;PRINT EXPT
2796 022206 012704 026031 MOV #MSG13,R4
2797 022212 004767 001626 JSR PC,TTOUT ;PRINT RCVD TAG
2798 022216 010103 MOV R1,R3 ;GET RCVD
2799 022220 004767 001752 JSR PC,OCTPE ;PRINT RCVD
2800 022224 004767 000102 LTGC0: JSR PC,REGP ;PRINT REGISTERS
2801 022230 032777 010000 156332 LTGD: BIT #10000,08WR
2802 022236 001010 BNE LTGX
2803 022240 012704 026073 MOV #MSG16,R4
2804 022244 004767 001574 JSR PC,TTOUT
2805 022250 016703 156426 MOV #ITCNT,R3 ;PRINT ITERATION
2806 022254 004767 001726 JSR PC,OCTP
2807 022260 005777 156304 LTGX: TST #08WR
2808 022264 100002 BPL LTGXA ;IF NOT STOP ON ERROR: BR
2809 022266 004767 002670 JSR PC,STOP
2810 022272 005767 156370 LTGXA: TST PFLG
2811 022276 001006 BNE LTGXX ;IF PRINTED: BR
2812 022300 032777 020000 156262 BIT #20000,08WR
2813 022306 001002 BNE LTGXX ;IF STILL NO PRINT: BR

```

2014	022310	000167	177520		JMP	LTGA		;ELSE GO PRINT ERROR
2015	022314	005067	156426	LTGXX:	CLR	ADDFL		;CLEAR ADDRESS FLAG
2016	022320	005067	156372		CLR	EXFL		
2017	022324	000167	001044		JMP	SCOPE		
2018	022330	000207			RTS	PC		;EXIT
2019								
2020								;SUBROUTINE TO PRINT MAJOR REGISTERS*****
2021								
2022	022332	012704	027050	REGP:	MOV	0MSG46,R4		
2023	022336	004767	001502		JSR	PC,TTOUT		;PRINT REGISTER HEADER
2024	022342	017703	156142		MOV	0C1,R3		
2025	022346	004767	001624		JSR	PC,OCTPE		
2026	022352	017703	156134		MOV	0WC,R3		
2027	022356	004767	001614		JSR	PC,OCTPE		
2028	022362	017703	156126		MOV	0BA,R3		
2029	022366	004767	001604		JSR	PC,OCTPE		
2030	022372	017703	156120		MOV	0FC,R3		
2031	022376	004767	001574		JSR	PC,OCTPE		
2032	022402	017703	156112		MOV	0CS,R3		
2033	022406	004767	001564		JSR	PC,OCTPE		
2034	022412	017703	156104		MOV	0DS,R3		
2035	022416	004767	001554		JSR	PC,OCTPE		;PRINT REGISTERS
2036	022422	017703	156076		MOV	0ER,R3		
2037	022426	004767	001544		JSR	PC,OCTPE		
2038	022432	017703	156070		MOV	0AS,R3		
2039	022436	004767	001534		JSR	PC,OCTPE		
2040	022442	017703	156066		MOV	0MR,R3		
2041	022446	004767	001524		JSR	PC,OCTPE		
2042	022452	017703	156064		MOV	0TC,R3		
2043	022456	004767	001514		JSR	PC,OCTPE		
2044	022462	000207			RTS	PC		
2045								
2046								

```

2047                                     ;DRIVE CLEAR SUBROUTINE*****
2048
2049 022464 012704 040000      DRVCLR: MOV      040000,R4
2050 022470 005304          DCD:   DEC      R4
2051 022472 001376          BNE     DCD                    ;DELAY
2052 022474 005067 156166    CLR     PFLG
2053 022500 004767 000222    JSR    PC,ATTN                ;GO SEE OF ATTN SET
2054 022504 012777 000011 155776  MOV    011,0C1                ;ISSUE DRIVE CLEAR
2055 022512 005000          CLR     R0
2056 022514 032777 000200 156000  DCA:   BIT    0200,0DS        ;SEE IF DRY
2057 022522 001002          BNE     DCA0
2058 022524 005300          DEC     R0
2059 022526 001372          BNE     DCA                    ;WAIT FOR DRY
2060 022530 032777 040000 155764  DCA0:  BIT    040000,0DS        ;SEE IF ERR RESET
2061 022536 001024          BNE     DCE                    ;IF NOT: BR
2062 022540 005777 155760    TST    0ER                    ;SEE IF ERROR REGISTER RESET
2063 022544 001021          BNE     DCE                    ;IF NOT: BR
2064 022546 005777 155750    TST    0DS                    ;SEE IF ATA RESET
2065 022552 100416          BMI     DCE                    ;IF NOT: BR
2066 022554 012703 000001    MOV    01,R3                    ;SET TEST BIT
2067 022560 016704 156040    MOV    DRVN,R4                ;GET DRIVE NUMBER
2068 022564 005704          TST    R4                    ;SEE IF DRIVE 0
2069 022566 001404          BEQ    DCC                    ;IF 0: BR
2070 022570 000241          DCB:   CLC
2071 022572 006103          ROL    R3                    ;POSITION TEST BIT PER DRIVE NUMBER
2072 022574 005304          DEC    R4                    ;SEE IF DONE
2073 022576 001374          BNE     DCB                    ;IF NOT: BR
2074 022600 030377 155722    DCC:   BIT    R3,0AS          ;SEE IF ATTN IS RESET
2075 022604 001001          BNE     DCE                    ;IF NOT: BR
2076 022606 000207          RTS    PC                    ;RETURN
2077 022610 032777 020000 155752  DCE:   BIT    020000,0SWR      ;SEE IF ERROR PRINT INHIBIT
2078 022616 001017          BNE     DCEX                   ;IF 0: BR
2079 022620 005767 155774    TST    HDRFL                  ;SEE IF PRINT HEADER
2080 022624 001004          BNE     DCEA                   ;IF NOT: BR
2081 022626 016704 155770    MOV    EMADDR,R4
2082 022632 004767 001206    JSR    PC,TTOUT                ;PRINT HEADER
2083 022636 012704 027154    DCEA:  MOV    0MSG47,R4
2084 022642 004767 001176    JSR    PC,TTOUT                ;PRINT DRIVE CLEAR ERROR
2085 022646 004767 177460    JSR    PC,REGP                ;PRINT REGISTERS
2086 022652 005267 156010    INC    PFLG                    ;SET PRINTED FLAG
2087 022656 005777 155706    DCEX:  TST    0SWR            ;SEE IF HALT ON ERROR
2088 022662 100002          BPL    DCEXA                   ;IF NOT: BR
2089 022664 004767 002272    JSR    PC,STOP
2090 022670 005767 155772    DCEXA: TST    PFLG                ;SEE IF HAVE PRINTED
2091 022674 001006          BNE     DCEXX                   ;IF 0: BR
2092 022676 032777 020000 155664  BIT    02,000,0SWR            ;SEE IF SHOULD PRINT
2093 022704 001002          BNE     DCEXX                   ;IF NOT: BR
2094 022706 000167 177676    JMP    DCE                    ;ELSE PRINT THIS ERROR
2095 022712 012767 022464 155772  DCEXX: MOV    0DRVCLR,SCOLP        ;SET SCOPE LOOP ADDRESS
2096 022720 000167 000450    JMP    SCOPE                    ;GO DO SCOPE LOOP
2097 022724 000207          RTS    PC                    ;RETURN

```

```

2898                                     ;COMPOSITE ERROR CHECK SUBROUTINE*****
2899
2900 022726 005777 155570          ATTN:  TST      0DS          ;SEE IF ATA SET
2901 022732 001005                BNE      ATTA          ;IF SO: BR
2902 022734 012767 026512 155736  MOV      @MSG32,TEMP3
2903 022742 000167 000064          JMP      ATTP          ;ELSE PRINT ERROR
2904 022746 032777 040000 155546  ATTA:  BIT      @40000,0DS ;SEE IF COMPOSITE ERROR SET
2905 022754 001005                BNE      ATTB          ;IF SO: BR
2906 022756 012767 026474 155714  MOV      @MSG31,TEMP3
2907 022764 000167 000042          JMP      ATTP          ;ELSE PRINT ERROR
2908 022770 012703 000001          ATTB:  MOV      @1,R3    ;SET TEST BIT
2909 022774 012767 026530 155676  MOV      @MSG33,TEMP3
2910 023002 016704 155616          MOV      DRVN,R4      ;GET DRIVE NUMBER
2911 023006 005704                TST      R4           ;SEE IF DRIVE 0
2912 023010 001404                BEQ      ATTD          ;IF SO: BR
2913 023012 000241          ATTC:  CLC
2914 023014 006103                ROL      R3           ;POSITION TEST BIT
2915 023016 005304                DEC      R4           ;SEE IF DONE
2916 023020 001374                BNE      ATTC          ;IF NOT: BR
2917 023022 030377 155500          ATTD:  BIT      R3,@AS  ;SEE IF ATTEN SUMMARY SET
2918 023026 001401                BEQ      ATTP          ;IF NOT: BR
2919 023030 000207                RTS      PC           ;ELSE RETURN
2920 023032 032777 020000 155530  ATTP:  BIT      @20000,@SWR ;SEE IF PRINT INHIBIT
2921 023040 001021                BNE      ATTX          ;IF SO: BR
2922 023042 005767 155552          TST      HDRFL        ;SEE IF DONE HEADER
2923 023046 001004                BNE      ATTPA        ;IF SO: BR
2924 023050 016704 155546          MOV      ENADDR,R4
2925 023054 004767 000764          JSR      PC,TTOUT     ;PRINT HEADER
2926 023060 016704 155614          ATTPA: MOV      TEMP3,R4
2927 023064 004767 000754          JSR      PC,TTOUT     ;PRINT ERROR TYPE
2928 023070 004767 177236          JSR      PC,REGP      ;PRINT REGISTERS
2929 023074 005267 155566          INC      PFLG         ;SET PRINT FLAG
2930 023100 005267 155514          INC      HDRFL        ;SET HEADER FLAG
2931 023104 005777 155460          ATTX:  TST      @SWR   ;SEE IF HALT ON ERROR
2932 023110 100002                BPL      ATTXA        ;IF NOT: BR
2933 023112 004767 002044          JSR      PC,STOP
2934 023116 005767 155544          ATTXA: TST      PFLG   ;SEE IF DONE PRINT
2935 023122 001006                BNE      ATTX        ;IF SO: BR
2936 023124 032777 020000 155436  ATTX:  BIT      @20000,@SWR ;SEE IF SHOULD PRINT
2937 023132 001002                BNE      ATTX        ;IF NOT: BR
2938 023134 000167 177672          JMP      ATTP          ;ELSE PRINT ERROR
2939 023140 005067 155522          ATTX:  CLR      PFLG   ;CLEAR PRINT FLAG
2940 023144 000207                RTS      PC           ;RETURN

```

```

2941                                     ;LOGIC TEST REGISTER BIT ERROR SUBROUTINE*****
2942
2943 023146 012767 000001 155562 LTGER2: MOV    01,PEXFL      ;SET FLAG
2944 023154 005067 155506          LTGER1: CLR    PFLG        ;CLEAR PRINT FLAG
2945 023160 032777 020000 155402          BIT    020000,0SWR     ;SEE IF PRINT ERRORS
2946 023166 001402          BEQ    LTG1A      ;IF 0: BR
2947 023170 000167 000132          JMP    LTG1X      ;ELSE GO TO EXIT
2948 023174 005767 155420          LTG1A: TST    HDRFL     ;SEE IF PRINT HEADER
2949 023200 001004          BNE    LTG1B      ;IF NOT: BR
2950 023202 016704 155414          MOV    ENADDR,R4
2951 023206 004767 000632          JSR    PC,TTOUT     ;PRINT HEADER
2952 023212 012767 000001 155400          LTG1B: MOV    01,HDRFL  ;SET FLAG
2953 023220 016704 155446          MOV    ERADD,R4
2954 023224 004767 000614          JSR    PC,TTOUT     ;PRINT ERROR CODE
2955 023230 005767 155502          TST    PEXFL       ;SEE IF PRINT EXPT-RCVD
2956 023234 001016          BNE    LTG1T      ;IF NOT: BR
2957 023236 012704 026022          MOV    0MSG12,R4
2958 023242 004767 000576          JSR    PC,TTOUT     ;PRINT EXPT TAG
2959 023246 010103          MOV    R1,R3
2960 023250 004767 000732          JSR    PC,OCTP      ;PRINT EXPT
2961 023254 012704 026031          MOV    0MSG13,R4
2962 023260 004767 000560          JSR    PC,TTOUT     ;PRINT RCVD TAG
2963 023264 010203          MOV    R2,R3
2964 023266 004767 000714          JSR    PC,OCTP      ;PRINT RCVD
2965 023272 032777 010000 155270          LTG1T: BIT    010000,0SWR
2966 023300 001010          BNE    LTG1C
2967 023302 012704 026073          MOV    0MSG16,R4
2968 023306 004767 000532          JSR    PC,TTOUT
2969 023312 016703 155364          MOV    ITCNT,R3
2970 023316 004767 000664          JSR    PC,OCTP      ;PRINT ITERATION
2971 023322 005267 155340          LTG1C: INC    PFLG
2972 023326 005777 155236          LTG1X: TST    0SWR
2973 023332 100002          BPL    LTG1X1     ;IF NOT STOP ON ERROR: BR
2974 023334 004767 001622          JSR    PC,STOP
2975 023340 005767 155322          LTG1X1: TST   PFLG
2976 023344 001006          BNE    LTG1XX     ;IF HAVE PRINTED: BR
2977 023346 032777 020000 155214          BIT    020000,0SWR
2978 023354 001002          BNE    LTG1XX     ;IF STILL NO PRINT: BR
2979 023356 000167 177612          JMP    LTG1A      ;ELSE PRINT ERROR
2980 023362 005067 155350          LTG1XX: CLR   PEXFL  ;CLEAR EXPT-RCVD FLAG
2981 023366 000167 000002          JMP    SCOPE      ;GO TO SCOPE
2982 023372 000207          RTS    PC         ;RETURN
2983

```

```

2984
2985
2986
2987 023374 004767 001042          SCOPE: JSR    PC,CKSWR      ;CHECK FOR CONTROL G
2988 023400 032777 040000 155162   BIT    040000,0SWR      ;SEE IF LOOP ON ERROR
2989 023406 001001                   DNE    SCOPE1          ;IF SO: BR
2990 023410 000207                   RTS    PC              ;ELSE EXIT
2991 023412 005726          SCOPE1: TST    (SP)+        ;RESET STACK
2992 023414 000177 155272          JMP    0SCOLP         ;LOOP ON ERROR
2993
2994
2995
2996 023420 032777 010000 155142   ITER:  BIT    010000,0SWR ;SEE IF ITERATIONS
2997 023426 001403                   BEQ    ITER1          ;IF SO: BR
2998 023430 005067 155246          ITER0: CLR    ITCNT      ;CLEAR ITERATION COUNTER
2999 023434 000207                   RTS    PC              ;ELSE EXIT
3000 023436 005267 155240          ITER1: INC    ITCNT      ;BUMP COUNTER
3001 023442 026767 155234 155136   CMP    ITCNT,ITAMT    ;SEE IF DONE ALL
3002 023450 001767                   BEQ    ITER0          ;IF SO: BR
3003 023452 005726                   TST    (SP)+        ;RESET STACK
3004 023454 017700 155234          MOV    0ITRLP,R0     ;SET ITERATION POINTER
3005 023460 000110                   JMP    (R0)          ;GO ITERATE
3006
3007
3008
3009
3009 023462 012704 026700          INMT:  MOV    0MSG43,R4
3010 023466 004767 000352          JSR    PC,TTOUT      ;GO PRINT INHIB MSG
3011 023472 004767 001464          JSR    PC,STOP
3012 023476 000167 156414          JMP    TSCD2        ;RETURN TO SCHED
3013

```

```

3014
3015
3016
3017 023502 012777 000040 155010 INIT1: MOV 040,0C8 ;INIT
3018 023510 016777 155110 155002 INIT2: MOV DRVN,0C8 ;SELECT DRIVE
3019 023516 016777 155142 155016 MOV SLVN,0TC ;SELECT SLAVE
3020 023524 000207 RTS PC ;RETURN
3021
3022
3023
3024 023526 004767 000312 INST: JSR PC,TTOUT ;PRINT INSTRUCTION
3025 023532 012704 033212 MOV 0HMSG0,R4
3026 023536 004767 000302 JSR PC,TTOUT ;PRINT REPLY
3027 023542 012705 000700 MOV 0TEMP3,R5
3028 023546 012701 000001 MOV 01,R1
3029 023552 012702 177777 MOV 0-1,R2
3030 023556 012703 000000 MOV 00,R3
3031 023562 004767 000020 JSR PC,TTR ;AWAIT REPLY
3032 023566 000207 RTS PC ;EXIT
3033
3034
3035
3036 023570 022626 MTINT: CMP (SP)+,(SP)+ ;RESET STACK POINTER
3037 023572 000240 NOP
3038 023574 000240 NOP
3039 023576 000177 155066 JMP 0RTN ;RETURN TO CALLER
3040
3041
3042
3043 023602 TTINT:
3044 023602 000240 NOP
3045 023604 000002 RTI
3046

```



```

3047
3048
3049
3050
3051
3052
3053
3054
3055
3056
3057
3058
3059
3060
3061
3062
3063
3064 023606 005067 155062          TTR1 CLR      TEMP1          ;CLEAR FIRST CHARACTER FLAG
3065 023612 005000                CLR      R0
3066 023614 004767 000152          TTR0: JSR      PC,TTIN        ;GO READ CHARACTER
3067 023620 122767 000215 154770  CMPB    0215,TIB        ;SEE IF CR
3068 023626 001005                BNE     TTR1           ;IF NOT: BR
3069 023630 005767 155040                TST    TEMP1          ;SEE IF FIRST CHARACTER
3070 023634 001446                BEQ    TTR5           ;IF 80: BR
3071 023636 000167 000066                JMP    TTR2           ;ELSE GO LOAD VALUE
3072 023642 122767 000260 154746  TTR1:  CMPB    0260,TIB        ;SEE IF CHAR IS LESS THAN 0
3073 023650 101402                BLOS   TTR1A          ;IF NOT: BR
3074 023652 000167 000076                JMP    TTR1A         ;ELSE GO TO ERROR
3075 023656 122767 000270 154732  TTR1A: CMPB    0270,TIB        ;SEE IF CHAR IS GREATER THAN 7
3076 023664 101002                BHI    TTR1B         ;IF NOT: BR
3077 023666 000167 000062                JMP    TTR1B         ;ELSE GO TO ERROR
3078 023672 005267 154776          TTR1B: INC     TEMP1          ;SET FIRST CHARACTER FLAG
3079 023676 000241                CLC
3080 023700 006100                ROL    R0
3081 023702 000241                CLC
3082 023704 006100                ROL    R0            ;SHIFT 3 LEFT
3083 023706 000241                CLC
3084 023710 006100                ROL    R0
3085 023712 042767 177770 154676  BIC    0177770,TIB    ;STRIP ASCII
3086 023720 056700 154672          BIS    TIB,R0        ;LOAD CHARACTER
3087 023724 005301                DEC    R1            ;SEE IF DONE
3088 023726 001332                BNE    TTR0          ;IF NOT: BR
3089 023730 020002                TTR2:  CMP    R0,R2        ;SEE IF EXCEEDED MAXIMUM LIMIT
3090 023732 101402                BLOS   TTR3          ;IF NOT: BR
3091 023734 000167 000014                JMP    TTR3          ;ELSE GO TO ERROR
3092 023740 020300                TTR3:  CMP    R3,R0        ;SEE IF BELOW MINIMUM LIMIT
3093 023742 101402                BLOS   TTR4          ;IF NOT: BR
3094 023744 000167 000004                JMP    TTR4          ;ELSE GO TO ERROR
3095 023750 010015                TTR4:  MOV    R0,(R5)    ;LOAD VALUE
3096 023752 000207                TTR5:  RTS    PC        ;EXIT
3097

```

```

3098
3099
3100 ;TTY ENTRY ERROR SUBROUTINE*****
3101 023754 012704 026640 TINER: MOV #MSG40,R4
3102 023760 004767 000060 JSP PC,TTOUT ;PRINT?
3103 023764 162716 000020 SUB #20,(SP) ;RESET SP TO START OF VALUE ROUTINE
3104 023770 000207 RTS PC ;REDO VALUE ENTRY
3105
3106 ;TTY READ SUBROUTINE*****
3107
3108 023772 005077 154574 TTIN: CLR #TKS
3109 023776 005077 154572 CLR #TKB
3110 024002 005067 154610 CLR TIB
3111 024006 005277 154560 INC #TKS
3112 024012 105777 154554 TTIN1: TSTB #TKS
3113 024016 100375 BPL TTIN1
3114 024020 017767 154550 154570 MOV #TKB,TIB
3115 024026 105777 154544 TTIN2: TSTB #TPS
3116 024032 100375 BPL TTIN2
3117 024034 116777 154556 154536 MOVB TIB,#TPB
3118 024042 000207 RTS PC
3119
3120 ;TTY OUTPUT SUBROUTINE*****
3121
3122 024044 112467 154544 TTOUT: MOVB (R4)+,TOB
3123 024050 122767 000043 154536 CHPB #43,TOB
3124 024056 001446 BEQ TEX
3125 024060 122767 000045 154526 CHPB #45,TOB
3126 024066 001403 BEQ TCRLF
3127 024070 004767 000064 JSR PC,TOG
3128 024074 000763 BR TTOUT
3129 024076 112767 000015 154510 TCRLF: MOVB #15,TOB
3130 024104 004767 000050 JSR PC,TOG
3131 024110 012703 000004 MOV #4,R3
3132 024114 005067 154474 TCRLFA: CLR TOB
3133 024120 004767 000034 JSR PC,TOG
3134 024124 005303 DEC R3
3135 024126 001372 BNE TCRLFA ;DO FILLERS
3136 024130 112767 000012 154456 MOVB #12,TOB
3137 024136 004767 000016 JSR PC,TOG
3138 024142 105767 000272 TSTB RDSW
3139 024146 100401 BMI 18
3140 024150 000735 BR TTOUT
3141 024152 005067 000262 18: CLR RDSW
3142 024156 000406 BR TEX
3143 024160 105777 154412 TOG: TSTB #TPS
3144 024164 100375 BPL TOG
3145 024166 116777 154422 154404 MOVB TOB,#TPB
3146 024174 000207 TEX: RTS PC
3147
3148
3149 ;OCTAL OUTPUT SUBROUTINE*****
3150
3151 024176 012767 000001 000226 OCTPE: MOV #1,OFL
3152 024204 000402 BR OCTPE1
3153 024206 005067 000220 OCTP: CLR OFL ;CLEAR FLAG FOR LEADING ZERO

```

3154	024212	010304		OCTPE1:	MOV	R3,R4		;SEE IF NUMBER IS ZERO
3155	024214	001007			BNE	OCTP0		;IF NOT ZERO: BR
3156	024216	005767	000210		TST	OFL		;SEE IF PRINT ALL 0
3157	024222	001004			BNE	OCTP0		;IF 80: BR
3158	024224	004767	000162		JSR	PC,OCTPG1		;ELSE PRINT ZERO
3159	024230	000167	000120		JMP	OCTP3		;SPACE AND EXIT
3160	024234	032704	100000	OCTP0:	BIT	0100000,R4		;SEE IF MSD = 1
3161	024240	001406			BEG	OCTP1		;IF NOT: BR
3162	024242	012704	000001		MOV	01,R4		
3163	024246	004767	000116		JSR	PC,OCTPG		;PRINT 1
3164	024252	000167	000006		JMP	OCTP2		
3165	024256	005004		OCTP1:	CLR	R4		
3166	024260	004767	000104		JSR	PC,OCTPG		;PRINT 0
3167	024264	010304		OCTP2:	MOV	R3,R4		
3168	024266	006004			ROR	R4		
3169	024270	006004			ROR	R4		
3170	024272	006004			ROR	R4		;POSITION DIGIT
3171	024274	006004			ROR	R4		
3172	024276	000304			SWAB	R4		
3173	024300	004767	000064		JSR	PC,OCTPG		;PRINT DIGIT 2
3174	024304	010304			MOV	R3,R4		
3175	024306	006004			ROR	R4		
3176	024310	000304			SWAB	R4		
3177	024312	004767	000052		JSR	PC,OCTPG		;PRINT DIGIT 3
3178	024316	010304			MOV	R3,R4		
3179	024320	006104			ROL	R4		
3180	024322	006104			ROL	R4		
3181	024324	000304			SWAB	R4		
3182	024326	004767	000036		JSR	PC,OCTPG		;PRINT DIGIT 4
3183	024332	010304			MOV	R3,R4		
3184	024334	006004			ROR	R4		
3185	024336	006004			ROR	R4		
3186	024340	006004			ROR	R4		
3187	024342	004767	000022		JSR	PC,OCTPG		
3188	024346	010304			MOV	R3,R4		
3189	024350	004767	000014		JSR	PC,OCTPG		;PRINT DIGIT 5
3190	024354	012767	000240	154232	OCTP3:	MOV	0240,TOB	
3191	024362	004767	177572		JSR	PC,TOG		;PRINT SPACE
3192	024366	000207			RTS	PC		;EXIT
3193	024370	042704	177770	OCTPG:	BIC	0177770,R4		
3194	024374	001004			BNE	OCTPG0		
3195	024376	005767	000030		TST	OFL		
3196	024402	001001			BNE	OCTPG0		
3197	024404	000207			RTS	PC		
3198	024406	005267	000020	OCTPG0:	INC	OFL		
3199	024412	052704	000260	OCTPG1:	BIS	0260,R4		
3200	024416	010467	154172		MOV	R4,TOB		
3201	024422	004767	177532		JSR	PC,TOG		
3202	024426	010304			MOV	R3,R4		
3203	024430	000207			RTS	PC		
3204	024432	000000		OFL:	0			;FIRST CHAR FLAG

;CHECK SWITCH REGISTER ROUTINE, CHECKS FOR "G TO ALLOW CHANGING
;OF LOC.176.
;CALL IS BY WAY OF JSR PC,CLEAR

```

3210 ;LOCATIONS USED:
3211 024434 000000 TEMPST: ,WORD 0
3212 024436 000000 COUNT: ,WORD 0
3213 024440 000000 RDSW: ,WORD 0
3214 024442 022767 000176 154120 CKSWR: CMP #SWREG,SWR ;SOFTWARE SWITCH REG PRESENT
3215 024450 001037 BNE OUT ;NO, GET OUT
3216 024452 105777 154114 TSTB #TKS ;YES, WAIT FOR
3217 024456 100034 BPL OUT ;READY, GET CHARACTER
3218 024460 017767 154110 154130 MOV #TKB,TIB ;AND STRIP OFF
3219 024466 042767 177600 154122 BIC #177600,TIB ;THE GARBAGE
3220 024474 022767 000007 154114 CMP #7,TIB ;IS IT A <"G">
3221 024502 001022 BNE OUT
3222 024504 012704 035175 MOV #SCNTG,R4
3223 024510 004767 177330 JSR PC,TTOUT
3224 024514 012704 035201 CNTLU: MOV #MSWR,R4
3225 024520 004767 177320 JSR PC,TTOUT
3226 024524 017703 154040 MOV #SWR,R3
3227 024530 004767 177442 JSR PC,OCPE
3228 024534 012704 035210 MOV #MNEW,R4
3229 024540 004767 177300 JSR PC,TTOUT
3230 024544 004767 000002 JSR PC,#READ ;GO READ A LINE
3231 024550 000207 OUT: RTS ;RETURN TO MAIN BODY OF PROGRAM
3232
3233 024552 005067 177656 #READ: CLR TEMPST
3234 024556 012767 000007 177652 MOV #7,COUNT
3235 024564 004767 177202 18: JSR PC,TTIN ;GO READ A CHARACTER
3236 024570 042767 177600 154020 BIC #177600,TIB ;STRIP OFF GARBAGE
3237 024576 122767 000025 154012 CMPB #25,TIB ;IS IT A "U"?
3238 024604 001002 BNE 28 ;BRANCH IF NOT
3239 024606 005726 38: TST (SP)+ ;POP THE STACK
3240 024610 000741 BR CNTLU ;START OVER
3241 024612 122767 000015 153776 28: CMPB #15,TIB ;IS IT A <CR>?
3242 024620 001013 BNE 48 ;BRANCH IF NOT
3243 024622 012767 000200 177610 MOV #200,RDSW
3244 024630 004767 177242 JSR PC,TCRLF ;ECHO IT WITH <LF>
3245 024634 022767 000007 177574 CMP #7,COUNT ;WAS IT FIRST CHARACTER
3246 024642 001037 BNE 78 ;CHANGE SWR IF NOT FIRST ONE
3247 024644 005726 88: TST (SP)+ ;POP THE STACK
3248 024646 000740 BR OUT ;GET OUT
3249 024650 122767 000060 153740 48: CMPB #60,TIB
3250 024656 003004 BGT 58
3251 024660 122767 000067 153730 CMPB #67,TIB
3252 024666 002005 BGE 68
3253 024670 012704 035220 58: MOV #REQUEST,R4
3254 024674 004767 177144 JSR PC,TTOUT
3255 024700 000742 BR 38 ;START OVER IF NOT LEGAL CHARACTER
3256 024702 006367 177526 68: ASL TEMPST
3257 024706 006367 177522 ASL TEMPST
3258 024712 006367 177516 ASL TEMPST
3259 024716 142767 000060 153672 BICB #60,TIB ;GET NITTY-GRITTY
3260 024724 156767 153666 177502 BISB TIB,TEMPST
3261 024732 005367 177500 DEC COUNT ;ONLY WANT 6 DIGITS
3262 024736 001754 BEQ 58
3263 024740 000711 BR 18
3264 024742 016777 177466 153620 78: MOV TEMPST,#SWR ;CHANGE SWITCH REGISTER CONTENTS
3265 024750 000735 BR 88
    
```

```

3266
3267
3268
3269 024752 005067 153636
3270 024756 012704 000010
3271 024762 110367 153626
3272 024766 105777 153604
3273 024772 100375
3274 024774 132767 000200 153612
3275 025002 001404
3276 025004 012777 000061 153566
3277 025012 000403
3278 025014 012777 000060 153556
3279 025022 006167 153566
3280 025026 005304
3281 025030 001356
3282 025032 000207
3283 025034 016703 153640
3284 025040 000303
3285 025042 004767 177704
3286 025046 016703 153626
3287 025052 004767 177674
3288 025056 000207
3289
3290
3291
3292 025060 010304
3293 025062 000304
3294 025064 006004
3295 025066 006004
3296 025070 006004
3297 025072 006004
3298 025074 004767 000036
3299 025100 010304
3300 025102 000304
3301 025104 004767 000026
3302 025110 010304
3303 025112 006004
3304 025114 006004
3305 025116 006004
3306 025120 006004
3307 025122 004767 000010
3308 025126 010304
3309 025130 004767 000002
3310 025134 000207
3311 025136 012767 000260 153450
3312 025144 042704 177760
3313 025150 050467 153440
3314 025154 004767 177000
3315 025160 000207
3316
3317
3318
3319 025162 000000
3320 025164 004767 177252
3321 025170 000207

;DATA CHARACTER OUTPUT SUBROUTINE*****
DOUT: CLR TOB
MOV 010,R4 ;SET NUMBER TO PRINT
MOV B R3,TOB
DOUT1: TSTB 0TPB
BPL DOUT1
BITB 0200,TOB
BEQ DOUT2
MOV 0061,0TPB
BR DOUT3
DOUT2: MOV 0060,0TPB
DOUT3: ROL TOB
DEC R4
BNE DOUT1
RTS PC
DOUTD: MOV TEMP3,R3
SWAB R3
JSR PC,DOUT
MOV TEMP3,R3
JSR PC,DOUT
RTS PC

;TU16 SERIAL NUMBER PRINT SUBROUTINE*****
SNPT: MOV R3,R4
SWAB R4
ROR R4
ROR R4
ROR R4
ROR R4
ROR R4 ;GET FIRST DIGIT
JSR PC,SNPG ;PRINT
MOV R3,R4
SWAB R4 ;GET SECOND DIGIT
JSR PC,SNPG ;PRINT
MOV R3,R4
ROR R4
ROR R4
ROR R4
ROR R4 ;PRINT THIRD DIGIT
JSR PC,SNPG
MOV R3,R4
JSR PC,SNPG ;PRINT FOURTH DIGIT
RTS PC ;EXIT
MOV 0260,TOB ;SET BASE = 0
BIC 0177760,R4 ;MASK DIGIT
BIS R4,TOB ;SET ASCII
JSR PC,TOG ;TYPE DIGIT
RTS PC ;RETURN

;HALT HANDLEN*****
STOP: HALT
JSR PC,CKSWR ;CHECK FOR CONTROL G
RTS PC

```

```

3322                                     ;MESSAGE TABLE*****
3323
3324 025172 022445 046524 031060 MSG1: .ASCII /%TM02-TU16 CONTROL LOGIC TEST (DZTUC-E)%/
3325 025200 052055 030525 020066
3326 025206 047503 052116 047522
3327 025214 020114 047514 044507
3328 025222 020103 042524 052123
3329 025230 024040 055104 052524
3330 025236 026503 024505 043
3331 025243 105 052116 051105 .ASCII /ENTER CONDITIONS IN OCTAL%/
3332 025250 041440 047117 044504
3333 025256 044524 047117 020123
3334 025264 047111 047440 052103
3335 025272 046101 021445
3336 025276 042045 044522 042526 MSG2: .ASCII /%DRIVE NUMBER %/
3337 025304 047040 046525 042502
3338 025312 020122 043
3339 025315 045 043045 051117 MSG2A: .ASCII /%FOR DRIVE ADDRESS TEST;/
3340 025322 042040 044522 042526
3341 025330 040440 042104 042522
3342 025336 051523 052040 051505
3343 025344 035524
3344 025346 020045 047105 042524 .ASCII /% ENTER EXPT DRIVE NUMBER, ALL OTHERS SHOULD BE NON-EXISTANT.%/
3345 025354 020122 054105 052120
3346 025362 042040 044522 042526
3347 025370 047040 046525 042502
3348 025376 026122 040440 046114
3349 025404 047440 044124 051105
3350 025412 020123 044123 052517
3351 025420 042114 041040 020105
3352 025426 047516 026516 054105
3353 025434 051511 040524 052116
3354 025442 021456
3355 025444 047045 047117 042455 MSG3: .ASCII /%NON-EXIST DRIVE %/
3356 025452 044530 052123 042040
3357 025460 044522 042526 021440
3358 025466 051045 020110 042504 MSG4: .ASCII /%RH DETECTED %/
3359 025474 042524 052103 042105
3360 025502 021440
3361 025504 052045 030115 020062 MSG5: .ASCII /%TM02 DETECTED %/
3362 025512 042504 042524 052103
3363 025520 042105 021440
3364 025524 054105 052120 047055 MSG6: .ASCII /%EXPT-NOT RECVD%/
3365 025532 052117 051040 041505
3366 025540 042126 043
3367 025543 122 053103 026504 MSG7: .ASCII /%RCVD-NOT EXPT%/
3368 025550 047516 020124 054105
3369 025556 052120 043
3370 025561 045 046123 053101 MSG8: .ASCII /%SLAVE NUMBER %/
3371 025566 020105 052516 041115
3372 025574 051105 021440
3373 025600 022445 047506 020122 MSG8A: .ASCII /%FOR SLAVE ADDRESS TEST;/
3374 025606 046123 053101 020105
3375 025614 042101 051104 051505
3376 025622 020123 042524 052123
3377 025630 073

```

3378	025631	045	042440	052116		.ASCII	/% ENTER EXPT SLAVE NUMBER, ALL OTHERS SHOULD BE NON-EXISTANT.0/
3379	025636	051105	042440	050130			
3380	025644	020124	046123	053101			
3381	025652	020105	052516	041115			
3382	025660	051105	020054	046101			
3383	025666	020114	052117	042510			
3384	025674	051522	051440	047510			
3385	025702	046125	020104	042502			
3386	025710	047040	047117	042455			
3387	025716	044530	052123	047101			
3388	025724	027124	043				
3389	025727	045	047516	026516	MSG9:	.ASCII	/NON-EXIST SLAVE 0/
3390	025734	054105	051511	020124			
3391	025742	046123	053101	020105			
3392	025750	043					
3393	025751	045	042522	042101	MSG10:	.ASCII	/READ CONT BUS PAR 0/
3394	025756	041440	047117	020124			
3395	025764	052502	020123	040520			
3396	025772	020122	043				
3397	025775	045	051127	052111	MSG11:	.ASCII	/WRITE CONT BUS PAR 0/
3398	026002	020105	047503	052116			
3399	026010	041040	051525	050040			
3400	026016	051101	021440				
3401	026022	042440	050130	020124	MSG12:	.ASCII	/ EXPT 0/
3402	026030	043					
3403	026031	040	041522	042126	MSG13:	.ASCII	/ RCVD 0/
3404	026036	021440					
3405	026040	046445	020122	044502	MSG14:	.ASCII	/MR BITS 4-00/
3406	026046	051524	032040	030055			
3407	026054	043					
3408	026055	045	051115	041040	MSG15:	.ASCII	/MR BITS 15-70/
3409	026062	052111	020123	032461			
3410	026070	033455	043				
3411	026073	045	052111	051105	MSG16:	.ASCII	/ITER: 0/
3412	026100	020072	043				
3413	026103	045	041524	041040	MSG17:	.ASCII	/BTC BIT 13 0/
3414	026110	052111	030440	020063			
3415	026116	043					
3416	026117	045	041524	041040	MSG18:	.ASCII	/BTC BITS 12-0 0/
3417	026124	052111	020123	031061			
3418	026132	030055	021440				
3419	026136	043045	020103	044502	MSG19:	.ASCII	/FC BITS 15-0 0/
3420	026144	051524	030440	026465			
3421	026152	020060	043				
3422	026155	045	052506	020116	MSG20:	.ASCII	/FUN CODE BITS 5-1 OF C1 0/
3423	026162	047503	042504	041040			
3424	026170	052111	020123	026465			
3425	026176	020061	043117	041440			
3426	026204	020061	043				
3427	026207	045	047507	041040	MSG21:	.ASCII	/GO BIT NOT CORRECT AT START 0/
3428	026214	052111	047040	052117			
3429	026222	041440	051117	042522			
3430	026230	052103	040440	020124			
3431	026236	052123	051101	020124			
3432	026244	043					
3433	026245	045	047507	041040	MSG22:	.ASCII	/GO BIT NOT SET 0/

3434	026252	052111	047040	052117			
3435	026260	051440	052105	021440			
3436	026266	043445	020117	044502	MSG23:	,ASCII	/GO BIT NOT RESET BY INIT 0/
3437	026274	020124	047516	020124			
3438	026302	042522	042523	020124			
3439	026310	054502	044440	044516			
3440	026316	020124	043				
3441	026321	045	051104	020131	MSG24:	,ASCII	/DRY NOT SET BY INIT 0/
3442	026326	047516	020124	042523			
3443	026334	020124	054502	044440			
3444	026342	044516	020124	043			
3445	026347	045	051104	020131	MSG25:	,ASCII	/DRY NOT RESET BY GO=10/
3446	026354	047516	020124	042522			
3447	026362	042523	020124	054502			
3448	026370	043440	036517	021461			
3449	026376	042045	054522	047040	MSG25A:	,ASCII	/DRY NOT SET BY GO=00/
3450	026404	052117	051440	052105			
3451	026412	041040	020131	047507			
3452	026420	030075	043				
3453	026423	045	047516	044440	MSG26:	,ASCII	/NO INTERRUPT RETURNED 0/
3454	026430	052116	051105	052522			
3455	026436	052120	051040	052105			
3456	026444	051125	042516	021504			
3457	026452	041045	042101	051440	MSG27:	,ASCII	/BAD STATUS 0/
3458	026460	040524	052524	021523			
3459	026466	051440	035116	021440	MSG30:	,ASCII	/ SN: 0/
3460	026474	042445	051122	047040	MSG31:	,ASCII	/ERR NOT SET 0/
3461	026502	052117	051440	052105			
3462	026510	021440					
3463	026512	040445	040524	047040	MSG32:	,ASCII	/ATA NOT SET 0/
3464	026520	052117	051440	052105			
3465	026526	021440					
3466	026530	040445	020123	044502	MSG33:	,ASCII	/AS BIT NOT SET 0/
3467	026536	020124	047516	020124			
3468	026544	042523	020124	043			
3469	026551	045	041523	047040	MSG34:	,ASCII	/SC NOT SET 0/
3470	026556	052117	051440	052105			
3471	026564	021440					
3472	026566	052045	042522	047040	MSG35:	,ASCII	/TRE NOT SET 0/
3473	026574	052117	051440	052105			
3474	026602	021440					
3475	026604	051445	040514	047040	MSG36:	,ASCII	/SLA NOT SET 0/
3476	026612	052117	051440	052105			
3477	026620	021440					
3478	026622	051445	041523	047040	MSG37:	,ASCII	/SSC NOT SET 0/
3479	026630	052117	051440	052105			
3480	026636	021440					
3481	026640	037440	021440		MSG40:	,ASCII	/ ? 0/
3482	026644	022445	047105	020104	MSG41:	,ASCII	/END OF PASS 0/
3483	026652	043117	050040	051501			
3484	026660	020123	043				
3485	026663	045	042504	042101	MSG42:	,ASCII	/DEAD TRACK 0/
3486	026670	052040	040522	045503			
3487	026676	021440					
3488	026700	022445	040515	052516	MSG43:	,ASCII	/MANUAL TESTS (14-17) INHIBITED: HALT 0/
3489	026706	046101	052040	051505			

3490	026714	051524	024040	032061	
3491	026722	030455	024467	044440	
3492	026730	044116	041111	052111	
3493	026736	042105	020072	040510	
3494	026744	052114	045		
3495	026747	122	051505	046105	.ASCII /RESELECT AND PRESS CONTINUE/
3496	026754	041505	020124	047101	
3497	026762	020104	051120	051505	
3498	026770	020123	047503	052116	
3499	026776	047111	042525	021445	
3500	027004	051045	043505	051511	MSG44: .ASCII /REGISTER START: /
3501	027012	042524	020122	052123	
3502	027020	051101	035124	021440	
3503	027026	053045	041505	047524	MSG45: .ASCII /VECTOR ADDRESS: /
3504	027034	020122	042101	051104	
3505	027042	051505	035123	021440	
3506	027050	041445	030523	020040	MSG46: .ASCII /CS1 WC BA FC CS2 DS ER AS/
3507	027056	020040	041527	020040	
3508	027064	020040	041040	020101	
3509	027072	020040	020040	041506	
3510	027100	020040	020040	041440	
3511	027106	031123	020040	020040	
3512	027114	051504	020040	020040	
3513	027122	042440	020122	020040	
3514	027130	020040	051501		
3515	027134	020040	020040	046440	.ASCII / MR TC/
3516	027142	020122	020040	020040	
3517	027150	041524	021445		
3518	027154	047045	052117	051040	MSG47: .ASCII /NOT RESET BY DRIVE CLEAR/
3519	027162	051505	052105	041040	
3520	027170	020131	051104	053111	
3521	027176	020105	046103	040505	
3522	027204	021522			
3523	027206	040445	050114	040510	MSG50: .ASCII /ALPHA NOT SET/
3524	027214	047040	052117	051440	
3525	027222	052105	043		
3526	027225	045	047125	054105	MSG51: .ASCII /UNEXPECTED ERROR BITS/
3527	027232	042520	052103	042105	
3528	027240	042440	051122	051117	
3529	027246	041040	052111	021523	
3530	027254	047045	055122	047440	MSG52: .ASCII /NRZ ONLY: /
3531	027262	046116	035131	021440	
3532	027270	041045	042101	046040	MSG53: .ASCII /BAD LRC /
3533	027276	041522	021440		
3534	027302	041045	042101	041440	MSG54: .ASCII /BAD CK /
3535	027310	020113	043		
3536	027313	045	042523	052524	MSG55: .ASCII /SETUP ERROR: CHECK WRAP 0 WITH TEST 500/
3537	027320	020120	051105	047522	
3538	027326	035122	041440	042510	
3539	027334	045503	053440	040522	
3540	027342	020120	020060	044527	
3541	027350	044124	052040	051505	
3542	027356	020124	030065	043	
3543	027363	045	052123	052101	MSG56: .ASCII /STATIC TESTS ONLY: /
3544	027370	041511	052040	051505	
3545	027376	051524	047440	046116	

TN02/TU16 CONTROL LOGIC TEST MACY11 27(732) 10-MAR-76 13:16 PAGE 100
DZTUCE,P11

SEQ 0137

3546 027404 035131 021440

```
3547                                     ;TEST HEADER*****
3548
3549 027410 022445 047514 044507 HSLT1: .ASCII /%LOGIC TEST 1: DRIVE ADDRESSING (M0909 RH)0/
3550 027416 020103 042524 052123
3551 027424 030440 020072 051104
3552 027432 053111 020105 042101
3553 027440 051104 051505 044523
3554 027446 043516 024040 034115
3555 027454 030071 020071 044122
3556 027462 021451
3557 027464 022445 047514 044507 HSLT2: .ASCII /%LOGIC TEST 2: REGISTER ADDRESSING (M0909 RH)0/
3558 027472 020103 042524 052123
3559 027500 031040 020072 042522
3560 027506 044507 052123 051105
3561 027514 040440 042104 042522
3562 027522 051523 047111 020107
3563 027530 046450 034470 034460
3564 027536 051040 024510 043
3565 027543 045 046045 043517 HSLT3: .ASCII /%LOGIC TEST 3: CONTROL BUS TEST (RH M0905 M0909)0/
3566 027550 041511 052040 051505
3567 027556 020124 035063 041440
3568 027564 047117 051124 046117
3569 027572 041040 051525 052040
3570 027600 051505 020124 051050
3571 027606 020110 034115 030071
3572 027614 020065 034115 030071
3573 027622 024471 043
3574 027625 045 046045 043517 HSLT4: .ASCII /%LOGIC TEST 4: SLAVE ADDRESSING (M0905 M0903)0/
3575 027632 041511 052040 051505
3576 027640 020124 035064 051440
3577 027646 040514 042526 040440
3578 027654 042104 042522 051523
3579 027662 047111 020107 046450
3580 027670 034470 032460 046440
3581 027676 034470 031460 021451
3582 027704 022445 047514 044507 HSLT5: .ASCII /%LOGIC TEST 5: MR BIT TEST (M0905)0/
3583 027712 020103 042524 052123
3584 027720 032440 020072 051115
3585 027726 041040 052111 052040
3586 027734 051505 020124 046450
3587 027742 034470 032460 021451
3588 027750 022445 047514 044507 HSLT6: .ASCII /%LOGIC TEST 6: TC BIT TEST (M0905)0/
3589 027756 020103 042524 052123
3590 027764 033040 020072 041524
3591 027772 041040 052111 052040
3592 030000 051505 020124 046450
3593 030006 034470 032460 021451
3594 030014 022445 047514 044507 HSLT7: .ASCII /%LOGIC TEST 7: FC BIT TEST (M0905)0/
3595 030022 020103 042524 052123
3596 030030 033440 020072 041506
3597 030036 041040 052111 052040
3598 030044 051505 020124 046450
3599 030052 034470 032460 021451
3600 030060 022445 047514 044507 HSLT10: .ASCII /%LOGIC TEST 10: FUNCTION BIT TEST (M0905)0/
3601 030066 020103 042524 052123
3602 030074 030440 035060 043040
```

3603	030102	047125	052103	047511	
3604	030110	020116	044502	020124	
3605	030116	042524	052123	024040	
3606	030124	034115	030071	024465	
3607	030132	043			
3608	030133	045	046045	043517	MSLT11: ,ASCII /%LOGIC TEST 11: GO BIT TEST (M0909)0/
3609	030140	041511	052040	051505	
3610	030146	020124	030461	020072	
3611	030154	047507	041040	052111	
3612	030162	052040	051505	020124	
3613	030170	046450	034470	034460	
3614	030176	021451			
3615	030200	022445	047514	044507	MSLT12: ,ASCII /%LOGIC TEST 12: DRIVE READY BIT (M0909)0/
3616	030206	020103	042524	052123	
3617	030214	030440	035062	042040	
3618	030222	044522	042526	051040	
3619	030230	040505	054504	041040	
3620	030236	052111	024040	034115	
3621	030244	030071	024471	043	
3622	030251	045	046045	043517	MSLT13: ,ASCII /%LOGIC TEST 13: INTERRUPT TEST (RM)0/
3623	030256	041511	052040	051505	
3624	030264	020124	031461	020072	
3625	030272	047111	042524	051122	
3626	030300	050125	020124	042524	
3627	030306	052123	024040	044122	
3628	030314	021451			
3629	030316	022445	047514	044507	MSLT14: ,ASCII /%LOGIC TEST 14: MANUAL STATUS TEST 10/
3630	030324	020103	042524	052123	
3631	030332	030440	035064	046440	
3632	030340	047101	040525	020114	
3633	030346	052123	052101	051525	
3634	030354	052040	051505	020124	
3635	030362	021461			
3636	030364	022445	047514	044507	MSLT15: ,ASCII /%LOGIC TEST 15: MANUAL STATUS TEST 20/
3637	030372	020103	042524	052123	
3638	030400	030440	035065	046440	
3639	030406	047101	040525	020114	
3640	030414	052123	052101	051525	
3641	030422	052040	051505	020124	
3642	030430	021462			
3643	030432	022445	047514	044507	MSLT16: ,ASCII /%LOGIC TEST 16: MANUAL STATUS TEST 30/
3644	030440	020103	042524	052123	
3645	030446	030440	035066	046440	
3646	030454	047101	040525	020114	
3647	030462	052123	052101	051525	
3648	030470	052040	051505	020124	
3649	030476	021463			
3650	030500	022445	047514	044507	MSLT17: ,ASCII /%LOGIC TEST 17: MANUAL STATUS TEST 40/
3651	030506	020103	042524	052123	
3652	030514	030440	035067	046440	
3653	030522	047101	040525	020114	
3654	030530	052123	052101	051525	
3655	030536	052040	051505	020124	
3656	030544	021464			
3657	030546	022445	047514	044507	MSLT20: ,ASCII /%LOGIC TEST 20: ILLEGAL FUNCTION TEST (M0909)0/
3658	030554	020103	042524	052123	

3659	030562	031040	035060	044440	
3660	030570	046114	043505	046101	
3661	030576	043040	047125	052103	
3662	030604	047511	020116	042524	
3663	030612	052123	024040	034115	
3664	030620	030071	024471	043	
3665	030625	045	046045	043517	MSLT21: .ASCII /%%LOGIC TEST 21: RMR(M0909)0/
3666	030632	041511	052040	051505	
3667	030640	020124	030462	020072	
3668	030646	046522	024122	034115	
3669	030654	030071	024471	043	
3670	030661	045	046045	043517	MSLT22: .ASCII /%%LOGIC TEST 22: CPAR(M0909)0/
3671	030666	041511	052040	051505	
3672	030674	020124	031062	020072	
3673	030702	050103	051101	046450	
3674	030710	034470	034460	021451	
3675	030716	022445	047514	044507	MSLT23: .ASCII /%%LOGIC TEST 23: FMT(M0905 M0906)0/
3676	030724	020103	042524	052123	
3677	030732	031040	035063	043040	
3678	030740	052115	046450	034470	
3679	030746	032460	046440	034470	
3680	030754	033060	021451		
3681	030760	022445	047514	044507	MSLT24: .ASCII /%%LOGIC TEST 24: DPAR(M0906 RH)0/
3682	030766	020103	042524	052123	
3683	030774	031040	035064	042040	
3684	031002	040520	024122	034115	
3685	031010	030071	020066	044122	
3686	031016	021451			
3687	031020	022445	047514	044507	MSLT25: .ASCII /%%LOGIC TEST 25: NEF(M0909)0/
3688	031026	020103	042524	052123	
3689	031034	031040	035065	047040	
3690	031042	043105	046450	034470	
3691	031050	034460	021451		
3692	031054	022445	047514	044507	MSLT26: .ASCII /%%LOGIC TEST 26: FCE(M0909)0/
3693	031062	020103	042524	052123	
3694	031070	031040	035066	043040	
3695	031076	042503	046450	034470	
3696	031104	034460	021451		
3697	031110	022445	047514	044507	MSLT27: .ASCII /%%LOGIC TEST 27: ILR(M0909)0/
3698	031116	020103	042524	052123	
3699	031124	031040	035067	044440	
3700	031132	051114	046450	034470	
3701	031140	034460	021451		
3702	031144	022445	047514	044507	MSLT30: .ASCII /%%LOGIC TEST 30: DTE(M0906 RH)0/
3703	031152	020103	042524	052123	
3704	031160	031440	035060	052104	
3705	031166	024105	034115	030071	
3706	031174	020066	044122	021451	
3707	031202	022445	047514	044507	MSLT31: .ASCII /%%LOGIC TEST 31: OPI(M0903)0/
3708	031210	020103	042524	052123	
3709	031216	031440	035061	047440	
3710	031224	044520	046450	034470	
3711	031232	031460	021451		
3712	031236	022445	047514	044507	MSLT32: .ASCII /%%LOGIC TEST 32: UNS(M0909)0/
3713	031244	020103	042524	052123	
3714	031252	031440	035062	052440	

3715	031260	051516	046450	034470	
3716	031266	034460	021451		
3717	031272	022445	047514	044507	MSLT33: .ASCII /%LOGIC TEST 33: PIP(M0909)0/
3718	031300	020103	042524	052123	
3719	031306	031440	035063	050040	
3720	031314	050111	046450	034470	
3721	031322	034460	021451		
3722	031326	022445	047514	044507	MSLT34: .ASCII /%LOGIC TEST 34: PES(M0911)0/
3723	031334	020103	042524	052123	
3724	031342	031440	035064	050040	
3725	031350	051505	046450	034470	
3726	031356	030461	021451		
3727	031362	022445	047514	044507	MSLT35: .ASCII /%LOGIC TEST 35: TCW(M0903 M0905)0/
3728	031370	020103	042524	052123	
3729	031376	031440	035065	052040	
3730	031404	053503	046450	034470	
3731	031412	031460	046440	034470	
3732	031420	032460	021451		
3733	031424	022445	047514	044507	MSLT36: .ASCII /%LOGIC TEST 36: FCS(M0903 M0905)0/
3734	031432	020103	042524	052123	
3735	031440	031440	035066	043040	
3736	031446	051503	046450	034470	
3737	031454	031460	046440	034470	
3738	031462	032460	021451		
3739	031466	022445	047514	044507	MSLT37: .ASCII /%LOGIC TEST 37: ACCL(M0903 M0905)0/
3740	031474	020103	042524	052123	
3741	031502	031440	035067	040440	
3742	031510	041503	024114	034115	
3743	031516	030071	020063	034115	
3744	031524	030071	024465	043	
3745	031531	045	046045	043517	MSLT40: .ASCII /%LOGIC TEST 40: PE TAPE MARK(M0902)0/
3746	031536	041511	052040	051505	
3747	031544	020124	030064	020072	
3748	031552	042520	052040	050101	
3749	031560	020105	040515	045522	
3750	031566	046450	034470	031060	
3751	031574	021451			
3752	031576	022445	047514	044507	MSLT41: .ASCII /%LOGIC TEST 41: NRZ TAPE MARK (M0904)0/
3753	031604	020103	042524	052123	
3754	031612	032040	035061	047040	
3755	031620	055122	052040	050101	
3756	031626	020105	040515	045522	
3757	031634	024040	034115	030071	
3758	031642	024464	043		
3759	031645	045	046045	043517	MSLT42: .ASCII /%LOGIC TEST 42: WRAP 3,NRZ,NORMAL,ODD0/
3760	031652	041511	052040	051505	
3761	031660	020124	031064	020072	
3762	031666	051127	050101	031440	
3763	031674	047054	055122	047054	
3764	031702	051117	040515	026114	
3765	031710	042117	021504		
3766	031714	022445	047514	044507	MSLT43: .ASCII /%LOGIC TEST 43: WRAP 3,PE,NORMAL,ODD0/
3767	031722	020103	042524	052123	
3768	031730	032040	035063	053440	
3769	031736	040522	020120	026063	
3770	031744	042520	047054	051117	

3771	031752	040515	026114	042117	
3772	031760	021504			
3773	031762	022445	047514	044507	MSLT44: ,ASCII /%LOGIC TEST 44: WRAP 2,NRZ,NORMAL,ODD%/
3774	031770	020103	042524	052123	
3775	031776	032040	035064	053440	
3776	032004	040522	020120	026062	
3777	032012	051116	026132	047516	
3778	032020	046522	046101	047454	
3779	032026	042104	043		
3780	032031	045	046045	043517	MSLT45: ,ASCII /%LOGIC TEST 45: WRAP 2,PE,NORMAL,ODD%/
3781	032036	041511	052040	051505	
3782	032044	020124	032464	020072	
3783	032052	051127	050101	031040	
3784	032060	050054	026105	047516	
3785	032066	046522	046101	047454	
3786	032074	042104	043		
3787	032077	045	046045	043517	MSLT46: ,ASCII /%LOGIC TEST 46: WRAP 1,NRZ,NORMAL,ODD%/
3788	032104	041511	052040	051505	
3789	032112	020124	033064	020072	
3790	032120	051127	050101	030440	
3791	032126	047054	055122	047054	
3792	032134	051117	040515	026114	
3793	032142	042117	021504		
3794	032146	022445	047514	044507	MSLT47: ,ASCII /%LOGIC TEST 47: WRAP 1,PE,NORMAL,ODD%/
3795	032154	020103	042524	052123	
3796	032162	032040	035067	053440	
3797	032170	040522	020120	026061	
3798	032176	042520	047054	051117	
3799	032204	040515	026114	042117	
3800	032212	021504			
3801	032214	022445	047514	044507	MSLT50: ,ASCII /%LOGIC TEST 50: WRAP 0,NRZ,NORMAL,ODD%/
3802	032222	020103	042524	052123	
3803	032230	032440	035060	053440	
3804	032236	040522	020120	026060	
3805	032244	051116	026132	047516	
3806	032252	046522	046101	047454	
3807	032260	042104	043		
3808	032263	045	046045	043517	MSLT51: ,ASCII /%LOGIC TEST 51: WRAP 0,PE,NORMAL,ODD%/
3809	032270	041511	052040	051505	
3810	032276	020124	030465	020072	
3811	032304	051127	050101	030040	
3812	032312	050054	026105	047516	
3813	032320	046522	046101	047454	
3814	032326	042104	043		
3815	032331	045	046045	043517	MSLT52: ,ASCII /%LOGIC TEST 52: CORE DUMP WRITE (M0906)0/
3816	032336	041511	052040	051505	
3817	032344	020124	031065	020072	
3818	032352	047503	042522	042040	
3819	032360	046525	020120	051127	
3820	032366	052111	020105	046450	
3821	032374	034470	033060	021451	
3822	032402	022445	047514	044507	MSLT53: ,ASCII /%LOGIC TEST 53: CORE DUMP READ (M0906)0/
3823	032410	020103	042524	052123	
3824	032416	032440	035063	041440	
3825	032424	051117	020105	052504	
3826	032432	050115	051040	040505	

3027	032440	020104	046450	034470	
3028	032446	033060	021451		
3029	032452	022445	047514	044507	MSLT54: ,ASCII /%LOGIC TEST 54: EVEN PARITY WRITE (M0903 M0904)0/
3030	032460	020103	042524	052123	
3031	032466	032440	035064	042440	
3032	032474	042526	020116	040520	
3033	032502	044522	054524	053440	
3034	032510	044522	042524	024040	
3035	032516	034115	030071	020063	
3036	032524	034115	030071	024464	
3037	032532	043			
3038	032533	045	046045	043517	MSLT55: ,ASCII /%LOGIC TEST 55: EVEN PARITY READ(M0903 M0904)0/
3039	032540	041511	052040	051505	
3040	032546	020124	032465	020072	
3041	032554	053105	047105	050040	
3042	032562	051101	052111	020131	
3043	032570	042522	042101	046450	
3044	032576	034470	031460	046440	
3045	032604	034470	032060	021451	
3046	032612	022445	047514	044507	MSLT56: ,ASCII /%LOGIC TEST 56: READ REVERSE(M0906)0/
3047	032620	020103	042524	052123	
3048	032626	032440	035066	051040	
3049	032634	040505	020104	042522	
3050	032642	042526	051522	024105	
3051	032650	034115	030071	024466	
3052	032656	043			
3053	032657	045	046045	043517	MSLT57: ,ASCII /%LOGIC TEST 57: CRC(M0904)0/
3054	032664	041511	052040	051505	
3055	032672	020124	033465	020072	
3056	032700	051103	024103	034115	
3057	032706	030071	024464	043	
3058	032713	045	046045	043517	MSLT60: ,ASCII /%LOGIC TEST 60: LRC(M0904)0/
3059	032720	041511	052040	051505	
3060	032726	020124	030066	020072	
3061	032734	051114	024103	034115	
3062	032742	030071	024464	043	
3063	032747	045	046045	043517	MSLT61: ,ASCII /%LOGIC TEST 61: CORRECTABLE DATA (M0902 M0901)0/
3064	032754	041511	052040	051505	
3065	032762	020124	030466	020072	
3066	032770	047503	051122	041505	
3067	032776	040524	046102	020105	
3068	033004	040504	040524	024040	
3069	033012	034115	030071	020062	
3070	033020	034115	030071	024461	
3071	033026	043			
3072	033027	045	046045	043517	MSLT62: ,ASCII /%LOGIC TEST 62: INCORRECTABLE DATA (M0902 M0904)0/
3073	033034	041511	052040	051505	
3074	033042	020124	031066	020072	
3075	033050	047111	047503	051122	
3076	033056	041505	040524	046102	
3077	033064	020105	040504	040524	
3078	033072	024040	034115	030071	
3079	033100	020062	034115	030071	
3080	033106	024464	043		
3081	033111	045	046045	043517	MSLT63: ,ASCII /%LOGIC TEST 63: PEF(M0902)0/
3082	033116	041511	052040	051505	

3883	033124	020124	031466	020072
3884	033132	042520	024106	034115
3885	033140	030071	024462	043
3886	033145	045	046045	043517
3887	033152	041511	052040	051505
3888	033160	020124	032066	020072
3889	033166	041506	047440	042526
3890	033174	043122	047514	020127
3891	033202	046450	034470	032460
3892	033210	021451		

MSLT64: .ASCII /%LOGIC TEST 64: FC OVERFLOW (M0905)0/

```

3893
3894
3895
3896 033212 052045 050131 020105 MSG0: .ASCII /TYPE CR WHEN READY;/
3897 033220 051103 053440 042510
3898 033226 020116 042522 042101
3899 033234 035531 043
3900 033237 045 046445 052517 MSG1: .ASCII /MOUNT TAPE WITH NO WRITE RING, LOAD TO BOT, SET TO ON LINE;/
3901 033244 052116 052040 050101
3902 033252 020105 044527 044124
3903 033260 047040 020117 051127
3904 033266 052111 020105 044522
3905 033274 043516 020054 047514
3906 033302 042101 052040 020117
3907 033310 047502 026124 051440
3908 033316 052105 052040 020117
3909 033324 047117 046040 047111
3910 033332 035105 043
3911 033335 045 042523 020124 MSG2: .ASCII /SET TO OFFLINE;/
3912 033342 047524 047440 043106
3913 033350 044514 042516 021472
3914 033356 046445 053117 020105 MSG3: .ASCII /MOVE FORWARD TO EOT, ONLINE;/
3915 033364 047506 053522 051101
3916 033372 020104 047524 042440
3917 033400 052117 020054 047117
3918 033406 044514 042516 021472
3919 033414 047445 043106 046040 MSG4: .ASCII /OFF LINE REVERSE PAST EOT, INSERT WRITE RING, ON LINE;/
3920 033422 047111 020105 042522
3921 033430 042526 051522 020105
3922 033436 040520 052123 042440
3923 033444 052117 020054 047111
3924 033452 042523 052122 053440
3925 033460 044522 042524 051040
3926 033466 047111 026107 047440
3927 033474 020116 044514 042516
3928 033502 043
3929 033503 045 046445 053117 MSG5: .ASCII /MOVE TAPE TO BOT; ON LINE;/
3930 033510 020105 040524 042520
3931 033516 052040 020117 047502
3932 033524 035524 047440 020116
3933 033532 044514 042516 043

```

3934							
3935							;TAG MESSAGE
3936							
3937	033537	045	046123	020101	TMS1:	.ASCII	/0SLA 0/
3938	033544	043					
3939	033545	045	047502	020124	TMS2:	.ASCII	/0BOT 0/
3940	033552	043					
3941	033553	045	046524	021440	TMS3:	.ASCII	/0TM 0/
3942	033560	044445	041104	021440	TMS4:	.ASCII	/0IDB 0/
3943	033566	051445	053504	020116	TMS5:	.ASCII	/0SDWN 0/
3944	033574	043					
3945	033575	045	042520	020123	TMS6:	.ASCII	/0PES 0/
3946	033602	043					
3947	033603	045	051523	020103	TMS7:	.ASCII	/0SSC 0/
3948	033610	043					
3949	033611	045	051104	020131	TMS8:	.ASCII	/0DRY 0/
3950	033616	043					
3951	033617	045	050104	020122	TMS9:	.ASCII	/0DPR 0/
3952	033624	043					
3953	033625	045	052116	020114	TMS10:	.ASCII	/0NTL 0/
3954	033632	043					
3955	033633	045	047505	020124	TMS11:	.ASCII	/0EOT 0/
3956	033640	043					
3957	033641	045	051127	020114	TMS12:	.ASCII	/0WRL 0/
3958	033646	043					
3959	033647	045	047515	020114	TMS13:	.ASCII	/0MOL 0/
3960	033654	043					
3961	033655	045	044520	020120	TMS14:	.ASCII	/0PIP 0/
3962	033662	043					
3963	033663	045	051105	020122	TMS15:	.ASCII	/0ERR 0/
3964	033670	043					
3965	033671	045	052101	020101	TMS16:	.ASCII	/0ATA 0/
3966	033676	043					
3967	033677	045	046111	020106	TMS17:	.ASCII	/0ILF 0/
3968	033704	043					
3969	033705	045	046111	020122	TMS18:	.ASCII	/0ILR 0/
3970	033712	043					
3971	033713	045	046522	020122	TMS19:	.ASCII	/0RMR 0/
3972	033720	043					
3973	033721	045	050103	051101	TMS20:	.ASCII	/0CPAR 0/
3974	033726	021440					
3975	033730	043045	052115	021440	TMS21:	.ASCII	/0FMT 0/
3976	033736	042045	040520	020122	TMS22:	.ASCII	/0DPR 0/
3977	033744	043					
3978	033745	045	047111	020103	TMS23:	.ASCII	/0INC 0/
3979	033752	043					
3980	033753	045	050126	020105	TMS24:	.ASCII	/0VPE 0/
3981	033760	043					
3982	033761	045	042520	020106	TMS25:	.ASCII	/0PEF 0/
3983	033766	043					
3984	033767	045	051114	020103	TMS26:	.ASCII	/0LRC 0/
3985	033774	043					
3986	033775	045	051516	020107	TMS27:	.ASCII	/0NSG 0/
3987	034002	043					
3988	034003	045	041506	020105	TMS28:	.ASCII	/0FCE 0/
3989	034010	043					

```

3990 034011 045 051503 021440 TMS29: .ASCII /%CS 0/
3991 034016 044445 046524 021440 TMS30: .ASCII /%ITH 0/
3992 034024 047045 043105 021440 TMS31: .ASCII /%NEF 0/
3993 034032 042045 042524 021440 TMS32: .ASCII /%DTE 0/
3994 034040 047445 044520 021440 TMS33: .ASCII /%OPI 0/
3995 034046 053445 044522 042524 TMS33A: .ASCII /%WRITE OPI 0/
3996 034054 047440 044520 021440
3997 034062 051045 040505 020104 TMS33B: .ASCII /%READ OPI 0/
3998 034070 050117 020111 043
3999 034075 045 047125 020123 TMS34: .ASCII /%UNS 0/
4000 034102 043
4001 034103 045 047503 051122 TMS35: .ASCII /%CORR 0/
4002 034110 021440
4003 034112 041445 041522 021440 TMS36: .ASCII /%CRC 0/
4004 034120 052045 053503 021440 TMS37: .ASCII /%TCW 0/
4005 034126 043045 051503 021440 TMS38: .ASCII /%PCS 0/
4006 034134 040445 041503 020114 TMS39: .ASCII /%ACCL 0/
4007 034142 043
4008
4009 034144 .EVEN
4010 ;WRITE BUFFER
4011
4012 034144 WDATA: .REPT 100
4013 -1
4014 .ENDR
4015
4016
4017 ;READ BUFFER
4018
4019 034344 RDATA: .REPT 100
4020 0
4021 .ENDR
4022
4023 ;WRAP AROUND MESSAGES*****
4024
4025 034544 051445 052105 050125 WMSG2: .ASCII /%SETUP ERROR%0/
4026 034552 042440 051122 051117
4027 034560 021445
4028 034562 050045 052101 047122 WMSG3: .ASCII /%PATRN NUMBER = 0/
4029 034570 047040 046525 042502
4030 034576 020122 020075 043
4031 034603 045 047516 026516 WMSG4: .ASCII /%NON-EXISTANT DRIVE%0/
4032 034610 054105 051511 040524
4033 034616 052116 042040 044522
4034 034624 042526 021445
4035 034630 041445 030523 021440 WMSG6: .ASCII /%CS1 0/
4036 034636 053445 020103 043 WMSG6A: .ASCII /%WC 0/
4037 034643 045 040502 021440 WMSG6B: .ASCII /%BA 0/
4038 034650 043045 020103 043 WMSG6C: .ASCII /%FC 0/
4039 034655 045 051503 020062 WMSG6D: .ASCII /%CS2 0/
4040 034662 043
4041 034663 045 051504 021440 WMSG6E: .ASCII /%DS 0/
4042 034670 042445 020122 043 WMSG6F: .ASCII /%ER 0/
4043 034675 045 051501 021440 WMSG6G: .ASCII /%AS 0/
4044 034702 041445 020103 043 WMSG6H: .ASCII /%CC 0/
4045 034707 045 041104 021440 WMSG6I: .ASCII /%DR 0/

```

4046	034714	046445	020122	043	WMSG6J:	.ASCII	/RMR 0/
4047	034721	045	052104	021440	WMSG6K:	.ASCII	/RDT 0/
4048	034726	052045	020103	043	WMSG6L:	.ASCII	/RTC 0/
4049	034733	045	047123	021440	WMSG6M:	.ASCII	/RSN 0/
4050	034740	041045	042101	042040	WMSG16:	.ASCII	/BAD DATA/
4051	034746	052101	021501				
4052	034752	043445	020072	043	WMSG17:	.ASCII	/RG: 0/
4053	034757	045	035102	021440	WMSG20:	.ASCII	/RB: 0/
4054	034764	041445	035116	021440	WMSG21:	.ASCII	/RCN: 0/
4055	034772	041045	042101	051440	WMSG23:	.ASCII	/BAD STATUS/
4056	035000	040524	052524	021523			
4057	035006	047045	020117	047111	WMSG24:	.ASCII	/NO INTERRUPT/
4058	035014	042524	051122	050125			
4059	035022	021524					
4060	035024	047045	020117	046103	WMSG25:	.ASCII	/NO CLOCK UP/
4061	035032	041517	020113	050125			
4062	035040	043					
4063	035041	045	047516	041440	WMSG26:	.ASCII	/NO CLOCK DOWN/
4064	035046	047514	045503	042040			
4065	035054	053517	021516				
4066	035060	042045	052101	020101	WMSG27:	.ASCII	/DATA PAT:0/
4067	035066	040520	035124	043			
4068	035073	045	040502	020104	WMSG28:	.ASCII	/BAD PREAMBLE/
4069	035100	051120	040505	041115			
4070	035106	042514	043				
4071	035111	045	040502	020104	WMSG29:	.ASCII	/BAD POSTAMBLE/
4072	035116	047520	052123	046501			
4073	035124	046102	021505				
4074	035130	042445	051117	041440	WMSG31:	.ASCII	/EOR CLEAR DID NOT CLEAR GO/
4075	035136	042514	051101	042040			
4076	035144	042111	047040	052117			
4077	035152	041440	042514	051101			
4078	035160	043440	022517	043			
4079	035165	040	040520	051124	WMSG32:	.ASCII	/ PATRN 0/
4080	035172	020116	043				
4081							
4082	035175	045	043536	043	SCNTG:	.ASCII	/G°G/
4083	035201	045	053523	036522	SMWR:	.ASCII	/SWR= 0/
4084	035206	021440					
4085	035210	020040	042516	036527	SMNEW:	.ASCII	/ NEW= 0/
4086	035216	021440					
4087	035220	037440	022440	043	REQUEST:	.ASCII	/ ? 0/
4088							
4089		035226					
4090	035226	000000			PRE:	.EVEN	
4091						0	
4092						.REPT	50
4093						0	
4094	035350	000000			POST:	.ENDR	
4095						0	
4096						.REPT	50
4097						0	
4098	035472	000000			WBUF:	.ENDR	
4099		036104				0	
4100	036104	000000			RBUF:	.+,+410	
4101						0	

TM02/TU16 CONTROL LOGIC TEST
DZTUCE,P11

NACY11 27(732) 18-MAR-76 13116 PAGE 112

SEQ 0149

4102

000001

.END

ADDFL	000746	DCHKA1	017522	ER	000524	LTGER	022014	LT14	005056
AS	000526	DCHKA2	017550	ERADD	000672	LTGER0	022006	LT14A	005100
ASF	000730	DCHKB	017622	ERRF	000726	LTGER1	023154	LT14IT	005116
ATAF	000720	DCHKC	017672	EXEC	016244	LTGER2	023146	LT14X	005156
ATTA	022746	DCHKD	017700	EXFL	000716	LTGER3	021774	LT14XX	005162
ATTB	022770	DCHKE	020250	EXW2	016662	LTGX	022260	LT15	005166
ATTC	023012	DCHKX	020204	EXW2A	016710	LTGXA	022272	LT15A	005210
ATTD	023022	DCHKX1	020226	EXW2B	016726	LTGXX	022314	LT15IT	005226
ATTN	022726	DCHK0	017702	EXW2C	016742	LTG1A	023174	LT15X	005266
ATTP	023032	DCHK1	017734	EXW2E	016762	LTG1B	023212	LT15XX	005272
ATTPA	023060	DCHK1A	017772	EXW2F	016770	LTG1C	023322	LT16	005276
ATTX	023104	DCHK2	020062	EXW2G	017020	LTG1T	023272	LT16A	005320
ATTXA	023116	DCHK2A	020126	EXW2H	017034	LTG1X	023326	LT16IT	005336
ATXX	023140	DCHK2B	020130	EXW2J	017046	LTG1XX	023362	LT16X	005376
BA	000514	DCHK3	020154	EXW2J0	017066	LTG1X1	023340	LT16XX	005402
BOTT	016620	DCKEP	020606	EXW2J1	017070	LT1	002310	LT17	005406
BOTTA	016644	DCKEP0	020636	EXW2K	017110	LT1A	002412	LT17A	005430
BOTTX	016660	DCKE0	020264	EXW2X	017124	LT1B	002452	LT17IT	005446
CC	000530	DCKE1	020274	EX0	016262	LT1C	002464	LT17X	005506
CKSWR	024442	DCKE10	020546	EX1	016276	LT1ER	002474	LT17XX	005512
CNTLU	024514	DCKE11	020572	EX1A	016312	LT1ER1	002504	LT2	002540
COUNT	024436	DCKE12	020602	EX2	016332	LT1ER2	002512	LT2A	002600
CRCNT	000774	DCKE2	020304	EX3	016386	LT1G	002334	LT2B	002620
CS	000520	DCKE3	020314	EX5	016410	LT1G0	002324	LT2C	002634
C1	000510	DCKE4	020334	EX5A	016414	LT1X	002534	LT2ERG	002714
DATAD	000760	DCKE5	020346	EX5A1	016450	LT10	004180	LT2ER1	002044
DATA0	001032	DCKE6	020404	EX5B	016504	LT10A	004166	LT2ER2	002662
DATA1	001034	DCKE7	020442	EX5C	016534	LT10A1	004164	LT2ER3	002700
DATA2	001036	DERFL	000766	EX5C0	016600	LT10B	004226	LT2IT	002542
DATA3	001040	DOUT	024752	EX5C1	016604	LT10E1	004250	LT2LP	002730
DATBL	001030	DOUTD	025034	EX5D	016610	LT10IT	004152	LT2X	002736
DATC	000754	DOUT1	024766	FC	000516	LT10X	004274	LT20	005516
DAT1	015400	DOUT2	025014	FUN	000752	LT11	004304	LT20A	005544
DAT1A	015404	DOUT3	025022	HDRFL	000620	LT110	004336	LT20B	005622
DAT1B	015410	DRVCLR	022464	ILFT	000544	LT11C	004402	LT20C	005632
DAT2	015422	DRVN	000624	INIT1	023502	LT11E1	004424	LT20IT	005532
DAT3	015430	DRVTP	000604	INIT2	023510	LT11E2	004456	LT20X	005646
DAT4	015440	DS	000522	INMT	023462	LT11E3	004510	LT21	005662
DAT4A	015446	DSUP	015214	INST	023526	LT11IT	004306	LT21A	005766
DB	000532	DS0	015304	ITANT	000606	LT11X	004536	LT21B	005776
DCA	022514	DS1	015330	ITCNT	000702	LT12	004546	LT21IT	005676
DCA0	022530	DS2	015350	ITER	023420	LT12B	004576	LT21XA	006006
DCB	022570	DS3	015360	ITER0	023430	LT12C	004640	LT22	006026
DCC	022600	DS4	015370	ITER1	023436	LT12E1	004660	LT22A	006126
DCD	022470	DT	000536	ITRLP	000714	LT12E2	004702	LT22IT	006042
DCE	022610	ENADDR	000622	LTADD	000742	LT12E3	004724	LT22X	006136
DCEA	022636	EORP	021602	LTGA	022034	LT12IT	004550	LT23	006152
DCEX	022656	EORPA	021576	LTGA1	022052	LT12X	004744	LT23A	006252
DCEXA	022670	EORPX	021766	LTGA2	022104	LT13	004754	LT23IT	006166
DCEXX	022712	EORP1	021636	LTGB	022132	LT13A	005014	LT23X	006262
DCHK	017416	EORP1A	021704	LTGC	022136	LT13E1	005020	LT24	006302
DCHKA	017472	EORP2	021730	LTGC0	022224	LT13IT	004764	LT24A	006414
DCHKA0	017446	EORP3	021752	LTGD	022230	LT13X	005046	LT24B	006430

LT24B0	006452	LT33	010312	LT44	012010	LT6ER4	004004	MMSG1	033237
LT24C	006464	LT33IT	010326	LT44A	012054	LT6IT	003614	MMSG2	033335
LT24D	006546	LT33X	010404	LT44B	012066	LT6X	004014	MMSG3	033356
LT24IT	006316	LT34	010414	LT45	012116	LT60	013560	MMSG4	033414
LT24X	006572	LT34A	010454	LT45A	012130	LT60C	013652	MMSG5	033503
LT25	006626	LT34A1	010442	LT46	012200	LT60D	013666	MR	000534
LT25A	006734	LT34B	010504	LT46A	012244	LT60E	013720	MSG1	025172
LT25IT	006642	LT34C	010516	LT46B	012256	LT60F	013752	MSG10	025751
LT25X	006744	LT34IT	010436	LT47	012306	LT60IT	013600	MSG11	025775
LT26	006760	LT34X	010546	LT47A	012320	LT60X	013772	MSG12	026022
LT26A	007044	LT34XX	010552	LT5	003410	LT61	014006	MSG13	026031
LT26B	007070	LT35	010556	LT5A	003430	LT61A	014100	MSG14	026040
LT26C	007144	LT35A	010660	LT5B	003454	LT61A1	014112	MSG15	026055
LT26IT	006766	LT35IT	010572	LT5C	003464	LT61B	014122	MSG16	026073
LT26W	006774	LT35X	010720	LT5D	003474	LT61C	014136	MSG17	026103
LT26X	007160	LT36	010730	LT5E	003520	LT61D	014164	MSG18	026117
LT27	007174	LT36A	011000	LT5ER1	003532	LT61E	014166	MSG19	026136
LT27A	007230	LT36IT	010744	LT5ER2	003556	LT61F	014230	MSG2	025276
LT27B	007266	LT36X	011040	LT5IT	003416	LT61IT	014034	MSG2A	025315
LT27IT	007220	LT37	011050	LT5X	003602	LT61X	014250	MSG20	026155
LT27X	007276	LT37A	011124	LT50	012374	LT61XX	014260	MSG21	026207
LT27XX	007306	LT37B	011156	LT50A	012440	LT62	014264	MSG22	026245
LT3	002746	LT37IT	011064	LT50B	012452	LT62A	014400	MSG23	026266
LT3A	002766	LT37X	011210	LT51	012502	LT62B	014414	MSG24	026321
LT3B	003006	LT4	003132	LT51A	012514	LT62D	014444	MSG25	026347
LT3C	003022	LT4A	003226	LT52	012564	LT62E	014356	MSG25A	026376
LT3ER1	003034	LT4B	003272	LT52A	012642	LT62E1	014370	MSG26	026423
LT3ER2	003062	LT4C	003304	LT52X	012666	LT62F	014476	MSG27	026452
LT3IT	002750	LT4D	003324	LT53	012676	LT62IT	014312	MSG3	025444
LT3X	003104	LT4ERG	003354	LT53A	012762	LT62X	014522	MSG30	026466
LT3XX	003122	LT4ER1	003336	LT53X	013014	LT62XX	014532	MSG31	026474
LT30	007312	LT4ER2	003346	LT54	013024	LT63	014536	MSG32	026512
LT30A	007414	LT4G	003156	LT55	013074	LT63A	014626	MSG33	026530
LT30B	007456	LT4G0	003146	LT56	013144	LT63B	014676	MSG34	026551
LT30C	007516	LT4X	003404	LT57	013222	LT63C	014712	MSG35	026566
LT30D	007534	LT40	011220	LT57A	013324	LT63D	014744	MSG36	026604
LT30E	007564	LT40A	011302	LT57B	013340	LT63IT	014564	MSG37	026622
LT30IT	007334	LT40IT	011242	LT57B1	013366	LT63X	014764	MSG4	025466
LT30X	007610	LT40W	011250	LT57B2	013406	LT64	015000	MSG40	026640
LT31	007630	LT40X	011336	LT57C	013460	LT64A	015070	MSG41	026644
LT31A	007724	LT40XX	011342	LT57D	013474	LT64B	015102	MSG42	026663
LT31B	007766	LT41	011346	LT57E	013524	LT64C	015106	MSG43	026700
LT31C	010004	LT41A	011424	LT57IT	013252	LT64IT	015014	MSG44	027004
LT31D	010052	LT41B	011460	LT57P0	013232	LT64X	015160	MSG45	027026
LT31E	010122	LT41C	011510	LT57X	013544	LT7	004024	MSG46	027050
LT31IT	007644	LT41D	011542	LT6	003612	LT7A	004042	MSG47	027154
LT31W	007660	LT41IT	011362	LT6A	003630	LT7B	004066	MSG5	025504
LT31W1	010012	LT41X	011562	LT6A1	003626	LT7C	004032	MSG50	027206
LT31X	010136	LT42	011614	LT6B	003634	LT7ER1	004110	MSG51	027225
LT32	010160	LT42A	011660	LT6C	003660	LT7IT	004026	MSG52	027254
LT32A	010266	LT42B	011672	LT6D	003674	LT7X	004134	MSG53	027270
LT32IT	010174	LT43	011726	LT6ER1	003716	MMSG0	033212	MSG54	027302
LT32X	010276	LT43A	011740	LT6ER2	003742			MSG55	027313

MSG56	027363	MSLT61	032747	R4	=0000004	TEND	002236	TR00	000626
MSG6	025524	MSLT62	033027	R5	=0000005	TENDX	002272	TR01	000630
MSG7	025543	MSLT63	033111	SAV1	000704	TEX	024174	TR02	000632
MSG8	025561	MSLT64	033145	SAV2	000706	TIB	000616	TR03	000634
MSG8A	025600	MSLT7	030014	SAV3	000710	TINER	023754	TR04	000636
MSG9	025727	MTINT	023570	SCF	000732	TKB	000574	TR05	000640
MSLT1	027410	NRZOF	000662	SCOLP	000712	TKS	000572	TR06	000642
MSLT10	030060	OCTP	024206	SCOPE	023374	TMS1	033537	TR07	000644
MSLT11	030133	OCTPE	024176	SCOPE1	023412	TMS10	033625	TR10	000646
MSLT12	030200	OCTPE1	024212	SERFL	000772	TMS11	033633	TR11	000650
MSLT13	030251	OCTPG	024370	SERNUM	000602	TMS12	033641	TR12	000652
MSLT14	030316	OCTPG0	024406	SETUP	015712	TMS13	033647	TR13	000654
MSLT15	030364	OCTPG1	024412	SET0	015726	TMS14	033655	TR14	000656
MSLT16	030432	OCTP0	024234	SET1	015732	TMS15	033663	TR15	000660
MSLT17	030500	OCTP1	024256	SET2	015766	TMS16	033671	TSCD	002016
MSLT2	027464	OCTP2	024264	SKAT	001014	TMS17	033677	TSCD0	002050
MSLT20	030546	OCTP3	024354	SLAF	000722	TMS18	033705	TSCD1	002104
MSLT21	030625	OFL	024432	SLVN	000664	TMS19	033713	TSCD2	002110
MSLT22	030661	OUT	024550	SN	000540	TMS2	033545	TSCD3	002142
MSLT23	030716	PATRN	001002	SNPG	025136	TMS20	033721	TSTTBL	001066
MSLT24	030760	PC	=0000007	SNPT	025060	TMS21	033730	TTIN	023772
MSLT25	031020	PCNTR	001016	SP	=0000006	TMS22	033736	TTINT	023602
MSLT26	031054	PD0	020712	SP0	016046	TMS23	033745	TTIN1	024012
MSLT27	031110	PD1	020726	SP01	016032	TMS24	033753	TTIN2	024026
MSLT3	027543	PD2	020770	SP1	016052	TMS25	033761	TTOUT	024044
MSLT30	031144	PD3	020774	SP1A	016116	TMS26	033767	TTR	023606
MSLT31	031202	PD4	021004	SP1B	016136	TMS27	033775	TTR0	023614
MSLT32	031236	PD5	021124	SP3	016206	TMS28	034003	TTR1	023642
MSLT33	031272	PD6	021150	SP4	016226	TMS29	034011	TTR1A	023656
MSLT34	031326	PEXFL	000736	SP5	016242	TMS3	033553	TTR1B	023672
MSLT35	031362	PFLG	000666	SSCF	000724	TMS30	034016	TTR2	023730
MSLT36	031424	POST	035350	START	001414	TMS31	034024	TTR3	023740
MSLT37	031466	PPGEN	021526	STATC	001012	TMS32	034032	TTR4	023750
MSLT4	027625	PPG0	021540	STATF	001004	TMS33	034040	TTR5	023752
MSLT40	031531	PPG1	021564	STATIC	015170	TMS33A	034046	T1AD	001072
MSLT41	031576	PRCHK	020674	STATX	015212	TMS33B	034062	T1IAD	001074
MSLT42	031645	PRE	035226	STFLG	000740	TMS34	034075	T10AD	001126
MSLT43	031714	PREFL	000770	STOP	025162	TMS35	034103	T10IAD	001130
MSLT44	031762	PSCHK	020644	STSCD	002164	TMS36	034112	T11AD	001132
MSLT45	032031	PSW	000566	ST0	001672	TMS37	034120	T11IAD	001134
MSLT46	032077	RBUFF	036104	ST1	001714	TMS38	034126	T12AD	001136
MSLT47	032146	RCDP	001010	ST2	002012	TMS39	034134	T12IAD	001140
MSLT5	027704	R0AD	000762	SUSWR	001426	TMS4	033560	T13AD	001142
MSLT50	032214	RDATA	034344	SWR	000570	TMS5	033566	T13IAD	001144
MSLT51	032263	RDRVF	001006	SWREG	000176	TMS6	033575	T14AD	001146
MSLT52	032331	RDSW	024440	TADX	001412	TMS7	033603	T14IAD	001150
MSLT53	032402	REGP	022332	TC	000542	TMS8	033611	T15AD	001152
MSLT54	032452	REGS	000612	TCRLF	024076	TMS9	033617	T15IAD	001154
MSLT55	032533	RTRN	000670	TCRLFA	024114	TOB	000614	T16AD	001156
MSLT56	032612	R0	=0000000	TEMPST	024434	TOG	024160	T16IAD	001160
MSLT57	032657	R1	=0000001	TEMP1	000674	TPB	000600	T17AD	001162
MSLT6	027750	R2	=0000002	TEMP2	000676	TPS	000576	T17IAD	001164
MSLT60	032713	R3	=0000003	TEMP3	000700	TREF	000734	T2AD	001076

T2IAD	001100	T34IAD	001250	T57IAD	001364	WCDP2	001042	WMSG6G	034679
T20AD	001166	T35AD	001252	T6AD	001116	WCS1	001020	WMSG6H	034702
T20IAD	001170	T35IAD	001254	T6IAD	001120	WCS2	001022	WMSG6I	034707
T21AD	001172	T36AD	001256	T60AD	001366	WDATA	034144	WMSG6J	034714
T21IAD	001174	T36IAD	001260	T60IAD	001370	WDS	001024	WMSG6K	034721
T22AD	001176	T37AD	001262	T61AD	001372	NER	001026	WMSG6L	034726
T22IAD	001200	T37IAD	001264	T61IAD	001374	WMSG16	034740	WMSG6M	034733
T23AD	001202	T4AD	001106	T62AD	001376	WMSG17	034752	WPGFL	001000
T23IAD	001204	T4IAD	001110	T62IAD	001400	WMSG2	034544	WSTCK	017126
T24AD	001206	T40AD	001266	T63AD	001402	WMSG20	034757	WSTG	017274
T24FL	000744	T40IAD	001270	T63IAD	001404	WMSG21	034764	WSTGO	017342
T24IAD	001210	T41AD	001272	T64AD	001406	WMSG23	034772	WSTX	017414
T25AD	001212	T41IAD	001274	T64IAD	001410	WMSG24	035006	WTAD	000756
T25IAD	001214	T42AD	001276	T7AD	001122	WMSG25	035024	W1DCHK	021174
T26AD	001216	T43AD	001302	T7IAD	001124	WMSG26	035041	W1D0	021224
T26IAD	001220	T44AD	001306	UDES	000776	WMSG27	035060	W1D0A	021242
T27AD	001222	T45AD	001312	VECT	000610	WMSG28	035073	W1D1	021250
T27IAD	001224	T46AD	001316	WAN	000750	WMSG29	035111	W1D2	021326
T3AD	001102	T47AD	001322	WAN0	015462	WMSG3	034562	W1D2A	021400
T3IAD	001104	T5AD	001112	WAN01	015470	WMSG31	035130	W1D3	021470
T30AD	001226	T5IAD	001114	WAN1	015526	WMSG32	035165	W1D4	021502
T30IAD	001230	T50AD	001326	WAN2	015540	WMSG4	034603	W1D4A	021512
T31AD	001232	T51AD	001332	WAN2A	015574	WMSG6	034630	W1D5	021516
T31IAD	001234	T52AD	001336	WAN3	015604	WMSG6A	034636	W2FLG	000764
T32AD	001236	T53AD	001342	WAN3A	015664	WMSG6B	034643	0CNTG	035175
T32IAD	001240	T54AD	001346	WAN3B	015702	WMSG6C	034650	0MNEW	035210
T33AD	001242	T55AD	001352	WBUFF	035472	WMSG6D	034655	0MSNR	035201
T33IAD	001244	T56AD	001356	WC	000512	WMSG6E	034663	0QUEST	035220
T34AD	001246	T57AD	001362	WCDP0	001054	WMSG6F	034670	0READ	024552
.	036106								

ERRORS DETECTED: 0
 DEFAULT GLOBALS GENERATED: 0

*DSKM:DZTUDC,DZTUD/SOL_DSKM:DZTUCE.P11
 RUN-TIME: 11 25 2 SECONDS
 RUN-TIME RATIO: 104/39=4.6
 CORE USED: 7K (13 PAGES)