


```

1      .TITLE  AED$MESSAGES - MESSAGES FOR THE ACL EDITOR
2      .IDENT  /V04-000/
3
4      *****
5      *
6      *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
7      *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
8      *  ALL RIGHTS RESERVED.
9      *
10     *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
11     *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
12     *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
13     *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
14     *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
15     *  TRANSFERRED.
16     *
17     *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
18     *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
19     *  CORPORATION.
20     *
21     *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
22     *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
23     *
24     *
25     *****
26
27     ++
28
29     FACILITY:      Miscellaneous utilities
30
31     ABSTRACT:
32
33     This module performs all of the functions necessary to support the
34     Access Control List (ACL) editor. The ACL editor allows the user to
35     manipulate the ACL associated with a file.
36
37     ENVIRONMENT:
38
39     VAX/VMS operating system, user mode utilities.
40
41     --
42
43
44     AUTHOR:      L. Mark Pilant      CREATION DATE: 13-Jul-1982 13:20
45
46     MODIFIED BY:
47
48     V03-006 LMP0270      L. Mark Pilant,      29-Jun-1984 8:39
49     Add a message to indicate that the editing session has
50     been aborted via control-C.
51
52     V03-005 LMP0213      L. Mark Pilant,      24-Mar-1984 12:23
53     Add support for locking and unlocking the object's ACL.
54
55     V03-004 LMP0193      L. Mark Pilant,      15-Feb-1984 9:57
56     Add a message to indicate that directory default ACEs are

```

57 |
58 |
59 |
60 |
61 |
62 |
63 |
64 |
65 |
66 |
67 |
68 |
69 |**

not allowed on non-directory file objects.

V03-003 LMP0172 L. Mark Pilant, 28-Nov-1983 12:11
Numerous bug fixes, support for VT2xx terminals, and a
session keystroke logger.

V03-002 LMP0103 L. Mark Pilant, 20-Apr-1983 10:25
Add support for HIDDEN and PROTECTED ACES.

V03-001 LMP0076 L. Mark Pilant, 24-Jan-1983 13:21
Add support for an action definition file.

```

0000115 70
          71 .FACILITY ACLEDIT,277/SYSTEM/PREFIX=AED$_
          72
          73 .SEVERITY ERROR
0115800A 74 BADKEEP <invalid KEEP qualifier values '!AD'>/FAO=1
01158012 75 LOCATERR <ACE to be modified not found>
0115801A 76 INIREADERR <error reading '!AS' as input initialization file>/FAO=1
01158022 77 OBJLOCKED <object currently locked by another user>
          78
          79 .SEVERITY WARNING
01158028 80 JOUWRITERR <error writing '!AS' journal file>/FAO=1
01158030 81 JOUOPENOUT <error opening '!AS' as output journal file>/FAO=1
01158038 82 JOUCLOSOUT <error closing output journal file>
01158040 83 RECREADERR <error reading '!AS' recovery file>/FAO=1
01158048 84 RECOPENIN <error opening '!AS' as input recovery file>/FAO=1
01158050 85 RECLOSEIN <error closing input recovery file>
01158058 86 BADUIC <invalid UIC format>
01158060 87 BADGRPMEM <group or member number too large for '!AD'>/FAO=1
01158068 88 SYNTAX <invalid ACE syntax!/ \!AD\>/FAO=1
01158070 89 BADTYPE <invalid ACE type specified '!AD'>/FAO=1
01158078 90 NOITEMSEL <item selection not allowed on existing ACE>
01158080 91 MUSTENTER <ACE must be ENTERed before continuing>
01158088 92 INIJPENIN <error opening '!AS' as input initialization file>/FAO=1
01158090 93 INICLOSIN <error closing input initialization file>/FAO=1
01158098 94 DEFSYNTAX <invalid action definition syntax!/ \!AD\>/FAO=1
011580A0 95 NODELETE <ACE cannot be deleted>
011580A8 96 NOMODIFY <ACE cannot be modified>
011580B0 97 NOHIDDEN <cannot enter hidden ACEs>
011580B8 98 DUPLICATE <ACE already exists in ACL>
011580C0 99 NOCOMBINE <cannot combine lines across ACE boundaries>
011580C8 100 NODEFAULT <directory default ACEs not allowed>
          101
          102 .SEVERITY INFORMATIONAL
011580D3 103 NOCTRLCHAR <control characters illegal in search string>
011580DB 104 NOTFOUND <specified search string not found>
011580E3 105 CONTROL_C <session aborted via control-C>
          106
          107 .SEVERITY SUCCESS
011580E9 108 ACLUPDATED <ACL successfully updated>
011580F1 109 NOCHANGE <any modifications to ACL ignored>
          110
          111 .END

```

There were 0 errors, 0 warnings, and 0 informational messages issued.
 MESSAGE/FILE_NAME=SYSMGTMSG/LIS=LISS:AEDMESSAG/OBJ=OBJ\$AEDMESSAG MSRC\$AEDMESSAG

0004 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

The image displays a grid of 100 small terminal window screenshots, arranged in 10 rows and 10 columns. Each window shows a different VAX/VMS command or system output. The text is small and difficult to read in many of the windows, but some prominent text includes:

- AEDMESSAG LIS
- AEDPROMPT LIS
- SETACL LIS
- AEDSUBR LIS

The screenshots show various system messages, command prompts, and data listings, typical of a VAX/VMS environment. The overall appearance is that of a dense collection of system logs or command outputs.