



BBBBBBBB		AAAAAA	DDDDDDDD	BBBBBBBB	LL	000000	CCCCCCCC	KK	KK	
BBBBBBBB		AAAAAA	DDDDDDDD	BBBBBBBB	LL	000000	CCCCCCCC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BBBBBBBB		AA	DD	BBBBBBBB	LL	00	CC	KK	KK	
BBBBBBBB		AA	DD	BBBBBBBB	LL	00	CC	KK	KK	
BB	BB	AAAAAAAAAA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AAAAAAAAAA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BB	BB	AA	DD	BB	LL	00	CC	KK	KK	
BBBBBBBB		AA	DDDDDDDD	BBBBBBBB	LLLLLLLLLL	000000	CCCCCCCC	KK	KK	....
BBBBBBBB		AA	DDDDDDDD	BBBBBBBB	LLLLLLLLLL	000000	CCCCCCCC	KK	KK	....

MM	MM	AAAAAA	PPPPPPPP
MM	MM	AAAAAA	PPPPPPPP
MMMM	MMMM	AA	PP
MMMM	MMMM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AAAAAAAAAA	PP
MM	MM	AAAAAAAAAA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP
MM	MM	AA	PP

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
GETREQ	V04-000	360	[BADBLK.OBJ]BADBLOCK.OLB;1	15-Sep-1984 23:36	VAX-11 Bliss-32 V4.0-742
SCANFILE	V04-000	16342	[BADBLK.OBJ]BADBLOCK.OLB;1	15-Sep-1984 23:36	VAX-11 Bliss-32 V4.0-742
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00



-----  
! Image Section Synopsis !  
-----

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	0	1	00000200	2	0	READ ONLY				
	0	30	00000400	0	0	READ WRITE DEMAND ZERO				
	0	1	00004000	3	0	READ WRITE COPY ON REF				
	0	3	00004200	4	0	READ ONLY				
	0	1	00004800	7	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				

Key for special characters above:

-----  
! R - Relocatable !  
! P - Protected !  
-----

-----  
! Program Section Synopsis !  
-----

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$PLITS	GETREQ SCANFILE	00000200	0000022F	00000030 (	48.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		00000200	00000227	00000028 (	40.) LONG 2	
		00000228	0000022F	00000008 (	8.) LONG 2	
\$GLOBALS	GETREQ	00000400	00000421	00000022 (	34.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
		00000400	00000421	00000022 (	34.) LONG 2	
\$OWNS	GETREQ SCANFILE	00000424	0000409F	00003C7C (	15484.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
		00000424	0000042B	00000008 (	8.) LONG 2	
		0000042C	0000409F	00003C74 (	15476.) LONG 2	
\$CODES	GETREQ SCANFILE	00004200	00004671	00000472 (	1138.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		00004200	00004315	00000116 (	278.) LONG 2	
		00004318	00004671	0000035A (	858.) LONG 2	

-----  
! Symbol Cross Reference !  
-----

Symbol	Value	Defined By	Referenced By ...
ACP_MAIL	00000410-R	GETREQ	SCANFILE
CCBUCB	00000404-R	GETREQ	
CHANNEL	00000400-R	GETREQ	SCANFILE
DATA_INIT	00004592-R	SCANFILE	GETREQ
GET_CCB	00004241-R	GETREQ	
IOCSVERIFYCHAN	80010823	SYS	GETREQ
MBX_CHANNEL	00000402-R	GETREQ	SCANFILE
OLD_UCB	00000408-R	GETREQ	SCANFILE
RESTORE_CHANNEL	000042E8-R	GETREQ	
SCAN	00004318-R	SCANFILE	GETREQ
SET_UCB	00004259-R	GETREQ	SCANFILE
SYSSASSIGN	7FFEDE50	SYS	GETREQ
SYSSCMKRN	7FFEDE90	SYS	GETREQ
SYSSDASSGN	7FFEDEE0	SYS	GETREQ
SYSSDISK_UCB	0000040C-R	GETREQ	
SYSSK_VERSION	48513258	SYS	
SYSSQIOW	7FFEDE00	SYS	GETREQ           SCANFILE



-----  
! Symbols By Value !  
-----

Value	Symbols...
-----	-----
00000400	R-CHANNEL
00000402	R-MBX_CHANNEL
00000404	R-CCBUCB
00000408	R-OLD_UCB
0000040C	R-SYSSDISK_UCB
00000410	R-ACP_MAIL
00004241	R-GET_CCB
00004259	R-SET_UCB
000042E8	R-RESTORE_CHANNEL
00004318	R-SCAN
00004592	R-DATA_INIT
48513258	SYSSR_VERSION
7FFEDE00	SYSSQIOW
7FFEDE50	SYSSASSIGN
7FFEDE90	SYSSCMKRNL
7FFEDEE0	SYSSDASSGN
80010823	IOCSVERIFYCHAN

Key for special characters above:

- \* - Undefined  
 U - Universal  
 R - Relocatable  
 X - External  
 -----

-----  
! Image Synopsis !  
-----

Virtual memory allocated:  
Stack size:  
Image header virtual block limits:  
Image binary virtual block limits:  
Image name and identification:  
Number of files:  
Number of modules:  
Number of program sections:  
Number of global symbols:  
Number of cross references:  
Number of image sections:  
User transfer address:  
Image type:  
Map format:  
Estimated map length:

00000200 000049FF 00004800 (18432. bytes, 36. pages)  
20. pages  
1. ( 1. block)  
2. ( 6. blocks)  
BADBLOCK V04-000  
2.  
3.  
5.  
16.  
35.  
6.  
00004200  
EXECUTABLE.  
FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[BADBLK.LIS]BADBLOCK.MAP;1  
20. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	111	00:00:00.38	00:00:01.14
Pass 1:	73	00:00:01.00	00:00:08.15
Allocation/Relocation:	25	00:00:00.19	00:00:01.16
Pass 2:	33	00:00:00.33	00:00:02.69
Map data after object module synopsis:	21	00:00:00.24	00:00:00.24
Symbol table output:	2	00:00:00.02	00:00:00.47
Total run values:	265	00:00:02.16	00:00:13.85

Using a working set limited to 750 pages and 32 pages of data storage (excluding image)

Total number object records read (both passes): 260  
of which 72 were in libraries and 27 were DEBUG data records containing 1489 bytes

Number of modules extracted explicitly = 2  
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched


A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:BADBLOCK/NOTRACE/MAP=MAP\$:BADBLOCK/FULL/CROSS LIB\$:BADBLOCK/INCLUDE=(GETREQ,SCANFILE),EXSM:SYS.STB/SEL



0018 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY



BADREPORT  
LIS

BADBLK

SCANFILE  
LIS

BADBLOCK  
MAP

BADMATN  
LIS

BAD10  
LIS

GETREQ  
LIS

BADM5G  
LIS

BADSTASY  
LIS