


```

BBBBBBBBB      AAAAAA      SSSSSSSS      000000      PPPPPPPP      NN      NN
BBBBBBBBB      AAAAAA      SSSSSSSS      000000      PPPPPPPP      NN      NN
BB      BB      AA      AA      SS      00      00      PP      PP      NN      NN
SB      BB      AA      AA      SS      00      00      PP      PP      NN      NN
BB      BB      AA      AA      SS      00      00      PP      PP      NNNN      NN
BB      BB      AA      AA      SS      00      00      PP      PP      NNNN      NN
BBBBBBBBB      AA      AA      SSSSSS      00      00      PPPPPPPP      NN      NN
BBBBBBBBB      AA      AA      SSSSSS      00      00      PPPPPPPP      NN      NN
BB      BB      AAAAAAAAAA      SS      00      00      PP      NN      NN
BB      BB      AAAAAAAAAA      SS      00      00      PP      NN      NN
BB      BB      AA      AA      SS      00      00      PP      NN      NN
BB      BB      AA      AA      SS      00      00      PP      NN      NN
BBBBBBBBB      AA      AA      SSSSSSSS      000000      PP      NN      NN
BBBBBBBBB      AA      AA      SSSSSSSS      000000      PP      NN      NN

```

```

RRRRRRRR      EEEEEEEEE      000000
RRRRRRRR      EEEEEEEEE      000000
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RRRRRRRR      EEEEEEEEE      QQ      QQ
RRRRRRRR      EEEEEEEEE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EE      QQ      QQ
RR      RR      EEEEEEEEE      QQ      QQ
RR      RR      EEEEEEEEE      QQ      QQ

```

This file, BASOPN.REQ, defines the VAX-11 BASIC OPEN and CLOSE Literals

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

- 1-001 - Original. This file was created to hold BAS\$K_DEF_RECLE,
the default record length when opening a file. JBS 12-DEC-78
- 1-002 - Change the default record length to be 80, for compatability
with the PDP-11 versions of BASIC. JBS 31-JUL-1979
- 1-003 - Based on more experiments with the PDP-11, change the default
record length again, to 132. Changes in the OPEN code provide
compatability with the PDP-11 by using the MARGIN feature.
JBS 24-AUG-1979
- 1-004 - Remove the PRINT statement, for the new BLISS compiler.
JBS 02-OCT-1979

```

LITERAL
BAS$K_DEF_RECLE = 132;           ! Default OPEN record length

```

End of file BASOPN.REQ

