


```

BBBBBBBB      AAAAAA      SSSSSSSS  NN      NN      000000  TTTTTTTTTT  IIIIII
BBBBBBBB      AAAAAA      SSSSSSSS  NN      NN      000000  TTTTTTTTTT  IIIIII
BB      BB  AA      AA  SS      NN      NN      00      00      TT      II      MMMM  MM  PPPPPPP
BB      BB  AA      AA  SS      NN      NN      00      00      TT      II      MMMM  MM  PPPPPPP
BB      BB  AA      AA  SS      NNNN     NN      00      00      TT      II      MM  MM  PP      PP
BB      BB  AA      AA  SS      NNNN     NN      00      00      TT      II      MM  MM  PP      PP
BBBBBBBB      AA      AA  SSSSSS  NN  NN  NN  00      00      TT      II      MM      MM  PPPPPPP
BBBBBBBB      AA      AA  SSSSSS  NN  NN  NN  00      00      TT      II      MM      MM  PPPPPPP
BB      BB  AAAAAAAAAA      SS  NN      NNNN  00      00      TT      II      MM      MM  PP
BB      BB  AAAAAAAAAA      SS  NN      NNNN  00      00      TT      II      MM      MM  PP
BB      BB  AA      AA  SS      NN      NN      00      00      TT      II      MM      MM  PP
BB      BB  AA      AA  SS      NN      NN      00      00      TT      II      MM      MM  PP
BB      BB  AA      AA  SSSSSSSS  NN      NN      000000  TT      IIIIII  MM      MM  PP
BBBBBBBB      AA      AA  SSSSSSSS  NN      NN      000000  TT      IIIIII  MM      MM  PP

```

```

....
....
....
....

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLL  IIIIII  SSSSSSSS

```

```

1 0001 0 MODULE BASSNOT_IMP ( ; Unimplemented entry points
2 0002 0 IDENT = '1-006' ; File: BASNOTIMP.B32 Edit: MDL1006
3 0003 0 ) =
4 0004 1 BEGIN
5 0005 1
6 0006 1 *****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
10 0010 1 * ALL RIGHTS RESERVED. *
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
17 0017 1 * TRANSFERRED. *
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
21 0021 1 * CORPORATION. *
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1
30 0030 1 ++
31 0031 1 FACILITY: BASIC-PLUS-2 Miscellaneous
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1
35 0035 1 This module contains the unimplemented entry points. As each
36 0036 1 entry point is implemented, it should be removed from this
37 0037 1 module. Eventually, this module will disappear.
38 0038 1
39 0039 1 ENVIRONMENT: VAX-11 User Mode
40 0040 1
41 0041 1 AUTHOR: John Sauter, CREATION DATE: 04-SEP-1979
42 0042 1
43 0043 1 MODIFIED BY:
44 0044 1
45 0045 1 1-001 - Original.
46 0046 1 1-002 - Remove BASSSYS, add BPASMESAG, BPASASSIGN, BPASDEASSIGN,
47 0047 1 BPASDEASS ALL and BPASSET DEF. JBS 01-OCT-1979
48 0048 1 1-003 - Remove BPASMESAG, BPASASSING, BPASDEASSIGN and BPASDEALL_ALL.
49 0049 1 JBS 02-OCT-1979
50 0050 1 1-004 - Remove BASSMAT INV RW 22-OCT-79
51 0051 1 1-005 - Remove BASSCHAIN. JBS 13-NOV-1979
52 0052 1 1-006 - make the routine BASSNOT_IMP GLOBAL. MDL 25-May-1983
53 0053 1 --
54 0054 1
55 0055 1 !<BLF/PAGE>

```

```

: 57 0056 1 |
: 58 0057 1 | SWITCHES:
: 59 0058 1 |
: 60 0059 1 |
: 61 0060 1 | SWITCHES ADDRESSING_MODE (EXTERNAL = GENERAL, NONEXTERNAL = WORD_RELATIVE);
: 62 0061 1 |
: 63 0062 1 |
: 64 0063 1 | LINKAGES:
: 65 0064 1 |
: 66 0065 1 |     NONE
: 67 0066 1 |
: 68 0067 1 | TABLE OF CONTENTS:
: 69 0068 1 |
: 70 0069 1 |
: 71 0070 1 | FORWARD ROUTINE
: 72 0071 1 |     BAS$NOT_IMP : NOVALUE;           ! Not implemented
: 73 0072 1 |
: 74 0073 1 |
: 75 0074 1 | INCLUDE FILES:
: 76 0075 1 |
: 77 0076 1 |
: 78 0077 1 | REQUIRE 'RTLIN:RTLPSECT';           ! Macros for defining PSECTS
: 79 0172 1 |
: 80 0173 1 |
: 81 0174 1 | MACROS:
: 82 0175 1 |
: 83 0176 1 |     NONE
: 84 0177 1 |
: 85 0178 1 | EQUATED SYMBOLS:
: 86 0179 1 |
: 87 0180 1 |
: 88 0181 1 | GLOBAL BIND
: 89 0182 1 |     ROUTINE
: 90 0183 1 |     BAS$PEEK = BAS$NOT_IMP,
: 91 0184 1 |     BAS$FSS = BAS$NOT_IMP,
: 92 0185 1 |     BPASSET_DEF = BAS$NOT_IMP;
: 93 0186 1 |
: 94 0187 1 |
: 95 0188 1 | PSECTS:
: 96 0189 1 |
: 97 0190 1 | DECLARE_PSECTS (BAS);               ! Declare psects for BAS$ facility
: 98 0191 1 |
: 99 0192 1 | OWN STORAGE:
100 0193 1 |
101 0194 1 |     NONE
102 0195 1 |
103 0196 1 | EXTERNAL REFERENCES:
104 0197 1 |
105 0198 1 |
106 0199 1 | EXTERNAL ROUTINE
107 0200 1 |     BAS$$STOP : NOVALUE;           ! Signal a fatal BASIC error
108 0201 1 |
109 0202 1 | !+
110 0203 1 | ! The following are the error codes used in this module.
111 0204 1 | !-
112 0205 1 |
113 0206 1 | EXTERNAL LITERAL

```

BAS\$NOT_IMP
1-006

F 13
16-Sep-1984 00:50:42 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 11:55:23 [BASRTL.SRC]BASNOTIMP.B32;1

Page 3
(2)

: 114 0207 1 BAS\$K_NOTIMP : UNSIGNED (8);
: 115 0208 1

! Not implemented

```

: 117 0209 1 GLOBAL ROUTINE BASSNOT_IMP
: 118 0210 1 : NOVALUE =
: 119 0211 1
: 120 0212 1
: 121 0213 1 **
: 122 0214 1 FUNCTIONAL DESCRIPTION:
: 123 0215 1 Signal BASS_NOTIMP for the unimplemented entry points.
: 124 0216 1
: 125 0217 1 FORMAL PARAMETERS:
: 126 0218 1
: 127 0219 1 NONE
: 128 0220 1
: 129 0221 1 IMPLICIT INPUTS:
: 130 0222 1
: 131 0223 1 NONE
: 132 0224 1
: 133 0225 1 IMPLICIT OUTPUTS:
: 134 0226 1
: 135 0227 1 NONE
: 136 0228 1
: 137 0229 1 ROUTINE VALUE:
: 138 0230 1 COMPLETION CODES:
: 139 0231 1
: 140 0232 1 NONE
: 141 0233 1
: 142 0234 1 SIDE EFFECTS:
: 143 0235 1
: 144 0236 1 Signals BASS_NOTIMP
: 145 0237 1
: 146 0238 1 --
: 147 0239 1
: 148 0240 2 BEGIN
: 149 0241 2 BASS$STOP (BASS$K_NOTIMP);
: 150 0242 1 END;

```

! Signal BASS_NOTIMP

! end of BASSNOT_IMP

```

.TITLE BASSNOT_IMP
.IDENT \1-006\

.EXTRN BASS$STOP, BASS$K_NOTIMP

.PSECT _BASS$CODE, NOWRT, SHR, PIC, 2

.ENTRY BASSNOT_IMP, Save nothing
MOVZBL #BASS$K_NOTIMP, -(SP)
CALLS #1, BASS$STOP
RET

```

```

: 0209
: 0241
:
: 0242

```

: Routine Size: 14 bytes, Routine Base: _BASS\$CODE + 0000

```

: 151 0243 1 END
: 152 0244 1
: 153 0245 0 ELUDOM

```

! end of module BASSNOT_IMP

BAS\$NOT_IMP
1-006

H 13
16-Sep-1984 00:50:42
14-Sep-1984 11:55:23

VAX-11 Bliss-32 V4.0-742
[BASRTL.SRC]BASNOTIMP.B32;1

Page 5
(3)

BPASSET_DEF== BAS\$NOT_IMP
BAS\$FSS== BAS\$NOT_IMP
BAS\$PEEK== BAS\$NOT_IMP

PSECT SUMMARY

```
:  
: Name Bytes Attributes  
: _BAS$CODE 14 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)
```

COMMAND QUALIFIERS

```
:  
: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACE/LIS=LISS:BASNOTIMP/OBJ=OBJ$:BASNOTIMP MSRC$:BASNOTIMP/UPDATE=(ENH$:BASNOTIMP  
: )
```

```
: Size: 14 code + 0 data bytes  
: Run Time: 00:01.7  
: Elapsed Time: 00:05.2  
: Lines/CPU Min: 8546  
: Lexemes/CPU-Min: 20232  
: Memory Used: 16 pages  
: Compilation Complete
```

BASMTD
LIS

BASMLD01
LIS

BASNOTMP
LIS

BASMOVEAR
LIS

BASMSGDEF
LIS

BASMSGGEN
LIS

BASONECHR
LIS

BASMOVE
LIS

BASNUM
LIS

BASNAMEAS
LIS

BASNUM
LIS