

```
BBBBBBBBBBBBBB  AAAAAAAAAA  SSSSSSSSSSSS  RRRRRRRRRRRR  TTTTTTTTTTTTTT  LLL
BBBBBBBBBBBBBB  AAAAAAAAAA  SSSSSSSSSSSS  RRRRRRRRRRRR  TTTTTTTTTTTTTT  LLL
BBBBBBBBBBBBBB  AAAAAAAAAA  SSSSSSSSSSSS  RRRRRRRRRRRR  TTTTTTTTTTTTTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBBBBBBBBBBBBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBBBBBBBBBBBBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBBBBBBBBBBBBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAAAAAAAAAAAAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAAAAAAAAAAAAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAAAAAAAAAAAAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBB           BBB  AAA           AAA  SSS           SSS  RRR           RRR  TTT           TTT  LLL
BBBBBBBBBBBBBB  AAA           AAA  SSSSSSSSSSSS  RRR           RRR  TTT           TTT  LLLLLLLLLLLLLLLL
BBBBBBBBBBBBBB  AAA           AAA  SSSSSSSSSSSS  RRR           RRR  TTT           TTT  LLLLLLLLLLLLLLLL
BBBBBBBBBBBBBB  AAA           AAA  SSSSSSSSSSSS  RRR           RRR  TTT           TTT  LLLLLLLLLLLLLLLL
```

```

BBBBBBBBB      AAAAAA      SSSSSSSS      PPPPPPPP      000000      WW      WW      GGGGGGGG      JJ
BBBBBBBBB      AAAAAA      SSSSSSSS      PPPPPPPP      000000      WW      WW      GGGGGGGG      JJ
BB      BB      AA      AA      SS      PP      PP      00      00      WW      WW      GG      JJ
BB      BB      AA      AA      SS      PP      PP      00      00      WW      WW      GG      JJ
BB      BB      AA      AA      SS      PP      PP      00      00      WW      WW      GG      JJ
BB      BB      AA      AA      SS      PP      PP      00      00      WW      WW      GG      JJ
BBBBBBBBB      AA      AA      SSSSSS      PPPPPPPP      00      00      WW      WW      GG      JJ
BBBBBBBBB      AA      AA      SSSSSS      PPPPPPPP      00      00      WW      WW      GG      JJ
BB      BB      AAAAAAAAAA      SS      PP      00      00      WW      WW      WW      GG      GGGGGG      JJ      JJ
BB      BB      AAAAAAAAAA      SS      PP      00      00      WW      WW      WW      GG      GGGGGG      JJ      JJ
BB      BB      AA      AA      SS      PP      00      00      WWW      WWW      GG      GG      JJ      JJ
BB      BB      AA      AA      SS      PP      00      00      WWW      WWW      GG      GG      JJ      JJ
BBBBBBBBB      AA      AA      SSSSSSSS      PP      000000      WW      WW      GGGGGG      JJJJJJ      ....
BBBBBBBBB      AA      AA      SSSSSSSS      PP      000000      WW      WW      GGGGGG      JJJJJJ      ....

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLLL      IIIIII      SSSSSSSS

```

(2) 47
(3) 82

DECLARATIONS
BASSPOWGJ - BASIC gfloat ** long

```
0000 1 .TITLE BAS$POWGJ ; BASIC gfloat ** longword routine
0000 2 .IDENT /1-002/ ; File: BASPOWGJ.MAR Edit:PLL1002
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 9 :* ALL RIGHTS RESERVED. *
0000 10 :*
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 16 :* TRANSFERRED. *
0000 17 :*
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 20 :* CORPORATION. *
0000 21 :*
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27 :
0000 28
0000 29 :++
0000 30 : FACILITY: Basic Support Library
0000 31 :
0000 32 : ABSTRACT:
0000 33 :
0000 34 : This module contains entry points to support exponentiation
0000 35 : (** or ^) in BASIC-PLUS-2 for GFLOAT ** LONGWORD.
0000 36 :
0000 37 : ENVIRONMENT: User Mode, AST Reentrant
0000 38 :
0000 39 :--
0000 40 : AUTHOR: P. Levesque , CREATION DATE: 5-Oct-81
0000 41 :
0000 42 : MODIFIED BY:
0000 43 :
0000 44 : 1-001 - Original
0000 45 : 1-002 - Fix typo that references POWGJ. PLL 23-Mar-1982
```

```
0000 47      .SBTTL  DECLARATIONS
0000 48      :
0000 49      : INCLUDE FILES:
0000 50      :
0000 51      :
0000 52      :
0000 53      : EXTERNAL DECLARATIONS:
0000 54      :
0000 55      .DSABL  GBL                ; Prevent undeclared
0000 56      :                               ; symbols from being
0000 57      :                               ; automatically global.
0000 58      :
0000 59      .EXTRN  OTS$POWGJ          ; OTS$ gfloat ** int exponentation
0000 60      .EXTRN  BAS$K_DIVBY_ZER   ; Divide by Zero
0000 61      .EXTRN  BAS$$STOP         ; Error reporting routine
0000 62      :
0000 63      :
0000 64      : MACROS:
0000 65      :
0000 66      :
0000 67      :
0000 68      : EQUATED SYMBOLS:
0000 69      :
0000 70      :
0000 71      :
0000 72      : OWN STORAGE:
0000 73      :
0000 74      :
0000 75      :
0000 76      : PSECT DECLARATIONS:
0000 77      :
00000000 78      .PSECT _BAS$CODE PIC, USR, CON, REL, LCL, SHR, -
0000 79      EXE, RD, NOWRT, LONG
0000 80
```

```

0000 82 .SBITL BAS$POWGJ - BASIC gfloat ** long
0000 83 :++
0000 84 : FUNCTIONAL DESCRIPTION:
0000 85 :
0000 86 : This routine takes BASE ** EXP, using the following table
0000 87 : for unusual cases:
0000 88 :
0000 89 : BASE > 0 Call OTSS$POWGJ, normal case.
0000 90 : BASE = 0, EXP > 0 Return 0.0.
0000 91 : BASE = 0, EXP = 0 Return 1.0.
0000 92 : BASE = 0, EXP < 0 Error: divide by zero
0000 93 : BASE < 0, EXP even Call OTSS$POWGJ with -BASE
0000 94 : BASE < 0, EXP odd Call OTSS$POWGJ with -BASE, negate result
0000 95 :
0000 96 : CALLING SEQUENCE:
0000 97 :
0000 98 : CALL result.wg.v = BAS$POWGJ (base.rg.v, exponent.rl.v)
0000 99 :
0000 100 : INPUT PARAMETERS:
0000 101 :
0000 102 : base = 4
0000 103 : exponent = 12
0000 104 :
0000 105 : IMPLICIT INPUTS:
0000 106 :
0000 107 : NONE
0000 108 :
0000 109 : OUTPUT PARAMETERS:
0000 110 :
0000 111 : NONE
0000 112 :
0000 113 : IMPLICIT OUTPUTS:
0000 114 :
0000 115 : NONE
0000 116 :
0000 117 : FUNCTION VALUE:
0000 118 : COMPLETION CODES:
0000 119 :
0000 120 : gfloat result of exponentiation
0000 121 :
0000 122 : SIDE EFFECTS:
0000 123 :
0000 124 : Will signal Divide By Zero if its arguments are bad,
0000 125 : and OTSS$POWGJ may also signal.
0000 126 :
0000 127 :--
0000 128 :
0000' 0000 129 BAS$POWGJ:: .MASK OTSS$POWGJ ; Entry point
0002 130 ; Since this routine uses no
0002 131 ; registers and usually transfers
0002 132 ; control to OTSS$POWGJ, we copy
0002 133 ; its register save mask and then
0002 134 ; JMP past its save mask and only
0002 135 ; save the registers once
0002 136 TSTG base(AP) ; Test base relationship to zero
0006 137 BLEQ 1$ ; If base leq 0, do case analysis
00000002'GF 17 0008 138 JMP G^OTSS$POWGJ+2 ; Transfer control to the OTSS$

```

```
000E 139 ; routine to do exponentiation
000E 140 ;+
000E 141 ; Come here if the base is less than or equal to zero. We must filter
000E 142 ; several special cases, as described above.
000E 143 ;-
000E 144 1$: BEQL 4$ ; Branch if base = 0
OC AC DD 0010 145 PUSHL exponent(AP) ; Stack EXP as parameter to OT$POWGJ
7E 04 AC 52FD 0013 146 MNEGG base(AP), -(SP) ; Stack -base also
00000000'GF 03 FE 0018 147 CALLS #3, G^OT$POWGJ ; Call integer power routines
04 OC AC E9 001F 148 BLBC exponent(AP), 2$ ; Branch if exponent even
50 50 52FD 0023 149 MNEGG RO, RO ; Exponent odd, negate the result
04 0027 150 2$: RET ; and return with it.
0028 151 ;+
0028 152 ; Come here if the base is equal to zero. The value we return depends
0028 153 ; upon the sign of the exponent.
0028 154 ;-
OC AC D5 0028 155 4$: TSTL exponent(AP) ; Test the exponent against zero
OA 19 002B 156 BLSS 6$ ; Branch if exponent lss 0
03 13 002D 157 BEQL 5$ ; Branch if exponent is 0
002F 158 ;+
002F 159 ; Come here if the base is zero and the exponent is greater than zero.
002F 160 ; BASIC defines this as 0.0.
002F 161 ;-
50 7C 002F 162 CLRG RO ; R0, R1 = 0.0
04 0031 163 RET ; Return to caller
0032 164 ;+
0032 165 ; Come here if the base is zero and the exponent is zero. BASIC defines
0032 166 ; this as 1.0.
0032 167 ;-
50 08 50FD 0032 168 5$: MOVG #1, RO ; R0, R1 = 1.0
04 0036 169 RET ; Return to caller.
0037 170 ;+
0037 171 ; Come here if the base is zero and the exponent is less than zero.
0037 172 ; BASIC defines this as an error.
0037 173 ;-
7E 00'8F 9A 0037 174 6$: MOVZBL #BAS$K DIVBY ZER, -(SP) ; Divide by zero
00000000'GF 01 FB 003B 175 CALLS #1, G^BAS$$STOP ; Report error, never return.
0042 176 ;
0042 177 .END
```

BAS\$POWGJ ; BASIC gfloat ** longword routine E 12
 Symbol table

```

BAS$$STOP ***** X 00
BAS$K_DIVBY_ZER ***** X 00
BAS$POWGJ 00000000 RG 01
BASE = 00000004
EXPONENT = 0000000C
OTS$POWGJ ***** X 00
  
```

 ! Psect synopsis !

| PSECT name | Allocation | PSECT No. | Attributes |
|------------|-----------------|-----------|---------------------------------------------------------|
| ABS | 00000000 (0.) | 00 (0.) | NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE |
| _BAS\$CODE | 00000042 (66.) | 01 (1.) | PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG |

 ! Performance indicators !

| Phase | Page faults | CPU Time | Elapsed Time |
|------------------------|-------------|-------------|--------------|
| Initialization | 29 | 00:00:00.08 | 00:00:00.32 |
| Command processing | 114 | 00:00:00.51 | 00:00:01.74 |
| Pass 1 | 73 | 00:00:00.45 | 00:00:01.18 |
| Symbol table sort | 0 | 00:00:00.00 | 00:00:00.00 |
| Pass 2 | 44 | 00:00:00.38 | 00:00:00.97 |
| Symbol table output | 2 | 00:00:00.01 | 00:00:00.01 |
| Psect synopsis output | 2 | 00:00:00.02 | 00:00:00.02 |
| Cross-reference output | 0 | 00:00:00.00 | 00:00:00.00 |
| Assembler run totals | 266 | 00:00:01.46 | 00:00:04.25 |

The working set limit was 900 pages.
 1894 bytes (4 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 6 non-local and 5 local symbols.
 177 source lines were read in Pass 1, producing 8 object records in Pass 2.
 0 pages of virtual memory were used to define 0 macros.

 ! Macro library statistics !

| Macro library name | Macros defined |
|-------------------------------------|----------------|
| _\$255\$DUA28:[SYSLIB]STARLET.MLB;2 | 0 |

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:BASPOWGJ/OBJ=OBJ\$:BASPOWGJ MSRC\$:BASPOWGJ/UPDATE=(ENH\$:BASPOWGJ)

0029 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

BASOPEN
LIS

BASPOWJ
LIS

BASPOS
LIS

BASPOWJ
LIS

BASOPENDE
LIS

BASPOWGG
LIS

BASPOWH
LIS

BASPOWRJ
LIS

BASPOWII
LIS

BASPURJOB
LIS

BASPOWDD
LIS

BASOPENZE
LIS

BASPOWR
LIS

BASPOWJ
LIS

BASPOWR
LIS

BASPOWH
LIS

BASPOWRR
LIS