


```

BBBBBBBB 000000 000000 TTTTTTTTTT 5555555555 888888
BBBBBBBB 000000 000000 TTTTTTTTTT 5555555555 888888
BB      BB 00      00 00      00      TT      55      88      88
BB      BB 00      00 00      00      TT      55      88      88
BB      BB 00      00 00      00      TT      555555 88      88
BB      BB 00      00 00      00      TT      555555 88      88
BBBBBBBB 00      00 00      00      TT      55      888888
BBBBBBBB 00      00 00      00      TT      55      888888
BB      BB 00      00 00      00      TT      55      55      88      88
BB      BB 00      00 00      00      TT      55      55      88      88
BB      BB 00      00 00      00      TT      55      55      88      88
BB      BB 00      00 00      00      TT      55      55      88      88
BBBBBBBB 000000 000000 TT      555555 888888
BBBBBBBB 000000 000000 TT      555555 888888

```

```

....
....
....
....

```

```

MM      MM  AAAAAA  PPPPPPPP
MM      MM  AAAAAA  PPPPPPPP
MMMM  MMMM  AA      AA  PP      PP
MMMM  MMMM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PPPPPPPP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AAAAAAAAAA  PP
MM      MM  AAAAAAAAAA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP

```

```

-----+-----
! Object Module Synopsis !
-----+-----

```

| Module Name | Ident | Bytes | File | Creation Date | Creator |
|-------------|---------|-------|---------------------------------------|-------------------|--------------------------|
| ----- | ----- | ----- | ----- | ----- | ----- |
| BOOSCVT_ATB | V04-000 | 15 | -\$255SDUA28:[BOOTS.OBJ]SYSBOOT.OLB;1 | 15-SEP-1984 23:38 | VAX/VMS Macro V04-00 |
| BOOT58 | V04-000 | 4762 | -\$255SDUA28:[BOOTS.OBJ]SYSBOOT.OLB;1 | 15-SEP-1984 23:38 | VAX/VMS Macro V04-00 |
| CONIO | V04-000 | 196 | -\$255SDUA28:[BOOTS.OBJ]SYSBOOT.OLB;1 | 15-SEP-1984 23:48 | VAX/VMS Macro V04-00 |
| RTFILREAD | V04-000 | 195 | -\$255SDUA28:[BOOTS.OBJ]SYSBOOT.OLB;1 | 16-SEP-1984 00:00 | VAX/VMS Macro V04-00 |
| T58BOOTIO | V04-000 | 21 | -\$255SDUA28:[BOOTS.OBJ]SYSBOOT.OLB;1 | 16-SEP-1984 00:15 | VAX/VMS Macro V04-00 |
| CVTFILNAM | V04-000 | 211 | -\$255SDUA28:[SYSOBJ]SYS.OLB;1 | 15-SEP-1984 23:58 | VAX/VMS Macro V04-00 |
| CVT_ATB | V04-000 | 122 | -\$255SDUA28:[SYSOBJ]SYS.OLB;1 | 15-SEP-1984 23:57 | VAX/VMS Macro V04-00 |
| SYSFAO | V04-000 | 1515 | -\$255SDUA28:[SYSOBJ]SYS.OLB;1 | 16-SEP-1984 02:06 | VAX/VMS Macro V04-00 |
| XDELTA | V04-000 | 2752 | -\$255SDUA28:[SYSOBJ]DELTA.OLB;1 | 15-SEP-1984 23:40 | VAX/VMS Macro V04-00 |
| LIB\$TPARSE | V04-000 | 1735 | -\$255SDUA28:[SYSLIB]STARLET.OLB;2 | 16-Sep-1984 02:20 | VAX-11 Bliss-32 V4.0-742 |
| LIB\$MSGDEF | 2-018 | 0 | -\$255SDUA28:[SYSLIB]STARLET.OLB;2 | 15-SEP-1984 23:43 | VAX-11 Message V04-00 |

↑-----↑
! Image Section Synopsis !
↑-----↑

| <u>Cluster</u> | <u>Type</u> | <u>Pages</u> | <u>Base Addr</u> | <u>Disk</u> | <u>VBN</u> | <u>PFC</u> | <u>Protection and Paging</u> | <u>Global Sec. Name</u> | <u>Match</u> | <u>Majorid</u> | <u>Minorid</u> |
|-----------------|-------------|--------------|------------------|-------------|------------|------------|------------------------------|-------------------------|--------------|----------------|----------------|
| DEFAULT_CLUSTER | 0 | 23 | 00000000 | | 1 | 0 | READ ONLY | | | | |

Key for special characters above:

↑-----↑
! R - Relocatable !
! P - Protected !
↑-----↑

! Program Section Synopsis !

| Psect Name | Module Name | Base | End | Length | Align | Attributes |
|-------------------|------------------------|----------|----------|------------|--------|--|
| \$\$\$\$00BOOT | BOOT58 T58BOOTIO | 00000000 | 000008DC | 000008DD (| 2269.) | LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 00000000 | 000008C7 | 000008C8 (| 2248.) | LONG 2 |
| | | 000008CB | 000008DC | 00000015 (| 21.) | LONG 2 |
| \$CONIO | CONIO | 000008DD | 000009A0 | 000000C4 (| 196.) | BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 000008DD | 000009A0 | 000000C4 (| 196.) | BYTE 0 |
| BOOT58_DATA | BOOT58 | 000009A4 | 000011B5 | 00000812 (| 2066.) | LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 000009A4 | 000011B5 | 00000812 (| 2066.) | LONG 2 |
| YCVTATB | BOOTCVT_ATB CVT_ATB | 000011B6 | 0000123E | 00000089 (| 137.) | BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 000011B6 | 000011C4 | 0000000F (| 15.) | BYTE 0 |
| | | 000011C5 | 0000123E | 0000007A (| 122.) | BYTE 0 |
| YF\$SYSFAO | SYSFAO | 0000123F | 00001829 | 000005EB (| 1515.) | BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 0000123F | 00001829 | 000005EB (| 1515.) | BYTE 0 |
| YFILEREAD | RTFILREAD CVTFILNAM | 0000182C | 000019C1 | 00000196 (| 406.) | LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 0000182C | 000018EE | 000000C3 (| 195.) | LONG 2 |
| | | 000018EF | 000019C1 | 000000D3 (| 211.) | BYTE 0 |
| Z\$DEBUG_CODE | XDELTA | 000019C4 | 00002483 | 00000AC0 (| 2752.) | LONG 2 PIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 000019C4 | 00002483 | 00000AC0 (| 2752.) | LONG 2 |
| _LIB\$CODE | LIB\$PARSE | 00002484 | 00002A9E | 0000061B (| 1563.) | LONG 2 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002484 | 00002A9E | 0000061B (| 1563.) | LONG 2 |
| _LIB\$KEY0\$ | BOOT58 | 00002AA0 | 00002AAD | 0000000E (| 14.) | WORD 1 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002AA0 | 00002AAD | 0000000E (| 14.) | WORD 1 |
| _LIB\$KEY1\$ | BOOT58 | 00002AAE | 00002ADF | 00000032 (| 50.) | WORD 1 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002AAE | 00002ADF | 00000032 (| 50.) | WORD 1 |
| _LIB\$PARSE_KEY0 | LIB\$PARSE | 00002AE0 | 00002AE0 | 00000000 (| 0.) | WORD 1 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002AE0 | 00002AE0 | 00000000 (| 0.) | WORD 1 |
| _LIB\$PARSE_STATE | LIB\$PARSE | 00002AE0 | 00002B8B | 000000AC (| 172.) | WORD 1 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002AE0 | 00002B8B | 000000AC (| 172.) | WORD 1 |
| _LIB\$STATES | BOOT58 | 00002B8C | 00002D0B | 00000180 (| 384.) | BYTE 0 PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC |
| | | 00002B8C | 00002D0B | 00000180 (| 384.) | BYTE 0 |
| __Z99BOOT | BOOT58 | 00002E00 | 00002E00 | 00000000 (| 0.) | PAGE 9 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 00002E00 | 00002E00 | 00000000 (| 0.) | PAGE 9 |

! Symbol Cross Reference !

| Symbol | Value | Defined By | Referenced By ... |
|--------------------------|------------|---------------|---------------------------|
| BOOS\$ACMSG | 00000253-R | BOOT58 | |
| BOOS\$READPROMPT | 000008DD-R | CONIO | BOOT58 |
| BOOT58 | 00000057-R | BOOT58 | |
| BOOT58_TABLE | 00002B8C-R | BOOT58 | |
| CON\$GETCHAR | 00000992-R | CONIO | XDELTA |
| CON\$OWNCTY | 000009AC-R | CONIO | XDELTA |
| CON\$PUTCHAR | 00000962-R | CONIO | XDELTA |
| CON\$RELEASECTY | 000009A0-R | CONIO | XDELTA |
| DEPOSIT_VALUE | 000006AC-R | BOOT58 | |
| DRIVER_SUBROUT | 000011B2-R | BOOT58 | T58BOOTIO |
| EXAD\$P_ADDR | 000004C2-R | BOOT58 | |
| EXESAC\$VIOLAT | 00000888-R | BOOT58 | XDELTA |
| EXESBREAK | 00000888-R | BOOT58 | XDELTA |
| EXES\$FAO | 0000127E-R | SYSFAO | BOOT58 |
| EXES\$FAOL | 00001288-R | SYSFAO | |
| EXES\$GB_CPUTYPE | 00000888-R | BOOT58 | XDELTA |
| EXES\$GL_FLAGS | 000008BC-R | BOOT58 | |
| EXES\$GL_SCB | 000008BC-R | BOOT58 | XDELTA |
| EXES\$MCRKVEC | 00002E04-R | BOOT58 | |
| EXES\$ROPRAND | 00000888-R | BOOT58 | XDELTA |
| EXES\$SIGTORET | 00000000 | | WK-SYSFAO |
| EXESTBIT | 00000888-R | BOOT58 | XDELTA |
| EXESV_SIMULATOR | 00000000 | BOOT58 | |
| EXECUTE_COMMAND | 0000027B-R | BOOT58 | |
| FIL\$CVT\$FILNAM | 000018EF-R | CVT\$FILNAM | RTFILREAD |
| FIL\$CVT_DTB | 000011CE-R | CVT_ATB | BOOS\$CVT_ATB CVT\$FILNAM |
| FIL\$CVT_HTB | 000011DC-R | CVT_ATB | BOOS\$CVT_ATB |
| FIL\$CVT_OTB | 000011D5-R | CVT_ATB | BOOS\$CVT_ATB |
| FIL\$READ_LBN | 000008C8-R | T58BOOTIO | BOOT58 RTFILREAD |
| INISBRK | 00000050-R | BOOT58 | XDELTA |
| INISRONLY | 00000888-R | BOOT58 | XDELTA |
| INISWRITABLE | 00000888-R | BOOT58 | XDELTA |
| KEY_TABLE | 00002AA0-R | BOOT58 | |
| LIB\$\$IDENT_KEY_TABLE | 00002AE0-R | LIB\$TPARSE | |
| LIB\$\$IDENT_STATE_TABLE | 00002B20-R | LIB\$TPARSE | |
| LIB\$\$UIC_KEY_TABLE | 00002AE0-R | LIB\$TPARSE | |
| LIB\$\$UIC_STATE_TABLE | 00002AE0-R | LIB\$TPARSE | |
| LIB\$CVT_DTB | 0000118B-R | BOOS\$CVT_ATB | LIB\$TPARSE |
| LIB\$CVT_HTB | 000011C0-R | BOOS\$CVT_ATB | LIB\$TPARSE |
| LIB\$CVT_OTB | 000011B6-R | BOOS\$CVT_ATB | LIB\$TPARSE |
| LIB\$INS_DECODE | 00000000 | | WK-XDELTA |
| LIB\$TPARSE | 000024A4-R | LIB\$TPARSE | BOOT58 |
| LIB\$_INVTTYPE | 0015828C | LIB\$MSGDEF | LIB\$TPARSE |
| LIB\$_SYNTAXERR | 00158284 | LIB\$MSGDEF | LIB\$TPARSE |
| MMGS\$PAGEFAULT | 0000088C-R | BOOT58 | XDELTA |
| MOV_FILESPEC | 00000302-R | BOOT58 | |
| OPER_FILE | 0000087E-R | BOOT58 | |
| PFNSAB_STATE | 000008BC-R | BOOT58 | XDELTA |
| PFNSAB_TYPE | 000008BC-R | BOOT58 | XDELTA |

| Symbol | Value | Defined By | Referenced By ... |
|------------------|------------|------------|-------------------|
| PFNSAL_BAK | 000008BC-R | BOOT58 | XDELTA |
| PFNSAL_PTE | 000008BC-R | BOOT58 | XDELTA |
| PFNSAW_BLINK | 000008BC-R | BOOT58 | |
| PFNSAW_FLINK | 000008BC-R | BOOT58 | |
| PFNSAW_REFCNT | 000008BC-R | BOOT58 | XDELTA |
| PFNSAW_SWPVBN | 000008BC-R | BOOT58 | XDELTA |
| PFNSAX_BLINK | 000008BC-R | BOOT58 | XDELTA |
| PFNSAX_FLINK | 000008BC-R | BOOT58 | XDELTA |
| RTFSOPENFILE | 0000182C-R | RTFILREAD | BOOT58 |
| SAV_DEVSPEC | 00000322-R | BOOT58 | |
| SCH\$GL_CURPCB | 000008BC-R | BOOT58 | XDELTA |
| SCH\$GL_PCBVEC | 000008BC-R | BOOT58 | XDELTA |
| SET_BOOT_FLAG | 000002E8-R | BOOT58 | |
| SET_BYTE | 00000432-R | BOOT58 | |
| SET_CMDFIL_FLAG | 000002F3-R | BOOT58 | |
| SET_DEPOS_FLAG | 000002D2-R | BOOT58 | |
| SET_EXAM_FLAG | 000002C7-R | BOOT58 | |
| SET_GENERAL | 00000492-R | BOOT58 | |
| SET_HELP_FLAG | 000002DD-R | BOOT58 | |
| SET_INTERNAL | 000004AA-R | BOOT58 | |
| SET_LOAD_FLAG | 000002B1-R | BOOT58 | |
| SET_LONG | 00000462-R | BOOT58 | |
| SET_PHYSICAL | 0000047A-R | BOOT58 | |
| SET_STARTADDR | 00000416-R | BOOT58 | |
| SET_START_FLAG | 000002BC-R | BOOT58 | |
| SET_WORD | 0000044A-R | BOOT58 | |
| SYSSASCTIM | 000008C0-R | BOOT58 | SYSFAO |
| SYSSASCTOID | 000008C0-R | BOOT58 | LIB\$TPARSE |
| SYSSFAO | 00000883-R | BOOT58 | |
| SYSSFILESCAN | 000008C0-R | BOOT58 | LIB\$TPARSE |
| SYSSIDTOASC | 000008C0-R | BOOT58 | SYSFAO |
| SYSSIOBASE | 000008BC-R | BOOT58 | |
| SYSSUNWIND | 000008C0-R | BOOT58 | SYSFAO |
| SYSL\$CLRSBIA | 000008BB-R | BOOT58 | XDELTA |
| USE_LAST_ADDR | 00000513-R | BOOT58 | |
| USE_LAST_VALUE | 000005EB-R | BOOT58 | |
| USE_NEXT_ADDR | 0000052F-R | BOOT58 | |
| USE_PREVIOUS | 00000593-R | BOOT58 | |
| XDE[BPT | 00002334-R | XDELTA | BOOT58 |
| XDELIBRK | 00001AAC-R | XDELTA | BOOT58 |
| XDELTBIT | 000023CC-R | XDELTA | BOOT58 |
| XDEL_LOADBASE | 00001B25-R | XDELTA | |
| XD\$SGL_XESTRING | 00001B51-R | XDELTA | |
| XD\$SGL_XFSTRING | 00001B55-R | XDELTA | |
| XD\$SGT_WORD_PFN | 000008BC-R | BOOT58 | XDELTA |
| XD\$SINIT | 000008BC-R | BOOT58 | |

! Symbols By Value !

| Value | Symbols... |
|----------|---|
| 00000000 | EXESV SIMULATOR |
| 00000050 | R-INISBRK |
| 00000057 | R-BOOT58 |
| 00000253 | R-BOOS\$FACMSG |
| 0000027B | R-EXECUTE COMMAND |
| 000002B1 | R-SET_LOAD_FLAG |
| 000002BC | R-SET_START_FLAG |
| 000002C7 | R-SET_EXAM_FLAG |
| 000002D2 | R-SET_DEPOS_FLAG |
| 000002DD | R-SET_HELP_FLAG |
| 000002E8 | R-SET_BOOT_FLAG |
| 000002F3 | R-SET_CMDFIL_FLAG |
| 00000302 | R-MOV_FILESPEC |
| 00000322 | R-SAV_DEVSPEC |
| 00000416 | R-SET_STARTADDR |
| 00000432 | R-SET_BYTE |
| 0000044A | R-SET_WORD |
| 00000462 | R-SET_LONG |
| 0000047A | R-SET_PHYSICAL |
| 00000492 | R-SET_GENERAL |
| 000004AA | R-SET_INTERNAL |
| 000004C2 | R-EXADDP_ADDR |
| 00000513 | R-USE_LAST_ADDR |
| 0000052F | R-USE_NEXT_ADDR |
| 00000593 | R-USE_PREVIOUS |
| 000005EB | R-USE_LAST_VALUE |
| 000006AC | R-DEPOSIT VALUE |
| 0000087E | R-OPEN FILE |
| 00000883 | R-SYSS\$FAO |
| 00000888 | R-EXES\$ACVIOLAT R-EXESTBIT |
| 0000088C | R-MMG\$PAGEFAULT |
| 000008BB | R-INIS\$RDONLY |
| 000008BC | R-EXES\$GL_FLAGS R-PFN\$AL_BAK R-PFN\$AW_REFCNT R-SCH\$GL_CURPCB R-XDSS\$INIT |
| 000008C0 | R-SYSS\$ASCTIM R-SYSS\$UNWIND |
| 000008C8 | R-FIL\$READ_LBN |
| 000008DD | R-BOOS\$READPROMPT |
| 00000962 | R-CON\$PUTCHAR |
| 00000992 | R-CON\$GETCHAR |
| 000009A0 | R-CON\$OUNCTY |
| 000011B2 | R-DRIVER SUBROUT |
| 000011B6 | R-LIB\$CVT_OTB |
| 000011BB | R-LIB\$CVT_DTB |
| 000011C0 | R-LIB\$CVT_MTB |
| | R-EXES\$BREAK |
| | R-EXES\$GB_CPUYPE |
| | R-EXES\$ROPRAND |
| | R-INIS\$WRITABLE |
| | R-EXES\$GL_SCB |
| | R-PFN\$AL_PTE |
| | R-PFN\$AW_SWPVBN |
| | R-SCH\$GL_PCVEC |
| | R-SYSS\$ASCTOID |
| | R-SYSS\$FILESCAN |
| | R-SYSL\$CLRSBIA |
| | R-PFN\$AB_STATE |
| | R-PFN\$AB_TYPE |
| | R-PFN\$AW_FLINK |
| | R-PFN\$AX_FLINK |
| | R-SYSS\$IOWASE |
| | R-XDSS\$GT_WORD_PFN |
| | R-CON\$RELEASECTY |
| | R-SYSS\$IDTOASC |

| Value | Symbols... |
|----------|--|
| 000011CE | R-FIL\$CVT_DTB |
| 000011D5 | R-FIL\$CVT_OTB |
| 000011DC | R-FIL\$CVT_HTB |
| 0000127E | R-EXE\$FAO |
| 0000128B | R-EXE\$FAOL |
| 0000182C | R-RTF\$OPENFILE |
| 000018EF | R-FIL\$CVT\$FILNAM |
| 00001AAC | R-XDEL\$LIBRK |
| 00001B25 | R-XDEL_LOADBASE |
| 00001B51 | R-XD\$SGL_XESTRING |
| 00001B55 | R-XD\$SGL_XFSTRING |
| 00002334 | R-XDEL\$BPT |
| 000023CC | R-XDEL\$TBIT |
| 000024A4 | R-LIB\$TPARSE |
| 00002AA0 | R-KEY_TABLE |
| 00002AE0 | R-LIB\$\$IDENT_KEY_TABLE R-LIB\$\$UIC_KEY_TABLE R-LIB\$\$UIC_STATE_TABLE |
| 00002B20 | R-LIB\$\$IDENT_STATE_TABLE |
| 00002B8C | R-BOOT58_TABLE |
| 00002E04 | R-EXE\$MCHKVEC |
| 00158284 | LIB\$SYNTAXERR |
| 0015828C | LIB\$_INVTYPE |

Key for special characters above:

```

+-----+
| * - Undefined |
| U - Universal  |
| R - Relocatable|
| X - External   |
+-----+

```

! Image Synopsis !

```

Virtual memory allocated:      00000000 000023FF 00002E00 (11776. bytes, 23. pages)
Stack size:                    0. pages
Image binary virtual block limits:
Image name and identification:  BOOT58 V04-000 23. ( 23. blocks)
Number of files:                7.
Number of modules:              11.
Number of program sections:     16.
Number of global symbols:       95.
Number of cross references:     148.
Number of image sections:       1.
Image type:                     SYSTEM.
Map format:                     FULL WITH CROSS REFERENCE in file _S255$DUA28:[BOOTS.LIS]BOOT58.MAP;1
Estimated map length:           58. blocks

```

! Link Run Statistics !

| Performance Indicators | Page Faults | CPU Time | Elapsed Time |
|--|-------------|-------------|--------------|
| Command processing: | 115 | 00:00:00.54 | 00:00:03.15 |
| Pass 1: | 156 | 00:00:00.99 | 00:00:06.24 |
| Allocation/Relocation: | 40 | 00:00:00.21 | 00:00:00.79 |
| Pass 2: | 59 | 00:00:01.09 | 00:00:03.93 |
| Map data after object module synopsis: | 25 | 00:00:00.68 | 00:00:01.45 |
| Symbol table output: | 1 | 00:00:00.03 | 00:00:00.36 |
| Total run values: | 396 | 00:00:03.54 | 00:00:15.92 |

Using a working set limited to 1200 pages and 40 pages of data storage (excluding image)

Total number object records read (both passes): 555
of which 279 were in libraries and 19 were DEBUG data records containing 1266 bytes

Number of modules extracted explicitly = 10
with 1 extracted to resolve undefined symbols

2 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXES:BOOT58/MAP=MAPS:BOOT58/FULL/CROSS/NOTRACE/SYSTEM=0/CONTIGUOUS LIBS:SYSBOOT.OLB/INCLUDE:(BOOSCVT_ATB,BOOT58,CONIO,RTFILREAD,T58BOOTIO),RESOBS:SYS.OLB/INCLUDE:(CVTFILNAM,CVT_ATB,SYSFAO),RESOBS:DELTA/INCLUDE=XDELTA,SYS\$LIBRARY:STARLET.OLB/INCLUDE:(LIB\$PARSE)

| | | | | | | |
|--------------|---------------|----------------|---------------|---------------|---------------|---------------|
| BPAMOUTC LIS | BPASSDEAS LIS | BPAAWAKEUP LIS | BPASETPRI LIS | BOOTBLOCK MAP | STACONFIG MAP | SYSBOOT MAP |
| | | | | BOOTS | | |
| | | | | BOOT58 MAP | | |
| | | | | CONFIGURE MAP | STANDCONF MAP | |
| | | | | | | STASYSGEN MAP |