

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

! Object Module Synopsis !

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
DCL\$AL_TAB_VEC	0-0	20	_\$255\$DUA28:[CLD.OBJ]DCLTABLES.OBJ;1	15-SEP-1984 23:37	VAX/VMS Command Definition Uti

↑-----↑
! Image Section Synopsis !
↑-----↑

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	4	1	00000000-R	2	0	READ ONLY				

Key for special characters above:

↑-----↑
! R - Relocatable !
! P - Protected !
↑-----↑

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
CLISTABLES	DCL\$AL_TAB_VEC	00000000	00000013	00000014 (20.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		00000000	00000013	00000014 (20.) LONG 2	

↑-----↑
! Symbol Cross Reference !
↑-----↑

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
DCLSAL_TAB_VEC	00000000-RU	DCLSAL_TAB_VEC	

1

! Symbols By Value !

<u>Value</u>	<u>Symbols...</u>
00000000	RU-DCL\$AL_TAB_VEC

Key for special characters above:

* - Undefined
U - Universal
R - Relocatable
X - External

! Image Synopsis !

Virtual memory allocated: 00000000 000001FF 00000200 (512. bytes, 1. page)
Stack size: 0. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (1. block)
Image name and identification: DCLTABLES 0-0
Number of files: 1.
Number of modules: 1.
Number of program sections: 1.
Number of global symbols: 0.
Number of cross references: 1.
Number of image sections: 1.
Image type: PIC, SHAREABLE. Global Section Match=LESS/EQUAL, Ident, Major=6, Minor=0
Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[CLD.LIS]DCLTABLES.MAP;1
Estimated map length: 9. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
-----	-----	-----	-----
Command processing:	31	00:00:00.20	00:00:00.34
Pass 1:	2	00:00:00.03	00:00:00.07
Allocation/Relocation:	8	00:00:00.13	00:00:00.62
Pass 2:	5	00:00:00.13	00:00:00.64
Map data after object module synopsis:	4	00:00:00.09	00:00:00.10
Symbol table output:	0	00:00:00.04	00:00:00.76
Total run values:	50	00:00:00.62	00:00:02.53

Using a working set limited to 600 pages and 86 pages of data storage (excluding image)

Total number object records read (both passes): 14
of which 0 were in libraries and 0 were DEBUG data records containing 0 bytes

Number of modules extracted explicitly = 0
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 5 global symbol table records was written

LINK/USERLIB=PROC/SHARE=EXES:DCLTABLES/NOTRACE/MAP=MAPS:DCLTABLES/FULL/CROSS SYSS\$INPUT:/OPTIONS
OBJS:DCLTABLES
GSMATCH=LEQUAL,6,0
UNIVERSAL=DCL\$AL_TAB_VEC

BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	MCRINT CLD	REPLY CLD	SET CLD	
CLD	CREATE CLD	DEF CLD	DNO CLD	LIBRARIAN CLD	MCRINT CLD	PASCAL CLD	RUN CLD	
DCLTABLES MAP	ACC CLD	BAD CLD	DCLINT CLD	DELETE CLD	DUMP CLD	EXCHANGE CLD	MORTABLES CLD	PATCH CLD
ANALYZE CLD	CHECKSUM CLD	CLISYMI CLD	DIFF CLD	EDIT CLD	FORTRAN CLD	LINK CLD	MESSAGE CLD	PHONE CLD
PSECTS R32	MORTABLES MAP	CONVERT CLD	DIRECTORY CLD	HELP CLD	MACRO CLD	MONITOR CLD	RECOVER CLD	RUNOFF CLD
JNLUSR MAR	COPY CLD	EDT CLD	INIT CLD	MOUNT CLD	RENAME CLD	SDL CLD	SEARCH CLD	