

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

```
DDDDDDDD  UU      UU  MM      MM  PPPPPPPP
DDDDDDDD  UU      UU  MM      MM  PPPPPPPP
DD      DD  UU      UU  MMMM  MMMM  PP      PP
DD      DD  UU      UU  MMMM  MMMM  PP      PP
DD      DD  UU      UU  MM  MM  MM  PP      PP
DD      DD  UU      UU  MM  MM  MM  PPPPPPPP
DD      DD  UU      UU  MM      MM  PPPPPPPP
DD      DD  UU      UU  MM      MM  PP
DD      DD  UU      UU  MM      MM  PP
DD      DD  UU      UU  MM      MM  PP
DD      DD  UU      UU  MM      MM  PP
DDDDDDDD  UUUUUUUUU  MM      MM  PP
DDDDDDDD  UUUUUUUUU  MM      MM  PP
```

....
....
....
....

```
CCCCCCCC  LL      DDDDDDDD
CCCCCCCC  LL      DDDDDDDD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CC      LL  DD      DD
CCCCCCCC  LLLLLLLLL  DDDDDDDD
CCCCCCCC  LLLLLLLLL  DDDDDDDD
```


Version: 'V04-000'

SHZ0001 Stephen H. Zalewski 12-Apr-1984
Move all checks for conflicting qualifiers from DUMP image
to the CLD.

```
define type dump_blocks
  keyword start,          value(type=$number)
  keyword end,            value(type=$number)
  keyword count,         value(type=$number)

define verb dump
  parameter p1,prompt='File',value(required,type=$infile),label=input
  qualifier allocated
  qualifier ascii
  qualifier blocks,      value(list,type=dump_blocks)
  qualifier byte
  qualifier decimal
  qualifier file_header
  qualifier formatted,   default
  qualifier header
  qualifier hexadecimal
  qualifier longword
  qualifier number,      value(type=$number)
  qualifier octal
  qualifier output,      value(type=$outfile)
  qualifier printer
  qualifier records,     value(list,type=dump_blocks)
  qualifier word

  disallow any2(octal,decimal,hexadecimal)
  disallow any2(byte,word,longword)
  disallow records and blocks
  disallow printer and output
  disallow records and allocated
  disallow blocks.end and blocks.count
  disallow records.end and records.count
```


BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	REPLY CLD
CLD	CREATE CLD	DCLINT CLD	EXCHANGE CLD	MCRINT CLD	SET CLD
DCLTABLES MAP	DEF CLD	DMO CLD	LIBRARIAN CLD	PASCAL CLD	RUN CLD
ACC CLD	BAD CLD	DELETE CLD	DUMP CLD	MORTABLES CLD	PATCH CLD
CHECKSUM CLD	ANALYZE CLD	EDIT CLD	FORTRAN CLD	LINK CLD	MESSAGE CLD
PHONE CLD	CLISYMI CLD	DIFF CLD	MACRO CLD	MCRSET CLD	MONITOR CLD
RECOVER CLD	PSECTS R32	CONVERT CLD	HELP CLD	MACRO CLD	MONITOR CLD
RECOVER CLD	MORTABLES MAP	DIRECTORY CLD	INIT CLD	MOUNT CLD	RENAME CLD
SDL CLD	UNLUSR MAR	COPY CLD	EDT CLD	MAIL CLD	SEARCH CLD