

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

EEEEEEEEEE	DDDDDDDD	IIIIII	TTTTTTTTTT	
EEEEEEEEEE	DDDDDDDD	IIIIII	TTTTTTTTTT	
EE	DD	DD	II	TT
EE	DD	DD	II	TT
EE	DD	DD	II	TT
EE	DD	DD	II	TT
EEEEEEEEEE	DD	DD	II	TT
EEEEEEEEEE	DD	DD	II	TT
EE	DD	DD	II	TT
EE	DD	DD	II	TT
EE	DD	DD	II	TT
EEEEEEEEEE	DDDDDDDD	IIIIII	TT
EEEEEEEEEE	DDDDDDDD	IIIIII	TT

CCCCCCCC	LL	DDDDDDDD	
CCCCCCCC	LL	DDDDDDDD	
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CCCCCCCC	LLLLLLLLLL	DDDDDDDD	
CCCCCCCC	LLLLLLLLLL	DDDDDDDD	

```

Version:      'V04-000'

V03-012 PCB0002      Peter George      13-Mar-1984
Remove last vestiges of old command inteface.

V03-011 RRB0012      Rowland R. Bradley  04-Jan-1984
Disallow /NOINTERACTIVE with /DISPLAY, /CREATE, /RESP,
/SCRIPT, /NUMBER_KEYS and/or /PROMPTING.

V03-010 LMP0185      L. Mark Pilant,    31-Jan-1984  11:31
Add support for the EDIT/ACL/OBJECT=type command.

V03-009 DLB0001      David Ballenger    29-Jul-1983
Add separate syntax definition for EDIT/SLP and comment
out qualifiers, etc. for EDIT/SOS. The EDIT/SOS definitions
can be "permanently" removed at a later date.

V03-008 MHB0096      Mark Bramhall      28-Jul-1983
Add EDIT/TECO.

V03-007 PCG0001      Peter George      27-Jul-1983
Add EDIT/DPE.

V03-006 LMP0107      L. Mark Pilant,    28-Apr-1983  9:14
Set the correct default for the /MODE qualifier

V03-005 KFH0002      Ken Henderson      26 Apr 1983
Add /SCRIPT keywords to EDIT/FDL:
add_key, delete_key, redesign => touchup

V03-004 KFH0001      Ken Henderson      14 Apr 1983
Add qualifiers to EDIT/FDL:
/DISPLAY/EMPHASIS/GRANULARITY
/RESPONSES/INTERACTIVE/CREATE
/NUMBER_KEYS

V03-003 PCA1008      Paul C. Anagnostopoulos 25-Feb-1983
Replace the ZZZZ qualifiers with something more reasonable,
since the new CDU requires unique names.

V03-002 PCA1008      Paul C. Anagnostopoulos 11 Feb 1983
Add a comment about the equivalent CLD for MCR.

V03-001 LMP0072      L. Mark Pilant,    19-Jan-1983  22:10
Incorporate the ACL editor into the build. It is invoked
with the EDIT/ACL DCL command.

```

```

! Don't forget the EDT.CLD file. It contains an equivalent set of
! definitions for MCR which must also be enhanced, but only for EDT.

```

```

define type keep_file
keyword recovery
keyword journal

```

```

define type mode_types

```

```
keyword prompt          default,negatable

define type acl_objects
keyword file
keyword device
keyword queue
keyword event_cluster
keyword logical_name_table
keyword process
keyword global_section

define syntax acledit
image acledt
parameter p1,prompt='Object Name',value(required,type=$infile),label=input
qualifier journal,      default,value(type=$infile)
qualifier recover,      value(type=$infile)
qualifier keep,         value(list,type=keep_file)
qualifier mode,         default,value(type=mode_types)
qualifier object_type,  value(type=acl_objects)

define syntax teco_mung
parameter p1            !!!, value(type=$rest_of_line)

define syntax edit_using_teco
image teco
qualifier command,      default,value(type=$infile)
qualifier create,       default
qualifier memory,       default
qualifier execute,      value(required,type=$infile),syntax=teco_mung
parameter p1,           value(type=$infile)
qualifier output,       value(required,type=$outfile)
qualifier read_only

define syntax edit_using_dpe
image dpe
parameter p1,           label=input,prompt='File',
                        value(required,type=$infile)
qualifier command,      default,value(type=$infile)
qualifier context,     default,value(type=$infile)
qualifier journal,     default,value(type=$infile)
qualifier output,       default,value(type=$outfile)
qualifier read_only
qualifier recover

define type script_options
keyword add_key
keyword delete_key
keyword indexed
keyword optimize
keyword relative
keyword sequential
keyword touchup

define type prpt_options
keyword brief
keyword full
```

```

define type disp_options
  keyword line
  keyword fill
  keyword add
  keyword init
  keyword record
  keyword key

define type emph_options
  keyword flatter
  keyword smaller

define type gran_options
  keyword one
  keyword two
  keyword three
  keyword four
  keyword double
  keyword 1
  keyword 2
  keyword 3
  keyword 4

define type resp_options
  keyword automatic
  keyword manual

define syntax edf
  image edf
  parameter p1,label=p1,prompt='File',value(required,type=$infile)
  qualifier output, value(required,type=$outfile)
  qualifier analysis, value(required,type=$infile)
  qualifier interactive, default
  qualifier emphasis, value(required,type=emph_options)
  qualifier granularity, value(required,type=gran_options)
  qualifier create
  qualifier number_keys, value(required)
  qualifier display, value(required,type=disp_options)
  qualifier responses, value(required,type=resp_options)
  qualifier script, value(required,type=script_options)
  qualifier prompting, value(required,type=prpt_options)
  disallow (neg interactive) and (create or number_keys or
  display or responses or script or prompting)

!SOS define syntax edit_using_sos
!SOS image backtrans

define type slp_audit_options
  keyword position, value(type=$number,default=80), default
  keyword size, value(type=$number,default=8), default

define syntax edit_using_slp
  image backtrans

```

```

parameter p1,          prompt='File',
                        value(required,type=$infile),label=input
qualifier audit_trail, value(list,type=slp_audit_options)
qualifier checksum,   value(type=$number)
qualifier listing,    value(type=$outfile)
qualifier output,     value(type=$outfile),default
qualifier report
qualifier truncate,   value(type=$number)
qualifier tab

```

```

define syntax sumslp
image sumslp

```

```

define verb edit
image edt
parameter p1,prompt='File',value(required,type=$infile),label=input
!SOS  qualifier decide
!SOS  qualifier exact
!SOS  qualifier expert
!SOS  qualifier increment, value
!SOS  qualifier isave, value
!SOS  qualifier line
!SOS  qualifier listing, value(type=$outfile)
!SOS  qualifier lower
!SOS  qualifier output, value(type=$outfile)
!SOS  qualifier pline, value
!SOS  qualifier read_only
!SOS  qualifier save, value
!SOS  qualifier slp, syntax=edit_using_slp
!SOS  qualifier sos, syntax=edit_using_sos
!SOS  qualifier start, value
!SOS  qualifier step, value
!SOS  qualifier header
!SOS  qualifier sum, syntax=sumslp
!SOS  qualifier update, value(list),placement=local
!SOS  qualifier edt
!SOS  qualifier command, default,value(type=$infile)
!SOS  qualifier recover
!SOS  qualifier journal, default,value(type=$infile)
!SOS  qualifier $1_filler, label=dmy1
!SOS  qualifier $2_filler, label=dmy2
!SOS  qualifier bak, default
!SOS  qualifier num, default
!SOS  qualifier fdl, syntax=edf
!SOS  qualifier create, default
!SOS  qualifier acl, syntax=acledit
!SOS  qualifier dpe, syntax=edit_using_dpe
!SOS  qualifier tecu, syntax=edit_using_tecu

```

BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	MCRINT CLD	REPLY CLD	SET CLD	
CLD	CREATE CLD	DEF CLD	DNO CLD	LIBRARIAN CLD	MCRINT CLD	PASCAL CLD	RUN CLD	
DCLTABLES MAP	ACC CLD	BAD CLD	DCLINT CLD	DELETE CLD	DUMP CLD	EXCHANGE CLD	MORTABLES CLD	PATCH CLD
ANALYZE CLD	CHECKSUM CLD	CLISYMI CLD	DIFF CLD	EDIT CLD	FORTRAN CLD	LINK CLD	MESSAGE CLD	PHONE CLD
PSECTS R32	MORTABLES MAP	CONVERT CLD	DIRECTORY CLD	HELP CLD	MACRO CLD	MCRSET CLD	MONITOR CLD	RECOVER CLD
UNLUSR MAR	COPY CLD	EDT CLD	INIT CLD	MOUNT CLD	RENAME CLD	SEARCH CLD	SDL CLD	