

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

Version: 'V04-000'

V03-016 JAK0227 J A Krycka 17-Aug-1984
Disallow certain printer queue specific qualifiers to be used
with /BATCH and /GENERIC.

V03-015 JAK0226 J A Krycka 16-Aug-1984
Omit "list" as an attribute for the /OWNER_UIC qualifier.

V03-014 JAK0220 J A Krycka 12-Jul-1984
Add [NO]FEED option to the /DEFAULT qualifier.

V03-013 MCN0174 Maria del C. Nasr 09-Jul-1984
Make qualifiers negatable to follow the standard rule.

V03-012 PCG0001 Peter George 20-Feb-1984
Modify behavior of INIT/QUEUE/BLOCK.

V03-011 MCN0144 Maria del C. Nasr 19-Jan-1984
Fix image name for INITIALIZE.

V03-010 MCN0140 Maria del C. Nasr 23-Nov-1983
Change to new CLI interface for INIT image.

V03-009 MLJ0009 Martin L. Jack 29-Jul-1983
Add /LIBRARY and /SCHEDULE.

V03-008 MAJ0002 Melanie Johnson 22-Jun-1983
Put mcignore flag on the init/queue qualifiers.

V03-007 MLJ0007 Martin L. Jack 27-May-1983
Changes for new QUEMAN image.

V03-006 MLJ0006 Martin L. Jack 27-Apr-1983
Changes for new QUEMAN image.

V03-005 STJ3087 Steven Jeffreys 24-Apr-1983
Added /[NO]ERASE and /[NO]HIGHWATER.

V03-004 MMD0076 Meg Dumont 08-Apr-1983
Added support for new qualifiers on /LABEL and /OVERRIDE and
added the /INTERCHANGE qualifier

V03-003 MLJ0002 Martin L. Jack 03-Jan-1982
Changes for new QUEMAN image.

V03-001 MAJ0001 Melanie Johnson 07-Oct-1982
Put mcignore flag into cliflags construct.

```
define type print_bft
keyword all,default
keyword one
```

```
define type defaults
keyword burst,negatable,value(type=print_bft)
```

```
keyword feed,negatable
keyword flag,negatable,value(type=print_bft)
keyword trailer,negatable,value(type=print_bft)

define type retain
keyword all,default
keyword error

define type schedule
keyword size,negatable

define type separate
keyword burst,negatable
keyword flag,negatable
keyword reset,negatable,value(required,list)
keyword trailer,negatable

define type protection
keyword system,value
keyword group,value
keyword owner,value
keyword world,value

define type init_overrides
keyword expiration
keyword accessibility
keyword owner_identifier

define type datacheck_options
keyword read
keyword write

define type index_position
keyword beginning
keyword middle
keyword end
keyword block,value(required)

define type ansi
keyword volume_accessibility,value(required)
keyword owner_identifier,value(required,type=$infile)

define syntax init_queue
image queman
parameter p1,prompt="Queue",value(required)

define verb initialize
image init
parameter p1,prompt="Device",value(required,type=$device),label=device
parameter p2,prompt="Label",value(required),label=volume
qualifier accessed,value(required,type=$number)
qualifier badblocks,value(required,list)
qualifier base_priority,value(required),cliflags(mcrignore),syntax=init_queue
qualifier batch,cliflags(mcrignore),syntax=init_queue
qualifier block_limit,value(list),cliflags(mcrignore),syntax=init_queue
qualifier characteristics,cliflags(mcrignore),syntax=init_queue,value(required,list)
```

```

qualifier cluster_size, value(required,type=$number)
qualifier cpdefault, value(required),cliflags(mcrignore),syntax=init_queue
qualifier cpumaximum, value(required),cliflags(mcrignore),syntax=init_queue
qualifier data_check, value(list,type=datacheck_options)
qualifier default, value(required,list,type=defaults),cliflags(mcrignore),syntax=init_queue
qualifier density, value(required)
qualifier directories, value(required,type=$number)
qualifier disable_swapping,cliflags(mcrignore),syntax=init_queue
qualifier enable_generic,cliflags(mcrignore),syntax=init_queue
qualifier erase
qualifier extension, value(required,type=$number)
qualifier file_protection,value(required,list,type=protection)
qualifier form, value(required),cliflags(mcrignore),syntax=init_queue
qualifier generic, value(list),cliflags(mcrignore),syntax=init_queue
qualifier group
qualifier headers, value(required,type=$number)
qualifier highwater, default
qualifier index, value(required,type=index_position)
qualifier interchange
qualifier job_limit, value(required),cliflags(mcrignore),syntax=init_queue
qualifier label, value(required,list,type=ansi)
qualifier library, value(required),cliflags(mcrignore),syntax=init_queue
qualifier maximum_files,value(required,type=$number)
qualifier on, value(type=$infile,required),cliflags(mcrignore),syntax=init_queue
qualifier override, value(required,list,type=init_overrides)
qualifier owner_uic, value(required,type=$uic)
qualifier processor, value(required),cliflags(mcrignore),syntax=init_queue
qualifier protection, value(required,list,type=protection)
qualifier queue, cliflags(mcrignore),syntax=init_queue
qualifier retain, value(type=retain),cliflags(mcrignore),syntax=init_queue
qualifier schedule, value(required,list,type=schedule),cliflags(mcrignore),syntax=init_queue
qualifier separate, value(required,list,type=separate),cliflags(mcrignore),syntax=init_queue
qualifier share, default
qualifier start, cliflags(mcrignore),syntax=init_queue
qualifier structure, value(required,type=$number)
qualifier system
qualifier terminal, cliflags(mcrignore),syntax=init_queue
qualifier user_name, value(required)
qualifier verified, default
qualifier windows, value(required,type=$number)
qualifier wsdefault, value(required),cliflags(mcrignore),syntax=init_queue
qualifier wextent, value(required),cliflags(mcrignore),syntax=init_queue
qualifier wsquota, value(required),cliflags(mcrignore),syntax=init_queue
disallow group and system
disallow default and (batch or generic)
disallow separate and (batch or generic)
disallow form and (batch or generic)

```

