

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

```
MM      MM      AAAAAA      IIIIII      LL
MM      MM      AAAAAA      IIIIII      LL
MMM     MMM     AA          AA      II      LL
MMM     MMM     AA          AA      II      LL
MM      MM      AA          AA      II      LL
MM      MM      AA          AA      II      LL
MM      MM      AA          AA      II      LL
MM      MM      AA          AA      II      LL
MM      MM      AAAAAAAAAA      II      LL
MM      MM      AAAAAAAAAA      II      LL
MM      MM      AA          AA      II      LL
MM      MM      AA          AA      IIIIII  LL
MM      MM      AA          AA      IIIIII  LLLLLLLLLL
MM      MM      AA          AA      IIIIII  LLLLLLLLLL
```

```
....
....
....
....
```

```
CCCCCCCC LL      DDDDDDD
CCCCCCCC LL      DDDDDDD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CC        LL      DD      DD
CCCCCCCC LLLLLLLLL DDDDDDD
CCCCCCCC LLLLLLLLL DDDDDDD
```

```
Version: 'V04-000'
```

```
define type reply_types  
keyword extract
```

```
define type edit_types  
keyword send  
keyword reply,value(type=reply_types)  
keyword forward
```

```
define syntax decmail  
image decmail
```

```
define verb mail  
image mail  
parameter p1,prompt='File',value(type=$infile),label=file  
parameter p2,prompt='To',value(list,impcat),label=tolist  
qualifier subject,value(required)  
qualifier decmail,syntax=decmail  
qualifier edit,value(list,type=edit_types)  
qualifier protocol value(required)  
qualifier self
```


BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	REPLY CLD
CLD	CREATE CLD	DCLINT CLD	EXCHANGE CLD	MCRINT CLD	SET CLD
DCLTABLES MAP	DEF CLD	DUMP CLD	FORTRAN CLD	LIBRARIAN CLD	PASCAL CLD
ACC CLD	DELETE CLD	EDIT CLD	LINK CLD	MCRSET CLD	PHONE CLD
BAD CLD	DIRTY CLD	DIFF CLD	MACRO CLD	MESSAGE CLD	PHONE CLD
CHECKSUM CLD	DIRECTORY CLD	EDIT CLD	INIT CLD	MONITOR CLD	RECOVER CLD
ANALYZE CLD	EDT CLD	INIT CLD	MOUNT CLD	RENAME CLD	RUNOFF CLD
CLISYMI CLD	EDT CLD	INIT CLD	RENAME CLD	SEARCH CLD	SDL CLD
PSECTS R32	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
MCRTABLES MAP	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
UNLUSR MAR	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
COPY CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
CONVERT CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
DIRECTORY CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
EDT CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
INIT CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
MACRO CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
MOUNT CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
RENAME CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
SEARCH CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD
SDL CLD	EDT CLD	INIT CLD	SEARCH CLD	SEARCH CLD	SDL CLD