

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

MESSAGE.CLD -- Command Language Definition file for the MESSAGE compiler.

Version: 'V04-000'

V03-002 GJA0061 Greg Awdziewicz 9-Jan-1984
- Remove the pseudo qualifier /noObject now that the negatable operator is allowed in the Disallow clause.

V03-001 GJA0054 Greg Awdziewicz 1-Dec-1983
- Make changes for the new CLI interface and fix the behavior to be consistent with the Command Language User's Guide rules and to enforce the restrictions on mutually exclusive qualifiers.
- Change qualifiers /Listing & /File to /List & /File_name to agree with documentation and to be consistent with other compilers.

```

Define Verb      Message
Image      Message
Parameter  P1          ! The only parameter is the
                Prompt='file' ! source file of messages.
Qualifier  FILE_NAME  ! An object file of previously compiled messages.
                Value (required, list, type=$FILE)
Qualifier  LIST       !
                Batch           ! Defaulted for batch only.
                Placement=positional
                Value (type=$FILE)
Qualifier  MDL        ! (for DEC internal use -- not documented)
                Placement=positional
                Value (type=$FILE)
Qualifier  SDL        ! (for DEC internal use -- not documented)
                Placement=positional
                Value (type=$FILE)
Qualifier  OBJECT     !
                Default
                Placement=positional
                Value (type=$FILE)
Qualifier  SYMBOLS   !
                Default
Qualifier  TEXT       !
                Default
Disallow  File_name and Text
Disallow  Neg Object and (File_name or Symbols or Text)

```

BACKUP CLD	DCLTABLES CLD	DISMOUNT CLD	ENCRYPT CLD	LIBRARIAN CLD	MCRINT CLD	REPLY CLD	SET CLD	
CLD	CREATE CLD	DEF CLD	DMO CLD	LIBRARIAN CLD	MCRINT CLD	PASCAL CLD	RUN CLD	
DCLTABLES MAP	ACC CLD	BAD CLD	DCLINT CLD	DELETE CLD	DUMP CLD	EXCHANGE CLD	MCTABLES CLD	PATCH CLD
CHECKSUM CLD	ANALYZE CLD	CLISYMI CLD	DIFF CLD	EDIT CLD	FORTRAN CLD	LINK CLD	MESSAGE CLD	PHONE CLD
PSECTS R32	MCTABLES MAP	CONVERT CLD	DIRECTORY CLD	HELP CLD	MACRO CLD	MONITOR CLD	RECOVER CLD	RUNOFF CLD
JNLUSR MAR	COPY CLD	EDT CLD	INIT CLD	MOUNT CLD	RENAME CLD	SDL CLD	SEARCH CLD	