

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

```

SSSSSSSS UU      UU  BBBB8888 MM      MM  IIIIII  TTTTTTTTTT
SSSSSSSS UU      UU  BBB88888 MM      MM  IIIIII  TTTTTTTTTT
SS      UU      UU  BB      88  MMMM  MMMM  II      TT
SS      UU      UU  BB      88  MMMM  MMMM  II      TT
SS      UU      UU  BB      88  MM  MM  MM  II      TT
SSSSSS  UU      UU  BBB88888  MM      MM  II      TT
SSSSSS  UU      UU  BBB88888  MM      MM  II      TT
      SS  UU      UU  BB      88  MM      MM  II      TT
      SS  UU      UU  BB      88  MM      MM  II      TT
      SS  UU      UU  BB      88  MM      MM  II      TT
      SS  UU      UU  BB      88  MM      MM  II      TT
SSSSSSSS UUUUUUUUU BBB88888  MM      MM  IIIIII  TT
SSSSSSSS UUUUUUUUU BBB88888  MM      MM  IIIIII  TT

```

```

....
....
....
....

```

```

CCCCCCCC LL      DDDDDDDD
CCCCCCCC LL      DDDDDDDD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CC      LL      DD      DD
CCCCCCCC LLLLLLLLL DDDDDDDD
CCCCCCCC LLLLLLLLL DDDDDDDD

```


Version: 'V04-000'

V03-009	JAK0220 J A Krycka	22-Jul-1984
	Eliminate the default attribute from the FEED qualifier because there there is now a queue level default for it.	
V03-008	RRB0021 Rowland R. Bradley	19-Jun-1984
	Add the common qualifier package to both PRINT and SUBMIT. The qualifiers include /confirm, /exclude, /before, /since, /created, /modified, /expired, /backup, and /by_owner. Disallow /REMOTE with other qualifiers than the common qualifier ones.	
V03-007	PCG000c Peter George	14-Feb-1984
	Add SUBMIT/PRINTER default.	
V03-006	PCG0002 Peter George	15-Aug-1983
	Add SUBMIT/SNA qualifiers.	
V03-005	MLJ0005 Martin L. Jack	26-May-1983
	Changes for new SUBMIT image.	
V03-004	MLJ0004 Martin L. Jack	27-Apr-1983
	Changes for new SUBMIT image.	
V03-003	MLJ0003 Martin L. Jack	01-Mar-1983
	Changes for new SUBMIT image.	
V03-002	MLJ0002 Martin L. Jack	30-Dec-1982
	Changes for new SUBMIT image.	
V03-001	PCG0001 Peter George	05-Sep-1982
	Add SUBMIT/SNA.	

```
define type print bft
keyword all,default
keyword one
```

```
define verb print
image submit
parameter p1,prompt='file',value(required,list,impcat,type=$infile)
qualifier after, value(required,type=$datetime)
qualifier backup
qualifier before, value(default=today,type=$datetime)
qualifier burst, value(type=print_bft),placement=positional
qualifier by_owner, value(type=$uic)
qualifier characteristics,value(required,list)
qualifier confirm
qualifier copies, value(required),placement=positional
qualifier created
qualifier delete, placement=positional
qualifier device, value(required)
qualifier exclude, value(required,list)
qualifier expired
qualifier feed, placement=positional
```

```

qualifier flag, value(type=print_bft),placement=positional
qualifier form, value(required)
qualifier header, placement=positional
qualifier hold
qualifier identify, default
qualifier job_count, value(required)
qualifier lowercase
qualifier modified
qualifier name, value(required)
qualifier note, value(required)
qualifier notify
qualifier operator, value(required)
qualifier pages, value(required,list),placement=positional
qualifier parameters, value(required,list)
qualifier passall, placement=positional
qualifier priority, value(required)
qualifier queue, value(required)
qualifier remote
qualifier restart
qualifier setup, value(required,list),placement=positional
qualifier since, value(default=today,type=$datetime)
qualifier space, placement=positional
qualifier trailer, value(type=print_bft),placement=positional
qualifier user, value(required)
disallow remote and (user or trailer or space or
setup or restart or queue or
priority or passall or parameters or pages or
operator or notify or note or name
or lowercase or job_count or identify or hold
or header or form or flag or feed
or device or delete or after
or copies or characteristics or burst)

```

```

define type translate keywords
keyword ebcdic, default

```

```

define syntax submit_sna
image snasubmit

```

```

define verb submit
parameter p1,prompt="file",value(required,list,impcat,type=$infile)
qualifier after, value(required,type=$datetime)
qualifier backup
qualifier before, value(default=today,type=$datetime)
qualifier by_owner, value(type=$uic)
qualifier characteristics,value(required,list)
qualifier cli, value(required)
qualifier confirm
qualifier cputime, value(required)
qualifier created
qualifier delete, placement=positional
qualifier exclude, value(required,list)
qualifier expired
qualifier hold
qualifier identify, default
qualifier keep

```



```

qualifier log_file,      value(required)
qualifier modified      value(required)
qualifier name           value(required)
qualifier notify        value(required,list)
qualifier parameters,   value(default="SYS$PRINT")
qualifier printer,      value(required)
qualifier priority,     value(required)
qualifier queue,        value(required)
qualifier remote
qualifier restart
qualifier since,        value(default=today,type=$datetime)
qualifier sna,          syntax=submit_sna ! SNA
qualifier translate,    default,placement=positional, ! SNA
                        value(type=translate_keywords,default="EBCDIC")
qualifier user,         value(required)
qualifier wsdefault,    value(required)
qualifier wsextent,     value(required)
qualifier wsquota,      value(required)
qualifier record_size, nonnegatable,placement=positional, ! SNA
                        value(required)
qualifier tab,          placement=positional ! SNA
disallow                remote and (tab or record_size or wsquota or
                        wsdefault or user or translate or sna
                        or restart or queue or priority or printer or
                        parameters or notify or name or
                        log_file or keep or identify or hold
                        or delete or cputime or after or wsextent
                        or cli or characteristics)

```


This image displays a grid of 150 terminal window screenshots, arranged in 10 rows and 15 columns. Each window shows the output of a specific system command. The commands and their corresponding outputs are as follows:

- Row 1: SHOW CLD, SPAWN CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 2: [Screenshot], [Screenshot], UFD CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 3: [Screenshot], [Screenshot], START CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 4: [Screenshot], [Screenshot], UNLOCK CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 5: [Screenshot], [Screenshot], DCLTABLE1 LIS, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 6: [Screenshot], [Screenshot], SUBMIT CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 7: [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 8: [Screenshot], [Screenshot], SORT CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 9: [Screenshot], [Screenshot], SYNCH CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]
- Row 10: [Screenshot], [Screenshot], TYPE CLD, [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot], [Screenshot]

Other visible commands include DCLTABLE2 LIS and MORTABLES LIS. The screenshots show various system messages, including process IDs, command execution status, and system error or warning messages.