

CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLL	DDDDDDDDDD	
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCC	LLL	DDD	DDD
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	
CCCCCCCCCCCC	LLLLLLLLLLLLLLLL	DDDDDDDDDD	

UU	UU	FFFFFFFF	DDDDDDDD	
UU	UU	FFFFFFFF	DDDDDDDD	
UU	UU	FF	DD	DD
UU	UU	FF	DD	DD
UU	UU	FF	DD	DD
UU	UU	FF	DD	DD
UU	UU	FFFFFFFF	DD	DD
UU	UU	FFFFFFFF	DD	DD
UU	UU	FF	DD	DD
UU	UU	F,	DD	DD
UU	UU	FF	DD	DD
UU	UU	FF	DD	DD
UUUUUUUUUU	FF	DDDDDDDD		....
UUUUUUUUUU	FF	DDDDDDDD		....

CCCCCCCC	LL	DDDDDDDD	
CCCCCCCC	LL	DDDDDDDD	
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CC	LL	DD	DD
CCCCCCCC	LLLLLLLLLL	DDDDDDDD	
CCCCCCCC	LLLLLLLLLL	DDDDDDDD	

Version: 'V04-000'

V03-001 MAJ0001 Melanie Johnson 13-Jun-1983  
Add "label=output" to P1 parameter definition

Created Feb. 1, 1983 - Melanie Johnson

```
define type protection
  keyword system,value
  keyword group,value
  keyword owner,value
  keyword world,value
```

```
define verb ufd
  image create
  prefix cli$K_crea_
  parameter p1,prompt='File',value(required,type=$outfile),label=output
  qualifier directory default
  qualifier uic,label=owner_uic,value(required,type=$uic)
  qualifier protection value(required,list,type=protection)
  qualifier log cliflags(mcrignore)
  qualifier version_limit cliflags(mcrignore)
  qualifier volume cliflags(mcrignore)
  qualifier fdl cliflags(mcrignore)
```

The image displays a grid of 144 terminal window screenshots, arranged in 12 rows and 12 columns. Each window shows the output of a specific VAX/VMS command. The commands and their corresponding outputs are as follows:

- SHOW CLD**: Lists active child processes.
- SPAWN CLD**: Shows the process spawned by the current process.
- LFD CLD**: Lists all processes in the system.
- START CLD**: Lists processes that are in the process of starting.
- UNLOCK CLD**: Lists processes that are not locked.
- DCLTABLE1 LIS**: Lists the contents of the DCLTABLE1 file.
- DCLTABLE2 LIS**: Lists the contents of the DCLTABLE2 file.
- MORTABLES LIS**: Lists the contents of the MORTABLES file.
- SORT CLD**: Lists child processes sorted by a specific criterion.
- SYNCH CLD**: Lists child processes in a synchronized state.
- TYPE CLD**: Lists child processes grouped by their command type.