

Prologue BLISS REQUIRE file for Run-Time Library COB\$ Support
File: COBPROLOG.REQ, Edit: LGB1001

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

Edit History:

1-001 - Created. LGB 16-Jan-1984

Set addressing modes to be used.

SWITCHES ADDRESSING_MODE (EXTERNAL=GENERAL, NONEXTERNAL=WORD_RELATIVE);

Reference precompiled libraries.

```

LIBRARY 'RTLSTARLE';           ! SYSS$LIBRARY:STARLET.L32
LIBRARY 'RTLML:SMGLIB';       ! Screen Management Definitions
REQUIRE 'RTLIN:RTLPSECT';    ! Macros for PSECTS
REQUIRE 'RTLIN:COBDEF';      ! Unit names
REQUIRE 'RTLIN:STRMACROS';   ! STR Macros, $STR$DESCRIPTOR

```

Declare PSECTs to be used.

```

PSECT
  CODE = _COB$CODE (READ, NOWRITE, EXECUTE, SHARE, PIC,

```

```
ADDRESSING MODE (WORD_RELATIVE)),  
PLIT = COBSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,  
ADDRESSING MODE (WORD_RELATIVE)),  
OWN = COB$DATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,  
ADDRESSING MODE (LONG_RELATIVE)),  
GLOBAL = COB$DATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,  
ADDRESSING_MODE (LONG_RELATIVE));
```

! End of COBPROLOG.REQ

