

```
CCCCCCCCCCCC 00000000 888888888888 RRRRRRRRRRR TTTTTTTTTTTTTTTT LLL
CCCCCCCCCCCC 00000000 888888888888 RRRRRRRRRRR TTTTTTTTTTTTTTTT LLL
CCCCCCCCCCCC 00000000 888888888888 RRRRRRRRRRR TTTTTTTTTTTTTTTT LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCC           000         000    888           888    RRR           RRR           TTT           LLL
CCCCCCCCCCCC 00000000 888888888888 RRR           RRR           TTT           LLLLLLLLLLLLLLLLL
CCCCCCCCCCCC 00000000 888888888888 RRR           RRR           TTT           LLLLLLLLLLLLLLLLL
CCCCCCCCCCCC 00000000 888888888888 RRR           RRR           TTT           LLLLLLLLLLLLLLLLL
```

```

CCCCCCCC 000000 BBBB8888 CCCCCCCC VV VV TTTTTTTTTT DDDDDDDD QQQQQQ
CCCCCCCC 000000 BBBB8888 CCCCCCCC VV VV TTTTTTTTTT DDDDDDDD QQQQQQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB888888 CCCCCCCC VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB888888 CCCCCCCC VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CC        00    00  BB      BB  CC        VV VV VV      TT      DD      DD  QQ      QQ
CCCCCCCC 000000 BBBB8888 CCCCCCCC VV VV TTTTTTTTTT DDDDDDDD QQQQQQ
CCCCCCCC 000000 BBBB8888 CCCCCCCC VV VV TTTTTTTTTT DDDDDDDD QQQQQQ

```

```

LL        IIIIII SSSSSSSS
LL        IIIIII SSSSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SSSSSS
LL        II      SSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS

```

(2) 49
(3) 62
(4) 110

HISTORY ; Detailed Current Edit History
DECLARATIONS
COBSCVTDO_RB

D 11

```
0000 1 .TITLE COBSCVTDQ_R8 COBOL Convert Double Floating to Quadword
0000 2 .IDENT /1-006/ ; File: COBSCVTDQ.MAR
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :* ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :* TRANSFERRED.
0000 17 :*
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :* CORPORATION.
0000 21 :*
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27 :
0000 28 : FACILITY: COBOL SUPPORT
0000 29 :++
0000 30 : ABSTRACT:
0000 31 : This module contains the routine that converts double floating
0000 32 : numbers to quadword.
0000 33 :
0000 34 :
0000 35 :--
0000 36 :
0000 37 : VERSION: 1
0000 38 :
0000 39 : HISTORY:
0000 40 :
0000 41 : AUTHOR:
0000 42 : Marty Jack, 14-Mar-1979
0000 43 :
0000 44 : MODIFIED BY:
0000 45 :
0000 46 :
0000 47 :
```

```
0000 49          .SBTTL HISTORY          ; Detailed Current Edit History
0000 50
0000 51
0000 52 : Edit History for Version 1 of COBSCVTDQ
0000 53 :
0000 54 : 1-001 - Original. MLJ 14-Mar-1979
0000 55 : 1-002 - Correct problem with high order longword. MLJ 22-Mar-1979
0000 56 : 1-003 - Correct round towards zero problem. PDG 12-Jul-1979
0000 57 : 1-004 - Make external references explicit. RKR 17-JULY-79
0000 58 : 1-005 - Change all references to FOR$CNV_OUT_E to COB$CNVOUT.
0000 59 : RKR 27-SEPT-79
0000 60 : 1-006 - Cosmetic changes. 18-OCT-79
```

```
0000 62 .SBTTL DECLARATIONS
0000 63
0000 64 :
0000 65 : INCLUDE FILES:
0000 66 :
0000 67 $DSCDEF
0000 68
0000 69 :
0000 70 : EXTERNAL SYMBOLS:
0000 71 .DSABL GBL ; Prevent undefined symbols from
0000 72 ; being automatically global
0000 73
0000 74 .EXTRN COB$CNVOUT ; E-format conversion
0000 75 .EXTRN LIB$STOP ; Error halt
0000 76 .EXTRN OTSS_FATINTERR ; Fatal internal error code
0000 77
0000 78 :
0000 79 :
0000 80 :
0000 81 : MACROS:
0000 82 NONE
0000 83 :
0000 84 :
0000 85 :
0000 86 : PSECT DECLARATIONS:
0000 87 .PSECT _COB$CODE PIC, SHR, LONG, EXE, NOWRT
0000 88
0000 89 :
0000 90 : EQUATED SYMBOLS:
0000 91 NONE
0000 92 :
0000 93 :
0000 94 :
0000 95 : OWN STORAGE:
0000 96 :
0000 97 :+
0000 98 : The following constant has the value 2**32. It is used for scaling
0000 99 : the high 32 bits and for compensating for unsigned arithmetic.
0000 100 :-
6C 29 67 49 29 04 0000 101 BIAS: .PACKED 4294967296
0006 102 :+
0006 103 : The following constant is 2**32-1. It's subtracted from negative numbers,
0006 104 : to get a DIVP to give the correct high-order longword.
0006 105 :-
5C 29 67 49 29 04 0006 106 BIAS_1: .PACKED 4294967295
0000 107 BIAS_DIGITS=10
000C 108 :
```

```

000C 110      .SBTTL COB$CVTDQ_R8
000C 111
000C 112      :++
000C 113      : FUNCTIONAL DESCRIPTION:
000C 114      :
000C 115      :     Converts a double floating number to quadword.
000C 116      :
000C 117      : CALLING SEQUENCE:
000C 118      :
000C 119      :     JSB COB$CVTDQ_R8 (scale.rl.v, src.rd.r, dst.wq.r)
000C 120      :
000C 121      :     Arguments are passed in R6, R7, and R8.
000C 122      :
000C 123      : INPUT PARAMETERS:
000C 124      :
000C 125      :     SCALE.rl.v           The power of ten by which the internal
000C 126      :                               representation of the source must be
000C 127      :                               multiplied to scale the same as the
000C 128      :                               internal representation of the dest.
000C 129      :     SRC.rd.r             The number to be converted
000C 130      :
000C 131      : IMPLICIT INPUTS:
000C 132      :
000C 133      :     ALL of the trap bits in the PSL are assumed off.
000C 134      :
000C 135      : OUTPUT PARAMETERS:
000C 136      :
000C 137      :     DST.wq.r             The place to store the converted number
000C 138      :
000C 139      : IMPLICIT OUTPUTS:
000C 140      :
000C 141      :     NONE
000C 142      :
000C 143      : FUNCTION VALUE:
000C 144      :
000C 145      :     1 = SUCCESS, 0 = FAILURE
000C 146      :
000C 147      : SIDE EFFECTS:
000C 148      :
000C 149      :     Destroys registers R0 through R8.
000C 150      :
000C 151      :--
000C 152
000C 153
000C 154 COB$CVTDQ_R8::
5E 30 C2 000C 155      SOBL2 #48,SP           ; Allocate temp space
6E 67 70 000C 156      MOVD  (R7),(SP)       ; Get input number
0012 157      :
0012 158      : Make a descriptor for the temporary string.
0012 159      :
0012 160      :     PUSHAB 8(SP)           ; Address = space reserved
7E 08 AE 9F 0015 161      MOVB  #DSC$K_CLASS_S,-(SP) ; Class = static
7E 01 90 0018 162      MOVB  #DSC$K_DTYPE_T,-(SP) ; Data type = ASCII string
7E 0E 90 001B 163      MOVW  #38,-(SP)       ; Length in bytes
7E 26 B0 001E 164      :
001E 165      : Call COB$CNVOUT.
001E 166      :

```

```

    1F DD 001E 167          PUSHL #31          ; Digits in fraction
    04 AE 9F 0020 168       PUSHAB 4(SP)       ; Output string descriptor
    10 AE 9F 0023 169       PUSHAB 16(SP)      ; Number to convert
00000000'GF 03 FB 0026 170  CALLS #3,G^COB$CNVOUT ; Call conversion routine
    55 50 E9 002D 171       BLBC R0,20$      ; Should never fail
    0030 172
    0030 173 ; Convert the exponent and correct for scale factor.
    0030 174
    6E 02 33 AE 02 09 0030 175       CVTSP #2,51(SP),#2,(SP) ; Make packed exponent
    50 6E 02 36 0036 176       CVTPL #2,(SP),R0 ; Make longword exponent
    56 E1 A640 9E 003A 177       MOVAB -31(R6)[R0],R6 ; Correct for fraction size and scale
    003F 178
    003F 179 ; Convert the fraction to packed.
    003F 180
    10 AE 13 6E 00 1F 12 AE 10 AE 90 003F 181       MOVB 16(SP),18(SP) ; Move sign over "."
    6E 00 6E 1F 56 F8 0044 182       CVTSP #31,18(SP),#31,(SP) ; Make packed fraction
    12 AE 1F 56 F8 004A 183       ASHP R6,#31,(SP),#0,#19,16(SP) ; Scale to temporary
    68 63 13 36 0052 184       BVS 10$ ; Branch if won't fit in 19 digits
    68 63 13 36 0054 186       CVTPL #19,(R3),(R8) ; Convert to longword
    68 88 E1 8F 78 0058 187       BVS 11$ ; Can't fit in 32 bits
    5E 38 5E 38 005A 189       ASHL #-31,(R8)+,(R8) ; Spread sign bit
    5E 38 5E 38 005F 190       INCL R0 ; Indicate success, R0 = 1
    05 0061 191 10$: ADDL2 #56,SP ; Delete stack temps
    05 0064 192 RSB
    0065 193
    0065 194 ; Come here if the packed number won't fit in 32 bits.
    0065 195 ; Divide by 2**32 to get the high 32 bits of the quadword.
    0065 196
    13 10 AE 13 99 AF 0A 22 0065 197 11$: BLBC 9(R1),13$ ; Skip if positive
    13 10 AE 13 8D AF 0A 27 0069 198 SUBP4 #BIAS_DIGITS,BIAS_1,#19,(R1) ; Make more negative
    04 A8 6E 13 36 006F 199 13$: DIVP #BIAS_DIGITS,BIAS,#19,16(SP),#19,(SP) ; Divide by 2**32
    0077 200
    0078 200 CVTPL #19,(SP),4(R8) ; Convert and store high bits
    007D 201 ; (also clears R0)
    007D 202 BVS 12$ ; Number too large for a 64-bit integer
    007F 203 INCL R0 ; Indicate success, R0 = 1
    0081 204 12$: ADDL2 #56,SP ; Delete stack temps
    0084 205 RSB ; Return
    0085 206
    0085 207 ; Come here on failure of COB$CNVOUT. This should never happen.
    0085 208
    00000000'8F DD 0085 209 20$: PUSHL #OTS$_FATINTERR ; OTS fatal error message
00000000'GF 01 FB 008B 210 CALLS #1,G^CIB$STOP ; Signal and don't return
    0092 211
    0092 212 ; .END

```



```

BIAS          00000000 R    02
BIAS_1        00000006 R    02
BIAS-DIGITS   = 0000000A
COB$CNVOUT    ***** X    00
COB$CVTDQ R8  0000000C RG   02
DSC$K_CLASS_S = 00000001
DSC$K_DTYPE_T = 0000000E
LIB$STOP      ***** X    00
OTSS_FATINTERR ***** X    00
    
```

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$ABSS	00000000 (0.)	01 (1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
_COB\$CODE	00000092 (146.)	02 (2.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	32	00:00:00.04	00:00:00.91
Command processing	135	00:00:00.36	00:00:03.75
Pass 1	140	00:00:01.28	00:00:07.08
Symbol table sort	0	00:00:00.11	00:00:00.77
Pass 2	50	00:00:00.39	00:00:02.40
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	3	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	364	00:00:02.21	00:00:14.94

The working set limit was 1050 pages.
 9010 bytes (18 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 138 non-local and 5 local symbols.
 212 source lines were read in Pass 1, producing 10 object records in Pass 2.
 8 pages of virtual memory were used to define 7 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	4

190 GETS were required to define 4 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESS)N/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:COB\$CVTDQ/OBJ=OBJ\$:COB\$CVTDQ MSRC\$:COB\$CVTDQ/UPDATE=(ENH\$:COB\$CVTDQ)

0061 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

A dense grid of 10 columns and 15 rows of very faint, low-contrast text. The text is illegible due to its size and the scan quality. Some faint words are visible, including 'COBACCEPT LIS', 'COBACCTM LIS', 'COBACALL LIS', 'COBOUTPQ LIS', 'COBOUTRDQ LIS', and 'COBOUTDQ LIS', which appear to be names of modules or data types. The overall appearance is that of a technical manual or a list of system components.