



CCCCCCCC CCCCCCCC CC CC CC CC CC CC CC CC CC CC CCCCCCCC CCCCCCCC	000000 000000 00 00 00 00 00 00 00 00 00 00 000000 000000	BBBBBBBB BBBBBBBB BB BB BB BB BBBBBBBB BBBBBBBB BB BB BB BB BBBBBBBB BBBBBBBB	MM MM MMM MMM MM MM MM MM MM MM MM MM MM MM	MM MM MMM MMM MM MM MM MM MM MM MM MM MM MM	UU UU UU UU UU UU UU UU UU UU UU UU UUUUUUUU UUUUUUUU	UU UU UU UU UU UU UU UU UU UU UU UU UUUUUUUU UUUUUUUU	LL LL LL LL LL LL LL LL LL LL LL LL LLLLLLLLLL LLLLLLLLLL	QQQQQQ QQQQQQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ	QQQQQQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQ QQQQ QQQQ	..... ..... ..... ..... ..... ..... ..... .....
--	--	--	--	--	--	--	--	--	--	--

LL LL LL LL LL LL LL LL LL LL LL LL LLLLLLLLLL LLLLLLLLLL	IIIIII IIIIII II II II II II II II II II II IIIIII IIIIII	SSSSSSSS SSSSSSSS SS SS SS SS SSSSSS SSSSSS SS SS SS SS SSSSSSSS SSSSSSSS
--	--	--

(2) 52  
(3) 65  
(4) 95

HISTORY ; Detailed Current Edit History  
DECLARATIONS  
COB\$MULQ\_R8

```
0000 1 .TITLE COB$MULQ_R8 COBOL Multiply Quadwords
0000 2 .IDENT /1-006/ ; File: COB$MULQ.MAR
0000 3
0000 4
0000 5
0000 6 *****
0000 7 *
0000 8 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 9 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 10 * ALL RIGHTS RESERVED. *
0000 11 *
0000 12 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 13 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 14 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 15 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 16 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 17 * TRANSFERRED. *
0000 18 *
0000 19 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 20 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 21 * CORPORATION. *
0000 22 *
0000 23 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 24 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 25 *
0000 26 *
0000 27 *****
0000 28
0000 29
0000 30
0000 31 FACILITY: COBOL ARITHMETIC
0000 32 ++
0000 33 ABSTRACT:
0000 34 This module contains the routine which multiplies two
0000 35 quadwords, producing a quadword result.
0000 36
0000 37
0000 38 --
0000 39
0000 40 VERSION: 1
0000 41
0000 42 HISTORY:
0000 43
0000 44 AUTHOR:
0000 45 John Sauter, 22-DEC-78
0000 46
0000 47 MODIFIED BY:
0000 48
0000 49
0000 50
```

COB\$MULQ\_R8  
1-006

COBOL Multiply Quadwords  
HISTORY ; Detailed Current Edit History

K 15

15-SEP-1984 23:46:26 VAX/VMS Macro V04-00  
6-SEP-1984 10:48:20 [COBRTL.SRC]COB\$MULQ.MAR;1

Page 2  
(2)

```
0000 52      .SBTTL HISTORY          ; Detailed Current Edit History
0000 53
0000 54
0000 55 : Edit History for Version 1 of COB$MULQ
0000 56 :
0000 57 : 1-001 - Original from Architecture Handbook, page 6-28.
0000 58 : 1-002 - Correct some comments. JBS 26-DEC-78
0000 59 : 1-003 - Make the entry point symbol global. JBS 03-JAN-1979
0000 60 : 1-004 - Minor cleanups. MLJ 10-Mar-1979
0000 61 : 1-005 - Make overlapping input and output operands work correctly.
0000 62 : RKR 24-SEPT-79
0000 63 : 1-006 - Cosmetic changes. RKR 21-OCT-79
```

```
0000 65      .SBTTL  DECLARATIONS
0000 66
0000 67 :
0000 68 : INCLUDE FILES:
0000 69 :
0000 70 :
0000 71 :
0000 72 : EXTERNAL SYMBOLS:
0000 73 :     NONE
0000 74 :
0000 75 :
0000 76 :
0000 77 : MACROS:
0000 78 :     NONE
0000 79 :
0000 80 :
0000 81 :
0000 82 : PSECT DECLARATIONS:
0000 83 :     .PSECT  _COB$CODE          PIC, SHR, LONG, EXE, NOWRT
0000 84 :
0000 85 :
0000 86 : EQUATED SYMBOLS:
0000 87 :     NONE
0000 88 :
0000 89 :
0000 90 :
0000 91 : OWN STORAGE:
0000 92 :     NONE
0000 93 :
```

```

0000 95      .SBTTL  COB$MULQ_R8
0000 96
0000 97      :++
0000 98      : FUNCTIONAL DESCRIPTION:
0000 99
0000 100     : Multiplies two quadwords, producing a quadword result.
0000 101     : There is no check for overflow; the low-order 64 bits
0000 102     : are returned.
0000 103
0000 104     : CALLING SEQUENCE:
0000 105
0000 106     : JSB COB$MULQ_R8 (multiplier.rq.r, multiplicand.rq.r, product.wq.r)
0000 107
0000 108     : Arguments are passed in R6, R7 and R8.
0000 109
0000 110     : INPUT PARAMETERS:
0000 111
0000 112     : MULTIPLIER.rq.r      Value to the right of the *
0000 113     : MULTIPLICAND.rq.r    Value to the left of the *
0000 114
0000 115     : IMPLICIT INPUTS:
0000 116
0000 117     : All of the trap bits in the PSL are assumed off.
0000 118
0000 119     : OUTPUT PARAMETERS:
0000 120
0000 121     : PRODUCT.wq.r          The result of the multiply.
0000 122
0000 123     : IMPLICIT OUTPUTS:
0000 124
0000 125     : NONE
0000 126
0000 127     : COMPLETION CODES:
0000 128
0000 129     : NONE
0000 130
0000 131     : SIDE EFFECTS:
0000 132
0000 133     : Destroys registers R0 through R8.
0000 134
0000 135     :--
0000 136
0000 137     COB$MULQ R8::
54 00 67 66 7A 0000 138     EMUL   (R6), (R7), #0, R4 ; Multiply low half - Result to R4,R5
50 67 04 A6 C5 0005 139     MULL3  4(R6), (R7), R0 ; Form cross products
51 04 A7 66 C5 000A 140     MULL3  (R6), 4(R7), R1 ;
03 50 51 C0 000F 141     ADDL2  R1, R0 ; Sum cross products
03 66 1F E1 0012 142     BBC    #31, (R6), 10$ ; Compensate for unsigned bias
03 50 67 C0 0016 143     ADDL2  (R7), R0 ;
03 67 1F E1 0019 144 10$: BBC    #31, (R7), 20$ ; Compensate for unsigned bias
50 66 C0 001D 145     ADDL2  (R6), R0 ;
55 50 C0 0020 146 20$: ADDL2  R0, R5 ; Add in cross product
68 54 7D 0023 147     MOVQ   R4, (R8) ; Return result
05 0026 148     RSB ; Return
0027 149 :
0027 150     .END

```

COB\$MULQ\_R8  
Symbol table

COBOL Multiply Quadwords

N 15

15-SEP-1984 23:46:26 VAX/VMS Macro V04-00  
6-SEP-1984 10:48:20 [COBRTL.SRC]COBMULQ.MAR;1

Page 5  
(4)

COB\$MULQ\_R8 00000000 RG 01

-----  
! Psect synopsis !  
-----

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 ( 0.)	00 ( 0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
_COB\$CODE	00000027 ( 39.)	01 ( 1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

-----  
! Performance indicators !  
-----

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.03	00:00:00.43
Command processing	116	00:00:00.30	00:00:02.21
Pass 1	66	00:00:00.24	00:00:02.12
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	41	00:00:00.20	00:00:00.89
Symbol table output	1	00:00:00.00	00:00:00.00
Psect synopsis output	3	00:00:00.01	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	258	00:00:00.79	00:00:05.67

The working set limit was 900 pages.  
1644 bytes (4 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 1 non-local and 2 local symbols.  
150 source lines were read in Pass 1, producing 8 object records in Pass 2.  
0 pages of virtual memory were used to define 0 macros.

-----  
! Macro library statistics !  
-----

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:COBMULQ/OBJ=OBJ\$:COBMULQ MSRC\$:COBMULQ/UPDATE=(ENH\$:COBMULQ)



0063 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY