


```
CCCCCCCC RRRRRRRR FFFFFFFF MM MM DDDDDDDD LL
CCCCCCCC RRRRRRRR FFFFFFFF MM MM DDDDDDDD LL
CC RR RR FF MMMM MMMM DD DD LL
CC RR RR FF MMMM MMMM DD DD LL
CC RR RR FF MM MM MM DD DD LL
CC RRRRRRRR FFFFFFFF MM MM DD DD LL
CC RRRRRRRR FFFFFFFF MM MM DD DD LL
CC RR RR FF MM MM DD DD LL
CC RR RR FF MM MM DD DD LL
CC RR RR FF MM MM DD DD LL
CCCCCCCC RR RR FF MM MM DDDDDDDD LLLLLLLLLL
CCCCCCCC RR RR FF MM MM DDDDDDDD LLLLLLLLLL
```

```
MM MM DDDDDDDD LL
MM MM DDDDDDDD LL
MMMM MMMM DD DD LL
MMMM MMMM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM MM DD DD LL
MM MM DDDDDDDD LLLLLLLLLL
MM MM DDDDDDDD LLLLLLLLLL
```

Version 'V04-000'

```
*****
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
```

```
*****
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
```

```
*****
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
```

```
*****
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

Key def. block

\$STRUCT KEY

```
F      NEXT, L      :Link to next key def. block
F      REFLIST, L   :Ref. list head
F      KEYADR, L    :Address of ascic string OR binary value
F      VALADR, L    :Address of key value
F      VALFLG, W    :Value flags
F      DEFFLG, W    :Definition flags
F      DEFNAM, L    :Address of ASCIC definer string
L      LENGTH
E
```

Reference block

\$STRUCT REF

```
F      NEXT, L      :Link to next ref block
F      REFFLG, W    :Reference flags
F      REFLNG, B    :Length of reference name
F      REFNAM, T, 0 :Start of ref name
L      FIXEDSIZE   :Length of fixed part of ref block
E
```

Field format block

\$STRUCT FLD

```
F      MASK, W      :Mask for bits
V      <M
      USRBITS,15    :Bits available to user
      CRFBIT       :If this is clear, then end of formats for this field
>
F      SET CLR, B   :0 = clear, 1 = set
F      MAXCNG, B    :Max length of field
F      FAODSC, B, 8 :FAO descriptor
F      NXTDESC, f, 0 :Start of next descriptor
E
```

