


```

CCCCCCCC  RRRRRRRR  FFFFFFFFFF  TTTTTTTTTT  FFFFFFFFFF  RRRRRRRR  VV      VV  EEEEEEEEEE  CCCCCCCC
CCCCCCCC  RRRRRRRR  FFFFFFFFFF  TTTTTTTTTT  FFFFFFFFFF  RRRRRRRR  VV      VV  EEEEEEEEEE  CCCCCCCC
CC         RR      RR  FF          TT          FF          RR      RR  EE          CC
CC         RR      RR  FF          TT          FF          RR      RR  EE          CC
CC         RR      RR  FF          TT          FF          RR      RR  EE          CC
CC         RRRRRRRR  FFFFFFFFFF  TT          FF          RRRRRRRR  VV      VV  EEEEEEEEE  CC
CC         RRRRRRRR  FFFFFFFFFF  TT          FF          RRRRRRRR  VV      VV  EEEEEEEEE  CC
CC         RR  RR    FF          TT          FF          RR  RR    EE          CC
CC         RR  RR    FF          TT          FF          RR  RR    EE          CC
CC         RR      RR  FF          TT          FF          RR      RR  EE          CC
CC         RR      RR  FF          TT          FF          RR      RR  EE          CC
CCCCCCCC  RR      RR  FF          TT          FF          RR      RR  EEEEEEEEEE  CCCCCCCC
CCCCCCCC  RR      RR  FF          TT          FF          RR      RR  EEEEEEEEEE  CCCCCCCC

```

```

LL         IIIIII  SSSSSSSS
LL         IIIIII  SSSSSSSS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SSSSSS
LL         II     SSSSSS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SS
LLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLL IIIIII  SSSSSSSS

```

CRF_TRANSFER
Table of contents

G 11

15-SEP-1984 23:38:41 VAX/VMS Macro V04-00

Page 0

(2) 48
(3) 68

DECLARATIONS
TRANSFER_VECTORS

```
0000 1 .TITLE CRF_TRANSFER
0000 2 .IDENT 'V04-000'
0000 3
0000 4
0000 5 *****
0000 6 *
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 * ALL RIGHTS RESERVED.
0000 10 *
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 * TRANSFERRED.
0000 17 *
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 * CORPORATION.
0000 21 *
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 *
0000 25 *
0000 26 *****
0000 27
0000 28
0000 29 :++
0000 30 : FACILITY: CROSS REFERENCE PROGRAM
0000 31
0000 32 : ABSTRACT: DEFINE TRANSFER VECTOR FOR CRF ENTRY POINTS
0000 33
0000 34
0000 35 : ENVIRONMENT: PART OF SHARABLE IMAGE
0000 36
0000 37 : AUTHOR: K.D. MORSE, CREATION DATE: 20-JUN-78
0000 38
0000 39 : MODIFIED BY:
0000 40
0000 41 : : VERSION
0000 42 : V01.01 : 005 B. L. SCHREIBER 19-SEP-1979
0000 43 : Add LIB$CRF_INS_KEY, LIB$CRF_INS_REF and LIB$CRF_OUTPUT
0000 44 : V01.02 : B. C. SCHREIBER 8-JAN-1980
0000 45 : Add CRF$GET_MEM and CRF$FREE_MEM
0000 46 :--
```

DECLARATIONS

```
0000 48      .SBTTL DECLARATIONS
0000 49      :
0000 50      : INCLUDE FILES:
0000 51      :
0000 52      :
0000 53      :
0000 54      : MACROS:
0000 55      :
0000 56      :
0000 57      :
0000 58      :
0000 59      : EQUATED SYMBOLS:
0000 60      :
0000 61      :
0000 62      :
0000 63      :
0000 64      : OWN STORAGE:
0000 65      :
0000 66      :
```

TRANSFER_VECTORS

```
0000 68 .SBTTL TRANSFER_VECTORS
0000 69 :++
0000 70 : FUNCTIONAL DESCRIPTION:
0000 71 :
0000 72 : THIS MODULE DEFINES THE TRANSFER VECTORS FOR THE ENTRY POINTS CALLED
0000 73 : BY A USER OF CRF. THIS MODULE ENABLES CRF TO BE LINKED AS A SHARABLE IMAGE.
0000 74 :
0000 75 : CALLING SEQUENCE:
0000 76 :
0000 77 : NONE
0000 78 :
0000 79 : INPUT PARAMETERS:
0000 80 :
0000 81 : NONE
0000 82 :
0000 83 : IMPLICIT INPUTS:
0000 84 :
0000 85 : NONE
0000 86 :
0000 87 : OUTPUT PARAMETERS:
0000 88 :
0000 89 : NONE
0000 90 :
0000 91 : IMPLICIT OUTPUTS:
0000 92 :
0000 93 : NONE
0000 94 :
0000 95 : COMPLETION CODES:
0000 96 :
0000 97 : NONE
0000 98 :
0000 99 : SIDE EFFECTS:
0000 100 :
0000 101 : NONE
0000 102 :
0000 103 :--
0000 104 :
0000 105 :
00000000 106 .PSECT $$VECTOR_0_CRF,PIC,SHR,NOWRT,EXE
0000 107
0000 108 CRF_TRANSFER:
0000 109 .TRANSFER CRF$INSRTKEY ; INSERTS A CROSS REFERENCE KEY
FFF8' 31 0002 110 .MASK CRF$INSRTKEY
0005 111 BRW CRF$INSRTKEY+2
0005 112
0005 113 .TRANSFER CRF$INSRTREF ; INSERTS A REFERENCE TO A KEY
FFF8' 31 0007 114 .MASK CRF$INSRTREF
000A 115 BRW CRF$INSRTREF+2
000A 116
000A 117 .TRANSFER CRF$OUT ; OUTPUTS CROSS REFERENCE SUMMARY
FFF3' 31 000C 118 .MASK CRF$OUT
000F 119 BRW CRF$OUT+2
000F 120
000F 121 .TRANSFER LIB$CRF_INS_KEY ; INSERT CROSS REFERENCE KEY
FFEE' 31 0011 122 .MASK LIB$CRF_INS_KEY
0014 123 BRW LIB$CRF_INS_KEY+2
0014 124
```

TRANSFER_VECTORS						
		0014	125	.TRANSFER	LIB\$CRF_IN_REF	; INSERT REFERENCE TO A KEY
		0014	126	.MASK	LIB\$CRF_IN_REF	
FFE9'	0000'	0016	127	BRW	LIB\$CRF_INS_REF+2	
		0019	128			
		0019	129	.TRANSFER	LIB\$CRF_OUTPUT	; OUTPUT CROSS REFERENCE
		0019	130	.MASK	LIB\$CRF_OUTPUT	
FFE4'	0000'	001B	131	BRW	LIB\$CRF_OUTPUT+2	
		001E	132			
		001E	133	.TRANSFER	CRF\$GET_MEM	; ALLOCATE DYNAMIC MEMORY
FFDF'	31	001E	134	BRW	CRF\$GET_MEM	; JSB ENTRY
		0021	135			
		0021	136	.TRANSFER	CRF\$FREE_MEM	; DEALLOCATE DYNAMIC MEMORY
FFDC'	31	0021	137	BRW	CRF\$FREE_MEM	
		0024	138			
00000200		0024	139	.BLKB	512-<.-CRF_TRANSFER>	; PAD TO FULL PAGE
		0200	140	.END		

CRF TRANSFER
 Symbol table

```

CRF$FREE MEM      ***** X 01
CRF$GET MEM       ***** X 01
CRF$INSRTKEY      ***** X 01
CRF$INSRTREF      ***** X 01
CRF$OUT           ***** X 01
CRF TRANSFER      00000000 R 01
LIB$CRF_INS_KEY   ***** X 01
LIB$CRF_INS_REF   ***** X 01
LIB$CRF_OUTPUT    ***** X 01
    
```

 ! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$\$VECTOR_0_CRF	00000200 (512.)	01 (1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC BYTE

 ! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	31	00:00:00.10	00:00:00.46
Command processing	134	00:00:00.54	00:00:01.91
Pass 1	73	00:00:00.43	00:00:01.18
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	39	00:00:00.31	00:00:00.74
Symbol table output	3	00:00:00.01	00:00:00.03
Psect synopsis output	1	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	283	00:00:01.40	00:00:04.35

The working set limit was 750 pages.
 1439 bytes (3 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 9 non-local and 0 local symbols.
 140 source lines were read in Pass 1, producing 11 object records in Pass 2.
 0 pages of virtual memory were used to define 0 macros.

 ! Macro library statistics !

Macro library name	Macros defined
-\$255\$DUA28:[CRF.OBJ]CRF.MLB;1	0
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:CRFTFRVEC/OBJ=OBJ\$:CRFTFRVEC MSRC\$:CRFTFRVEC/UPDATE=(ENH\$:CRFTFRVEC)+LIB\$:CRF/LIB

