

DDDDDDDDDDDD		IIIIIIIIII	FFFFFFFFFFFFFF
DDDDDDDDDDDD		IIIIIIIIII	FFFFFFFFFFFFFF
DDDDDDDDDDDD		IIIIIIIIII	FFFFFFFFFFFFFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFFFFFFFFFFFFF
DDD	DDD	III	FFFFFFFFFFFFFF
DDD	DDD	III	FFFFFFFFFFFFFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDD	DDD	III	FFF
DDDDDDDDDDDD		IIIIIIIIII	FFF
DDDDDDDDDDDD		IIIIIIIIII	FFF
DDDDDDDDDDDD		IIIIIIIIII	FFF



```
DDDDDDDD      AAAAAA      TTTTTTTTTT      AAAAAA  
DDDDDDDD      AAAAAA      TTTTTTTTTT      AAAAAA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AAAAAAAAAA      TT      AAAAAAAAAA  
DD      DD      AAAAAAAAAA      TT      AAAAAAAAAA  
DD      DD      AA      AA      TT      AA      AA  
DD      DD      AA      AA      TT      AA      AA  
DDDDDDDD      AA      AA      TT      AA      AA  
DDDDDDDD      AA      AA      TT      AA      AA  
.....
```

```
LL      IIIIII      SSSSSSSS  
LL      IIIIII      SSSSSSSS  
LL      II      SS  
LL      II      SS  
LL      II      SS  
LL      II      SS  
LL      II      SSSSSS  
LL      II      SSSSSS  
LL      II      SS  
LL      II      SS  
LL      II      SS  
LLLLLLLLLLL      IIIIII      SSSSSSSS  
LLLLLLLLLLL      IIIIII      SSSSSSSS
```



```

1 0001 0 MODULE DIF_DATA ( ! Differences data base
2 0002 0 LANGUAGE (BLISS32),
3 0003 0 IDENT = 'V04-000'
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1 *****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
10 0010 1 * ALL RIGHTS RESERVED. *
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
17 0017 1 * TRANSFERRED. *
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
21 0021 1 * CORPORATION. *
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1 **
30 0030 1
31 0031 1 FACILITY: DCL Differences command
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1 The DCL DIFFERENCES command compares the contents of
35 0035 1 two files.
36 0036 1
37 0037 1 ENVIRONMENT:
38 0038 1 VAX native, user mode
39 0039 1
40 0040 1 --
41 0041 1
42 0042 1 AUTHOR: Peter George, Benn Schreiber CREATION DATE: 1-August-1981
43 0043 1
44 0044 1 MODIFIED BY:
45 0045 1
46 0046 1 V03-004 BLS0146 Benn Schreiber 9-Feb-1982
47 0047 1 Add nowild and use $SHR_MSGDEF
48 0048 1
49 0049 1 V03-003 DWT0012 David Thiel 16-Dec-1981
50 0050 1 Add DIF$GL_OUTBSIZ.
51 0051 1
52 0052 1 V03-002 PCG0002 Peter George 23-Sep-1981
53 0053 1 Move HEADCNT into FDB's.
54 0054 1
55 0055 1 V03-001 PCG0001 Peter George 08-Sep-1981
56 0056 1 Add DIF$GL_HEADER and DIF$GL_HEADCNT.
57 0057 1 --

```

DIF DATA
V04=000

: 58

0058 1

M 11
15-Sep-1984 23:38:35
14-Sep-1984 12:19:18

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[DIF.SRC]DATA.B32;1

Page 2
(1)

D
V

```

60 0059 1 LIBRARY
61 0060 1 'SYSS$LIBRARY:STARLET.L32';
62 0061 1
63 0062 1 REQUIRE
64 0063 1 'DIFPRE';
65 0137 1
66 0138 1 REQUIRE
67 0139 1 'DIFDEF';
68 0370 1
69 0371 1 :: Define DIF-specific messages as global symbols from shared messages
70 0372 1
71 P 0373 1 $$HR_MSGDEF(DIF, 108, GLOBAL,
72 PPP 0374 1 (badvalue, severe), :: illegal value for keyword
73 PPP 0375 1 (novalue, severe), :: keyword requires a value
74 PPP 0376 1 (nowild, severe), :: wild card spec illegal
75 PPP 0377 1 (openin, severe), :: error opening 'x' as input
76 PPP 0378 1 (openout, severe), :: error opening 'x' as output
77 PPP 0379 1 (closein, warning), :: error closing 'x' as input
78 PPP 0380 1 (closeout, warning), :: error closing 'x' as output
79 PPP 0381 1 (readerr, warning), :: error reading 'x'
80 P 0382 1 (writeerr, error), :: error writing 'x'
81 0383 1 (parsefail, warning); :: error parsing 'x'
82 0384 1
83 0385 1 :: Difference global data
84 0386 1
85 0387 1
86 0388 1 GLOBAL LITERAL
87 0389 1 dif$c_maxlangs = 16; :: Max number of file types known
88 0390 1
89 0391 1 MACRO
90 M 0392 1 definetype(ext,cdlm,flags)=
91 M 0393 1 CSTRING(ext),
92 M 0394 1 CSTRING(cdlm),
93 M 0395 1 WORD(flags)%;
94 0396 1 GLOBAL
95 0397 1
96 0398 1
97 0399 1 :: Command parameters
98 0400 1
99 0401 1
100 0402 1 dif$gl_commdesc : desc decl :: Desc for buffer of comment delimiters
101 0403 1 PRESET([dsc$b_class] = dsc$k_class_d),
102 0404 1 dif$gl_cmddesc : desc decl :: String descriptor for command line
103 0405 1 PRESET([dsc$b_class] = dsc$k_class_d),
104 0406 1 dif$gl_commflgs : BITVECTOR[dif$c_maxcdlm], :: Flags for comment delimiters. Bit set means first column
105 0407 1 dif$gl_ignore : BBLOCK[4], :: Flags for characters to ignore
106 0408 1 dif$gl_header : INITIAL(dif$c_defheader), :: No. of lines to skip as header
107 0409 1 dif$gl_width, :: Width of lines in output listing
108 0410 1 dif$gl_match : INITIAL(dif$c_defmatch), :: No. of records that constitute a match
109 0411 1 dif$gl_maxdif : INITIAL('X'7FFFFFFF'), :: Maximum number of unmatched records
110 0412 1 dif$gl_merged : INITIAL(dif$c_defmerged), :: No. of matched lines to follow each
111 0413 1 :: list of differences
112 0414 1 dif$gl_parallel : :: Same as above for parallel
113 0415 1 INITIAL(dif$c_defparallel),
114 0416 1 dif$gl_wndwsiz : INITIAL(dif$c_defwindsiz), :: No. of records to search before
115 0417 1 :: declaring a mismatch
116 0418 1 dif$gl_flags : BBLOCK[4], :: Flags

```

```

117 0419 1 dif$gl_parwidth,           ! Width of parallel listing
118 0420 1 dif$gl_difrec : INITIAL (0), ! No. of different records detected
119 0421 1 dif$gl_difsec : INITIAL (0), ! No. of difference sections detected
120 0422 1 dif$gl_dumpwidth,        ! Width of hex/octal data part of line
121 0423 1 dif$gl_entsperline,     ! No. of entries on a hex/octal line
122 0424 1 dif$gl_inbuf,          ! Address of the input record buffer
123 0425 1 dif$gl_outbsiz,        ! Allocated size of output buffer
124 0426 1 dif$gl_outbuf,         ! Address of the output record buffer
125 0427 1 dif$gl_faoful(buf : BBLOCK [dif$c_maxfaosiz], ! Hex/octal fao full line buffer
126 0428 1 dif$gl_faopartbuf : BBLOCK [dif$c_maxfaosiz], ! Hex/octal fao partial line buffer
127 0429 1 dif$gl_faofulldesc : BBLOCK [dsc$c_s_bln], ! String desc for hex/octal full output line
128 0430 1 dif$gl_faopartdesc : BBLOCK [dsc$c_s_bln], ! String desc for hex/octal partial output line
129 0431 1
130 0432 1 : Input and output file data structures
131 0433 1
132 0434 1 dif$gl_masdesc : desc decl ! String descriptor for input file
133 0435 1     PRESET ([dsc$b_class] = dsc$sk_class_d),
134 0436 1 dif$gl_masrab : $RAB_DECL, ! RAB for master file
135 0437 1 dif$gl_masnam : REF BBLOCK, ! NAM block for master file (actually pointer to NAM block c
136 0438 1     lib$find_file)
137 0439 1 dif$gl_masrss : BBLOCK[nam$c_maxrss], ! Resultant name string for master file
138 0440 1 dif$gl_revdesc : desc decl ! String descriptor for revision file
139 0441 1     PRESET ([dsc$b_class] = dsc$sk_class_d),
140 0442 1 dif$gl_revrab : $RAB_DECL, ! RAB for revision file
141 0443 1 dif$gl_revnam : $NAM_DECL, ! NAM block for revision file
142 0444 1 dif$gl_revrrs : BBLOCK[nam$c_maxrss], ! Resultant name string for revision file
143 0445 1 dif$gl_outdesc : desc decl ! String descriptor for output file
144 0446 1     PRESET ([dsc$b_class] = dsc$sk_class_d),
145 0447 1 dif$gl_outrab : $RAB_DECL, ! RAB for output file
146 0448 1 dif$gl_outnam : $NAM_DECL, ! NAM block for output file
147 0449 1 dif$gl_outrrs : BBLOCK[nam$c_maxrss], ! Output file resultant name string
148 0450 1 dif$gl_outifi,         ! IFI of output file for close
149 0451 1
150 0452 1 : EOF RDB's
151 0453 1
152 0454 1 dif$gl_maseof : BBLOCK[rdb$c_size] ! For the master file
153 0455 1     PRESET ([rdb$l_flink] = dif$gl_maseof,
154 0456 1     [rdb$v_permanent] = true,
155 0457 1     [rdb$v_eof] = true,
156 0458 1     [rdb$w_length] = 1),
157 0459 1 dif$gl_reveof : BBLOCK[rdb$c_size] ! For the revision file
158 0460 1     PRESET ([rdb$l_flink] = dif$gl_reveof,
159 0461 1     [rdb$v_permanent] = true,
160 0462 1     [rdb$v_eof] = true,
161 0463 1     [rdb$w_length] = 1),
162 0464 1
163 0465 1 : Input file descriptor blocks
164 0466 1
165 0467 1 dif$gl_masfdb : BBLOCK[fdb$c_size] ! For the master file
166 0468 1     PRESET ([fdb$l_eofrec] = dif$gl_maseof,
167 0469 1     [fdb$l_rabptr] = dif$gl_masrab,
168 0470 1     [fdb$l_namptr] = 0, ! nam block address filled in by dif$open_mas
169 0471 1     [fdb$l_fildesc] = dif$gl_masdesc,
170 0472 1     [fdb$l_headcnt] = dif$c_defheader),
171 0473 1 dif$gl_revfdb : BBLOCK[fdb$c_size] ! For the revision file
172 0474 1     PRESET ([fdb$l_eofrec] = dif$gl_reveof,
173 0475 1     [fdb$l_rabptr] = dif$gl_revrab,

```

```

174 0476 1
175 0477 1
176 0478 1
177 0479 1
178 0480 1
179 0481 1
180 0482 1
181 0483 1
182 0484 1
183 0485 1
184 0486 1
185 0487 1
186 0488 1
187 0489 1
188 0490 1
189 0491 1
190 0492 1
191 0493 1
192 0494 1
193 0495 1
194 0496 1
195 0497 1
196 0498 1 END
197 0499 0 ELUDOM

```

```

[fdbsl_namptr] = dif$gl_revnam,
[fdbsl_fildesc] = dif$gl_revdesc,
[fdbsl_headcnt] = dif$gl_defheader),
dif$gl_typedata : BBLOCK[fdbsl_size*dif$gl_maxlangs]
INITIAL(
definetype(' .B2S' , , , 0),
definetype(' .B32' , , , 0),
definetype(' .BAS' , , , 0),
definetype(' .BLI' , , , 0),
definetype(' .CBL' , , , 0),
definetype(' .CMD' , , , 0),
definetype(' .COB' , , , 3),
definetype(' .COM' , , , 0),
definetype(' .COR' , , , 0),
definetype(' .FOR' , , , CDcd , 30),
definetype(' .HLP' , , , 0),
definetype(' .MAC' , , , 0),
definetype(' .MAR' , , , 0),
definetype(' .MDL' , , , 0),
definetype(' .R32' , , , 0),
definetype(' .REQ' , , , 0)
);

```

!Both in column 1

!C, D must be in column 1

! Of module DATA

		.TITLE	DIF DATA
		.IDENT	\V04-000\
		.PSECT	\$PLITS, NOWRT, NOEXE, 2
53	32 42	04 00000 P.AAA:	.BYTE 4
		2E 00001	.ASCII \.B2S\
		01 00005 P.AAB:	.BYTE 1
		21 00006	.ASCII \!\
		04 00007 P.AAC:	.BYTE 4
32	33 42	2E 00008	.ASCII \.B32\
		01 0000C P.AAD:	.BYTE 1
		21 0000D	.ASCII \!\
		04 0000E P.AAE:	.BYTE 4
53	41 42	2E 0000F	.ASCII \.BAS\
		01 00013 P.AAF:	.BYTE 1
		21 00014	.ASCII \!\
		04 00015 P.AAG:	.BYTE 4
49	4C 42	2E 00016	.ASCII \.BLI\
		01 0001A P.AAH:	.BYTE 1
		21 0001B	.ASCII \!\
		04 0001C P.AAI:	.BYTE 4
4C	42 43	2E 0001D	.ASCII \.CBL\
		02 00021 P.AAJ:	.BYTE 2
	38	21 00022	.ASCII \!;\
		04 00024 P.AAK:	.BYTE 4
44	4D 43	2E 00025	.ASCII \.CMD\
		02 00029 P.AAL:	.BYTE 2
	38	21 0002A	.ASCII \!;\
		04 0002C P.AAM:	.BYTE 4
42	4F 43	2E 0002D	.ASCII \.COB\

```

02 00031 P.AAN: .BYTE 2
2F 2A 00032 .ASCII \*/\
04 00034 P.AAO: .BYTE 4
4D 4F 43 2E 00035 .ASCII \.COM\
01 00039 P.AAP: .BYTE 1
21 0003A .ASCII \!\
04 0003B P.AAQ: .BYTE 4
52 4F 43 2E 0003C .ASCII \.COR\
01 00040 P.AAR: .BYTE 1
21 00041 .ASCII \!\
04 00042 P.AAS: .BYTE 4
52 4F 46 2E 00043 .ASCII \.FOR\
05 00047 P.AAT: .BYTE 5
64 63 44 43 21 00048 .ASCII \!CDcd\
04 0004D P.AAU: .BYTE 4
50 4C 48 2E 0004E .ASCII \.HLP\
01 00052 P.AAV: .BYTE 1
21 00053 .ASCII \!\
04 00054 P.AAW: .BYTE 4
43 41 4D 2E 00055 .ASCII \.MAC\
01 00059 P.AAX: .BYTE 1
3B 0005A .ASCII \;\
04 0005B P.AAY: .BYTE 4
52 41 4D 2E 0005C .ASCII \.MAR\
01 00060 P.AAZ: .BYTE 1
3B 00061 .ASCII \;\
04 00062 P.ABA: .BYTE 4
4C 44 4D 2E 00063 .ASCII \.MDL\
01 00067 P.ABB: .BYTE 1
3B 00068 .ASCII \;\
04 00069 P.ABC: .BYTE 4
32 33 52 2E 0006A .ASCII \.R32\
01 0006E P.ABD: .BYTE 1
21 0006F .ASCII \!\
04 00070 P.ABE: .BYTE 4
51 45 52 2E 00071 .ASCII \.REQ\
01 00075 P.ABF: .BYTE 1
21 00076 .ASCII \!\

```

.PSECT \$GLOBAL\$,NOEXE,2

```

00# 00000 DIF$GL_COMMDESC::
      .BYTE 0[3]
02 00003 .BYTE 2
      00004 .BLKB 4
00# 00008 DIF$GL_CMDESC::
      .BYTE 0[3]
02 0000B .BYTE 2
      0000C .BLKB 4
      00010 DIF$GL_COMMFLGS::
      .BLKB 4
      00014 DIF$GL_IGNORE::
      .BLKB 4
0000002 00018 DIF$GL_HEADER::
      .LONG 2
      0001C DIF$GL_WIDTH::
      .BLKB 4

```

.....


```
00000003 00020 DIF$GL_MATCH::  
          .LONG 3  
7FFFFFFF 00024 DIF$GL_MAXDIF::  
          .LONG 2147483647  
00000001 00028 DIF$GL_MERGED::  
          .LONG 1  
00000000 0002C DIF$GL_PARALLEL::  
          .LONG 0  
7FFFFFFF 00030 DIF$GL_WNDWSIZ::  
          .LONG 2147483647  
          00034 DIF$GL_FLAGS::  
          .BLKB 4  
          00038 DIF$GL_PARWIDTH::  
          .BLKB 4  
00000000 0003C DIF$GL_DIFREC::  
          .LONG 0  
00000000 00040 DIF$GL_DIFSEC::  
          .LONG 0  
          00044 DIF$GL_DUMPWIDTH::  
          .BLKB 4  
          00048 DIF$GL_ENTSPERLINE::  
          .BLKB 4  
          0004C DIF$GL_INBUF::  
          .BLKB 4  
          00050 DIF$GL_OUTBSIZ::  
          .BLKB 4  
          00054 DIF$GL_OUTBUF::  
          .BLKB 4  
          00058 DIF$GL_FAOFULLBUF::  
          .BLKB 40  
          00080 DIF$GL_FAOPARTBUF::  
          .BLKB 40  
          000A8 DIF$GL_FAOFULLDESC::  
          .BLKB 8  
          000B0 DIF$GL_FAOPARTDESC::  
          .BLKB 8  
00# 000B8 DIF$GL_MASDESC::  
          .BYTE 0[3]  
02 000BB          .BYTE 2  
000BC          .BLKB 4  
000C0 DIF$GL_MASRAB::  
          .BLKB 68  
          00104 DIF$GL_MASNAM::  
          .BLKB 4  
          00108 DIF$GL_MASRSS::  
          .BLKB 255  
          00207          .BLKB 1  
00# 00208 DIF$GL_REVDESC::  
          .BYTE 0[3]  
02 0020B          .BYTE 2  
0020C          .BLKB 4  
00210 DIF$GL_REVRAB::  
          .BLKB 68  
          00254 DIF$GL_REVNAM::  
          .BLKB 96  
002B4 DIF$GL_REVRSS::  
          .BLKB 255
```

```
00# 003B3 .BLKB 1
00# 003B4 DIF$GL_OUTDESC:: .BYTE 0[3]
02 003B7 .BYTE 2
003B8 .BLKB 4
003BC DIF$GL_OUTRAB:: .BLKB 68
00400 DIF$GL_OUTNAM:: .BLKB 96
00460 DIF$GL_OUTRSS:: .BLKB 255
0055F .BLKB 1
00560 DIF$GL_OUTIFI:: .BLKB 4
00000000' 00564 DIF$GL_MASEOF:: .ADDRESS DIF$GL_MASEOF
00# 00568 .BYTE 0[4]
06 0056C .BYTE 6
00# 0056D .BYTE 0[9]
0001 00576 .WORD 1
00000000' 00578 DIF$GL_REVEOF:: .ADDRESS DIF$GL_REVEOF
00# 0057C .BYTE 0[4]
06 00580 .BYTE 6
00# 00581 .BYTE 0[9]
0001 0058A .WORD 1
00# 0058C DIF$GL_MASFDB:: .BYTE 0[24]
00000000' 005A4 .ADDRESS DIF$GL_MASEOF
00# 005A8 .BYTE 0[12]
00000002 005B4 .LONG 2
00# 005B8 .BYTE 0[4]
00000000' 005BC .ADDRESS DIF$GL_MASRAB
00000000' 005C0 .LONG 0
00000000' 005C4 .ADDRESS DIF$GL_MASDESC
00# 005C8 DIF$GL_REVFDB:: .BYTE 0[24]
00000000' 005E0 .ADDRESS DIF$GL_REVEOF
00# 005E4 .BYTE 0[12]
00000002 005F0 .LONG 2
00# 005F4 .BYTE 0[4]
00000000' 00000000' 00000000' 005F8 .ADDRESS DIF$GL_REVRAB, DIF$GL_REVNAM, -
DIF$GL_REVDESC
00000000' 00000000' 00604 DIF$GL_TYPCDATA:: .ADDRESS P.AAA, P.AAB
0000 0060C .WORD 0
00000000' 00000000' 0060E .ADDRESS P.AAC, P.AAD
0000 00616 .WORD 0
00000000' 00000000' 00618 .ADDRESS P.AAE, P.AAF
0000 00620 .WORD 0
00000000' 00000000' 00622 .ADDRESS P.AAG, P.AAH
0000 0062A .WORD 0
00000000' 00000000' 0062C .ADDRESS P.AAI, P.AAJ
0000 00634 .WORD 0
00000000' 00000000' 00636 .ADDRESS P.AAK, P.AAL
0000 0063E .WORD 0
00000000' 00000000' 00640 .ADDRESS P.AAM, P.AAN
```

.....

```

00000000' 00000000' 0003 00648 .WORD 3
00000000' 00000000' 0064A .ADDRESS P.AAO, P.AAP
00000000' 00000000' 0000 00652 .WORD 0
00000000' 00000000' 00654 .ADDRESS P.AAQ, P.AAR
00000000' 00000000' 0000 0065C .WORD 0
00000000' 00000000' 0065E .ADDRESS P.AAS, P.AAT
00000000' 00000000' 001E 00666 .WORD 30
00000000' 00000000' 00668 .ADDRESS P.AAU, P.AAV
00000000' 00000000' 0000 00670 .WORD 0
00000000' 00000000' 00672 .ADDRESS P.AAW, P.AAX
00000000' 00000000' 0000 0067A .WORD 0
00000000' 00000000' 0067C .ADDRESS P.AAY, P.AAZ
00000000' 00000000' 0000 00684 .WORD 0
00000000' 00000000' 00686 .ADDRESS P.ABA, P.ABB
00000000' 00000000' 0000 0068E .WORD 0
00000000' 00000000' 00690 .ADDRESS P.ABC, P.ABD
00000000' 00000000' 0000 00698 .WORD 0
00000000' 00000000' 0069A .ADDRESS P.ABE, P.ABF
00000000' 00000000' 0000 006A2 .WORD 0

```

```

DIFS_BADVALUE== 7082260
DIFS_NOVALUE== 7082244
DIFS_NOWILD== 7082284
DIFS_OPENIN== 7082140
DIFS_OPENOUT== 7082148
DIFS_CLOSEIN== 7082064
DIFS_CLOSEOUT== 7082072
DIFS_READERR== 7082160
DIFS_WRITEERR== 7082194
DIFS_PARSEFAIL== 7082568
DIFSC_MAXLANGS== 16

```

PSECT SUMMARY

Name	Bytes	Attributes
\$GLOBALS	1700	NOVEC, WRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
\$PLITS	119	NOVEC, NOWRT, RD, NOEXE, NOSHR, LCL, REL, CON, NOPIC, ALIGN(2)
. ABS .	0	NOVEC, NOWRT, NORD, NOEXE, NOSHR, LCL, ABS, CON, NOPIC, ALIGN(0)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_S255SDUA28:[SYSLIB]STARLET.L32;1	9776	28	0	581	00:01.0

DIF_DATA
V04=000

M 12
15-Sep-1984 23:38:35
14-Sep-1984 12:19:18

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[DIF.SRC]DATA.B32;1

Page 10
(2)

DI
VO

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS\$;DATA/OBJ=OBJ\$;DATA MSRC\$;DATA/UPDATE=(ENHS;DATA)

: Size: 0 code + 1819 data bytes
: Run Time: 00:09.3
: Elapsed Time: 00:31.0
: Lines/CPU Min: 3215
: Lexemes/CPU-Min: 37862
: Memory Used: 80 pages
: Compilation Complete

0102 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

A grid of 10 columns and 10 rows of small, illegible text screens. Several larger, semi-transparent labels are overlaid on the grid:

- DIFDEF MDL
- DIF
- DIF MAP
- XDSTRING LIS
- DIFPRE REQ
- DIFGETCMD LIS
- DIFHEXOCT LIS
- DATA LIS
- XDELTA LIS