


```

DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQQQ  UU      UU      000000  TTTTTTTTTT  AAAAAA
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQQQ  UU      UU      000000  TTTTTTTTTT  AAAAAA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SSSSSS  KKKKKK  QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SSSSSS  KKKKKK  QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DD      DD      II      SS      KK      KK      QQ      QQ      UU      UU      00      00      TT      AA      AA
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQ  QQ  UUUUUUUUUU  000000  TTT      AA      AA
DDDDDDDD      IIIIII      SSSSSSSS  KK      KK      QQQQ  QQ  UUUUUUUUUU  000000  TTT      AA      AA

```

```

....
....
....
....

```

```

MM      MM      AAAAAA  PPPPPPPP
MM      MM      AAAAAA  PPPPPPPP
MMMM  MMMM  AA      AA  PP      PP
MMMM  MMMM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AAAAAAAAAA  PP
MM      MM  AAAAAAAAAA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP

```

! Object Module Synopsis !

Module Name	Ident	Bytes	File	Creation Date	Creator
-----	-----	-----	-----	-----	-----
LBRSHR	V04-000	0	-\$255\$DUA28:[SYSLIB]LBRSHR.EXE;1	16-SEP-1984 04:16	VAX-11 Linker V04-00
DISKQUOTA	V04-000	6676	[DISKQ.OBJ]DISKQUOTA.OLB;1	15-Sep-1984 23:38	VAX-11 Bliss-32 V4.0-742
CHKSM2	V04-000	40	-\$255\$DUA28:[YSOBSJ]VMOUNT.OLB;1	16-Sep-1984 01:12	VAX-11 Bliss-32 V4.0-742
CHNUCB	V04-000	23	-\$255\$DUA28:[YSOBSJ]VMOUNT.OLB;1	16-SEP-1984 00:59	VAX/VMS Macro V04-00
LEFTONE	V04-000	20	-\$255\$DUA28:[YSOBSJ]VMOUNT.OLB;1	16-SEP-1984 00:59	VAX/VMS Macro V04-00
REBUILD	V04-000	8600	-\$255\$DUA28:[YSOBSJ]VMOUNT.OLB;1	16-Sep-1984 01:27	VAX-11 Bliss-32 V4.0-742
ERASE	V04-000	237	-\$255\$DUA28:[YSOBSJ]VMOUNT.OLB;1	16-Sep-1984 01:14	VAX-11 Bliss-32 V4.0-742
CHKSUM	V04-000	54	-\$255\$DUA28:[YSOBSJ]F11BXQP.OLB;1	15-SEP-1984 23:42	VAX/VMS Macro V04-00
GETPTR	V04-000	80	-\$255\$DUA28:[YSOBSJ]F11BXQP.OLB;1	16-Sep-1984 00:33	VAX-11 Bliss-32 V4.0-742
SYS	V04-000	0	-\$255\$DUA28:[YSOBSJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
LIB\$MSGDEF	2-018	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00
SYS\$P1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIBRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

! Image Section Synopsis !

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
LBRSHR	1	1	00000000-R	0	0	READ ONLY	LBRSHR_001	LESS/EQUAL	2	9
	2	3	00000200-R	0	0	READ WRITE COPY ON REF	LBRSHR_002	LESS/EQUAL	2	9
	2	54	00000800-R	0	0	READ ONLY	LBRSHR_003	LESS/EQUAL	2	9
	4	1	00007400-R	0	0	READ WRITE COPY ON REF	LBRSHR_004	LESS/EQUAL	2	9
DEFAULT_CLUSTER	0	10	00000200	2	0	READ ONLY				
	0	3	00001600	12	0	READ WRITE COPY ON REF				
	0	20	00001C00	15	0	READ ONLY				
	0	1	00004400	35	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				
LIBRTL	3	111	00000000-R	0	0	READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

```

-----
: R - Relocatable :
: P - Protected   :
-----

```

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes	
\$MSG_INDEX	DISKQUOTA REBUILD	00000200	000002E3	000000E4 (228.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		00000200	00000283	00000084 (132.)	LONG 2	
		00000284	000002E3	00000060 (96.)	LONG 2	
\$MSG_TEXT	DISKQUOTA REBUILD	000002E4	00001006	00000D23 (3363.)	BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		000002E4	000009EF	0000070C (1804.)	BYTE 0	
		000009F0	00001006	00000617 (1559.)	BYTE 0	
\$SPLITS	DISKQUOTA REBUILD	00001008	00001473	0000046C (1132.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		00001008	0000144F	00000448 (1096.)	LONG 2	
		00001450	00001473	00000024 (36.)	LONG 2	
\$OWNS	DISKQUOTA REBUILD	00001600	00001A23	00000424 (1060.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
		00001600	0000187B	0000027C (636.)	LONG 2	
		0000187C	00001A23	000001A8 (424.)	LONG 2	
\$CODES	DISKQUOTA CHKSM2 CHNUCB LEFTONE REBUILD ERASE CHKSUM GETPTR	00001C00	00004127	00002528 (9512.)	QUAD 3	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
		00001C00	00002603	00000A04 (2564.)	LONG 2	
		00002604	0000262B	00000028 (40.)	LONG 2	
		0000262C	00002642	00000017 (23.)	LONG 2	
		00002644	00002657	00000014 (20.)	LONG 2	
		00002658	00003FAC	00001955 (6485.)	LONG 2	
		00003FB0	0000409C	000000ED (237.)	LONG 2	
		000040A0	000040D5	00000036 (54.)	QUAD 3	
		000040D8	00004127	00000050 (80.)	LONG 2	
		_LIB\$KEYOS	DISKQUOTA	00004128	00004145	0000001E (
00004128	00004145			0000001E (30.)	WORD 1	
_LIB\$KEY1\$	DISKQUOTA	00004146	000041B3	0000006E (110.)	WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		00004146	000041B3	0000006E (110.)	WORD 1	
_LIB\$STAT\$	DISKQUOTA	000041B4	000042E3	00000130 (304.)	WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		000041B4	000042E3	00000130 (304.)	WORD 1	

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
ACT_ADD	00002091-R	DISKQUOTA	
ACT_CREATE	00001E9F-R	DISKQUOTA	
ACT_DISABLE	00002035-R	DISKQUOTA	
ACT_ENABLE	00001FCD-R	DISKQUOTA	
ACT_HELP	00002472-R	DISKQUOTA	
ACT_MODIFY	00002334-R	DISKQUOTA	
ACT_REBUILD	000023F5-R	DISKQUOTA	
ACT_REMOVE	00002153-R	DISKQUOTA	
ACT_SHOW	00002214-R	DISKQUOTA	
ACT_USE	00001DCD-R	DISKQUOTA	
CHECKSUM	000040A0-R	CHKSUM	REBUILD
CHECKSUM2	00002604-R	CHKSM2	REBUILD
COMMON IO	000025FA-R	DISKQUOTA	REBUILD
DEF_HANDLER	00001DC1-R	DISKQUOTA	
DISK QUOTA	00001C00-R	DISKQUOTA	
ERASE_BLOCKS	00003FB0-R	ERASE	REBUILD
EXIT_HANDLER	000025C3-R	DISKQUOTA	
GET_CHANNELUCB	0000262C-R	CHNUCB	REBUILD
GET_MAP_POINTER	000040D8-R	GETPTR	REBUILD
IO\$CVT_DEVNAM	8000D3C3	SYS	REBUILD
IO\$VERIFYCHAN	80010823	SYS	CHNUCB
KEY_TABLE	00004128-R	DISKQUOTA	
LBR\$GET_HELP	00004448-RX	LBR\$HR	DISKQUOTA
LBR\$INI_CONTROL	00004450-RX	LBR\$HR	DISKQUOTA
LBR\$OPEN	0000444C-RX	LBR\$HR	DISKQUOTA
LEFT ONE	00002644-R	LEFTONE	REBUILD
LIB\$FREE_VM	00004470-RX	LIBRTL	REBUILD
LIB\$GET_INPUT	0000445C-RX	LIBRTL	DISKQUOTA
LIB\$GET_VM	00004474-RX	LIBRTL	REBUILD
LIB\$PUT_OUTPUT	00004460-RX	LIBRTL	DISKQUOTA
LIB\$SIGNAL	00004468-RX	LIBRTL	DISKQUOTA
LIB\$STOP	00004464-RX	LIBRTL	DISKQUOTA
LIB\$PARSE	0000446C-RX	LIBRTL	DISKQUOTA
LIB\$SYNTAXERR	00158284	LIB\$MSGDEF	DISKQUOTA
MAIN_HANDLER	00002510-R	DISKQUOTA	
PM\$GL_ERASEIO	80000B64	SYS	ERASE
REBUILD	000026A3-R	REBUILD	DISKQUOTA
SGN\$GL_LOADFLAGS	80003DA0	SYS	ERASE
SGN\$GL_VMSD2	80003CD0	SYS	ERASE
SGN\$V_LOADERPAT	00000000	SYS	ERASE
STAND_ALONE_REBUILD	00002658-R	REBUILD	
STATE_TABLE	000041B4-R	DISKQUOTA	
SYS\$ASSIGN	7FFFEDE50	SYS	DISKQUOTA
SYS\$CANEXH	7FFFEEOC0	SYS\$P1_VECTOR	REBUILD
SYS\$CMKRNL	7FFFEDE90	SYS	REBUILD
SYS\$DASSGN	7FFFEDEE0	SYS	DISKQUOTA
SYS\$DCLEXH	7FFFEDEF0	SYS	DISKQUOTA
SYS\$ERAPAT	7FFFE470	SYS\$P1_VECTOR	ERASE
SYS\$FAO	7FFFEDEF50	SYS	DISKQUOTA



<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>	
SYSSFAOL	7FFEDF58	SYS	DISKQUOTA	REBUILD
SYSSGETTIM	7FFEDF78	SYSSP1_VECTOR	REBUILD	
SYSSK_VERSION	48513258	SYS		
SYSSQIOW	7FFEDE00	SYS	DISKQUOTA	ERASE
SYSSRNLOG	7FFEE058	SYS	DISKQUOTA	
SYSSUNWIND	7FFEE070	SYS	DISKQUOTA	REBUILD
USE_DEFAULT	00001D8D-R	DISKQUOTA		

.....

. Symbols By Value !

Value	Symbols...
-----	-----
00000000	SGNSV_LOADERAPAT
00001C00	R-DISK_QUOTA
00001D8D	R-USE_DEFAULT
00001DC1	R-DEF_HANDLER
00001DCD	R-ACT_USE
00001E9F	R-ACT_CREATE
00001FCD	R-ACT_ENABLE
00002035	R-ACT_DISABLE
00002091	R-ACT_ADD
00002153	R-ACT_REMOVE
00002214	R-ACT_SHOW
00002334	R-ACT_MODIFY
000023F5	R-ACT_REBUILD
00002472	R-ACT_HELP
00002510	R-MAIN_HANDLER
000025C3	R-EXIT_HANDLER
000025FA	R-COMMON_IO
00002604	R-CHECKSUM2
0000262C	R-GET_CHANNELUCB
00002644	R-LEFT_ONE
00002658	R-STAND_ALONE_REBUILD
000026A3	R-REBUILD
00003F80	R-ERASE_BLOCKS
000040A0	R-CHECKSUM
000040D8	R-GET_MAP_POINTER
00004128	R-KEY_TABLE
000041B4	R-STATE_TABLE
00004448	RX-LBR\$GET_HELP
0000444C	RX-LBR\$OPEN
00004450	RX-LBR\$INI_CONTROL
0000445C	RX-LIB\$GET_INPUT
00004460	RX-LIB\$PUT_OUTPUT
00004464	RX-LIB\$STOP
00004468	RX-LIB\$SIGNAL
0000446C	RX-LIB\$TPARSE
00004470	RX-LIB\$FREE_VM
00004474	RX-LIB\$GET_VM
00158284	LIBS_SYNTAXERR
48513258	SYSSR_VERSION
7FFEDE00	SYSSQIOW
7FFEDE50	SYSSASSIGN
7FFEDE90	SYSSCMKRN
7FFEDEE0	SYSSDASSGN
7FFEDEF0	SYSSDCLEXH
7FFEDF50	SYSSFAO
7FFEDF58	SYSSFAOL
7FFEDF78	SYSSGETTIM
7FFEE058	SYSSTRNLOG
7FFEE070	SYSSUNWIND

.....

Value	Symbols...
7FFEE0C0	SYSSCANEXM
7FFEE470	SYSSERAPAT
80000B64	PMSSGL_ERASEIG
80003CD0	SGNSGL_VMSD2
80003DA0	SGNSGL_LOADFLAGS
80003C33	IOCSVT_DEVNAM
80010823	IOCSVERIFYCHAN

Key for special characters above:

- - Undefined
- U - Universal
- R - Relocatable
- X - External



! Image Synopsis !

Virtual memory allocated: 00000200 000045FF 00004400 (17408. bytes, 34. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. 35. (34. blocks)
Image name and identification: DISKQUOTA V04-000
Number of files: 9.
Number of modules: 13.
Number of program sections: 14.
Number of global symbols: 367.
Number of cross references: 174.
Number of image sections: 11.
User transfer address: 00001C00
Number of code references to shareable images: 10.
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _S255\$DUA28:[DISKQ.LIS]DISKQUOTA.MAP;1
Estimated map length: 90. blocks

! Link Run Statistics !

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	142	00:00:00.51	00:00:01.98
Pass 1:	157	00:00:01.53	00:00:18.60
Allocation/Relocation:	33	00:00:00.10	00:00:01.36
Pass 2:	76	00:00:00.82	00:00:06.35
Map data after object module synopsis:	22	00:00:00.33	00:00:00.60
Symbol table output:	1	00:00:00.03	00:00:00.47
Total run values:	431	00:00:03.32	00:00:29.36

Using a working set limited to 1500 pages and 81 pages of data storage (excluding image)

Total number object records read (both passes): 745
of which 302 were in libraries and 70 were DEBUG data records containing 4681 bytes

Number of modules extracted explicitly = 8
with 2 extracted to resolve undefined symbols

11 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOTRACE/EXE=EXES:DISKQUOTA/MAP=MAPS:DISKQUOTA/FULL/CROSS LIBS:DISKQUOTA/INCLUDE=DISKQUOTA+RESOBJ\$:VMOUNT/INCLUDE:(
CHKSM2,CHNUCB,LEFTONE,REBUILD,ERASE)+RESOBJ\$:F11BXQP/INCLUDE:(CHKSUM,GETPTR)+EXSM:SYS.STB/SEL,SYSS\$INPUT:/OPTIONS
SYSS\$LIBRARY:LBRSHR/SHARE

The image displays a grid of 100 small, illegible document thumbnails arranged in 10 rows and 10 columns. The thumbnails are too small to read, but some larger, semi-transparent text is visible across the grid, including:

- DISMOUNT MAP
- DISKQUOTA LIS
- DISKQU
- DISKQ
- DISKQUOTA MAP
- DISMNT SHR MAP
- DISPLAY LIS