


```

CCCCCCCC NN NN DDDDDDD RRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR
CCCCCCCC NN NN DDDDDDD RRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR
CC NN NN DD DD RR RR II VV VV EE RR RR
CC NN NN DD DD RR RR II VV VV EE RR RR
CC NNNN NN DD DD RR RR II VV VV EE RR RR
CC NNNN NN DD DD RR RR II VV VV EE RR RR
CC NN NN DD DD RRRRRRR II VV VV EEEEEEE RRRRRRR
CC NN NN DD DD RRRRRRR II VV VV EEEEEEE RRRRRRR
CC NN NN DD DD RR RR II VV VV EE RR RR
CC NN NNNN DD DD RR RR II VV VV EE RR RR
CC NN NNNN DD DD RR RR II VV VV EE RR RR
CC NN NN DD DD RR RR II VV VV EE RR RR
CC NN NN DD DD RR RR II VV VV EE RR RR
CCCCCCCC NN NN DDDDDDD RRR RR IIIIII VV VV EEEEEEEEE RRR RR
CCCCCCCC NN NN DDDDDDD RRR RR IIIIII VV VV EEEEEEEEE RRR RR

```

```

MM MM AAAAAA PPPPPPP
MM MM AAAAAA PPPPPPP
MMMM MMMM AA AA PP PP
MMMM MMMM AA AA PP PP
MM MM AA AA PP PP
MM MM AA AA PPPPPPP
MM MM AA AA PPPPPPP
MM MM AAAAAAAAAA PP
MM MM AAAAAAAAAA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP

```

V
S
I
I
I
N
N
N
N
N
I
M
E

P
-

T
C
U
S
T
C
N
O
A
L
S
B

! Object Module Synopsis !

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
CNDRIVER	V04-000	2765	_\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	16-SEP-1984 01:19	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

! Image Section Synopsis !

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	6	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

: R - Relocatable :
: P - Protected :

M
-
C
S
S

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$\$\$105_PROLOGUE	CNDRIVER	00000000	0000006C	0000006D (109.)	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000000	0000006C	0000006D (109.)	BYTE 0
\$\$\$115_DRIVER	CNDRIVER	00000070	00000ACF	00000A60 (2656.)	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000070	00000ACF	00000A60 (2656.)	LONG 2

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
BUGS_INCONSTATE	00000198	SYS	CNDRIVER
CNSDDT	00000070-R	CNDRIVER	
COM\$DRVDEALMEM	8000E0F5	SYS	CNDRIVER
COM\$POST	8000E0E7	SYS	CNDRIVER
EXE\$ABORTIO	80009C1C	SYS	CNDRIVER
EXE\$ALONONPAGED	8000A901	SYS	CNDRIVER
EXE\$BUFFRQUOTA	8000A731	SYS	CNDRIVER
EXE\$FINISHIO	80009C2B	SYS	CNDRIVER
EXE\$FORK	8000A048	SYS	CNDRIVER
EXE\$GL_ABSTIM	80002B38	SYS	CNDRIVER
EXE\$QI\$RETURN	80009C75	SYS	CNDRIVER
EXE\$READCHK	800095D2	SYS	CNDRIVER
EXE\$WRITECHK	800095D8	SYS	CNDRIVER
IOC\$MNTVER	8000CF43	SYS	CNDRIVER
IOC\$RETURN	8000D355	SYS	CNDRIVER
PATCH	00000AB0-R	CNDRIVER	
SCS\$ACCEPT	800036F0	SYS	CNDRIVER
SCS\$CONFIG_SYS	80003708	SYS	CNDRIVER
SCS\$CONNECT	8000370E	SYS	CNDRIVER
SCS\$DISCONNECT	80003720	SYS	CNDRIVER
SCS\$GB_SYSTEMID	80003D4C	SYS	CNDRIVER
SCS\$GW_MAXDG	80003D46	SYS	CNDRIVER
SCS\$LISTEN	8000372C	SYS	CNDRIVER
SYSSK_VERSION	48513258	SYS	

↑-----↑
! Image Synopsis !
↑-----↑

Virtual memory allocated:

00000000 00000BFF 00000C00 (3072. bytes, 6. pages)

Stack size:

0. pages

Image header virtual block limits:

1. (1. block)

Image binary virtual block limits:

0. (0. blocks)

Image name and identification:

CNDRIVER V04-000

Number of files:

2.

Number of modules:

2.

Number of program sections:

5.

Number of global symbols:

23.

Number of cross references:

45.

Number of image sections:

1.

Image type:

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14974662

Map format:

FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[DRIVER.LIS]CNDRIVER.MAP;1

Estimated map length:

21. blocks

↑-----↑
! Link Run Statistics !
↑-----↑

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	30	00:00:00.30	00:00:01.29
Pass 1:	35	00:00:00.87	00:00:07.72
Allocation/Relocation:	0	00:00:00.12	00:00:00.95
Pass 2:	7	00:00:00.24	00:00:02.58
Map data after object module synopsis:	0	00:00:00.23	00:00:00.54
Symbol table output:	0	00:00:00.04	00:00:00.53
Total run values:	72	00:00:01.80	00:00:13.61

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 162
of which 23 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:CNDRIVER/CONTIGUOUS/MAP=MAPS:CNDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=CNDRIVER,EXSH:SYS.STB/SELECTIVE,SYS\$INPUT/OPTION
BASE=0

0105

CAUSUTL LIS	DRIVER	DMDRIVER MAP
CMDRIVER MAP	CNDRIVER MAP	DRDRIVER MAP
CRDRIVER MAP	DBDRIVER MAP	DYDRIVER MAP
DDDRIVER MAP	DLDRIVER MAP	LCDRIVER MAP
DDDRIVER MAP	DXDRIVER MAP	
DDDRIVER MAP	DUDRIVER MAP	
CONINTER MAP	DISPAR LIS	LPDRIVER MAP
DTSMOU LIS		
DTSMNTDSP LIS		