


```

CCCCCCCC 000000 NN NN IIIIII NN NN TTTTTTTTTT EEEEEEEEEE RRRRRRRR RRRRRRRR
CCCCCCCC 000000 NN NN IIIIII NN NN TTTTTTTTTT EEEEEEEEEE RRRRRRRR RRRRRRRR
CC        OO      OO NN NN IIII  NN NN TT      EE      RR      RR RR      RR
CC        OO      OO NN NN IIII  NN NN TT      EE      RR      RR RR      RR
CC        OO      OO NNNN NN IIII  NNNN NN TT      EE      RR      RR RR      RR
CC        OO      OO NNNN NN IIII  NNNN NN TT      EE      RR      RR RR      RR
CC        OO      OO NN NN NN IIII  NN NN TT      EEEEEEEE RRRRRRRR RRRRRRRR
CC        OO      OO NN NN NN IIII  NN NN TT      EEEEEEEE RRRRRRRR RRRRRRRR
CC        OO      OO NN NN NN IIII  NN NN TT      EE      RR RR RR RR
CC        OO      OO NN NN NN IIII  NN NN TT      EE      RR RR RR RR
CC        OO      OO NN NN NN IIII  NN NN TT      EE      RR RR RR RR
CCCCCCCC 000000 NN NN IIIIII NN NN TT      EEEEEEEEEE RR      RR RR      RR
CCCCCCCC 000000 NN NN IIIIII NN NN TT      EEEEEEEEEE RR      RR RR      RR

```

```

MM      MM      AAAAAA PPPPPPPP
MM      MM      AAAAAA PPPPPPPP
MMM     MMM     AA      AA PP      PP
MMM     MMM     AA      AA PP      PP
MM      MM      AA      AA PP      PP
MM      MM      AA      AA PP      PP
MM      MM      AA      AA PPPPPPPP
MM      MM      AA      AA PPPPPPPP
MM      MM      AAAAAAAAAA PP
MM      MM      AAAAAAAAAA PP
MM      MM      AA      AA PP
MM      MM      AA      AA PP
MM      MM      AA      AA PP
MM      MM      AA      AA PP

```

```

....
....
....
....

```

↑-----↑
! Object Module Synopsis !
↓-----↓

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
CONINTERR	V04-000	1517	_\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	15-SEP-1984 23:40	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

↑-----↑
! Image Section Synopsis !
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	3	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑
! R - Relocatable !
! P - Protected !
↑-----↑

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	CONINTERR	00000000 00000000	00000071 00000071	00000072 () 00000072 ()	114.) BYTE 0 114.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	CONINTERR	00000074 00000074	000005EE 000005EE	0000057B () 0000057B ()	1403.) LONG 2 1403.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

! Symbols By Name !

Symbol	Value	Symbol	Value	Symbol	Value	Symbol	Value
-----	-----	-----	-----	-----	-----	-----	-----
CISDDT	00000074-R						
EXESABORTIO	80009C1C						
EXESALLOC_SPTS	000004FA-R						
EXESALONONPAGED	8000A901						
EXESDEAL_SPTS	000005B6-R						
EXESDEANONPAGED	8000A9F9						
EXESFORK	8000A048						
EXESGL_RTBITMAP	80002C30						
EXESGL_RTIMESPT	80003D28						
EXESMODIFYLOCK	80009541						
EXESQIODRVPKT	80009C3F						
EXESSETUP_SPTS	00000570-R						
EXESWRITECOCK	8000953E						
IOCSCANCELIO	8000CD71						
IOCSMNTVER	8000CF43						
IOCSREQCOM	8000CEB4						
IOCSRETURN	8000D355						
MMG\$GL_SPTBASE	80003F3C						
MMG\$PTEADRCHK	80007217						
SCH\$CLREF	8000B256						
SCH\$POSTEF	8000AEFF						
SCH\$QAST	80009F68						
SYS\$K_VERSION	48513258						

! Symbols By Value !

Value

Symbols...

00000074	R-CISDDT
000004FA	R-EXESALLOC_SPTS
00000570	R-EXESSETUP_SPTS
000005B6	R-EXESDEAL_SPTS
48513258	SYSSK_VERSION
80002C30	EXESGL_RTBITMAP
80003D28	EXESGL_RTIMESPT
80003F3C	MMG\$GL_SPTBASE
80007217	MMG\$PTEADRCHK
8000953E	EXESWRITELOCK
80009541	EXESMODIFYLOCK
80009C1C	EXESABORTIO
80009C3F	EXESQIODRVPKT
80009F68	SCH\$QAST
8000A048	EXES\$FORK
8000A901	EXESALONONPAGED
8000A9F9	EXESDEANONPAGED
8000AEFF	SCH\$POSTEF
8000B256	SCH\$CLREF
8000CD71	IOCS\$CANCELIO
8000CEB4	IOCS\$REQCOM
8000CF43	IOCS\$MNTVER
8000D355	IOCS\$RETURN

Key for special characters above:

```

-----
* - Undefined
U - Universal
R - Relocatable
X - External
-----

```

! Image Synopsis !

Virtual memory allocated:

00000000 000005FF 00000600 (1536. bytes, 3. pages)

Stack size:

0. pages

Image header virtual block limits:

1. (1. block)

Image binary virtual block limits:

2. (3. blocks)

Image name and identification:

CONINTERR V04-000

Number of files:

2.

Number of modules:

2.

Number of program sections:

5.

Number of global symbols:

22.

Number of image sections:

1.

Image type:

NOPIC, SHAREABLE, Global Section Match=EQUAL, Ident, Major=18, Minor=14879792

Map format:

FULL in file _\$255\$DUA28:[DRIVER.LIS]CONINTERR.MAP;1

Estimated map length:

19. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	30	00:00:00.29	00:00:00.94
Pass 1:	34	00:00:00.86	00:00:08.72
Allocation/Relocation:	1	00:00:00.14	00:00:01.14
Pass 2:	4	00:00:00.22	00:00:01.42
Map data after object module synopsis:	0	00:00:00.21	00:00:00.33
Symbol table output:	0	00:00:00.02	00:00:01.31
Total run values:	69	00:00:01.74	00:00:13.86

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 154

of which 19 were in libraries and 2 were DEBUG data records containing 77 bytes

Number of modules extracted explicitly = 1

with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/SHARE=EXES:CONINTERR/CONTIGUOUS/MAP=MAPS:CONINTERR/FULL LIB\$:DRIVER/INCLUDE=(CONINTERR),EXSM:SYS.STB/SELECTIVE,SYS
\$INPUT/OPTION
BASE=0

