



```

CCCCCCCC VV VV DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR
CCCCCCCC VV VV DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CC VV VV DD DD RR RR II VV VV EEEEEEEEE RR RR
CCCCCCCC VV VV DDDDDDDD RRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR
CCCCCCCC VV VV DDDDDDDD RRRRRRR IIIIII VV VV EEEEEEEEE RRRRRRR

```

```

MM MM AAAAAA PPPPPPP
MM MM AAAAAA PPPPPPP
MMMM MMMM AA AA PP PP
MMMM MMMM AA AA PP PP
MM MM AA AA PP PP
MM MM AA AA PPPPPPP
MM MM AA AA PPPPPPP
MM MM AAAAAAAAAA PP
MM MM AAAAAAAAAA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP

```

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
CVDRIVER	V04-001	2073	_\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	15-SEP-1984 23:43	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

↑-----↑  
! Image Section Synopsis !  
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	5	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑  
! R - Relocatable !  
! P - Protected !  
↑-----↑

-----  
Program Section Synopsis !  
-----

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	CVDRIVER	00000000 00000000	0000007B 0000007B	0000007C ( 124.) 0000007C ( 124.)	BYTE 0 BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	CVDRIVER	0000007C 0000007C	00000818 00000818	0000079D ( 1949.) 0000079D ( 1949.)	LONG 2 LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

-----  
! Symbol Cross Reference !  
-----

Symbol	Value	Defined By	Referenced By ...
ACPSACCESS	80008B24	SYS	CVDRIVER
ACPSDEACCESS	80008B55	SYS	CVDRIVER
ACPSMODIFY	80008B88	SYS	CVDRIVER
ACPSMOUNT	80008BB3	SYS	CVDRIVER
ACPSREADBLK	80008B22	SYS	CVDRIVER
ACPSWRITEBLK	80008C11	SYS	CVDRIVER
CV\$DDT	0000007C-R	CVDRIVER	
CVPATCH	00000783-R	CVDRIVER	
CV INT	0000056F-R	CVDRIVER	
ERL\$DEVICERR	8000CA01	SYS	CVDRIVER
ERL\$DEVICTMO	8000CA05	SYS	CVDRIVER
EXE\$ABORTIO	80009C1C	SYS	CVDRIVER
EXE\$GL_TENUSEC	80002C50	SYS	CVDRIVER
EXE\$GL_UBDELAY	80002C54	SYS	CVDRIVER
EXE\$IOfORK	8000A044	SYS	CVDRIVER
EXE\$LCCLDSKVALID	800094D5	SYS	CVDRIVER
EXE\$ONEPARM	800094C9	SYS	CVDRIVER
EXE\$SENSEMODE	800096D2	SYS	CVDRIVER
EXE\$SETCHAR	80009695	SYS	CVDRIVER
EXE\$ZEROPARM	800094CF	SYS	CVDRIVER
IOCS\$DIAGBUFILL	8000CDCC	SYS	CVDRIVER
IOCS\$MNTVER	8000CF43	SYS	CVDRIVER
IOCS\$MOVFRUSER	8000C9A9	SYS	CVDRIVER
IOCS\$MOVFRUSER2	8000C9AD	SYS	CVDRIVER
IOCS\$MOVTOUSER	8000C9C1	SYS	CVDRIVER
IOCS\$MOVTOUSER2	8000C9C5	SYS	CVDRIVER
IOCS\$RELCHAN	8000CDFB	SYS	CVDRIVER
IOCS\$REQCOM	8000CEB4	SYS	CVDRIVER
IOCS\$REQCHANL	8000CE58	SYS	CVDRIVER
IOCS\$RETURN	8000D355	SYS	CVDRIVER
IOCS\$WFKPCH	8000D356	SYS	CVDRIVER
SYSSK_VERSION	48513258	SYS	

Ps  
--  
SS  
SS

-----  
! Symbols By Value !  
-----

Value	Symbols...	Sy
0000007C	R-CV\$DDT	AC
0000056F	R-CV INT	AC
00000783	R-CV\$PATCH	AC
48513258	SYSSK VERSION	AC
80002C50	EXESGL_TENUSEC	AC
80002C54	EXESGL_UBDELAY	AC
80008B24	ACPSACCESS	DD
80008B55	ACPSDEACCESS	DD
80008B8B	ACPSMODIFY	ER
80008BB3	ACPSMOUNT	ER
80008BD2	ACPSREADBLK	EX
80008C11	ACPSWRITEBLK	EX
800094C9	EXESONEPARM	EX
800094CF	EXESZEROPARM	EX
800094D5	EXESLCLDSKVALID	EX
80009695	EXESSETCHAR	EX
800096D2	EXESSENSEMODE	EX
80009C1C	EXESABORTIO	EX
8000A044	EXESIOFORK	EX
8000C9A9	IOCSMOVFRUSER	EX
8000C9AD	IOCSMOVFRUSER2	EX
8000C9C1	IOCSMOVTOUSER	EX
8000C9C5	IOCSMOVTOUSER2	IO
8000CA01	ERLSDEVICERR	IO
8000CA05	ERLSDEVICTMO	IO
8000CDCC	IOCSDIAGBUFILL	IO
8000CDFB	IOCSRELCHAN	IO
8000CE58	IOCSREQPCANL	IO
8000CEB4	IOCSREQCOM	IO
8000CF43	IOCSMNTVER	IO
8000D355	IOCSRETURN	IO
8000D356	IOCSWFIKPCN	IO

Key for special characters above:

```

-----
!   • - Undefined   !
!   U - Universal   !
!   R - Relocatable !
!   X - External    !
-----

```

-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000000 000009FF 00000A00 (2560. bytes, 5. pages)  
 Stack size: 0. pages  
 Image header virtual block limits: 1. 1. ( 1. block)  
 Image binary virtual block limits: 0. 0. ( 0. blocks)  
 Image name and identification: CVDRIVER V04-001  
 Number of files: 2.  
 Number of modules: 2.  
 Number of program sections: 5.  
 Number of global symbols: 31.  
 Number of cross references: 60.  
 Number of image sections: 1.  
 Image type: NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14885057  
 Map format: FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[DRIVER.LIS]CVDRIVER.MAP;1  
 Estimated map length: 22. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	27	00:00:00.26	00:00:00.67
Pass 1:	37	00:00:00.87	00:00:08.07
Allocation/Relocation:	0	00:00:00.14	00:00:00.64
Pass 2:	7	00:00:00.26	00:00:01.64
Map data after object module synopsis:	0	00:00:00.28	00:00:00.32
Symbol table output:	0	00:00:00.04	00:00:00.74
Total run values:	71	00:00:01.85	00:00:12.08

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 160  
of which 22 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:CVDRIVER/CONTIGUOUS/MAP=MAPS:CVDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE-CVDRI  
VER,EXSH:SYS.STB/SELECTIVE,SYS\$INPUT/OPTION  
BASE=0



