

↑-----↑
! Object Module Synopsis !
↑-----↑

<u>Module Name</u>	<u>!dent</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
DDDRIVER	V04-000	2533	_\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1	16-SEP-1984 00:19	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

! Image Section Synopsis !

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	5	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

: R - Relocatable :
: P - Protected :

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$\$\$105_PROLOGUE	DDDRIVER	00000000 00000000	00000099 00000099	0000009A () 0000009A ()	154.) BYTE 0 154.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	DDDRIVER	0000009C 0000009C	000009E6 000009E6	0000094B () 0000094B ()	2379.) LONG 2 2379.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

Mod

DME
SYS

Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
ACPSACCESS	80008B24	SYS	DDDRIVER
ACPSDEACCESS	80008B55	SYS	DDDRIVER
ACPSMODIFY	80008B88	SYS	DDDRIVER
ACPSMOUNT	80008BB3	SYS	DDDRIVER
ACPSREADBLK	80008BD2	SYS	DDDRIVER
ACPSWRITEBLK	80008C11	SYS	DDDRIVER
DD\$DDT	0000009C-R	DDDRIVER	
DD_INT	000006D8-R	DDDRIVER	
ERC\$DEVICERR	8000CA01	SYS	DDDRIVER
ERL\$DEVICTMO	8000CA05	SYS	DDDRIVER
EXE\$ALONONPAGED	8000A901	SYS	DDDRIVER
EXE\$GB_CPUYPE	80003FA0	SYS	DDDRIVER
EXE\$GL_ABSTIM	80002B38	SYS	DDDRIVER
EXE\$GL_NONPAGED	80002C10	SYS	DDDRIVER
EXE\$GL_TENUSEC	80002C50	SYS	DDDRIVER
EXE\$GL_UBDELAY	80002C54	SYS	DDDRIVER
EXE\$IOfORK	8000A044	SYS	DDDRIVER
EXE\$LCLDSKVALID	800094D5	SYS	DDDRIVER
EXE\$ONEPARM	800094C9	SYS	DDDRIVER
EXE\$SENSEMODE	800096D2	SYS	DDDRIVER
EXE\$SETCHAR	80009695	SYS	DDDRIVER
EXE\$ZEROPARM	800094CF	SYS	DDDRIVER
IOC\$DIAGBUFILL	8000CDCC	SYS	DDDRIVER
IOC\$MNTVER	8000CF43	SYS	DDDRIVER
IOC\$MOVFRUSER	8000C9A9	SYS	DDDRIVER
IOC\$MOVFRUSER2	8000C9AD	SYS	DDDRIVER
IOC\$MOVTOUSER	8000C9C1	SYS	DDDRIVER
IOC\$MOVTOUSER2	8000C9C5	SYS	DDDRIVER
IOC\$RELCHAN	8000CDFB	SYS	DDDRIVER
IOC\$REQCOM	8000CEB4	SYS	DDDRIVER
IOC\$REQPCMANL	8000CE58	SYS	DDDRIVER
IOC\$RETURN	8000D355	SYS	DDDRIVER
SYS\$K_VERSION	48513258	SYS	

: Symbols By Value :

Value	Symbols...	Ps
-----	-----	---
00000097	R-DD\$DDT	
000006D8	R-DD INT	\$S
48513258	SY\$K VERSION	
80002B38	EXE\$G_ ABSTIM	
80002C10	EXE\$GL NONPAGED	\$S
80002C50	EXE\$GL TENUSEC	
80002C54	EXE\$GL UBDELAY	
80003FA0	EXE\$GB CPUYPE	
80008B24	ACPSACCESS	
80008B55	ACPSLEACCESS	
80008B8B	ACPSMODIFY	
80008BB3	ACPSMJUNT	
80008BD2	ACPSPEADBLK	
80008C11	ACPSWRITEBLK	
800094C9	EXE\$ONEPARM	
800094CF	EXE\$ZEROPARM	
800094D5	EXE\$LC LDKVALID	
80009695	EXE\$SETCHAR	
800096D2	EXE\$SENSEMODE	
8000A044	EXE\$IOFORK	
8000A901	EXE\$ALONONPAGED	
8000C9A9	IOC\$MOVFRUSER	
8000C9AD	IOC\$MOVFRUSER2	
8000C9C1	IOC\$MOVTOUSER	
8000C9C5	IOC\$MOVTOUSER2	
8000CA01	ERL\$DEVICERR	
8000CA05	ERL\$DEVICTMO	
8000CDCC	IOC\$DIAGBUFILL	
8000CDFB	IOC\$RELCHAN	
8000CE5B	IOC\$REQCHANL	
8000CEB4	IOC\$REQCOM	
8000CF43	IOC\$MNTVER	
8000D355	IOC\$RETURN	

Key for special characters above:

- * - Undefined
 U - Universal
 R - Relocatable
 X - External
