

↑-----↑
! Object Module Synopsis !
↑-----↑

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
DDDRIVER	V04-000	2533	_\$255\$DUA28:[DRIVER,OBJ]DRIVER.OLB;1	16-SEP-1984 00:19	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

↑-----↑
! Image Section Synopsis !
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VCN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	5	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑
! R - Relocatable !
! P - Protected !
↑-----↑

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	DDDRIVER	00000000 00000000	00000099 00000099	0000009A (0000009A (154.) 154.)	BYTE 0 BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	DDDRIVER	0000009C 0000009C	000009E6 000009E6	0000094B (0000094B (2379.) 2379.)	LONG 2 LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
ACPSACCESS	80008B24	SYS	DDDRIVER
ACPSDEACCESS	80008B55	SYS	DDDRIVER
ACPSMODIFY	80008B8B	SYS	DDDRIVER
ACPSMOUNT	80008BB3	SYS	DDDRIVER
ACPSREADBLK	80008BD2	SYS	DDDRIVER
ACPSWRITEBLK	80008C11	SYS	DDDRIVER
DD\$DDT	0000009C-R	DDDRIVER	
DD_INT	000006D8-R	DDDRIVER	
ERL\$DEVICERR	8000CA01	SYS	DDDRIVER
ERL\$DEVICTMO	8000CA05	SYS	DDDRIVER
EXE\$ALONONPAGED	8000A901	SYS	DDDRIVER
EXE\$GB_CPUTYPE	80003FA0	SYS	DDDRIVER
EXE\$GL_ABSTIM	80002B38	SYS	DDDRIVER
EXE\$GL_NONPAGED	80002C10	SYS	DDDRIVER
EXE\$GL_TENUSEC	80002C50	SYS	DDDRIVER
EXE\$GL_UBDELAY	80002C54	SYS	DDDRIVER
EXE\$IOFORK	8000A044	SYS	DDDRIVER
EXE\$LCLDSKVALID	800094D5	SYS	DDDRIVER
EXE\$ONEPARM	800094C9	SYS	DDDRIVER
EXE\$SENSEMODE	800096D2	SYS	DDDRIVER
EXE\$SETCHAR	80009695	SYS	DDDRIVER
EXE\$ZEROPARM	800094CF	SYS	DDDRIVER
IOC\$DIAGBUFILL	8000CDCC	SYS	DDDRIVER
IOC\$MNTVER	8000CF43	SYS	DDDRIVER
IOC\$MOVFRUSER	8000C9A9	SYS	DDDRIVER
IOC\$MOVFRUSER2	8000C9AD	SYS	DDDRIVER
IOC\$MOVTOUSER	8000C9C1	SYS	DDDRIVER
IOC\$MOVTOUSER2	8000C9C5	SYS	DDDRIVER
IOC\$RELCHAN	8000CDFB	SYS	DDDRIVER
IOC\$REQCOM	8000CEB4	SYS	DDDRIVER
IOC\$REQPCANL	8000CE5B	SYS	DDDRIVER
IOC\$RETURN	8000D355	SYS	DDDRIVER
SYS\$K_VERSION	48513258	SYS	

! Symbols By Value !

Value	Symbols...
-----	-----
0000009C	R-DD\$DDT
000006D8	R-DD_INT
48513258	SY\$K_VERSION
80002B38	EXE\$GC_ABSTIM
80002C10	EXE\$GL_NONPAGED
80002C50	EXE\$GL_TENUSEC
80002C54	EXE\$GL_UBDELAY
80003FA0	EXE\$GB_CPUTYPE
80008B24	ACPSACCESS
80008B55	ACPSDEACCESS
80008BAB	ACPSMODIFY
80008BB3	ACPSMOUNT
80008BD2	ACPSREADBLK
80008C11	ACPSWRITEBLK
800094C9	EXE\$ONEPARM
800094CF	EXE\$ZEROPARM
800094D5	EXE\$LCCLDSKVALID
80009695	EXE\$SETCHAR
800096D2	EXE\$SENSEMODE
8000A044	EXE\$IOFORK
8000A901	EXE\$ALONONPAGED
8000C9A9	IOC\$MOVFRUSER
8000C9AD	IOC\$MOVFRUSER2
8000C9C1	IOC\$MOVTOUSER
8000C9C5	IOC\$MOVTOUSER2
8000CA01	ERL\$DEVICERR
8000CA05	ERL\$DEVICTMO
8000CDCC	IOC\$DIAGBUFILL
8000CDFB	IOC\$RELCHAN
8000CE5B	IOC\$REQPCHANL
8000CEB4	IOC\$REQCOM
8000CF43	IOC\$MNTVER
8000D355	IOC\$RETURN

Key for special characters above:

```

-----
* - Undefined
U - Universal
R - Relocatable
X - External
-----

```


