



Vi  
St  
IM  
IM  
IM  
NU  
NU  
NU  
NU  
NU  
NU  
IM  
Es

Pe

To  
Us  
To  
Nu  
O  
A  
L  
VE  
BA

```

DDDDDDDD    YY      YY    DDDDDDDD    RRRRRRRR    IIIIII    VV      VV    EEEEEEEEEE    RRRRRRRR
DDDDDDDD    YY      YY    DDDDDDDD    RRRRRRRR    IIIIII    VV      VV    EEEEEEEEEE    RRRRRRRR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RRRRRRRR    RR      RR    EEEEEEEE    RRRRRRRR
DD      DD    YY      YY    DD      DD    RRRRRRRR    RR      RR    EEEEEEEE    RRRRRRRR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DD      DD    YY      YY    DD      DD    RR      RR    RR      RR    EE      EE    RR      RR
DDDDDDDD    YY      YY    DDDDDDDD    RR      RR    IIIIII    VV      VV    EEEEEEEEEE    RR      RR
DDDDDDDD    YY      YY    DDDDDDDD    RR      RR    IIIIII    VV      VV    EEEEEEEEEE    RR      RR

```

```

MM      MM    AAAAAA    PPPPPPPP
MM      MM    AAAAAA    PPPPPPPP
MMMM    MMMM    AA      AA    PP      PP
MMMM    MMMM    AA      AA    PP      PP
MM      MM    AA      AA    PP      PP
MM      MM    AA      AA    PPPPPPPP
MM      MM    AA      AA    PPPPPPPP
MM      MM    AAAAAAAAAA    PP
MM      MM    AAAAAAAAAA    PP
MM      MM    AA      AA    PP
MM      MM    AA      AA    PP
MM      MM    AA      AA    PP
MM      MM    AA      AA    PP

```

-----  
! Object Module Synopsis  
-----

| <u>Module Name</u> | <u>Ident</u> | <u>Bytes</u> | <u>File</u>                            | <u>Creation Date</u> | <u>Creator</u>       |
|--------------------|--------------|--------------|--|----------------------|----------------------|
| DYDRIVER           | V04-000      | 2549         | _\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1 | 16-SEP-1984 00:22    | VAX/VMS Macro V04-00 |
| SYS                | V04-000      | 0            | _\$255\$DUA28:[SYSOBJ]SYS.STB;1        | 16-SEP-1984 04:00    | VAX-11 Linker V04-00 |

↑-----↑  
! Image Section Synopsis .  
↑-----↑

| <u>Cluster</u>  | <u>Type</u> | <u>Pages</u> | <u>Base Addr</u> | <u>Disk</u> | <u>VCN</u> | <u>PFC</u> | <u>Protection and Paging</u> | <u>Global Sec. Name</u> | <u>Match</u> | <u>Majorid</u> | <u>Minorid</u> |
|-----------------|-------------|--------------|------------------|-------------|------------|------------|------------------------------|-------------------------|--------------|----------------|----------------|
| DEFAULT_CLUSTER | 2           | 5            | 00000000         |             | 2          | 0          | READ WRITE COPY ON REF       |                         |              |                |                |

Mo  
--  
LC  
SY  
SY

Key for special characters above:

↑-----↑  
: R - Relocatable :  
: P - Protected :  
↑-----↑

-----  
! Program Section Synopsis !  
-----

| Psect Name         | Module Name | Base                 | End                  | Length                       | Align                          | Attributes                                      |
|--------------------|-------------|----------------------|----------------------|------------------------------|--------------------------------|---|
| -----              | -----       | ----                 | ---                  | -----                        | -----                          | -----   |
| \$\$\$105_PROLOGUE | DYDRIVER    | 00000000<br>00000000 | 00000088<br>00000088 | 00000089 ( )<br>00000089 ( ) | 137.) BYTE 0<br>137.) BYTE 0   | NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| \$\$\$115_DRIVER   | DYDRIVER    | 0000008C<br>0000008C | 000009F7<br>000009F7 | 0000096C ( )<br>0000096C ( ) | 2412.) LONG 2<br>2412.) LONG 2 | NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |

↑-----↑  
! Symbol Cross Reference !  
↑-----↑

| Symbol            | Value      | Defined By | Referenced By ... |
|-------------------|------------|------------|-------------------|
| ACPSACCESS        | 80008B24   | SYS        | DYDRIVER          |
| ACPSDEACCESS      | 80008B55   | SYS        | DYDRIVER          |
| ACPSMODIFY        | 80008B8B   | SYS        | DYDRIVER          |
| ACPSMOUNT         | 80008BB3   | SYS        | DYDRIVER          |
| ACPSREADBLK       | 80008BD2   | SYS        | DYDRIVER          |
| ACPSWRITEBLK      | 80008C11   | SYS        | DYDRIVER          |
| DY\$DDT           | 000008C-R  | DYDRIVER   |                   |
| DY_INT            | 00000897-R | DYDRIVER   |                   |
| ERCSDEVICERR      | 8000CA01   | SYS        | DYDRIVER          |
| ERL\$DEVICTMO     | 8000CA05   | SYS        | DYDRIVER          |
| EXE\$ABORTIO      | 80009C1C   | SYS        | DYDRIVER          |
| EXE\$GL_TENUSEC   | 80002C50   | SYS        | DYDRIVER          |
| EXE\$GL_UBDELAY   | 80002C54   | SYS        | DYDRIVER          |
| EXE\$IOfORK       | 8000A044   | SYS        | DYDRIVER          |
| EXE\$LCCLDSKVALID | 800094D5   | SYS        | DYDRIVER          |
| EXE\$ONEPARM      | 800094C9   | SYS        | DYDRIVER          |
| EXE\$SENSEMODE    | 800096D2   | SYS        | DYDRIVER          |
| EXE\$SETCHAR      | 80009695   | SYS        | DYDRIVER          |
| EXE\$ZEROPARM     | 800094CF   | SYS        | DYDRIVER          |
| IOC\$DIAGBUFILL   | 8000CDCC   | SYS        | DYDRIVER          |
| IOC\$LOADUBAMAP   | 8000DB65   | SYS        | DYDRIVER          |
| IOC\$MNTVER       | 8000CF43   | SYS        | DYDRIVER          |
| IOC\$PURGDATAP    | 80003550   | SYS        | DYDRIVER          |
| IOC\$RELCHAN      | 8000CDFB   | SYS        | DYDRIVER          |
| IOC\$RELDATAP     | 8000D004   | SYS        | DYDRIVER          |
| IOC\$RELMAPREG    | 8000D28B   | SYS        | DYDRIVER          |
| IOC\$REQCOM       | 8000CEB4   | SYS        | DYDRIVER          |
| IOC\$REQDATAP     | 8000CF79   | SYS        | DYDRIVER          |
| IOC\$REQMAPREG    | 8000D07A   | SYS        | DYDRIVER          |
| IOC\$REQPCHANL    | 8000CE5B   | SYS        | DYDRIVER          |
| IOC\$RETURN       | 8000D355   | SYS        | DYDRIVER          |
| IOC\$WFIKPCW      | 8000D356   | SYS        | DYDRIVER          |
| MMG\$GL_SPTBASE   | 80003F3C   | SYS        | DYDRIVER          |
| SYSSK_VERSION     | 48513258   | SYS        |                   |

-----  
! Symbols By Value !  
-----

| Value    | Symbols...      |
|----------|-----------------|
| 0000008C | R-DYSDDT        |
| 00000897 | R-DY INT        |
| 48513258 | SYSSK VERSION   |
| 80002C50 | EXESGC_TENUSEC  |
| 80002C54 | EXESGL_UBDELAY  |
| 80003550 | IOCSPURGDATAP   |
| 80003F3C | MMG\$GL_SPTBASE |
| 80008B24 | ACPSACCESS      |
| 80008B55 | ACPSDEACCESS    |
| 80008B8B | ACPSMODIFY      |
| 80008BB3 | ACPSMOUNT       |
| 80008BD2 | ACPSREADBLK     |
| 80008C11 | ACPSWRITEBLK    |
| 800094C9 | EXESONEPARM     |
| 800094CF | EXESZEROPARM    |
| 800094D5 | EXESLCLDSKVALID |
| 80009695 | EXESSETCHAR     |
| 800096D2 | EXESSENSEMODE   |
| 80009C1C | EXESABORTIO     |
| 8000A044 | EXESIOFORK      |
| 8000CA01 | ERLSDEVICERR    |
| 8000CA05 | ERLSDEVICTMO    |
| 8000CDCC | IOCSDIAGBUFILL  |
| 8000CDFB | IOCSRELCHAN     |
| 8000CE5B | IOCSREQPCHANL   |
| 8000CEB4 | IOCSREQCOM      |
| 8000CF43 | IOCSMNTVER      |
| 8000CF79 | IOCSREQDATAP    |
| 8000D004 | IOCSRELDATAP    |
| 8000D07A | IOCSREQMAPREG   |
| 8000D28B | IOCSRELMAPREG   |
| 8000D355 | IOCSRETURN      |
| 8000D356 | IOCSWFIKPCM     |
| 8000DB65 | IOCSLOADUBAMAP  |

Key for special characters above:

```

-----
* - Undefined
U - Universal
R - Relocatable
X - External
-----

```

S  
DE  
DE  
DE  
DE  
DE  
DE  
FE  
FE  
FE  
FE  
FE  
FE  
FE  
FE  
FE  
FE  
FA  
IC  
IC  
IC  
IC  
IC  
IC  
LP  
LP  
LP  
SY  
SY

-----  
! Image Synopsis !  
-----

Virtual memory allocated:

00000000 000009FF 00000A00 (2560. bytes, 5. pages)

Stack size:

0. pages

Image header virtual block limits:

1. ( 1. block)

Image binary virtual block limits:

0. ( 0. blocks)

Image name and identification:

DYDRIVER V04-000

Number of files:

2.

Number of modules:

2.

Number of program sections:

5.

Number of global symbols:

33.

Number of cross references:

65.

Number of image sections:

1.

Image type:

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14931726

Map format:

FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[DRIVER.LIS]DYDRIVER.MAP;1

Estimated map length:

24. blocks

-----  
! Link Run Statistics !  
-----

-----  
Performance Indicators  
-----

Page Faults CPU Time Elapsed Time

Command processing:

30 00:00:00.30 00:00:00.67

Pass 1:

38 00:00:00.92 00:00:06.03

Allocation/Relocation:

3 00:00:00.12 00:00:00.63

Pass 2:

6 00:00:00.28 00:00:02.11

Map data after object module synopsis:

8 00:00:00.28 00:00:00.29

Symbol table output:

3 00:00:00.09 00:00:00.66

Total run values:

88 00:00:01.99 00:00:10.39

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 162

of which 23 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1

with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES: DYDRIVER/CONTIGUOUS/MAP=MAPS: DYDRIVER/FULL/CROSS LIBS: DRIVER/INCLUDE=DYDRIVER, EXSH: SYS.STB/SELECTIVE, SYS\$INPUT/OPTION  
BASE=0



