
! Image Section Synopsis !

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	7	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

```

-----
: R - Relocatable :
: P - Protected   :
-----

```

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	TSDRIVER	00000000 00000000	00000085 00000085	00000086 () 00000086 ()	134.) BYTE 0 134.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	TSDRIVER	00000088 00000088	00000DA0 00000DA0	00000D19 () 00000D19 ()	3353.) LONG 2 3353.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

V
1
8
8

! Symbol Cross Reference .

Symbol	Value	Defined By	Referenced By ...
ACPSACCESS	80008B24	SYS	TSDRIVER
ACPSDEACCESS	80008B55	SYS	TSDRIVER
ACPSMODIFY	80008B8B	SYS	TSDRIVER
ACPSMOUNT	80008BB3	SYS	TSDRIVER
ACPSREADBLK	80008BD2	SYS	TSDRIVER
ACPSWRITEBLK	80008C11	SYS	TSDRIVER
ERL\$DEVICERR	8000CA01	SYS	TSDRIVER
ERL\$DEVICTMO	8000CA05	SYS	TSDRIVER
EXE\$ALONONPAGED	8000A901	SYS	TSDRIVER
EXE\$GL_NONPAGED	80002C10	SYS	TSDRIVER
EXE\$IOFORK	8000A044	SYS	TSDRIVER
EXE\$ONEPARM	800094C9	SYS	TSDRIVER
EXE\$READ_TODR	80003604	SYS	TSDRIVER
EXE\$SETMODE	800096AC	SYS	TSDRIVER
EXE\$SNDEVMSG	80001A24	SYS	TSDRIVER
EXE\$ZEROPARM	800094CF	SYS	TSDRIVER
IOC\$CANCELIO	8000CD71	SYS	TSDRIVER
IOC\$DIAGBUFILL	80C0CDCC	SYS	TSDRIVER
IOC\$LOADUBAMAP	8000DB65	SYS	TSDRIVER
IOC\$LOADUBAMAPA	8000DB4E	SYS	TSDRIVER
IOC\$MNTVER	8000CF43	SYS	TSDRIVER
IOC\$PURGDATAP	80003550	SYS	TSDRIVER
IOC\$RELDATAP	8000D004	SYS	TSDRIVER
IOC\$RELMAPREG	8000D28B	SYS	TSDRIVER
IOC\$REQCOM	8000CEB4	SYS	TSDRIVER
IOC\$REQDATAP	8000CF79	SYS	TSDRIVER
IOC\$REQMAPREG	8000D07A	SYS	TSDRIVER
IOC\$RETURN	8000D355	SYS	TSDRIVER
IOC\$WFIKPCB	8000D356	SYS	TSDRIVER
MMG\$GL_SPTBASE	80003F3C	SYS	TSDRIVER
MS\$DDT	00000088-R	TSDRIVER	
MSG\$ DEVOFFLIN	00000005	SYS\$SDEF	TSDRIVER
MT\$CHECK_ACCESS	80009D7A	SYS	TSDRIVER
SYS\$GL_OPRMBX	800015D0	SYS	TSDRIVER
SYS\$K_VERSION	48513258	SYS	
T\$INT	00000BEF-R	TSDRIVER	

Vi
St
In
In
In
Nu
Nu
Nu
Nu
Nu
In
Ma
Es

Pe
--

To
Us
To
Nu
O
A
LI
SY
BA

! Symbols By Value .

Value	Symbols...
-----	-----
00000005	MSG\$ DEVOFFLIN
00000088	R-M\$DDT
00000BEF	R-T\$INT
48513258	SY\$K VERSION
800015D0	SY\$GC OPRMBX
80001A24	EX\$SNDEVMSG
80002C10	EX\$GL NONPAGED
80003550	IOC\$PURGDATAP
80003604	EX\$READ TODR
80003F3C	MM\$GL SPTBASE
80008B24	AC\$ACCESS
80008B55	AC\$DEACCESS
80008B8B	AC\$MODIFY
80008B83	AC\$MOUNT
80008BD2	AC\$READBLK
80008C11	AC\$WRITEBLK
800094C9	EX\$ONEPARM
800094CF	EX\$ZEROPARM
800096AC	EX\$SETMODE
80009D7A	MT\$CHECK ACCESS
8000A044	EX\$I OFORK
8000A901	EX\$ALONONPAGED
8000CA01	ERL\$DEVICERR
8000CA05	ERL\$DEVICTMO
8000CD71	IOC\$CANCELIO
8000CDCC	IOC\$DIAGBUFILL
8000CEB4	IOC\$REQCOM
8000CF43	IOC\$MNTVER
8000CF79	IOC\$REQDATAP
8000D004	IOC\$RELDATAP
8000D07A	IOC\$REQMAPREG
8000D28B	IOC\$RELMAPREG
8000D355	IOC\$RETURN
8000D356	IOC\$WFIKPCB
8000DB4E	IOC\$LOADUBAMAPA
8000DB65	IOC\$LOADUBAMAP

Key for special characters above:

- ```

: * - Undefined
: U - Universal
: R - Relocatable
: X - External

```

-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000000 00000DFF 00000E00 (3584. bytes, 7. pages)  
 Stack size: 0. pages  
 Image header virtual block limits: 1. ( 1. block)  
 Image binary virtual block limits: 0. ( 0. blocks)  
 Image name and identification: TSDRIVER V04-000  
 Number of files: 4.  
 Number of modules: 3.  
 Number of program sections: 5.  
 Number of global symbols: 35.  
 Number of cross references: 69.  
 Number of image sections: 1.  
 Image type: NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14912641  
 Map format: FULL WITH CROSS REFERENCE in file \_S255SDUA28:[DRIVER.LIS]TSDRIVER.MAP;1  
 Estimated map length: 24. blocks

-----  
! Link Run Statistics !  
-----

| Performance Indicators                 | Page Faults | CPU Time    | Elapsed Time |
|----------------------------------------|-------------|-------------|--------------|
| Command processing:                    | 27          | 00:00:00.31 | 00:00:00.93  |
| Pass 1:                                | 56          | 00:00:01.27 | 00:00:10.29  |
| Allocation/Relocation:                 | 9           | 00:00:00.14 | 00:00:01.75  |
| Pass 2:                                | 23          | 00:00:00.41 | 00:00:02.10  |
| Map data after object module synopsis: | 15          | 00:00:00.29 | 00:00:00.34  |
| Symbol table output:                   | 0           | 00:00:00.04 | 00:00:00.54  |
| Total run values:                      | 130         | 00:00:02.46 | 00:00:15.95  |

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 246  
of which 65 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 1 extracted to resolve undefined symbols

1 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:TSDRIVER/CONTIGUOUS/MAP=MAPS:TSDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=TSDRIVER,EXSH:SYS.STB/SELECTIVE,SYSSINPUT/OPTION  
BASE=0



