



```

XX      XX  FFFFFFFF  DDDDDDD  RRRRRRR  IIIII  VV      VV  EEEEEEEEE  RRRRRRR
XX      XX  FFFFFFFF  DDDDDDD  RRRRRRR  IIIII  VV      VV  EEEEEEEEE  RRRRRRR
XX      XX  FF          DD          RR          RR          II         VV      VV  EE          RR          RR
XX      XX  FF          DD          RR          RR          II         VV      VV  EE          RR          RR
  XX    XX  FF          DD          RR          RR          II         VV      VV  EE          RR          RR
  XX    XX  FF          DD          RR          RR          II         VV      VV  EE          RR          RR
    XX  XX  FFFFFFFF  DD          DD          RRRRRRR  IIIII  VV      VV  EEEEEEEEE  RRRRRRR
    XX  XX  FFFFFFFF  DD          DD          RRRRRRR  IIIII  VV      VV  EEEEEEEEE  RRRRRRR
  XX    XX  FF          DD          DD          RR  RR  IIIII  VV      VV  EE          RR  RR
  XX    XX  FF          DD          DD          RR  RR  IIIII  VV      VV  EE          RR  RR
XX      XX  FF          DD          DD          RR  RR  IIIII  VV      VV  EE          RR  RR
XX      XX  FF          DDDDDDD  RR          RR          IIIII  VV      VV  EEEEEEEEE  RR          RR
XX      XX  FF          DDDDDDD  RR          RR          IIIII  VV      VV  EEEEEEEEE  RR          RR

```

```

MM      MM  AAAAAA  PPPPPPP
MM      MM  AAAAAA  PPPPPPP
MMMM  MMMM  AA      AA  PP      PP
MMMM  MMMM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM      MM  AA      AA  PPPPPPP
MM      MM  AA      AA  PPPPPPP
MM      MM  AAAAAAAAAA  PP
MM      MM  AAAAAAAAAA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP

```

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
XFDRIVER	V04-000	1779	_\$255\$DUA28:[DRIVER,OBJ]DRIVER.OLB;1	16-SEP-1984 00:21	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYSS\$IODEF	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00

↑-----↑  
! Image Section Synopsis !  
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VCN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	4	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑  
! R - Relocatable !  
! P - Protected !  
↑-----↑

-----  
! Program Section Synopsis !  
-----

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	XFDRIVER	00000000 00000000	0000005A 0000005A	0000005B ( ) 0000005B ( )	91.) BYTE 0 91.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	XFDRIVER	0000005C 0000005C	000006F3 000006F3	00000698 ( ) 00000698 ( )	1688.) LONG 2 1688.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

-----  
! Symbol Cross Reference !  
-----

Symbol	Value	Defined By	Referenced By ...
-----	-----	-----	-----
BUG\$ UNSUPRTCPU	00000670	SYS	XFDRIVER
DEV\$M_AVL	00040000	SYSSIODEF	XFDRIVER
DEV\$M_ELG	00400000	SYSSIODEF	XFDRIVER
DEV\$M_IDV	04000000	SYSSIODEF	XFDRIVER
DEV\$M_ODV	08000000	SYSSIODEF	XFDRIVER
DEV\$M_RTM	20000000	SYSSIODEF	XFDRIVER
ERL\$DEVICERR	8000CA01	SYS	XFDRIVER
ERL\$DEVICTMO	8000CA05	SYS	XFDRIVER
EXE\$ABORTIO	80009C1C	SYS	XFDRIVER
EXE\$ALLOCIRP	8000A826	SYS	XFDRIVER
EXE\$ALONONPAGED	8000A901	SYS	XFDRIVER
EXE\$DEANONPAGED	8000A9F9	SYS	XFDRIVER
EXE\$FINISHIOC	80009C29	SYS	XFDRIVER
EXE\$FORK	8000A048	SYS	XFDRIVER
EXE\$GB_CPUYPE	80003FA0	SYS	XFDRIVER
EXE\$IOFORK	8000A044	SYS	XFDRIVER
EXE\$MODIFYLOCKR	80009544	SYS	XFDRIVER
EXE\$QIOCRVPT	80009C3F	SYS	XFDRIVER
EXE\$WRITELOCK	8000953E	SYS	XFDRIVER
IOCS\$DIAGBUFILL	8000CDCC	SYS	XFDRIVER
IOCS\$GW_XFMXRATE	80003D24	SYS	XFDRIVER
IOCS\$MNTVER	8000CF43	SYS	XFDRIVER
IOCS\$REQCOM	8000CEB4	SYS	XFDRIVER
IOCS\$RETURN	8000D355	SYS	XFDRIVER
IOCS\$WFIKPC	8000D356	SYS	XFDRIVER
MMG\$GL_GPTBASE	80003F2C	SYS	XFDRIVER
MMG\$GL_SPTBASE	80003F3C	SYS	XFDRIVER
MMG\$UNLOCK	80006D32	SYS	XFDRIVER
SCH\$GL_PCBVEC	80002988	SYS	XFDRIVER
SCH\$POSTEF	8000AEFF	SYS	XFDRIVER
SCH\$QAST	80009F68	SYS	XFDRIVER
SYSSK_VERSION	48513258	SYS	
XF\$DDT	0000005C-R	XFDRIVER	

-----  
! Symbols By Value !  
-----

Value	Symbols...
0000005C	R-XF\$DDT
00000670	BUG\$ UNSUPRTCPU
00040000	DEV\$M_AVL
00400000	DEV\$M_ELG
04000000	DEV\$M_IDV
08000000	DEV\$M_ODV
20000000	DEV\$M_RTM
48513258	SYSSK_VERSION
80002988	SCH\$G_PCBEVC
80003D24	IOCSGW_XFMXRATE
80003F2C	MMG\$GL_GPTBASE
80003F3C	MMG\$GL_SPTBASE
80003FA0	EXE\$GB_CPUTYPE
80006D32	MMG\$UNLOCK
8000953E	EXE\$WRITELOCK
80009544	EXE\$MODIFYLOCKR
80009C1C	EXE\$ABORTIO
80009C29	EXE\$FINISHIOC
80009C3F	EXE\$QIODRVPKT
80009F68	SCH\$QAST
8000A044	EXE\$IOFORK
8000A048	EXE\$FORK
8000A826	EXE\$ALLOCIRP
8000A901	EXE\$ALONONPAGED
8000A9F9	EXE\$DEANONPAGED
8000AEFF	SCH\$POSTEF
8000CA01	ERL\$DEVICERR
8000CA05	ERL\$DEVICTMO
8000CDCC	IOCS\$DIAGBUFILL
8000CEB4	IOCS\$REQCOM
8000CF43	IOCS\$MNTVER
8000D355	IOCS\$RETURN
8000D356	IOCS\$WFIKPCB

Key for special characters above:

```

-----
* - Undefined
U - Universal
R - Relocatable
X - External
-----

```

-----  
! Image Synopsis !  
-----

Virtual memory allocated:  
Stack size:  
Image header virtual block limits:  
Image binary virtual block limits:  
Image name and identification:  
Number of files:  
Number of modules:  
Number of program sections:  
Number of global symbols:  
Number of cross references:  
Number of image sections:  
Image type:  
Map format:  
Estimated map length:

00000000 000007FF 00000800 (2048. bytes, 4. pages)  
0. pages  
1. ( 1. block)  
2. ( 4. blocks)  
XFDRIVER V04-000  
4.  
3.  
5.  
32.  
64.  
1.

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14927271  
FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[DRIVER.LIS]XFDRIVER.MAP;1  
24. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	30	00:00:00.28	00:00:00.52
Pass 1:	55	00:00:01.33	00:00:08.43
Allocation/Relocation:	0	00:00:00.11	00:00:01.62
Pass 2:	7	00:00:00.27	00:00:01.64
Map data after object module synopsis:	1	00:00:00.27	00:00:00.28
Symbol table output:	0	00:00:00.03	00:00:00.40
Total run values:	93	00:00:02.29	00:00:12.89

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 250  
of which 67 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 1 extracted to resolve undefined symbols

5 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXE\$:XFDRIVER/CONTIGUOUS/MAP=MAP\$:XFDRIVER/FULL/CROSS LIB\$:DRIVER/INCLUDE=XFDRIVER,EXSH:SYS.STB/SELECTIVE,SYSSINPJT/OPTION  
BASE=0

