



```

XX      XX  MM      MM  DDDDDDDD  RRRRRRRR  IIIIII  VV      VV  EEEEEEEEE  RRRRRRRR
XX      XX  MM      MM  DDDDDDDD  RRRRRRRR  IIIIII  VV      VV  EEEEEEEEE  RRRRRRRR
XX      XX  MMMM    MMMM  DD        DD  RR      RR  RR      RR  EE          RR      RR
XX      XX  MMMM    MMMM  DD        DD  RR      RR  RR      RR  EE          RR      RR
  XX    XY  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
  XX    XX  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
    XX    MM      MM  DD        DD  RRRRRRRR  IIII  VV      VV  EEEEEEEEE  RRRRRRRR
    XX    MM      MM  DD        DD  RRRRRRRR  IIII  VV      VV  EEEEEEEEE  RRRRRRRR
  XX    XX  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
  XX    XX  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
XX      XX  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
XX      XX  MM      MM  DD        DD  RR      RR  RR      RR  EE          RR      RR
XX      XX  MM      MM  DDDDDDDD  RR      RR  IIIIII  VV      VV  EEEEEEEEE  RR      RR
XX      XX  MM      MM  DDDDDDDD  RR      RR  IIIIII  VV      VV  EEEEEEEEE  RR      RR

```

```

MM      MM      AAAAAA  PPPPPPPP
MM      MM      AAAAAA  PPPPPPPP
MMMM    MMMM  AA      AA  PP      PP
MMMM    MMMM  AA      AA  PP      PP
MM      MM  AA      AA  PP      PP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AAAAAAAAAA  PP
MM      MM  AAAAAAAAAA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP

```

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
XMDRIVER	V04-000	3999	_\$255\$DUA28:[DRIVER,OBJ]DRIVER.OLB;1	16-SEP-1984 00:26	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYS\$IODEF	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00
SYS\$SDEF	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 01:18	VAX/VMS Macro V04-00













-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000000 00000FFF 00001000 (4096. bytes, 8. pages)  
 Stack size: 0. pages  
 Image header virtual block limits: 1. ( 1. block)  
 Image binary virtual block limits: 0. ( 0. blocks)  
 Image name and identification: XMDRIVER V04-000  
 Number of files: 4.  
 Number of modules: 4.  
 Number of program sections: 5.  
 Number of global symbols: 43.  
 Number of cross references: 86.  
 Number of image sections: 1.  
 Image type: NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14915484  
 Map format: FULL WITH CROSS REFERENCE in file \_S255SDUA28:[DRIVER.LIS]XMDRIVER.MAP;1  
 Estimated map length: 26. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators	Page Faults	CPU Time	Elapsed Time
-----	-----	-----	-----
Command processing:	32	00:00:00.28	00:00:00.94
Pass 1:	57	00:00:01.76	00:00:08.75
Allocation/Relocation:	2	00:00:00.12	00:00:00.83
Pass 2:	11	00:00:00.35	00:00:02.16
Map data after object module synopsis:	1	00:00:00.35	00:00:00.42
Symbol table output:	0	00:00:00.04	00:00:00.34
Total run values:	103	00:00:02.90	00:00:13.44

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 338  
of which 111 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 2 extracted to resolve undefined symbols

7 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:XMDRIVER/CONTIGUOUS/MAP=MAPS:XMDRIVER/FULL/CROSS LIBS:DRIVER/INCLUDE=XMDRIVER,EXSH:SYS.STB/SELECTIVE,SYSSINPUT/OPTION  
BASE=0

This page contains a grid of 100 small technical diagrams and maps, arranged in 10 rows and 10 columns. Each diagram is a small-scale version of a larger technical drawing, often showing a map or a schematic. The diagrams are labeled with titles such as:

- XWDRIVER MAP
- RTDRIVER MAP
- XADRIVER MAP
- TMDRIVER MAP
- TUDRIVER MAP
- XIDRIVER MAP
- MBXDRIVER MAP
- PUDRIVER MAP
- PADRIVER MAP
- XEDRIVER MAP
- XQDRIVER MAP
- DDCMPDEF MDL
- XGDEF MDL
- TSRDRIVER MAP
- XDRIVER MAP
- XGDRIVER MAP
- XMRDRIVER MAP
- OUTUMAC MAR
- NOORDRIVER MAP

The diagrams are rendered in a light blue color against a dark background. Each diagram appears to be a technical drawing or a map, possibly representing a driver or a component of a system. The labels are centered on each diagram.