



```
XX      XX  WW      WW  DDDDDDDD  RRRRRRRR  IIIIII  VV      VV  EEEEEEEEE  RRRRRRRR
XX      XX  WW      WW  DDDDDDDD  RRRRRRRR  IIIIII  VV      VV  EEEEEEEEE  RRRRRRRR
XX      XX  WW      WW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
XX      XX  WW      WW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
  XX  XX  WW      WW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
  XX  XX  WW      WW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
    XX  WW      WW  DD          DD  RRRRRRRR  II      II  VV      VV  EEEEEEEEE  RRRRRRRR
    XX  WW      WW  DD          DD  RRRRRRRR  II      II  VV      VV  EEEEEEEEE  RRRRRRRR
  XX  XX  WW  WW  WW  DD          DD  RR  RR  II      II  VV      VV  EE          RR  RR
  XX  XX  WW  WW  WW  DD          DD  RR  RR  II      II  VV      VV  EE          RR  RR
XX      XX  WWW  WWW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
XX      XX  WWW  WWW  DD          DD  RR      RR  II      II  VV      VV  EE          RR      RR
XX      XX  WW      WW  DDDDDDDD  RR      RR  IIIIII  VV      VV  EEEEEEEEE  RR      RR
XX      XX  WW      WW  DDDDDDDD  RR      RR  IIIIII  VV      VV  EEEEEEEEE  RR      RR
```

```
MM      MM  AAAAAA  PPPPPPPP
MM      MM  AAAAAA  PPPPPPPP
MMMM  MMMM  AA      AA  PP      PP
MMMM  MMMM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AA      AA  PPPPPPPP
MM      MM  AAAAAAAAAA  PP
MM      MM  AAAAAAAAAA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
MM      MM  AA      AA  PP
```

+-----+  
! Object Module Synopsis !  
+-----+

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
XWDRIVER	V04-000	3409	-\$255\$DUA28:[DRIVER,OBJ]DRIVER.OLB;1	16-SEP-1984 00:24	VAX/VMS Macro V04-00
SYS	V04-000	0	-\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYS\$IODEF	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00
SYS\$SDEF	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 01:18	VAX/VMS Macro V04-00

↑-----↑  
! Image Section Synopsis !  
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	7	00000000	2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑  
: R - Relocatable :  
: P - Protected :  
↑-----↑

↑-----↑  
! Program Section Synopsis !  
↓-----↓

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	XWDRIVER	00000000 00000000	00000064 00000064	00000065 ( ) 00000065 ( )	101.) BYTE 0 101.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	XWDRIVER	00000068 00000068	00000D53 00000D53	00000CEC ( ) 00000CEC ( )	3308.) LONG 2 3308.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

-----  
! Symbol Cross Reference !  
-----

Symbol	Value	Defined By	Referenced By ...
DEVSM_AVI	00040000	SYSSIODEF	XWDRIVER
DEVSM_IDV	04000000	SYSSIODEF	XWDRIVER
DEVSM_ODV	08000000	SYSSIODEF	XWDRIVER
ERL\$DEVICERR	8000CA01	SYS	XWDRIVER
EXE\$ABORTIO	80009C1C	SYS	XWDRIVER
EXE\$ALLOCBUF	8000A875	SYS	XWDRIVER
EXE\$BUFQUOPRC	8000A73D	SYS	XWDRIVER
EXE\$FINISHIOC	80009C29	SYS	XWDRIVER
EXE\$IOFORK	8000A044	SYS	XWDRIVER
EXE\$QIODRVPKT	80009C3F	SYS	XWDRIVER
EXE\$READCHK	800095D2	SYS	XWDRIVER
EXE\$SETMODE	800096AC	SYS	XWDRIVER
EXE\$SNDEVMSG	80001A24	SYS	XWDRIVER
EXE\$WRITECHK	800095D8	SYS	XWDRIVER
EXE\$ZEROPARM	800094CF	SYS	XWDRIVER
IOC\$CANCELIO	8000CD71	SYS	XWDRIVER
IOC\$DIAGBUFILL	8000CDCC	SYS	XWDRIVER
IOC\$MNTVER	8000CF43	SYS	XWDRIVER
IOC\$REQCOM	8000CEB4	SYS	XWDRIVER
IOC\$RETURN	8000D355	SYS	XWDRIVER
IOC\$WFIKPCB	8000D356	SYS	XWDRIVER
SS\$_ABORT	0000002C	SYSS\$SDEF	XWDRIVER
SS\$_CANCEL	00000830	SYSS\$SDEF	XWDRIVER
SS\$_NORMAL	00000001	SYS	XWDRIVER
SS\$_TOOMUCHDATA	0000029C	SYSS\$SDEF	XWDRIVER
SYSS\$GL_OPRMBX	800015D0	SYS	XWDRIVER
SYSS\$K_VERSION	48513258	SYS	XWDRIVER
XW\$DDT	00000068-R	XWDRIVER	
XW_RINT	00000A8F-R	XWDRIVER	
XW_TINT	00000BE8-R	XWDRIVER	

-----  
! Symbols By Value !  
-----

Value	Symbols...
-----	-----
00000001	SS\$ NORMAL
0000002C	SS\$ ABORT
00000068	R-XW\$DDT
0000029C	SS\$ TOOMUCHDATA
00000830	SS\$ CANCEL
00000A8F	R-XW RINT
00000BE8	R-XW TINT
00040000	DEVSM_AVL
04000000	DEVSM_IDV
08000000	DEVSM_ODV
48513258	SYSSK_VERSION
800015D0	SYSSGC_OPRMBX
80001A24	EXES\$NDEVMSG
800094CF	EXESZEROPARM
800095D2	EXESREADCHK
800095D8	EXESWRITECHK
800096AC	EXESSETMODE
80009C1C	EXESABORTIO
80009C29	EXESFINISHIOC
80009C3F	EXESQIODRVPKT
8000A044	EXESIOFORK
8000A73D	EXESBUFQUOPRC
8000A875	EXESALLOCBUF
8000CA01	ERL\$DEVICERR
8000CD71	IOCS\$CANCELIO
8000CDCC	IOCS\$DIAGBUFILL
8000CEB4	IOCS\$REQCOM
8000CF43	IOCS\$MNTVER
8000D355	IOCS\$RETURN
8000D356	IOCS\$WFIKPC

Key for special characters above:

```

-----
* - Undefined
U - Universal
R - Relocatable
X - External
-----

```

-----  
! Image Synopsis !  
-----

Virtual memory allocated:  
Stack size:  
Image header virtual block limits:  
Image binary virtual block limits:  
Image name and identification:  
Number of files:  
Number of modules:  
Number of program sections:  
Number of global symbols:  
Number of cross references:  
Number of image sections:  
Image type:  
Map format:  
Estimated map length:

00000000 00000DFF 00000E00 (3584. bytes, 7. pages)  
0. pages  
1. ( 1. block)  
0. ( 0. blocks)  
XWDRIVER V04-000  
4.  
4.  
5.  
29.  
56.  
1.  
NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14942748  
FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[DRIVER.LIS]XWDRIVER.MAP;1  
22. blocks

-----  
! Link Run Statistics !  
-----

-----  
Performance Indicators  
-----

	Page Faults	CPU Time	Elapsed Time
Command processing:	29	00:00:00.28	00:00:00.78
Pass 1:	70	00:00:01.56	00:00:13.51
Allocation/Relocation:	10	00:00:00.13	00:00:01.16
Pass 2:	18	00:00:00.51	00:00:02.56
Map data after object module synopsis:	5	00:00:00.27	00:00:00.32
Symbol table output:	0	00:00:00.03	00:00:01.50
Total run values:	132	00:00:02.78	00:00:19.83

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 334  
of which 109 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1  
with 2 extracted to resolve undefined symbols

6 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXE\$:XWDRIVER/CONTIGUOUS/MAP=MAP\$:XWDRIVER/FULL/CROSS LIB\$:DRIVER/INCLUDE=XWDRIVER,EXSH:SYS.STB/SELECTIVE,SYSS\$INPUT/OPTION  
BASE=0



