


```

PPPPPPPP      AAAAAA      EEEEEEEEEEE      NN      NN      DDDDDDDD
PPPPPPPP      AAAAAA      EEEEEEEEEEE      NN      NN      DDDDDDDD
PP      PP      AA      AA      EE      NN      NN      DD      DD
PP      PP      AA      AA      EE      NN      NN      DD      DD
PP      PP      AA      AA      EE      NNNN     NN      DD      DD
PP      PP      AA      AA      EE      NNNN     NN      DD      DD
PPPPPPPP      AA      AA      EEEEEEEEE     NN      NN      NN      DD      DD
PPPPPPPP      AA      AA      EEEEEEEEE     NN      NN      NN      DD      DD
PP      AAAAAAAAAA      EE      NN      NNNN     DD      DD
PP      AAAAAAAAAA      EE      NN      NNNN     DD      DD
PP      AA      AA      EE      NN      NN      DD      DD
PP      AA      AA      EE      NN      NN      DD      DD
PP      AA      AA      EEEEEEEEEEE      NN      NN      DDDDDDDD
PP      AA      AA      EEEEEEEEEEE      NN      NN      DDDDDDDD

```

```

....
....
....
....

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS

```

```

0000 1      .TITLE PAEND
0000 2      .IDENT 'V04-000'
0000 3
0000 4 :*****
0000 5 :*
0000 6 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 7 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 8 :* ALL RIGHTS RESERVED.
0000 9 :*
0000 10 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 11 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 12 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 13 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 14 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 15 :* TRANSFERRED.
0000 16 :*
0000 17 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 18 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 19 :* CORPORATION.
0000 20 :*
0000 21 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 22 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 23 :*
0000 24 :*
0000 25 :*****
0000 26
0000 27 :++
0000 28
0000 29 : FACILITY:
0000 30
0000 31 : VAX/VMS EXECUTIVE, I/O DRIVERS
0000 32
0000 33 : ABSTRACT:
0000 34
0000 35 : AUTHOR: N. KRONENBERG, MAY 1981
0000 36
0000 37 : MODIFIED BY:
0000 38
0000 39 : V03-003 NPK3002 N. Kronenberg 1-Jul-1982
0000 40 : Added driver psect. Made patch space larger.
0000 41
0000 42 : V03-002 NPK2020 N. Kronenberg 23-Apr-1982
0000 43 : Added assembled in patch space.
0000 44
0000 45 : V03-001 NPK2016 N. Kronenberg 18-Mar-1982
0000 46 : Fixed .TITLE
0000 47
0000 48 :--
0000 49
00000000 50 : .PSECT $$$115_DRIVER, LONG
0000 51
0000 52 :
0000 53 : Assembled in driver patch space:
0000 54 :
0000 55
00000000 56 LC=
00000000 57 :=<<LC+15>&-16> ; Align to 16 byte boundary

```

PAEND
V04-000

H 12

16-SEP-1984 01:19:09 VAX/VMS Macro V04-00
5-SEP-1984 00:15:47 [DRIVER.SRC]PAEND.MAR;1

Page 2
(1)

```
00000048 0000 58 PATCH::  
00000008 0004 59 .LONG 80-8  
00000050 0008 60 .LONG PATCH+8  
0050 61 .BLKB 80-8  
0050 62  
0050 63  
0050 64 PA$END::  
0050 65  
0050 66 .END
```

PAEND
 Symbol table
 LC = 00000000 R 01
 PAEND 00000050 RG 01
 PATCH 00000000 RG 01

 ! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes												
ABS	00000000 (0.)	00 (0.)	NOPIC USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE			
\$\$\$115_DRIVER	00000050 (80.)	01 (1.)	NOPIC USR	CON	REL	LCL	NOSHR	EXE	RD	WRT	NOVEC	LONG			

 ! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.08	00:00:02.37
Command processing	107	00:00:00.47	00:00:06.95
Pass 1	68	00:00:00.21	00:00:02.42
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	32	00:00:00.14	00:00:01.83
Symbol table output	2	00:00:00.00	00:00:00.00
Psect synopsis output	1	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	242	00:00:00.92	00:00:13.78

The working set limit was 900 pages.
 612 bytes (2 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 3 non-local and 0 local symbols.
 66 source lines were read in Pass 1, producing 11 object records in Pass 2.
 0 pages of virtual memory were used to define 0 macros.

 ! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[DRIVER.OBJ]PALIB.MLB;1	0
_\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:PAEND/OBJ=OBJ\$:PAEND MSRC\$:PAEND/UPDATE=(ENH\$:PAEND)+EXECMLS/LIB+LIB\$:PALIB.MLB/LIB

0113 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

The image displays a grid of 144 terminal windows arranged in 12 rows and 12 columns. Each window contains text-based output from a VAX/VMS system. The windows are organized into several distinct sections:

- PAENDDIS**: Located in the upper right quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the middle right quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the lower right quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the lower middle quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the lower left quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the middle left quadrant, this section contains diagnostic messages related to the PAENDDIS process.
- PAENDDIS**: Located in the upper left quadrant, this section contains diagnostic messages related to the PAENDDIS process.

Each window shows a mix of status reports, error messages, and system logs, typical of a multi-user environment on a VAX/VMS system.