

EEEEEEEEE	DDDDDDDDDDDDDD	FFFFFFFFFF
EEEEEEEEE	DDDDDDDDDDDDDD	FFFFFFFFFF
EEEEEEEEE	DDDDDDDDDDDDDD	FFFFFFFFFF
EEE	DDD	FFF
EEEEEEEEE	DDD	FFFFFFFFFF
EEE	DDD	FFF
EEEEEEEEE	DDDDDDDDDDDDDD	FFF
EEEEEEEEE	DDDDDDDDDDDDDD	FFF
EEEEEEEEE	DDDDDDDDDDDDDD	FFF

FILEID**EDFTABLES

EEEEEEEEE	DDDDDDDD	FFFFFFFFF	TTTTTTTTT	AAAAAA	BBBBBBB	LL	EEEEEEEEE	SSSSSSS
EEEEEEEEE	DDDDDDDD	FFFFFFFFF	TTTTTTTTT	AAAAAA	BBBBBBB	LL	EEEEEEEEE	SSSSSSS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EEEEEEEEE	DD	DD	FFFFFFF	TT	AA	BB	BB	LL
EEEEEEEEE	DD	DD	FFFFFFF	TT	AA	BB	BB	LL
EE	DD	FF	TT	AAAAAAA	BB	BB	EE	SS
EE	DD	FF	TT	AAAAAAA	BB	BB	EE	SS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EE	DD	FF	TT	AA	BB	BB	EE	SS
EEEEEEEEE	DDDDDDDD	FF	TT	AA	BB	BB	EE	SS
EEEEEEEEE	DDDDDDDD	FF	TT	AA	BB	BB	EE	SS
LL		SSSSSSS						
LL		SSSSSSS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LL		SS						
LLLLLLLLL		SSSSSSS						
LLLLLLLLL		SSSSSSS						

```
1 0001 0 XTITLE 'TPARSE tables for EDF utility.'  
2 0002 0 MODULE EDFSTABLES ( IDENT = 'V04-000'  
3 0003 0 ADDRESSING_MODE ( EXTERNAL = GENERAL ),  
4 0004 0 ADDRESSING_MODE ( NONEXTERNAL = GENERAL ),  
5 0005 0 OPTLEVEL=3  
6 0006 0 ) =  
7 0007 1 BEGIN  
8 0008 1  
9 0009 1 *****  
10 0010 1 *  
11 0011 1 *  
12 0012 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
13 0013 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
14 0014 1 * ALL RIGHTS RESERVED.  
15 0015 1 *  
16 0016 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
17 0017 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
18 0018 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
19 0019 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
20 0020 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
21 0021 1 * TRANSFERRED.  
22 0022 1 *  
23 0023 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
24 0024 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
25 0025 1 * CORPORATION.  
26 0026 1 *  
27 0027 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
28 0028 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
29 0029 1 *  
30 0030 1 *  
31 0031 1 *****  
32 0032 1  
33 0033 1  
34 0034 1 ++  
35 0035 1 FACILITY: VAX/VMS EDIT/FDL UTILITY  
36 0036 1 ABSTRACT: LIB$TPARSE tables for EDF V1.0  
37 0037 1 ENVIRONMENT: NATIVE/USER MODE  
38 0038 1 AUTHOR: Ken Henderson  
39 0039 1 CREATION DATE: 15-Sep-1981  
40 0040 1  
41 0041 1  
42 0042 1  
43 0043 1  
44 0044 1  
45 0045 1  
46 0046 1  
47 0047 1  
48 0048 1  
49 0049 1  
50 0050 1  
51 0051 1  
52 0052 1  
53 0053 1  
54 0054 1  
55 0055 1  
56 0056 1  
57 0057 1  
V03-009 JWT0191 Jim Teague 2 Aug 1984  
Remove knowledge of ERASE_ON_DELETE.  
V03-008 RRB0017 Rowland R. Bradley 10 Mar 1984  
Disallow ACLs - Comment out access control  
will support later.  
V03-007 KFH0007 Ken Henderson 10 Sep 1983  
Support for named UICs  
V03-006 KFH0006 Ken Henderson 30 Jul 1983
```

58	0058	1
59	0059	1
60	0060	1
61	0061	1
62	0062	1
63	0063	1
64	0064	1
65	0065	1
66	0066	1
67	0067	1
68	0068	1
69	0069	1
70	0070	1
71	0071	1
72	0072	1
73	0073	1
74	0074	1
75	0075	1
76	0076	1
77	0077	1
78	0078	1
79	0079	1
80	0080	1
81	0081	1
82	0082	1
83	0083	1
84	0084	1
85	0085	1

--

Added DEFERRED_WRITE, ERASE_ON_DELETE,
NEVER_RU_JOURNAL

V03-005 KFH0005 Ken Henderson 26 Apr 1983
Added ADD_KEY_FDL, DELETE_KEY_FDL.
Changed 'Redesign' to 'touchup'.

V03-004 KFH0004 Ken Henderson 14 Apr 1983
Added SET_FUNCTION, GRANULARITY,
PROMPTING, and RESPONSES tables.

V03-003 KFH0003 Ken Henderson 8 Oct 1982
Added Access, ACL, Connect,
Journal, and Sharing primaries.

V03-002 KFH0002 Ken Henderson 8 Sept 1982
Removed GLOBAL_LITERAL
definitions and added SDL-
generated literals.

V03-001 KFH0001 Ken Henderson 2 April 1982
Modified SEGn xxx parsing
to fix FT2 Q&R 1020. And
modified (keyword) parsing
to not allow extraneous
characters on the answer.

```
87 0086 1 ++
88 0087 1
89 0088 1
90 0089 1
91 0090 1
92 0091 1
93 0092 1
94 0093 1
95 0094 1
96 0095 1
97 0096 1
98 0097 1
99 0098 1
100 0099 1
101 0100 1
102 0101 1
103 0102 1
104 0103 1
105 0104 1
106 0105 1
107 0106 1
108 0107 1
109 0108 1
110 0109 1
111 0110 1
112 0111 1
113 0112 1
114 0113 1
115 0114 1
116 0115 1
117 0116 1
118 0117 1
119 0118 1
120 0119 1
121 0120 1
122 0121 1
123 0122 1
124 0123 1
125 0124 1
126 0125 1
127 0126 1
128 0127 1
129 0128 1 LIBRARY 'SY$LIBRARY:STARLET';
130 0129 1 LIBRARY 'SY$LIBRARY:TPAMAC';
131 0130 1 REQUIRE 'SHRLIBS:FDLPARDEF';
132 0669 1 REQUIRE 'LIBS:EDFSTRUCT';
133 0963 1
134 0964 1 MACRO
135 M 0965 1 DESC_BLK =
136 ; 0966 1 BLOCK [ 8,BYTE ];
```

EDF STABLES
V04-000

TPARSE tables for EDF utility.

K 3
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1

Page 4
(3)

149 0977 1 | +
150 0978 1 | - These are the Primary Attributes.
151 0979 1 | -
152 0980 1 | +
153 0981 1 | -
154 0982 1 | + Transition Type Next State Parameter
155 0983 1 | -
156 0984 1 |
157 0985 1 \$INIT_STATE (EDFSAB_PRIMARY_TABLE_STA,EDFSAB_PRIMARY_TABLE_KEY);
158 0986 1
159 P 0987 1 SSTATE {
160 P 0988 1 ('ACCESS',
161 P 0989 1 !rrb ('ACL',
162 P 0990 1 - ('AREA',
163 P 0991 1 - ('CONNECT',
164 P 0992 1 - ('DATE',
165 P 0993 1 - ('FILE',
166 P 0994 1 - ('JOURNAL',
167 P 0995 1 - ('KEY',
168 P 0996 1 - ('RECORD',
169 P 0997 1 - ('SHARING',
170 P 0998 1 - ('SYSTEM',
171 P 0999 1 - ('TITLE',
172 1000 1);
173 1001 1
174 P 1002 1 SSTATE (S_AREA_N,
175 P 1003 1 ((S_PRINUM),
176 1004 1);
177 1005 1
178 P 1006 1 SSTATE (S_KEY_N,
179 P 1007 1 ((S_PRINUM),
180 1008 1);
181 1009 1
182 P 1010 1 SSTATE (S_PRINUM,
183 P 1011 1 (TPAS_DECIMAL,
184 P 1012 1 (TPAS_EOS,
185 P 1013 1 (TPAS_LAMBDA,
186 1014 1);

```
188      1015 1 | +
189      1016 1 | - These are the Secondary Attributes.
190      1017 1 |
191      1018 1 | : ACCESS PRIMARY
192      1019 1 |
193      1020 1 |
194      1021 1 | +
195      1022 1 | - Transition Type      Next State      Parameter
196      1023 1 |
197      1024 1 |
198      1025 1 $INIT_STATE (EDFSAB_ACCESS_TABLE_STA,EDFSAB_ACCESS_TABLE_KEY);
199      1026 1 |
200      P 1027 1 SSTATE {
201      P 1028 1 ('BLOCK IO',
202      P 1029 1 ('DELETE',
203      P 1030 1 ('GET',
204      P 1031 1 ('PUT',
205      P 1032 1 ('RECORD IO',
206      P 1033 1 ('TRUNCATE',
207      P 1034 1 ('UPDATE',
208      1035 1 );      TPAS_EXIT, ... FDLSC_FACBIO),
209                         TPAS_EXIT, ... FDLSC_FACDEL),
210                         TPAS_EXIT, ... FDLSC_FACGET),
211                         TPAS_EXIT, ... FDLSC_FACPUT),
212                         TPAS_EXIT, ... FDLSC_FACBRO),
213                         TPAS_EXIT, ... FDLSC_FACTRN),
214                         TPAS_EXIT, ... FDLSC_FACUPD)
```

EDF\$TABLES
V04-000

TPARSE tables for EDF utility.

N 3
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

Page 7
(6)

```
210      1036 1 ! ACL PRIMARY
211      1037 1
212      1038 1 +
213      1039 1     Transition Type      Next State      Parameter
214      1040 1     -
215      1041 1
216      1042 1 $INIT_STATE (EDFSAB_ACL_TABLE_STA,EDFSAB_ACL_TABLE_KEY);
217      1043 1
218      1044 1 $STATE {
219      1045 1     {'ENTRY',
220      1046 1     );
```

```
222      1047 1 ! AREA PRIMARY
223      1048 1
224      1049 1 | +
225      1050 1 | - Transition Type      Next State     Parameter
226      1051 1 | -
227      1052 1
228      1053 1 $INIT_STATE (EDF$AB_AREA_TABLE_STA,EDF$AB_AREA_TABLE_KEY);
229      1054 1
230      P 1055 1 $STATE {
231      P 1056 1   ('ALLOCATION',
232      P 1057 1   ('BEST TRY CONTIGUOUS',
233      P 1058 1   ('BUCKET SIZE',
234      P 1059 1   ('CONTIGUOUS',
235      P 1060 1   ('EXACT POSITIONING',
236      P 1061 1   ('EXTENSION',
237      P 1062 1   ('POSITION',
238      P 1063 1   ('VOLUME',
239      1064 1 );
```

```

: 241      1065 1 ! CONNECT PRIMARY
: 242      1066 1
: 243      1067 1 | +
: 244      1068 1 | + Transition Type
: 245      1069 1 | - Next State Parameter
: 246      1070 1
: 247      1071 1 $INIT_STATE (EDF$AB_CONNECT_TABLE_STA,EDF$AB_CONNECT_TABLE_KEY);
: 248      1072 1
: 249      P 1073 1 $STATE (
: 250      P 1074 1   ('ASYNCHRONOUS', TPAS_EXIT, ..., FDL$C_ASY),
: 251      P 1075 1   ('BLOCK IO', TPAS_EXIT, ..., FDL$C_BIO),
: 252      P 1076 1   ('BUCKET CODE', TPAS_EXIT, ..., FDL$C_BUCODE),
: 253      P 1077 1   ('CONTEXT', TPAS_EXIT, ..., FDL$C_RCTX),
: 254      P 1078 1   ('END OF FILE', TPAS_EXIT, ..., FDL$C_EOF),
: 255      P 1079 1   ('FAST_DELETE', TPAS_EXIT, ..., FDL$C_FDEL),
: 256      P 1080 1   ('FILL_BUCKETS', TPAS_EXIT, ..., FDL$C_FLOA),
: 257      P 1081 1   ('KEY_GREATER_EQUAL', TPAS_EXIT, ..., FDL$C_KGE),
: 258      P 1082 1   ('KEY_GREATER_THAN', TPAS_EXIT, ..., FDL$C_KGT),
: 259      P 1083 1   ('KEY_LIMIT', TPAS_EXIT, ..., FDL$C_KLIM),
: 260      P 1084 1   ('KEY_OF_REFERENCE', TPAS_EXIT, ..., FDL$C_KRF),
: 261      P 1085 1   ('LOCATE_MODE', TPAS_EXIT, ..., FDL$C_LOCMODE),
: 262      P 1086 1   ('LOCK_ON_READ', TPAS_EXIT, ..., FDL$C_REA),
: 263      P 1087 1   ('LOCK_ON_WRITE', TPAS_EXIT, ..., FDL$C_RLK),
: 264      P 1088 1   ('MANUAL_UNLOCKING', TPAS_EXIT, ..., FDL$C_ULK),
: 265      P 1089 1   ('MULTIBLOCK_COUNT', TPAS_EXIT, ..., FDL$C_MBC),
: 266      P 1090 1   ('MULTIBUFFER_COUNT', TPAS_EXIT, ..., FDL$C_MBF),
: 267      P 1091 1   ('NOLOCK', TPAS_EXIT, ..., FDL$C_NLK),
: 268      P 1092 1   ('NONEXISTENT_RECORD', TPAS_EXIT, ..., FDL$C_NXR),
: 269      P 1093 1   ('READ_AHEAD', TPAS_EXIT, ..., FDL$C_RAH),
: 270      P 1094 1   ('READ REGARDLESS', TPAS_EXIT, ..., FDL$C_RRL),
: 271      P 1095 1   ('TIMEOUT_ENABLE', TPAS_EXIT, ..., FDL$C_TMENB),
: 272      P 1096 1   ('TIMEOUT_PERIOD', TPAS_EXIT, ..., FDL$C_TMO),
: 273      P 1097 1   ('TRUNCATE_ON_PUT', TPAS_EXIT, ..., FDL$C_TPT),
: 274      P 1098 1   ('TT_CANCEL_CONTROL_O', TPAS_EXIT, ..., FDL$C_TTCCO),
: 275      P 1099 1   ('TT_PROMPT', TPAS_EXIT, ..., FDL$C_TTPMT),
: 276      P 1100 1   ('TT_PURGE_TYPE_AHEAD', TPAS_EXIT, ..., FDL$C_TTPTA),
: 277      P 1101 1   ('TT_READ_NOECHO', TPAS_EXIT, ..., FDL$C_TTRNE),
: 278      P 1102 1   ('TT_READ_NOFILTER', TPAS_EXIT, ..., FDL$C_TTRNF),
: 279      P 1103 1   ('TT_UPCASE_INPUT', TPAS_EXIT, ..., FDL$C_TTCVT),
: 280      P 1104 1   ('UPDATE_IF', TPAS_EXIT, ..., FDL$C_UIF),
: 281      P 1105 1   ('WAIT FOR RECORD', TPAS_EXIT, ..., FDL$C_WAT),
: 282      P 1106 1   ('WRITE_BEHIND', TPAS_EXIT, ..., FDL$C_WBH)
: 283      1107 1   );

```

```
; 285      1108 1 ! DATE PRIMARY
; 286      1109 1
; 287      1110 1 | +
; 288      1111 1 | : Transition Type      Next State      Parameter
; 289      1112 1 | :
; 290      1113 1
; 291      1114 1 $INIT_STATE (EDF$AB_DATE_TABLE_STA,EDF$AB_DATE_TABLE_KEY);
; 292      1115 1
; 293      P 1116 1 $STATE (
; 294      P 1117 1     ('BACKUP',          TPAS_EXIT, ..., FDL$C_BACKUP),
; 295      P 1118 1     ('CREATION',        TPAS_EXIT, ..., FDL$C_CREAT),
; 296      P 1119 1     ('EXPIRATION',      TPAS_EXIT, ..., FDL$C_EXPR),
; 297      P 1120 1     ('REVISION',       TPAS_EXIT, ..., FDL$C_REV)
; 298      1121 1   );
```

```

300      1122 1 ! FILE PRIMARY
301
302      1123 1
303      1124 1 + Transition Type          Next State      Parameter
304      1125 1 -                               TPAS_EXIT, ...
305
306      1127 1 $INIT_STATE (EDFSAB_FILE_TABLE_STA,EDFSAB_FILE_TABLE_KEY);
307      1129 1
308      P 1130 1 $STATE (
309      P 1131 1   ('ALLOCATION',           TPAS_EXIT, ... FDLSC_ALL),
310      P 1132 1   ('BEST TRY CONTIGUOUS', TPAS_EXIT, ... FDLSC_BTC),
311      P 1133 1   ('BUCKET SIZE',        TPAS_EXIT, ... FDLSC_BKTSIZ),
312      P 1134 1   ('CLUSTER_SIZE',       TPAS_EXIT, ... FDLSC_CLUSIZ),
313      P 1135 1   ('CONTEXT',           TPAS_EXIT, ... FDLSC_FCTX),
314      P 1136 1   ('CONTIGUOUS',         TPAS_EXIT, ... FDLSC_CONT),
315      P 1137 1   ('CREATE IF',          TPAS_EXIT, ... FDLSC_CIF),
316      P 1138 1   ('DEFAULT NAME',       TPAS_EXIT, ... FDLSC_DFNAM),
317      P 1139 1   ('DEFERRED WRITE',      TPAS_EXIT, ... FDLSC_DEFWRIT),
318      P 1140 1   ('DELETE ON CLOSE',     TPAS_EXIT, ... FDLSC_DOC),
319      P 1141 1   ('DIRECTORY ENTRY',    TPAS_EXIT, ... FDLSC_DIR),
320      P 1142 1   ('ERASE ON DELETE',     TPAS_EXIT, ... FDLSC_EODEL),
321      P 1143 1   ('EXTENSION',          TPAS_EXIT, ... FDLSC_EXTE),
322      P 1144 1   ('GLOBAL BUFFER COUNT', TPAS_EXIT, ... FDLSC_GBC),
323      P 1145 1   ('MAX RECORD NUMBER',   TPAS_EXIT, ... FDLSC_MAXRÉCN),
324      P 1146 1   ('MAXIMIZE VERSION',    TPAS_EXIT, ... FDLSC_MAXVER),
325      P 1147 1   ('MT_BLOCK_SIZE',       TPAS_EXIT, ... FDLSC_MTBLISIZ),
326      P 1148 1   ('MT_CLOSEREWIND',      TPAS_EXIT, ... FDLSC_MTRWC),
327      P 1149 1   ('MT_CURRENT_POSITION', TPAS_EXIT, ... FDLSC_MTCP),
328      P 1150 1   ('MT_NOT EOF',          TPAS_EXIT, ... FDLSC_MTNEF),
329      P 1151 1   ('MT_OPENREWIND',      TPAS_EXIT, ... FDLSC_MTREW),
330      P 1152 1   ('MT_PROTECTION',      TPAS_EXIT, ... FDLSC_MTPRO),
331      P 1153 1   ('NAME',             TPAS_EXIT, ... FDLSC_NAME),
332      P 1154 1   ('NOBACKUP',          TPAS_EXIT, ... FDLSC_BKTUP),
333      P 1155 1   ('NON FILE STRUCTURED', TPAS_EXIT, ... FDLSC_NFS),
334      P 1156 1   ('ORGANIZATION',       TPAS_EXIT, ... FDLSC_ORG),
335      P 1157 1   ('OUTPUT_FILE_PARSE',  TPAS_EXIT, ... FDLSC_OFP),
336      P 1158 1   ('OWNER',            TPAS_EXIT, ... FDLSC_OWNER),
337      P 1159 1   ('PRINT ON CLOSE',     TPAS_EXIT, ... FDLSC_POC),
338      P 1160 1   ('PROTECTION',        TPAS_EXIT, ... FDLSC_PROT),
339      P 1161 1   ('READ CHECK',        TPAS_EXIT, ... FDLSC_READC),
340      P 1162 1   ('REVISION',          TPAS_EXIT, ... FDLSC_REVISN),
341      P 1163 1   ('SEQUENTIAL ONLY',   TPAS_EXIT, ... FDLSC_SQO),
342      P 1164 1   ('SUBMIT ON CLOSE',    TPAS_EXIT, ... FDLSC_SOC),
343      P 1165 1   ('SUPERSEDE',         TPAS_EXIT, ... FDLSC_SUPER),
344      P 1166 1   ('TEMPORARY',          TPAS_EXIT, ... FDLSC_TEMPO),
345      P 1167 1   ('TRUNCATE ON CLOSE',  TPAS_EXIT, ... FDLSC_TO),
346      P 1168 1   ('USER FILE OPEN',     TPAS_EXIT, ... FDLSC_UFO),
347      P 1169 1   ('WINDOW SIZE',        TPAS_EXIT, ... FDLSC_WIN),
348      P 1170 1   ('WRITE_CHECK',        TPAS_EXIT, ... FDLSC_WRTÉC)
349      1171 1   );

```

351 1172 1 ! JOURNALING PRIMARY
352 1173 1
353 1174 1 ! +
354 1175 1 | Transition Type Next State Parameter
355 1176 1 | -
356 1177 1
357 1178 1 \$INIT_STATE (EDFSAB_JOURNAL_TABLE_STA,EDFSAB_JOURNAL_TABLE_KEY);
358 1179 1
359 P 1180 1 \$STATE {
360 P 1181 1 ('AFTER_IMAGE', TPAS_EXIT, ... FDLSC_AFTIM),
361 P 1182 1 ('AFTER_NAME', TPAS_EXIT, ... FDLSC_AFTNAM),
362 P 1183 1 ('AUDIT_TRAIL', TPAS_EXIT, ... FDLSC_AUDIT),
363 P 1184 1 ('AUDIT_NAME', TPAS_EXIT, ... FDLSC_AUDNAM),
364 P 1185 1 ('BEFORE_IMAGE', TPAS_EXIT, ... FDLSC_BEFIM),
365 P 1186 1 ('BEFORE_NAME', TPAS_EXIT, ... FDLSC_BEFNAM),
366 P 1187 1 ('RECOVERY_UNIT', TPAS_EXIT, ... FDLSC_RU)
367 1188 1 };

```

369 1189 1 ! KEY PRIMARY
370 1190 1 !
371 1191 1 !
372 1192 1 + Transition Type Next State Parameter
373 1193 1 -
374 1194 1
375 1195 1 $INIT_STATE (EDFSAB_KEY_TABLE_STA,EDFSAB_KEY_TABLE_KEY);
376 1196 1
377 P 1197 1 $STATE (
378 P 1198 1 ('CHANGES',
379 P 1199 1 ('DATA_AREA',
380 P 1200 1 ('DATA_FILL',
381 P 1201 1 ('DATA_KEY COMPRESSION',
382 P 1202 1 ('DATA-RECORD COMPRESSION',
383 P 1203 1 ('DUPLICATES',
384 P 1204 1 ('INDEX_AREA',
385 P 1205 1 ('INDEX-COMPRÉSSION',
386 P 1206 1 ('INDEX-FILL',
387 P 1207 1 ('LENGTH',
388 P 1208 1 ('LEVEL1_INDEX_AREA',
389 P 1209 1 ('NAME',
390 P 1210 1 ('NULL_KEY',
391 P 1211 1 ('NULL_VALUE',
392 P 1212 1 ('POSITION',
393 P 1213 1 ('PROLOGUE',
394 P 1214 1 ((S_SEGLEN),
395 P 1215 1 ((S_SEGPOS),
396 P 1216 1 ! ((S-SEGTYPE),
397 P 1217 1 ('SEGO_TYPE',
398 P 1218 1 ('TYPE',
399 P 1219 1 (TPAS_LÁMBCDA,
400 1220 1 );
)
TPAS_EXIT, ... FDLSC_CHANGE),
TPAS_EXIT, ... FDLSC_DAREA),
TPAS_EXIT, ... FDLSC_DFILL),
TPAS_EXIT, ... FDLSC_DATKC),
TPAS_EXIT, ... FDLSC_DATRC),
TPAS_EXIT, ... FDLSC_DUPS),
TPAS_EXIT, ... FDLSC_IAREA),
TPAS_EXIT, ... FDLSC_IDXC),
TPAS_EXIT, ... FDLSC_IFILL),
TPAS_EXIT, ... FDLSC_SEGLEN),
TPAS_EXIT, ... FDLSC_LAREA),
TPAS_EXIT, ... FDLSC_KYNAME),
TPAS_EXIT, ... FDLSC_NULL),
TPAS_EXIT, ... FDLSC_NULLVÁL),
TPAS_EXIT, ... FDLSC_SEGPOS),
TPAS_EXIT, ... FDLSC_PROL),
TPAS_EXIT, ... FDLSC_SEGLEN),
TPAS_EXIT, ... FDLSC_SEGPOS),
TPAS_EXIT, ... FDLSC_SEGTYP),
TPAS_EXIT, ... FDLSC_SEGTYP),
TPAS_EXIT, ... FDLSC_SEGTYP),
TPAS_FAIL)

```

```
402 P 1221 1 $STATE {S_SEGLEN,  
403 P 1222 1 ((S_SEG))  
404 P 1223 1 );  
405 P 1224 1 $STATE {  
406 P 1225 1 ('LENGTH', TPAS_EXIT)  
407 P 1226 1 );  
408 P 1227 1 ;  
409 P 1228 1 $STATE {S_SEGPOS,  
410 P 1229 1 ((S_SEG))  
411 P 1230 1 );  
412 P 1231 1 $STATE {  
413 P 1232 1 ('POSITION', TPAS_EXIT)  
414 P 1233 1 );  
415 P 1234 1 ;  
416 P 1235 1 $STATE {S_SEGTYP,  
417 P 1236 1 ((S_SEG))  
418 P 1237 1 );  
419 P 1238 1 $STATE {  
420 P 1239 1 ('TYPE', TPAS_EXIT)  
421 P 1240 1 );  
422 P 1241 1 ;  
423 P 1242 1 $STATE {S_SEG,  
424 P 1243 1 ('S')  
425 P 1244 1 );  
426 P 1245 1 $STATE {  
427 P 1246 1 ('E')  
428 P 1247 1 );  
429 P 1248 1 $STATE {  
430 P 1249 1 ('G')  
431 P 1250 1 );  
432 P 1251 1 $STATE {  
433 P 1252 1 (TPAS_DECIMAL,  
434 P 1253 1 );  
435 P 1254 1 $STATE {  
436 P 1255 1 ('-', TPAS_EXIT)  
437 P 1256 1 );  
... EDF$GL_SECNUM)
```

: 439 1257 1 ! RECORD PRIMARY
: 440 1258 1
: 441 1259 1 | +
: 442 1260 1 | Transition Type Next State Parameter
: 443 1261 1 | -
: 444 1262 1
: 445 1263 1 \$INIT_STATE (EDF\$AB_RECORD_TABLE_STA,EDF\$AB_RECORD_TABLE_KEY);
: 446 1264 1
P 447 1265 1 \$STATE {
P 448 1266 1 ('BLOCK_SPAN',
P 449 1267 1 ('CARRIAGE_CONTROL',
P 450 1268 1 ('CONTROL_FIELD_SIZE',
P 451 1269 1 ('FORMAT',
P 452 1270 1 ('SIZE',
: 453 1271 1);
 TPAS_EXIT, ... FDL\$C_BLKSPN),
 TPAS_EXIT, ... FDL\$C_CARCTRL),
 TPAS_EXIT, ... FDL\$C_VFCSIZ),
 TPAS_EXIT, ... FDL\$C_FMT),
 TPAS_EXIT, ... FDL\$C_SIZE)

```
: 455 1272 1 ! SHARING PRIMARY
: 456 1273 1
: 457 1274 1 + Transition Type Next State Parameter
: 458 1275 1 - :
: 459 1276 1
: 460 1277 1
: 461 1278 1 $INIT_STATE (EDFSAB_SHARING_TABLE_STA,EDFSAB_SHARING_TABLE_KEY);
: 462 1279 1
: 463 P 1280 1 $STATE (
: 464 P 1281 1   ('DELETE',
: 465 P 1282 1   ('GET',
: 466 P 1283 1   ('MULTISTREAM',
: 467 P 1284 1   ('PROHIBIT',
: 468 P 1285 1   ('PUT',
: 469 P 1286 1   ('UPDATE',
: 470 P 1287 1   ('USER_INTERLOCK',
: 471      1288 1 );
```

```
: 473 1289 1 ! SYSTEM PRIMARY
: 474 1290 1
: 475 1291 1 !
: 476 1292 1 | +
: 477 1293 1 | -
: 478 1294 1 | Transition Type Next State Parameter
: 479 1295 1 $INIT_STATE (EDF$AB_SYSTEM_TABLE_STA,EDF$AB_SYSTEM_TABLE_KEY);
: 480 1296 1
: 481 P 1297 1 $STATE (
: 482 P 1298 1     ('DEVICE',
: 483 P 1299 1     ('SOURCE',
: 484 P 1300 1     ('TARGET',
: 485      1301 1 );
```

```
487 1302 1 +  
488 1303 1 Qualifier Keywords  
489 1304 1 -  
490 1305 1 ! POSITION  
491 1306 1 +  
492 1307 1 Transition Type Next State Parameter  
493 1308 1 -  
494 1309 1  
495 1310 1  
496 1311 1  
497 1312 1 SINIT_STATE (EDFSAB_POSIT_TABLE_STA,EDFSAB_POSIT_TABLE_KEY);  
498 1313 1  
499 P 1314 1 $STATE {  
500 P 1315 1 ('ANY CYLINDER', TPAS_EXIT, ... FDLSC_ANYPOS),  
501 P 1316 1 ('CLUSTER', TPAS_EXIT, ... FDLSC_CLUSPOS),  
502 P 1317 1 ('CYLINDER', TPAS_EXIT, ... FDLSC_CYLPOS),  
503 P 1318 1 ('FILE ID', TPAS_EXIT, ... FDLSC_FIDPOS),  
504 P 1319 1 ('FILE NAME', TPAS_EXIT, ... FDLSC_FNMPPOS),  
505 P 1320 1 ('LOGICAL', TPAS_EXIT, ... FDLSC_LOGPOS),  
506 P 1321 1 ('NONE', TPAS_EXIT, ... FDLSC_NOPOS),  
507 P 1322 1 ('VIRTUÁL', TPAS_EXIT, ... FDLSC_VIRPOS)  
508 1323 1 );
```

```

510      1324 1 ! FID
511      1325 1
512      1326 1 + Transition Type Next State Parameter
513      1327 1 - 
514      1328 1
515      1329 1
516      1330 1 $INIT_STATE (EDFSAB_FID_TABLE_STA,EDFSAB_FID_TABLE_KEY);
517      1331 1
518      1332 1 | For File ID (FID)
519      1333 1
520      1334 1 ( n,n,n ) ! Where n is a decimal number
521      1335 1
522      1336 1
523      1337 1 | State Name
524      1338 1
525      1339 1 | Transition Type Next State Action Routine Mask Mask Address Action Routine Parameter
526      1340 1
527      1341 1
528      P 1342 1 $STATE (S_FID,
529      P 1343 1 ((S_FID_P),
530      1344 1 );
531      1345 1
532      P 1346 1 $STATE (S_FID_P,
533      P 1347 1 (:?),
534      1348 1 );
535      P 1349 1 $STATE (
536      P 1350 1 (TPAS_DECIMAL, .
537      1351 1 );
538      P 1352 1 $STATE (
539      P 1353 1 (',')
540      1354 1 );
541      P 1355 1 $STATE (
542      P 1356 1 (TPAS_DECIMAL, .
543      1357 1 );
544      P 1358 1 $STATE (
545      P 1359 1 (',')
546      1360 1 );
547      P 1361 1 $STATE (
548      P 1362 1 (TPAS_DECIMAL, .
549      1363 1 );
550      P 1364 1 $STATE (
551      P 1365 1 (',',
552      1366 1 );
553      1367 1
554      1368 1 ! UIC
555      1369 1
556      1370 1 + Transition Type Next State Parameter
557      1371 1 - 
558      1372 1
559      1373 1
560      1374 1 $INIT_STATE (EDFSAB_UIC_TABLE_STA,EDFSAB_UIC_TABLE_KEY);
561      1375 1
562      1376 1 | For UIC
563      1377 1
564      1378 1 | State Name
565      1379 1
566      1380 1 | Transition Next Action Mask Action Routine

```

EDF\$TABLES
V04-000

TPARSE tables for EDF utility.

N 4
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1

Page 20
(18)

		Type	State	Routine	Mask	Address	Parameter
567	1381	1					
568	1382	1					
569	P 1383	1	\$STATE	(S_UIC,			
570	P 1384	1		((S_UIC_P),			
571	1385	1);			
572	1386	1					
573	P 1387	1	\$STATE	(S_UIC_P,			
574	P 1388	1		(TPAS_IDÉNT,			
575	1389	1);			
576	1390	1			.		EDFSGL_OWNER_UIC)

```

578      1391 1 ! PROTECTION
579      1392 1 !
580      1393 1 !
581      1394 1 + Transition Type           Next State   Parameter
582      1395 1 -                               or
583      1396 1
584      1397 1 $INIT_STATE (EDF$AB_PROT_TABLE_STA,EDF$AB_PROT_TABLE_KEY);
585      1398 1
586      1399 1 | For Protection Spec
587      1400 1 | (SYSTEM:RWED,OWNER:....)
588      1401 1 | (SYSTEM=RWED,OWNER=....)
589      1402 1 |
590      1403 1 |
591      1404 1 !
592      1405 1 !
593      1406 1 | State Name
594      1407 1 |
595      1408 1 | Transition Type     Next State   Action Routine
596      1409 1 |             Type          State        Mask Address
597      1410 1 |
598      P 1411 1 $STATE  (S_PROT,
599      P 1412 1 ((S_PROT_P),
600      1413 1 );
601      1414 1
602      P 1415 1 $STATE  (S_PROT_P,
603      P 1416 1 ('?')
604      1417 1 );
605      P 1418 1 $STATE  (S_NEXT_PROT,
606      P 1419 1 ('SYSTEM',
607      P 1420 1 ('OWNER',
608      P 1421 1 ('GROUP',
609      P 1422 1 ('WORLD',
610      1423 1 );
611      1424 1
612      P 1425 1 $STATE  (S_SYSPR,
613      P 1426 1 ('?')
614      P 1427 1 ('=')
615      P 1428 1 (TPAS_LAMBDA, S_END_PRO)
616      1429 1 );
617      P 1430 1 $STATE  (S_SYSR,
618      P 1431 1 ('R',
619      P 1432 1 ('W',
620      P 1433 1 ('E',
621      P 1434 1 ('D',
622      P 1435 1 (TPAS_LAMBDA, S_END_PRO)
623      1436 1 );
624      1437 1
625      P 1438 1 $STATE  (S_OWNPR,
626      P 1439 1 ('?')
627      P 1440 1 ('=')
628      P 1441 1 (TPAS_LAMBDA, S_END_PRO)
629      1442 1 );
630      P 1443 1 $STATE  (S_OWNPRO,
631      P 1444 1 ('R')
632      P 1445 1 ('W')
633      P 1446 1 ('E')
634      P 1447 1 ('D')

```

```

635      P 1448 1      (TPAS_LAMBDA, S_END_PRO)
636      1449 1      );
637      1450 1      $STATE (S_GROPR,
638      P 1451 1      (':'),
639      P 1452 1      ('='),
640      P 1453 1      (TPAS_LAMBDA, S_END_PRO)
641      1454 1      );
642      1455 1      $STATE (S_GROPRO,
643      P 1456 1      ('R',
644      P 1457 1      ('W',
645      P 1458 1      ('E',
646      P 1459 1      ('D',
647      P 1460 1      (TPAS_LAMBDA, S_END_PRO)
648      1461 1      );
649      1462 1      );
650      1463 1      $STATE (S_WORPR,
651      P 1464 1      (':'),
652      P 1465 1      ('='),
653      P 1466 1      (TPAS_LAMBDA, S_END_PRO)
654      1467 1      );
655      1468 1      $STATE (S_WORPRO,
656      P 1469 1      ('R',
657      P 1470 1      ('W',
658      P 1471 1      ('E',
659      P 1472 1      ('D',
660      P 1473 1      (TPAS_LAMBDA, S_END_PRO)
661      1474 1      );
662      1475 1      );
663      1476 1      $STATE (S_END_PRO,
664      P 1477 1      ('_',
665      P 1478 1      ('_',
666      P 1479 1      ('_',
667      1480 1      (TPAS_EXIT)

```

```
: 669      1481 1 ! ORGANIZATION
: 670      1482 1
: 671      1483 1 | +
: 672      1484 1 | +     Transition Type          Next State      Parameter
: 673      1485 1 | - 
: 674      1486 1
: 675      1487 1 $INIT_STATE (EDF$AB_ORG_TABLE_STA,EDF$AB_ORG_TABLE_KEY);
: 676      1488 1
: 677      P 1489 1 $STATE {
: 678      P 1490 1     ('INDEXED',
: 679      P 1491 1     ('RELATIVE',
: 680      P 1492 1     ('SEQUENTIAL',
: 681      1493 1     );
```

```
: 683   1494 1 ! SOURCE/TARGET
: 684
: 685
: 686   1496 1 !
: 687   1497 1 +      Transition Type      Next State      Parameter
: 688   1498 1 -
: 689   1499 1
: 690   1500 1 $INIT_STATE (EDF$AB_SOURCE_TABLE_STA,EDF$AB_SOURCE_TABLE_KEY);
: 691   1501 1
: 692   P 1502 1 $STATE {
: 693   P 1503 1   ('IAS',
: 694   P 1504 1   ('RSTS/E',
: 695   P 1505 1   ('RSX-11M',
: 696   P 1506 1   ('RSX-11M-PLUS',
: 697   P 1507 1   ('RT-11'
: 698   P 1508 1   ('TRAX-11',
: 699   P 1509 1   ('VAX/VMS';
: 700   1510 1 );
```

```
: 701      1511 1 ! RECOVERY_UNIT
: 702      1512 1
: 703      1513 1 | +
: 704      1514 1 | + Transition Type          Next State     Parameter
: 705      1515 1 | - 
: 706      1516 1
: 707      1517 1 $INIT_STATE (EDF$AB_RU_TABLE_STA,EDF$AB_RU_TABLE_KEY);
: 708      1518 1
: 709      P 1519 1 $$STATE (
: 710      P 1520 1      ('IF IN RECOVERY UNIT',
: 711      P 1521 1      ('NECESSARY TO WRITE',
: 712      P 1522 1      ('NEVER_RU_JOURNAL',
: 713      P 1523 1      ('NONE',
: 714      1524 1      );
```

```
: 716      1525 1 ! CARRIAGE_CONTROL
: 717      1526 1
: 718      1527 1 | +
: 719      1528 1 |   Transition Type          Next State     Parameter
: 720      1529 1 |   -
: 721      1530 1
: 722      1531 1 $INIT_STATE (EDF$AB_CARR_TABLE_STA,EDF$AB_CARR_TABLE_KEY);
: 723      1532 1
: 724      P 1533 1 $$STATE (
: 725      P 1534 1   ('CARRIAGE_RETURN',
: 726      P 1535 1   ('FORTRAN',
: 727      P 1536 1   ('NONE',
: 728      P 1537 1   ('PRINT',
: 729      1538 1   );
```

```
: 731      1539 1 ! FORMAT
: 732      1540 1
: 733      1541 1 !
: 734      1542 1 +      Transition Type          Next State      Parameter
: 735      1543 1 -
: 736      1544 1
: 737      1545 1 $INIT_STATE (EDF$AB_FORMAT_TABLE_STA,EDF$AB_FORMAT_TABLE_KEY);
: 738      1546 1
: 739      P 1547 1 $STATE (
: 740      P 1548 1   ('FIXED',
: 741      P 1549 1   ('STREAM',
: 742      P 1550 1   ('STREAM_CR',
: 743      P 1551 1   ('STREAM_LF',
: 744      P 1552 1   ('UNDEFINED',
: 745      P 1553 1   ('VARIABLE',
: 746      P 1554 1   ('VFC',
: 747      1555 1 );
```

```
: 749      1556 1 ! TYPE
: 750      1557 1
: 751      1558 1 | +
: 752      1559 1 | -
: 753      1560 1 | - Transition Type      Next State      Parameter
: 754      1561 1
: 755      1562 1 $INIT_STATE (EDF$AB_TYPE_TABLE_STA,EDF$AB_TYPE_TABLE_KEY);
: 756      1563 1
: 757      P 1564 1 $STATE (
: 758      P 1565 1   ('BIN2',
: 759      P 1566 1   ('BIN4',
: 760      P 1567 1   ('BIN8',
: 761      P 1568 1   ('DECIMAL',
: 762      P 1569 1   ('INT2',
: 763      P 1570 1   ('INT4',
: 764      P 1571 1   ('INT8',
: 765      P 1572 1   ('STRING',
: 766      1573 1   );
```

```
: 768 1574 1 ! LOAD_METHOD
: 769 1575 1
: 770 1576 1 !
: 771 1577 1 + Transition Type Next State Parameter
: 772 1578 1 - 
: 773 1579 1
: 774 1580 1 $INIT_STATE (EDFSAB_LOAD_METHOD_TABLE_STA,EDFSAB_LOAD_METHOD_TABLE_KEY);
: 775 1581 1
: 776 P 1582 1 $STATE (
: 777 P 1583 1   ('FAST_CONVERT',
: 778 P 1584 1   ('NOFAST_CONVERT',
: 779 P 1585 1   ('RMS_PUTS',
: 780 1586 1 ); TPAS_EXIT, ... EDFSK_FAST_CONVERT),
TPAS_EXIT, ... EDFSK_NOFAST_CONVERT),
TPAS_EXIT, ... EDFSK_RMS_PUTS)
```

EDFSTABLES
V04-000

TPARSE tables for EDF utility.

K 5
16-Sep-1984 00:33:02 VAX-11 Bliss-32 V4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

Page 30
(27)

```
: 782      1587 1 ! BUCKET_WEIGHT
: 783      1588 1
: 784      1589 1 | +
: 785      1590 1 | - Transition Type      Next State      Parameter
: 786      1591 1
: 787      1592 1
: 788      1593 1 $INIT_STATE (EDFSAB_WEIGHT_TABLE_STA,EDFSAB_WEIGHT_TABLE_KEY);
: 789      1594 1
: 790      P 1595 1 $STATE  {
: 791      P 1596 1     ('FLATTER_FILES',
: 792      P 1597 1     ('SMALLER_BUFFERS',
: 793      1598 1     );
```

**EDF STABLES
V04-000**

TPARSE tables for EDF utility.

L 5
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

Page 31
(28)

```

795      1599 1 ! SURFACE_OPTION
796      1600 1
797      1601 1 +
798      1602 1 | Transition Type           Next State   Parameter
799      1603 1 |
800      1604 1 -
801      1605 1 $INIT_STATE (EDFSAB_SURFACE_OPTION_TABLE_STA,EDFSAB_SURFACE_OPTION_TABLE_KEY);
802      1606 1
803      P 1607 1 $STATE {
804      P 1608 1     ('ADD',          TPAS_EXIT, ... EDFSK_ADDED_SURFACE),
805      P 1609 1     ('FILL',         TPAS_EXIT, ... EDFSK_FILL_SURFACE),
806      P 1610 1     ('INIT',         TPAS_EXIT, ... EDFSK_INIT_SURFACE),
807      P 1611 1     ('KEY',          TPAS_EXIT, ... EDFSK_KEY_SURFACE),
808      P 1612 1     ('LINE',         TPAS_EXIT, ... EDFSK_LINE_SURFACE),
809      P 1613 1     ('RECORD',       TPAS_EXIT, ... EDFSK_SIZE_SURFACE)
810      1614 1     );

```

```
812      1615 1 ! CURRENT_FUNC
813      1616 1 !
814      1617 1 !
815      1618 1 | + Transition Type      Next State      Parameter
816      1619 1 | - 
817      1620 1 
818      1621 1 $INIT_STATE (EDF$AB_CURRENT_FUNC_TABLE_STA,EDF$AB_CURRENT_FUNC_TABLE_KEY);
819      1622 1 
820      P 1623 1 $STATE (
821      P 1624 1   ('ADD',           , ...  EDF$K_ADD),
822      P 1625 1   ('DELETE',        , ...  EDF$K_DELETE),
823      P 1626 1   ('EXIT',          , ...  EDF$K_EXIT),
824      P 1627 1   ('HELP',          , ...  EDF$K_HELP),
825      P 1628 1   ('INVOKÉ',        , ...  EDF$K_INVOKÉ),
826      P 1629 1   ('MODIFY',        , ...  EDF$K MODIFY),
827      P 1630 1   ('QUIT',          , ...  EDF$K_QUIT),
828      P 1631 1   ('SET',           , ...  EDF$K_SET),
829      P 1632 1   ('VIEW',          , ...  EDF$K_VIEW),
830      1633 1   );
831      1634 1 
832      P 1635 1 $STATE (
833      P 1636 1   (TPAS_EOS,       TPAS_EXIT),
834      P 1637 1   (TPAS_LAMBDA,    TPAS_FAIL),
835      1638 1   );
```

```
837 1639 1 ! DESIGN_CYCLE
838 1640 1
839 1641 1 + Transition Type Next State Parameter
840 1642 1 - 
841 1643 1
842 1644 1
843 1645 1 $INIT_STATE (EDFSAB_DESIGN_CYCLE_TABLE_STA,EDFSAB_DESIGN_CYCLE_TABLE_KEY);
844 1646 1
845 P 1647 1 $STATE {
846 P 1648 1 ('AR', TPAS_EXIT, ... EDFSK_AR), ADDED RECORDS
847 P 1649 1 ('BF', TPAS_EXIT, ... EDFSK_BF), BUCKET FILL
848 P 1650 1 ('DK', TPAS_EXIT, ... EDFSK_DK), DUP KEYS
849 P 1651 1 ('EM', TPAS_EXIT, ... EDFSK_EM), BUCKET EMPHASIS
850 P 1652 1 ('FD', TPAS_EXIT, ... EDFSK_FINIS), DONE WITH CYCLING
851 P 1653 1 ('IC', TPAS_EXIT, ... EDFSK_IC), INDEX RECORD COMPRESSION
852 P 1654 1 ('IL', TPAS_EXIT, ... EDFSK_IL), INITIAL LOAD
853 P 1655 1 ('KC', TPAS_EXIT, ... EDFSK_KC), DATA KEY COMPRESSION
854 P 1656 1 ('KL', TPAS_EXIT, ... EDFSK_KL), KEY LENGTH
855 P 1657 1 ('KP', TPAS_EXIT, ... EDFSK_KP), KEY POSITION
856 P 1658 1 ('KT', TPAS_EXIT, ... EDFSK_KT), KEY TYPE
857 P 1659 1 ('LM', TPAS_EXIT, ... EDFSK_LM), LOAD METHOD
858 P 1660 1 ('PV', TPAS_EXIT, ... EDFSK_PV), PROLOGUE VERSION
859 P 1661 1 ('RC', TPAS_EXIT, ... EDFSK_RC), DATA RECORD COMPRESSION
860 P 1662 1 ('RF', TPAS_EXIT, ... EDFSK_RF), RECORD FORMAT
861 P 1663 1 ('RS', TPAS_EXIT, ... EDFSK_RS), RECORD SIZE
862 1664 1 );
```

```
864      1665 1 ! SCRIPT_OPTION
865
866      1666 1 !
867      1667 1 !
868      1668 1 | +      Transition Type          Next State     Parameter
869      1669 1 | -
870      1670 1
871      1671 1 $INIT_STATE (EDF$AB_SCRIPT_OPTION_TABLE_STA,EDF$AB_SCRIPT_OPTION_TABLE_KEY);
872      1672 1
P 1673 1 $STATE {
P 1674 1   ('ADD KEY',
P 1675 1   ('DELETE KEY',
P 1676 1   ('INDEXED',
P 1677 1   ('OPTIMIZE',
P 1678 1   ('RELATIVE',
P 1679 1   ('SEQUENTIAL',
P 1680 1   ('TOUCHUP',
P 1681 1 );
```

```
TPAS_EXIT, ... EDF$K_ADD_KEY_FDL),
TPAS_EXIT, ... EDF$K_DELETE_KEY_FDL),
TPAS_EXIT, ... EDF$K_IDX_DESIGN_FDL),
TPAS_EXIT, ... EDF$K_OPTIMIZE_FDL),
TPAS_EXIT, ... EDF$K_REL_DESIGN_FDL),
TPAS_EXIT, ... EDF$K_SEQ_DESIGN_FDL),
TPAS_EXIT, ... EDF$K_REDESIGN_FDL)
```

```
882    1682 1 ! YES_NO
883    1683 1
884    1684 1 !
885    1685 1 +      Transition Type      Next State     Parameter
886    1686 1 -
887    1687 1
888    1688 1 $INIT_STATE (EDF$AB_YES_NO_TABLE_STA,EDF$AB_YES_NO_TABLE_KEY);
889    1689 1
890    P 1690 1 $STATE {
891    P 1691 1   ('FALSE',
892    P 1692 1   ('NO',
893    P 1693 1   ('TRUE',
894    P 1694 1   ('YES'.
895    1695 1   );
```

```
: 897      1696 1 ! SET_FUNCTION
: 898      1697 1
: 899      1698 1 ! +
: 900      1699 1 ! -
: 901      1700 1 ! - Transition Type          Next State      Parameter
: 902      1701 1
: 903      1702 1 $INIT_STATE (EDF$AB_SET_FUNCTION_TABLE_STA,EDF$AB_SET_FUNCTION_TABLE_KEY);
: 904      1703 1
: 905      P 1704 1 $STATE {
: 906      P 1705 1   ('ANALYSIS',
: 907      P 1706 1   ('DISPLAY',
: 908      P 1707 1   ('EMPHASIS',
: 909      P 1708 1   ('GRANULARITY',
: 910      P 1709 1   ('NUMBER KEYS',
: 911      P 1710 1   ('OUTPUT',
: 912      P 1711 1   ('PROMPTING',
: 913      P 1712 1   ('RESPONSES',
: 914      1713 1 );
```

```
: 916      1714 1 ! GRANULARITY
: 917      1715 1
: 918      1716 1 ! +
: 919      1717 1 ! +      Transition Type          Next State     Parameter
: 920      1718 1 ! - 
: 921      1719 1
: 922      1720 1 $INIT_STATE (EDF$AB_GRANULARITY_TABLE_STA,EDF$AB_GRANULARITY_TABLE_KEY);
: 923      1721 1
: 924      P 1722 1 $STATE {
: 925      P 1723 1   ('1'.
: 926      P 1724 1   ('2'.
: 927      P 1725 1   ('3'.
: 928      P 1726 1   ('4'.
: 929      P 1727 1   ('DOUBLE'.
: 930      P 1728 1   ('FOUR'.
: 931      P 1729 1   ('ONE'.
: 932      P 1730 1   ('THREE'.
: 933      P 1731 1   ('TWO'.
: 934      1732 1   );
```

```
: 936      1733 1 ! PROMPTING
: 937      1734 1
: 938      1735 1 | +
: 939      1736 1 | - Transition Type      Next State      Parameter
: 940      1737 1 | -
: 941      1738 1
: 942      1739 1 $INIT_STATE (EDFSAB_PROMPTING_TABLE_STA,EDFSAB_PROMPTING_TABLE_KEY);
: 943      1740 1
: 944      P 1741 1 $STATE {
: 945      P 1742 1     ('BRIEF',
: 946      P 1743 1     ('FULL',
: 947      1744 1           ); TPAS_EXIT, ... EDFSK_BRIEF),
:                               TPAS_EXIT, ... EDFSK_FULL)
```

```

949      1745 1 ! RESPONSES
950      1746 1
951      1747 1 | +
952      1748 1 | - Transition Type           Next State     Parameter
953      1749 1
954      1750 1
955      1751 1 $INIT_STATE (EDFSAB_RESPONSES_TABLE_STA,EDFSAB_RESPONSES_TABLE_KEY);
956      1752 1
957      P 1753 1 $STATE {
958      P 1754 1   ('AUTOMATIC',
959      P 1755 1   ('MANUAL',
960      1756 1   );
961      1757 1
962      1758 0 END ELUDOM

```

```

        .TITLE EDF$TABLES TPARSE tables for EDF utility.
        .IDENT \V04-000\

        .PSECT _LIB$KEY1$,NOWRT, SHR, PIC,1

      00000 ;TPASKEYSTO
      U.2: .BLKB 0
53 53 45 43 43 41 00000 ;TPASKEYST
      U.4: .ASCII \ACCESS\
      FF 00006 .BYTE -1
      00007 ;TPASKEYSTO
      U.9: .BLKB 0
      41 45 52 41 00007 ;TPASKEYST
      U.11: .ASCII \AREA\
      FF 0000B .BYTE -1
      0000C ;TPASKEYSTO
      U.15: .BLKB 0
      54 43 45 4E 4E 4F 43 0000C ;TPASKEYST
      U.17: .ASCII \CONNECT\
      FF 00013 .BYTE -1
      00014 ;TPASKEYSTO
      U.22: .BLKB 0
      45 54 41 44 00014 ;TPASKEYST
      U.24: .ASCII \DATE\
      FF 00018 .BYTE -1
      00019 ;TPASKEYSTO
      U.29: .BLKB 0
      45 4C 49 46 00019 ;TPASKEYST
      U.31: .ASCII \FILE\
      FF 0001D .BYTE -1
      0001E ;TPASKEYSTO
      U.36: .BLKB 0
      4C 41 4E 52 55 4F 4A 0001E ;TPASKEYST
      U.38: .ASCII \JOURNAL\
      FF 00025 .BYTE -1
      00026 ;TPASKEYSTO
      U.43: .BLKB 0
      59 45 4B 00026 ;TPASKEYST
      U.45: .ASCII \KEY\
      FF 00029 .BYTE -1
      0002A ;TPASKEYSTO

```

44	52	4F	43	45	52	0002A	U.49: ;TPASKEY\$T	BLKB	0	
					FF	00030	U.51: .ASCII	\RECORD\		
						00031	.BYTE	-1		
							;TPASKEY\$TO			
							U.56: ;TPASKEY\$T	BLKB	0	
							U.58: .ASCII	\SHARING\		
					FF	00038	.BYTE	-1		
						00039	;TPASKEY\$TO			
							U.63: ;TPASKEY\$T	BLKB	0	
					FF	0003F	U.65: .ASCII	\SYSTEM\		
						00040	.BYTE	-1		
							;TPASKEY\$TO			
							U.70: ;TPASKEY\$T	BLKB	0	
					FF	00045	U.72: .ASCII	\TITLE\		
						FF	.BYTE	-1		
						00046	;TPASKEY\$FILL			
							U.77: .BYTE	-1		
						00047	;TPASKEY\$TO			
							U.96: ;TPASKEY\$T	BLKB	0	
					FF	0004F	U.98: .ASCII	\BLOCK_IO\		
						00050	.BYTE	-1		
							;TPASKEY\$TO			
							U.103: ;TPASKEY\$T	BLKB	0	
					FF	00056	U.105: .ASCII	\DELETE\		
						FF	.BYTE	-1		
						00057	;TPASKEY\$TO			
							U.110: ;TPASKEY\$T	BLKB	0	
					54	45	U.112: .ASCII	\GET\		
						47	00057	;TPASKEY\$T		
							FF	.BYTE	-1	
							0005A	;TPASKEY\$TO		
							0005B	U.117: ;TPASKEY\$T	BLKB	0
					54	55	0005B	.ASCII	\PUT\	
						50	0005F	;TPASKEY\$T		
							FF	.BYTE	-1	
							0005E	;TPASKEY\$TO		
							0005F	U.124: ;TPASKEY\$T	BLKB	0
					4F	49	0005F	.ASCII	\RECORD_IO\	
						5F	00068	;TPASKEY\$T		
							FF	.BYTE	-1	
							00069	;TPASKEY\$TO		
								U.131: ;TPASKEY\$T	BLKB	0
					45	54	00069	.ASCII	\TRUNCATE\	
						41	00071	;TPASKEY\$T		
						43	FF	.BYTE	-1	
						4E	00072	;TPASKEY\$TO		
						55	FF	U.133: ;TPASKEY\$T	BLKB	0
						52	FF	.ASCII	\UPDATE\	
						54	FF	;TPASKEY\$FILL		

		U.145: .BYTE -1	:
	0007A ;TPASKEY\$TO		
	U.147: .BLKB 0		
4E 4F 49 54 41 43 4F 4C 4C 41	0007A ;TPASKEY\$T		
	U.149: .ASCII \ALLOCATION\		
	FF 00084 .BYTE -1		
	00085 ;TPASKEY\$TO		
	U.154: .BLKB 0		
47 49 54 4E 4F 43 5F 59 52 54 5F 54 53 45 42	00085 ;TPASKEY\$T		
	U.156: .ASCII \BEST_TRY_CONTIGUOUS\		
	53 55 4F 55 FF 00094 .BYTE -1		
	00098 ;TPASKEY\$TO		
	U.161: .BLKB 0		
45 5A 49 53 5F 54 45 4B 43 55 42	00099 ;TPASKEY\$T		
	U.163: .ASCII \BUCKET_SIZE\		
	FF 000A4 .BYTE -1		
	000A5 ;TPASKEY\$TO		
	U.168: .BLKB 0		
53 55 4F 55 47 49 54 4E 4F 43	000A5 ;TPASKEY\$T		
	U.170: .ASCII \CONTIGUOUS\		
	FF 000AF .BYTE -1		
	000B0 ;TPASKEY\$TO		
	U.175: .BLKB 0		
49 4E 4F 49 54 49 53 4F 50 5F 54 43 41 58 45	000B0 ;TPASKEY\$T		
	U.177: .ASCII \EXACT_POSITIONING\		
	47 4E 000BF .BYTE -1		
	FF 000C1 ;TPASKEY\$TO		
	U.182: .BLKB 0		
4E 4F 49 53 4E 45 54 58 45	000C2 ;TPASKEY\$T		
	U.184: .ASCII \EXTENSION\		
	FF 000CB .BYTE -1		
	000CC ;TPASKEY\$TO		
	U.189: .BLKB 0		
4E 4F 49 54 49 53 4F 50	000CC ;TPASKEY\$T		
	U.191: .ASCII \POSITION\		
	FF 000D4 .BYTE -1		
	000D5 ;TPASKEY\$TO		
	U.196: .BLKB 0		
45 4D 55 4C 4F 56	000D5 ;TPASKEY\$T		
	U.198: .ASCII \VOLUME\		
	FF 000DB .BYTE -1		
	FF 000DC ;TPASKEY\$FILL		
	U.203: .BYTE -1		
	000DD ;TPASKEY\$TO		
	U.205: .BLKB 0		
53 55 4F 4E 4F 52 48 43 4E 59 53 41	000DD ;TPASKEY\$T		
	U.207: .ASCII \ASYNCHRONOUS\		
	FF 000E9 .BYTE -1		
	000EA ;TPASKEY\$TO		
	U.212: .BLKB 0		
4F 49 5F 4B 43 4F 4C 42	000EA ;TPASKEY\$T		
	U.214: .ASCII \BLOCK_IO\		
	FF 000F2 .BYTE -1		
	000F3 ;TPASKEY\$TO		
	U.219: .BLKB 0		

45 44 4F 43 5F 54 45 4B 43 55 42 000F3 ;TPA\$KEYST	U.221: .ASCII \BUCKET_CODE\	:
FF 000FE ;TPA\$KEYSTO	BYTE -1	:
000FF ;TPA\$KEYSTO	U.226: BLKB 0	:
54 58 45 54 4E 4F 43 000FF ;TPA\$KEYST	U.228: .ASCII \CONTEXT\	:
FF 00106 ;TPA\$KEYSTO	BYTE -1	:
00107 ;TPA\$KEYSTO	U.233: BLKB 0	:
45 4C 49 46 5F 46 4F 5F 44 4E 45 00107 ;TPA\$KEYST	U.235: .ASCII \END_OF_FILE\	:
FF 00112 ;TPA\$KEYSTO	BYTE -1	:
00113 ;TPA\$KEYSTO	U.240: BLKB 0	:
45 54 45 4C 45 44 5F 54 53 41 46 00113 ;TPA\$KEYST	U.242: .ASCII \FAST_DELETE\	:
FF 0011E ;TPA\$KEYSTO	BYTE -1	:
0011F ;TPA\$KEYSTO	U.247: BLKB 0	:
53 54 45 4B 43 55 42 5F 4C 4C 49 46 0011F ;TPA\$KEYST	U.249: .ASCII \FILL_BUCKETS\	:
FF 0012B ;TPA\$KEYSTO	BYTE -1	:
0012C ;TPA\$KEYSTO	U.254: BLKB 0	:
55 51 45 5F 52 45 54 41 45 52 47 5F 59 45 4B 0012C ;TPA\$KEYST	U.256: .ASCII \KEY_GREATER_EQUAL\	:
4C 41 0013B ;TPA\$KEYSTO	BYTE -1	:
FF 0013D ;TPA\$KEYSTO	U.261: BLKB 0	:
0013E ;TPA\$KEYSTO	U.263: .ASCII \KEY_GREATER_THAN\	:
4E 0013E ;TPA\$KEYSTO	BYTE -1	:
FF 0014F ;TPA\$KEYSTO	U.268: BLKB 0	:
54 49 4D 49 4C 5F 59 45 4B 0014F ;TPA\$KEYST	U.270: .ASCII \KEY_LIMIT\	:
FF 00158 ;TPA\$KEYSTO	BYTE -1	:
00159 ;TPA\$KEYSTO	U.275: BLKB 0	:
43 4E 45 52 45 46 45 52 5F 46 4F 5F 59 45 4B 00159 ;TPA\$KEYST	U.277: .ASCII \KEY_OF_REFERENCE\	:
45 00168 ;TPA\$KEYSTO	BYTE -1	:
FF 00169 ;TPA\$KEYSTO	U.282: BLKB 0	:
45 44 4F 4D 5F 45 54 41 43 4F 4C 0016A ;TPA\$KEYST	U.284: .ASCII \LOCATE_MODE\	:
FF 00175 ;TPA\$KEYSTO	BYTE -1	:
00176 ;TPA\$KEYSTO	U.289: BLKB 0	:
44 41 45 52 5F 4E 4F 5F 4B 43 4F 4C 00176 ;TPA\$KEYST	U.291: .ASCII \LOCK_ON_READ\	:
FF 00182 ;TPA\$KEYSTO	BYTE -1	:
00183 ;TPA\$KEYSTO		:

45 54 49 52 57 5F 4E 4F 5F 4B 43 4F 4C 00183	U.296: BLKB 0 ;TPASKEY\$T
FF 00190	U.298: .ASCII \LOCK_ON_WRITE\
00191	;TPASKEY\$T0
4E 49 4B 43 4F 4C 4E 55 5F 4C 41 55 4E 41 4D 00191	U.303: BLKB 0 ;TPASKEY\$T
47 001A0	U.305: .ASCII \MANUAL_UNLOCKING\
FF 001A1	;TPASKEY\$T0
001A2	U.310: BLKB 0 ;TPASKEY\$T
4E 55 4F 43 5F 4B 43 4F 4C 42 49 54 4C 55 4D 001A2	U.312: .ASCII \MULTIBLOCK_COUNT\
54 001B1	;TPASKEY\$T0
FF 001B2	U.317: BLKB 0 ;TPASKEY\$T
001B3	U.319: .ASCII \MULTIBUFFER_COUNT\
55 4F 43 5F 52 45 46 46 55 42 49 54 4C 55 4D 001B3	;TPASKEY\$T0
54 4E 001C2	U.324: BLKB 0 ;TPASKEY\$T
FF 001C4	U.326: .ASCII \NOLOCK\
001C5	;TPASKEY\$T0
4B 43 4F 4C 4F 4E 001C5	U.331: BLKB 0 ;TPASKEY\$T
FF 001CB	U.333: .ASCII \NONEXISTENT_RECORD\
001CC	;TPASKEY\$T0
43 45 52 5F 54 4E 45 54 53 49 58 45 4E 4F 4E 001CC	U.338: BLKB 0 ;TPASKEY\$T
44 52 4F 001DB	U.340: .ASCII \READ_AHEAD\
FF 001DE	;TPASKEY\$T0
001DF	U.345: BLKB 0 ;TPASKEY\$T
44 41 45 48 41 5F 44 41 45 52 001DF	U.347: .ASCII \READ REGARDLESS\
FF 001E9	;TPASKEY\$T0
001EA	U.352: BLKB 0 ;TPASKEY\$T
53 53 45 4C 44 52 41 47 45 52 5F 44 41 45 52 001EA	U.354: .ASCII \TIMEOUT_ENABLE\
FF 001F9	;TPASKEY\$T0
001FA	U.359: BLKB 0 ;TPASKEY\$T
45 4C 42 41 4E 45 5F 54 55 4F 45 4D 49 54 001FA	U.361: .ASCII \TIMEOUT_PERIOD\
FF 00208	;TPASKEY\$T0
00209	U.366: BLKB 0 ;TPASKEY\$T
44 4F 49 52 45 50 5F 54 55 4F 45 4D 49 54 00209	U.368: .ASCII \TRUNCATE_ON_PUT\
FF 00217	
00218	
54 55 50 5F 4E 4F 5F 45 54 41 43 4E 55 52 54 00218	

		FF	00227	.BYTE	-1																											
		00228	;TPASKEY\$TO			:																										
52	54	4E	4F	43	5F	4C	45	43	4E	41	43	5F	54	54	00228	U.373: .BLKB	0															
															;TPASKEY\$T			:														
															U.375: .ASCII	\TT_CANCEL_CONTROL_0\																
															4F	5F	4C	4F	00237	.BYTE	-1											
															FF	0023B	;TPASKEY\$TO			:												
															U.380: .BLKB	0																
															54	50	4D	4F	52	50	5F	54	54	0023C	;TPASKEY\$T		:					
															FF	00245	U.382: .ASCII	\TT_PROMPT\														
41	5F	45	50	59	54	5F	45	47	52	55	50	5F	54	54	00246	00246	;TPASKEY\$TO			:												
															U.387: .BLKB	0																
															44	41	45	48	00255	.BYTE	-1											
															FF	00259	0025A	;TPASKEY\$TO		:												
															U.394: .BLKB	0																
															4F	48	43	45	4F	4E	5F	44	41	45	52	5F	54	54	0025A	;TPASKEY\$T		:
															FF	00268	U.396: .ASCII	\TT_READ_NOECHO\														
45	54	4C	49	46	4F	4E	5F	44	41	45	52	5F	54	54	00269	00269	;TPASKEY\$TO			:												
															U.401: .BLKB	0																
															52	00278	U.403: .ASCII	\TT_READ_NOFILTER\														
															FF	00279	0027A	;TPASKEY\$TO		:												
															U.408: .BLKB	0																
54	55	50	4E	49	5F	45	53	41	43	50	55	5F	54	54	0027A	0027A	;TPASKEY\$T			:												
															FF	00289	U.410: .ASCII	\TT_UPCASE_INPUT\														
															0028A	;TPASKEY\$TO			:													
															U.415: .BLKB	0																
															46	49	5F	45	54	41	44	50	55	0028A	;TPASKEY\$T		:					
															FF	00293	U.417: .ASCII	\UPDATE_IF\														
															00294	;TPASKEY\$TO			:													
44	52	4F	43	45	52	5F	52	4F	46	5F	54	49	41	57	00294	00294	;TPASKEY\$T			:												
															FF	002A3	U.424: .ASCII	\WAIT_FOR_RECORD\														
															002A4	;TPASKEY\$TO			:													
															U.429: .BLKB	0																
															44	4E	49	48	45	42	5F	45	54	49	52	57	002A4	;TPASKEY\$T		:		
															FF	002B0	U.431: .ASCII	\WRITE_BEHIND\														
															FF	002B1	002B2	;TPASKEY\$ILL		:												
															U.436: .BYTE	-1																
															50	55	4B	43	41	42	002B2	;TPASKEY\$T		:								
															FF	002B8	U.438: .BLKB	0														
															002B9	;TPASKEY\$TO			:													
															U.440: .ASCII	\BACKUP\																
															FF	002B8	.BYTE	-1														

4E 4F 49 54 41 45 52 43 002B9	U.445: .BLKB 0 ;TPASKEY\$T	;
FF 002C1	U.447: .ASCII \CREATION\	;
002C2	.BYTE -1	;
4E 4F 49 54 41 52 49 50 58 45 002C2	;TPASKEY\$TO	;
FF 002CC	U.452: .BLKB 0	;
002CD	;TPASKEY\$T	;
FF 002D5	U.454: .ASCII \EXPIRATION\	;
FF 002D6	.BYTE -1	;
002D7	;TPASKEY\$TO	;
FF 002D7	U.459: .BLKB 0	;
002D8	;TPASKEY\$T	;
FF 002D9	U.461: .ASCII \REVISION\	;
FF 002D9	.BYTE -1	;
4E 4F 49 54 41 43 4F 4C 4C 41 002D7	;TPASKEY\$T	;
FF 002E1	U.466: .BYTE -1	;
002E2	;TPASKEY\$TO	;
FF 002E2	U.468: .BLKB 0	;
53 55 4F 55 002F1	;TPASKEY\$T	;
FF 002F5	U.470: .ASCII \ALLOCATION\	;
002F6	.BYTE -1	;
47 49 54 4E 4F 43 5F 59 52 54 5F 54 53 45 42 002E2	;TPASKEY\$TO	;
53 55 4F 55 002F1	U.475: .BLKB 0	;
FF 002F1	;TPASKEY\$T	;
002F5	U.477: .ASCII \BEST_TRY_CONTIGUOUS\	;
002F6	.BYTE -1	;
45 5A 49 53 5F 54 45 4B 43 55 42 002F6	;TPASKEY\$T	;
FF 00301	U.482: .BLKB 0	;
00302	;TPASKEY\$T	;
FF 00302	U.484: .ASCII \BUCKET_SIZE\	;
00306	.BYTE -1	;
45 5A 49 53 5F 52 45 54 53 55 4C 43 00302	;TPASKEY\$T	;
FF 0030E	U.489: .BLKB 0	;
0030F	;TPASKEY\$T	;
FF 0030F	U.491: .ASCII \CLUSTER_SIZE\	;
00310	.BYTE -1	;
54 58 45 54 4E 4F 43 0030F	;TPASKEY\$T	;
FF 00316	U.496: .BLKB 0	;
00317	;TPASKEY\$T	;
FF 00316	U.498: .ASCII \CONTEXT\	;
00317	.BYTE -1	;
53 55 4F 55 47 49 54 4E 4F 43 00317	;TPASKEY\$T	;
FF 00321	U.503: .BLKB 0	;
00322	;TPASKEY\$T	;
FF 00321	U.505: .ASCII \CONTIGUOUS\	;
00322	.BYTE -1	;
46 49 5F 45 54 41 45 52 43 00322	;TPASKEY\$T	;
FF 0032B	U.510: .BLKB 0	;
0032C	;TPASKEY\$T	;
FF 0032B	U.512: .ASCII \CREATE_IF\	;
0032C	.BYTE -1	;
45 4D 41 4E 5F 54 4C 55 41 46 45 44 0032C	;TPASKEY\$T	;
FF 00338	U.517: .BLKB 0	;
0032C	;TPASKEY\$T	;
FF 00338	U.519: .ASCII \DEFAULT_NAME\	;
0032C	.BYTE -1	;

45 54 49 52 57 5F 44 45 52 52 45 46 45 44	00339 ;TPASKEYSTO U.524: BLKB 0	:
	00339 ;TPASKEYST U.526: .ASCII \DEFERRED_WRITE\	:
FF	00347 .BYTE -1	:
45 53 4F 4C 43 5F 4E 4F 5F 45 54 45 4C 45 44	00348 ;TPASKEYSTO U.531: BLKB 0	:
	00348 ;TPASKEYST U.533: .ASCII \DELETE_ON_CLOSE\	:
FF	00357 .BYTE -1	:
00358 ;TPASKEYSTO U.538: BLKB 0	00358 ;TPASKEYST U.540: .ASCII \DIRECTORY_ENTRY\	:
FF	00367 .BYTE -1	:
4E 4F 49 53 4E 45 54 58 45 00368 ;TPASKEYST U.545: BLKB 0	00368 ;TPASKEYST U.547: .ASCII \EXTENSION\	:
FF	00371 .BYTE -1	:
00372 ;TPASKEYSTO U.552: BLKB 0	00372 ;TPASKEYST U.554: .ASCII \GLOBAL_BUFFER_COUNT\	:
54 4E 55 4F 00381 .BYTE -1	00381 .BYTE -1	:
FF	00385 ;TPASKEYSTO U.559: BLKB 0	:
42 4D 55 4E 5F 44 52 4F 43 45 52 5F 58 41 4D 00386 ;TPASKEYST U.561: .ASCII \MAX_RECORD_NUMBER\	00386 ;TPASKEYST U.561: .ASCII \MAX_RECORD_NUMBER\	:
52 45 00395 .BYTE -1	00395 .BYTE -1	:
FF	00397 ;TPASKEYSTO U.566: BLKB 0	:
4F 49 53 52 45 56 5F 45 5A 49 4D 49 58 41 4D 00398 ;TPASKEYST U.568: .ASCII \MAXIMIZE_VERSION\	00398 ;TPASKEYST U.568: .ASCII \MAXIMIZE_VERSION\	:
4E 003A7 .BYTE -1	003A7 .BYTE -1	:
FF	003A8 ;TPASKEYSTO U.573: BLKB 0	:
45 5A 49 53 5F 4B 43 4F 4C 42 5F 54 4D 003A9 ;TPASKEYST U.575: .ASCII \MT_BLOCK_SIZE\	003A9 ;TPASKEYST U.575: .ASCII \MT_BLOCK_SIZE\	:
FF	003B6 .BYTE -1	:
003B7 ;TPASKEYSTO U.580: BLKB 0	003B7 ;TPASKEYST U.582: .ASCII \MT_CLOSE_REWIND\	:
44 4E 49 57 45 52 5F 45 53 4F 4C 43 5F 54 4D 003B7 ;TPASKEYST U.582: .ASCII \MT_CLOSE_REWIND\	003B7 ;TPASKEYST U.587: BLKB 0	:
FF	003C6 .BYTE -1	:
003C7 ;TPASKEYSTO U.587: BLKB 0	003C7 ;TPASKEYST U.589: .ASCII \MT_CURRENT_POSITION\	:
49 53 4F 50 5F 54 4E 45 52 52 55 43 5F 54 4D 003C7 ;TPASKEYST U.589: .ASCII \MT_CURRENT_POSITION\	003C7 ;TPASKEYST U.594: BLKB 0	:
4E 4F 49 54 003D6 .BYTE -1	003D6 .BYTE -1	:
FF	003DA ;TPASKEYSTO U.594: BLKB 0	:
46 4F 45 5F 54 4F 4E 5F 54 4D 003DB ;TPASKEYST	003DB ;TPASKEYST	:

			FF 0046E	U.673: .ASCII \READ_CHECK\	:
			0046F	;TPASKEY\$TO .BYTE -1	:
	4E 4F 49 53 49 56 45 52	0046F	U.678: .BLKB 0	:	
59	4C 4E 4F 5F 4C 41 49 54	4E 45 55 51 45 53	00477	;TPASKEY\$T .ASCII \REVISION\	:
			00478	.BYTE -1	:
			FF 00487	;TPASKEY\$TO .BLKB 0	:
			00488	U.685: .BLKB 0	:
			FF 00487	U.687: .ASCII \SEQUENTIAL_ONLY\	:
			00488	.BYTE -1	:
45	53 4F 4C 43 5F 4E 4F 5F	54 49 4D 42 55 53	00488	;TPASKEY\$T .BLKB 0	:
			FF 00497	U.692: .BLKB 0	:
	45 44 45 53 52 45 50 55 53	00498	U.694: .ASCII \SUBMIT_ON_CLOSE\	:	
			FF 004A1	.BYTE -1	:
			004A2	;TPASKEY\$TO .BLKB 0	:
	59 52 41 52 4F 50 4D 45 54	004A2	U.706: .BLKB 0	:	
			FF 004AB	U.708: .ASCII \SUPERSEDE\	:
			004AC	.BYTE -1	:
4F	4C 43 5F 4E 4F 5F 45 54	41 43 4E 55 52 54	004AC	;TPASKEY\$T .BLKB 0	:
		45 53	004BB	U.713: .BLKB 0	:
			FF 004BD	U.715: .ASCII \TRUNCATE_ON_CLOSE\	:
			004BE	.BYTE -1	:
4E	45 50 4F 5F 45 4C 49 46	5F 52 45 53 55 004BE	U.720: .BLKB 0	:	
			FF 004CC	U.722: .ASCII \USER_FILE_OPEN\	:
			004CD	.BYTE -1	:
	45 5A 49 53 5F 57 4F 44 4E 49	57 004CD	;TPASKEY\$T .BLKB 0	:	
			FF 004D8	U.727: .BLKB 0	:
			004D9	U.729: .ASCII \WINDOW_SIZE\	:
			FF 004D9	.BYTE -1	:
4B	43 45 48 43 5F 45 54 49	52 57 004D9	;TPASKEY\$T .BLKB 0	:	
			FF 004E4	U.734: .BLKB 0	:
			FF 004E5	U.736: .ASCII \WRITE_CHECK\	:
			004E5	.BYTE -1	:
			004E6	;TPASKEY\$FILL .BYTE -1	:
			004E6	;TPASKEY\$TO .BLKB 0	:
	45 47 41 4D 49 5F 52 45 54	46 41 004E6	U.741: .BLKB 0	:	
			FF 004F1	U.743: .BLKB 0	:
			004F2	U.745: .ASCII \AFTER_IMAGE\	:
			FF 004F1	.BYTE -1	:
			004F2	;TPASKEY\$TO .BLKB 0	:
			U.750: .BLKB 0		

45 4D 41 4E 5F 52 45 54 46 41 004F2	:TPA\$KEYST	
FF 004FC	U.752: .ASCII	\AFTER_NAME\
004FD	.BYTE	-1
4C 49 41 52 54 5F 54 49 44 55 41 004FD	:TPA\$KEYSTO	
	U.757: .BLKB	0
FF 00508	:TPA\$KEYST	
00509	U.759: .ASCII	\AUDIT_TRAIL\
	.BYTE	-1
45 4D 41 4E 5F 54 49 44 55 41 00509	:TPA\$KEYSTO	
	U.764: .BLKB	0
FF 00513	:TPA\$KEYST	
00514	U.766: .ASCII	\AUDIT_NAME\
	.BYTE	-1
45 47 41 4D 49 5F 45 52 4F 46 45 42 00514	:TPA\$KEYSTO	
	U.771: .BLKB	0
FF 00520	:TPA\$KEYST	
00521	U.773: .ASCII	\BEFORE_IMAGE\
	.BYTE	-1
45 4D 41 4E 5F 45 52 4F 46 45 42 00521	:TPA\$KEYSTO	
	U.778: .BLKB	0
FF 0052C	:TPA\$KEYST	
0052D	U.780: .ASCII	\BEFORE_NAME\
	.BYTE	-1
54 49 4E 55 5F 59 52 45 56 4F 43 45 52 0052D	:TPA\$KEYSTO	
	U.785: .BLKB	0
FF 0053A	:TPA\$KEYST	
FF 0053B	U.787: .ASCII	\RECOVERY_UNIT\
	.BYTE	-1
	:TPA\$KEYFILL	
0053C	U.792: .BYTE	-1
	:TPA\$KEYSTO	
	U.794: .BLKB	0
53 45 47 4E 41 48 43 0053C	:TPA\$KEYST	
	U.796: .ASCII	\CHANGES\
FF 00543	.BYTE	-1
00544	:TPA\$KEYSTO	
	U.801: .BLKB	0
41 45 52 41 5F 41 54 41 44 00544	:TPA\$KEYST	
	U.803: .ASCII	\DATA_AREA\
FF 0054D	.BYTE	-1
0054E	:TPA\$KEYSTO	
	U.808: .BLKB	0
4C 4C 49 46 5F 41 54 41 44 0054E	:TPA\$KEYST	
	U.810: .ASCII	\DATA_FILL\
FF 00557	.BYTE	-1
00558	:TPA\$KEYSTO	
	U.815: .BLKB	0
45 52 50 4D 4F 43 5F 59 45 4B 5F 41 54 41 44 00558	:TPA\$KEYST	
	U.817: .ASCII	\DATA_KEY_COMPRESSION\
4E 4F 49 53 53 53 00567	.BYTE	-1
FF 0056C	:TPA\$KEYSTO	
0056D	U.822: .BLKB	0
4D 4F 43 5F 44 52 4F 43 45 52 5F 41 54 41 44 0056D	:TPA\$KEYST	
	U.824: .ASCII	\DATA_RECORD_COMPRESSION\
4E 4F 49 53 53 45 52 50 0057C	.BYTE	-1
FF 00584		

		005FC :TPASKEYSTO																								
45	50	59	54	5F	30	47	45	53	005FC :TPASKEYST	U.918: .BLKB 0																
								FF	00605	U.920: .ASCII \SEGO_TYPE\																
									00606	;TPASKEYSTO	BYTE -1															
										U.925: .BLKB 0																
								45	50	59	54	00606	;TPASKEYST	U.927: .ASCII \TYPE\												
								FF	0060A	BYTE -1																
								FF	0060B	;TPASKEYFILL	U.934: .BYTE -1															
									0060C	;TPASKEYSTO																
										U.938: .BLKB 0																
								48	54	47	4E	45	4C	0060C	;TPASKEYST	U.940: .ASCII \LENGTH\										
								FF	00612	BYTE -1																
								FF	00613	;TPASKEYFILL	U.943: .BYTE -1															
									00614	;TPASKEYSTO																
										U.946: .BLKB 0																
								4E	4F	49	54	49	53	4F	50	00614	;TPASKEYST	U.948: .ASCII \POSITION\								
								FF	0061C	BYTE -1																
								FF	0061D	;TPASKEYFILL	U.951: .BYTE -1															
									0061E	;TPASKEYSTO																
										U.954: .BLKB 0																
								45	50	59	54	0061E	;TPASKEYST	U.956: .ASCII \TYPE\												
								FF	00622	BYTE -1																
								FF	00623	;TPASKEYFILL	U.959: .BYTE -1															
									00624	;TPASKEYSTO																
										U.968: .BLKB 0																
								4E	41	50	53	5F	4B	43	4F	4C	42	00624	;TPASKEYST	U.970: .ASCII \BLOCK_SPAN\						
								FF	0062E	BYTE -1																
								0062F	;TPASKEYSTO																	
										U.975: .BLKB 0																
4F	52	54	4E	4F	43	5F	45	47	41	49	52	52	41	43	0062F	;TPASKEYST	U.977: .ASCII \CARRIAGE_CONTROL\									
								4C	0063E																	
								FF	0063F	BYTE -1																
									00640	;TPASKEYSTO																
										U.982: .BLKB 0																
								53	5F	44	4C	45	49	46	5F	4C	4F	52	54	4E	4F	43	00640	;TPASKEYST	U.984: .ASCII \CONTROL_FIELD_SIZE\	
								45	5A	49	0064F															
								FF	00652	BYTE -1																
									00653	;TPASKEYSTO																
										U.989: .BLKB 0																
								54	41	4D	52	4F	46	00653	;TPASKEYST	U.991: .ASCII \FORMAT\										
								FF	00659	BYTE -1																
									0065A	;TPASKEYSTO																
										U.996: .BLKB 0																

45	5A	49	53	0065A	;TPASKEYST												
				FF	U.998: .ASCII	\SIZE\											
				FF	0065E	.BYTE -1											
				FF	0065F	;TPASKEYFILL											
					U.1003: .BYTE	-1											
					00660	;TPASKEYSTO											
					U.1005: .BLKB	0											
45	54	45	4C	45	44	00660	;TPASKEYST										
						U.1007: .ASCII	\DELETE\										
				FF	00666	.BYTE -1											
				FF	00667	;TPASKEYSTO											
					U.1012: .BLKB	0											
54	45	47		00667	;TPASKEYST												
					U.1014: .ASCII	\GET\											
				FF	0066A	.BYTE -1											
				FF	0066B	;TPASKEYSTO											
					U.1019: .BLKB	0											
4D	41	45	52	54	53	49	54	4C	55	4D	0066B	;TPASKEYST					
						U.1021: .ASCII	\MULTISTREAM\										
				FF	00676	.BYTE -1											
				FF	00677	;TPASKEYSTO											
					U.1026: .BLKB	0											
54	49	42	49	48	4F	52	50	00677	;TPASKEYST								
						U.1028: .ASCII	\PROHIBIT\										
				FF	0067F	.BYTE -1											
				FF	00680	;TPASKEYSTO											
					U.1033: .BLKB	0											
54	55	50		00680	;TPASKEYST												
					U.1035: .ASCII	\PUT\											
				FF	00683	.BYTE -1											
				FF	00684	;TPASKEYSTO											
					U.1040: .BLKB	0											
45	54	41	44	50	55	00684	;TPASKEYST										
						U.1042: .ASCII	\UPDATE\										
				FF	0068A	.BYTE -1											
				FF	0068B	;TPASKEYSTO											
					U.1047: .BLKB	0											
4B	43	4F	4C	52	45	54	4E	49	5F	52	45	53	55	0068B	;TPASKEYST		
						U.1049: .ASCII	\USER_INTERLOCK\										
				FF	00699	.BYTE -1											
				FF	0069A	;TPASKEYFILL											
					U.1054: .BYTE	-1											
				FF	0069B	;TPASKEYSTO											
					U.1056: .BLKB	0											
45	43	49	56	45	44	0069B	;TPASKEYST										
						U.1058: .ASCII	\DEVICE\										
				FF	006A1	.BYTE -1											
				FF	006A2	;TPASKEYSTO											
					U.1063: .BLKB	0											
45	43	52	55	4F	53	006A2	;TPASKEYST										
						U.1065: .ASCII	\SOURCE\										
				FF	006A8	.BYTE -1											
				FF	006A9	;TPASKEYSTO											
					U.1070: .BLKB	0											
54	45	47	52	41	54	006A9	;TPASKEYST										
						U.1072: .ASCII	\TARGET\										
				FF	006AF	.BYTE -1											

FF 006B0 ;TPASKEYFILL
 U.1077: BYTE -1
 006B1 ;TPASKEYSTO
 U.1079: BLKB 0
 52 45 44 4E 49 4C 59 43 5F 59 4E 41 006B1 ;TPASKEYST
 U.1081: .ASCII \ANY_CYLINDER\
 FF 006BD ;TPASKEYSTO
 U.1086: BYTE -1
 006BE ;TPASKEYSTO
 U.1088: .ASCII \CLUSTER\
 52 45 54 53 55 4C 43 006C5 ;TPASKEYST
 U.1093: BYTE -1
 006C6 ;TPASKEYSTO
 U.1095: .ASCII \CYLINDER\
 FF 006CE ;TPASKEYSTO
 U.1100: BYTE -1
 44 49 5F 45 4C 49 46 006CF ;TPASKEYST
 U.1102: .ASCII \FILE_ID\
 FF 006D6 ;TPASKEYSTO
 U.1107: BYTE -1
 006D7 ;TPASKEYSTO
 U.1109: .ASCII \FILE_NAME\
 45 4D 41 4E 5F 45 4C 49 46 006D7 ;TPASKEYST
 U.1114: BYTE -1
 FF 006E0 ;TPASKEYSTO
 U.1116: .ASCII \LOGICAL\
 4C 41 43 49 47 4F 4C 006E1 ;TPASKEYST
 U.1118: BYTE -1
 006E9 ;TPASKEYSTO
 U.1121: BLKB 0
 45 4E 4F 4E 006E9 ;TPASKEYST
 U.1123: .ASCII \NONE\
 FF 006ED ;TPASKEYSTO
 U.1128: BYTE -1
 006EE ;TPASKEYSTO
 U.1130: .ASCII \VIRTUAL\
 4C 41 55 54 52 49 56 006EE ;TPASKEYST
 FF 006F5 ;TPASKEYFILL
 U.1135: BYTE -1
 FF 006F6 ;TPASKEYSTO
 U.1166: BLKB 0
 4D 45 54 53 59 53 006F7 ;TPASKEYST
 U.1168: .ASCII \SYSTEM\
 FF 006FD ;TPASKEYSTO
 U.1172: BYTE -1
 52 45 4E 57 4F 006FE ;TPASKEYST
 U.1174: .ASCII \OWNER\
 FF 00703 ;TPASKEYSTO
 U.1178: BLKB 0
 50 55 4F 52 47 00704 ;TPASKEYST

							U.1180: .ASCII \GROUP\	
							FF 00709 :TPA\$KEY\$TO BYTE -1	
							0070A ;TPA\$KEY\$TO U.1184: BLKB 0	
44	4C	52	4F	57	0070A	;TPA\$KEY\$T U.1186: .ASCII \WORLD\		
						FF 0070F :TPA\$KEY\$FILL BYTE -1		
						FF 00710 :TPA\$KEY\$TO U.1190: BYTE -1		
						00711 ;TPA\$KEY\$TO U.1285: BLKB 0		
44	45	58	45	44	4E	49 00711 ;TPA\$KEY\$T U.1287: .ASCII \INDEXED\		
						FF 00718 :TPA\$KEY\$TO BYTE -1		
						00719 ;TPA\$KEY\$TO U.1292: BLKB 0		
45	56	49	54	41	4C	45 52 00719 ;TPA\$KEY\$T U.1294: .ASCII \RELATIVE\		
						FF 00721 :TPA\$KEY\$TO BYTE -1		
						00722 ;TPA\$KEY\$TO U.1299: BLKB 0		
4C	41	49	54	4E	45	55 51 45 53 00722 ;TPA\$KEY\$T U.1301: .ASCII \SEQUENTIAL\		
						FF 0072C :TPA\$KEY\$FILL BYTE -1		
						FF 0072D :TPA\$KEY\$TO U.1306: BYTE -1		
						0072E ;TPA\$KEY\$TO U.1308: BLKB 0		
						53 41 49 0072E ;TPA\$KEY\$T U.1310: .ASCII \IAS\		
						FF 00731 :TPA\$KEY\$TO BYTE -1		
						00732 ;TPA\$KEY\$TO U.1315: BLKB 0		
45	2F	53	54	53	52 00732 ;TPA\$KEY\$T U.1317: .ASCII \RSTS/E\			
						FF 00738 :TPA\$KEY\$TO BYTE -1		
						00739 ;TPA\$KEY\$TO U.1322: BLKB 0		
4D	31	31	2D	58	53 52 00739 ;TPA\$KEY\$T U.1324: .ASCII \RSX-11M\			
						FF 00740 :TPA\$KEY\$TO BYTE -1		
						00741 ;TPA\$KEY\$TO U.1329: BLKB 0		
53	55	4C	50	2D	4D 31 31 2D 58 53 52 00741 ;TPA\$KEY\$T U.1331: .ASCII \RSX-11M-PLUS\			
						FF 0074D :TPA\$KEY\$TO BYTE -1		
						0074E ;TPA\$KEY\$TO U.1336: BLKB 0		
						31 31 2D 54 52 0074E ;TPA\$KEY\$T U.1338: .ASCII \RT-11\		
						FF 00753 :TPA\$KEY\$TO BYTE -1		
						00754 ;TPA\$KEY\$TO U.1343: BLKB 0		
31	31	2D	58	41	52 54 00754 ;TPA\$KEY\$T U.1345: .ASCII \TRAX-11\			
						FF 0075B :TPA\$KEY\$TO BYTE -1		
						0075C ;TPA\$KEY\$TO		

		FF	007CC	BYTE	-1	:				
		007CD	;TPASKEY\$TO							
4D	41	45	52	54	53	U.1426: .BLKB 0				
		007CD	;TPASKEY\$T							
		FF	007D3	U.1428: .ASCII \STREAM\		:				
		007D4	;TPASKEY\$TO							
52	43	5F	4D	41	45	52	54	53	U.1433: .BLKB 0	
		007D4	;TPASKEY\$T							
		FF	007DD	U.1435: .ASCII \STREAM_CR\		:				
		007DE	;TPASKEY\$TO							
46	4C	5F	4D	41	45	52	54	53	U.1440: .BLKB 0	
		007DE	;TPASKEY\$T							
		FF	007E7	U.1442: .ASCII \STREAM_LF\		:				
		007E8	;TPASKEY\$TO							
44	45	4E	49	46	45	44	4E	55	U.1447: .BLKB 0	
		007E8	;TPASKEY\$T							
		FF	007F1	U.1449: .ASCII \UNDEFINED\		:				
		007F2	;TPASKEY\$TO							
45	4C	42	41	49	52	41	56	007F2	U.1454: .BLKB 0	
		007F2	;TPASKEY\$T							
		FF	007FA	U.1456: .ASCII \VARIABLE\		:				
		007FB	;TPASKEY\$TO							
43	46	56	007FB	U.1461: .BLKB 0		:				
		007FB	;TPASKEY\$T							
		FF	007FE	U.1463: .ASCII \VFC\		:				
		007FF	;TPASKEY\$ILL							
		FF	00800	U.1468: .BYTE -1		:				
		00800	;TPASKEY\$TO							
32	4E	49	42	00800	;TPASKEY\$T					
		00800	U.1470: .BLKB 0			:				
		FF	00804	U.1472: .ASCII \BIN2\		:				
		00805	;TPASKEY\$TO							
34	4E	49	42	00805	U.1477: .BLKB 0		:			
		00805	;TPASKEY\$T							
		FF	00809	U.1479: .ASCII \BIN4\		:				
		0080A	;TPASKEY\$TO							
38	4E	49	42	0080A	U.1484: .BLKB 0		:			
		0080A	;TPASKEY\$T							
		FF	0080E	U.1486: .ASCII \BIN8\		:				
		0080F	;TPASKEY\$TO							
4C	41	4D	49	43	45	44	0080F	;TPASKEY\$T		
		0080F	U.1491: .BLKB 0			:				
		FF	00816	U.1493: .ASCII \DECIMAL\		:				
		00817	;TPASKEY\$TO							
32	54	4E	49	00817	U.1498: .BLKB 0		:			
		00817	;TPASKEY\$T							
		FF	00817	U.1500: .ASCII \INT2\		:				

L 7
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

			FF	0081B	.BYTE	-1														
				0081C	;TPASKEY\$TO		:													
			34	54	4E	49	0081C	U.1505: .BLKB	0											
								;TPASKEY\$T		:										
								U.1507: .ASCII	\INT4\											
					FF	00820		.BYTE	-1											
						00821		;TPASKEY\$TO		:										
				38	54	4E	49	00821	U.1512: .BLKB	0										
								;TPASKEY\$T		:										
						FF	00825	U.1514: .ASCII	\INT8\											
							00826	.BYTE	-1											
			47	4E	49	52	54	00826	;TPASKEY\$TO		:									
								U.1519: .BLKB	0											
								;TPASKEY\$T		:										
							FF	U.1521: .ASCII	\STRING\											
								.BYTE	-1											
					FF	0082D		;TPASKEYFILL		:										
								U.1526: .BYTE	-1											
						0082E		;TPASKEY\$TO		:										
								U.1528: .BLKB	0											
			54	52	45	56	4E	4F	43	5F	54	53	41	46	0082E	;TPASKEY\$T		:		
								U.1530: .ASCII	\FAST_CONVERT\											
							FF	.BYTE	-1											
				54	52	45	56	4E	4F	43	5F	54	53	41	46	0083A	0083B	;TPASKEY\$TO		:
								U.1535: .BLKB	0											
							FF	0083B	;TPASKEY\$T		:									
								U.1537: .ASCII	\NOFAST_CONVERT\											
							FF	.BYTE	-1											
							00849	0084A	;TPASKEY\$TO		:									
								U.1542: .BLKB	0											
								;TPASKEY\$T		:										
					53	54	55	50	5F	53	4D	52	0084A	U.1544: .ASCII	\RMS_PUTS\		:			
								.BYTE	-1											
							FF	00852	00853	;TPASKEYFILL		:								
								U.1549: .BYTE	-1											
							00854		;TPASKEY\$TO		:									
								U.1551: .BLKB	0											
								;TPASKEY\$T		:										
			53	45	4C	49	46	5F	52	45	54	54	41	4C	46	00854	U.1553: .ASCII	\FLATTER_FILES\		:
								.BYTE	-1											
							FF	00861	00862	;TPASKEY\$TO		:								
								U.1558: .BLKB	0											
								;TPASKEY\$T		:										
							FF	00871	00872	U.1560: .ASCII	\SMALLER_BUFFERS\		:							
								.BYTE	-1											
							FF	00872		;TPASKEYFILL		:								
								U.1565: .BYTE	-1											
							00873		;TPASKEY\$TO		:									
								U.1567: .BLKB	0											
								;TPASKEY\$T		:										
					44	44	41	00873		U.1569: .ASCII	\ADD\		:							
								.BYTE	-1											
							FF	00876	00877	;TPASKEY\$TO		:								
								U.1574: .BLKB	0											
								;TPASKEY\$T		:										
					4C	4C	49	46	00877	U.1576: .ASCII	\FILL\		:							
								.BYTE	-1											

				0087C ;TPASKEYST0	
54	49	4E	49	U.1581: .BLKB	0
				0087C ;TPASKEYST	
	FF	00880		U.1583: .ASCII	\INIT\
		00881		.BYTE	-1
59	45	4B	00881	;TPASKEYST0	
				U.1588: .BLKB	0
	FF	00884		00885 ;TPASKEYST	
				U.1590: .ASCII	\KEY\
	FF	00884		.BYTE	-1
45	4E	49	4C	00885 ;TPASKEYST	
				U.1595: .BLKB	0
	FF	00889		0088A ;TPASKEYST0	
				U.1602: .BLKB	0
44	52	4F	43	45	52
				0088A ;TPASKEYST	
				U.1604: .ASCII	\RECORD\
	FF	00890		.BYTE	-1
	FF	00891		;TPASKEYFILL	
				U.1609: .BYTE	-1
		00892		;TPASKEYST0	
				U.1611: .BLKB	0
44	44	41	00892	;TPASKEYST	
				U.1613: .ASCII	\ADD\
	FF	00895		.BYTE	-1
		00896		;TPASKEYST0	
				U.1617: .BLKB	0
45	54	45	4C	45	44
				00896 ;TPASKEYST	
				U.1619: .ASCII	\DELETE\
	FF	0089C		.BYTE	-1
		0089D		;TPASKEYST0	
54	49	58	45	0089D ;TPASKEYST	
				U.1623: .BLKB	0
	FF	008A1		U.1625: .ASCII	\EXIT\
		008A2		.BYTE	-1
50	4C	45	48	008A2 ;TPASKEYST	
				U.1629: .BLKB	0
	FF	008A6		U.1631: .ASCII	\HELP\
		008A7		.BYTE	-1
45	4B	4F	56	4E	49
				008A7 ;TPASKEYST	
	FF	008AD		U.1637: .ASCII	\INVOKE\
		008AE		.BYTE	-1
59	46	49	44	4F	4D
				008AE ;TPASKEYST	
	FF	008B4		U.1641: .BLKB	0
		008B5		008B5 ;TPASKEYST	
				U.1643: .ASCII	\MODIFY\
	FF	008B4		.BYTE	-1
54	49	55	51	008B5 ;TPASKEYST	
				U.1647: .BLKB	0
	FF	008B9		U.1649: .ASCII	\QUIT\
				.BYTE	-1

008BA ;TPASKEYST0
54 45 53 008BA ;TPASKEYST
U.1653: .BLKB 0
FF 008BD ;TPASKEYST
U.1655: .ASCII \SET\
008BE ;TPASKEYST0
U.1659: .BLKB 0
57 45 49 56 008BE ;TPASKEYST
U.1661: .ASCII \VIEW\
FF 008C2 ;TPASKEYFILL
U.1665: .BYTE -1
FF 008C3 ;TPASKEYST0
U.1665: .BYTE -1
008C4 ;TPASKEYST0
U.1671: .BLKB 0
52 41 008C4 ;TPASKEYST
U.1673: .ASCII \AR\
FF 008C6 ;TPASKEYST0
U.1678: .BLKB 0
46 42 008C7 ;TPASKEYST
U.1680: .ASCII \BF\
FF 008C9 ;TPASKEYST0
U.1685: .BLKB 0
4B 44 008CA ;TPASKEYST
U.1687: .ASCII \DK\
FF 008CC ;TPASKEYST0
U.1692: .BLKB 0
4D 45 008CD ;TPASKEYST
U.1694: .ASCII \EM\
FF 008CF ;TPASKEYST0
U.1699: .BLKB 0
44 46 008D0 ;TPASKEYST
U.1701: .ASCII \FD\
FF 008D2 ;TPASKEYST0
U.1706: .BLKB 0
43 49 008D3 ;TPASKEYST
U.1708: .ASCII \IC\
FF 008D5 ;TPASKEYST0
U.1713: .BLKB 0
4C 49 008D6 ;TPASKEYST
U.1715: .ASCII \IL\
FF 008D8 ;TPASKEYST0
U.1720: .BLKB 0
43 4B 008D9 ;TPASKEYST
U.1722: .ASCII \KC\
FF 008DB ;TPASKEYST0
U.1727: .BLKB 0
4C 4B 008DC ;TPASKEYST
U.1729: .ASCII \KL\
FF 008DE ;TPASKEYST0
U.1729: .BYTE -1

		008DF ;TPA\$KEYSTO		
		U.1734: BLKB 0		
50	4B	008DF ;TPA\$KEYST		
		U.1736: .ASCII \KP\		
	FF	008E1 .BYTE -1		
		008E2 ;TPA\$KEYSTO		
		U.1741: BLKB 0		
54	4B	008E2 ;TPA\$KEYST		
		U.1743: .ASCII \KT\		
	FF	008E4 .BYTE -1		
		008E5 ;TPA\$KEYSTO		
		U.1748: BLKB 0		
4D	4C	008E5 ;TPA\$KEYST		
		U.1750: .ASCII \LM\		
	FF	008E7 .BYTE -1		
		008E8 ;TPA\$KEYSTO		
		U.1755: BLKB 0		
56	50	008E8 ;TPA\$KEYST		
		U.1757: .ASCII \PV\		
	FF	008EA .BYTE -1		
		008EB ;TPA\$KEYSTO		
		U.1762: BLKB 0		
43	52	008EB ;TPA\$KEYST		
		U.1764: .ASCII \RC\		
	FF	008ED .BYTE -1		
		008EE ;TPA\$KEYSTO		
		U.1769: BLKB 0		
46	52	008EE ;TPA\$KEYST		
		U.1771: .ASCII \RF\		
	FF	008F0 .BYTE -1		
		008F1 ;TPA\$KEYSTO		
		U.1776: BLKB 0		
53	52	008F1 ;TPA\$KEYST		
		U.1778: .ASCII \RS\		
	FF	008F3 .BYTE -1		
		008F4 ;TPA\$KEYFILL		
		U.1783: .BYTE -1		
		008F5 ;TPA\$KEYSTO		
		U.1785: BLKB 0		
59	45	4B 5F 44 44 41 008F5 ;TPA\$KEYST		
		U.1787: .ASCII \ADD_KEY\		
	FF	008FC .BYTE -1		
		008FD ;TPA\$KEYSTO		
		U.1792: BLKB 0		
59	45	4B 5F 45 54 45 4C 45 44 008FD ;TPA\$KEYST		
		U.1794: .ASCII \DELETE_KEY\		
	FF	00907 .BYTE -1		
		00908 ;TPA\$KEYSTO		
		U.1799: BLKB 0		
44	45	58 45 44 4E 49 00908 ;TPA\$KEYST		
		U.1801: .ASCII \INDEXED\		
	FF	0090F .BYTE -1		
		00910 ;TPA\$KEYSTO		
		U.1806: BLKB 0		
45	5A	49 4D 49 54 50 4F 00910 ;TPA\$KEYST		
		U.1808: .ASCII \OPTIMIZE\		
	FF	00918 .BYTE -1		

					U.1889: .ASCII \GRANULARITY\	
				FF 0096E	.BYTE -1	
				0096F ;TPASKEY\$TO		
53 59 45 4B 5F 52 45 42 4D 55	4E	0096F ;TPASKEY\$T	U.1894: BLKB 0			
				FF 0097A	.ASCII \NUMBER_KEYS\	
				0097B ;TPASKEY\$TO	.BYTE -1	
54 55 50 54 55	4F	0097B ;TPASKEY\$T	U.1901: BLKB 0			
				FF 00981	.ASCII \OUTPUT\	
				00982 ;TPASKEY\$TO	.BYTE -1	
47 4E 49 54 50 4D 4F 52 50	00982 ;TPASKEY\$T	U.1908: BLKB 0				
				FF 0098B	.ASCII \PROMPTING\	
				0098C ;TPASKEY\$TO	.BYTE -1	
53 45 53 4E 4F 50 53 45 52	0098C ;TPASKEY\$T	U.1915: BLKB 0				
				FF 00995	.ASCII \RESPONSES\	
				FF 00996 ;TPASKEY\$FILL	.BYTE -1	
				00997 ;TPASKEY\$TO	.BYTE -1	
45 4C 42 55 4F 44	00997 ;TPASKEY\$T	U.1940: BLKB 0				
				FF 0099D	.ASCII \DOUBLE\	
				0099E ;TPASKEY\$TO	.BYTE -1	
52 55 4F 46	0099E ;TPASKEY\$T	U.1947: BLKB 0				
				FF 009A2	.ASCII \FOUR\	
				009A3 ;TPASKEY\$TO	.BYTE -1	
45 4E 4F	009A3 ;TPASKEY\$T	U.1954: BLKB 0				
				FF 009A6	.ASCII \ONE\	
				009A7 ;TPASKEY\$TO	.BYTE -1	
45 45 52 48 54	009A7 ;TPASKEY\$T	U.1961: BLKB 0				
				FF 009AC	.ASCII \THREE\	
				009AD ;TPASKEY\$TO	.BYTE -1	
4F 57 54	009AD ;TPASKEY\$T	U.1968: BLKB 0				
				FF 009B0	.ASCII \TWO\	
				009B1 ;TPASKEY\$FILL	.BYTE -1	
				009B2 ;TPASKEY\$TO	.BYTE -1	
46 45 49 52 42	009B2 ;TPASKEY\$T	U.1977: BLKB 0				
				FF 009B7	.ASCII \BRIEF\	
				009B8 ;TPASKEY\$TO	.BYTE -1	

E 8
16-Sep-1984 00:33:02 VAX-11 Bliss-32 V4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

4C	4C	55	46	009B8	U.1984: .BLKB ;TPASKEY\$T	0
				FF	009BC :U.1986: .ASCII	\FULL\
				FF	009BD :BYTE	-1
					FF	;TPASKEY\$ILL
					009BE :U.1991: .BYTE	-1
					009C0 :TPASKEY\$TO	
					009C2 :U.1993: .BLKB	0
					009C4 :TPASKEY\$T	
					FF 009C7 :U.1995: .ASCII	\AUTOMATIC\
					FF 009C8 :BYTE	-1
					009C9 :TPASKEY\$TO	
					009CA :U.2000: .BLKB	0
					009CB :TPASKEY\$T	
					FF 009CE :U.2002: .ASCII	\MANUAL\
					FF 009CF :BYTE	-1
					009D0 :TPASKEY\$ILL	
					009D1 :U.2007: .BYTE	-1
						.PSECT _LIB\$STATES,NOWRT, SHR, PIC,1
					00000 EDF\$AB_PRIMARY_TABLE_STA::	
					BLKB 0	
1300	00000				;TPA\$TYPE	
					U.5: .WORD	4864
01	00002				;TPASFLAGS2	
					U.6: .BYTE	1
00000001	00003				;TPASPARAM	
					U.7: .LONG	1
FFFF	00007				;TPASTARGET	
					U.8: .WORD	-1
1101	00009				;TPA\$TYPE	
					U.12: .WORD	4353
0000*	0000B				;TPASTARGET	
					U.14: .WORD	<<U.13-U.14>-2>
1302	0000D				;TPA\$TYPE	
					U.18: .WORD	4866
01	0000F				;TPASFLAGS2	
					U.19: .BYTE	1
00000006	00010				;TPASPARAM	
					U.20: .LONG	6
FFFF	00014				;TPASTARGET	
					U.21: .WORD	-1
1303	00016				;TPA\$TYPE	
					U.25: .WORD	4867
01	00018				;TPASFLAGS2	
					U.26: .BYTE	1
00000007	00019				;TPASPARAM	
					U.27: .LONG	7
FFFF	0001D				;TPASTARGET	
					U.28: .WORD	-1
1304	0001F				;TPA\$TYPE	
					U.32: .WORD	4868
01	00021				;TPASFLAGS2	
					U.33: .BYTE	1
00000008	00022				;TPASPARAM	
					U.34: .LONG	8

FFFF	00026	;TPA\$TARGET		:
		U.35: WORD	-1	
1305	00028	;TPA\$TYPE		:
		U.39: WORD	4869	
01	0002A	;TPA\$FLAGS2		:
		U.40: BYTE	1	
0000000A	0002B	;TPA\$PARAM		:
		U.41: LONG	10	
FFFF	0002F	;TPA\$TARGET		:
		U.42: WORD	-1	
1106	00031	;TPA\$TYPE		:
		U.46: WORD	4358	
0000*	00033	;TPA\$TARGET		:
		U.48: WORD	<<U.47-U.48>-2>	
1307	00035	;TPA\$TYPE		:
		U.52: WORD	4871	
01	00037	;TPA\$FLAGS2		:
		U.53: BYTE	1	
0000000C	00038	;TPA\$PARAM		:
		U.54: LONG	12	
FFFF	0003C	;TPA\$TARGET		:
		U.55: WORD	-1	
1308	0003E	;TPA\$TYPE		:
		U.59: WORD	4872	
01	00040	;TPA\$FLAGS2		:
		U.60: BYTE	1	
0000000D	00041	;TPA\$PARAM		:
		U.61: LONG	13	
FFFF	00045	;TPA\$TARGET		:
		U.62: WORD	-1	
1309	00047	;TPA\$TYPE		:
		U.66: WORD	4873	
01	00049	;TPA\$FLAGS2		:
		U.67: BYTE	1	
0000000E	0004A	;TPA\$PARAM		:
		U.68: LONG	14	
FFFF	0004E	;TPA\$TARGET		:
		U.69: WORD	-1	
170A	00050	;TPA\$TYPE		:
		U.73: WORD	5898	
01	00052	;TPA\$FLAGS2		:
		U.74: BYTE	1	
0000000F	00053	;TPA\$PARAM		:
		U.75: LONG	15	
FFFF	00057	;TPA\$TARGET		:
		U.76: WORD	-1	
00059	00059	;S AREA_N		:
1FF8	00059	;TPA\$TYPE		:
		U.73: BLKB	0	
01	0005B	;TPA\$FLAGS2		:
		U.78: WORD	8184	
0000*	0005C	;TPA\$SUBEXP		:
00000005	0005E	;TPA\$PARAM		:
		U.81: WORD	<<U.80-U.81>-2>	
FFFF	00062	;TPA\$TARGET		:
		U.82: LONG	5	

G 8
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 65
(36)

		U.83: .WORD	-1	:
	00064	;S KEY_N		
		U.47: .BLKB	0	:
1FF8	00064	;TPASTYPE		
		U.84: .WORD	8184	:
01	00066	;TPASFLAGS2		
		U.85: .BYTE	1	:
0000*	00067	;TPASSUBEXP		
		U.86: .WORD	<<U.80-U.86>-2>	:
0000000B	00069	;TPASPARAM		
		U.87: .LONG	11	:
FFFF	0006D	;TPASTARGET		
		U.88: .WORD	-1	:
	0006F	;S PRINUM		
		U.80: .BLKB	0	:
11F3	0006F	;TPASTYPE		
		U.89: .WORD	4595	:
FFFF	00071	;TPASTARGET		
		U.90: .WORD	-1	:
11F7	00073	;TPASTYPE		
		U.91: .WORD	4599	:
FFFE	00075	;TPASTARGET		
		U.92: .WORD	-2	:
15F6	00077	;TPASTYPE		
		U.93: .WORD	5622	:
FFFE	00079	;TPASTARGET		
		U.94: .WORD	-2	:
	0007B	.BLKB	1	:
	0007C	EDF\$AB_ACCESS_TABLE_STA::		
		.BLKB	0	:
1300	0007C	;TPASTYPE		:
		U.99: .WORD	4864	:
01	0007E	;TPASFLAGS2		:
		U.100: .BYTE	1	:
00000001	0007F	;TPASPARAM		:
		U.101: .LONG	1	:
FFFF	00083	;TPASTARGET		:
		U.102: .WORD	-1	:
1301	00085	;TPASTYPE		:
		U.106: .WORD	4865	:
01	00087	;TPASFLAGS2		:
		U.107: .BYTE	1	:
00000002	00088	;TPASPARAM		:
		U.108: .LONG	2	:
FFFF	0008C	;TPASTARGET		:
		U.109: .WORD	-1	:
1302	0008E	;TPASTYPE		:
		U.113: .WORD	4866	:
01	00090	;TPASFLAGS2		:
		U.114: .BYTE	1	:
00000003	00091	;TPASPARAM		:
		U.115: .LONG	3	:
FFFF	00095	;TPASTARGET		:
		U.116: .WORD	-1	:
1303	00097	;TPASTYPE		:
		U.120: .WORD	4867	:
01	00099	;TPASFLAGS2		:

H 8
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 66
(36)

		U.121: .BYTE	1	:
00000004	0009A	;TPASPARAM		:
FFFF	0009E	U.122: .LONG	4	:
		;TPASTARGET		:
1304	000AO	U.123: .WORD	-1	:
		;TPASTYPE		:
01	000A2	U.127: .WORD	4868	:
		;TPASFLAGS2		:
00000005	000A3	U.128: .BYTE	1	:
FFFF	000A7	;TPASPARAM		:
		U.129: .LONG	5	:
1305	000A9	;TPASTARGET		:
		U.130: .WORD	-1	:
01	000AB	;TPASTYPE		:
		U.134: .WORD	4869	:
00000006	000AC	U.135: .BYTE	1	:
FFFF	000B0	;TPASPARAM		:
		U.136: .LONG	6	:
1706	000B2	;TPASTARGET		:
		U.137: .WORD	-1	:
01	000B4	;TPASTYPE		:
		U.141: .WORD	5894	:
00000007	000B5	U.142: .BYTE	1	:
FFFF	000B9	;TPASPARAM		:
		U.143: .LONG	7	:
		;TPASTARGET		:
		U.144: .WORD	-1	:
	000BB	.BLKB	1	:
	000BC	EDFSAB_AREA_TABLE_STA::		:
		BLRB 0		:
1300	000BC	;TPASTYPE		:
		U.150: .WORD	4864	:
01	000BE	;TPASFLAGS2		:
0000001B	000BF	U.151: .BYTE	1	:
FFFF	000C3	;TPASPARAM		:
		U.152: .LONG	27	:
		;TPASTARGET		:
1301	000C5	U.153: .WORD	-1	:
		;TPASTYPE		:
01	000C7	U.157: .WORD	4865	:
0000001C	000C8	;TPASPARAM		:
FFFF	000CC	U.158: .BYTE	1	:
		U.159: .LONG	28	:
		;TPASTARGET		:
1302	000CE	U.160: .WORD	-1	:
		;TPASTYPE		:
01	000D0	U.164: .WORD	4866	:
0000001D	000D1	;TPASPARAM		:
FFFF	000D5	U.165: .BYTE	1	:
		U.166: .LONG	29	:
		;TPASTARGET		:
1303	000D7	U.167: .WORD	-1	:
		;TPASTYPE		:

01	000D9	U.171: WORD	4867	:
		;TPASFLAGS2		
0000001E	000DA	U.172: BYTE	1	:
		;TPASPARAM		
		U.173: LONG	30	:
FFFF	000DE	;TPASTARGET		
		U.174: WORD	-1	:
1304	000EO	;TPASTYPE		:
		U.178: WORD	4868	:
01	000E2	;TPASFLAGS2		:
		U.179: BYTE	1	:
0000001F	000E3	;TPASPARAM		:
		U.180: LONG	31	:
FFFF	000E7	;TPASTARGET		:
		U.181: WORD	-1	:
1305	000E9	;TPASTYPE		:
		U.185: WORD	4869	:
01	000EB	;TPASFLAGS2		:
		U.186: BYTE	1	:
00000020	000EC	;TPASPARAM		:
		U.187: LONG	32	:
FFFF	000FO	;TPASTARGET		:
		U.188: WORD	-1	:
1306	000F2	;TPASTYPE		:
		U.192: WORD	4870	:
01	000F4	;TPASFLAGS2		:
		U.193: BYTE	1	:
00000021	000F5	;TPASPARAM		:
		U.194: LONG	33	:
FFFF	000F9	;TPASTARGET		:
		U.195: WORD	-1	:
1707	000FB	;TPASTYPE		:
		U.199: WORD	5895	:
01	000FD	;TPASFLAGS2		:
		U.200: BYTE	1	:
00000022	000FE	;TPASPARAM		:
		U.201: LONG	34	:
FFFF	00102	;TPASTARGET		:
		U.202: WORD	-1	:
	00104	EDFSAB_CONNECT_TABLE_STA::		:
		BLKB 0		
1300	00104	;TPASTYPE		:
		U.208: WORD	4864	:
01	00106	;TPASFLAGS2		:
		U.209: BYTE	1	:
00000023	00107	;TPASPARAM		:
		U.210: LONG	35	:
FFFF	0010B	;TPASTARGET		:
		U.211: WORD	-1	:
1301	0010D	;TPASTYPE		:
		U.215: WORD	4865	:
01	0010F	;TPASFLAGS2		:
		U.216: BYTE	1	:
00000024	00110	;TPASPARAM		:
		U.217: LONG	36	:
FFFF	00114	;TPASTARGET		:
		U.218: WORD	-1	:

J 8
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

01	00157	U.271: .WORD	4873	
0000002D	00158	U.272: .BYTE	1	
FFFF	0015C	U.273: .LONG	45	
130A	0015E	U.274: .WORD	-1	
01	00160	U.278: .WORD	4874	
0000002A	00161	U.279: .BYTE	1	
FFFF	00165	U.280: .LONG	42	
130B	00167	U.281: .WORD	-1	
01	00169	U.285: .WORD	4875	
0000002E	0016A	U.286: .BYTE	1	
FFFF	0016E	U.287: .LONG	46	
130C	00170	U.288: .WORD	-1	
01	00172	U.292: .WORD	4876	
0000002F	00173	U.293: .BYTE	1	
FFFF	00177	U.294: .LONG	47	
130D	00179	U.295: .WORD	-1	
01	0017B	U.299: .WORD	4877	
00000030	0017C	U.300: .BYTE	1	
FFFF	00180	U.301: .LONG	48	
130E	00182	U.302: .WORD	-1	
01	00184	U.306: .WORD	4878	
00000031	00185	U.307: .BYTE	1	
FFFF	00189	U.308: .LONG	49	
130F	0018B	U.309: .WORD	-1	
01	0018D	U.313: .WORD	4879	
00000032	0018E	U.314: .BYTE	1	
FFFF	00192	U.315: .LONG	50	
1310	00194	U.316: .WORD	-1	
		U.320: .WORD	4880	

L 8
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

01	00196	;TPASFLAGS2	
00000033	00197	U.321: .BYTE	1
FFFF	0019B	;TPASPARAM	
		U.322: .LONG	51
1311	0019D	;TPASTARGET	
		U.323: .WORD	-1
01	0019F	;TPASTYPE	
		U.327: .WORD	4881
00000034	001A0	;TPASFLAGS2	
		U.328: .BYTE	1
FFFF	001A4	;TPASPARAM	
		U.329: .LONG	52
1312	001A6	;TPASTARGET	
		U.330: .WORD	-1
01	001A8	;TPASTYPE	
		U.334: .WORD	4882
00000035	001A9	;TPASFLAGS2	
		U.335: .BYTE	1
FFFF	001AD	;TPASPARAM	
		U.336: .LONG	53
1313	001AF	;TPASTARGET	
		U.337: .WORD	-1
01	001B1	;TPASTYPE	
		U.341: .WORD	4883
00000036	001B2	;TPASFLAGS2	
		U.342: .BYTE	1
FFFF	001B6	;TPASPARAM	
		U.343: .LONG	54
1314	001B8	;TPASTARGET	
		U.344: .WORD	-1
01	001BA	;TPASTYPE	
		U.348: .WORD	4884
00000037	001BB	;TPASFLAGS2	
		U.349: .BYTE	1
FFFF	001BF	;TPASPARAM	
		U.350: .LONG	55
1315	001C1	;TPASTARGET	
		U.351: .WORD	-1
01	001C3	;TPASTYPE	
		U.355: .WORD	4885
00000038	001C4	;TPASFLAGS2	
		U.356: .BYTE	1
FFFF	001C8	;TPASPARAM	
		U.357: .LONG	56
1316	001CA	;TPASTARGET	
		U.358: .WORD	-1
01	001CC	;TPASTYPE	
		U.362: .WORD	4886
00000039	001CD	;TPASFLAGS2	
		U.363: .BYTE	1
FFFF	001D1	;TPASPARAM	
		U.364: .LONG	57
1317	001D3	;TPASTARGET	
		U.365: .WORD	-1
01	001D5	;TPASTYPE	
		U.369: .WORD	4887
		;TPASFLAGS2	

M 8
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 71
(36)

0000003A	001D6	U.370: .BYTE	1	
		;TPASPARAM		
FFFF	001DA	U.371: .LONG	58	
		;TPASTARGET		
1318	001DC	U.372: .WORD	-1	
		;TPASTYPE		
01	001DE	U.376: .WORD	4888	
		;TPASFLAGS2		
0000003B	001DF	U.377: .BYTE	1	
		;TPASPARAM		
FFFF	001E3	U.378: .LONG	59	
		;TPASTARGET		
1319	001E5	U.379: .WORD	-1	
		;TPASTYPE		
01	001E7	U.383: .WORD	4889	
		;TPASFLAGS2		
0000003D	001E8	U.384: .BYTE	1	
		;TPASPARAM		
FFFF	001EC	U.385: .LONG	61	
		;TPASTARGET		
131A	001EE	U.386: .WORD	-1	
		;TPASTYPE		
01	001F0	U.390: .WORD	4890	
		;TPASFLAGS2		
0000003E	001F1	U.391: .BYTE	1	
		;TPASPARAM		
FFFF	001F5	U.392: .LONG	62	
		;TPASTARGET		
131B	001F7	U.393: .WORD	-1	
		;TPASTYPE		
01	001F9	U.397: .WORD	4891	
		;TPASFLAGS2		
0000003F	001FA	U.398: .BYTE	1	
		;TPASPARAM		
FFFF	001FE	U.399: .LONG	63	
		;TPASTARGET		
131C	00200	U.400: .WORD	-1	
		;TPASTYPE		
01	00202	U.404: .WORD	4892	
		;TPASFLAGS2		
00000040	00203	U.405: .BYTE	1	
		;TPASPARAM		
FFFF	00207	U.406: .LONG	64	
		;TPASTARGET		
131D	00209	U.407: .WORD	-1	
		;TPASTYPE		
01	0020B	U.411: .WORD	4893	
		;TPASFLAGS2		
0000003C	0020C	U.412: .BYTE	1	
		;TPASPARAM		
FFFF	00210	U.413: .LONG	60	
		;TPASTARGET		
131E	00212	U.414: .WORD	-1	
		;TPASTYPE		
01	00214	U.418: .WORD	4894	
		;TPASFLAGS2		
		U.419: .BYTE	1	

00000041	00215	;TPASPARAM		
FFFF	00219	U.420: .LONG	65	:
131F	0021B	U.421: .WORD	-1	:
01	0021D	U.425: .WORD	4895	:
		U.426: .BYTE	1	:
00000042	0021E	;TPASPARAM		:
FFFF	00222	U.427: .LONG	66	:
1720	00224	U.428: .WORD	-1	:
01	00226	U.432: .WORD	5920	:
		U.433: .BYTE	1	:
00000043	00227	;TPASPARAM		:
FFFF	0022B	U.434: .LONG	67	:
		U.435: .WORD	-1	:
	0022D	.BLKB	3	:
	00230	EDF\$AB_DATE TABLE_STA::		:
		.BLRB	0	:
1300	00230	;TPASTYPE		:
01	00232	U.441: .WORD	4864	:
		U.442: .BYTE	1	:
00000044	00233	;TPASPARAM		:
FFFF	00237	U.443: .LONG	68	:
		U.444: .WORD	-1	:
1301	00239	;TPASTYPE		:
01	0023B	U.448: .WORD	4865	:
		U.449: .BYTE	1	:
00000045	0023C	;TPASPARAM		:
FFFF	00240	U.450: .LONG	69	:
		U.451: .WORD	-1	:
1302	00242	;TPASTYPE		:
01	00244	U.455: .WORD	4866	:
		U.456: .BYTE	1	:
00000046	00245	;TPASPARAM		:
FFFF	00249	U.457: .LONG	70	:
		U.458: .WORD	-1	:
1703	0024B	;TPASTYPE		:
01	0024D	U.462: .WORD	5891	:
		U.463: .BYTE	1	:
00000047	0024E	;TPASPARAM		:
FFFF	00252	U.464: .LONG	71	:
		U.465: .WORD	-1	:
	00254	EDF\$AB_FILE TABLE_STA::		:
		.BLRB	0	:

1300	00254	;TPASTYPE		
		U.471: WORD	4864	
01	00256	;TPASFLAGS2		
		U.472: BYTE	1	
00000048	00257	;TPASPARAM		
		U.473: LONG	72	
FFFF	0025B	;TPASTARGET		
		U.474: WORD	-1	
1301	0025D	;TPASTYPE		
		U.478: WORD	4865	
01	0025F	;TPASFLAGS2		
		U.479: BYTE	1	
00000049	00260	;TPASPARAM		
		U.480: LONG	73	
FFFF	00264	;TPASTARGET		
		U.481: WORD	-1	
1302	00266	;TPASTYPE		
		U.485: WORD	4866	
01	00268	;TPASFLAGS2		
		U.486: BYTE	1	
0000004A	00269	;TPASPARAM		
		U.487: LONG	74	
FFFF	0026D	;TPASTARGET		
		U.488: WORD	-1	
1303	0026F	;TPASTYPE		
		U.492: WORD	4867	
01	00271	;TPASFLAGS2		
		U.493: BYTE	1	
0000004B	00272	;TPASPARAM		
		U.494: LONG	75	
FFFF	00276	;TPASTARGET		
		U.495: WORD	-1	
1304	00278	;TPASTYPE		
		U.499: WORD	4868	
01	0027A	;TPASFLAGS2		
		U.500: BYTE	1	
0000004C	0027B	;TPASPARAM		
		U.501: LONG	76	
FFFF	0027F	;TPASTARGET		
		U.502: WORD	-1	
1305	00281	;TPASTYPE		
		U.506: WORD	4869	
01	00283	;TPASFLAGS2		
		U.507: BYTE	1	
0000004D	00284	;TPASPARAM		
		U.508: LONG	77	
FFFF	00288	;TPASTARGET		
		U.509: WORD	-1	
1306	0028A	;TPASTYPE		
		U.513: WORD	4870	
01	0028C	;TPASFLAGS2		
		U.514: BYTE	1	
0000004E	0028D	;TPASPARAM		
		U.515: LONG	78	
FFFF	00291	;TPASTARGET		
		U.516: WORD	-1	
1307	00293	;TPASTYPE		

C 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 74
(36)

		U.520:	WORD	4871	:
01	00295	;TPASFLAGS2			
0000004F	00296	U.521:	BYTE	1	:
		;TPASPARAM			
FFFF	0029A	U.522:	LONG	79	:
		;TPASTARGET			
1308	0029C	U.523:	WORD	-1	:
		;TPASTYPE			
01	0029E	U.527:	WORD	4872	:
00000050	0029F	;TPASFLAGS2			
		U.528:	BYTE	1	:
		;TPASPARAM			
FFFF	002A3	U.529:	LONG	80	:
		;TPASTARGET			
1309	002A5	U.530:	WORD	-1	:
		;TPASTYPE			
01	002A7	U.534:	WORD	4873	:
00000051	002A8	;TPASFLAGS2			
		U.535:	BYTE	1	:
		;TPASPARAM			
FFFF	002AC	U.536:	LONG	81	:
		;TPASTARGET			
130A	002AE	U.537:	WORD	-1	:
		;TPASTYPE			
01	002B0	U.541:	WORD	4874	:
00000052	002B1	;TPASFLAGS2			
		U.542:	BYTE	1	:
		;TPASPARAM			
FFFF	002B5	U.543:	LONG	82	:
		;TPASTARGET			
130B	002B7	U.544:	WORD	-1	:
		;TPASTYPE			
01	002B9	U.548:	WORD	4875	:
00000054	002BA	;TPASFLAGS2			
		U.549:	BYTE	1	:
		;TPASPARAM			
FFFF	002BE	U.550:	LONG	84	:
		;TPASTARGET			
130C	002C0	U.551:	WORD	-1	:
		;TPASTYPE			
01	002C2	U.555:	WORD	4876	:
00000055	002C3	;TPASFLAGS2			
		U.556:	BYTE	1	:
		;TPASPARAM			
FFFF	002C7	U.557:	LONG	85	:
		;TPASTARGET			
130D	002C9	U.558:	WORD	-1	:
		;TPASTYPE			
01	002CB	U.562:	WORD	4877	:
0000005C	002CC	;TPASFLAGS2			
		U.563:	BYTE	1	:
		;TPASPARAM			
FFFF	002D0	U.564:	LONG	92	:
		;TPASTARGET			
130E	002D2	U.565:	WORD	-1	:
		;TPASTYPE			
		U.569:	WORD	4878	:

D 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 75
(36)

01	002D4	;TPA\$FLAGS2		
		U.570: .BYTE	1	
0000005D	002D5	;TPA\$PARAM		
		U.571: .LONG	93	
FFFF	002D9	;TPA\$TARGET		
		U.572: .WORD	-1	
130F	002DB	;TPA\$TYPE		
		U.576: .WORD	4879	
01	002DD	;TPA\$FLAGS2		
		U.577: .BYTE	1	
00000056	002DE	;TPA\$PARAM		
		U.578: .LONG	86	
FFFF	002E2	;TPA\$TARGET		
		U.579: .WORD	-1	
1310	002E4	;TPA\$TYPE		
		U.583: .WORD	4880	
01	002E6	;TPA\$FLAGS2		
		U.584: .BYTE	1	
0000005B	002E7	;TPA\$PARAM		
		U.585: .LONG	91	
FFFF	002EB	;TPA\$TARGET		
		U.586: .WORD	-1	
1311	002ED	;TPA\$TYPE		
		U.590: .WORD	4881	
01	002EF	;TPA\$FLAGS2		
		U.591: .BYTE	1	
00000057	002F0	;TPA\$PARAM		
		U.592: .LONG	87	
FFFF	002F4	;TPA\$TARGET		
		U.593: .WORD	-1	
1312	002F6	;TPA\$TYPE		
		U.597: .WORD	4882	
01	002F8	;TPA\$FLAGS2		
		U.598: .BYTE	1	
00000058	002F9	;TPA\$PARAM		
		U.599: .LONG	88	
FFFF	002FD	;TPA\$TARGET		
		U.600: .WORD	-1	
1313	002FF	;TPA\$TYPE		
		U.604: .WORD	4883	
01	00301	;TPA\$FLAGS2		
		U.605: .BYTE	1	
0000005A	00302	;TPA\$PARAM		
		U.606: .LONG	90	
FFFF	00306	;TPA\$TARGET		
		U.607: .WORD	-1	
1314	00308	;TPA\$TYPE		
		U.611: .WORD	4884	
01	0030A	;TPA\$FLAGS2		
		U.612: .BYTE	1	
00000059	0030B	;TPA\$PARAM		
		U.613: .LONG	89	
FFFF	0030F	;TPA\$TARGET		
		U.614: .WORD	-1	
1315	00311	;TPA\$TYPE		
		U.618: .WORD	4885	
01	00313	;TPA\$FLAGS2		

		U.619: .BYTE	1	:
0000005E	00314	;TPASPARAM		:
FFFF	00318	U.620: .LONG	94	:
		;TPASTARGET		:
1316	0031A	U.621: .WORD	-1	:
		;TPASTYPE		:
		U.625: .WORD	4886	:
01	0031C	;TPASFLAGS2		:
		U.626: .BYTE	1	:
0000005F	0031D	;TPASPARAM		:
FFFF	00321	U.627: .LONG	95	:
		;TPASTARGET		:
1317	00323	U.628: .WORD	-1	:
		;TPASTYPE		:
		U.632: .WORD	4887	:
01	00325	;TPASFLAGS2		:
		U.633: .BYTE	1	:
00000060	00326	;TPASPARAM		:
FFFF	0032A	U.634: .LONG	96	:
		;TPASTARGET		:
1318	0032C	U.635: .WORD	-1	:
		;TPASTYPE		:
		U.639: .WORD	4888	:
01	0032E	;TPASFLAGS2		:
		U.640: .BYTE	1	:
00000062	0032F	;TPASPARAM		:
FFFF	00333	U.641: .LONG	98	:
		;TPASTARGET		:
1319	00335	U.642: .WORD	-1	:
		;TPASTYPE		:
		U.646: .WORD	4889	:
01	00337	;TPASFLAGS2		:
		U.647: .BYTE	1	:
00000061	00338	;TPASPARAM		:
FFFF	0033C	U.648: .LONG	97	:
		;TPASTARGET		:
131A	0033E	U.649: .WORD	-1	:
		;TPASTYPE		:
		U.653: .WORD	4890	:
01	00340	;TPASFLAGS2		:
		U.654: .BYTE	1	:
00000063	00341	;TPASPARAM		:
FFFF	00345	U.655: .LONG	99	:
		;TPASTARGET		:
131B	00347	U.656: .WORD	-1	:
		;TPASTYPE		:
		U.660: .WORD	4891	:
01	00349	;TPASFLAGS2		:
		U.661: .BYTE	1	:
00000064	0034A	;TPASPARAM		:
FFFF	0034E	U.662: .LONG	100	:
		;TPASTARGET		:
131C	00350	U.663: .WORD	-1	:
		;TPASTYPE		:
		U.667: .WORD	4892	:
01	00352	;TPASFLAGS2		:
		U.668: .BYTE	1	:

F 9
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

00000065	00353	;TPASPARAM		
FFFF	00357	;TPASTARGET	101	-1
131D	00359	;TPASTYPE		
01	0035B	;TPASFLAGS2	4893	
00000066	0035C	;TPASPARAM	1	
FFFF	00360	;TPASTARGET	102	-1
131E	00362	;TPASTYPE		
01	00364	;TPASFLAGS2	4894	
00000067	00365	;TPASPARAM	1	
FFFF	00369	;TPASTARGET	103	-1
131F	0036B	;TPASTYPE		
01	0036D	;TPASFLAGS2	4895	
00000068	0036E	;TPASPARAM	1	
FFFF	00372	;TPASTARGET	104	-1
1320	00374	;TPASTYPE		
01	00376	;TPASFLAGS2	4896	
00000069	00377	;TPASPARAM	1	
FFFF	0037B	;TPASTARGET	105	-1
1321	0037D	;TPASTYPE		
01	0037F	;TPASFLAGS2	4897	
0000006A	00380	;TPASPARAM	1	
FFFF	00384	;TPASTARGET	106	-1
1322	00386	;TPASTYPE		
01	00388	;TPASFLAGS2	4898	
0000006B	00389	;TPASPARAM	1	
FFFF	0038D	;TPASTARGET	107	-1
1323	0038F	;TPASTYPE		
01	00391	;TPASFLAGS2	4899	
0000006C	00392	;TPASPARAM	1	

G 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

FFFF	00396	U.718: .LONG	108	:
		;TPASTARGET		:
1324	00398	U.719: .WORD	-1	:
		;TPASTYPE		:
01	0039A	U.723: .WORD	4900	:
		;TPASFLAGS2		:
0000006D	0039B	U.724: .BYTE	1	:
		;TPASPARAM		:
FFFF	0039F	U.725: .LONG	109	:
		;TPASTARGET		:
1325	003A1	U.726: .WORD	-1	:
		;TPASTYPE		:
01	003A3	U.730: .WORD	4901	:
		;TPASFLAGS2		:
0000006E	003A4	U.731: .BYTE	1	:
		;TPASPARAM		:
FFFF	003A8	U.732: .LONG	110	:
		;TPASTARGET		:
1726	003AA	U.733: .WORD	-1	:
		;TPASTYPE		:
01	003AC	U.737: .WORD	5926	:
		;TPASFLAGS2		:
0000006F	003AD	U.738: .BYTE	1	:
		;TPASPARAM		:
FFFF	003B1	U.739: .LONG	111	:
		;TPASTARGET		:
	003B3	U.740: .WORD	-1	:
		.BLKB	1	:
	003B4	EDFSAB_JOURNAL_TABLE_STA::		:
		.BLKB	0	:
1300	003B4	U.746: .WORD	4864	:
01	003B6	U.747: .BYTE	1	:
00000070	003B7	U.748: .LONG	112	:
FFFF	003BB	U.749: .WORD	-1	:
1301	003BD	U.753: .WORD	4865	:
01	003BF	U.754: .BYTE	1	:
00000071	003C0	U.755: .LONG	113	:
FFFF	003C4	U.756: .WORD	-1	:
1302	003C6	U.760: .WORD	4866	:
01	003C8	U.761: .BYTE	1	:
00000072	003C9	U.762: .LONG	114	:
FFFF	003CD	U.763: .WORD	-1	:
1303	003CF	U.767: .WORD	4867	:
01	003D1	U.768: .WORD		:
		;TPASFLAGS2		:

		U.768: .BYTE	1	:
00000073	003D2	;TPASPARAM		:
FFFF	003D6	U.769: .LONG	115	:
		;TPASTARGET		:
1304	003D8	U.770: .WORD	-1	:
		;TPASTYPE		:
01	003DA	U.774: .WORD	4868	:
		;TPASFLAGS2		:
00000074	003DB	U.775: .BYTE	1	:
FFFF	003DF	U.776: .LONG	116	:
		;TPASTARGET		:
1305	003E1	U.777: .WORD	-1	:
		;TPASTYPE		:
01	003E3	U.781: .WORD	4869	:
		;TPASFLAGS2		:
00000075	003E4	U.782: .BYTE	1	:
FFFF	003E8	U.783: .LONG	117	:
		;TPASTARGET		:
1706	003EA	U.784: .WORD	-1	:
		;TPASTYPE		:
01	003EC	U.788: .WORD	5894	:
		;TPASFLAGS2		:
00000076	003ED	U.789: .BYTE	1	:
FFFF	003F1	U.790: .LONG	118	:
		;TPASTARGET		:
	003F3	U.791: .WORD	-1	:
		.BLKB	1	:
	003F4	EDF\$AB_KEY_TABLE	STA::	:
		BLCB	0	:
1300	003F4	;TPASTYPE		:
01	003F6	U.797: .WORD	4864	:
		;TPASFLAGS2		:
00000077	003F7	U.798: .BYTE	1	:
FFFF	003FB	U.799: .LONG	119	:
		;TPASTARGET		:
1301	003FD	U.800: .WORD	-1	:
		;TPASTYPE		:
01	003FF	U.804: .WORD	4865	:
		;TPASFLAGS2		:
00000078	00400	U.805: .BYTE	1	:
FFFF	00404	U.806: .LONG	120	:
		;TPASTARGET		:
1302	00406	U.807: .WORD	-1	:
		;TPASTYPE		:
01	00408	U.811: .WORD	4866	:
		;TPASFLAGS2		:
00000079	00409	U.812: .BYTE	1	:
FFFF	0040D	U.813: .LONG	121	:
		;TPASTARGET		:
1303	0040F	U.814: .WORD	-1	:
		;TPASTYPE		:

01	00411	U.818: WORD	4867
		;TPASFLAGS2	
0000007A	00412	U.819: BYTE	1
		;TPASPARAM	
FFFF	00416	U.820: LONG	122
		;TPASTARGET	
1304	00418	U.821: WORD	-1
		;TPASTYPE	
01	0041A	U.825: WORD	4868
		;TPASFLAGS2	
0000007B	0041B	U.826: BYTE	1
		;TPASPARAM	
FFFF	0041F	U.827: LONG	123
		;TPASTARGET	
1305	00421	U.828: WORD	-1
		;TPASTYPE	
01	00423	U.832: WORD	4869
		;TPASFLAGS2	
0000007C	00424	U.833: BYTE	1
		;TPASPARAM	
FFFF	00428	U.834: LONG	124
		;TPASTARGET	
1306	0042A	U.835: WORD	-1
		;TPASTYPE	
01	0042C	U.839: WORD	4870
		;TPASFLAGS2	
0000007D	0042D	U.840: BYTE	1
		;TPASPARAM	
FFFF	00431	U.841: LONG	125
		;TPASTARGET	
1307	00433	U.842: WORD	-1
		;TPASTYPE	
01	00435	U.846: WORD	4871
		;TPASFLAGS2	
0000007E	00436	U.847: BYTE	1
		;TPASPARAM	
FFFF	0043A	U.848: LONG	126
		;TPASTARGET	
1308	0043C	U.849: WORD	-1
		;TPASTYPE	
01	0043E	U.853: WORD	4872
		;TPASFLAGS2	
0000007F	0043F	U.854: BYTE	1
		;TPASPARAM	
FFFF	00443	U.855: LONG	127
		;TPASTARGET	
1309	00445	U.856: WORD	-1
		;TPASTYPE	
01	00447	U.860: WORD	4873
		;TPASFLAGS2	
00000085	00448	U.861: BYTE	1
		;TPASPARAM	
FFFF	0044C	U.862: LONG	133
		;TPASTARGET	
130A	0044E	U.863: WORD	-1
		;TPASTYPE	
		U.867: WORD	4874

J 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 81
(36)

01	00450	;TPASFLAGS2		
00000080	00451	;TPASPARAM	1	
FFFF	00455	;TPASTARGET	128	
130B	00457	;TPASTYPE	-1	
01	00459	;TPASFLAGS2	4875	
00000081	0045A	;TPASPARAM	1	
FFFF	0045E	;TPASTARGET	129	
130C	00460	;TPASTYPE	-1	
01	00462	;TPASFLAGS2	4876	
00000082	00463	;TPASPARAM	1	
FFFF	00467	;TPASTARGET	130	
130D	00469	;TPASTYPE	-1	
01	0046B	;TPASFLAGS2	4877	
00000083	0046C	;TPASPARAM	1	
FFFF	00470	;TPASTARGET	131	
130E	00472	;TPASTYPE	-1	
01	00474	;TPASFLAGS2	4878	
00000086	00475	;TPASPARAM	1	
FFFF	00479	;TPASTARGET	134	
130F	0047B	;TPASTYPE	-1	
01	0047D	;TPASFLAGS2	4879	
00000084	0047E	;TPASPARAM	1	
FFFF	00482	;TPASTARGET	132	
1BF8	00484	;TPASTYPE	-1	
01	00486	;TPASFLAGS2	7160	
0000*	00487	;TPASSUBEXP	1	
00000085	00489	;TPASPARAM	<<U.908-U.909>-2>	
FFFF	0048D	;TPASTARGET	133	
1BF8	0048F	;TPASTYPE	-1	

01	00491	U.912: WORD	7160	
		;TPASFLAGS2		
0000*	00492	U.913: BYTE	1	
		;TPASSUBEXP		
00000086	00494	U.915: WORD	<<U.914-U.915>-2>	
		;TPASPARAM		
FFFF	00498	U.916: LONG	134	
		;TPASTARGET		
1310	0049A	U.917: WORD	-1	
		;TPASTYPE		
01	0049C	U.921: WORD	4880	
		;TPASFLAGS2		
00000087	0049D	U.922: BYTE	1	
		;TPASPARAM		
FFFF	004A1	U.923: LONG	135	
		;TPASTARGET		
1311	004A3	U.924: WORD	-1	
		;TPASTYPE		
01	004A5	U.928: WORD	4881	
		;TPASFLAGS2		
00000087	004A6	U.929: BYTE	1	
		;TPASPARAM		
FFFF	004AA	U.930: LONG	135	
		;TPASTARGET		
15F6	004AC	U.931: WORD	-1	
		;TPASTYPE		
FFFE	004AE	U.932: WORD	5622	
		;TPASTARGET		
004B0		U.933: WORD	-2	
		;S_SEGLEN		
0DF8	004B0	U.908: BLKB	0	
		;TPASTYPE		
0000*	004B2	U.935: WORD	3576	
		;TPASSUBEXP		
1512	004B4	U.937: WORD	<<U.936-U.937>-2>	
		;TPASTYPE		
FFFF	004B6	U.941: WORD	5394	
		;TPASTARGET		
004B8		U.942: WORD	-1	
		;S_SEGPOS		
0DF8	004B8	U.914: BLKB	0	
		;TPASTYPE		
0000*	004BA	U.944: WORD	3576	
		;TPASSUBEXP		
1513	004BC	U.945: WORD	<<U.936-U.945>-2>	
		;TPASTYPE		
FFFF	004BE	U.949: WORD	5395	
		;TPASTARGET		
004C0		U.950: WORD	-1	
		;S_SEGTYP		
0DF8	004C0	BLKB	0	
		;TPASTYPE		
0000*	004C2	U.952: WORD	3576	
		;TPASSUBEXP		
1514	004C4	U.953: WORD	<<U.936-U.953>-2>	
		;TPASTYPE		
		U.957: WORD	5396	

FFFF	004C6	;TPASTARGET		:
		U.958: .WORD	-1	
	004C8	;TPASSEG		
		U.936: .BLKB	0	
0453	004C8	;TPASTYPE		
		U.960: .WORD	1107	
0445	004CA	;TPASTYPE		
		U.961: .WORD	1093	
0447	004CC	;TPASTYPE		
		U.962: .WORD	1095	
45F3	004CE	;TPASTYPE		
		U.963: .WORD	17907	
00000000*	004D0	;TPASADDR		
		U.964: .LONG	<<EDFSGL_SECNUM-U.964>-4>	
145F	004D4	;TPASTYPE		
		U.965: .WORD	5215	
FFFF	004D6	;TPASTARGET		
		U.966: .WORD	-1	
	004D8	EDFSAB_RECORD_TABLE_STA::		
		.BLKB	0	
1300	004D8	;TPASTYPE		
		U.971: .WORD	4864	
01	004DA	;TPASFLAGS2		
		U.972: .BYTE	1	
00000088	004DB	;TPASPARAM		
		U.973: .LONG	136	
FFFF	004DF	;TPASTARGET		
		U.974: .WORD	-1	
1301	004E1	;TPASTYPE		
		U.978: .WORD	4865	
01	004E3	;TPASFLAGS2		
		U.979: .BYTE	1	
00000089	004E4	;TPASPARAM		
		U.980: .LONG	137	
FFFF	004E8	;TPASTARGET		
		U.981: .WORD	-1	
1302	004EA	;TPASTYPE		
		U.985: .WORD	4866	
01	004EC	;TPASFLAGS2		
		U.986: .BYTE	1	
0000008A	004ED	;TPASPARAM		
		U.987: .LONG	138	
FFFF	004F1	;TPASTARGET		
		U.988: .WORD	-1	
1303	004F3	;TPASTYPE		
		U.992: .WORD	4867	
01	004F5	;TPASFLAGS2		
		U.993: .BYTE	1	
0000008B	004F6	;TPASPARAM		
		U.994: .LONG	139	
FFFF	004FA	;TPASTARGET		
		U.995: .WORD	-1	
1704	004FC	;TPASTYPE		
		U.999: .WORD	5892	
01	004FE	;TPASFLAGS2		
		U.1000: .BYTE	1	
0000008C	004FF	;TPASPARAM		

M 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 84
(36)

FFFF	00503	U.1001: .LONG	140	
		;TPASTARGET		
		U.1002: .WORD	-1	
		BLKB 3		
		00508 EDF\$AB_SHARING_TABLE_STA::		
		BLKB 0		
1300	00508	;TPASTYPE		
		U.1008: .WORD	4864	
01	0050A	;TPASFLAGS2		
		U.1009: .BYTE	1	
0000008D	0050B	;TPASPARAM		
		U.1010: .LONG	141	
FFFF	0050F	;TPASTARGET		
		U.1011: .WORD	-1	
1301	00511	;TPASTYPE		
		U.1015: .WORD	4865	
01	00513	;TPASFLAGS2		
		U.1016: .BYTE	1	
0000008E	00514	;TPASPARAM		
		U.1017: .LONG	142	
FFFF	00518	;TPASTARGET		
		U.1018: .WORD	-1	
1302	0051A	;TPASTYPE		
		U.1022: .WORD	4866	
01	0051C	;TPASFLAGS2		
		U.1023: .BYTE	1	
0000008F	0051D	;TPASPARAM		
		U.1024: .LONG	143	
FFFF	00521	;TPASTARGET		
		U.1025: .WORD	-1	
1303	00523	;TPASTYPE		
		U.1029: .WORD	4867	
01	00525	;TPASFLAGS2		
		U.1030: .BYTE	1	
00000090	00526	;TPASPARAM		
		U.1031: .LONG	144	
FFFF	0052A	;TPASTARGET		
		U.1032: .WORD	-1	
1304	0052C	;TPASTYPE		
		U.1036: .WORD	4868	
01	0052E	;TPASFLAGS2		
		U.1037: .BYTE	1	
00000091	0052F	;TPASPARAM		
		U.1038: .LONG	145	
FFFF	00533	;TPASTARGET		
		U.1039: .WORD	-1	
1305	00535	;TPASTYPE		
		U.1043: .WORD	4869	
01	00537	;TPASFLAGS2		
		U.1044: .BYTE	1	
00000092	00538	;TPASPARAM		
		U.1045: .LONG	146	
FFFF	0053C	;TPASTARGET		
		U.1046: .WORD	-1	
1706	0053E	;TPASTYPE		
		U.1050: .WORD	5894	
01	00540	;TPASFLAGS2		

N 9
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 85
(36)

		U.1051: .BYTE	1	
00000093	00541	;TPASPARAM		
		U.1052: .LONG	147	
FFFF	00545	;TPASTARGET		
		U.1053: .WORD	-1	
	00547	.BLKB	1	
	00548	EDFSAB_SYSTEM_TABLE_STA::		
		BLKB	0	
1300	00548	;TPASTYPE		
		U.1059: .WORD	4864	
01	0054A	;TPASFLAGS2		
		U.1060: .BYTE	1	
00000094	0054B	;TPASPARAM		
		U.1061: .LONG	148	
FFFF	0054F	;TPASTARGET		
		U.1062: .WORD	-1	
1301	00551	;TPASTYPE		
		U.1066: .WORD	4865	
01	00553	;TPASFLAGS2		
		U.1067: .BYTE	1	
00000095	00554	;TPASPARAM		
		U.1068: .LONG	149	
FFFF	00558	;TPASTARGET		
		U.1069: .WORD	-1	
1702	0055A	;TPASTYPE		
		U.1073: .WORD	5890	
01	0055C	;TPASFLAGS2		
		U.1074: .BYTE	1	
00000096	0055D	;TPASPARAM		
		U.1075: .LONG	150	
FFFF	00561	;TPASTARGET		
		U.1076: .WORD	-1	
	00563	.BLKB	1	
	00564	EDFSABPOSIT_TABLE_STA::		
		BLKB	0	
1300	00564	;TPASTYPE		
		U.1082: .WORD	4864	
01	00566	;TPASFLAGS2		
		U.1083: .BYTE	1	
00000000	00567	;TPASPARAM		
		U.1084: .LONG	0	
FFFF	0056B	;TPASTARGET		
		U.1085: .WORD	-1	
1301	0056D	;TPASTYPE		
		U.1089: .WORD	4865	
01	0056F	;TPASFLAGS2		
		U.1090: .BYTE	1	
00000001	00570	;TPASPARAM		
		U.1091: .LONG	1	
FFFF	00574	;TPASTARGET		
		U.1092: .WORD	-1	
1302	00576	;TPASTYPE		
		U.1096: .WORD	4866	
01	00578	;TPASFLAGS2		
		U.1097: .BYTE	1	
00000002	00579	;TPASPARAM		
		U.1098: .LONG	2	

FFFF	0057D	;TPA\$TARGET		
		U.1099: WORD	-1	
1303	0057F	;TPA\$TYPE		
		U.1103: WORD	4867	
01	00581	;TPA\$FLAGS2		
		U.1104: BYTE	1	
00000003	00582	;TPA\$PARAM		
		U.1105: LONG	3	
FFFF	00586	;TPA\$TARGET		
		U.1106: WORD	-1	
1304	00588	;TPA\$TYPE		
		U.1110: WORD	4868	
01	0058A	;TPA\$FLAGS2		
		U.1111: BYTE	1	
00000004	0058B	;TPA\$PARAM		
		U.1112: LONG	4	
FFFF	0058F	;TPA\$TARGET		
		U.1113: WORD	-1	
1305	00591	;TPA\$TYPE		
		U.1117: WORD	4869	
01	00593	;TPA\$FLAGS2		
		U.1118: BYTE	1	
00000005	00594	;TPA\$PARAM		
		U.1119: LONG	5	
FFFF	00598	;TPA\$TARGET		
		U.1120: WORD	-1	
1306	0059A	;TPA\$TYPE		
		U.1124: WORD	4870	
01	0059C	;TPA\$FLAGS2		
		U.1125: BYTE	1	
00000006	0059D	;TPA\$PARAM		
		U.1126: LONG	6	
FFFF	005A1	;TPA\$TARGET		
		U.1127: WORD	-1	
1707	005A3	;TPA\$TYPE		
		U.1131: WORD	5895	
01	005A5	;TPA\$FLAGS2		
		U.1132: BYTE	1	
00000007	005A6	;TPA\$PARAM		
		U.1133: LONG	7	
FFFF	005AA	;TPA\$TARGET		
		U.1134: WORD	-1	
	005AC	EDF\$AB_FID TABLE STA::		
		.BLKB	0	
1DF8	005AC	S FID:	BLKB	0
		;TPA\$TYPE		
		U.1137: WORD	7672	
0000*	005AE	;TPA\$SUBEXP		
		U.1139: WORD	<<U.1138-U.1139>-2>	
FFFF	005B0	;TPA\$TARGET		
		U.1140: WORD	-1	
	005B2	S FID P		
		U.T138: BLKB	0	
0428	005B2	;TPA\$TYPE		
		U.1141: WORD	1064	
45F3	005B4	;TPA\$TYPE		
		U.1142: WORD	17907	

```

00000000* 005B6 ;TPA$ADDR
    U.1143: .LONG <<EDF$GL_FID1-U.1143>-4>
042C 005BA ;TPA$TYPE
    U.1144: .WORD 1068
45F3 005BC ;TPA$TYPE
    U.1145: .WORD 17907
00000000* 005BE ;TPA$ADDR
    U.1146: .LONG <<EDF$GL_FID2-U.1146>-4>
042C 005C2 ;TPA$TYPE
    U.1147: .WORD 1068
45F3 005C4 ;TPA$TYPE
    U.1148: .WORD 17907
00000000* 005C6 ;TPA$ADDR
    U.1149: .LONG <<EDF$GL_FID3-U.1149>-4>
1429 005CA ;TPA$TYPE
    U.1150: .WORD 5161
FFFF 005CC ;TPA$TARGET
    U.1151: .WORD -1
005CE ;BLKB 2
005D0 EDF$AB_UIC TABLE STA::
    .BLKB 0
1DF8 005D0 S_UIC: .BLKB 0
    U.1153: .WORD 7672
0000* 005D2 ;TPA$SUBEXP
    U.1155: .WORD <<U.1154-U.1155>-2>
FFFF 005D4 ;TPA$TARGET
    U.1156: .WORD -1
005D6 ;S_UIC_P
    U.T154: .BLKB 0
55EC 005D6 ;TPA$TYPE
    U.1157: .WORD 21996
00000000* 005D8 ;TPA$ADDR
    U.1158: .LONG <<EDF$GL_OWNER_UIC-U.1158>-4>
FFFF 005DC ;TPA$TARGET
    U.1159: .WORD -1
005DE ;BLKB 2
005E0 EDF$AB_PROT TABLE_STA::
    .BLKB 0
1DF8 005E0 S_PROT: .BLKB 0
    U.1161: .WORD 7672
0000* 005E2 ;TPA$SUBEXP
    U.1163: .WORD <<U.1162-U.1163>-2>
FFFF 005E4 ;TPA$TARGET
    U.1164: .WORD -1
005E6 ;S_PROT_P
    U.T162: .BLKB 0
0428 005E6 ;TPA$TYPE
    U.1165: .WORD 1064
005E8 S_NEXT_PROT:
    .BLKB 0
1100 005E8 ;TPA$TYPE
    U.1169: .WORD 4352
0000* 005EA ;TPA$TARGET
    U.1171: .WORD <<U.1170-U.1171>-2>
1101 005EC ;TPA$TYPE

```

0000* 005EE	U.1175: WORD	4353	:
	;TPA\$TARGET		
1102 005F0	U.1177: WORD	<<U.1176-U.1177>-2>	:
	;TPA\$TYPE		
0000* 005F2	U.1181: WORD	4354	:
	;TPA\$TARGET		
1503 005F4	U.1183: WORD	<<U.1182-U.1183>-2>	:
	;TPA\$TYPE		
0000* 005F6	U.1187: WORD	5379	:
	;TPA\$TARGET		
005F8	U.1189: WORD	<<U.1188-U.1189>-2>	:
	;S_SYSPR		
003A 005F8	U.T170: BLKB	0	:
	;TPA\$TYPE		
003D 005FA	U.1191: WORD	58	:
	;TPA\$TYPE		
15F6 005FC	U.1192: WORD	61	:
	;TPA\$TYPE		
0000* 005FE	U.1193: WORD	5622	:
	;TPA\$TARGET		
00600	U.1195: WORD	<<U.1194-U.1195>-2>	:
	S_SYSPRO:		
7052 00600	BLKB	0	:
	;TPA\$TYPE		
00000000* 00602	U.1196: WORD	28754	:
	;TPASADDR		
00000001 00606	U.1197: LONG	<<EDF\$GL_PROT_MASK-U.1197>-4>	:
	;TPASMASK		
0000* 0060A	U.1198: LONG	1	:
	;TPA\$TARGET		
7057 0060C	U.1199: WORD	<<S_SYSPRO-U.1199>-2>	:
	;TPA\$TYPE		
00000000* 0060E	U.1200: WORD	28759	:
	;TPASADDR		
00000002 00612	U.1201: LONG	<<EDF\$GL_PROT_MASK-U.1201>-4>	:
	;TPASMASK		
0000* 00616	U.1202: LONG	2	:
	;TPA\$TARGET		
7045 00618	U.1203: WORD	<<S_SYSPRO-U.1203>-2>	:
	;TPA\$TYPE		
00000000* 0061A	U.1204: WORD	28741	:
	;TPASADDR		
00000004 0061E	U.1205: LONG	<<EDF\$GL_PROT_MASK-U.1205>-4>	:
	;TPASMASK		
0000* 00622	U.1206: LONG	4	:
	;TPA\$TARGET		
7044 00624	U.1207: WORD	<<S_SYSPRO-U.1207>-2>	:
	;TPA\$TYPE		
00000000* 00626	U.1208: WORD	28740	:
	;TPASADDR		
00000008 0062A	U.1209: LONG	<<EDF\$GL_PROT_MASK-U.1209>-4>	:
	;TPASMASK		
0000* 0062E	U.1210: LONG	8	:
	;TPA\$TARGET		
15F6 00630	U.1211: WORD	<<S_SYSPRO-U.1211>-2>	:
	;TPA\$TYPE		
	U.1212: WORD	5622	:

0000*	00632	;TPASTARGET		
		U.1213: .WORD	<<U.1194-U.1213>-2>	
	00634	;S OWNPR		
		U.T176: .BLKB	0	
003A	00634	;TPASTYPE		
		U.1214: .WORD	58	
003D	00636	;TPASTYPE		
		U.1215: .WORD	61	
15F6	00638	;TPASTYPE		
		U.1216: .WORD	5622	
0000*	0063A	;TPASTARGET		
		U.1217: .WORD	<<U.1194-U.1217>-2>	
	0063C	S_OWNPRO:		
		BLKB	0	
7052	0063C	;TPASTYPE		
		U.1218: .WORD	28754	
00000000*	0063E	;TPASADDR		
		U.1219: .LONG	<<EDF\$GL_PROT_MASK-U.1219>-4>	
00000010	00642	;TPASMASK		
		U.1220: .LONG	16	
0000*	00646	;TPASTARGET		
		U.1221: .WORD	<<S_OWNPRO-U.1221>-2>	
7057	00648	;TPASTYPE		
		U.1222: .WORD	28759	
00000000*	0064A	;TPASADDR		
		U.1223: .LONG	<<EDF\$GL_PROT_MASK-U.1223>-4>	
00000020	0064E	;TPASMASK		
		U.1224: .LONG	32	
0000*	00652	;TPASTARGET		
		U.1225: .WORD	<<S_OWNPRO-U.1225>-2>	
7045	00654	;TPASTYPE		
		U.1226: .WORD	28741	
00000000*	00656	;TPASADDR		
		U.1227: .LONG	<<EDF\$GL_PROT_MASK-U.1227>-4>	
00000040	0065A	;TPASMASK		
		U.1228: .LONG	64	
0000*	0065E	;TPASTARGET		
		U.1229: .WORD	<<S_OWNPRO-U.1229>-2>	
7044	00660	;TPASTYPE		
		U.1230: .WORD	28740	
00000000*	00662	;TPASADDR		
		U.1231: .LONG	<<EDF\$GL_PROT_MASK-U.1231>-4>	
00000080	00666	;TPASMASK		
		U.1232: .LONG	128	
0000*	0066A	;TPASTARGET		
		U.1233: .WORD	<<S_OWNPRO-U.1233>-2>	
15F6	0066C	;TPASTYPE		
		U.1234: .WORD	5622	
0000*	0066E	;TPASTARGET		
		U.1235: .WORD	<<U.1194-U.1235>-2>	
	00670	;S GROPR		
		U.T182: .BLKB	0	
003A	00670	;TPASTYPE		
		U.1236: .WORD	58	
003D	00672	;TPASTYPE		
		U.1237: .WORD	61	
15F6	00674	;TPASTYPE		

0000*	00676	U.1238: .WORD	5622	:
		;TPA\$TARGET		
		U.1239: .WORD	<<U.1194-U.1239>-2>	:
	00678	S_GROPRO:		
		BLKB	0	
7052	00678	;TPA\$TYPE		
		U.1240: .WORD	28754	:
00000000*	0067A	;TPA\$ADDR		
00000100	0067E	U.1241: .LONG	<<EDF\$GL_PROT_MASK-U.1241>-4>	:
		;TPA\$MASK		
0000*	00682	U.1242: .LONG	256	:
		;TPA\$TARGET		
7057	00684	U.1243: .WORD	<<S_GROPRO-U.1243>-2>	:
		;TPA\$TYPE		
00000000*	00686	U.1244: .WORD	28759	:
00000200	0068A	;TPA\$ADDR		
		U.1245: .LONG	<<EDF\$GL_PROT_MASK-U.1245>-4>	:
		;TPA\$MASK		
0000*	0068E	U.1246: .LONG	512	:
		;TPA\$TARGET		
7045	00690	U.1247: .WORD	<<S_GROPRO-U.1247>-2>	:
		;TPA\$TYPE		
00000000*	00692	U.1248: .WORD	28741	:
00000400	00696	;TPA\$ADDR		
		U.1249: .LONG	<<EDF\$GL_PROT_MASK-U.1249>-4>	:
		;TPA\$MASK		
0000*	0069A	U.1250: .LONG	1024	:
		;TPA\$TARGET		
7044	0069C	U.1251: .WORD	<<S_GROPRO-U.1251>-2>	:
		;TPA\$TYPE		
00000000*	0069E	U.1252: .WORD	28740	:
00000800	006A2	;TPA\$ADDR		
		U.1253: .LONG	<<EDF\$GL_PROT_MASK-U.1253>-4>	:
		;TPA\$MASK		
0000*	006A6	U.1254: .LONG	2048	:
		;TPA\$TARGET		
15F6	006A8	U.1255: .WORD	<<S_GROPRO-U.1255>-2>	:
		;TPA\$TYPE		
0000*	006AA	U.1256: .WORD	5622	:
		;TPA\$TARGET		
	006AC	U.1257: .WORD	<<U.1194-U.1257>-2>	:
		S_WORPR		
003A	006AC	U.T188: .BLKB	0	:
		;TPA\$TYPE		
003D	006AE	U.1258: .WORD	58	:
		;TPA\$TYPE		
15F6	006B0	U.1259: .WORD	61	:
		;TPA\$TYPE		
0000*	006B2	U.1260: .WORD	5622	:
		;TPA\$TARGET		
	006B4	U.1261: .WORD	<<U.1194-U.1261>-2>	:
		S_WORPRO:		
7052	006B4	BLKB	0	:
		;TPA\$TYPE		
00000000*	006B6	U.1262: .WORD	28754	:
		;TPA\$ADDR		
		U.1263: .LONG	<<EDF\$GL_PROT_MASK-U.1263>-4>	:

00001000	006BA	;TPASMASK		:
0000*	006BE	U.1264: .LONG	4096	:
7057	006C0	;TPASTARGET		:
		U.1265: .WORD	<<S_WORPRO-U.1265>-2>	:
00000000*	006C2	;TPASTYPE		:
		U.1266: .WORD	28759	:
00002000	006C6	;TPASADDR		:
		U.1267: .LONG	<<EDFSGL_PROT_MASK-U.1267>-4>	:
0000*	006CA	;TPASMASK		:
		U.1268: .LONG	8192	:
7045	006CC	;TPASTARGET		:
		U.1269: .WORD	<<S_WORPRO-U.1269>-2>	:
00000000*	006CE	;TPASTYPE		:
		U.1270: .WORD	28741	:
00004000	006D2	;TPASADDR		:
		U.1271: .LONG	<<EDFSGL_PROT_MASK-U.1271>-4>	:
0000*	006D6	;TPASMASK		:
		U.1272: .LONG	16384	:
7044	006D8	;TPASTARGET		:
		U.1273: .WORD	<<S_WORPRO-U.1273>-2>	:
00000000*	006DA	;TPASTYPE		:
		U.1274: .WORD	28740	:
00008000	006DE	;TPASADDR		:
		U.1275: .LONG	<<EDFSGL_PROT_MASK-U.1275>-4>	:
0000*	006E2	;TPASMASK		:
		U.1276: .LONG	32768	:
15F6	006E4	;TPASTARGET		:
		U.1277: .WORD	<<S_WORPRO-U.1277>-2>	:
0000*	006E6	;TPASTYPE		:
		U.1278: .WORD	5622	:
	006E8	;TPASTARGET		:
		U.1279: .WORD	<<U.1194-U.1279>-2>	:
102C	006E8	;S END PRO		:
		U.T194: .BLKB	0	:
0000*	006EA	;TPASTYPE		:
		U.1280: .WORD	4140	:
1429	006EC	;TPASTARGET		:
		U.1281: .WORD	<<S_NEXT_PROT-U.1281>-2>	:
FFFF	006EE	;TPASTYPE		:
		U.1282: .WORD	5161	:
FFFF	006EE	;TPASTARGET		:
		U.1283: .WORD	-1	:
	006F0	EDF\$AB_ORG_TABLE STA::		:
		B[KB	0	:
1300	006F0	;TPASTYPE		:
		U.1288: .WORD	4864	:
01	006F2	;TPASFLAGS2		:
		U.1289: .BYTE	1	:
0000001F	006F3	;TPASPARAM		:
		U.1290: .LONG	31	:
FFFF	006F7	;TPASTARGET		:
		U.1291: .WORD	-1	:
1301	006F9	;TPASTYPE		:
		U.1295: .WORD	4865	:
01	006FB	;TPASFLAGS2		:
		U.1296: .BYTE	1	:
0000001E	006FC	;TPASPARAM		:

H 10

16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 92
(36)

FFFF	00700	U.1297: .LONG	30	:
		;TPASTARGET		
1702	00702	U.1298: .WORD	-1	:
		;TPASTYPE		
01	00704	U.1302: .WORD	5890	:
		;TPASFLAGS2		
0000001D	00705	U.1303: .BYTE	1	:
		;TPASPARAM		
	00709	U.1304: .LONG	29	:
		;TPASTARGET		
FFFF	0070B	U.1305: .WORD	-1	:
		.BLKB	1	
	0070C	EDFSAB_SOURCE_TABLE_STA::		
		BLKB	0	
1300	0070C	U.1311: .WORD	4864	:
01	0070E	;TPASFLAGS2		
00000016	0070F	U.1312: .BYTE	1	:
		;TPASPARAM		
	00713	U.1313: .LONG	22	:
FFFF		;TPASTARGET		
01	00715	U.1314: .WORD	-1	:
1301		;TPASTYPE		
	00717	U.1318: .WORD	4865	:
01		;TPASFLAGS2		
00000017	00718	U.1319: .BYTE	1	:
		;TPASPARAM		
	0071C	U.1320: .LONG	23	:
FFFF		;TPASTARGET		
1302	0071E	U.1321: .WORD	-1	:
		;TPASTYPE		
01	00720	U.1325: .WORD	4866	:
00000018	00721	U.1326: .BYTE	1	:
		;TPASPARAM		
	00725	U.1327: .LONG	24	:
FFFF		;TPASTARGET		
1303	00727	U.1328: .WORD	-1	:
		;TPASTYPE		
01	00729	U.1332: .WORD	4867	:
00000019	0072A	U.1333: .BYTE	1	:
		;TPASPARAM		
	0072E	U.1334: .LONG	25	:
FFFF		;TPASTARGET		
1304	00730	U.1335: .WORD	-1	:
		;TPASTYPE		
01	00732	U.1339: .WORD	4868	:
0000001A	00733	U.1340: .BYTE	1	:
		;TPASPARAM		
	00737	U.1341: .LONG	26	:
FFFF		;TPASTARGET		
1305	00739	U.1342: .WORD	-1	:
		;TPASTYPE		
01	0073B	U.1346: .WORD	4869	:
		;TPASFLAGS2		

I 10
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 93
(36)

		U.1347: .BYTE	1	
0000001B	0073C	;TPASPARAM		:
		U.1348: .LONG	27	:
FFFF	00740	;TPASTARGET		:
		U.1349: .WORD	-1	:
1706	00742	;TPASTYPE		:
		U.1353: .WORD	5894	:
01	00744	;TPASFLAGS2		:
		U.1354: .BYTE	1	:
0000001C	00745	;TPASPARAM		:
		U.1355: .LONG	28	:
FFFF	00749	;TPASTARGET		:
		U.1356: .WORD	-1	:
	0074B	.BLKB	1	:
	0074C	EDFSAB_RU_TABLE_STA::		:
		.BLKB	0	:
1300	0074C	;TPASTYPE		:
		U.1362: .WORD	4864	:
01	0074E	;TPASFLAGS2		:
		U.1363: .BYTE	1	:
00000013	0074F	;TPASPARAM		:
		U.1364: .LONG	19	:
FFFF	00753	;TPASTARGET		:
		U.1365: .WORD	-1	:
1301	00755	;TPASTYPE		:
		U.1369: .WORD	4865	:
01	00757	;TPASFLAGS2		:
		U.1370: .BYTE	1	:
00000014	00758	;TPASPARAM		:
		U.1371: .LONG	20	:
FFFF	0075C	;TPASTARGET		:
		U.1372: .WORD	-1	:
1302	0075E	;TPASTYPE		:
		U.1376: .WORD	4866	:
01	00760	;TPASFLAGS2		:
		U.1377: .BYTE	1	:
00000015	00761	;TPASPARAM		:
		U.1378: .LONG	21	:
FFFF	00765	;TPASTARGET		:
		U.1379: .WORD	-1	:
1703	00767	;TPASTYPE		:
		U.1383: .WORD	5891	:
01	00769	;TPASFLAGS2		:
		U.1384: .BYTE	1	:
00000008	0076A	;TPASPARAM		:
		U.1385: .LONG	8	:
FFFF	0076E	;TPASTARGET		:
		U.1386: .WORD	-1	:
	00770	EDFSAB_CARR_TABLE_STA::		:
		.BLKB	0	:
1300	00770	;TPASTYPE		:
		U.1392: .WORD	4864	:
01	00772	;TPASFLAGS2		:
		U.1393: .BYTE	1	:
00000009	00773	;TPASPARAM		:
		U.1394: .LONG	9	:
FFFF	00777	;TPASTARGET		:

1301	00779	U.1395: WORD	-1	
		U.1399: WORD	4865	
01	0077B	;TPASFLAGS2		
		U.1400: .BYTE	1	
0000000A	0077C	;TPASPARAM		
		U.1401: .LONG	10	
FFFF	00780	;TPASTARGET		
		U.1402: WORD	-1	
1302	00782	;TPASSTYPE		
		U.1406: WORD	4866	
01	00784	;TPASFLAGS2		
		U.1407: .BYTE	1	
00000008	00785	;TPASPARAM		
		U.1408: .LONG	8	
FFFF	00789	;TPASTARGET		
		U.1409: WORD	-1	
1703	0078B	;TPASSTYPE		
		U.1413: WORD	5891	
01	0078D	;TPASFLAGS2		
		U.1414: .BYTE	1	
0000000B	0078E	;TPASPARAM		
		U.1415: .LONG	11	
FFFF	00792	;TPASTARGET		
		U.1416: WORD	-1	
	00794	EDFSAB_FORMAT_TABLE_STA::		
		.BLKB	0	
1300	00794	;TPASSTYPE		
		U.1422: WORD	4864	
01	00796	;TPASFLAGS2		
		U.1423: .BYTE	1	
0000000D	00797	;TPASPARAM		
		U.1424: .LONG	13	
FFFF	0079B	;TPASTARGET		
		U.1425: WORD	-1	
1301	0079D	;TPASSTYPE		
		U.1429: WORD	4865	
01	0079F	;TPASFLAGS2		
		U.1430: .BYTE	1	
00000010	007A0	;TPASPARAM		
		U.1431: .LONG	16	
FFFF	007A4	;TPASTARGET		
		U.1432: WORD	-1	
1302	007A6	;TPASSTYPE		
		U.1436: WORD	4866	
01	007A8	;TPASFLAGS2		
		U.1437: .BYTE	1	
00000012	007A9	;TPASPARAM		
		U.1438: .LONG	18	
FFFF	007AD	;TPASTARGET		
		U.1439: WORD	-1	
1303	007AF	;TPASSTYPE		
		U.1443: WORD	4867	
01	007B1	;TPASFLAGS2		
		U.1444: .BYTE	1	
00000011	007B2	;TPASPARAM		
		U.1445: .LONG	17	

FFFF	007B6	;TPASTARGET		
		U.1446: WORD	-1	
1304	007B8	;TPASTYPE		
		U.1450: WORD	4868	
01	007BA	;TPASFLAGS2		
		U.1451: BYTE	1	
0000000C	007BB	;TPASPARAM		
		U.1452: LONG	12	
FFFF	007BF	;TPASTARGET		
		U.1453: WORD	-1	
1305	007C1	;TPASTYPE		
		U.1457: WORD	4869	
01	007C3	;TPASFLAGS2		
		U.1458: BYTE	1	
0000000E	007C4	;TPASPARAM		
		U.1459: LONG	14	
FFFF	007C8	;TPASTARGET		
		U.1460: WORD	-1	
1706	007CA	;TPASTYPE		
		U.1464: WORD	5894	
01	007CC	;TPASFLAGS2		
		U.1465: BYTE	1	
0000000F	007CD	;TPASPARAM		
		U.1466: LONG	15	
FFFF	007D1	;TPASTARGET		
		U.1467: WORD	-1	
	007D3	;BLKB	1	
	007D4	EDF\$AB_TYPE TABLE_STA::		
		BLRB 0		
1300	007D4	;TPASTYPE		
		U.1473: WORD	4864	
01	007D6	;TPASFLAGS2		
		U.1474: BYTE	1	
00000023	007D7	;TPASPARAM		
		U.1475: LONG	35	
FFFF	007DB	;TPASTARGET		
		U.1476: WORD	-1	
1301	007DD	;TPASTYPE		
		U.1480: WORD	4865	
01	007DF	;TPASFLAGS2		
		U.1481: BYTE	1	
00000025	007E0	;TPASPARAM		
		U.1482: LONG	37	
FFFF	007E4	;TPASTARGET		
		U.1483: WORD	-1	
1302	007E6	;TPASTYPE		
		U.1487: WORD	4866	
01	007E8	;TPASFLAGS2		
		U.1488: BYTE	1	
00000027	007E9	;TPASPARAM		
		U.1489: LONG	39	
FFFF	007ED	;TPASTARGET		
		U.1490: WORD	-1	
1303	007EF	;TPASTYPE		
		U.1494: WORD	4867	
01	007F1	;TPASFLAGS2		
		U.1495: BYTE	1	

**EDF STABLES
V04-000**

TPARSE tables for EDF utility.

.L 10

16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1

Page 96
(36)

000000028	007F2	;TPASPARAM		
FFFF	007F6	;TPASTARGET	U.1496: .LONG	40
1304	007F8	;TPASTYPE	U.1497: .WORD	-1
01	007FA	;TPASFLAGS2	U.1501: .WORD	4868
000000022	007FB	;TPASPARAM	U.1502: .BYTE	1
FFFF	007FF	;TPASTARGET	U.1503: .LONG	34
1305	00801	;TPASTYPE	U.1504: .WORD	-1
01	00803	;TPASFLAGS2	U.1508: .WORD	4869
000000024	00804	;TPASPARAM	U.1509: .BYTE	1
FFFF	00808	;TPASTARGET	U.1510: .LONG	36
1306	0080A	;TPASTYPE	U.1511: .WORD	-1
01	0080C	;TPASFLAGS2	U.1515: .WORD	4870
000000026	0080D	;TPASPARAM	U.1516: .BYTE	1
FFFF	00811	;TPASTARGET	U.1517: .LONG	38
1707	00813	;TPASTYPE	U.1518: .WORD	-1
01	00815	;TPASFLAGS2	U.1522: .WORD	5895
000000021	00816	;TPASPARAM	U.1523: .BYTE	1
FFFF	0081A	;TPASTARGET	U.1524: .LONG	33
	0081C	EDFSAB_LOAD_METHOD_TABLE_STA::BLRB	U.1525: .WORD	-1
1300	0081C	;TPASTYPE		
01	0081E	;TPASFLAGS2	U.1531: .WORD	4864
000000000	0081F	;TPASPARAM	U.1532: .BYTE	1
FFFF	00823	;TPASTARGET	U.1533: .LONG	0
1301	00825	;TPASTYPE	U.1534: .WORD	-1
01	00827	;TPASFLAGS2	U.1538: .WORD	4865
000000001	00828	;TPASPARAM	U.1539: .BYTE	1
FFFF	0082C	;TPASTARGET	U.1540: .LONG	1
1702	0082E	;TPASTYPE	U.1541: .WORD	-1
01	00830	;TPASFLAGS2	U.1545: .WORD	5890

M 10

16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 97
(36)

		U.1546: .BYTE	1	
00000002	00831	;TPASPARAM		
		U.1547: .LONG	2	
FFFF	00835	;TPASTARGET		
		U.1548: .WORD	-1	
	00837	.BLKB	1	
	00838	EDFSAB_WEIGHT_TABLE_STA::		
		.BLKB	0	
1300	00838	;TPASTYPE		
		U.1554: .WORD	4864	
01	0083A	;TPASFLAGS2		
		U.1555: .BYTE	1	
00000001	0083B	;TPASPARAM		
		U.1556: .LONG	1	
FFFF	0083F	;TPASTARGET		
		U.1557: .WORD	-1	
1701	00841	;TPASTYPE		
		U.1561: .WORD	5889	
01	00843	;TPASFLAGS2		
		U.1562: .BYTE	1	
00000000	00844	;TPASPARAM		
		U.1563: .LONG	0	
FFFF	00848	;TPASTARGET		
		U.1564: .WORD	-1	
	0084A	.BLKB	2	
	0084C	EDFSAB_SURFACE_OPTION_TABLE_STA::		
		.BLKB	0	
1300	0084C	;TPASTYPE		
		U.1570: .WORD	4864	
01	0084E	;TPASFLAGS2		
		U.1571: .BYTE	1	
00000003	0084F	;TPASPARAM		
		U.1572: .LONG	3	
FFFF	00853	;TPASTARGET		
		U.1573: .WORD	-1	
1301	00855	;TPASTYPE		
		U.1577: .WORD	4865	
01	00857	;TPASFLAGS2		
		U.1578: .BYTE	1	
00000000	00858	;TPASPARAM		
		U.1579: .LONG	0	
FFFF	0085C	;TPASTARGET		
		U.1580: .WORD	-1	
1302	0085E	;TPASTYPE		
		U.1584: .WORD	4866	
01	00860	;TPASFLAGS2		
		U.1585: .BYTE	1	
00000002	00861	;TPASPARAM		
		U.1586: .LONG	2	
FFFF	00865	;TPASTARGET		
		U.1587: .WORD	-1	
1303	00867	;TPASTYPE		
		U.1591: .WORD	4867	
01	00869	;TPASFLAGS2		
		U.1592: .BYTE	1	
00000004	0086A	;TPASPARAM		
		U.1593: .LONG	4	

N 10
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 98
(36)

FFFF	0086E	;TPASTARGET		
		U.1594: .WORD	-1	
1304	00870	;TPASTYPE		
		U.1598: .WORD	4868	
01	00872	;TPASFLAGS2		
		U.1599: .BYTE	1	
00000005	00873	;TPASPARAM		
		U.1600: .LONG	5	
FFFF	00877	;TPASTARGET		
		U.1601: .WORD	-1	
1705	00879	;TPASTYPE		
		U.1605: .WORD	5893	
01	0087B	;TPASFLAGS2		
		U.1606: .BYTE	1	
00000001	0087C	;TPASPARAM		
		U.1607: .LONG	1	
FFFF	00880	;TPASTARGET		
		U.1608: .WORD	-1	
	00882	.BLKB	2	
	00884	EDF\$AB_CURRENT_FUNC_TABLE_STA::		
		BLKB	0	
0300	00884	;TPASTYPE		
		U.1614: .WORD	768	
01	00886	;TPASFLAGS2		
		U.1615: .BYTE	1	
00000000	00887	;TPASPARAM		
		U.1616: .LONG	0	
0301	0088B	;TPASTYPE		
		U.1620: .WORD	769	
01	0088D	;TPASFLAGS2		
		U.1621: .BYTE	1	
00000001	0088E	;TPASPARAM		
		U.1622: .LONG	1	
0302	00892	;TPASTYPE		
		U.1626: .WORD	770	
01	00894	;TPASFLAGS2		
		U.1627: .BYTE	1	
00000002	00895	;TPASPARAM		
		U.1628: .LONG	2	
0303	00899	;TPASTYPE		
		U.1632: .WORD	771	
01	0089B	;TPASFLAGS2		
		U.1633: .BYTE	1	
00000003	0089C	;TPASPARAM		
		U.1634: .LONG	3	
0304	008A0	;TPASTYPE		
		U.1638: .WORD	772	
01	008A2	;TPASFLAGS2		
		U.1639: .BYTE	1	
00000004	008A3	;TPASPARAM		
		U.1640: .LONG	4	
0305	008A7	;TPASTYPE		
		U.1644: .WORD	773	
01	008A9	;TPASFLAGS2		
		U.1645: .BYTE	1	
00000005	008AA	;TPASPARAM		
		U.1646: .LONG	5	

0306	008AE	;TPA\$TYPE		:
01	008B0	U.1650: .WORD	774	:
00000006	008B1	U.1651: .BYTE	1	:
0307	008B5	U.1652: .LONG	6	:
01	008B7	U.1656: .WORD	775	:
00000007	008B8	U.1657: .BYTE	1	:
0708	008BC	U.1658: .LONG	7	:
01	008BE	U.1662: .WORD	1800	:
00000008	008BF	U.1663: .BYTE	1	:
11F7	008C3	U.1664: .LONG	8	:
FFFF	008C5	U.1666: .WORD	4599	:
15F6	008C7	U.1667: .WORD	-1	:
FFFE	008C9	U.1668: .WORD	5622	:
008CB		U.1669: .WORD	-2	:
008CC		.BLKB	1	:
008CC		EDF\$AB_DESIGN_CYCLE_TABLE_STA::		:
1300		.BLKB	0	:
01	008CE	;TPA\$TYPE		:
00000022	008CF	U.1674: .WORD	4864	:
008D3		U.1675: .BYTE	1	:
FFFF		;TPA\$PARAM		:
1301	008D5	U.1676: .LONG	34	:
01	008D7	;TPA\$TARGET		:
0000002B	008D8	U.1677: .WORD	-1	:
008DC		;TPA\$TYPE		:
FFFF		U.1681: .WORD	4865	:
1302	008DE	U.1682: .BYTE	1	:
01	008E0	;TPA\$PARAM		:
0000001E	008E1	U.1683: .LONG	43	:
008E5		;TPA\$TARGET		:
1303	008E7	U.1684: .WORD	-1	:
01	008E9	;TPA\$TYPE		:
008E9		U.1688: .WORD	4866	:
0000001E		U.1689: .BYTE	1	:
008E1		;TPA\$PARAM		:
FFFF		U.1690: .LONG	30	:
008E5		;TPA\$TARGET		:
1303	008E7	U.1691: .WORD	-1	:
01	008E9	;TPA\$TYPE		:
008E9		U.1695: .WORD	4867	:
0000001E		U.1696: .BYTE	1	:

C 11
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 100
(36)

00000026	008EA	:TPASPARAM	
FFFF	008EE	U.1697: .LONG	38
1304	008F0	;TPASTARGET	
		U.1698: .WORD	-1
		;TPASTYPE	
01	008F2	U.1702: .WORD	4868
		;TPASFLAGS2	
00000001	008F3	U.1703: .BYTE	1
FFFF	008F7	;TPASPARAM	
		U.1704: .LONG	1
1305	008F9	;TPASTARGET	
		U.1705: .WORD	-1
		;TPASTYPE	
01	008FB	U.1709: .WORD	4869
		;TPASFLAGS2	
00000012	008FC	U.1710: .BYTE	1
FFFF	00900	;TPASPARAM	
		U.1711: .LONG	18
1306	00902	;TPASTARGET	
		U.1712: .WORD	-1
		;TPASTYPE	
01	00904	U.1716: .WORD	4870
		;TPASFLAGS2	
00000030	00905	U.1717: .BYTE	1
FFFF	00909	;TPASPARAM	
		U.1718: .LONG	48
1307	0090B	;TPASTARGET	
		U.1719: .WORD	-1
		;TPASTYPE	
01	0090D	U.1723: .WORD	4871
		;TPASFLAGS2	
00000010	0090E	U.1724: .BYTE	1
FFFF	00912	;TPASPARAM	
		U.1725: .LONG	16
1308	00914	;TPASTARGET	
		U.1726: .WORD	-1
		;TPASTYPE	
01	00916	U.1730: .WORD	4872
		;TPASFLAGS2	
00000036	00917	U.1731: .BYTE	1
FFFF	0091B	;TPASPARAM	
		U.1732: .LONG	54
1309	0091D	;TPASTARGET	
		U.1733: .WORD	-1
		;TPASTYPE	
01	0091F	U.1737: .WORD	4873
		;TPASFLAGS2	
00000033	00920	U.1738: .BYTE	1
FFFF	00924	;TPASPARAM	
		U.1739: .LONG	51
130A	00926	;TPASTARGET	
		U.1740: .WORD	-1
		;TPASTYPE	
01	00928	U.1744: .WORD	4874
		;TPASFLAGS2	
00000037	00929	U.1745: .BYTE	1
		;TPASPARAM	

D 11
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1

Page 101
(36)

FFFF	0092D	U.1746: .LONG ;TPA\$TARGET	55
130B	0092F	U.1747: .WORD ;TPA\$TYPE	-1
01	00931	U.1751: .WORD ;TPA\$FLAGS2	4875
00000038	00932	U.1752: .BYTE ;TPA\$PARAM	1
FFFF	00936	U.1753: .LONG ;TPA\$TARGET	56
130C	00938	U.1754: .WORD ;TPA\$TYPE	-1
01	0093A	U.1758: .WORD ;TPA\$FLAGS2	4876
0000003E	0093B	U.1759: .BYTE ;TPA\$PARAM	1
FFFF	0093F	U.1760: .LONG ;TPA\$TARGET	62
130D	00941	U.1761: .WORD ;TPA\$TYPE	-1
01	00943	U.1765: .WORD ;TPA\$FLAGS2	4877
00000011	00944	U.1766: .BYTE ;TPA\$PARAM	1
FFFF	00948	U.1767: .LONG ;TPA\$TARGET	17
130E	0094A	U.1768: .WORD ;TPA\$TYPE	-1
01	0094C	U.1772: .WORD ;TPA\$FLAGS2	4878
00000040	0094D	U.1773: .BYTE ;TPA\$PARAM	1
FFFF	00951	U.1774: .LONG ;TPA\$TARGET	64
170F	00953	U.1775: .WORD ;TPA\$TYPE	-1
01	00955	U.1779: .WORD ;TPA\$FLAGS2	5903
0000003A	00956	U.1780: .BYTE ;TPA\$PARAM	1
FFFF	0095A	U.1781: .LONG ;TPA\$TARGET	58
0095C		U.1782: .WORD EDFSAB_SCRIPT_OPTION_TABLE_STA:: BLKB 0	-1
1300	0095C	U.1788: .WORD ;TPA\$TYPE	4864
01	0095E	U.1789: .BYTE ;TPA\$FLAGS2	1
00000000	0095F	U.1790: .LONG ;TPA\$PARAM	0
FFFF	00963	U.1791: .WORD ;TPA\$TARGET	-1
1301	00965	U.1795: .WORD ;TPA\$TYPE	4865
01	00967	U.1796: .BYTE ;TPA\$FLAGS2	1

E 11
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32:1

00000001	00968	;TPA\$PARAM		
FFFF	0096C	;TPA\$TARGET	1	
1302	0096E	;TPA\$TYPE	-1	
01	00970	;TPA\$FLAGS2	4866	
00000002	00971	;TPA\$PARAM	1	
FFFF	00975	;TPA\$TARGET	2	
1303	00977	;TPA\$TYPE	-1	
01	00979	;TPA\$FLAGS2	4867	
00000005	0097A	;TPA\$PARAM	1	
FFFF	0097E	;TPA\$TARGET	5	
1304	00980	;TPA\$TYPE	-1	
01	00982	;TPA\$FLAGS2	4868	
00000003	00983	;TPA\$PARAM	1	
FFFF	00987	;TPA\$TARGET	3	
1305	00989	;TPA\$TYPE	-1	
01	0098B	;TPA\$FLAGS2	4869	
00000004	0098C	;TPA\$PARAM	1	
FFFF	00990	;TPA\$TARGET	4	
1706	00992	;TPA\$TYPE	-1	
01	00994	;TPA\$FLAGS2	5894	
00000006	00995	;TPA\$PARAM	1	
FFFF	00999	;TPA\$TARGET	6	
0099B	U.1833:	.WORD	-1	
0099C	BLKB		1	
1300	0099C	EDFSAB_YES_NO_TABLE_STA:: B[KB]	0	
01	0099E	;TPA\$TYPE	4864	
00000000	0099F	;TPA\$FLAGS2	1	
FFFF	009A3	;TPA\$PARAM	1	
1301	009A5	;TPA\$TARGET	0	
		;TPA\$TYPE	-1	
		U.1846:	.WORD	4865

F 11
16-Sep-1984 00:33:02 VAX-11 Bliss-32 V4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32:1

01	009A7	;TPA\$FLAGS2		
00000000	009A8	;TPASPARAM	U.1847: .BYTE	1
FFFF	009AC	;TPASTARGET	U.1848: .LONG	0
1302	009AE	;TPASTYPE	U.1849: .WORD	-1
01	009B0	;TPA\$FLAGS2	U.1853: .WORD	4866
00000001	009B1	;TPASPARAM	U.1854: .BYTE	1
FFFF	009B5	;TPASTARGET	U.1855: .LONG	1
1703	009B7	;TPASTYPE	U.1856: .WORD	-1
01	009B9	;TPA\$FLAGS2	U.1860: .WORD	5891
00000001	009BA	;TPASPARAM	U.1861: .BYTE	1
FFFF	009BE	;TPASTARGET	U.1862: .LONG	1
	009C0	EDFSAB_SET_FUNCTION_TABLE_STA::	U.1863: .WORD	-1
			B[KB]	0
1300	009C0	;TPASTYPE	U.1869: .WORD	4864
01	009C2	;TPA\$FLAGS2	U.1870: .BYTE	1
00000000	009C3	;TPASPARAM	U.1871: .LONG	0
FFFF	009C7	;TPASTARGET	U.1872: .WORD	-1
1301	009C9	;TPASTYPE	U.1876: .WORD	4865
01	009CB	;TPA\$FLAGS2	U.1877: .BYTE	1
00000001	009CC	;TPASPARAM	U.1878: .LONG	1
FFFF	009D0	;TPASTARGET	U.1879: .WORD	-1
1302	009D2	;TPASTYPE	U.1883: .WORD	4866
01	009D4	;TPA\$FLAGS2	U.1884: .BYTE	1
00000002	009D5	;TPASPARAM	U.1885: .LONG	2
FFFF	009D9	;TPASTARGET	U.1886: .WORD	-1
1303	009DB	;TPASTYPE	U.1890: .WORD	4867
01	009DD	;TPA\$FLAGS2	U.1891: .BYTE	1
00000003	009DE	;TPASPARAM	U.1892: .LONG	3
FFFF	009E2	;TPASTARGET	U.1893: .WORD	-1
1304	009E4	;TPASTYPE		

01	009E6	U.1897: .WORD	4868	:
		;TPAS\$FLAGS2		
00000004	009E7	U.1898: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	009EB	U.1899: .LONG	4	:
		;TPAS\$TARGET		
1305	009ED	U.1900: .WORD	-1	:
		;TPAS\$TYPE		
01	009EF	U.1904: .WORD	4869	:
		;TPAS\$FLAGS2		
00000005	009FO	U.1905: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	009F4	U.1906: .LONG	5	:
		;TPAS\$TARGET		
1306	009F6	U.1907: .WORD	-1	:
		;TPAS\$TYPE		
01	009F8	U.1911: .WORD	4870	:
		;TPAS\$FLAGS2		
00000006	009F9	U.1912: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	009FD	U.1913: .LONG	6	:
		;TPAS\$TARGET		
1707	009FF	U.1914: .WORD	-1	:
		;TPAS\$TYPE		
01	00A01	U.1918: .WORD	5895	:
		;TPAS\$FLAGS2		
00000007	00A02	U.1919: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	00A06	U.1920: .LONG	7	:
		;TPAS\$TARGET		
1231	00A08	U.1921: .WORD	-1	:
		EDFSAB_GRANULARITY_TABLE_STA::		
		BLKB 0		
		;TPAS\$TYPE		
01	00A0A	U.1924: .WORD	4657	:
		;TPAS\$FLAGS2		
00000000	00A0B	U.1925: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	00A0F	U.1926: .LONG	0	:
		;TPAS\$TARGET		
1232	00A11	U.1927: .WORD	-1	:
		;TPAS\$TYPE		
01	00A13	U.1928: .WORD	4658	:
		;TPAS\$FLAGS2		
00000001	00A14	U.1929: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	00A18	U.1930: .LONG	1	:
		;TPAS\$TARGET		
1233	00A1A	U.1931: .WORD	-1	:
		;TPAS\$TYPE		
01	00A1C	U.1932: .WORD	4659	:
		;TPAS\$FLAGS2		
00000002	00A1D	U.1933: .BYTE	1	:
		;TPAS\$PARAM		
FFFF	00A21	U.1934: .LONG	2	:
		;TPAS\$TARGET		
		U.1935: .WORD	-1	:

H 11
16-Sep-1984 00:33:02
5-Sep-1984 21:58:24VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1Page 105
(36)

1234	00A23	:TPA\$TYPE		
01	00A25	:TPA\$FLAGS2	4660	
		U.1936: .WORD		
		U.1937: .BYTE	1	
00000003	00A26	:TPA\$PARAM		
FFFF	00A2A	:TPA\$TARGET	3	
		U.1938: .LONG		
		U.1939: .WORD	-1	
1300	00A2C	:TPA\$TYPE		
01	00A2E	:TPA\$FLAGS2	4864	
		U.1943: .WORD		
		U.1944: .BYTE	1	
00000004	00A2F	:TPA\$PARAM		
FFFF	00A33	:TPA\$TARGET	4	
		U.1945: .LONG		
		U.1946: .WORD	-1	
1301	00A35	:TPA\$TYPE		
01	00A37	:TPA\$FLAGS2	4865	
		U.1950: .WORD		
		U.1951: .BYTE	1	
00000003	00A38	:TPA\$PARAM		
FFFF	00A3C	:TPA\$TARGET	3	
		U.1952: .LONG		
		U.1953: .WORD	-1	
1302	00A3E	:TPA\$TYPE		
01	00A40	:TPA\$FLAGS2	4866	
		U.1957: .WORD		
		U.1958: .BYTE	1	
00000000	00A41	:TPA\$PARAM		
FFFF	00A45	:TPA\$TARGET	0	
		U.1959: .LONG		
		U.1960: .WORD	-1	
1303	00A47	:TPA\$TYPE		
01	00A49	:TPA\$FLAGS2	4867	
		U.1964: .WORD		
		U.1965: .BYTE	1	
00000002	00A4A	:TPA\$PARAM		
FFFF	00A4E	:TPA\$TARGET	2	
		U.1966: .LONG		
		U.1967: .WORD	-1	
1704	00A50	:TPA\$TYPE		
01	00A52	:TPA\$FLAGS2	5892	
		U.1971: .WORD		
		U.1972: .BYTE	1	
00000001	00A53	:TPA\$PARAM		
FFFF	00A57	:TPA\$TARGET	1	
		U.1973: .LONG		
		U.1974: .WORD	-1	
	00A59	.BLKB	3	
	00A5C	EDFSAB_PROMPTING_TABLE_STA::		
		BLKB	0	
1300	00A5C	:TPA\$TYPE		
01	00A5E	:TPA\$FLAGS2	4864	
		U.1980: .WORD		
		U.1981: .BYTE	1	
00000001	00A5F	:TPA\$PARAM		
		U.1982: .LONG	1	

```

        FFFF 00A63 ;TPASTARGET
                    U.1983: .WORD -1
        1701 00A65 ;TPASTYPE
                    U.1987: .WORD 5889
        01 00A67 ;TPASFLAGS2
                    U.1988: .BYTE 1
00000000 00A68 ;TPASPARAM
                    U.1989: .LONG 0
        FFFF 00A6C ;TPASTARGET
                    U.1990: .WORD -1
        00A6E ;BLKB 2
00A70 EDF$AB_RESPONSES_TABLE_STA:::
                    BLKB 0
        1300 00A70 ;TPASTYPE
                    U.1996: .WORD 4864
        01 00A72 ;TPASFLAGS2
                    U.1997: .BYTE 1
00000000 00A73 ;TPASPARAM
                    U.1998: .LONG 0
        FFFF 00A77 ;TPASTARGET
                    U.1999: .WORD -1
        1701 00A79 ;TPASTYPE
                    U.2003: .WORD 5889
        01 00A7B ;TPASFLAGS2
                    U.2004: .BYTE 1
00000001 00A7C ;TPASPARAM
                    U.2005: .LONG 1
        FFFF 00A80 ;TPASTARGET
                    U.2006: .WORD -1

.PSECT _LIB$KEY$,NOWRT, SHR, PIC,1

00000 EDF$AB_PRIMARY_TABLE_KEY::
                    BLKB 0
        00000 ;TPASKEY0
                    U.1: .BLKB 0
0000* 00000 ;TPASKEY
                    U.3: .WORD <U.2-U.1>
0000* 00002 ;TPASKEY
                    U.10: .WORD <U.9-U.1>
0000* 00004 ;TPASKEY
                    U.16: .WORD <U.15-U.1>
0000* 00006 ;TPASKEY
                    U.23: .WORD <U.22-U.1>
0000* 00008 ;TPASKEY
                    U.30: .WORD <U.29-U.1>
0000* 0000A ;TPASKEY
                    U.37: .WORD <U.36-U.1>
0000* 0000C ;TPASKEY
                    U.44: .WORD <U.43-U.1>
0000* 0000E ;TPASKEY
                    U.50: .WORD <U.49-U.1>
0000* 00010 ;TPASKEY
                    U.57: .WORD <U.56-U.1>
0000* 00012 ;TPASKEY
                    U.64: .WORD <U.63-U.1>
0000* 00014 ;TPASKEY

```

U.71: .WORD <U.70-U.1>
00016 :BLKB 2
00018 EDF\$AB_ACCESS_TABLE_KEY::
BLKB 0
00018 ;TPASKEYØ
U.95: .BLKB 0
0000* 00018 ;TPASKEY
U.97: .WORD <U.96-U.95>
0000* 0001A ;TPASKEY
U.104: .WORD <U.103-U.95>
0000* 0001C ;TPASKEY
U.111: .WORD <U.110-U.95>
0000* 0001E ;TPASKEY
U.118: .WORD <U.117-U.95>
0000* 00020 ;TPASKEY
U.125: .WORD <U.124-U.95>
0000* 00022 ;TPASKEY
U.132: .WORD <U.131-U.95>
0000* 00024 ;TPASKEY
U.139: .WORD <U.138-U.95>
00026 :BLKB 2
00028 EDF\$AB_AREA_TABLE_KEY::
BLKB 0
00028 ;TPASKEYØ
U.146: .BLKB 0
0000* 00028 ;TPASKEY
U.148: .WORD <U.147-U.146>
0000* 0002A ;TPASKEY
U.155: .WORD <U.154-U.146>
0000* 0002C ;TPASKEY
U.162: .WORD <U.161-U.146>
0000* 0002E ;TPASKEY
U.169: .WORD <U.168-U.146>
0000* 00030 ;TPASKEY
U.176: .WORD <U.175-U.146>
0000* 00032 ;TPASKEY
U.183: .WORD <U.182-U.146>
0000* 00034 ;TPASKEY
U.190: .WORD <U.189-U.146>
0000* 00036 ;TPASKEY
U.197: .WORD <U.196-U.146>
00038 EDF\$AB_CONNECT_TABLE_KEY::
BLKB 0
00038 ;TPASKEYØ
U.204: .BLKB 0
0000* 00038 ;TPASKEY
U.206: .WORD <U.205-U.204>
0000* 0003A ;TPASKEY
U.213: .WORD <U.212-U.204>
0000* 0003C ;TPASKEY
U.220: .WORD <U.219-U.204>
0000* 0003E ;TPASKEY
U.227: .WORD <U.226-U.204>
0000* 00040 ;TPASKEY
U.234: .WORD <U.233-U.204>
0000* 00042 ;TPASKEY
U.241: .WORD <U.240-U.204>

0000* 00044 ;TPASKEY
0000* 00046 U.248: .WORD <U.247-U.204>
0000* 00048 U.255: .WORD <U.254-U.204>
0000* 0004A U.262: .WORD <U.261-U.204>
0000* 0004C U.269: .WORD <U.268-U.204>
0000* 0004E U.276: .WORD <U.275-U.204>
0000* 00050 U.283: .WORD <U.282-U.204>
0000* 00052 U.290: .WORD <U.289-U.204>
0000* 00054 U.297: .WORD <U.296-U.204>
0000* 00056 U.304: .WORD <U.303-U.204>
0000* 00058 U.311: .WORD <U.310-U.204>
0000* 0005A U.318: .WORD <U.317-U.204>
0000* 0005C U.325: .WORD <U.324-U.204>
0000* 0005E U.332: .WORD <U.331-U.204>
0000* 00060 U.339: .WORD <U.338-U.204>
0000* 00062 U.346: .WORD <U.345-U.204>
0000* 00064 U.353: .WORD <U.352-U.204>
0000* 00066 U.360: .WORD <U.359-U.204>
0000* 00068 U.367: .WORD <U.366-U.204>
0000* 0006A U.374: .WORD <U.373-U.204>
0000* 0006C U.381: .WORD <U.380-U.204>
0000* 0006E U.388: .WORD <U.387-U.204>
0000* 00070 U.395: .WORD <U.394-U.204>
0000* 00072 U.402: .WORD <U.401-U.204>
0000* 00074 U.409: .WORD <U.408-U.204>
0000* 00076 U.416: .WORD <U.415-U.204>
0000* 00078 U.423: .WORD <U.422-U.204>
0007A .BLKB 2
0007C EDF\$AB_DATE_TABLE_KEY::
 .BLRB 0-

L 11
16-Sep-1984 00:33:02 VAX-11 Bliss-32 v4.0-742
5-Sep-1984 21:58:24 [EDF.SRC]EDFTABLES.B32;1

0007C ;TPASKEY0
0000* 0007C U.437: .BLKB 0
0000* 0007C ;TPASKEY
0000* 0007E U.439: .WORD <U.438-U.437>
0000* 00080 U.446: .WORD <U.445-U.437>
0000* 00082 U.453: .WORD <U.452-U.437>
0000* 00082 ;TPASKEY
00084 U.460: .WORD <U.459-U.437>
00084 EDFSAB_FILE TABLE _KEY::
00084 BLRB 0
00084 ;TPASKEY0
0000* 00084 U.467: .BLKB 0
0000* 00086 U.469: .WORD <U.468-U.467>
0000* 00086 ;TPASKEY
0000* 00088 U.476: .WORD <U.475-U.467>
0000* 00088 ;TPASKEY
0000* 0008A U.483: .WORD <U.482-U.467>
0000* 0008A ;TPASKEY
0000* 0008C U.490: .WORD <U.489-U.467>
0000* 0008C ;TPASKEY
0000* 0008E U.497: .WORD <U.496-U.467>
0000* 0008E ;TPASKEY
0000* 00090 U.504: .WORD <U.503-U.467>
0000* 00090 ;TPASKEY
0000* 00092 U.511: .WORD <U.510-U.467>
0000* 00092 ;TPASKEY
0000* 00094 U.518: .WORD <U.517-U.467>
0000* 00094 ;TPASKEY
0000* 00096 U.525: .WORD <U.524-U.467>
0000* 00096 ;TPASKEY
0000* 00098 U.532: .WORD <U.531-U.467>
0000* 00098 ;TPASKEY
0000* 0009A U.539: .WORD <U.538-U.467>
0000* 0009A ;TPASKEY
0000* 0009C U.546: .WORD <U.545-U.467>
0000* 0009C ;TPASKEY
0000* 0009E U.553: .WORD <U.552-U.467>
0000* 0009E ;TPASKEY
0000* 000A0 U.560: .WORD <U.559-U.467>
0000* 000A0 ;TPASKEY
0000* 000A2 U.567: .WORD <U.566-U.467>
0000* 000A2 ;TPASKEY
0000* 000A4 U.574: .WORD <U.573-U.467>
0000* 000A4 ;TPASKEY
0000* 000A6 U.581: .WORD <U.580-U.467>
0000* 000A6 ;TPASKEY
0000* 000A8 U.588: .WORD <U.587-U.467>
0000* 000A8 ;TPASKEY
0000* 000AA U.595: .WORD <U.594-U.467>
0000* 000AA ;TPASKEY
0000* 000AC U.602: .WORD <U.601-U.467>
0000* 000AC ;TPASKEY
0000* 000AE U.609: .WORD <U.608-U.467>
0000* 000AE ;TPASKEY

0000* 000B0 U.616: .WORD <U.615-U.467>
0000* 000B2 ;TPASKEY U.623: .WORD <U.622-U.467>
0000* 000B4 ;TPASKEY U.630: .WORD <U.629-U.467>
0000* 000B6 ;TPASKEY U.637: .WORD <U.636-U.467>
0000* 000B8 ;TPASKEY U.644: .WORD <U.643-U.467>
0000* 000BA ;TPASKEY U.651: .WORD <U.650-U.467>
0000* 000BC ;TPASKEY U.658: .WORD <U.657-U.467>
0000* 000BE ;TPASKEY U.665: .WORD <U.664-U.467>
0000* 000C0 ;TPASKEY U.672: .WORD <U.671-U.467>
0000* 000C2 ;TPASKEY U.679: .WORD <U.678-U.467>
0000* 000C4 ;TPASKEY U.686: .WORD <U.685-U.467>
0000* 000C6 ;TPASKEY U.693: .WORD <U.692-U.467>
0000* 000C8 ;TPASKEY U.700: .WORD <U.699-U.467>
0000* 000CA ;TPASKEY U.707: .WORD <U.706-U.467>
0000* 000CC ;TPASKEY U.714: .WORD <U.713-U.467>
0000* 000CE ;TPASKEY U.721: .WORD <U.720-U.467>
0000* 000D0 ;TPASKEY U.728: .WORD <U.727-U.467>
0000* 000D2 ;TPASKEY U.735: .WORD <U.734-U.467>
000D2 .BLKB 2
000D4 EDF\$AB_JOURNAL_TABLE_KEY::
BLKB 0
000D4 ;TPASKEY U.742: .BLKB 0
0000* 000D4 ;TPASKEY U.744: .WORD <U.743-U.742>
0000* 000D6 ;TPASKEY U.751: .WORD <U.750-U.742>
0000* 000D8 ;TPASKEY U.758: .WORD <U.757-U.742>
0000* 000DA ;TPASKEY U.765: .WORD <U.764-U.742>
0000* 000DC ;TPASKEY U.772: .WORD <U.771-U.742>
0000* 000DE ;TPASKEY U.779: .WORD <U.778-U.742>
0000* 000E0 ;TPASKEY U.786: .WORD <U.785-U.742>
000E2 .BLKB 2
000E4 EDF\$AB_KEY_TABLE_KEY::
.BLKB 0

000E4	;TPASKEY0		
0000*	000E4	U.793: .BLKB	0
0000*	000E6	U.795: .WORD	<U.794-U.793>
0000*	000E8	U.802: .WORD	<U.801-U.793>
0000*	000EA	U.809: .WORD	<U.808-U.793>
0000*	000EC	U.816: .WORD	<U.815-U.793>
0000*	000EE	U.823: .WORD	<U.822-U.793>
0000*	000FO	U.830: .WORD	<U.829-U.793>
0000*	000F2	U.837: .WORD	<U.836-U.793>
0000*	000F4	U.844: .WORD	<U.843-U.793>
0000*	000F6	U.851: .WORD	<U.850-U.793>
0000*	000F8	U.858: .WORD	<U.857-U.793>
0000*	000FA	U.865: .WORD	<U.864-U.793>
0000*	000FC	U.872: .WORD	<U.871-U.793>
0000*	000FE	U.879: .WORD	<U.878-U.793>
0000*	00100	U.886: .WORD	<U.885-U.793>
0000*	00102	U.893: .WORD	<U.892-U.793>
0000*	00104	U.900: .WORD	<U.899-U.793>
0000*	00106	U.919: .WORD	<U.918-U.793>
0000*	00108	U.926: .WORD	<U.925-U.793>
0000*	0010A	U.939: .WORD	<U.938-U.793>
0000*	0010C	U.947: .WORD	<U.946-U.793>
	0010E	U.955: .WORD	<U.954-U.793>
	00110	EDF\$AB_RECORD_TABLE_KEY::	
		BLKB 2	
		BLKB 0	
0000*	00110	;TPASKEY0	
0000*	00110	U.967: .BLKB	0
0000*	00112	U.969: .WORD	<U.968-U.967>
0000*	00114	U.976: .WORD	<U.975-U.967>
0000*	00116	U.983: .WORD	<U.982-U.967>
		U.990: .WORD	<U.989-U.967>

```

0000* 00118 :TPA$KEY
    U.997: .WORD <U.996-U.967>
0011A   .BLKB 2
0011C EDF$AB_SHARING_TABLE_KEY::
    BLKB 0
0011C :TPA$KEY0
    U.1004: .BLKB 0
0000* 0011C :TPA$KEY
    U.1006: .WORD <U.1005-U.1004>
0000* 0011E :TPA$KEY
    U.1013: .WORD <U.1012-U.1004>
0000* 00120 :TPA$KEY
    U.1020: .WORD <U.1019-U.1004>
0000* 00122 :TPA$KEY
    U.1027: .WORD <U.1026-U.1004>
0000* 00124 :TPA$KEY
    U.1034: .WORD <U.1033-U.1004>
0000* 00126 :TPA$KEY
    U.1041: .WORD <U.1040-U.1004>
0000* 00128 :TPA$KEY
    U.1048: .WORD <U.1047-U.1004>
0012A   .BLKB 2
0012C EDF$AB_SYSTEM_TABLE_KEY::
    BLKB 0
0012C :TPA$KEY0
    U.1055: .BLKB 0
0000* 0012C :TPA$KEY
    U.1057: .WORD <U.1056-U.1055>
0000* 0012E :TPA$KEY
    U.1064: .WORD <U.1063-U.1055>
0000* 00130 :TPA$KEY
    U.1071: .WORD <U.1070-U.1055>
00132   .BLKB 2
00134 EDF$ABPOSIT_TABLE_KEY::
    BLKB 0
00134 :TPA$KEY0
    U.1078: .BLKB 0
0000* 00134 :TPA$KEY
    U.1080: .WORD <U.1079-U.1078>
0000* 00136 :TPA$KEY
    U.1087: .WORD <U.1086-U.1078>
0000* 00138 :TPA$KEY
    U.1094: .WORD <U.1093-U.1078>
0000* 0013A :TPA$KEY
    U.1101: .WORD <U.1100-U.1078>
0000* 0013C :TPA$KEY
    U.1108: .WORD <U.1107-U.1078>
0000* 0013E :TPA$KEY
    U.1115: .WORD <U.1114-U.1078>
0000* 00140 :TPA$KEY
    U.1122: .WORD <U.1121-U.1078>
0000* 00142 :TPA$KEY
    U.1129: .WORD <U.1128-U.1078>
00144 EDF$AB_FID_TABLE_KEY::
    BLKB 0
00144 :TPA$KEY0
    U.1136: .BLKB 0

```

00144 EDF\$AB_UIC_TABLE_KEY::
 BLKB 0
00144 ;TPA\$KEYÖ
 U.1152: .BLKB 0
00144 EDF\$AB_PROT_TABLE_KEY::
 BLRB 0
00144 ;TPA\$KEYÖ
 U.1160: .BLKB 0
0000* 00144 ;TPA\$KEY
 U.1167: .WORD <U.1166-U.1160>
0000* 00146 ;TPA\$KEY
 U.1173: .WORD <U.1172-U.1160>
0000* 00148 ;TPA\$KEY
 U.1179: .WORD <U.1178-U.1160>
0000* 0014A ;TPA\$KEY
 U.1185: .WORD <U.1184-U.1160>
0014C EDF\$AB_ORG_TABLE_KEY::
 BLKB 0
0014C ;TPA\$KEYÖ
 U.1284: .BLKB 0
0000* 0014C ;TPA\$KEY
 U.1286: .WORD <U.1285-U.1284>
0000* 0014E ;TPA\$KEY
 U.1293: .WORD <U.1292-U.1284>
0000* 00150 ;TPA\$KEY
 U.1300: .WORD <U.1299-U.1284>
00152 .BLKB 2
00154 EDF\$AB_SOURCE_TABLE_KEY::
 BLKB 0
00154 ;TPA\$KEYÖ
 U.1307: .BLKB 0
0000* 00154 ;TPA\$KEY
 U.1309: .WORD <U.1308-U.1307>
0000* 00156 ;TPA\$KEY
 U.1316: .WORD <U.1315-U.1307>
0000* 00158 ;TPA\$KEY
 U.1323: .WORD <U.1322-U.1307>
0000* 0015A ;TPA\$KEY
 U.1330: .WORD <U.1329-U.1307>
0000* 0015C ;TPA\$KEY
 U.1337: .WORD <U.1336-U.1307>
0000* 0015E ;TPA\$KEY
 U.1344: .WORD <U.1343-U.1307>
0000* 00160 ;TPA\$KEY
 U.1351: .WORD <U.1350-U.1307>
00162 .BLKB 2
00164 EDF\$AB_RU_TABLE_KEY::
 BLKB 0
00164 ;TPA\$KEYÖ
 U.1358: .BLKB 0
0000* 00164 ;TPA\$KEY
 U.1360: .WORD <U.1359-U.1358>
0000* 00166 ;TPA\$KEY
 U.1367: .WORD <U.1366-U.1358>
0000* 00168 ;TPA\$KEY
 U.1374: .WORD <U.1373-U.1358>
0000* 0016A ;TPA\$KEY
 U.1374: .WORD <U.1373-U.1358>

0016C U.1381: .WORD <U.1380-U.1358>
 ;TPASKEYÖ⁰
 0016C U.1388: .BLKB 0
 0000* 0016C ;TPASKEY
 0000* 0016E U.1390: .WORD <U.1389-U.1388>
 0000* 00170 U.1397: .WORD <U.1396-U.1388>
 0000* 00172 U.1404: .WORD <U.1403-U.1388>
 00174 EDF\$AB_FORMAT_TABLE_KEY::
 BLKB 0
 00174 U.1411: .WORD <U.1410-U.1388>
 0000* 00174 ;TPASKEYÖ⁰
 0000* 00174 U.1418: .BLKB 0
 0000* 00176 U.1420: .WORD <U.1419-U.1418>
 0000* 00176 ;TPASKEY
 0000* 00178 U.1427: .WORD <U.1426-U.1418>
 0000* 0017A U.1434: .WORD <U.1433-U.1418>
 0000* 0017A ;TPASKEY
 0000* 0017C U.1441: .WORD <U.1440-U.1418>
 0000* 0017C ;TPASKEY
 0000* 0017E U.1448: .WORD <U.1447-U.1418>
 0000* 00180 U.1455: .WORD <U.1454-U.1418>
 00182 BLKB 2
 00184 EDF\$AB_TYPE_TABLE_KEY::
 BLRB 0
 00184 ;TPASKEYÖ⁰
 0000* 00184 U.1469: .BLKB 0
 0000* 00186 U.1471: .WORD <U.1470-U.1469>
 0000* 00186 ;TPASKEY
 0000* 00188 U.1478: .WORD <U.1477-U.1469>
 0000* 00188 ;TPASKEY
 0000* 0018A U.1485: .WORD <U.1484-U.1469>
 0000* 0018A ;TPASKEY
 0000* 0018C U.1492: .WORD <U.1491-U.1469>
 0000* 0018C ;TPASKEY
 0000* 0018E U.1499: .WORD <U.1498-U.1469>
 0000* 0018E ;TPASKEY
 0000* 00190 U.1506: .WORD <U.1505-U.1469>
 0000* 00190 ;TPASKEY
 0000* 00192 U.1513: .WORD <U.1512-U.1469>
 0000* 00192 ;TPASKEY
 00194 EDF\$AB_LOAD_METHOD_TABLE_KEY::
 BLRB 0
 00194 ;TPASKEYÖ⁰
 0000* 00194 U.1527: .BLKB 0

```

0000* 00196 U.1529: .WORD <U.1528-U.1527>
0000* 00198 ;TPASKEY
U.1536: .WORD <U.1535-U.1527>
0019A U.1543: .WORD <U.1542-U.1527>
0019C EDF$AB_WEIGHT_TABLE_KEY::  

    BLKB 2
    BLKB 0
0019C ;TPASKEYÖ
U.1550: .BLKB 0
0000* 0019C ;TPASKEY
U.1552: .WORD <U.1551-U.1550>
0000* 0019E ;TPASKEY
U.1559: .WORD <U.1558-U.1550>
001A0 EDF$AB_SURFACE_OPTION_TABLE_KEY::  

    BLKB 0
001A0 ;TPASKEYÖ
U.1566: .BLKB 0
0000* 001A0 ;TPASKEY
U.1568: .WORD <U.1567-U.1566>
0000* 001A2 ;TPASKEY
U.1575: .WORD <U.1574-U.1566>
0000* 001A4 ;TPASKEY
U.1582: .WORD <U.1581-U.1566>
0000* 001A6 ;TPASKEY
U.1589: .WORD <U.1588-U.1566>
0000* 001A8 ;TPASKEY
U.1596: .WORD <U.1595-U.1566>
0000* 001AA ;TPASKEY
U.1603: .WORD <U.1602-U.1566>
001AC EDF$AB_CURRENT_FUNC_TABLE_KEY::  

    BLKB 0
001AC ;TPASKEYÖ
U.1610: .BLKB 0
0000* 001AC ;TPASKEY
U.1612: .WORD <U.1611-U.1610>
0000* 001AE ;TPASKEY
U.1618: .WORD <U.1617-U.1610>
0000* 001B0 ;TPASKEY
U.1624: .WORD <U.1623-U.1610>
0000* 001B2 ;TPASKEY
U.1630: .WORD <U.1629-U.1610>
0000* 001B4 ;TPASKEY
U.1636: .WORD <U.1635-U.1610>
0000* 001B6 ;TPASKEY
U.1642: .WORD <U.1641-U.1610>
0000* 001B8 ;TPASKEY
U.1648: .WORD <U.1647-U.1610>
0000* 001BA ;TPASKEY
U.1654: .WORD <U.1653-U.1610>
0000* 001BC ;TPASKEY
U.1660: .WORD <U.1659-U.1610>
001BE ;TPASKEY
    BLKB 2
001C0 EDF$AB_DESIGN_CYCLE_TABLE_KEY::  

    BLKB 0
001C0 ;TPASKEYÖ
U.1670: .BLKB 0

```

0000* 001C0 ;TPA\$KEY
U.1672: .WORD <U.1671-U.1670>
0000* 001C2 ;TPA\$KEY
U.1679: .WORD <U.1678-U.1670>
0000* 001C4 ;TPA\$KEY
U.1686: .WORD <U.1685-U.1670>
0000* 001C6 ;TPA\$KEY
U.1693: .WORD <U.1692-U.1670>
0000* 001C8 ;TPA\$KEY
U.1700: .WORD <U.1699-U.1670>
0000* 001CA ;TPA\$KEY
U.1707: .WORD <U.1706-U.1670>
0000* 001CC ;TPA\$KEY
U.1714: .WORD <U.1713-U.1670>
0000* 001CE ;TPA\$KEY
U.1721: .WORD <U.1720-U.1670>
0000* 001D0 ;TPA\$KEY
U.1728: .WORD <U.1727-U.1670>
0000* 001D2 ;TPA\$KEY
U.1735: .WORD <U.1734-U.1670>
0000* 001D4 ;TPA\$KEY
U.1742: .WORD <U.1741-U.1670>
0000* 001D6 ;TPA\$KEY
U.1749: .WORD <U.1748-U.1670>
0000* 001D8 ;TPA\$KEY
U.1756: .WORD <U.1755-U.1670>
0000* 001DA ;TPA\$KEY
U.1763: .WORD <U.1762-U.1670>
0000* 001DC ;TPA\$KEY
U.1770: .WORD <U.1769-U.1670>
0000* 001DE ;TPA\$KEY
U.1777: .WORD <U.1776-U.1670>
001E0 EDF\$AB_SCRIPT_OPTION_TABLE_KEY::
BLKB 0
001E0 ;TPA\$KEY0
U.1784: .BLKB 0
0000* 001E0 ;TPA\$KEY
U.1786: .WORD <U.1785-U.1784>
0000* 001E2 ;TPA\$KEY
U.1793: .WORD <U.1792-U.1784>
0000* 001E4 ;TPA\$KEY
U.1800: .WORD <U.1799-U.1784>
0000* 001E6 ;TPA\$KEY
U.1807: .WORD <U.1806-U.1784>
0000* 001E8 ;TPA\$KEY
U.1814: .WORD <U.1813-U.1784>
0000* 001EA ;TPA\$KEY
U.1821: .WORD <U.1820-U.1784>
0000* 001EC ;TPA\$KEY
U.1828: .WORD <U.1827-U.1784>
001EE ;BLKB 2
001F0 EDF\$AB_YES_NO_TABLE_KEY::
BLKB 0
001F0 ;TPA\$KEY0
U.1835: .BLKB 0
0000* 001F0 ;TPA\$KEY
U.1837: .WORD <U.1836-U.1835>

0000* 001F2 ;TPA\$KEY
U.1844: .WORD <U.1843-U.1835>
0000* 001F4 ;TPA\$KEY
U.1851: .WORD <U.1850-U.1835>
0000* 001F6 ;TPA\$KEY
U.1858: .WORD <U.1857-U.1835>
001F8 EDF\$AB_SET_FUNCTION_TABLE_KEY::
BLKB 0
001F8 ;TPA\$KEY0
U.1865: .BLKB 0
0000* 001F8 ;TPA\$KEY
U.1867: .WORD <U.1866-U.1865>
0000* 001FA ;TPA\$KEY
U.1874: .WORD <U.1873-U.1865>
0000* 001FC ;TPA\$KEY
U.1881: .WORD <U.1880-U.1865>
0000* 001FE ;TPA\$KEY
U.1888: .WORD <U.1887-U.1865>
0000* 00200 ;TPA\$KEY
U.1895: .WORD <U.1894-U.1865>
0000* 00202 ;TPA\$KEY
U.1902: .WORD <U.1901-U.1865>
0000* 00204 ;TPA\$KEY
U.1909: .WORD <U.1908-U.1865>
0000* 00206 ;TPA\$KEY
U.1916: .WORD <U.1915-U.1865>
00208 EDF\$AB_GRANULARITY_TABLE_KEY::
BLKB 0
00208 ;TPA\$KEY0
U.1923: .BLKB 0
0000* 00208 ;TPA\$KEY
U.1941: .WORD <U.1940-U.1923>
0000* 0020A ;TPA\$KEY
U.1948: .WORD <U.1947-U.1923>
0000* 0020C ;TPA\$KEY
U.1955: .WORD <U.1954-U.1923>
0000* 0020E ;TPA\$KEY
U.1962: .WORD <U.1961-U.1923>
0000* 00210 ;TPA\$KEY
U.1969: .WORD <U.1968-U.1923>
00212 .BLKB 2
00214 EDF\$AB_PROMPTING_TABLE_KEY::
BLKB 0
00214 ;TPA\$KEY0
U.1976: .BLKB 0
0000* 00214 ;TPA\$KEY
U.1978: .WORD <U.1977-U.1976>
0000* 00216 ;TPA\$KEY
U.1985: .WORD <U.1984-U.1976>
00218 EDF\$AB_RESPONSES_TABLE_KEY::
BLKB 0
00218 ;TPA\$KEY0
U.1992: .BLKB 0
0000* 00218 ;TPA\$KEY
U.1994: .WORD <U.1993-U.1992>
0000* 0021A ;TPA\$KEY
U.2001: .WORD <U.2000-U.1992>

EDF\$TABLES
V04-000

TPARSE tables for EDF utility.

H 12

16-Sep-1984 00:33:02
5-Sep-1984 21:58:24

VAX-11 Bliss-32 V4.0-742
[EDF.SRC]EDFTABLES.B32;1

Page 118
(36)

```
.PSECT $GLOBALS$,NOEXE,2
00000 EDF$AB_STRING::          .BLKB   8
00008 EDF$AB_COMMENT::         .BLKB   8
00010 EDF$GL_SECNUM::          .BLKB   4
00014 EDF$GL_PROT_MASK::      .BLKB   4
00018 EDF$GL_FID1::           .BLKB   4
0001C EDF$GL_FID2::           .BLKB   4
00020 EDF$GL_FID3::           .BLKB   4
00024 EDF$GL_OWNER_UIC::       .BLKB   4
00028 EDF$GL_SPARE1::          .BLKB   4
```

PSECT SUMMARY

Name	Bytes	Attributes
\$GLOBALS\$	44	NOVEC, WRT, RD ,NOEXE,NOSHR, LCL, REL, CON,NOPIC,ALIGN(2)
-LIB\$KEYOS	540	NOVEC,NOWRT, RD : EXE, SHR, LCL, REL, CON, PIC,ALIGN(1)
-LIB\$STATES	2690	NOVEC,NOWRT, RD : EXE: SHR, LCL, REL, CON, PIC,ALIGN(1)
-LIB\$KEY1\$	2512	NOVEC,NOWRT, RD : EXE: SHR, LCL, REL, CON, PIC,ALIGN(1)

Library Statistics

File	----- Symbols -----	Pages Mapped	Processing Time
	Total Loaded Percent		
-\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776 0 0	581	00:01.1
-\$255\$DUA28:[SYSLIB]TPAMAC.L32;1	42 30 71	14	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS\$:EDFTABLES/OBJ=OBJ\$:EDFTABLES MSRC\$:EDFTABLES/UPDATE=(ENH\$:EDFTABLES)

; Size: 0 code + 5786 data bytes
; Run Time: 03:13.4

EDF\$TABLES TPARSE tables for EDF utility.
V04-000

: Elapsed Time: 06:36.3
: Lines/CPU Min: 545
: Lexemes/CPU-Min:109677
: Memory Used: 793 pages
: Compilation Complete

I 12
16-Sep-1984 00:33:02 VAX-11 Bliss-32 V4.0-742

Page 119

0128 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

EDFTABLES
LIS

EDFTYPE
LIS

EDFUTIL
LIS

EDFTERM
LIS

EDFSTRUCT
LIS