

TTTTTTTTT1	RRRRRRRR	AAAAAA	CCCCCCCC	EEEEEEEEEE	MM	MM	AAAAAA	CCCCCCCC	
TTTTTTTTTT	RRRRRRRR	AAAAAA	CCCCCCCC	EEEEEEEEEE	MM	MM	AAAAAA	CCCCCCCC	
TT	RR RR	AA AA	CC	EE	MMMM	MMMM	AA AA	CC	
TT	RR RR	AA AA	CC	EE	MMMM	MMMM	AA AA	CC	
TT	RR RR	AA AA	CC	EE	MM MM	MM	AA AA	CC	
TT	RRRRRRRR	AA AA	CC	EE	MM MM	MM	AA AA	CC	
TT	RRRRRRRR	AA AA	CC	EEEEEEEE	MM	MM	AA AA	CC	
TT	RR RR	AAAAAAAA	CC	EEEEEEEE	MM	MM	AAAAAAAA	CC	
TT	RR RR	AAAAAAAA	CC	EE	MM	MM	AAAAAAAA	CC	
TT	RR RR	AA AA	CC	EE	MM	MM	AA AA	CC	
TT	RR RR	AA AA	CC	EE	MM	MM	AA AA	CC
TT	RR RR	AA AA	CCCCCCCC	EEEEEEEEEE	MM	MM	AA AA	CCCCCCCC
TT	RR RR	AA AA	CCCCCCCC	EEEEEEEEEE	MM	MM	AA AA	CCCCCCCC

RRRRRRRR	EEEEEEEEEE	QQQQQQ
RRRRRRRR	EEEEEEEEEE	QQQQQQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RRRRRRRR	EEEEEEEE	QQ QQ
RRRRRRRR	EEEEEEEE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EE	QQ QQ
RR RR	EEEEEEEE	QQQQ QQ
RR RR	EEEEEEEE	QQQQ QQ

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

```

! This file, TRACEMAC.REQ, holds the $$TRACE and $$TRACE_READ macros for EDT.
!<BLF/macro>

```

```

MACRO
  $$TRACE (TYPE, SUBTYPE, TEXT_LENGTH, TEXT_ADDR) =
    %BLISS32 [ ! Only on VAX-11
      %IF EDT$$STR_ACT
      %THEN ! Only if selected
        BEGIN
          LOCAL
            TRACE_STATUS;
          EXTERNAL ROUTINE
            EDT$$STR_WR : ADDRESSING_MODE (GENERAL);
          TRACELIT; ! Define trace literals
          TRACE_STATUS = EDT$$STR_WR (TYPE, SUBTYPE, TEXT_LENGTH, TEXT_ADDR);
          IF ( NOT .TRACE_STATUS) THEN SIGNAL_STOP (.TRACE_STATUS);
        END
      %FI
    ] %,
  $$TRACE_READ (TYPE, SUBTYPE, BUFFER_LENGTH, BUFFER_ADDR, TEXT_LEN) =
    %BLISS32 [ ! Only on VAX-11
      %IF EDT$$STR_ACT
      %THEN ! Only if selected

```

```

BEGIN
LOCAL
  TRACE_STATUS;
EXTERNAL ROUTINE
  EDT$$STR_RD : ADDRESSING_MODE (GENERAL);
TRACELIT;                ! Define trace literals
EXTERNAL
  EDT$$L_TR_INFLG : ADDRESSING_MODE (GENERAL);
IF ( NOT .EDT$$L_TR_INFLG)
THEN
  0
ELSE
  BEGIN
    TRACE_STATUS = EDT$$STR_RD (TYPE, SUBTYPE, BUFFER_LENGTH, BUFFER_ADDR, TEXT_LEN);
    IF ( NOT .TRACE_STATUS) THEN SIGNAL_STOP (.TRACE_STATUS);
  1
  END
END
%ELSE
  0
%FI
] %,
$$TRACE_READING (ACTION) =
  %BLISS32 [                ! Only on VAX-11
%IF EDT$$STR_ACT
%THEN                      ! Only if selected
  BEGIN
    EXTERNAL
      EDT$$L_TR_INFLG : ADDRESSING_MODE (GENERAL);
    IF .EDT$$L_TR_INFLG THEN %REMOVE (ACTION)
  END
%ELSE
  0
%FI
] %;
REQUIRE 'EDTSRC:TRACELIT.REQ';      ! Define macro TRACELIT
!      End of file TRACEMAC.REQ

```


