

[illegible]

EXE

Mod

EDT

ED

ED
EDED
EDED
EDED
ED

ED

ED

ED

ED

ED
EDSYN
LBA

110

```
CCCCCCCC HH      HH MM      MM CCCCCCCC HH      HH KK      KK CCCCCCCC CCCCCCCC
CCCCCCCC HH      HH MM      MM CCCCCCCC HH      HH KK      KK CCCCCCCC CCCCCCCC
CC        HH      HH MMMM   MMMM CC        HH      HH KK      KK CC        CC
CC        HH      HH MMMM   MMMM CC        HH      HH KK      KK CC        CC
CC        HH      HH MM      MM CC        HH      HH KK      KK CC        CC
CC        HH      HH MM      MM CC        HHHHHHHHHH KKKKKK CC        CC
CC        HHHHHHHHHH MM      MM CC        HHHHHHHHHH KKKKKK CC        CC
CC        HH      HH MM      MM CC        HH      HH KK      KK CC        CC
CC        HH      HH MM      MM CC        HH      HH KK      KK CC        CC
CC        HH      HH MM      MM CC        HH      HH KK      KK CC        CC
CCCCCCCC HH      HH MM      MM CCCCCCCC HH      HH KK      KK CCCCCCCC CCCCCCCC
CCCCCCCC HH      HH MM      MM CCCCCCCC HH      HH KK      KK CCCCCCCC CCCCCCCC
```

```
LL        IIIIII SSSSSSSS
LL        IIIIII SSSSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SS
LL        II      SSSSSS
LL        II      SSSSSS
LL        II      SS
LL        II      SS
LL        II      SS
LL        IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
```



```
0001 0 %TITLE 'EDT$CHMCHKCC - check for control C'
0002 0 MODULE EDT$CHMCHKCC (
0003 0 IDENT = 'V04-000'
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0011 1 * ALL RIGHTS RESERVED.
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0018 1 * TRANSFERRED.
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0022 1 * CORPORATION.
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This module checks to see if a CTRL/C has been typed.
0037 1
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: Unknown
0041 1
0042 1 MODIFIED BY:
0043 1
0044 1 1-001 - Original. DJS 04-Feb-1981. This module was created by
0045 1 extracting routine EDT$CHK_CC from module CHANGE.BLI.
0046 1 1-002 - Regularize headers and remove control C checking, since we intend to
0047 1 re-do it to support journaling. JBS 27-Feb-1981
0048 1 1-003 - Fix module name. JBS 02-Mar-1981
0049 1 1-004 - Revise journaling to support control C. JBS 22-Jun-1981
0050 1 1-005 - Add logic for recovering during control C. JBS 18-Dec-1981
0051 1 1-006 - Debug control C journaling. JBS 24-Dec-1981
0052 1 1-007 - Change names of control C data. JBS 29-Dec-1981
0053 1 1-008 - Use two words for control C counters. JBS 30-Dec-1981
0054 1 1-009 - Print the 'working' message from this routine. JBS 13-Jan-1982
0055 1 1-010 - Use symbols instead of magic numbers for control C journaling. JBS 24-May-1982
0056 1 1-011 - Change the format of the working message. SMB 28-Jun-1982
0057 1 1-012 - Figure out whether the journal buffer should be flushed. STS 28-Sep-1982
```

EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C

C 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1 Page 2 (1)

```
: 58      0058 1 | 1-013 - Don't destroy the cursor position, it is now being maintained accurately. JBS 07-Oct-1982
: 59      0059 1 | 1-014 - Clear EDT$G_SECOND after printing or erasing the working message, so
: 60      0060 1 | we do not spend all our time printing the working message on slow terminals. JBS 07-Oct-1982
: 61      0061 1 | 1-015 - Move setting of EDT$G_PUT_JOU from within the high order increment of
: 62      0062 1 | EDT$G_CC_CNT1 to just after the low order increment. It wasn't
: 63      0063 1 | getting set and therefore, ^C handling durring /RECOVERs didn't work
: 64      0064 1 | at all. REM 7-Oct-1983
: 65      0065 1 | 1-016 - Moved the above EDT$G_PUT_JOU back! Now, we set it if
: 66      0066 1 | EDT$G_TIN_OBUFPOS GEQ JOU_MAX. REM 10-Oct-1983
: 67      0067 1 | --
: 68      0068 1 |
```


EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C
Declarations

D 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1 Page 3 (2)

```

: 70      0069 1 %SBTTL 'Declarations'
: 71      0070 1
: 72      0071 1 | TABLE OF CONTENTS:
: 73      0072 1 |
: 74      0073 1 |
: 75      0074 1 REQUIRE 'EDTSRC:TRAROUNAM';
: 76      0513 1
: 77      0514 1 FORWARD ROUTINE
: 78      0515 1     EDT$CHK_CC;
: 79      0516 1
: 80      0517 1 |
: 81      0518 1 | INCLUDE FILES:
: 82      0519 1 |
: 83      0520 1
: 84      0521 1 REQUIRE 'EDTSRC:EDTREQ';
: 85      0656 1
: 86      0657 1 |
: 87      0658 1 | MACRJS:
: 88      0659 1 |
: 89      0660 1 |     NONE
: 90      0661 1 |
: 91      0662 1 | EQUATED SYMBOLS:
: 92      0663 1 |
: 93      0664 1 |
: 94      0665 1 LITERAL
: 95      0666 1     JOU MAX = 20;
: 96      0667 1     WORK_COL = 26;
: 97      0668 1 |
: 98      0669 1 |
: 99      0670 1 | OWN STORAGE:
: 100     0671 1 |
: 101     0672 1 |     NONE
: 102     0673 1 |
: 103     0674 1 | EXTERNAL REFERENCES:
: 104     0675 1 |
: 105     0676 1 |     In the routine
```

! Check to see if a CTRL/C has been typed

```

107 0677 1 %SBTTL 'EDT$$CHK_CC - check for control C'
108 0678 1
109 0679 1 GLOBAL ROUTINE EDT$$CHK_CC ! Check for control C
110 0680 1 =
111 0681 1
112 0682 1 ++
113 0683 1 FUNCTIONAL DESCRIPTION:
114 0684 1
115 0685 1 This routine checks to see if a CTRL/C has been typed.
116 0686 1 It is called frequently enough that the response to typing a control C
117 0687 1 is reasonably fast. It keeps track of how often it has been called
118 0688 1 since the last journal record was written so it can do the same during
119 0689 1 recovery.
120 0690 1
121 0691 1 This routine is also responsible for printing the 'working' message.
122 0692 1 The flag EDT$$G_SECOND is set once a second by an AST. If it is set
123 0693 1 this routine clears it and either prints or erases the 'working' message.
124 0694 1
125 0695 1 FORMAL PARAMETERS:
126 0696 1
127 0697 1 NONE
128 0698 1
129 0699 1 IMPLICIT INPUTS:
130 0700 1
131 0701 1 EDT$$A_FMT_WRRUT
132 0702 1 EDT$$G_MESSAGE_LINE
133 0703 1 EDT$$G_RCOV_MOD
134 0704 1 EDT$$G_CC
135 0705 1 EDT$$G_CC_CNT1_LO
136 0706 1 EDT$$G_CC_CNT1_HI
137 0707 1 EDT$$G_CC_CNT2_LO
138 0708 1 EDT$$G_CC_CNT2_HI
139 0709 1 EDT$$G_CC_FLAG
140 0710 1 EDT$$G_SECOND
141 0711 1 EDT$$G_WORKCOUNT
142 0712 1
143 0713 1 IMPLICIT OUTPUTS:
144 0714 1
145 0715 1 EDT$$G_CC_CNT1_LO
146 0716 1 EDT$$G_CC_CNT1_HI
147 0717 1 EDT$$G_CC_CNT2_LO
148 0718 1 EDT$$G_CC_CNT2_HI
149 0719 1 EDT$$G_CC_FLAG
150 0720 1 EDT$$G_SECOND
151 0721 1 EDT$$G_WORKCOUNT
152 0722 1
153 0723 1 ROUTINE VALUE:
154 0724 1
155 0725 1 0 no control C typed
156 0726 1 1 control C was typed
157 0727 1
158 0728 1 SIDE EFFECTS:
159 0729 1
160 0730 1 May print or erase the 'working' message.
161 0731 1
162 0732 1 --
163 0733 1
```


EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C
EDT\$\$CHK_CC - check for control C

F 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1 Page 5 (3)

```

164 0734 2 BEGIN
165 0735
166 0736 EXTERNAL
167 0737 EDT$$G_PUT_JOU,      ! flag to put journal buffer
168 0738 EDT$$G_TIN_OBUFPOS, ! Position in journal output buffer
169 0739 EDT$$A_FMT_WRRUT,   ! Address of output formatter
170 0740 EDT$$G_MESSAGE_LINE, ! Working on this line + 1
171 0741 EDT$$G_CC : VOLATILE, ! 1 = a control C has been typed
172 0742 EDT$$G_CC_CNT1_LO,  ! Counts number of 'no control C's' returned.
173 0743 EDT$$G_CC_CNT1_HI,  ! High half of the above
174 0744 EDT$$G_CC_CNT2_LO,  ! Loaded with value from control C record
175 0745 EDT$$G_CC_CNT2_HI,  ! High half of the above
176 0746 EDT$$G_CC_FLAG,     ! 1 = a control C record was read or written
177 0747 EDT$$G_RCOV_MOD,    ! 1 = /RECOVER
178 0748 EDT$$G_SECOND : VOLATILE, ! Set once a second
179 0749 EDT$$G_WORKCOUNT; ! Counter to support the 'working' message
180 0750
181 0751 EXTERNAL ROUTINE
182 0752 EDT$$JOU_PUTREC,
183 0753 EDT$$TI_WSTR,      ! String format for working
184 0754 EDT$$OUT_FMTBUF,  ! Output format buffer to terminal
185 0755 EDT$$SC_ERATOEO, ! Erase to end of current line
186 0756 EDT$$SC_POSCSIF,  ! Absolute cursor positioning
187 0757 EDT$$MSG_TOSTR,   ! Write out the working message
188 0758 EDT$$TI_FLUSHJOUFI : NOVALUE; ! Write a record on the journal file
189 0759
190 0760 LOCAL
191 0761 FORMAT_ROUTINE;      ! Save the format routine entered with
192 0762
193 0763 MESSAGES ((WORKING));
194 0764
195 0765 !+ If a second has passed since we were last here, print or erase the
196 0766 !- 'working' message.
197 0767
198 0768
199 0769 IF (.EDT$$G_SECOND NEQ 0)
200 0770 THEN
201 0771 BEGIN
202 0772 EDT$$G_WORKCOUNT = .EDT$$G_WORKCOUNT + 1;
203 0773 FORMAT_ROUTINE = .EDT$$A_FMT_WRRUT;
204 0774 EDT$$A_FMT_WRRUT = EDT$$TI_WSTR;
205 0775 EDT$$SC_POSCSIF (.EDT$$G_MESSAGE_LINE + 1, WORK_COL);
206 0776
207 0777 IF .EDT$$G_WORKCOUNT THEN EDT$$MSG_TOSTR (EDT$_WORKING) ELSE EDT$$SC_ERATOEO ();
208 0778
209 0779 EDT$$OUT_FMTBUF ();
210 0780 EDT$$A_FMT_WRRUT = .FORMAT_ROUTINE;
211 0781 EDT$$G_SECOND = 0;
212 0782 END;
213 0783
214 0784 !+
215 0785 !- If we are in recovery mode, use the counters to
216 0786 !- simulate typing a control C at the right point.
217 0787
218 0788
219 0789 IF .EDT$$G_RCOV_MOD
220 0790 THEN
```

```
221 0791 3 BEGIN
222 0792 3
223 0793 3 + If EDT$G_CC_FLAG is zero, there has been no control C record.
224 0794 3 -
225 0795 3 IF .EDT$G_CC_FLAG THEN
226 0796 4 BEGIN
227 0797 4 +
228 0798 4 - If the counters match, it is time to return a control C.
229 0799 4 -
230 0800 5 IF ((.EDT$G_CC_CNT1_LO EQL .EDT$G_CC_CNT2_LO) AND (.EDT$G_CC_CNT1_HI EQL .EDT$G_CC_CNT2_HI))
231 0801 4 THEN
232 0802 5 BEGIN
233 0803 5 EDT$G_PUT_JOU = 1;
234 0804 5 RETURN(1);
235 0805 4 END;
236 0806 4 END
237 0807 3 END
238 0808 2 ELSE
239 0809 3 BEGIN
240 0810 3 +
241 0811 3 - We are not recovering.
242 0812 3 -
243 0813 3 IF .EDT$G_CC
244 0814 3 THEN
245 0815 4 BEGIN
246 0816 4 +
247 0817 4 - A control C was typed. Write out a control C record in case
248 0818 4 - we must recover to this point, unless we have already written it.
249 0819 4 -
250 0820 4 EDT$G_PUT_JOU = 1; ! indicate we must do a put
251 0821 4
252 0822 5 IF (.EDT$G_CC_FLAG EQL 0)
253 0823 4 THEN
254 0824 5 BEGIN
255 0825 5 EDT$TI_FLUSHJOUFI (%'C');
256 0826 5 EDT$G_CC_FLAG = 1;
257 0827 4 END;
258 0828 4
259 0829 4 RETURN (1);
260 0830 3 END;
261 0831 2 END;
262 0832 2
263 0833 2 +
264 0834 2 - Keep track of the number of times we are called but no control C has
265 0835 2 - been typed; that is, count the number of times we return 0. This
266 0836 2 - number will be written to the journal file later, when and if we see a
267 0837 2 - control C, so that we can read it into the second counter on recovery,
268 0838 2 - and thus return 1 at the same point in EDT's execution.
269 0839 2 -
270 0840 2 EDT$G_CC_CNT1_LO = .EDT$G_CC_CNT1_LO + 1;
271 0841 2
272 0842 3 IF (.EDT$G_CC_CNT1_LO EQL CC_CTR_MAX)
273 0843 3 THEN
274 0844 3 BEGIN
275 0845 3 EDT$G_CC_CNT1_LO = 0;
276 0846 3 EDT$G_CC_CNT1_HI = .EDT$G_CC_CNT1_HI + 1;
277 0847 3 EDT$G_PUT_JOU = 1;
```


EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C
EDT\$\$CHK_CC - check for control C

H 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1 Page 7 (3)

```

: 278      0848      3      ASSERT (.EDT$$G_CC_CNT1_HI LEQ CC_CTR_MAX);
: 279      0849      2      END;
: 280      0850      2
: 281      0851      2      +
: 282      0852      2      | check to see if the journal buffer should be written out and
: 283      0853      2      | the control-c counter restarted
: 284      0854      2      |
: 285      0855      2
: 286      0856      2      IF (.EDT$$G_TIN_OBUFPOS GEQ JOU_MAX) THEN EDT$$G_PUT_JOU = 1;
: 287      0857      2
: 288      0858      2      RETURN (0);
: 289      0859      2
: 290      0860      1      END;

```

! of EDT\$\$CHK_CC

.TITLE EDT\$CHMCHKCC EDT\$CHMCHKCC - check for control C
.IDENT V04-000\

.EXTRN EDT\$\$G_PUT_JOU, EDT\$\$G_TIN_OBUFPOS
.EXTRN EDT\$\$A_FMT_WRRUT
.EXTRN EDT\$\$G_MESSAGE_LINE
.EXTRN EDT\$\$G_CC, EDT\$\$G_CC_CNT1_LO
.EXTRN EDT\$\$G_CC_CNT1_HI
.EXTRN EDT\$\$G_CC_CNT2_LO
.EXTRN EDT\$\$G_CC_CNT2_HI
.EXTRN EDT\$\$G_CC_FLAG, EDT\$\$G_RCOV_MOD
.EXTRN EDT\$\$G_SECOND, EDT\$\$G_WORKCOUNT
.EXTRN EDT\$\$JOU_PUTREC
.EXTRN EDT\$\$TI_WSTR, EDT\$\$OUT_FMTBUF
.EXTRN EDT\$\$SC_ERATOEOL
.EXTRN EDT\$\$SC_POSCSIF
.EXTRN EDT\$\$MSG_TOSTR, EDT\$\$TI_FLUSHJOUFI
.EXTRN EDT\$_WORKING, EDT\$\$INTER_ERR

.PSECT _EDT\$CODE, NOWRT, SHR, PIC, 2

		03FC 00000	.ENTRY EDT\$\$CHK_CC, Save R2,R3,R4,R5,R6,R7,R8,R9	: 0679
59	00000000G	00 9E 00002	MOVAB EDT\$\$G_SECOND, R9	
58	00000000G	00 9E 00009	MOVAB EDT\$\$G_WORKCOUNT, R8	
57	00000000G	00 9E 00010	MOVAB EDT\$\$G_CC_CNT1_HI, R7	
56	00000000G	00 9E 00017	MOVAB EDT\$\$G_CC_FLAG, R6	
55	00000000G	00 9E 0001E	MOVAB EDT\$\$A_FMT_WRRUT, R5	
54	00000000G	00 9E 00025	MOVAB EDT\$\$G_PUT_JOU, R4	
53	00000000G	00 9E 0002C	MOVAB EDT\$\$G_CC_CNT1_LO, R3	
		69 D5 00033	TSTL EDT\$\$G_SECOND	: 0769
		42 13 00035	BEQL 3\$	
		68 D6 00037	INCL EDT\$\$G_WORKCOUNT	: 0772
52		65 D0 00039	MOVL EDT\$\$A_FMT_WRRUT, FORMAT ROUTINE	: 0773
65	00000000G	00 9E 0003C	MOVAB EDT\$\$TI_WSTR, EDT\$\$A_FMT_WRRUT	: 0774
		1A DD 00043	PUSHL #26	: 0775
7E	00000000G	00 01 C1 00045	ADDL3 #1, EDT\$\$G_MESSAGE_LINE, -(SP)	
	00000000G	00 02 FB 0004D	CALLS #2, EDT\$\$SC_POSCSIF	
		0F 68 E9 00054	BLBC EDT\$\$G_WORKCOUNT, 1\$	: 0777
		00000000G	PUSHL #EDT\$_WORKING	
	00000000G	00 01 FB 0005D	CALLS #1, EDT\$\$MSG_TOSTR	
		07 11 00064	BRB 2\$	
	00000000G	00 00 FB 00066 1\$:	CALLS #0, EDT\$\$SC_ERATOEOL	

EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C
EDT\$\$CHK_CC - check for control C

I 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1
Page 8
(3)

00000000G	00	00	FB	0006D	2\$:	CALLS	#0, EDT\$\$OUT_FMTBUF	:	0779
	65	52	D0	00074		MOVL	FORMAT_ROUTINE, EDT\$\$A_FMT_WRRUT	:	0780
		69	D4	00077		CLRL	EDT\$\$G_SECOND	:	0781
	1A 00000000G	00	E9	00079	3\$:	BLBC	EDT\$\$G_RCOV_MOD, 4\$	:	0789
	37	66	E9	00080		BLBC	EDT\$\$G_CC_FLAG, 6\$	:	0795
00000000G	00	63	D1	00083		CMPL	EDT\$\$G_CC_CNT1_LO, EDT\$\$G_CC_CNT2_LO	:	0800
		2E	12	0008A		BNEQ	6\$	:	
00000000G	00	67	D1	0008C		CMPL	EDT\$\$G_CC_CNT1_HI, EDT\$\$G_CC_CNT2_HI	:	
		25	12	00093		BNEQ	6\$	:	
	64	01	D0	00095		MOVL	#1, EDT\$\$G_PUT_JOU	:	0803
		1C	11	00098		BRB	5\$	:	0804
	19 00000000G	00	E9	0009A	4\$:	BLBC	EDT\$\$G_CC, 6\$	:	0813
	64	01	D0	000A1		MOVL	#1, EDT\$\$G_PUT_JOU	:	0820
		66	D5	000A4		TSTL	EDT\$\$G_CC_FLAG	:	0822
		0E	12	000A6		BNEQ	5\$	:	
	7E 43	8F	9A	000A8		MOVZBL	#67, -(SP)	:	0825
00000000G	00	01	FB	000AC		CALLS	#1, EDT\$\$TI_FLUSHJOUFI	:	
	66	01	D0	000B3		MOVL	#1, EDT\$\$G_CC_FLAG	:	0826
	50	01	D0	000B6	5\$:	MOVL	#1, R0	:	0829
			04	000B9		RET		:	
		63	D6	000BA	6\$:	INCL	EDT\$\$G_CC_CNT1_LO	:	0840
00007530	8F	63	D1	000BC		CMPL	EDT\$\$G_CC_CNT1_LO, #30000	:	0842
		17	12	000C3		BNEQ	7\$	:	
		63	D4	000C5		CLRL	EDT\$\$G_CC_CNT1_LO	:	0845
		67	D6	000C7		INCL	EDT\$\$G_CC_CNT1_HI	:	0846
	64	01	D0	000C9		MOVL	#1, EDT\$\$G_PUT_JOU	:	0847
00007530	8F	67	D1	000CC		CMPL	EDT\$\$G_CC_CNT1_HI, #30000	:	0848
		07	15	000D3		BLEQ	7\$	:	
00000000G	00	00	FB	000D5		CALLS	#0, EDT\$\$INTER_ERR	:	
	14 00000000G	00	D1	000DC	7\$:	CMPL	EDT\$\$G_TIN_OBUFPOS, #20	:	0856
		03	19	000E3		BLSS	8\$	:	
	64	01	D0	000E5		MOVL	#1, EDT\$\$G_PUT_JOU	:	
		50	D4	000E8	8\$:	CLRL	R0	:	0858
			04	000EA		RET		:	0860

; Routine Size: 235 bytes, Routine Base: _EDT\$CODE + 0000

: 291 0861 1
: 292 0862 1 !<BLF/PAGE>

EDT\$CHMCHKCC
V04-000

EDT\$CHMCHKCC - check for control C
EDT\$CHK_CC - check for control C

J 13
15-Sep-1984 23:47:39
14-Sep-1984 12:22:22

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]CHMCHKCC.BLI;1 Page 9 (4)

: 294 0863 1 END
: 295 0864 1
: 296 0865 0 ELUDOM

PSECT SUMMARY

: Name Bytes Attributes
: _EDT\$CODE 235 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
\$_255\$DUA28:[EDT.SRC]EDT.L32;1	377	3	0	40	00:00.2
\$_255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:CHMCHKCC/OBJ=OBJ\$:CHMCHKCC MSRC\$:CHMCHKCC.BLI/UPDATE=(ENHS:CHMC
: HKCC)

: Size: 235 code + 0 data bytes
: Run Time: 00:15.2
: Elapsed Time: 00:18.7
: Lines/CPU Min: 3405
: Lexemes/CPU-Min: 9220
: Memory Used: 92 pages
: Compilation Complete

0130 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY