



```
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
EE XX XX EE CC CC NN NN 00 00 00 00
EE XX XX EE CC CC NN NN 00 00 00 00
EE XX XX EE CC CC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CC CC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CC CC NN NN 00 00 00 00
EE XX XX EE CC CC NN NN 00 00 00 00
EE XX XX EE CC CC NN NN 00 00 00 00
EEEEEEEEEE XX XX EEEEEEEEEE CC CCCCCC NN NN 000000 000000
EEEEEEEEEE XX XX EEEEEEEEEE CCCCCCCC NN NN 000000 000000
.....
.....
.....
.....
```

```
LL IIIIII SSSSSSSS
LL IIIIII SSSSSSSS
LL II SS
LL II SS
LL II SS
LL II SSSSSS
LL II SSSSSS
LL II SS
LL II SS
LL II SS
LL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
```

.....

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

```

0001 0 %TITLE 'EDT$EXECNOO - Call EDT$EXEC from EDT$MACCAL'
0002 0 MODULE EDT$EXECNOO ( ! Call EDT$EXEC from EDT$MACCAL
0003 0 IDENT = 'V04-000' ! File: EXECNOO.BLI Edit: JBS1003
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0011 1 * ALL RIGHTS RESERVED. *
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0018 1 * TRANSFERRED. *
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0022 1 * CORPORATION. *
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0026 1 *
0027 1 *****
0028 1
0029 1
0030 1
0031 1 **
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This module provides a path for EDT$MACCAL to call EDT$EXEC
0037 1 and get itself reloaded into memory upon return.
0038 1
0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0040 1
0041 1 AUTHOR: John Sauter, CREATION DATE: 15-Mar-1982
0042 1
0043 1 MODIFIED BY:
0044 1
0045 1 1-001 - Original. JBS 15-Mar-1982
0046 1 1-002 - Pass back status from edt$exe cmd. STS 16-Jul-1982
0047 1 1-003 - Improve the appearance of the listing. JBS 14-Jun-1983
0048 1 --
0049 1

```

EDT\$EXECNOO  
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL  
Declarations

K 7  
16-Sep-1984 00:18:01  
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742 Page 2  
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1 (2)

ED  
VO

```
51 0050 1 %SBTTL 'Declarations'  
52 0051 1 :  
53 0052 1 : TABLE OF CONTENTS:  
54 0053 1 :  
55 0054 1 :  
56 0055 1 REQUIRE 'EDTSRC:TRAROUNAM';  
57 0494 1 :  
58 0495 1 FORWARD ROUTINE  
59 0496 1 EDT$EXE_CMD_NOOVERLAY;  
60 0497 1 :  
61 0498 1 :  
62 0499 1 : INCLUDE FILES:  
63 0500 1 :  
64 0501 1 :  
65 0502 1 REQUIRE 'EDTSRC:EDTREQ';  
66 0637 1 :  
67 0638 1 :  
68 0639 1 : MACROS:  
69 0640 1 :  
70 0641 1 : NONE  
71 0642 1 :  
72 0643 1 : EQUATED SYMBOLS:  
73 0644 1 :  
74 0645 1 : NONE  
75 0646 1 :  
76 0647 1 : OWN STORAGE:  
77 0648 1 :  
78 0649 1 : NONE  
79 0650 1 :  
80 0651 1 : EXTERNAL REFERENCES:  
81 0652 1 :  
82 0653 1 : In the routine
```

```

84 0654 1 %SBTTL 'EDT$$EXE_CMD_NOOVERLAY - call EDT$$EXE_CMD'
85 0655 1
86 0656 1 GLOBAL ROUTINE EDT$$EXE_CMD_NOOVERLAY (      ! Execute commands
87 0657 1     SOURCE                                     ! New input source
88 0658 1     ) =
89 0659 1
90 0660 1 +-+
91 0661 1 FUNCTIONAL DESCRIPTION:
92 0662 1
93 0663 1     Call EDT$$EXE_CMD from EDT$MACCAL, reload EDT$MACCAL and return.
94 0664 1
95 0665 1 FORMAL PARAMETERS:
96 0666 1
97 0667 1     SOURCE                new input source
98 0668 1
99 0669 1 IMPLICIT INPUTS:
100 0670 1
101 0671 1     NONE
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1     NONE
106 0676 1
107 0677 1 ROUTINE VALUE:
108 0678 1
109 0679 1     0 - We have seen an EXIT command; EDT$$G_EXITD will be set
110 0680 1     1 - We have reached end of file.
111 0681 1     2 - We saw a control C.
112 0682 1
113 0683 1 SIDE EFFECTS:
114 0684 1
115 0685 1     NONE
116 0686 1
117 0687 1 --
118 0688 1
119 0689 2 BEGIN
120 0690 2
121 0691 2 EXTERNAL ROUTINE
122 0692 2     EDT$$EXE_CMD_NOOVERLAY_REF,                ! The real routine (special name for overlay analysis)
123 0693 2     EDT$$LOAD_MACCAL : NOVAlUE;                ! Make sure module EDT$$MACCAL is in memory
124 0694 2
125 0695 2 LOCAL
126 0696 2     EOF_FLAG;
127 0697 2
128 0698 2     EOF_FLAG = EDT$$EXE_CMD_NOOVERLAY_REF (.SOURCE);
129 0699 2 +-+
130 0700 2 Make sure the module EDT$MACCAL is in memory. That module's call to us is excluded
131 0701 2 from the analysis done to construct the overlay tree, as is our call to EDT$$EXE_CMD.
132 0702 2 --
133 0703 2     EDT$$LOAD MACCAL ();
134 0704 2     RETURN (.EOF_FLAG);
135 0705 1 END;                                     ! of routine EDT$$EXE_CMD_NOOVERLAY

```

```

.TITLE EDT$EXECNOO EDT$EXECNOO - Call EDT$EXEC from ED
       T$MACCAL
.IDENT \V04-000\

```

EDT\$EXECNOO  
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL  
EDT\$\$EXE\_CMD\_NOOVERLAY - call EDT\$\$EXE\_CMD

M 7  
16-Sep-1984 00:18:01  
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1 Page 4 (3)

.EXTRN EDT\$\$EXE\_CMD\_NOOVERLAY\_REF  
.EXTRN EDT\$\$LOAD\_MACCAL

.PSECT \_EDT\$CODE,NOWRT, SHR, PIC,2

.ENTRY	EDT\$\$EXE_CMD_NOOVERLAY, Save R2	: 0656
PUSHL	SOURCE	: 0698
CALLS	#1, EDT\$\$EXE_CMD_NOOVERLAY_REF	: 0703
MOVL	R0, EOF_FLAG	: 0704
CALLS	#0, EDT\$\$LOAD_MACCAL	: 0705
MOVL	EOF_FLAG, R0	
RET		

			0004	00000
		04	AC	DD 00002
00000000G	00		01	FB 00005
	52		50	D0 0000C
00000000G	00		00	FB 0000F
	50		52	D0 00016
			04	00019

: Routine Size: 26 bytes, Routine Base: \_EDT\$CODE + 0000

: 136 0706 1  
: 137 0707 1 !<BLF/PAGE>

EDT\$EXECNOO  
V04-000

EDT\$EXECNOO - Call EDT\$EXEC from EDT\$MACCAL  
EDT\$\$EXE\_CMD\_NOOVERLAY - call EDT\$\$EXE\_CMD

N 7  
16-Sep-1984 00:18:01  
14-Sep-1984 12:23:02

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]EXECNOO.BLI;1  
Page 5  
(4)

: 139 0708 1 END  
: 140 0709 1  
: 141 0710 0 ELUDOM

. of module EDT\$EXECNOO

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	26	NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:EXECNOO/OBJ=OBJ\$:EXECNOO MSRCS\$:EXECNOO.BLI/UPDATE=(ENH\$:EXECNOO)

: Size: 26 code + 0 data bytes  
: Run Time: 00:08.9  
: Elapsed Time: 00:10.7  
: Lines/CPU Min: 4781  
: Lexemes/CPU-Min: 12626  
: Memory Used: 52 pages  
: Compilation Complete

0133 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

EXTEND  
LIS

FDEC  
LIS

FILL  
LIS

FINDPARA  
LIS

FCRIF  
LIS

EDT  
LIS

EXEC  
LIS

EXECNOO  
LIS

FILEIO  
LIS

EDTVECTOR  
LIS

FINDKEY  
LIS

FCO.LNC  
LIS

FINAL  
LIS

FI.OHDLR  
LIS

DEFKEY  
LIS

ERRMSG  
LIS

FCHAR  
LIS