


```

FFFFFFFFF      IIIIII  XX      XX  NN      NN  000000  TTTTTTTTTT  RRRRRRRR  UU      UU  MM      MM
FFFFFFFFF      IIIIII  XX      XX  NN      NN  000000  TTTTTTTTTT  RRRRRRRR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MMMM  MMMM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MMMM  MMMM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FFFFFFFFF      IIIIII  XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FFFFFFFFF      IIIIII  XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          II      XX      XX  NN      NN  00      00  TT      TT  RR      RR  UU      UU  MM      MM
FF          IIIIII  XX      XX  NN      NN  000000  TT      TT  RR      RR  UUUUUUUUUU  MM      MM
FF          IIIIII  XX      XX  NN      NN  000000  TT      TT  RR      RR  UUUUUUUUUU  MM      MM

```

....
....
....
....

```

LL          IIIIII  SSSSSSSS
LL          IIIIII  SSSSSSSS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SSSSSS
LL          II      SSSSSS
LL          II      SS
LL          II      SS
LL          II      SS
LL          II      SS
LLLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLLL IIIIII  SSSSSSSS

```

```
1 0001 0 %TITLE 'EDT$FIXNOTRUM - Call EDT$FIXNOTRUN from EDT$SCRUPDATE'  
2 0002 0 MODULE EDT$FIXNOTRUM ( ! Call EDT$FIXNOTRUN from EDT$SCRUPDATE  
3 0003 0 IDENT = 'V04-000' ! File: FIXNOTRUM.BLI Edit: JBS1001  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 *  
27 0027 1 *  
28 0028 1 *****  
29 0029 1  
30 0030 1  
31 0031 1 **  
32 0032 1 FACILITY: EDT -- The DEC Standard Editor  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 Call EDT$FIXNOTRUN for EDT$SCRUPDATE, then  
37 0037 1 make sure the caller is in memory before returning.  
38 0038 1  
39 0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
40 0040 1  
41 0041 1 AUTHOR: John Sauter, CREATION DATE: April 19, 1983  
42 0042 1  
43 0043 1 MODIFIED BY:  
44 0044 1  
45 0045 1 1-001 - Original. JBS 19-Apr-1983  
46 0046 1 --  
47 0047 1
```

```
.. 49 0048 1 %SBTTL 'Declarations'  
.. 50 0049 1  
.. 51 0050 1 : TABLE OF CONTENTS:  
.. 52 0051 1 :  
.. 53 0052 1  
.. 54 0053 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 55 0492 1  
.. 56 0493 1 FORWARD ROUTINE  
.. 57 0494 1 EDT$FIX_NOTRUNC_NOOVERLAY : NOVALUE;  
.. 58 0495 1  
.. 59 0496 1 :  
.. 60 0497 1 : INCLUDE FILES:  
.. 61 0498 1 :  
.. 62 0499 1  
.. 63 0500 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 64 0635 1  
.. 65 0636 1 :  
.. 66 0637 1 : MACROS:  
.. 67 0638 1  
.. 68 0639 1 : NONE  
.. 69 0640 1 :  
.. 70 0641 1 : EQUATED SYMBOLS:  
.. 71 0642 1  
.. 72 0643 1 : NONE  
.. 73 0644 1 :  
.. 74 0645 1 : OWN STORAGE:  
.. 75 0646 1  
.. 76 0647 1 : NONE  
.. 77 0648 1 :  
.. 78 0649 1 : EXTERNAL REFERENCES:  
.. 79 0650 1  
.. 80 0651 1 : In the routine
```

```

82 0652 1 XSBTTL 'EDT$$FIX_NOTRUNC_NOOVERLAY - call EDT$$FIX_NOTRUNC from EDT$SCRUPDATE'
83 0653 1
84 0654 1 GLOBAL ROUTINE EDT$$FIX_NOTRUNC_NOOVERLAY ! Call EDT$$FIX_NOTRUNC from EDT$SCRUPDATE
85 0655 1 : NOVALUE =
86 0656 1
87 0657 1 +-
88 0658 1 FUNCTIONAL DESCRIPTION:
89 0659 1
90 0660 1 This routine is called by EDT$SCRUPDATE to call
91 0661 1 EDT$$FIX_NOTRUNC. Before returning, this routine
92 0662 1 makes sure its caller is in memory, so the two routines
93 0663 1 can overlay each other.
94 0664 1
95 0665 1 FORMAL PARAMETERS:
96 0666 1
97 0667 1 NONE
98 0668 1
99 0669 1 IMPLICIT INPUTS:
100 0670 1
101 0671 1 NONE
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1 NONE
106 0676 1
107 0677 1 ROUTINE VALUE:
108 0678 1
109 0679 1 NONE
110 0680 1
111 0681 1 SIDE EFFECTS:
112 0682 1
113 0683 1 NONE
114 0684 1
115 0685 1 --
116 0686 1
117 0687 1 BEGIN
118 0688 1
119 0689 1 EXTERNAL ROUTINE
120 0690 1 EDT$$FIX_NOTRUNC : NOVALUE, ! Fix screen data base for nottruncate mode
121 0691 1 EDT$$LOAD_SCRUPDATE : NOVALUE; ! Load module EDT$SCRUPDATE into memory
122 0692 1
123 0693 1 EDT$$FIX_NOTRUNC ();
124 0694 1 EDT$$LOAD_SCRUPDATE ();
125 0695 1 RETURN;
126 0696 1 END; ! of routine EDT$$FIX_NOTRUNC_NOOVERLAY

.TITLE EDT$FIXNOTRUM EDT$FIXNOTRUM - Call EDT$FIXNOTRU
N from EDT$SCR
.IDENT \V04-000\
.EXTRN EDT$$FIX_NOTRUNC
.EXTRN EDT$$LOAD_SCRUPDATE
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDT$$FIX_NOTRUNC_NOOVERLAY, Save nothing ; 0654
0000 00000
    
```

EDT\$FIXNOTRUM
V04-000

EDT\$FIXNOTRUM - call EDT\$FIXNOTRUN from EDT\$SCR 16-Sep-1984 00:26:29
EDT\$\$FIX_NOTRUNC_NOOVERLAY - call EDT\$\$FIX_NOTR 14-Sep-1984 12:23:09

VAX-11 Bliss-32 V4.0-742
[EDT.SRC]FIXNOTRUM.BLI;1

EDT
V04

00000000G 00
00000000G 00

00 FB 00002
00 FB 00009
04 00010

CALLS #0, EDT\$\$FIX_NOIRUNC
CALLS #0, EDT\$\$LOAD_SCRUPDATE
RET

: 0693
: 0694
: 0696

; Routine Size: 17 bytes, Routine Base: _EDT\$CODE + 0000

: 127 0697 1
: 128 0698 1 !<BLF/PAGE>

.....

: 130 0699 1 END
: 131 0700 1
: 132 0701 0 ELUDOM

! of module EDT\$FIXNOTRUM

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	17	NOVEC, NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
\$_255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
\$_255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:FIXNOTRUM/OBJ=OBJ\$:FIXNOTRUM MSRC\$:FIXNOTRUM.BLI/UPDATE=(ENH\$:FIXNOTRUM)

: Size: 17 code + 0 data bytes
: Run Time: 00:08.5
: Elapsed Time: 00:10.2
: Lines/CPU Min: 4925
: Lexemes/CPU-Min: 13131
: Memory Used: 49 pages
: Compilation Complete

