





```
1 0001 0 %TITLE 'EDT$FIXNOTRUM - Call EDT$FIXNOTRUN from EDT$SCRUPDATE'  
2 0002 0 MODULE EDT$FIXNOTRUM ( ! Call EDT$FIXNOTRUN from EDT$SCRUPDATE  
3 0003 0 IDENT = 'V04-000' ! File: FIXNOTRUM.BLI Edit: JBS1001  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 *  
27 0027 1 *  
28 0028 1 *****  
29 0029 1  
30 0030 1  
31 0031 1 ++  
32 0032 1 FACILITY: EDT -- The DEC Standard Editor  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 Call EDT$FIXNOTRUN for EDT$SCRUPDATE, then  
37 0037 1 make sure the caller is in memory before returning.  
38 0038 1  
39 0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
40 0040 1  
41 0041 1 AUTHOR: John Sauter, CREATION DATE: April 19, 1983  
42 0042 1  
43 0043 1 MODIFIED BY:  
44 0044 1  
45 0045 1 1-001 - Original. JBS 19-Apr-1983  
46 0046 1 --  
47 0047 1
```

```
.. 49 0048 1 %SBTTL 'Declarations'  
.. 50 0049 1  
.. 51 0050 1 : TABLE OF CONTENTS:  
.. 52 0051 1 :  
.. 53 0052 1  
.. 54 0053 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
.. 55 0492 1  
.. 56 0493 1 FORWARD ROUTINE  
.. 57 0494 1 EDT$FIX_NOTRUNC_NOOVERLAY : NOVALUE;  
.. 58 0495 1  
.. 59 0496 1 :  
.. 60 0497 1 : INCLUDE FILES:  
.. 61 0498 1 :  
.. 62 0499 1  
.. 63 0500 1 REQUIRE 'EDT$SRC:EDTREQ';  
.. 64 0635 1  
.. 65 0636 1 :  
.. 66 0637 1 : MACROS:  
.. 67 0638 1 :  
.. 68 0639 1 : NONE  
.. 69 0640 1 :  
.. 70 0641 1 : EQUATED SYMBOLS:  
.. 71 0642 1 :  
.. 72 0643 1 : NONE  
.. 73 0644 1 :  
.. 74 0645 1 : OWN STORAGE:  
.. 75 0646 1 :  
.. 76 0647 1 : NONE  
.. 77 0648 1 :  
.. 78 0649 1 : EXTERNAL REFERENCES:  
.. 79 0650 1 :  
.. 80 0651 1 : In the routine
```

```

: 82 0652 1 %SBTTL 'EDT$$FIX_NOTRUNC_NOOVERLAY - call EDT$$FIX_NOTRUNC from EDT$SCRUPDATE'
: 83 0653 1
: 84 0654 1 GLOBAL ROUTINE EDT$$FIX_NOTRUNC_NOOVERLAY ! Call EDT$$FIX_NOTRUNC from EDT$SCRUPDATE
: 85 0655 1 : NOVALUE =
: 86 0656 1
: 87 0657 1 !++
: 88 0658 1 FUNCTIONAL DESCRIPTION:
: 89 0659 1
: 90 0660 1 This routine is called by EDT$SCRUPDATE to call
: 91 0661 1 EDT$$FIX_NOTRUNC. Before returning, this routine
: 92 0662 1 makes sure its caller is in memory, so the two routines
: 93 0663 1 can overlay each other.
: 94 0664 1
: 95 0665 1 FORMAL PARAMETERS:
: 96 0666 1
: 97 0667 1 NONE
: 98 0668 1
: 99 0669 1 IMPLICIT INPUTS:
100 0670 1
101 0671 1 NONE
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1 NONE
106 0676 1
107 0677 1 ROUTINE VALUE:
108 0678 1
109 0679 1 NONE
110 0680 1
111 0681 1 SIDE EFFECTS:
112 0682 1
113 0683 1 NONE
114 0684 1
115 0685 1 !--
116 0686 1
117 0687 2 BEGIN
118 0688 2
119 0689 2 EXTERNAL ROUTINE
120 0690 2 EDT$$FIX_NOTRUNC : NOVALUE, ! Fix screen data base for nottruncate mode
121 0691 2 EDT$$LOAD_SCRUPDATE : NOVALUE; ! Load module EDT$SCRUPDATE into memory
122 0692 2
123 0693 2 EDT$$FIX_NOTRUNC ();
124 0694 2 EDT$$LOAD_SCRUPDATE ();
125 0695 2 RETURN;
: 126 0696 1 END; ! of routine EDT$$FIX_NOTRUNC_NOOVERLAY

.TITLE EDT$FIXNOTRUM EDT$FIXNOTRUM - Call EDT$FIXNOTRU
.NIDENT \V04-000\
.NEXTRN EDT$$FIX_NOTRUNC
.NEXTRN EDT$$LOAD_SCRUPDATE
.NPSECT _EDT$CODE,NOWRT, SHR, PIC,2
.NENTRY EDT$$FIX_NOTRUNC_NOOVERLAY, Save nothing : 0654
0000 00000

```



```

: 130      0699 1 END                                ! of module EDT$FIXNOTRUM
: 131      0700 1
: 132      0701 0 ELUDOM
    
```

```

:                                     PSECT SUMMARY
:
: Name                               Bytes           Attributes
:
: _EDT$CODE                          17 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)
    
```

```

:                                     Library Statistics
:
: File                                Total Symbols Loaded Percent Pages Mapped Processing Time
:
: $255$DUA28:[EDT.SRC]EDT.L32;1      377      0      0      40      00:00.2
: _$255$DUA28:[EDT.SRC]PSECTS.L32;1  2        1     50      7      00:00.1
    
```

```

:                                     COMMAND QUALIFIERS
:
: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS$:FIXNOTRUM/OBJ=OBJ$:FIXNOTRUM MSRC$:FIXNOTRUM.BLI/UPDATE=(ENH$:F
: IXNOTRUM)
    
```

```

: Size:          17 code + 0 data bytes
: Run Time:      00:08.5
: Elapsed Time: 00:10.2
: Lines/CPU Min: 4925
: Lexemes/CPU-Min: 13131
: Memory Used: 49 pages
: Compilation Complete
    
```

