


```

1 0001 0 %TITLE 'EDT$FPUTMES - format and print a message'
2 0002 0 MODULE EDT$FPUTMES ( ! Format and print a message
3 0003 0 IDENT = 'VU4-000' ! File: FPUTMES.BLI Edit: 'BS1011
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 **
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Format and print a message.
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: March 18, 1979
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 19-FEB-1981. This module was created by
45 0045 1 extracting routine EDT$$FMT MSG from module FORMAT.
46 0046 1 1-002 - Regularize headers. JBS 05-Mar-1981
47 0047 1 1-003 - Add some modifications for EXT mode. SMB 23-Jun-1982
48 0048 1 1-004 - Add reverse video for EXT mode. SMB 02-Jul-1982
49 0049 1 1-005 - Use EDT$$FMT_CRLF instead of EDT$$OUT_FMTBUF. JBS 05-Jul-1982
50 0050 1 1-006 - Give a bell and reverse video if we're in change mode. SMB 22-Jul-1982
51 0051 1 1-007 - Remember the last message for change mode only if we are reading
52 0052 1 the startup file. JBS 23-Jul-1982
53 0053 1 1-008 - Set some other flags if we're in change mode. SMB 28-Jul-1982
54 0054 1 1-009 - Remove setting EDT$$G_MSGFLG; done in EDT$$FMT_CRLF. JBS 06-Oct-1982
55 0055 1 1-010 - Check for a hardcopy terminal before positioning cursor. STS 14-Dec-1983
56 0056 1 1-011 - Improve the appearance of the listing. JBS 14-Jun-1983
57 0057 1 --

```

EDT\$FPUTMES
V04-000

EDT\$FPUTMES - format and print a message

~~16-Sep-1984~~ ⁵ 00:29:09
~~14-Sep-1984~~ 12:23:12

VAX-11 Bliss-32 V4.0-742 Page 2
DISK\$VMSMASTER:[EDT.SRC]FPUTMES.BLI;1 (1)

: 58

0058 1

```
: 60      0059 1 %SBTTL 'Declarations'  
: 61      0060 1  
: 62      0061 1 : TABLE OF CONTENTS:  
: 63      0062 1 :  
: 64      0063 1 :  
: 65      0064 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
: 66      0503 1  
: 67      0504 1 FORWARD ROUTINE  
: 68      0505 1     EDT$FMT_MSG : NOVALUE;  
: 69      0506 1  
: 70      0507 1 :  
: 71      0508 1 : INCLUDE FILES:  
: 72      0509 1 :  
: 73      0510 1 :  
: 74      0511 1 REQUIRE 'EDT$SRC:EDTREQ';  
: 75      0646 1  
: 76      0647 1 :  
: 77      0648 1 : MACROS:  
: 78      0649 1 :  
: 79      0650 1     NONE  
: 80      0651 1 :  
: 81      0652 1 : EQUATED SYMBOLS:  
: 82      0653 1 :  
: 83      0654 1     NONE  
: 84      0655 1 :  
: 85      0656 1 : OWN STORAGE:  
: 86      0657 1 :  
: 87      0658 1     NONE  
: 88      0659 1 :  
: 89      0660 1 : EXTERNAL REFERENCES:  
: 90      0661 1 :  
: 91      0662 1 :     In the routine
```

```

93 0663 1 %SBTTL 'EDT$$FMT_MSG - format and print a message'
94 0664 1
95 0665 1 GLOBAL ROUTINE EDT$$FMT_MSG ( . Format and print a message
96 0666 1     MESS_NUM      Message number
97 0667 1     ) : NOVALUE =
98 0668 1
99 0669 1  +-+
100 0670 1  FUNCTIONAL DESCRIPTION:
101 0671 1
102 0672 1      Routine to get text of a message and write it out.
103 0673 1
104 0674 1  FORMAL PARAMETERS:
105 0675 1
106 0676 1     MESS_NUM      The number of the error message to write.
107 0677 1
108 0678 1  IMPLICIT INPUTS:
109 0679 1
110 0680 1      EDT$$G_EDIT_MOD
111 0681 1      EDT$$G_QUIET
112 0682 1      EDT$$G_EXT_MOD
113 0683 1      EDT$$G_INP_SRC
114 0684 1
115 0685 1  IMPLICIT OUTPUTS:
116 0686 1
117 0687 1      EDT$$G_LASTMSG
118 0688 1
119 0689 1  ROUTINE VALUE:
120 0690 1
121 0691 1      NONE
122 0692 1
123 0693 1  SIDE EFFECTS:
124 0694 1
125 0695 1      Calls EDT$$FMT_CRLF
126 0696 1
127 0697 1  --
128 0698 1
129 0699 2  BEGIN
130 0700 2
131 0701 2  EXTERNAL ROUTINE
132 0702 2      EDT$$SC_POSCSIF,
133 0703 2      EDT$$SC_REVID,
134 0704 2      EDT$$SC_NONREVID,
135 0705 2      EDT$$STOP_WKINGMSG,
136 0706 2      EDT$$FMT_CIT,
137 0707 2      EDT$$FMT_CRLF,      ! Terminate an output line
138 0708 2      EDT$$MSG_TOSTR;
139 0709 2
140 0710 2  EXTERNAL
141 0711 2      EDT$$G_TI_TYP,      ! type of terminal
142 0712 2      EDT$$G_MESSAGE_LINE, ! Change mode message line
143 0713 2      EDT$$G_EDIT_MOD,   ! Current editing mode
144 0714 2      EDT$$G_LASTMSG,   ! The last message displayed
145 0715 2      EDT$$G_QUIET,     ! Are we in quiet mode
146 0716 2      EDT$$G_EXT_MOD,   ! Are we in EXT mode
147 0717 2      EDT$$G_INP_SRC;   ! What is the input source?
148 0718 2
149 0719 2  +-+

```

```

150 0720 2 ! If we're in EXT mode, then we're assuming that we got an error here
151 0721 2 ! and that we want to give a bell.
152 0722 2 !-
153 0723 2 EDT$$STOP_WKINGMSG ();
154 0724 2
155 0725 2 IF ((.EDT$$G_EXT_MOD) OR (.EDT$$G_EDIT_MOD EQL CHANGE_MODE))
156 0726 2 THEN
157 0727 2 BEGIN
158 0728 2
159 0729 2 IF (.EDT$$G_TI_TYP NEQ TERM_HCPY)
160 0730 2 THEN
161 0731 2 BEGIN
162 0732 2 EDT$$SC_POSCSIF (.EDT$$G_MESSAGE_LINE + 1, 0);
163 0733 2 EDT$$SC_REVID ();
164 0734 2 END;
165 0735 2
166 0736 2 IF ( NOT .EDT$$G_QUIET) THEN EDT$$FMT_LIT (UPLIT (7), 1);
167 0737 2
168 0738 2 END;
169 0739 2
170 0740 2 !+
171 0741 2 ! Save the message number in case it needs to be redisplayed on entering
172 0742 2 ! change mode.
173 0743 2 !-
174 0744 2
175 0745 2 IF (.EDT$$G_INP_SRC EQL INP_COMMAND) THEN EDT$$G_LASTMSG = .MESS_NUM;
176 0746 2
177 0747 2 EDT$$MSG_TOSTR (.MESS_NUM);
178 0748 2 EDT$$FMT_CRLF ();
179 0749 2
180 0750 2 IF (.EDT$$G_TI_TYP EQL TERM_VT100) THEN EDT$$SC_NONREVID ();
181 0751 2
182 0752 1 END;

```

! of routine EDT\$\$FMT_MSG

```

.TITLE EDT$FPUTMES EDT$FPUTMES - format and print a me
      ssage
.IDENT \V04-000\
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
      00000007 00000 P.AAA: .LONG 7
      ;
.EXTRN EDT$$SC_POSCSIF
.EXTRN EDT$$SC_REVID, EDT$$SC_NONREVID
.EXTRN EDT$$STOP_WKINGMSG
.EXTRN EDT$$FMT_LIT, EDT$$FMT_CRLF
.EXTRN EDT$$MSG_TOSTR, EDT$$G_TI_TYP
.EXTRN EDT$$G_MESSAGE_LINE
.EXTRN EDT$$G_EDIT_MOD
.EXTRN EDT$$G_LASTMSG, EDT$$G_QUIET
.EXTRN EDT$$G_EXT_MOD, EDT$$G_INP_SRC

```

```

00000000G 52 00000000G 00 0004 00000
00 00 9E 00002
08 00000000G 00 00 FB 00009
00 00 E8 00010

```

```

.ENTRY EDT$$FMT_MSG, Save R2 ; 0665
MOVAB EDT$$G_TI_TYP, R2 ;
CALLS #0, EDT$$STOP_WKINGMSG ; 0723
BLBS EDT$$G_EXT_MOD, 1$ ; 0725

```

	00000000G	00	D5	00017	TSTL	EDT\$\$G_EDIT_MOD	:			
		30	12	0001D	BNEQ	3\$:			
	03	62	D1	0001F	1\$:	CMPL	EDT\$\$G_TI_TYP, #3	0729		
		18	13	00022	BEQL	2\$:			
		7E	D4	00024	CLRL	-(SP)	:	0732		
7E	00000000G	00	01	C1	00026	ADDL3	#1, EDT\$\$G_MESSAGE_LINE, -(SP)	:		
	00000000G	00	02	FB	0002E	CALLS	#2, EDT\$\$SC_POSCSIF	:		
	00000000G	00	00	FB	00035	CALLS	#0, EDT\$\$SC_REVID	0733		
	0C	00000000G	00	EB	0003C	2\$:	BLBS	EDT\$\$G_QUIET, 3\$	0736	
			01	DD	00043	PUSHL	#1	:		
		B4	AF	9F	00045	PUSHAB	P.AAA	:		
	00000000G	00	02	FB	00048	CALLS	#2, EDT\$\$FMT_LIT	:		
		02	00000000G	00	D1	0004F	3\$:	CMPL	EDT\$\$G_INP_SRC, #2	0745
			08	12	00056	BNEQ	4\$:		
	00000000G	00	04	AC	D0	00058	MOVL	MESS_NUM, EDT\$\$G_LASTMSG	:	
			04	AC	DD	00060	4\$:	PUSHL	MESS_NUM	0747
	00000000G	00	01	FB	00063	CALLS	#1, EDT\$\$MSG_TOSTR	:		
	00000000G	00	00	FB	0006A	CALLS	#0, EDT\$\$FMT_CRLF	0748		
		02	62	D1	00071	CMPL	EDT\$\$G_TI_TYP, #2	0750		
			07	12	00074	BNEQ	5\$:		
	00000000G	00	00	FB	00076	CALLS	#0, EDT\$\$SC_NONREVID	:		
			04	0007D	5\$:	RET	:	0752		

: Routine Size: 126 bytes, Routine Base: _EDT\$CODE + 0004

: 183 0753 1
: 184 0754 1 !<BLF/PAGE>

EDT\$FPUTMES
V04-000

EDT\$FPUTMES - format and print a message
EDT\$\$FMT_MSG - format and print a message

J 5
16-Sep-1984 00:29:09
14-Sep-1984 12:23:12

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]FPUTMES.BLI;1 (4)

**FI

: 186 0755 1 END
: 187 0756 1
: 188 0757 0 ELUDOM

: of module EDT\$FPUTMES

PSECT SUMMARY

Name Bytes Attributes
_EDT\$CODE 130 NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	4	1	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:FPUTMES/OBJ=OBJ\$:FPUTMES MSRC\$:FPUTMES.BLI/UPDATE=(ENH\$:FPUTMES)

: Size: 126 code + 4 data bytes
: Run Time: 00:11.2
: Elapsed Time: 00:13.6
: Lines/CPU Min: 4048
: Lexemes/CPU-Min: 10818
: Memory Used: 70 pages
: Compilation Complete

