


```

1 0001 0 %TITLE 'EDTSKEYIMMINP - keypad input'
2 0002 0 MODULE EDTSKEYIMMINP ( ! keypad input
3 0003 0 IDENT = 'V04-000' ! File: KEYIMMIMP.BLI Edit: JBS1004
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 ++
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 keypad input
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: April 7, 1979
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 24-Feb-1981. This module was created by
45 0045 1 extracting routine IMMEDIATE INPUT from module KEYTRAN.
46 0046 1 1-002 - Regularize headers. JBS 10-Mar-1981
47 0047 1 1-003 - Add another parameter to pass to TI_RDCMDLN. STS 21-Oct-1981
48 0048 1 1-004 - Improve the appearance of the listing. JBS 14-Jun-1983
49 0049 1 --
50 0050 1

```

```
.. 52      0051 1 %SBTTL 'Declarations'  
.. 53      0052 1  
.. 54      0053 1 | TABLE OF CONTENTS:  
.. 55      0054 1 |  
.. 56      0055 1 |  
.. 57      0056 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 58      0495 1 |  
.. 59      0496 1 FORWARD ROUTINE  
.. 60      0497 1   EDT$KPAD_INP;  
.. 61      0498 1 |  
.. 62      0499 1 |  
.. 63      0500 1 | INCLUDE FILES:  
.. 64      0501 1 |  
.. 65      0502 1 |  
.. 66      0503 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 67      0638 1 |  
.. 68      0639 1 |  
.. 69      0640 1 | MACROS:  
.. 70      0641 1 |  
.. 71      0642 1 |   NONE  
.. 72      0643 1 |  
.. 73      0644 1 | EQUATED SYMBOLS:  
.. 74      0645 1 |  
.. 75      0646 1 |   NONE  
.. 76      0647 1 |  
.. 77      0648 1 | OWN STORAGE:  
.. 78      0649 1 |  
.. 79      0650 1 |   NONE  
.. 80      0651 1 |  
.. 81      0652 1 | EXTERNAL REFERENCES:  
.. 82      0653 1 |  
.. 83      0654 1 |   In the routine
```

```

: 85 0655 1 %SBTTL 'EDT$$KPAD_INP - keypad input'
: 86 0656 1
: 87 0657 1 GLOBAL ROUTINE EDT$$KPAD_INP (           ! keypad input
: 88 0658 1     C,                                     ! Parameter to EDT$$TI_RDCMDLN
: 89 0659 1     TERM,                                 ! Parameter to EDT$$TI_RDCMDLN
: 90 0660 1     RES_TERM,                             ! parameter from EDT$$TI_RDCMDLN
: 91 0661 1     ) =
: 92 0662 1
: 93 0663 1 !++
: 94 0664 1 !FUNCTIONAL DESCRIPTION:
: 95 0665 1
: 96 0666 1     This routine adds a couple of parameters then calls EDT$$TI_RDCMDLN .
: 97 0667 1
: 98 0668 1 !FORMAL PARAMETERS:
: 99 0669 1
:100 0670 1     C           Parameter to EDT$$TI_RDCMDLN
:101 0671 1
:102 0672 1     TERM        Parameter to EDT$$TI_RDCMDLN
:103 0673 1
:104 0674 1     RES_TERM    Parameter from EDT$$TI_RDCMDLN
:105 0675 1
:106 0676 1 !IMPLICIT INPUTS:
:107 0677 1
:108 0678 1     EDT$$A_CMD_BUF
:109 0679 1
:110 0680 1 !IMPLICIT OUTPUTS:
:111 0681 1
:112 0682 1     NONE
:113 0683 1
:114 0684 1 !ROUTINE VALUE:
:115 0685 1
:116 0686 1     Same as EDT$$TI_RDCMDLN
:117 0687 1
:118 0688 1 !SIDE EFFECTS:
:119 0689 1
:120 0690 1     NONE
:121 0691 1
:122 0692 1 !--
:123 0693 1
:124 0694 2     BEGIN
:125 0695 2
:126 0696 2     EXTERNAL ROUTINE
:127 0697 2         EDT$$TI_RDCMDLN;
:128 0698 2
:129 0699 2     EXTERNAL
:130 0700 2         EDT$$A_CMD_BUF;           ! Pointer to next char in command buffer
:131 0701 2
:132 0702 2     RETURN (EDT$$TI_RDCMDLN (.C, .EDT$$A_CMD_BUF, EDT$$A_CMD_BUF, .TERM, .RES_TERM));
:133 0703 1     END;                          ! of routine EDT$$KPAD_INP

      .TITLE EDT$KEYIMMINP EDT$KEYIMMINP - keypad input
      .IDENT \V04-000\

      .EXTRN EDT$$TI_RDCMDLN
      .EXTRN EDT$$A_CMD_BUF

```


EDT\$KEYIMMINP
V04-000

EDT\$KEYIMMINP - keypad input
EDT\$KPAD_INP - keypad input

J 9
16-Sep-1984 00:44:28
14-Sep-1984 12:23:23

VAX-11 Bliss-32 V4.0-742
[EDT.SRC]KEYIMMINP.BLI;1

Page 5
(4)

: 137 0706 1 END
: 138 0707 1
: 139 0708 0 ELUDOM

! of module EDT\$KEYIMMINP

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	28	NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:KEYIMMINP/OBJ=OBJ\$:KEYIMMINP MSRC\$:KEYIMMINP.BLI/UPDATE=(ENH\$:KEYIMMINP)

: Size: 28 code + 0 data bytes
: Run Time: 00:08.9
: Elapsed Time: 00:11.2
: Lines/CPU Min: 4778
: Lexemes/CPU-Min: 12654
: Memory Used: 53 pages
: Compilation Complete

EDT
V04

41

27

