

EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTTTT
EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTTTT
EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTTTTTTTTTTTTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEEEEEEEEEEEEE	DDD	TTT
EEEEEEEEEEEEEE	DDD	TTT
EEEEEEEEEEEEEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEE	DDD	TTT
EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT
EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT
EEEEEEEEEEEEEEEE	DDDDDDDDDDDD	TTT

EXE

MOO

ED

ED

ED

ED

ED

ED

ED

ED

ED

ED

ED

SY

LBI

LII

```
LL      GGGGGGGG  EEEEEEEEE  TTTTTTTTT  SSSSSSSS  TTTTTTTTT  RRRRRRRR
LL      GGGGGGGG  EEEEEEEEE  TTTTTTTTT  SSSSSSSS  TTTTTTTTT  RRRRRRRR
LL      GG        EEE          TT          SS          TT          RR          RR
LL      GG        EEE          TT          SS          TT          RR          RR
LL      GG        EEE          TT          SS          TT          RR          RR
LL      GG        EEE          TT          SS          TT          RR          RR
LL      GG        EEE          TT          SS          TT          RR          RR
LL      GG        EEEEEEEEE  TT          SSSSSSS  TT          RRRRRRRR
LL      GG  GGGGGG  EEEEEEEEE  TT          SSSSSSS  TT          RRRRRRRR
LL      GG  GGGGGG  EEE          TT          SS          TT          RR  RR
LL      GG    GG    EEE          TT          SS          TT          RR  RR
LL      GG    GG    EEE          TT          SS          TT          RR  RR
LL      GG    GG    EEE          TT          SS          TT          RR  RR
LLLLLLLL  GGGGGG  EEEEEEEEE  TT          SSSSSSSS  TT          RR          RR
LLLLLLLL  GGGGGG  EEEEEEEEE  TT          SSSSSSSS  TT          RR          RR
```

```
LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SSSSSS
LL      II     SSSSSS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SS
LLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLL  IIIIII  SSSSSSSS
```

i



```

1 0001 0 %TITLE 'EDT$LGGETSTR - set up search and replace strings'
2 0002 0 MODULE EDT$LGGETSTR ( ! Set up search and replace strings
3 0003 0 IDENT = 'V04-000' ! File: LGGETSTR.BLI Edit: JBS1003
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 **
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Set up search and replace strings.
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: February 3, 1978
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 10-MAR-81. This module was created by
45 0045 1 extracting the routine EDT$$SET_STR from EXEC.BLI.
46 0046 1 1-002 - Regularize headers. JBS 20-Mar-1981
47 0047 1 1-003 - Return a value. JBS 04-May-1982
48 0048 1 --
49 0049 1

```

```
: 51 0050 1 %SBTTL 'Declarations'  
: 52 0051 1 |  
: 53 0052 1 | TABLE OF CONTENTS:  
: 54 0053 1 |  
: 55 0054 1 |  
: 56 0055 1 REQUIRE 'EDTSRC:TRAROUNAM';  
: 57 0494 1 |  
: 58 0495 1 FORWARD ROUTINE  
: 59 0496 1 EDT$$SET_STR;  
: 60 0497 1 |  
: 61 0498 1 |  
: 62 0499 1 | INCLUDE FILES:  
: 63 0500 1 |  
: 64 0501 1 |  
: 65 0502 1 REQUIRE 'EDTSRC:EDTREQ';  
: 66 0637 1 |  
: 67 0638 1 |  
: 68 0639 1 | MACROS:  
: 69 0640 1 |  
: 70 0641 1 | NONE  
: 71 0642 1 |  
: 72 0643 1 | EQUATED SYMBOLS:  
: 73 0644 1 |  
: 74 0645 1 | NONE  
: 75 0646 1 |  
: 76 0647 1 | OWN STORAGE:  
: 77 0648 1 |  
: 78 0649 1 | NONE  
: 79 0650 1 |  
: 80 0651 1 | EXTERNAL REFERENCES:  
: 81 0652 1 |  
: 82 0653 1 | In the routine
```

```
84 0654 1 %SBTTL 'EDT$$$SET_STR - set up search and replacement strings'
85 0655 1
86 0656 1 GLOBAL ROUTINE EDT$$$SET_STR ! Set up search and replacement strings
87 0657 1 =
88 0658 1
89 0659 1 !++
90 0660 1 ! FUNCTIONAL DESCRIPTION:
91 0661 1 !
92 0662 1 ! Setup the search and replace strings for a SUBSTITUTE or SUBSTITUTE next
93 0663 1 ! command. The strings are described by the node block pointed to by
94 0664 1 ! the STR_PNT field of the current command node block.
95 0665 1 !
96 0666 1 ! FORMAL PARAMETERS:
97 0667 1 !
98 0668 1 ! NONE
99 0669 1 !
100 0670 1 ! IMPLICIT INPUTS:
101 0671 1 !
102 0672 1 ! EDT$$A_EXE_CURCMD
103 0673 1 !
104 0674 1 ! IMPLICIT OUTPUTS:
105 0675 1 !
106 0676 1 ! NONE
107 0677 1 !
108 0678 1 ! ROUTINE VALUE:
109 0679 1 !
110 0680 1 ! 1 = success
111 0681 1 ! 0 = error
112 0682 1 !
113 0683 1 ! SIDE EFFECTS:
114 0684 1 !
115 0685 1 ! Calls EDT$$$SET_SEASUBSTR
116 0686 1 !
117 0687 1 ! --
118 0688 1 !
119 0689 2 ! BEGIN
120 0690 2 !
121 0691 2 ! EXTERNAL ROUTINE
122 0692 2 ! EDT$$$SET_SEASUBSTR;
123 0693 2 !
124 0694 2 ! EXTERNAL
125 0695 2 ! EDT$$A_EXE_CURCMD : REF NODE_BLOCK; ! Pointer to the current command.
126 0696 2 !
127 0697 2 ! BIND
128 0698 2 ! STRINGS = .EDT$$A_EXE_CURCMD [STR_PNT] : NODE_BLOCK;
129 0699 2 !
130 0700 2 ! LOCAL
131 0701 2 ! RET_VALUE;
132 0702 2 !
133 0703 2 ! RET_VALUE = EDT$$$SET_SEASUBSTR (.STRINGS [SRCHADDR], .STRINGS [SRCHLEN], .STRINGS [REPADDR],
134 0704 2 ! .STRINGS [REPLEN]);
135 0705 2 ! RETURN (.RET_VALUE);
136 0706 1 ! END; ! of routine EDT$$$SET_STR
```

```
.TITLE EDT$LGGETSTR EDT$LGGETSTR - set up search and rep  
lace strings
```

EDT\$LGESTR
V04-000

EDT\$LGESTR - set up search and replace strings M 1
EDT\$\$\$SET_STR - set up search and replacement s 14-Sep-1984 12:23:35

16-Sep-1984 00:50:57 VAX-11 Bliss-32 V4.0-742 Page 4
DISK\$VMSMASTER:[EDT.SRC]LGESTR.BLI;1 (3)

```

.IDENT \V04-000\
.EXTRN EDT$$$SET_SEASUBSTR
.EXTRN EDT$$A_EXE_CURCMD

.PSECT _EDT$CODE,NOWRT, SHR, PIC,2

.ENTRY EDT$$$SET_STR, Save nothing          : 0656
MOVL EDT$$A_EXE_CURCMD, R0                 : 0698
MOVL 8(R0), R0
MOVQ 12(R0), -(SP)                          : 0703
MOVQ 4(R0), -(SP)
CALLS #4, EDT$$$SET_SEASUBSTR
RET                                          : 0706

```

```

0000 00000
50 00000000G 00 D0 00002
50 08 A0 D0 00009
7E 0C A0 7D 0000D
7E 04 A0 7D 00011
00000000G 00 04 FB 00015
04 0001C

```

: Routine Size: 29 bytes, Routine Base: _EDT\$CODE + 0000

```

: 137 0707 1
: 138 0708 1 !<BLF/PAGE>

```

EDT
V04

:

:

:

:

:

:

:

:

```

EDT$LGETSTR - set up search and replace strings 16-Sep-1984 00:50:57 VAX-11 Bliss-32 V4.0-742 Page 5
V04-000 EDT$$SET_STR - set up search and replacement s 14-Sep-1984 12:23:35 DISK$VMSMASTER:[EDT.SRC]LGETSTR.BLI;1 (4)
: 140 0709 1 END ! of module EDT$LGETSTR
: 141 0710 1
: 142 0711 0 ELUDOM

```

PSECT SUMMARY

```

Name Bytes Attributes
_EDT$CODE 29 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

```

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	49	12	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

```

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS$:LGETSTR/OBJ=OBJ$:LGETSTR MSRC$:LGETSTR.BLI/UPDATE=(ENHS:LGETSTR)

```

```

: Size: 29 code + 0 data bytes
: Run Time: 00:09.4
: Elapsed Time: 00:11.3
: Lines/CPU Min: 4547
: Lexemes/CPU-Min: 13170
: Memory Used: 64 pages
: Compilation Complete

```

0136 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

LNCL LIS															LTYPE LIS
					LQUERY LIS						LSUB LIS				
						LRES LIS									LTADJ LIS
				LPRINT LIS											
LGETSTR LIS															
						LPUTCHR LIS								LSUBSN LIS	
										LSHOW LIS					
		LMOVE LIS						LSET LIS							LWRITE LIS
LINSERT LIS			LNONCTG LIS									LSUBS LIS			