





```
1 0001 0 %TITLE 'EDT$LGETSTR - set up search and replace strings'  
2 0002 0 MODULE EDT$LGETSTR ( ! Set up search and replace strings  
3 0003 0 IDENT = 'V04-000' ! File: LGETSTR.BLI Edit: JBS1003  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 *  
27 0027 1 *  
28 0028 1 *****  
29 0029 1  
30 0030 1  
31 0031 1 ++  
32 0032 1 FACILITY: EDT -- The DEC Standard Editor  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 Set up search and replace strings.  
37 0037 1  
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
39 0039 1  
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: February 3, 1978  
41 0041 1  
42 0042 1 MODIFIED BY:  
43 0043 1  
44 0044 1 1-001 - Original. DJS 10-MAR-81. This module was created by  
45 0045 1 extracting the routine EDT$$$SET_STR from EXEC.BLI.  
46 0046 1 1-002 - Regularize headers. JBS 20-Mar-1981  
47 0047 1 1-003 - Return a value. JBS 04-May-1982  
48 0048 1 --  
49 0049 1
```

```

: 51 0050 1 %SBTTL 'Declarations'
: 52 0051 1 |
: 53 0052 1 | TABLE OF CONTENTS:
: 54 0053 1 |
: 55 0054 1 |
: 56 0055 1 REQUIRE 'EDT$SRC:TRAROUNAM';
: 57 0494 1 |
: 58 0495 1 FORWARD ROUTINE
: 59 0496 1 EDT$$SET_STR;
: 60 0497 1 |
: 61 0498 1 |
: 62 0499 1 | INCLUDE FILES:
: 63 0500 1 |
: 64 0501 1 |
: 65 0502 1 REQUIRE 'EDT$SRC:EDTREQ';
: 66 0637 1 |
: 67 0638 1 |
: 68 0639 1 | MACROS:
: 69 0640 1 |
: 70 0641 1 | NONE
: 71 0642 1 |
: 72 0643 1 | EQUATED SYMBOLS:
: 73 0644 1 |
: 74 0645 1 | NONE
: 75 0646 1 |
: 76 0647 1 | OWN STORAGE:
: 77 0648 1 |
: 78 0649 1 | NONE
: 79 0650 1 |
: 80 0651 1 | EXTERNAL REFERENCES:
: 81 0652 1 |
: 82 0653 1 | In the routine
```



EDT\$LGESTR  
V04-000

EDT\$LGESTR - set up search and replace strings M 1  
EDT\$\$SET\_STR - set up search and replacement s 14-Sep-1984 12:23:35

16-Sep-1984 00:50:57 VAX-11 Bliss-32 V4.0-742 Page 4  
DISK\$VMSMASTER:[EDT.SRC]LGESTR.BLI;1 (3)

```

.IDENT \V04-000\
.EXTRN EDT$$SET_SEASUBSTR
.EXTRN EDT$$A_EXE_CURCMD
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDT$$SET_STR, Save nothing          ; 0656
MOVL EDT$$A_EXE_CURCMD, R0                 ; 0698
MOVL 8(R0), R0
MOVQ 12(R0), -(SP)                          ; 0703
MOVQ 4(R0), -(SP)
CALLS #4, EDT$$SET_SEASUBSTR
RET                                          ; 0706

```

```

                    0000 00000
50 00000000G 00 D0 00002
50          08 A0 D0 00009
7E          0C A0 7D 0000D
7E          04 A0 7D 00011
00000000G 00 04 FB 00015
                    04 0001C

```

: Routine Size: 29 bytes, Routine Base: \_EDT\$CODE + 0000

```

: 137          0707 1
: 138          0708 1 !<BLF/PAGE>

```

```

EDT$LGETSTR      EDT$LGETSTR - set up search and replace strings 16-Sep-1984 00:50:57    VAX-11 Bliss-32 V4.0-742    Page 5
V04-000          EDT$$SET_STR - set up search and replacement s 14-Sep-1984 12:23:35    DISK$VMSMASTER:[EDT.SRC]LGETSTR.BLI;1 (4)
: 140           0709 1 END                                ! of module EDT$LGETSTR
: 141           0710 1
: 142           0711 0 ELUDOM

```

PSECT SUMMARY

```

: Name          Bytes          Attributes
: _EDT$CODE     29 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

```

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	49	12	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

```

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS$:LGETSTR/OBJ=OBJ$:LGETSTR MSRC$:LGETSTR.BLI/UPDATE=(ENH$:LGETSTR)

```

```

: Size:          29 code + 0 data bytes
: Run Time:      00:09.4
: Elapsed Time: 00:11.3
: Lines/CPU Min: 4547
: Lexemes/CPU-Min: 13170
: Memory Used: 64 pages
: Compilation Complete

```

