


```

LL      XX      XX      CCCCCCCC      000000      MM      MM      NN      NN      000000      000000
LL      XX      XX      CCCCCCCC      000000      MM      MM      NN      NN      000000      000000
LL      XX      XX      CC      00      00      MMMM      MMMM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MMMM      MMMM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LL      XX      XX      CC      00      00      MM      MM      NN      NN      00      00      00      00
LLLLLLLLLLLL XX      XX      CCCCCCCC      000000      MM      MM      NN      NN      000000      000000
LLLLLLLLLLLL XX      XX      CCCCCCCC      000000      MM      MM      NN      NN      000000      000000

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL IIIIII      SSSSSSSS
LLLLLLLLLLLL IIIIII      SSSSSSSS

```

```

1 0001 0 %TITLE 'EDT$LXCOMNOO - Call EDT$LXCOM for EDT$EXTEND'
2 0002 0 MODULE EDT$LXCOMNOO ( ! Call EDT$LXCOM for EDT$EXTEND
3 0003 0 IDENT = 'V04-000' ! File: LXCOMNOO.BLI Edit: JBS1001
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 ++
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Call EDT$LXCOM for EDT$EXTEND, then load EDT$EXTEND back into memory.
37 0037 1
38 0038 1 ENVIRONMENT: User mode
39 0039 1
40 0040 1 AUTHOR: John Sauter, CREATION DATE: March 15, 1982
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. JBS 15-Mar-1982
45 0045 1 --
46 0046 1

```

```
.. 48 0047 1 %SBTTL 'Declarations'  
.. 49 0048 1  
.. 50 0049 1 : TABLE OF CONTENTS:  
.. 51 0050 1 :  
.. 52 0051 1  
.. 53 0052 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 54 0401 1  
.. 55 0492 1 FORWARD ROUTINE  
.. 56 0493 1 EDT$$LNM_CMD_NOOVERLAY : NOVALUE; ! Call EDT$$LNM_CMD for EDT$EXTEND  
.. 57 0494 1  
.. 58 0495 1  
.. 59 0496 1 : INCLUDE FILES:  
.. 60 0497 1 :  
.. 61 0498 1  
.. 62 0499 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 63 0634 1  
.. 64 0635 1 :  
.. 65 0636 1 : MACROS:  
.. 66 0637 1 :  
.. 67 0638 1 : NONE  
.. 68 0639 1 :  
.. 69 0640 1 : EQUATED SYMBOLS:  
.. 70 0641 1 :  
.. 71 0642 1 : NONE  
.. 72 0643 1 :  
.. 73 0644 1 : OWN STORAGE:  
.. 74 0645 1 :  
.. 75 0646 1 : NONE  
.. 76 0647 1 :  
.. 77 0648 1 : EXTERNAL REFERENCES:  
.. 78 0649 1 :  
.. 79 0650 1 : In the routines
```

```

: 81 0651 1 %SBTTL 'EDT$LNM_CMD_NOOVERLAY - Call EDT$LNM_CMD for EDT$EXTEND'
: 82 0652 1
: 83 0653 1 GLOBAL ROUTINE EDT$LNM_CMD_NOOVERLAY (      ! Call EDT$LNM_CMD for EDT$EXTEND
: 84 0654 1   COM_START                               ! Command to execute
: 85 0655 1   ) : NOVALUE =
: 86 0656 1
: 87 0657 1
: 88 0658 1  ++
: 89 0659 1  FUNCTIONAL DESCRIPTION:
: 90 0660 1      Call EDT$LNM_CMD for EDT$EXTEND, then amke sure that EDT$EXTEND
: 91 0661 1      is in memory before returning.
: 92 0662 1
: 93 0663 1  FORMAL PARAMETERS:
: 94 0664 1
: 95 0665 1  COM_START      Node block containing the command to execute
: 96 0666 1
: 97 0667 1  IMPLICIT INPUTS:
: 98 0668 1
: 99 0669 1      NONE
: 100 0670 1
: 101 0671 1  IMPLICIT OUTPUTS:
: 102 0672 1
: 103 0673 1      NONE
: 104 0674 1
: 105 0675 1  ROUTINE VALUE:
: 106 0676 1
: 107 0677 1      NONE
: 108 0678 1
: 109 0679 1  SIDE EFFECTS:
: 110 0680 1
: 111 0681 1      MANY
: 112 0682 1
: 113 0683 1  --
: 114 0684 1
: 115 0685 2  BFGIN
: 116 0686 2
: 117 0687 2  EXTERNAL ROUTINE
: 118 0688 2      EDT$LNM_CMD_NOOVERLAY_REF : NOVALUE, ! Alternate name for EDT$LNM_CMD, not in overlay analysis
: 119 0689 2      EDT$LOAD_EXTEND : NOVALUE;      ! Load the EXTEND module into memory (on the PDP-11)
: 120 0690 2
: 121 0691 2  EDT$LNM_CMD_NOOVERLAY_REF (.COM_START);
: 122 0692 2  EDT$LOAD_EXTEND ();
: 123 0693 1  END;
! of routine EDT$LNM_CMD_NOOVERLAY

.TITLE EDT$LXCOMNOO EDT$LXCOMNOO - Call EDT$LXCOM for
EDT$EXTEND
.IDENT \V04-000\
.EXTRN EDT$LNM_CMD_NOOVERLAY_REF
.EXTRN EDT$LOAD_EXTEND
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDT$LNM_CMD_NOOVERLAY, Save nothing : 0653
PUSHL COM_START : 0691
CALLS #1, EDT$LNM_CMD_NOOVERLAY_REF

```

```

00000000G 00      04 0000 0000
                   AC DD 00002
                   01 FB 00005

```

EDTSLXCOMNOO
V04-000

EDTSLXCOMNOO - Call EDTSLXCOM for EDTSEXTEND 16-Sep-1984 01:05:55
EDTSSLNM_CMD_NOOVERLAY - Call EDTSLNM_CMD for 14-Sep-1984 12:23:49

F 4

VAX-11 Bliss-32 V4.0-742 Page 4
DISK\$VMSMASTER:[EDT.SRC]LXCOMNOO.BLI;1 (3)

00000000G 00

00 FB 0000C
04 00013

CALLS #0, EDTSSLLOAD_EXTEND
RET

: 0692
: 0693

: Routine Size: 20 bytes, Routine Base: _EDTSCODE + 0000

: 124 0694 1
: 125 0695 1 !<BLF/PAGE>

EDT\$LXCOMNOO
V04-000

EDT\$LXCOMNOO - Call EDT\$LXCOM for EDT\$EXTEND
EDT\$\$LNM_CMD_NOOVERLAY - Call EDT\$LNM_CMD for

G 4
16-Sep-1984 01:05:55
14-Sep-1984 12:23:49

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]LXCOMNOO.BLI;1 (4) Page 5

: 127 0696 1 END
: 128 0697 1
: 129 0698 0 ELUDCM

PSECT SUMMARY

Name Bytes Attributes
_EDT\$CODE 20 NOVEC, NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD, INITIAL, OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:LXCOMNOO/OBJ=OBJ\$:LXCOMNOO MSRC\$:LXCOMNOO.BLI/UPDATE=(ENH\$:LXCOMNOO)

: Size: 20 code + 0 data bytes
: Run Time: 00:08.6
: Elapsed Time: 00:11.9
: Lines/CPU Min: 4875
: Lexemes/CPU-Min: 13068
: Memory Used: 50 pages
: Compilation Complete

MCGETLIN LIS	MCRIGHT LIS	LXCOMM LIS	MCCHANGE LIS	MACCAL LIS	NOOPEN LIS	PRAPPNUM LIS	PRGETTOK LIS	PRISTOK LIS
MCLEFT LIS	MCBOTTOM LIS	LXPRINT LIS	MCDOWN LIS	MCTOP LIS	MSGTXT LIS	PAUDIT LIS	PRGETCHR LIS	LXCOM LIS
MAIN LIS	MCUP LIS							