


```

MM      MM      CCCCCCCC  BBBB88888  000000  TTTTTTTTTT  TTTTTTTTTT  000000  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TTTTTTTTTT  TTTTTTTTTT  000000  MM      MM
MMMM    MMMM    CC        BB      BB  00      00  TT      TT      00      00  MMMM  MMMM
MMMM    MMMM    CC        BB      BB  00      00  TT      TT      00      00  MMMM  MMMM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BBBB88888  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BBBB88888  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT      00      00  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TT      TT      000000  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TT      TT      000000  MM      MM

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLLLL IIIIII  SSSSSSSS

```



```

1 0001 0 %TITLE 'EDT$MCBOTTOM - move cursor to bottom of buffer'
2 0002 0 MODULE EDT$MCBOTTOM ( ! Move cursor to bottom of buffer
3 0003 0 IDENT = 'V04-000' ! File: MCBOTTOM.BLI Edit: JBS1003
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 **
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Move the cursor to the bottom of the buffer.
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: September 9, 1979
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 19-FEB-1981. This module was created by
45 0045 1 extracting routine EDT$$CS_BOTBUF from module MOVCUR.
46 0046 1 1-002 - Regularize headers. JBS 11-Mar-1981
47 0047 1 1-003 - Remove EDT$$G_LN_NO for new screen update logic. JBS 29-Sep-1982
48 0048 1 --
49 0049 1

```

EDT\$MCPBOTTOM
V04-000

EDT\$MCPBOTTOM - move cursor to bottom of buffer
Declarations

L 7
16-Sep-1984 01:09:12
14-Sep-1984 12:23:52

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]MCPBOTTOM.BLI;1 Page 2
(2)

```
.. 51      0050 1 %SBTTL 'Declarations'  
.. 52      0051 1  
.. 53      0052 1 : TABLE OF CONTENTS:  
.. 54      0053 1 :  
.. 55      0054 1  
.. 56      0055 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
.. 57      0494 1  
.. 58      0495 1 FORWARD ROUTINE  
.. 59      0496 1     EDT$$CS_BOTBUF : NOVALUE;  
.. 60      0497 1  
.. 61      0498 1 :  
.. 62      0499 1 : INCLUDE FILES:  
.. 63      0500 1 :  
.. 64      0501 1  
.. 65      0502 1 REQUIRE 'EDT$SRC:EDTREQ';  
.. 66      0637 1  
.. 67      0638 1 :  
.. 68      0639 1 : MACROS:  
.. 69      0640 1 :  
.. 70      0641 1 :     NONE  
.. 71      0642 1 :  
.. 72      0643 1 : EQUATED SYMBOLS:  
.. 73      0644 1 :  
.. 74      0645 1 :     NONE  
.. 75      0646 1 :  
.. 76      0647 1 : OWN STORAGE:  
.. 77      0648 1 :  
.. 78      0649 1 :     NONE  
.. 79      0650 1 :  
.. 80      0651 1 : EXTERNAL REFERENCES:  
.. 81      0652 1 :  
.. 82      0653 1 :     In the routine
```

```

: 84 0654 1 %SBTTL 'EDT$$CS_BOTBUF - move cursor to bottom of buffer'
: 85 0655 1
: 86 0656 1 GLOBAL ROUTINE EDT$$CS_BOTBUF ! Move cursor to bottom of buffer
: 87 0657 1 : NOVALUE =
: 88 0658 1
: 89 0659 1 +-+
: 90 0660 1 FUNCTIONAL DESCRIPTION:
: 91 0661 1
: 92 0662 1 This routine moves the cursor to the bottom of the buffer.
: 93 0663 1
: 94 0664 1 FORMAL PARAMETERS:
: 95 0665 1
: 96 0666 1 NONE
: 97 0667 1
: 98 0668 1 IMPLICIT INPUTS:
: 99 0669 1
: 100 0670 1 NONE
: 101 0671 1
: 102 0672 1 IMPLICIT OUTPUTS:
: 103 0673 1
: 104 0674 1 NONE
: 105 0675 1
: 106 0676 1 ROUTINE VALUE:
: 107 0677 1
: 108 0678 1 NONE
: 109 0679 1
: 110 0680 1 SIDE EFFECTS:
: 111 0681 1
: 112 0682 1 NONE
: 113 0683 1
: 114 0684 1 --
: 115 0685 1
: 116 0686 2 BEGIN
: 117 0687 2
: 118 0688 2 EXTERNAL ROUTINE
: 119 0689 2 EDT$$GET_TXTLN : NOVALUE,
: 120 0690 2 EDT$$WF_BOT;
: 121 0691 2
: 122 0692 2 +-+
: 123 0693 2 Go to the bottom lin.
: 124 0694 2 -
: 125 0695 2 EDT$$WF_BOT ();
: 126 0696 2 +-+
: 127 0697 2 And fetch the line from the work file.
: 128 0698 2 -
: 129 0699 2 EDT$$GET_TXTLN ();
: 130 0700 1 END;

```

! of routine EDT\$\$CS_BOTBUF

```

.TITLE EDT$MCBOTTOM EDT$MCBOTTOM - move cursor to bott
om of buffer
.IDENT \V04-000\
.EXTRN EDT$$GET_TXTLN, EDT$$WF_BOT
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2

```

: R

:
:
:

EDT\$MCBOTTOM
V04-000

EDT\$MCBOTTOM - move cursor to bottom of buffer, 16-Sep-1984 01:09:12
EDT\$\$CS_BOTBUF - move cursor to bottom of buff 14-Sep-1984 12:23:52

N 7

VAX-11 Bliss-32 V4.0-742 Page 4
DISK\$VMSMASTER:[EDT.SRC]MCBOTTOM.BLI;1 (3)

00000000G 00 0000 00000
00 FB 00002
00 FB 00009
04 00010

.ENTRY EDT\$\$CS_BOTBUF, Save nothing : 0656
CALLS #0, EDT\$\$WF_BOT : 0695
CALLS #0, EDT\$\$GET_TXTLN : 0699
RET : 0700

: Routine Size: 17 bytes, Routine Base: _EDT\$CODE + 0000

: 131 0701 1
: 132 0702 1 !<BLF/PAGE>

EDT
V04

SRWJEC

```

: 134      0703 1 END
: 135      0704 1
: 136      0705 0 ELUDOM
! of module EDTSMCBOTTOM
    
```

```

:
: PSECT SUMMARY
:
: Name          Bytes          Attributes
:
: _EDT$CODE     17 NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)
    
```

```

:
: Library Statistics
:
: File          Total      Symbols  Percent  Pages  Processing
:               Total      Loaded   Percent  Mapped  Time
:
: $255$DUA28:[EDT.SRC]EDT.L32:1      377         0         0        40      00:00.2
: _$255$DUA28:[EDT.SRC]PSECTS.L32:1    2           1        50         7      00:00.1
    
```

```

:
: COMMAND QUALIFIERS
:
: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LISS:MCBOTTOM/OBJ=OBJ$:MCBOTTOM MSRCS:MCBOTTOM.BLI/UPDATE=(ENHS:MCBO
: TTOM)
    
```

```

: Size:          17 code + 0 data bytes
: Run Time:      00:08.6
: Elapsed Time:  00:10.9
: Lines/CPU Min: 4947
: Lexemes/CPU-Min: 13059
: Memory Used:   49 pages
: Compilation Complete
    
```


0137 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

This document is a technical reference manual for Digital Equipment Corporation (DEC) VAX/VMS systems. It contains a grid of 100 small, individual manuals or sections, each representing a specific software module. The modules are arranged in a 10x10 grid, with labels for each module printed in a larger font. The modules are as follows:

- Row 1: LXCOMM0 LIS, MCGETLIN LIS, MCRIGHT LIS
- Row 2: MCCHANGE LIS
- Row 3: MACCAL LIS
- Row 4: NOOPEN LIS, PRAPPNUM LIS
- Row 5: LXPRINT LIS, MCGTXT LIS, PRGETTOK LIS, PRISTOK LIS
- Row 6: MCTOP LIS
- Row 7: MCDOWN LIS, MCLEFT LIS
- Row 8: MCBOTTOM LIS
- Row 9: PAUDIT LIS, PRGETCHR LIS
- Row 10: LXCOM LIS, MAIN LIS, MCLIP LIS

Each module's content is represented by a small, dark thumbnail image that contains text and diagrams. The overall layout is a dense grid of these small document icons.